



THE CORPORATION OF THE CITY OF MARKHAM

**101 Town Centre Boulevard
Markham, Ontario L3R 9W3**

April 4th, 2024

Addendum #3

Bid Opportunity: 068-T-24 Milliken Mills Community Centre - Ceiling Tile Replacement

Closing Date: Friday, April 12th, 2024 3:00 PM

1. GENERAL

The additions, deletions and/or revisions as hereinafter specified, shall become part of the Bid document and will be considered to have been included in the bid document.

2. CHANGE TO RFT

Delete:

Acoustic Panel (ACT2):

ASTM E1264, Type XII, Form II, Pattern G, washable and scrubable surface; Model 'OPTIMA Open Plan series' manufactured by Armstrong, 'Ecophone Gedina series' by CertianTeed Ceilings or 'Halcyon ClimaPlus series' manufactured by CGC, and conforming to the following:

1. Recycled Content: > 30 %;
2. NRC: Min. 0.90;
3. CAC: Min. 20;
4. LR: minimum 0.85;
5. Sizes: 610 x 1220 mm; standard sizes;
6. Thickness: 19 mm;
7. Edge Profile: Square Tegular;
8. Surface Texture: Fine;
9. Surface Colour: White.

Add:

Acoustic Panel (ACT2):

ASTM E1264, Type XII, Form II, Pattern G, washable and scrubable surface; Model 'OPTIMA Open Plan series' manufactured by Armstrong, 'Ecophone Gedina series' by CertianTeed Ceilings or 'Halcyon ClimaPlus series' manufactured by CGC, and conforming to the following:

1. Recycled Content: > 30 %;
2. NRC: Min. 0.90;
3. CAC: Min. 20;
4. LR: minimum 0.85;
5. Sizes: 610 x 1220 mm; standard sizes;
6. Thickness: 19 mm;
7. **Edge Profile: Lay-in;**
8. Surface Texture: Fine;
9. Surface Colour: White.

END OF ADDENDUM #3

If you require any additional information, please contact the purchasing representative.