




SECTION 7-7
SCALE 1:20




SECTION 8-8
SCALE 1:20



SECTION 9-9
SCALE 1:20



SECTION 10-10
SCALE 1:20



SECTION 11-11
SCALE 1:20

**SUPPLY & INSTALLATION OF BOLLARDS NOT IN CONTRACT
DETAILS SHOWN FOR REFERENCE ONLY**

P02

- NOTES**
- DO NOT SCALE FROM THIS DRAWING.
 - ANY QUERIES ARE TO BE REFERRED BACK TO THE ENGINEER FOR CLARIFICATION.
 - ALL CONCRETE IN ACCORDANCE WITH TS 1350 AND CSA A23.1.
 - CONCRETE DESIGNATED MIX: BLINDING - GEN 1 REINFORCED CONCRETE - C 32/40, RC40, TS 1350 20mm AGGREGATE, S3 SLUMP. NO ADMIXTURE IS TO BE USED WITHOUT THE ENGINEERS PERMISSION.
 - SHOULD THE AIR TEMPERATURE RISE ABOVE 30°C OR FALL BELOW 5°C, SPECIAL PRECAUTIONS ARE TO BE TAKEN, ALL TO ENGINEER'S APPROVAL.
 - CURING TO BE DONE FOR AT LEAST 7 DAYS.
 - REINFORCEMENT BARS TO BE HIGH YIELD STEEL TO CURRENT CSA G3018 AND OPSS 1440, FABRIC REINFORCEMENT TO ASTM A1064.
 - REINFORCEMENT SCHEDULING TO OPSS 905 AND CSA-S6.
 - COVER TO ALL REINFORCEMENT: 40mm UNLESS OTHERWISE NOTED.
 - REINFORCEMENT LAP LENGTHS ARE TO BE A MINIMUM OF 44 D UNLESS OTHERWISE NOTED.
 - ALL MATERIAL AND WORKMANSHIP IN ACCORDANCE WITH RECOMMENDATIONS OF TS1350.
 - PRODUCTS TO BE INSTALLED IN ACCORDANCE WITH MANUFACTURERS GUIDELINES AND REQUIREMENTS.

- TO BE READ IN CONJUNCTION WITH DWG No:
- 1126-SY-GA-000
 - 1126-SY-GA-100
 - 1126-SY-GA-101
 - 1126-SY-GA-102
 - 1126-SY-GA-200
 - 1126-SY-GA-201
 - 1126-SY-GA-202
 - 1126-SY-GA-203
 - 1126-SY-GA-204
 - 1126-SY-GA-205
 - 1126-SY-GA-300
 - 1126-SY-GA-301
 - 1126-SY-GA-302
 - 1126-SY-GA-303
 - 1126-SY-GA-400
 - 1126-SY-GA-401
 - 1126-SY-GA-402
 - 1126-SY-GA-403
 - 1126-SY-GA-404

REV	DATE	DESCRIPTION	BY	CHKD	APVD
P02	20.12.23	UPDATED NOTES SECTION	DT	IJM	
P01	05.12.23	FOR TENDER	MJH	MJC	MJC

CONTRACT NAME:
UNION STATION TORONTO HVM - 23177804

CLIENT:
CITY OF TORONTO.

D.J. Goode & Associates Ltd.
Consulting Civil Engineers.
The Old Control Tower,
Lavenham Airfield,
Old Bury Road,
Alpheton,
Sudbury, Suffolk,
CO10 9BT.



Tel: 01284 827472
Email: p1@djgoode.co.uk
© D.J. Goode & Associates Ltd. 2023

DRAWN BY:	DATE:	CHECKED BY:	DATE:	APPROVED BY:	DATE:
MJH	05.12.23	MJC	05.12.23	MJC	05.12.23

DRAWING TITLE:
**UNION STATION TORONTO
SECTIONS 7-7, 8-8, 9-9, 10-10 & 11-11.**

SCALE:	DRAWING STATUS:	PROTECTIVE MARKING:
1:50 @ A1	FOR TENDER	

- TO BE READ IN CONJUNCTION WITH LEA DWG No's:
- UVHM-C2023-01
 - UVHM-C2023-02
 - UVHM-C2023-03
 - UVHM-C2023-04
 - UVHM-C2023-05
 - UVHM-C2023-06
 - UVHM-C2023-07
 - UVHM-C2023-08
 - UVHM-C2023-09
 - UVHM-C2023-10
 - UVHM-C2023-11
 - UVHM-C2023-12

DRAWING NUMBER:
1126-SY-GA-206

REV:
P02