




IDENTIFIED HAZARDS	
1.	CARE TO BE TAKEN WHEN EXCAVATING & RE-GRADING OF GROUND LEVEL, DUE TO CLOSE PROXIMITY OF REINFORCEMENT
2.	CARE TO BE TAKEN WHEN WORKING AROUND THE AREA OF THE EXISTING TRAFFIC LIGHT POLE. SERVICES TO BE INSPECTED PRIOR TO COMMENCING WORKS.
3.	UTILITY POLE TO BE RELOCATED FROM HVM LINE FURTHER FORWARD TO KERB LINE, IF POSSIBLE. SERVICES TO BE INSPECTED PRIOR TO COMMENCING WORKS.



**SUPPLY & INSTALLATION OF BOLLARDS NOT IN CONTRACT
LOCATION SHOWN FOR REFERENCE ONLY**



NOTES	
1.	DO NOT SCALE FROM THIS DRAWING.
2.	ANY QUERIES ARE TO BE REFERRED BACK TO THE ENGINEER FOR CLARIFICATION.
3.	ALL CONCRETE IN ACCORDANCE WITH TS 1350 AND CSA A23.1.
4.	CONCRETE DESIGNATED MIX: BLINDING - GEN 1 REINFORCED CONCRETE - C 32/40, RC40, TS 1350 20mm AGGREGATE, S3 SLUMP. NO ADMXTURE IS TO BE USED WITHOUT THE ENGINEERS PERMISSION.
5.	SHOULD THE AIR TEMPERATURE RISE ABOVE 30°C OR FALL BELOW 5°C, SPECIAL PRECAUTIONS ARE TO BE TAKEN, ALL TO ENGINEER'S APPROVAL.
6.	CURING TO BE DONE FOR AT LEAST 7 DAYS.
7.	REINFORCEMENT BARS TO BE HIGH YIELD STEEL TO CURRENT CSA G3018 AND OPSS 1440, FABRIC REINFORCEMENT TO ASTM A1064.
8.	REINFORCEMENT SCHEDULING TO OPSS 905 AND CSA-S6.
9.	COVER TO ALL REINFORCEMENT: 40mm UNLESS OTHERWISE NOTED.
10.	REINFORCEMENT LAP LENGTHS ARE TO BE A MINIMUM OF 44 D UNLESS OTHERWISE NOTED.
11.	ALL MATERIAL AND WORKMANSHIP IN ACCORDANCE WITH RECOMMENDATIONS OF TS1350.
12.	PRODUCTS TO BE INSTALLED IN ACCORDANCE WITH MANUFACTURERS GUIDELINES AND REQUIREMENTS.

TO BE READ IN CONJUNCTION WITH DWG No:	
1126-SY-GA-000	
1126-SY-GA-100	
1126-SY-GA-101	
1126-SY-GA-102	
1126-SY-GA-201	
1126-SY-GA-202	
1126-SY-GA-203	
1126-SY-GA-204	
1126-SY-GA-205	
1126-SY-GA-206	
1126-SY-GA-300	
1126-SY-GA-301	
1126-SY-GA-302	
1126-SY-GA-303	
1126-SY-GA-400	
1126-SY-GA-401	
1126-SY-GA-402	
1126-SY-GA-403	
1126-SY-GA-404	

P02	20.12.23	UPDATED NOTES SECTION	DT	IJM	
P01	05.12.23	FOR TENDER	MJH	MJC	MJC
REV	DATE	DESCRIPTION	BY	CHKD	APVD

CONTRACT NAME:
UNION STATION TORONTO HVM - 23177804

CLIENT:
CITY OF TORONTO.

D.J. Goode & Associates Ltd.
Consulting Civil Engineers.
The Old Control Tower,
Lavenham Airfield,
Old Bury Road,
Alpheton,
Sudbury, Suffolk,
CO10 9BT.
Tel: 01284 827472
Email: p1@djgoode.co.uk



© D.J. Goode & Associates Ltd. 2023					
DRAWN BY:	DATE:	CHECKED BY:	DATE:	APPROVED BY:	DATE:
MJH	28.09.23	MJC	05.12.23	MJC	05.12.23
SIGNED:		SIGNED:		SIGNED:	

DRAWING TITLE:
**UNION STATION TORONTO
ELEVATIONS, A-A, B-B, C-C**

SCALE:	DRAWING STATUS:	PROTECTIVE MARKING:
1:50 @ A1	FOR TENDER	
DRAWING NUMBER:		REV:
1126-SY-GA-200		P02