



Engineers

## **Building Demolition**

30 Newbridge Road, Etobicoke, ON

### **BID DOCUMENTS, TECHNICAL SPECIFICATIONS, AND DRAWINGS**

Prepared for: City of Toronto, Corporate Real  
Estate Management

Project Management Office  
55 John Street, Second Floor  
Toronto, Ontario, M5V 3C6

Prepared by: Read Jones Christoffersen Ltd.

Suite 400, North Tower,  
100 University Ave.,  
Toronto, ON, M5J1V6

RJC No. TOR.128366.0002

August 2024 - Issued for Tender

**Division 00 - Procurement and Contracting Requirements**

00 01 15 List of Drawings ..... 1

**Division 01 - General Requirements**

01 11 00 Summary of Work ..... 6  
01 11 01 Use of Site ..... 3  
01 21 00 Allowances ..... 3  
01 25 13 Alternatives ..... 2  
01 31 13 Coordination ..... 2  
01 31 19 Project Meetings ..... 3  
01 33 00 Submittals ..... 4  
01 52 00 Temporary Facilities ..... 4  
01 56 00 Protection of Work and Property ..... 7  
01 61 00 Material and Equipment ..... 1  
01 74 00 Waste Removal and Cleaning ..... 4  
01 77 00 Contract Close-Out ..... 2  
01 78 36 Warranties and Bonds ..... 2  
01 78 39 Project Record Drawings ..... 2

**Division 02 - Existing Conditions**

02 41 00 Building Demolition ..... 7

**Division 32 - Exterior Improvements**

32 11 00 Granular Backfill ..... 3

**Appendix A – Reference Documents**

Hazardous Building Materials Assessment (Pre-Demolition) ..... 74  
Asbestos Abatement Specification Document ..... 31  
Asbestos Abatement Specification Pricing Detail ..... 3  
Phase One Environmental Site Assessment ..... 1248  
Phase Two Environmental Site Assessment ..... 161

**Appendix B – Reference Documents**

Photo Appendix ..... 22  
Site Refuse Inventory Sketch SK-01 ..... 1

## 1.0 Drawings

The drawings listed below will be included in the General Contractor/Owner agreement and will become part of the contract.

<b>Drawing No.</b>	<b>Drawing Title</b>	<b>Date</b>
	<b>Cover Page and General Notes</b>	<b>August 30, 2024</b>
<b>D1</b>	<b>North Legal and Topographic Survey</b>	<b>August 30, 2024</b>
<b>D2</b>	<b>South Legal and Topographic Survey</b>	<b>August 30, 2024</b>
<b>D3</b>	<b>North Demolition Part Plan</b>	<b>August 30, 2024</b>
<b>D4</b>	<b>South Demolition Part Plan</b>	<b>August 30, 2024</b>
<b>D5</b>	<b>Framing Plan</b>	<b>August 30, 2024</b>
	<b>Subsurface Utility Engineering Study</b>	<b>August 30, 2024</b>

**END OF SECTION**

## **1.0 GENERAL**

Work under this Contract includes demolition of the buildings and platform structures at 30 Newbridge Road, in the City of Etobicoke in the Province of Ontario.

### **1.1 Description of Existing Site and Structure**

The buildings and structures at 30 Newbridge Road in Etobicoke, Ontario include a three-storey office building, one-storey warehouse building, and two platform structures. The office building is L shaped and has a foot print of approximately 8000 square feet. The warehouse is rectangular in shape and has a plan footprint of approximately 133,623 square feet. The platform structures are rectangular in shape and have a footprint of 6920 square feet and 5400 square feet.

The site is rectangular in shape and is bound by Lockport Ave to the north, parking lots and yards to the east and south, and commercial buildings to the west. The buildings and platform structures occupy center portion of the sites footprint and the remainder is on grade asphalt pavement and concrete sidewalk.

The warehouse building structure consists of a steel roof decking on steel joists at approximately 10 feet spacing. The joists span in the east-west direction and are typically supported by structural steel beams, spaced at approximately 30 feet. The beams are supported by steel columns, spaced approximately 30 feet. The columns are supported by reinforced concrete pad footings. The exterior walls consist of non-loadbearing masonry blocks. The exterior walls are found to be on reinforced cast-in-place concrete strip footings.

The warehouse building has exterior walk-out egress steel stair on all elevation, and two reinforced concrete ramps on pile footings on the east and west elevations. The loading docks are situated on the east and west elevations and are equipped with retractable garage doors located five feet above ground.

The office building structure consists of three floors including one basement. The building is equipped with two interior steel staircases with concrete filled treads, and load bearing brick walls. Typical finishes included acoustical ceiling tiles, drywall walls, and tile flooring.

Located at the north east elevation are train tracks and two platform structures. The platform structures consist of a steel roof decking on steel joists. The joists span in the north south direction and are typically supported by structural steel beams. The beams are supported by steel columns, founded on pad footings.

## 1.2 Condition of Existing Structure

A Designated Substances Survey has been completed by Fisher Engineering and has identified abatement requirements for demolition. This report forms part of the tender documents and shall be referenced during pricing and execution of the work.

The basement level below the office building portion is known to have ongoing and persistent flooding issues. Contractor to include dewatering program in bid price in order to facilitate demolition of the building.

## 1.3 Reference Materials

The following previous reports in Appendix A prepared by other consultants which describe the site and existing conditions.

- .1 30 Newbridge Road, Etobicoke, ON - Designated Substances Survey, dated June 1, 2023 by Fisher Engineering.
- .2 30 Newbridge Road, Etobicoke, ON- Phase One Environmental Site Assessment, dated February 2019 by WSP.
- .3 30 Newbridge Road, Etobicoke, ON- Phase One Environmental Site Assessment, dated February 2019 by WSP.

## 1.4 Description of Work

- .1 It is the Contractor's responsibility to provide all labour, material, equipment and supervision to complete the work outlined in this specification taking into account all site conditions, noise restriction, work area restrictions, protection requirements, accessibility restrictions, etc. No extras will be entertained for inconveniences after the award of this Contract.
- .2 In particular, the work includes but is not necessarily limited to the following:
  - .1 The installation and maintenance of security fencing around the areas of work, construction of covered walkway/entranceway, sidewalk hoarding, overhead protection, utilities protection (e.g. hydro lines) and signage as required to complete the work.
  - .2 The installation and maintenance of hoarding and protection as required to execute the work, in accordance with the findings of the Pre-Demolition Hazardous Building Materials Assessment.

- .3 The design, installation, and maintenance of temporary works (shoring, etc.) to facilitate safe access to the building interior and support of adjacent roadways and properties, as necessary to perform the work.
- .4 Removal of all existing refuse within the building and on the site.
- .5 Location of all public and private utilities affected by the work.
- .6 Abatement of hazardous building materials as identified by the Hazardous Building Materials Assessment prior to complete building demolition.
- .7 Cap and disconnect all services to the building at property line being sure not to affect services to adjacent and nearby properties, buildings, etc..
- .8 Contractor to engage Toronto Hydro, Enbridge and Toronto Water to cap and disconnect power, gas and water services to the site.
- .9 Existing mechanical, electrical equipment within the building shall be removed and disposed once it is properly disconnected from incoming/outgoing services.
- .10 Demolition and disposal of all existing building elements (structural, architectural, mechanical, electrical and elevator) including foundations and footings of the building. Demolition is to be undertaken in accordance with the National Building Code of Canada.
- .11 Removal of all demolition debris from site in accordance with the requirements of the Authorities Having Jurisdiction (MOL, MOE, Toronto Buildings, Toronto Fire Services, Etc.) and clean site of all rubbish and dispose in accordance with MOE requirements.
- .12 Removal and disposal of all rubbish from site and within the structures including but not limited to machinery, engine oil, tires, pallets, furniture, water tanks in accordance with the requirements of the Authorities Having Jurisdiction (MOL, MOE, Toronto Buildings, Toronto Fire Services, Etc.)
- .13 Remove, dismantle, or otherwise dispose of wood hoarding, traffic control barriers, overhead protection around work site.
- .14 Clean all catch basins of debris and flush all lines within the property lines.

- .15 Dewater basement as required for access and demolition of structures.
- .16 Backfill excavation to grade with new free-draining granular B sub-base material, crusher run limestone and ¾" clear stone. All layers to be compacted to 96% STD Proctor.
- .17 Regrade site with minimum 2" of new compacted Granular A slopped towards the catch basins.
- .18 Fill low lying areas, potholes, etc. with new compacted Granular A to match regraded site elevation.
- .19 Repair all areas damaged by demolition activity. Specifically, the Contractor shall repair all damage resulting from the demolition to the satisfaction of the Consultant including any repairs to the adjacent properties.
- .20 Final cleaning of the site and storm/sanitary sewers and the disposal of all waste products and/or debris generated by the construction activity as well as any material present in the work area prior to the commencement of the work. The areas requiring cleaning shall consist of all areas affected by the work including municipal roadways, sidewalks and adjacent properties.
- .21 Separate Price – Reinstate Water Services Post Demolition:
  - .1 Assessment of existing sub grade water service piping to 30A Newbridge for location and condition.
  - .2 Repair, replace, and/or install new piping as required to ensure 30A Newbridge is provided with water service at least equal to current service following demolition of 30 Newbridge.
  - .3 Relevel and compaction of fill with new materials at any trenching/excavation required to facilitate repair/replacement/extension of existing water service.
  - .4 Coordination and testing with Utilities service provider to re-instate service (turn water back on to 30A Newbridge Road) if affected by demolition of 30A Newbridge.
  - .5 Monitor and test water services to 30A Newbridge to ensure it back on and working order.

- .6 Obtain any required permits, engineering approvals as required by authorities having jurisdiction, and all applicable by-laws, utilities servicing codes required.
  - .7 Bid Pricing will be based on estimated value-based scope of work described above and site assumptions of work.
  - .8 Pricing for contract will be finalized during construction contract execution with consultant, owner and the contractor and will be adjusted to suite validate scope post demolition. Change Order will be issued to confirm pricing and any credits or extras costs required.
  - .9 Extra costs will be expended from the contract contingency at the time of Change Order approval.
- .22 Separate Price – Reinstate Gas Services Post Demolition:
- .1 Carrying cost estimated for Enbridge of +/- \$350,000. as per their estimated scope of services.
  - .2 Administration and supervisions costs to manage Enbridge and their sub-contractor.
  - .3 Site access and coordination of work by Enbridge and its designated vendor.

## 1.5 Work Sequence

- .1 The building will be closed and vacant as of for the duration of the contract with the work intended to be completed in a single phase.
- .2 All work shall be in accordance with municipal noise bylaws.
- .3 The work areas will be available as of **November 1, 2024 at 7:00 A.M.** Contractor to confirm start date. All work outlined in these specifications is to be complete by **November 31st, 2024 at 7:00 P.M.**, providing for a construction schedule of **FOUR** weeks.
- .4 Time and time limits stated within Bid submittal and Contract Documents are of the essence to the Contract. Perform work expeditiously and with adequate forces to complete the Contract Work within the time specified.



## **1.6 Construction Schedule**

- .1 Contractor has complete and sole use and access to designated work areas, 24 hours a day, 7 days a week, unless otherwise stipulated by the Owner during the course of the Work.
- .2 All noise or dust generating Work shall be limited to the hours of 7:00 AM and 6:00 PM Monday through Friday, and 9:00 AM and 5:00 PM on Saturdays. Quiet work shall be permitted 24 hours a day, 7 days a week.
- .3 Schedule operations to comply with laws, ordinances, rules, and regulations relating to Work.
- .4 In conjunction with and in a form acceptable to the Consultant and Owner, provide within 5 working days after award of contract a detailed a schedule indicating the phasing and procedures required to complete the Work within the submitted timeframe.
- .5 The construction schedule shall reflect completion of all work under the Contract within the specified time and in accordance with these Specifications.
- .6 The Contractor shall submit a revised schedule to the Consultant if, after commencing the Work, the schedule fails to reflect actual progress or the Contractor wishes to make a major change to their approach. The revised construction schedule must be submitted in advance of beginning a revised approach.
- .7 Submit weekly look ahead schedules to project stakeholders identifying all work to be completed, where work is taking place and any required building system shut downs.

**END OF SECTION**

## **1.0 GENERAL**

### **1.1 Contractor's Use of Site**

- .1 The Contractor has sole access to site for the duration of the project.
- .2 The building will be unoccupied for the duration of the Contract. It is the Contractor's responsibility to ensure that areas outside those designated for closure remain available and safely accessible at all times.
- .3 Do not unreasonably encumber the Place of Work with materials or equipment. Construction related debris shall not be permitted to accumulate on site where visible to building users. Remove daily if necessary.
- .4 Do not overload the structure.
- .5 Do not close or obstruct or store materials in roadways, sidewalks or passageways without prior approval from the Owner. Do not interfere with safe passage to and from the building and adjacent public sidewalks and roads. Move stored products or equipment that interferes with building operations.
- .6 Take all precautions and provide all required protection to ensure the safety of the general public. Provide a flag person for any off loading or receiving of goods and materials.
- .7 No storage of materials or equipment is allowed outside the designated work areas without the Owner's approval.
- .8 During transportation of materials or equipment throughout the site, ensure the public, property, and finishes are protected from damage. All damage caused by the Contractor is to be repaired or rectified at the Contractor's expense.
- .9 Propane powered equipment not permitted within interior areas.
- .10 Arrange all construction access into areas of the site not included in the Contract with the Owner to allow the Owner to provide proper notice.
- .11 Maintain work areas and the vicinity clean and tidy to the satisfaction of the Owner and Consultant.

- .12 The Contractor is to obtain and pay for all permits (road/sidewalk closures, etc.) required for completion of the Work, excluding the Building Permit. Do not start construction until the Building Permit has been issued. Provide copies of all other permits to the Consultant and post on site where required.
- .13 It is Contractor's responsibility to control traffic and to redirect if necessary. Any required traffic rerouting and work sequence shall be closely coordinated with the Owner.
- .14 Provide signage of professional quality, barriers, and hoarding as necessary to protect the public from construction and Contractor operations, to secure the work area, and to route traffic through or around designated work areas. Refer to Drawings and Section 01 56 00 for a list and locations of non-standard construction signage that must be supplied by the Contractor. These signage requirements are in addition to any standard signs required to control and reroute traffic or maintain public safety.
- .15 Hoarding and dust protection is to be provided around each area of work in accordance with Section 01 56 00. Each phase of work is to be sealed to prevent the release of construction dust into other areas.
- .16 Use of power plant and percussive equipment to be in accordance with all local by-laws and ordinances.
- .17 Confine construction equipment, temporary work, storage of products, waste products and debris, and operations of employees and subcontractors to limits indicated by laws, ordinances, permits, or Contract Documents.
- .18 Protect all utilities, gas mains, electrical conduit, overhead power lines, etc. that must remain in service throughout the construction period.
- .19 During transportation of materials or equipment through occupied areas, protect the public, property, and finishes from damage. All damage caused by the Contractor is to be repaired or rectified at Contractor's expense.
- .20 Use Newbridge Road or Lockport Ave. for delivery and removal of material for duration of Project. Disposal bins, supply trucks, etc. are to be located within designated work area. Contractor is responsible for all required permits.
- .21 Maintain free access routes for ambulance, fire emergency vehicles, garbage trucks, etc.

## **1.2 Hours of Work**

- .1 Use of all equipment to be restricted in accordance with local and municipal noise by-laws and regulations.
- .2 All work shall be undertaken in the work hours indicated below:
  - .1 All noise generating Work shall be limited to the hours of 7:00 A.M and 6:00 P.M. Monday through Friday, and 9:00 A.M and 5:00 P.M. on Saturday. Noisy work outside of these hours shall be preformed only with written authorization from the Owner.
- .3 Contractor has access to areas with quiet work proceeding around the clock seven days a week, if desired.

## **1.3 Effect on Building and Site**

- .1 Schedule operations to minimize interruption of the normal use of the site, and to comply with laws, by-laws, ordinances, rules, and regulations relating to the Work.
- .2 Locate all existing utilities prior to construction and temporarily shut off, cap and disconnect or protect them during construction.

**END OF SECTION**

## **1.0 GENERAL**

### **1.1 Section Includes**

- .1 Cash Allowances
- .2 Determination of Actual Costs
- .3 Adjustment of Contract Price

### **1.2 Allowances**

- .1 Allowances include for the following:
  - .1 Supply and Install Products
  - .2 Installation by Contractor of Owner-Supplied Products
  - .3 Inspection and Testing
- .2 Unless otherwise specified, amounts for each allowance include:
  - .1 Actual product cost
  - .2 Applicable taxes and tariffs
  - .3 Freight, handling, unloading, and storage
  - .4 Contractor services
  - .5 Labour for installation and finishing
  - .6 Construction machinery and equipment
  - .7 Authorized expenditures
- .3 Value Added Taxes do not form a part of the allowances.
- .4 Contractor's overhead and profit to be included as follows:
  - .1 Overhead and profit for each cash allowance will be included in Contract Price.
- .5 Contractor will provide the Owner with at least three (3) competitive prices for work of each allowance. The Owner shall determine actual costs as specified in Paragraph 8.

- .6 Additional expenditures not identified as part of the allowances will be submitted for review by the Owner and where deemed applicable authorized in writing by the Owner.
- .7 Notification in writing by the Owner is required prior to the Contractor executing work outlined under each allowance.
- .8 The Owner will provide the Contractor with applicable documentation, equipment, and products within the time specified or, where such time is not specified, in sufficient time to permit the construction schedule to be maintained.

### 1.3 Material Testing Allowance

- .1 Include in Stipulated Sum, an allowance of \$35,000.00 for third party material testing approved by the Owner.
- .2 The Contractor shall retain the selected Material Testing Agency.
- .3 The Contractor shall be reimbursed via this allowance for successful test results only. Unsuccessful testing costs shall be borne by the Contractor.
- .4 The Contractor shall submit all material testing reports along with their draft invoice submission at the end of each month for preparation of a Change Order for successful Material Testing in the progress draw period.
- .5 The Contractor shall carry coordination of material testing in their base bid price. No Overhead and Profit costs shall be included in Change Orders drawings from this allowance.**

### 1.4 Environmental Allowance

- .1 Include in Stipulated Sum, an allowance of \$200,000.00 for:
  - .1 Abatement of additional Hazardous Building Materials not identified in the Pre-Demolition Hazardous Building Materials Assessment report that has been included in the bid documents.

### 1.5 Determination of Actual Costs

- .1 Invoices, bills of sale, and notes payable for actual cost of items and services covered in an allowance amount shall be submitted by the Contractor for verification by the Owner.
- .2 Trade discounts and refunds shall be credited to Owner.

- .3 Where applicable, the valuation for a change shall be in accordance with General Requirements.

#### **1.6 Adjustment of Contract Price**

- .1 When actual costs are determined for each allowance, the Contract Price will be valued accordingly by a Change Order.

**END OF SECTION**

## **1.0 GENERAL**

### **1.1 Substitution of Materials Prior to Bid Closing**

- .1 Substitution of specified products, sequences or systems is permitted only when alternatives have been approved by the Consultant, in writing, prior to bid closing.
- .2 Inform the Consultant in writing when specified products, sequences or systems are not anticipated to be available at the Place of the Work during construction. The Consultant will advise Bidders of alternatives.
- .3 If specified products, sequences or systems are not available and the Consultant was not notified prior to bid submission, the Consultant will choose a suitable substitute product at the time of construction.

### **1.2 Request for Approval of Alternatives**

- .1 A Bidder or Supplier of a product, sequences or system may apply for approval of their product or system as an alternative up to five calendar days prior to bid closing. The Consultant will advise applicants of the status of their request prior to bid closing.
- .2 Provide the Consultant with sufficient information to review the alternative. This information may include:
  - .1 Project name and number
  - .2 Specification sections affected by the proposed alternative
  - .3 Product technical data sheets
  - .4 Supplier installation instructions and requirements
  - .5 Supplier warranty and warranty requirements
  - .6 Product application sample at specified material thickness and finish on sample substrate
  - .7 Installation history, including:
    - .1 Installation locations, dates, project sizes, project values
    - .2 Description of project and product usage
    - .3 Owner and consultant
  - .8 Test data



### **1.3 Approval of Alternatives**

- .1 The Consultant reserves the right to reject any requests for approval of alternatives.
- .2 The Consultant will outline approved alternatives by addenda issued prior to bid closing. The addenda will indicate the alternative Product, sequences or system, where and how it may be used, and limitations. If an addendum is not issued, the bid is to be based on use of the specified Product, sequences or system.
- .3 The Contractor assumes full responsibility and bears all associated costs where an alternative Product, sequences or system is incorporated into the Work. Claims for increases to the Contract Price or for changes to the Date for Substantial Performance of the Work due to changes in the Work that are necessitated by the use of an alternative will not be considered. All associated costs are to be included in the bid.
- .4 The Contractor is to reimburse the Owner for their additional costs associated with incorporating alternatives into the Work. This may include additional consulting costs billed to the Owner to accommodate changes to the Contract Documents necessitated by the change.
- .5 Contractor cost savings arising from approval of alternatives are to be reflected in the Contract Price.

**END OF SECTION**

## **1.0 GENERAL**

### **1.1 Project Coordination**

- .1 The Contractor is responsible for coordination of trades. Lines of demarcation between Contractor and trades or trade and trade are solely the responsibility of the Contractor. The Consultant assumes no responsibility for division of the Work or for any jurisdiction regarding such division.
- .2 Contractor is responsible for coordination with the Owner for on-site activity as it affects the operation of the building.

### **1.2 Notification for Field Review**

- .1 Notify the Consultant at least 24 hours in advance for field review. No work shall be covered or concealed until reviewed by the Consultant unless informed that a field review will not be performed. Such review does not absolve the Contractor from their responsibility to perform the work in accordance with the Contract Documents.
- .2 The Contractor shall notify and coordinate with the Owner's Environmental Consultant for all testing and monitoring required to abate designated substances.
- .3 The Contractor shall notify the designated testing company for material sampling and testing.
- .4 Provide the Consultant with safe access to any part of the Work requiring field review.
- .5 The Owner may be present during field review at the Owner's discretion.

### **1.3 Superintendence**

- .1 The Contractor shall provide a full time on-site Superintendent that is responsible for the quality, control, organization, and coordination of all phases of the Work. The Superintendent shall be in attendance at all site meetings. Superintendent shall have a mobile phone at all times during working hours to allow for communication with the Consultant or Owner.
- .2 Superintendent shall be satisfactory to the Owner and the Consultant, and shall not be changed without the Consultant or Owner's consent.

- .3 Superintendence shall be deemed unsatisfactory and changes or additions to superintendence may be demanded when control, organization, or coordination of the Work is not satisfactory, quality of the Work does not meet requirements of the Contract Documents, directions given in accordance with the Contract Documents are not followed, or progress is behind schedule.

**END OF SECTION**

## **1.0 GENERAL**

### **1.1 Work Included**

- .1 Administration of Project Meetings
- .2 Pre-Construction Meetings
- .3 Progress Meetings

### **1.2 Administration of Project Meetings**

- .1 Consultant will preside at meetings.
  - .1 A representative of the Consultant will record the minutes, include significant proceedings and decisions, and identify "action by" parties.
  - .2 Consultant will reproduce and distribute copies of the minutes to meeting participants, affected parties not in attendance, the Owner, and the Contractor.
- .2 Consultant will:
  - .1 Schedule and administer project meetings unless otherwise noted.
  - .2 Prepare agenda for meetings.
  - .3 Distribute written notice of each unscheduled meeting three days in advance of meeting date to the Contractor and Owner. Contractor is to notify relevant Subcontractors.
- .3 Contractor shall provide physical space and arrange for meetings on site.
- .4 Representatives of Contractor, Subcontractors, and suppliers attending meetings shall be qualified and authorized to act on behalf of the party each represents.

### **1.3 Pre-Construction Meeting**

- .1 After award of Contract, a meeting of all parties in the Contract shall be held to discuss and resolve administrative procedures and responsibilities.
- .2 Representatives of the Owner, Consultant, Contractor, major Subcontractors, and construction review personnel will attend.

- .3 Consultant will establish a time and location of the meeting and notify concerned parties at least five days before the meeting.
- .4 Agenda to include the following:
  - .1 Appointment of official representatives of participants of the Work.
  - .2 Schedule of Work, progress scheduling.
  - .3 Shop drawings (if required) and schedule of shop drawing submissions.
  - .4 Requirements of temporary facilities, site signage, hoarding, dust protection, offices, storage sheds, utilities, fences.
  - .5 Delivery schedule of critical equipment.
  - .6 Site security.
  - .7 Contemplated change orders, procedures, approvals required.
  - .8 Take over procedures, acceptance, warranties.
  - .9 Monthly progress claims, administrative procedures, holdbacks.
  - .10 Appointment of inspection and testing agencies or firms.
  - .11 Insurance, transcript of policies.

#### 1.4 Progress Meetings

- .1 During the course of Work, the Consultant or Contractor will schedule progress meetings every two weeks. Further progress meetings may be scheduled by the Consultant, Contractor, or Owner as required to expedite the Work.
- .2 Consultant, Contractor, major Subcontractors involved in the Work, and Owner, when required, are to attend.
- .3 The **CONSULTANT** shall notify parties minimum three (3) days prior to scheduled meetings of any changes to time or place.
- .4 Agenda to include the following:
  - .1 Review, approval of minutes of previous meeting.
  - .2 Review of Work progress since previous meeting.

- .3 Field observations, problems that impede construction schedule, conflicts.
- .4 Progress, schedule during succeeding work period.
- .5 Corrective measures and procedures to regain projected schedule.
- .6 Revisions to construction schedule.
- .7 Review of off-site fabrication delivery schedules.
- .8 Review submittal schedules; expedite as required.
- .9 Maintenance of quality standards.
- .10 Pending changes and substitutions, Notices of Proposed Change, Change Orders.
- .11 Review proposed changes effect on construction schedule and on completion date.
- .12 Other business.

**END OF SECTION**

## **1.0 GENERAL**

- .1 This Section specifies general requirements and procedures for shop drawing, product data, sample, and mock-up submissions for Consultant's review. Additional specific submission requirements may be specified in other Sections.
- .2 Do not proceed with Work until relevant submissions are reviewed by Consultant.
- .3 Present shop drawings, product data, samples, and mock-ups in imperial units. Where items or information is not produced in imperial, converted values are acceptable.
- .4 Contractor's responsibility for errors or omissions in any submission is not relieved by Consultant's review of the submission.
- .5 Notify Consultant, in writing at time of submission, of any deviations from the requirements of Contract Documents that form part of submissions. Also indicate the reasons for the deviations.
- .6 Contractor's responsibility for deviations from the requirements of the Contract Documents in submissions is not relieved by Consultant's review of the submissions unless Consultant provides written acceptance of the identified deviations.
- .7 Make any changes in submissions that Consultant may require consistent with the Contract Documents and resubmit where directed by Consultant.
- .8 Notify Consultant in writing of any revision other than those requested by Consultant when resubmitting.

### **1.1 Submission Requirements**

- .1 Coordinate each submission with requirements of work and Contract Documents. Individual submissions will not be reviewed until all related information is available.
- .2 Submit electronic copies of product data, manufacturer's catalogue sheets, brochures, literature, performance charts, and diagrams.
- .3 Comply with the following requirements in regards to submission of product data:
  - .1 Delete information not applicable to project.

- .2 Supplement standard information to provide details applicable to project.
- .3 Provide certification of compliance to applicable codes.
- .4 Provide manufacturer's certification as to current production.
- .4 Allow 10 working days for Consultant's review of each submission.
- .5 Accompany submissions with an electronic transmittal letter that contains:
  - .1 Date.
  - .2 Project title and number.
  - .3 Contractor's name and address.
  - .4 Identification and quantity of each shop drawing, product data, and sample.
  - .5 Other pertinent data.
- .6 Submission shall include:
  - .1 Date and revision dates.
  - .2 Project title and number.
  - .3 Name and address of:
    - .1 Subcontractor.
    - .2 Supplier.
    - .3 Manufacturer.
  - .4 Contractor's stamp, signed by Contractor's authorized representative certifying approval of submissions, verification of field measurements and compliance with Contract Documents.
  - .5 Details of appropriate portions of Work as applicable:
    - .1 Fabrication.
    - .2 Layout, showing dimensions, including identified field dimensions and clearances.
    - .3 Setting or erection details.



- .4 Capacities.
  - .5 Performance characteristics.
  - .6 Standards.
  - .7 Operating weight.
  - .8 Wiring diagrams.
  - .9 Single line and schematic diagrams.
  - .10 Relationship to adjacent work.
- .6 After Consultant's review, distribute electronic copies to relevant affected subcontractors.

## 1.2 Shop Drawings

- .1 Provide electronic copies of shop drawings pertaining to installations and fabrications required by the Contract for Consultant review prior to commencing work. Provide full-size hard copy submissions if requested by Consultant. Unless noted otherwise, submit shop drawings for the following:
  - .1 Temporary shoring and bracing.
  - .2 Demolition sequence and procedures.
- .2 As part of RJC's field services, RJC will review shop drawings pertaining to work shown on RJC's drawings by means of an appropriate rational sampling procedure and will comment on the accuracy with which the Contractor prepared the shop drawings.
- .3 Review of shop drawings is for the sole purpose of ascertaining conformance with the general design concept and is not an approval of the detail design inherent in the shop drawings. Design responsibility remains with the Contractor submitting the shop drawings.
- .4 Review of shop drawings does not relieve Contractor of their responsibility for errors and omissions in shop drawings or for meeting all requirements of the Contract Documents.
- .5 Contractor is solely responsible for information pertaining to fabrication process, techniques of construction and installation, and coordination of subcontractors.
- .6 Cross-reference shop drawing information to applicable portions of Contract Documents.

- .7 Shop drawings that require approval of any legally constituted authority having jurisdiction shall be provided by the Contractor to such authority for approval.

### **1.3 Product Data**

- .1 Product Data: Manufacturer's catalogue sheets, brochures, literature, performance charts, and diagrams, used to illustrate standard manufactured products.
- .2 Submit electronic copies of product data.
- .3 Sheet Size: 215 x 280 mm.
- .4 Delete information not applicable to project.
- .5 Supplement standard information to provide details applicable to project.
- .6 Cross-reference product data information to applicable portions of Contract Documents.

### **1.4 Samples**

- .1 Samples: Examples of materials, equipment, quality, finishes, workmanship.
- .2 Where colour, pattern, or texture is criterion, submit full range of samples.
- .3 Reviewed and accepted samples will become standard of workmanship and material against which installed work will be reviewed.

### **1.5 Mock-Ups**

- .1 Mock-Ups: Field-erected examples of work complete with specified materials and workmanship.
- .2 Erect mock-ups at locations acceptable to Consultant.
- .3 Reviewed and accepted mock-ups will become standards of workmanship and material against which installed work will be reviewed.

**END OF SECTION**

## **1.0 GENERAL**

### **1.1 Temporary Utilities**

- .1 Provide and pay for where specified, locate where directed, and maintain temporary facilities for the Work and for all Subcontractors, and remove them upon completion of the Work.
- .2 Where specified to provide utilities, make all arrangements with the public utilities, obtain all necessary permits, provide or pay for connections and disconnections, and pay all respective fees.

### **1.2 Electrical Power**

- .1 The contractor shall assume that there is no available electrical power on site for the purpose of bidding.
- .2 The Contractor shall pay for any alterations to the electrical system that may be needed to accommodate the Contractor's equipment and temporary lighting for overhead protection. Coordinate any required alterations with the Owner's Representative. Reinstall the system to its original condition upon completion of the Work.
- .3 The Owner shall pay for electrical consumption from building sources made available by the Owner.

### **1.3 Water Supply**

- .1 The contractor shall assume that there is no available water on site for the purpose of bidding.
- .2 Contractor shall pay for the cost of any temporary water connections or alterations that are required to perform the Work. Reinstall the system to its original condition upon completion of the Work.
- .3 The Owner shall pay for water consumption from building sources made available by the Owner.

### **1.4 Temporary Lighting**

- .1 Provide and maintain temporary lighting for safe demolition and working conditions conforming to Ontario Occupational Health and Safety Act.
- .2 Illumination must be provided and maintained on all floors and stairs affected by the Work.

- .3 Contractor is to have an emergency generator and lighting system available to be used in a situation where the existing lighting system becomes inoperative due to the Work and cannot be repaired within a two (2) hour period. Once the repair is complete, the temporary lighting system may be removed.
  - .1 If the damaged lighting cannot be repaired within the specified period, the Contractor must promptly notify the Owner.
  - .2 If the Contractor does not repair the damaged lighting within the specified time and does not promptly notify the Owner, the Owner reserves the right to repair the damage and deduct the cost from the Contract.
- .4 Temporary lighting requirements discussed herein shall also apply to all subcontractors.

#### **1.5 Temporary Telephone**

- .1 Provide and pay for a mobile telephone for the Contractor's own use and, as required, the use of Consultant and Owner.

#### **1.6 Temporary Fire Protection**

- .1 Provide and maintain temporary fire protection equipment during performance of the Work as required by governing codes, regulations, and by-laws.

#### **1.7 Temporary First Aid Facilities**

- .1 Provide well-stocked and maintained first aid kits within the site office that are adequate to meet the requirements and hazards of the Work.
- .2 Maintain safety data sheets (SDS) for all material being used at the project site. Ensure the SDS are readily available to the Consultant, Owner, and Contractor's forces.

## **1.8 Temporary Sanitary Facilities**

- .1 Provide temporary sanitary facilities at the time of initial mobilization and maintain them throughout the course of the work. An exception will be granted to this requirement only where Owner has confirmed in writing that on-site washrooms are available for Contractor use.
  - .1 Sanitary facility is to include an odourless flushing chemical type temporary toilet that is properly enclosed, weatherproof, and serviced periodically as required.
- .2 The building toilets and facilities shall not be used by the Contractor's forces unless approved by Owner.

## **1.9 Temporary Field Offices and Sheds**

- .1 Provide or construct work sheds for storage of tools, equipment, and materials that may be damaged by weather.
- .2 Provide and maintain a field office for the Contractor's personnel that is equipped with lights, power, and tables for drawing examinations.
- .3 Maintain sheds in a clean and orderly condition to the Consultant's satisfaction.
- .4 Provide suitable hardware and locks on doors to sheds to reasonably secure them and keep locked when unsupervised.
- .5 Field sheds shall be weather tight and have floors elevated above grade.
- .6 Relocate sheds as required by the progress of the Work. Remove sheds from the Site when directed or when they are no longer required.

## **1.10 Temporary Barriers and Enclosures**

- .1 Provide hoarding, fencing, barriers, barricades, and plant protection as required by the authorities and specified herein to protect persons and property, public and private. Refer to Section 01 56 00 for signage and hoarding requirements.
- .2 Maintain barriers in sound, clean, and where required painted condition throughout the Work.
- .3 Keep site clear of unauthorized signs.
- .4 Provide barriers with required warning lights and signs.

- .5 Hoarding, fencing, barriers, and barricades are to be constructed and supported in such a manner that no sharp projections that can cause personnel injury are created.
- .6 Remove hazards requiring barriers as soon as possible.
- .7 Remove barriers at time of turn-over of the Work to the Owner.
- .8 Exterior enclosures shall be constructed to protect the work area from environmental conditions (i.e. weather tight) that may affect schedule.

### **1.11 Temporary Heating and Ventilation**

- .1 Provide and maintain supplementary heating as required to maintain sufficient application and curing temperatures.
- .2 Provide and maintain supplementary ventilation as required. Ventilation requirements shall conform to Occupational Health and Safety Standards. Do not modify the base building systems without the coordination and approval of the Owner.
- .3 Temporary heating and ventilation used during construction -- including the cost of installation, fuel, operation, maintenance, and removal of equipment -- shall be paid for by the Contractor. The use of direct-fired heaters discharging waste products into enclosed work areas will not be permitted.

### **1.12 Security**

- .1 Take all necessary precautions to guard site, premises, materials, and the public at all times other than when supervised work is in progress.

### **1.13 Protection of Work During Close-Down**

- .1 Should the project be closed down for any cause, assume all responsibility for its proper protection during such period.

**END OF SECTION**

## **1.0 GENERAL**

### **1.1 Work Included**

- .1 Protection of the Work, work in progress, property, and persons by all Sections.

### **1.2 Walk-Through Inspection of Site**

- .1 The Contractor is to perform a thorough inspection of the site prior to the start of work and provide a written notice to the Consultant that details all damaged property, as well as all items that appear to be of poor working order or appearance (i.e. sign, fixtures, dirt, etc.)
- .2 Upon receiving this notice, the Consultant and Owner will review the validity of the items listed.
- .3 If written notice is not given within five days of commencement of Work, it will be assumed that the Contractor has reviewed the site and has accepted the condition of the property as being free of damage.
- .4 Any damages not listed as part of the written notice of clause 1.2.1 above found after the completion of the work will be the sole responsibility of the Contractor to rectify. These rectifications shall be completed in a timely and satisfactory manner.
- .5 The project will not be considered substantially performed if the cost to correct these outstanding deficiencies is greater than the limits outlined in the Construction Lien Act.

### **1.3 The Work, Work In Progress, Property, and Persons**

- .1 Protect the Work during construction from damage by weather.
- .2 Provide protection as required to protect work in progress and other property from damage and to provide suitable conditions for the progress of finishing work.
- .3 Take reasonable and required measures, including those required by authorities having jurisdiction, to protect the public and those employed on the Work from bodily harm.
- .4 Comply with requirements of Ontario Occupational Health and Safety Act for construction projects.

- .5 Contractor shall be prepared to provide respirators, dust protection, ear protection for those employed by the Consultant and Owner at the site.
- .6 Direct all Subcontractors to protect their own work, existing property, adjacent public and private property, and work of other Sections from damage while working.
- .7 The Contractor shall take all reasonable precautions necessary to protect the Work and property from damage during performance of the Contract, and shall make good any damage to the Work or property caused by the Contractor or any of its Subcontractors.
- .8 Ensure all property is protected from dust and damage. Interior areas that require access outside of working hours are to be cleaned at the end of each work shift to provide a functional environment for the user.
- .9 Dust, dirt, construction debris, water and fumes from the Work must be contained so as not to affect areas that are to remain in operation outside of the designated work areas. Resulting damage caused by contamination is the responsibility of the Contractor.
- .10 The Contractor is responsible for any damage to all property, mechanical equipment, motors, elevator equipment, fixtures, air intakes, etc., resulting from dust contamination from the Work.
- .11 Protection shall be provided for all entrance and exit-ways, floors, walls and all standing fixtures, air intakes and equipment rooms.
- .12 Contractor shall not keep secure doors open for extended periods without the Owner's permission. Any resulting damage caused to building finishes or equipment, and any resulting property losses due to compromised building security, shall be the responsibility of the Contractor.

#### **1.4 Construction Signage**

- .1 Provide all required signage necessary to protect the public from the construction and work area, control pedestrian and/ or vehicular traffic flow, and to inform users that construction activity is in progress. Signage is to be of a professional quality to the Consultant's satisfaction.
- .2 Additional signs may be required at the discretion of Owner or Consultant as construction progresses. No extras will be entertained for signage requirements after tenders close.



- .3 All signage required are to be as per Owl-Lite Rentals, Sales and Manufacturing Product Catalogue (quality, design, size, etc.). This catalogue is available for viewing in the office of the Consultant, or copies can be obtained from Owl-Lite (tel: 416-647-9663). "Standard Construction Signs" (i.e. orange background with 150 mm high black letters or decals). All signage to be of professional quality and design.
- .4 Typical signage that may be required are as follows:
  - .1 Two-way traffic
  - .2 Keep right or left
  - .3 Yield, stop, detour
  - .4 One-way traffic
  - .5 No parking, directional arrows, etc.
  - .6 Keep Out: Work in Progress
- .5 Signage will be required at all access gates and entrances to the work area. This signage shall consist of the standard "Danger Do Not Enter – Due To Demolition" sign.
- .6 Typical additional non-standard signage that will be required is as follows:
  - .1 Do Not Enter – Construction Personnel Only
  - .2 Caution – Construction Vehicles Turning
  - .3 Road Closed
- .7 All non-standard signage is to be of adequate size (discuss with Consultant prior to ordering) with orange background and large black letters and decals. Plywood backing is sufficient. All signs are to be of professional quality.
- .8 All signage is to be securely fastened directly to hoarding or, if signage is required and hoarding is not available, the signs are to be securely fastened to two screw jack (post shores) which are fully tightened to the slab soffit and slab surface. Signs and posts are to be installed in such a manner that projections that may cause public injury are not created.

## 1.5 Construction Barriers and Enclosures

- .1 All work areas are to be completely enclosed by hoarding and dust protection and only accessible to the Contractor, Owner, and Consultant.
  - .2 Contractor shall supply and construct hoarding, barriers, and enclosures as indicated in these specifications, drawings, and as directed by the Consultant or Owner as the construction progresses.
  - .3 No extras shall be entertained for hoarding, barriers, and enclosures after bid close unless the scope of work is significantly changed.
  - .4 Work areas are to be completely enclosed to keep dust generated by construction activity from escaping from the site. Wet building materials as required to control dust during demolition activity.
  - .5 The following types of enclosures/ hoarding systems will be required for this construction project:
    - .1 Type 1 - Full Height Hoarding (see also 1.12 below)
      - .1 System consists of 3/4" plywood with full height supported by 2x4 construction grade studs at maximum 2'-0" c.c. Continuous 2x4 top and bottom plates are to be supplied at perimeter of overhead protection and adjacent to work area. A continuous sheet of poly-weave tarping is to be installed on the inside of the plywood (i.e. between the plywood and the studs) and is to be wrapped over and under the hoarding to create a dust tight enclosure. Construction signage indicating "Area Closed Due To Construction" shall be mounted on exterior of fencing
        - .1 At exterior locations, the hoarding is to be 8'-0" high.
        - .2 At interior locations, full height implies from slab surface to slab soffit.
        - .3 Provide dust tight enclosure.
- This system shall be supplied along exterior sides of work area prior to and during building demolition.

- .2 Type 2 - 8' High Chain Link Fence (i.e. Fast Fence) with Polyweave or Fabric Tarping.
  - .1 This system is to consist of 8'-0" high modular "fast fencing" secured to the surface treatments with mechanical anchors or counterweights, both sufficient to prevent the overturning of fencing due to wind, vehicle impact, or forceful entry. Polyweave mesh shall be securely fastened to the fencing (full height) to prevent dust from exiting the work area during dust generating activity.

This system shall be supplied around the perimeter of the site following building demolition.
- .6 Exterior side of hoarding is to be painted white. The Contractor shall be responsible to maintain the condition of hoarding and for additional painting of hoarding required to cover graffiti.
- .7 All seams in poly-weave tarping and hoarding are to be taped together to provide dust tight enclosure.
- .8 Anchor holes are to be repaired after construction hoarding has been removed. Contractor to repair all finishes and painted surfaces damaged by fastening materials used as part of hoarding and protection systems.
- .9 Simple barriers required to control traffic (i.e. not enclosing work areas) are to consist of traffic barrels. Traffic barrels shall be installed per Book 7 of the Ontario Traffic Manual. Directional signs will also be required.
- .10 Restrict access for unauthorized personnel by placing barricades or posting guards around areas of the Work. Unauthorized personnel shall mean the public and anyone not directly concerned with the execution, supervision, or inspection.
- .11 Exterior locations (areas exposed to weather) are to be protected against weather conditions that may hinder the performance of work in these areas.

## **1.6 Existing Buildings, Curbs, Roads, Lanes, and Landscaping**

- .1 Protect existing buildings, structures, curbs, roads, lanes, and hard and soft landscaping. If, during work, any existing items are damaged, repair or replace them.

- .2 Provide pavement, curb, and sidewalk protection for public thoroughfares and the Work in progress as required by the authorities, and to protect public property and the Work.

### **1.7 Control of Construction Generated Dust, Debris, Fumes, Etc.**

- .1 Dust, dirt, construction debris, water, and fumes from the work areas must not be permitted to enter areas of buildings adjacent to work areas.
- .2 Provide for protection of vehicles in or near site and payment for cleaning or damage to vehicles.

### **1.8 Protection of Existing Exposed Facilities**

- .1 Inspect materials, equipment, and components to be re-used or turned over to the Owner. Note their condition and advise Consultant in writing of any defects or conditions that would affect their removal and re-use, prior to removal.
- .2 Prior to commencing Work, contact the Owner to locate all protective or alarm systems and sensors. All services shall be protected against damage or interruption. Provide Owner with 48 hours minimum advance notice of any necessary interruption. All claims resulting from damage shall be the responsibility of the Contractor.
- .3 Any damage to existing surfaces, landscaping or finishes to remain caused by the construction shall be repaired by the Contractor at no cost to the Owner.

### **1.9 Overloading**

- .1 Design and install temporary work as required to facilitate the work on the interior of the building prior to loading beyond the design loads indicated in reference reports.
- .2 Load no part of the structure during construction with a load greater than its available structural capacity. Install temporary works as required.
- .3 Submit equipment weights and construction procedures to the Consultant for review prior to commencing the Work.
- .4 Make every temporary support as strong as the designed permanent support.

### **1.10 Fire Protection**

- .1 Take necessary precautions to eliminate fire hazards and to prevent damage to the Work, building materials, equipment, and other property, both public and private, having to do with the Work. Inspect the Work at least once a week for this purpose.
- .2 Store and locate products and equipment packed in cardboard cartons, wood crates, and other combustible containers in orderly and accessible manner. Place approved types of firefighting equipment in vicinity of products packed in this type of crate or carton until permanent fire protection and equipment are available.
- .3 Do not store flammable products, such as paint or fuel, on site except in Owner-approved locations, if available.
- .4 Tarpaulins to be fire-resistant.
- .5 Open fires and burning of rubbish or debris are not permitted on site.

### **1.11 Site Enclosures**

- .1 The Contractor shall erect and maintain site enclosures to completely enclose the Work area, to protect the public and property from injury or damage.
- .2 Minimum site enclosure construction shall consist of:
  - .1 8'-0" high modular "fast fencing" secured to the surface treatments with mechanical anchors or counterweights, both sufficient to prevent the overturning of fencing due to wind, vehicle impact, or forceful entry. Poly-weave mesh shall be securely fastened to the fencing (full height) to prevent dust from exiting the work area during dust generating activity.
- .3 All enclosures are to be marked with safety signage.
- .4 All enclosures and protection are to be maintained daily, keeping them clean, orderly, and graffiti free.
- .5 Remove temporary facilities from site promptly when directed by Owner.

**END OF SECTION**

## **1.0 GENERAL**

### **1.1 Manufacturer's Instructions**

- .1 Unless otherwise specified, comply with manufacturer's latest printed instructions for materials and installation methods. Supply copies of these instructions to Consultant prior to commencing work.
- .2 Notify Consultant in writing of any conflict between the Contract Documents and manufacturer's instructions.

### **1.2 Delivery, Storage, and Handling**

- .1 Deliver, store, and maintain packaged materials with manufacturer's seals and labels intact.
- .2 Immediately remove rejected materials from the Place of the Work.
- .3 Storage and handling of materials shall conform to Ontario Occupational Health and Safety Act and manufacturer's instructions.
- .4 Toxic or hazardous materials shall be secured in a locked storage area.
- .5 All containers to be labeled in accordance with WHMIS regulations.
- .6 All containers to be labeled with material expiration dates. Materials older than the expiry date shall not be used on the Work and shall be removed immediately from the site.
- .7 Provide Owner and Consultant with electronic copies of all Safety Data Sheets (SDS) and maintain hard copies on site.

### **1.3 Materials**

- .1 Use new products unless otherwise specified.
- .2 Provide electronic copies of maintenance instructions and material literature for finished surfaces prior to Substantial Performance.
- .3 Unless otherwise specified, Contractor shall provide, maintain and pay for all materials, tools, machinery, equipment, temporary facilities, controls and conveniences necessary for execution of the Work. All materials shall be new, of merchantable quality, and suitable for the intended purpose.

**END OF SECTION**

## **1.0 GENERAL**

### **1.1 Description of Work Included**

- .1 Provide all labour, material, equipment, and services necessary to clean the area of the Work, including all surfaces, fixtures, equipment, finishes, landscaping, etc., and dispose of all waste products and debris in the work area as indicated in the Contract Documents.
- .2 Provide all labour, material, equipment, and services necessary to clean outside the area of the work if dust, debris, and waste products generated by the Work have affected these areas.
- .3 Provide all labour, material, equipment and services necessary to abate and demolish designated substances identified in the Pre-Demolition DSS Report in Appendix A and coordinate monitoring by the Environmental Consultant.

### **1.2 General Requirements**

- .1 Conduct cleaning and disposal operations in compliance with local, provincial, and federal regulations and laws, as well as DSS Report and Owner requirements.
- .2 Prevent the accumulation of waste that creates hazardous conditions.
- .3 Provide adequate ventilation during use of volatile or noxious substances. Obtain approval for ventilation exhaust locations with the Owner prior to installation.
- .4 Coordinate requirements for ventilation and waste disposal operations with the Owner and Consultant.

### **1.3 References**

- .1 Waste Control Regulation - Ontario Environmental Protection Act

### **1.4 Materials and Equipment**

- .1 Use only cleaning materials and equipment that are approved by the manufacturer of the surface to be cleaned, and use the cleaning materials in conformance with manufacturer recommendations.

## **1.5 Prior to Construction**

- .1 The Contractor shall examine the Place of the Work prior to mobilization to determine conditions with respect to dust, debris, rubbish, and waste material.
- .2 It is the Contractor's responsibility to clean Work areas and all areas affected by the Work free of all debris generated by the construction activity and existing dust, debris, rubbish, and waste material present at the start of Work, unless explicitly otherwise indicated in the Contract Documents or there are significant variations in conditions in comparison to the time of Bid.
- .3 Onus is on the Contractor to satisfactorily demonstrate to the Consultant if conditions vary significantly from the time of bid. Significant variations will be resolved by the Owner.
- .4 No extras will be entertained for site cleaning after Contract award.

## **1.6 Waste Removal and Cleaning During Construction**

- .1 Contractor to perform all required cleaning during the Work.
- .2 Maintain the Place of the Work and areas affected by the Work free from accumulations of dust, debris, rubbish, and waste materials generated by the Work.
- .3 Provide sufficient on-site containers for collection and disposal of dust, debris, rubbish, and waste material.
- .4 Store volatile waste in covered containers. All waste that is volatile or creates a hazardous condition must be removed from the premises daily.
- .5 Disposal is to be performed in strict accordance with the product Safety Data Sheet (SDS) and local, provincial, and federal regulation Drainage systems shall not be used to dispose of Project wastes and materials.
- .6 Enclose work areas and prevent dust and debris generated by construction from affecting other areas, including areas required for construction access. Any dust and debris that escapes from the Work area is to be cleaned in a timely fashion and, at latest, prior to the end of the work day/ shift.
- .7 If the Consultant deems that cleaning has not been performed in a timely fashion, the Owner may seek to resolve the conditions in accordance with the Contract General Conditions.



- .8 Flush and clean the drainage system, including buried or hidden drain lines, all the way to municipal system to maintain operation of the drainage system throughout the Work.
- .9 Cover drains affected by or required for the Work with filter fabric to prevent debris from entering the drainage system.
- .10 Do not dispose of project waste and material in the drainage system.

### **1.7 Drainage System – Cleanliness and Damage**

- .1 Flush clean all the drainage systems – including catch basins, maintenance holes, drains, sump pits, weeping tile, piping, etc. – within the area of Work. Remove and dispose of silt and debris by manual or suction means without washing it down or through the drainage system.
- .2 Maintain the drainage systems in this cleaned state throughout the Work.
- .3 Confirm the operation and condition of the sump pits prior to performing work that affects or requires their operation. The existing pumps may be used during construction but the Contractor is responsible to maintain their operation.
- .4 Provide additional pumps if existing pumps cannot effectively remove water generated by construction.
- .5 Do not discharge water from construction directly into any of the site sewer or storm water management systems. The water is to be treated with proper filtering, stilling basins, and tankage to prevent silt and debris from entering the systems.
- .6 All equipment maintenance and refuelling operations shall be controlled to prevent the discharge of petroleum products into the sewer system.
- .7 Damage caused to the existing water supply systems, storm water management systems, sewer systems, and surrounding areas by the Contractor's operations are to be made good to the full satisfaction of the Owner at Contractor cost.
- .8 A cleaning contractor specializing in flushing and cleaning drainage systems shall clean and flush the sewer systems after completion of dust and water generating parts of the Work.

## **1.8 Final Cleaning**

- .1 Thoroughly clean all areas affected by the Work free of all dust, debris, construction material, waste, and rubbish immediately prior to final review and turn-over of the Work area to the Owner.
- .2 Remove all grease, dust, dirt, stains, labels, fingerprints, over-spray, and other foreign materials immediately prior to final review and turn-over of the Work area to the Owner. Leave site in a neat and tidy condition at completion of the Work
- .3 Flush and clean free of all silt and debris and provide CCTV inspection of all drainage lines for the Consultant to review to demonstrate the condition of the drainage lines and effectiveness of the cleaning.
- .4 Prior to Substantial Performance of the Work being considered, the Contractor shall remove their surplus products, tools, and Construction Equipment not required for the performance of the remaining Work. Leave the area of Work clean and suitable for occupancy.
- .5 The Contractor shall remove their remaining products, tools, and Construction Equipment prior to final completion of the Work.

**END OF SECTION**

## 1.0 GENERAL

### 1.1 Take Over Procedure

#### .1 Contractor's Review

- .1 The Contractor and their Subcontractors shall conduct a review of the work and correct all noted deficiencies.
- .2 The Contractor shall notify the Consultant, in writing, of satisfactory completion of the "Contractor's Review" after the correction of all noted deficiencies and shall request a "Consultant's Review".

#### .2 Consultant's Review

- .1 The review team shall consist of the Consultant and the Contractor. The Owner or their representative shall attend at their option.
- .2 The Consultant will prepare a list of deficiencies noted during the "Consultant's Review" and will issue the list to the Contractor.
- .3 The Consultant will determine the value of work associated with any outstanding deficiencies noted during the Consultant's Review. Payment of these retained funds will be withheld until the deficiencies have been rectified to the satisfaction of the Consultant and Owner.
- .4 The Contractor shall correct all deficiencies indicated on the list in a timely and satisfactory manner.

#### .3 Final Review

- .1 The Contractor shall request a "Final Review" when the Contractor is satisfied that all deficiencies have been corrected. The request shall be made in writing.
- .2 The "Final Review" shall be conducted by the Consultant and the Contractor. The Owner or their representative will attend at their discretion.

#### .4 Certificate of **Substantial Performance**

- .1 The Contractor must submit a request in writing to the Consultant for a Certificate of Substantial Performance.

- .2 The Contractor shall comply with the following during Contract close-out:
  - .1 The requirements of the Construction Lien Act.
  - .2 The requirements of the Workers Compensation Act.
  - .3 All other contractual requirements.
  
- .5 Total Performance
  - .1 Immediately following the issuance of the Certificate of **Substantial Performance**, the Consultant, in consultation with the Contractor, will establish a reasonable date for the "Total Performance of the Work".
  - .2 The Contractor shall supply all guaranties and review certificates in accordance with the requirements of the Contract Documents prior to the date established for "Total Performance of the Work".
  
- .6 Release of Holdback
  - .1 The lien holdback amounts will be released pursuant to the Construction Lien Act.

**END OF SECTION**

## **1.0 GENERAL**

### **1.1 Warranty / Guaranty Period**

- .1 Provide a two-year minimum warranty for all Work of the Contract, including a guaranty secured by Performance Bond for the first two years, commencing on date of substantial performance.

### **1.2 Remedial Work Under Guaranty/Warranty**

- .1 Perform any warranty repair work required during the warranty period at no extra cost. Refer to 1.2.3 for additional information on costs.
- .2 The Owner will notify the Contractor within 30 days of the discovery of any suspected warrantable defect in the Work. Immediately take necessary steps to protect the area against further damage and take corrective action to bring the defect into conformance with the Contract Documents and rectify any damage incurred. Schedule repair work with the Owner and make every attempt to correct defects within three weeks of notice.
- .3 In the event of a valid warranty claim resulting in corrective work, the Contractor and Owner shall contact the Consultant to determine what level of involvement, including but not limited to field review, may be necessary. Should the Consultant determine that field reviews are required during the warranty repair work, the Contractor shall be responsible for Consultant fees.
- .4 Remedy be at no cost to the Owner and includes all labour, material, equipment, supervision, and field review necessary to correct defective areas of the Work and any damages incurred to obtain access to defective areas.
- .5 Reimburse the Owner for any resulting assessment costs, including fees associated with Consultant involvement, incurred to define the extent of the defect and for testing costs incurred to confirm acceptability of repairs.
- .6 Reimburse the Owner for all associated costs incurred due to closure of areas requiring repair under warranty.
- .7 Warranty periods for areas requiring repair are to be extended by the amount of time elapsed between issuance of notice and completion of remedial work. Warranty/ guaranty period will re-commence upon completion of remedial work.
- .8 Warranties are not to be deemed to restrict any liability of the Contractor arising out of any applicable law.

**END OF SECTION**

## 1.0 GENERAL

### 1.1 Record Drawings

- .1 Consultant will provide Contractor two sets of clean white prints or copies of electric drawings in PDF or CAD format for record drawing purposes.
- .2 The Contractor shall maintain accurate project record drawings on one set of white prints throughout the course of the Work that indicate deviations from the Contract Documents in red ink.
- .3 Record following information:
  - .1 Field changes of dimensions and details.
  - .2 Modifications made via Change Order, Change Directive, or Supplemental Instruction.
  - .3 Other significant deviations that are concealed in construction and cannot be identified by visual inspection.
  - .4 Type, approximate size, and location of utilities not located on DMOG maps, etc.
  - .5 Location of internal utilities and appurtenances concealed in construction referenced to visible and accessible features of structure.
- .4 At completion of the Work and prior to final review, neatly transfer “as-built” records to the second set of white prints using a fine red marker. Neatly print lettering and numbers to match original size. Lines shall be neat and accurate.
- .5 Add “AS-BUILT RECORD” at each drawing title block.
- .6 Contractor shall submit both sets of “as-built” record drawings to the Consultant prior to submission of the final progress payment application.
- .7 Project record drawings shall be available for reference purposes and review by the Consultant at all times. Provide reproducible prints to the Consultant or Owner upon request.
- .8 If the Project is completed without significant deviations from the Contract Documents, a written declaration may be submitted to the Consultant in lieu of project record drawings.

## **1.2 Operation and Maintenance Manuals**

- .1 Submit electronic copies of manufacturers' printed operation and maintenance manuals where outlined in the technical specifications.
- .2 Provide original manufacturer's parts list, illustrations, assembly drawings, and diagrams required for maintenance as requested within the related Specification sections.

**END OF SECTION**



## 1.0 GENERAL

### 1.1 Work Included

- .1 The Work shall include all demolition work as indicated on the drawing and described in this Section including, but not limited to, the following:
  - .1 Abatement of Hazardous Building Materials identified in Pre-Demolition Designated Substance report in accordance with relevant standards and MOL and MOE requirements.
  - .2 Demolition and removal of all building elements of the existing building (structural, architectural, mechanical, and electrical) above and below grade from the site including the foundations, and footings as shown on the drawings.
  - .3 Backfill excavation to grade with new free-draining granular B sub-base material, crusher run limestone and ¾" clear stone. All layers to be compacted to 96% STD Proctor.
  - .4 Regrade site with minimum 2" of new compacted Granular A sloped towards the catch basins.
  - .5 Fill low lying areas, potholes, etc. with new compacted Granular A to match regraded site elevation.
  - .6 Installation and maintenance of all site protection hoarding overhead protection and signage as required to complete the Work.
  - .7 Cap and disconnect all services to the building at property line being sure not to affect services to adjacent and nearby properties, buildings, etc..
  - .8 Contractor to engage Toronto Hydro, Enbridge and Toronto Water to cap and disconnect power, gas and water services to the site.
  - .9 Removal of all demolition debris and hoarding, and traffic control barriers from site as required.
  - .10 Repair all areas damaged by demolition activity. Specifically the Contractor shall repair all damage resulting from the demolition to the satisfaction of the Consultant.

## 1.2 Reference Standards

- .1 All Referenced Standards are editions referenced in the Building Code or By-Law in effect at the Place of the Work. Standards not referenced by the Building Code or By-Law shall be the latest edition.
- .2 Ontario Building Code
- .3 CSA S350 Code of Practice for the Safe Demolition of Structures

## 1.3 Hazardous Materials

- .1 Designated substances have been identified in the building. Refer to the Pre-Renovation DSS Report, dated June 1, 2023, in Appendix A and comply with the demolition procedures therein to abate and remove and dispose.
- .2 Removal of hazardous materials is to be in accordance with the regulations and authorities having jurisdiction.

## 1.4 Submittals

- .1 Prior to beginning the Work, a safety manual, dust control plan, and a demolition plan and schedule indicating methods, procedures, safety measures, temporary stability provisions, etc. shall be submitted to the Consultant for review. Details are to be designed and stamped by a Professional Engineer licensed to practice in Province of Ontario and retained by the Contractor. The documentation is to be in accordance with the requirements of the Reference Standards.
- .2 Upon completion of service disconnection, a marked-up site plan which accurately depicts the locations, including dimensions from property lines, and elevations below grade at which services have been disconnected and/or capped.
- .3 Photographs showing the capped services.
- .4 Written confirmation from the authority, receipts, or other applicable proof of proper disposal of hazardous materials, in accordance with applicable regulations.

## 2.0 PRODUCTS

Not applicable.

### **3.0 EXECUTION**

#### **3.1 Examination**

- .1 Examine drawings and specifications and visit site to ascertain the Work of this Contract.

#### **3.2 Safety**

- .1 Unless otherwise specified, carry out demolition work in accordance with CSA S350, Canadian Construction Safety Code, and requirements of Local Authorities.
- .2 Contractor is responsible for supplying, erecting, maintaining, and securing safety fence around site.
- .3 Provide all signage to direct pedestrian and vehicle traffic as required.

#### **3.3 Protection**

- .1 Prevent movement, settlement, or damage of adjacent structures, walks, paving, landscaping, or adjacent grades. Any damage to be corrected by Contractor.
- .2 Protect adjacent surfaces, claddings, windows, landscaping, etc. from damage by the demolition activities.
- .3 Make good all areas damaged by operations in connection with the Work.
- .4 Protect existing mechanical and electrical service lines in area of demolition, and keep in service until abandoned or relocated. Disconnect service lines and utilities found in Work of this Contract. Post warning signs on electrical lines and equipment that must remain energized during period of demolition.
- .5 The Contractor is solely responsible for taking necessary precautions before demolition operations in accordance with CSA S350.

#### **3.4 Salvage**

- .1 All materials, equipment, etc. shall become the property of the Contractor and shall be removed from the site.

### **3.5 Demolition**

- .1 Prior to start of any work under this Section, ensure that all mechanical and electrical equipment and services affected by the Work have been disconnected, re-routed, or properly protected.
- .2 The Contractor is solely responsible for taking all necessary precautions during demolition operations in accordance with CSA S350.
- .3 In all cases, exercise all reasonable care during removal operations to avoid damaging items to be salvaged or reused.
- .4 Use only machines and tools that will cause minimum damage to remaining existing structure, pavement, etc.
- .5 Use of explosives on site is not permitted.
- .6 All equipment should be capable of efficiently demolishing the structure while maintaining all local and municipal noise by-laws and regulations. The use of hoe-ramming equipment will not be permitted.
- .7 Selling or burning materials on site is not permitted.
- .8 All sidewalks, streets, or other public property that has been damaged shall be restored to its original condition by the Contractor at no cost to the Owner.

### **3.6 Clean-Up**

- .1 Promptly, as the work progresses, and on completion, clean-up and remove from the site all rubbish and surplus material.
- .2 Do not allow debris to enter municipal sewer system.

### **3.7 Preparation Before Demolition Operations**

- .1 Visit site and examine the site and note all characteristics and features affecting the Work of this Section.
- .2 Erect construction hoarding around site as identified in documents.
- .3 The Contractor is solely responsible for taking all necessary precautions before demolition operations in accordance with CSA S350 (Clause 3.1).

- .4 The Contractor shall obtain and pay for all necessary permits and give all required notices in accordance with CSA S350 (Clause 3.1.2).
  - .1 Owner will obtain and pay for the demolition permit only.
- .5 Ensure all services, whether buried, built-in, or exposed, are properly identified as to position, type of service, size, and direction of flow.
- .6 All utilities and services to the building are to be disconnected and the costs of disconnection shall be included in the Contract.
  - .1 The Contractor shall arrange for the disconnection with all necessary utility companies and municipal authorities.
- .7 Note the condition of items to be turned over to the Owner and advise Consultant in writing of any defects or conditions that would affect their removal and re-use.
- .8 Prevent movement, settlement, or damage of elements of the existing adjacent building and roadways. Provide bracing, shoring, and supports as required.
- .9 Cut and/or cap existing services within the work area, if any, prior to the start of Work as require, but do not affect the services of areas not under construction or essential to the ongoing operation of the adjacent building.
- .10 In all cases, exercise all reasonable care during demolition to avoid damaging items to be salvaged, re-used, or items that are not part of the Scope of Work.
- .11 Seal off all work areas to prevent dust and debris from affection operation of the building. Prevent public access to areas being demolished.
- .12 Tape and/or seal to provide protection to all mechanical and electrical services and all fire alarm and security devices still functioning adjacent to work areas to prevent damage resulting from dust, water, or impact.
- .13 Provide proposed demolition sequence to the Consultant for review prior to commencing work.

### **3.8 Precautions During Demolition Operations**

- .1 The Contractor is solely responsible for taking all necessary precautions during demolition operations in accordance with CSA S350 (Clause 3.2).
- .2 Burning of materials on site is not permitted.

- .3 In all cases, exercise all reasonable care during removal operation to avoid damaging items to be salvaged or re-used.
- .4 The Contractor shall remove from site and dispose of all hazardous materials and the cost is included in the bid price.
- .5 Provide a detailed outline, including drawings or sketches where requested, regarding all proposed demolition operations and technology to the Consultant for review and approval prior to commencing work.
- .6 Details to be designed and stamped by a Registered Professional Engineer in the Province of Ontario where required.
- .7 All sidewalks, streets, or other public property that has been damaged shall be restored to its original condition by the Contractor at no cost to the Owner.

### **3.9 Precautions After Demolition Operations**

- .1 The Contractor is solely responsible for taking all necessary precautions after demolition operations in accordance with CSA S350 (Clause 3.2).
- .2 Site hoarding is to remain in place until construction is complete.

### **3.10 Demolition Technology**

- .1 The Contractor is solely responsible for all demolition technology in accordance with CSA S350 (Clause 4)
- .2 Use of explosives on site is not permitted.
- .3 All equipment should be capable of efficiently demolishing the structure while maintaining all local and municipal noise by-laws and regulations. The use of hoe ramming equipment will not be permitted.

### **3.11 Waste Disposal**

- .1 Dispose of waste products and materials in strict accordance with governing waste control regulations.
- .2 Existing drainage system is not to be used to dispose of project wastes and/or materials.
- .3 Store volatile wastes or materials in covered metal containers. Remove wastes that create hazardous conditions from premises daily.

**END OF SECTION**

## 1.0 GENERAL

### 1.1 Work Included

- .1 Preparation of existing subgrade material and installation of new granular backfill material.

### 1.2 References

- .1 All referenced Standards are latest editions referenced by the Building Code in the Place of the Work, or latest editions if not referenced by Code.
- .2 Ontario Building Code
- .3 ASTM C117 Standard Test Method for Materials Finer than 75- $\mu\text{m}$  (No. 200) Sieve in Mineral Aggregates by Washing
- .4 ASTM C136/136M Standard Test Method for Sieve Analysis of Fine and Coarse Aggregates
- .5 CAN/CGSB-8.1-88 Sieves, Testing, Woven Wire, Inch Series (Withdrawn)
- .6 CAN/CGSB-8.2-M88 Sieves, Testing, Woven Wire, Metric Series (Withdrawn)
- .7 OPSS 501 Compacting
- .8 OPSS 1010 Aggregates - Base, Subbase, Select Subgrade, and Backfill Material

### 1.3 Submittals

- .1 Obtain certificates from suppliers that attest that supplied materials comply with Specifications and submit to Consultant.
- .2 Obtain copies of waybills for supplied granular backfill material and submit to Consultant at end of each workday.
- .3 Unit weight of supplied materials will be determined by average of three compaction tests conducted in the field or by using minimum specified weights and volume based on measured areas.



## **2.0 PRODUCTS**

### **2.1 Materials**

- .1 Gradations to be within specified limits when tested to ASTM C117 and ASTM C136/136M. Sieve sizes to CAN/CGSB-8.1 and/or CAN/CGSB-8.2.
- .2 Granular base to be Granular "A" to OPSS 1010. Inclusion of reclaimed asphalt pavement (RAP) and/or reclaimed concrete materials (RCM) will be at Consultant's discretion.
- .3 Granular subbase to be Granular "B" to OPSS 1010. Inclusion of reclaimed asphalt pavement (RAP) and/or reclaimed concrete materials (RCM) will be at Consultant's discretion.
- .4 Crushed stone or gravel shall consist of hard, durable, angular particles that are free from clay lumps, cementation, organic material, frozen material, and other deleterious materials.
- .5 Filter fabric to be suitable for intended use, as confirmed by Consultant.

## **3.0 EXECUTION**

### **3.1 Surface Preparation Prior to Installation of New Material**

- .1 Verify grade of items set in work area for conformance with required elevations before placing granular material. Prepare and compact subgrade prior to placing granular backfill material.
- .2 Allow for Consultant review of subgrade before placing granular backfill material.
- .3 Place granular backfill material only on clean unfrozen subgrade and backfill material that is free from snow and ice.
- .4 Place granular backfill material to compacted thicknesses indicated in Contract Documents. Do not place frozen material.
- .5 Place granular backfill in layers not exceeding 150 mm compacted thickness. Compact to density not less than 98% of maximum dry density (MDD) determined using standard proctor test.
- .6 Finished base surface to be within 10 mm of specified grade but not uniformly high or low. Where grades are not specified on Drawings, confirm requirements with Consultant and ensure slopes to drain.

- .7 Replace all damaged, deteriorated, and unsuitable sections of existing subgrade prior to placement of granular backfill material.

### **3.2 Compacting**

- .1 Compact subgrade and granular backfill in accordance with the Ontario Provincial Standard Specifications, using proper equipment to achieve specified density, and complying with OPSS 501.
- .2 Compact subgrade and backfill material to a minimum of 98% of MDD as determined by the standard proctor test method.
- .3 Density is to be measured using a nuclear density gauge.
- .4 Finished surfaces to be to finished grades where indicated, or as directed by the Consultant, with slope to drains and catch basins.
- .5 Finished surfaces to be uniform, smooth, even, dense, and free from shallow areas, protrusions, and surplus backfill. Correct any irregularities that vary more than 6 mm in 3,050 mm (1/4" in 10'-0").

### **3.3 Inspection and Testing**

- .1 Testing to be conducted by a testing agency designated by Owner. Unless otherwise noted, the Owner will pay costs of inspection and testing described in this Section.
- .2 Inform Consultant and testing agency 24 hours in advance of work to be performed under this Section.
- .3 Testing may include site sampling and laboratory testing and/or in-situ compaction testing.

**END OF SECTION**

30 Newbridge Road, Etobicoke, ON - Building Demolition  
RJC No. TOR.128366.0002  
August 2024

---

## **APPENDIX A**



**ENGINEERING**



**LABORATORY**



**PRE-DEMOLITION  
DESIGNATED SUBSTANCE  
& HAZARDOUS BUILDING  
MATERIALS SURVEY**

Warehouse Building  
30 Newbridge Road, Toronto, ON



Prepared for:  
City of Toronto  
Corporate Real Estate Management  
Metro Hall, 55 John St., Toronto, ON

400 Esna Park Drive, Unit 15  
Markham, ON  
L3R 3K2

Tel: (905) 475-7755  
[www.fishereng.com](http://www.fishereng.com)

Project No. FE 24-13595

January 31, 2024

## Table of Contents

<b>1.0. EXECUTIVE SUMMARY</b> .....	<b>1</b>
<b>2.0 INTRODUCTION</b> .....	<b>6</b>
<b>3.0 REGULATIONS</b> .....	<b>6</b>
<b>4.0 METHODOLOGY</b> .....	<b>7</b>
<b>5.0 HISTORICAL INFORMATION</b> .....	<b>8</b>
<b>6.0 FINDINGS AND RECOMMENDATIONS</b> .....	<b>9</b>
6.1 ACRYLONITRILE .....	9
6.2 ARSENIC .....	9
6.3 ASBESTOS .....	9
6.3.1 <i>General Information</i> .....	9
6.3.2 <i>Friable vs. Non-Friable ACM</i> .....	9
6.3.3 <i>Regulations</i> .....	10
6.3.4 <i>Findings</i> .....	10
6.3.5 <i>Recommendations</i> .....	14
6.4 BENZENE .....	15
6.5 COKE OVEN EMISSIONS .....	15
6.6 ETHYLENE OXIDES .....	15
6.7 ISOCYANATES.....	15
6.8 LEAD .....	16
6.8.1 <i>General Information</i> .....	16
6.8.2 <i>Regulations</i> .....	16
6.8.3 <i>Findings</i> .....	16
6.8.4 <i>Recommendations</i> .....	17
6.9 MERCURY .....	18
6.9.1 <i>General Information</i> .....	18
6.9.2 <i>Regulations</i> .....	18
6.9.3 <i>Findings</i> .....	18
6.9.4 <i>Recommendations</i> .....	18
6.10 SILICA.....	19
6.10.1 <i>General Information</i> .....	19
6.10.2 <i>Regulations</i> .....	19

6.10.3	<i>Findings</i> .....	19
6.10.4	<i>Recommendations</i> .....	19
6.11	VINYL CHLORIDE .....	20
6.12	POLYCHLORINATED BIPHENYLS (PCBs).....	20
6.12.1	<i>General Information</i> .....	20
6.12.2	<i>Regulations</i> .....	20
6.12.3	<i>Findings</i> .....	20
6.12.4	<i>Recommendations</i> .....	20
6.13	MOULD .....	20
6.13.1	<i>General Information</i> .....	20
6.13.2	<i>Regulations</i> .....	21
6.13.3	<i>Findings</i> .....	21
6.13.4	<i>Recommendations</i> .....	21
6.14	OTHER HAZARDOUS MATERIALS.....	21
<b>7.0</b>	<b>LIMITATIONS</b> .....	<b>21</b>
	<b>APPENDIX A – LABORATORY CERTIFICATE OF ANALYSIS</b> .....	<b>A</b>
	<b>APPENDIX B – SITE PLANS</b> .....	<b>B</b>
	<b>APPENDIX C – ROOM-BY-ROOM SURVEY LOG</b> .....	<b>C</b>
	<b>APPENDIX D – SITE PHOTOGRAPHS</b> .....	<b>D</b>

## 1.0. EXECUTIVE SUMMARY

Fisher Engineering Limited ('Fisher') was retained by the City of Toronto, Corporate Real Estate Management, to carry out a Pre-Demolition Designated Substances & Hazardous Building Materials Survey of a warehouse building located at 30 Newbridge Road, Toronto, Ontario (hereinafter referred to as the "Site").

The scope of a pre-demolition Designated Substances & Hazardous Building Materials Survey generally consists of a review of existing environmental reports (if available); visual inspection for the presence of Designated Substances within the buildings; collection and analysis of the building materials suspected to contain designated substances, particularly asbestos and lead, to identify their locations, and other potentially hazardous building materials at the Site; and to providing recommendations for the safe handling or abatement of these materials prior to demolition. The Site inspections and sampling work were conducted on May 15, 2023, by Mr. Iqbal Fattah and Ms. Yvonne Hoogeveen and on January 23, 2024 by Mrs. Renata Stec and Mr. Iqbal Fattah of Fisher.

A summary of the designated substances identified during the survey are presented below:

### **Asbestos**

Sampling was conducted of building materials suspected to contain asbestos and expected to be impacted by planned construction activities. A total of seventy-nine (79) bulk samples were collected as per previous survey conducted by Fisher Engineering, project No. 23-13000, dated June 6, 2023. During current survey, forty-three (43) bulk samples were collected and submitted to Fisher Environmental Laboratories for Polarized Light Microscopy (PLM) analysis, as outlined in NIOSH Method 9002. Based on the findings, confirmed asbestos-containing materials identified at the Site include the following:

- Asbestos-containing parging cement was found on pipe fittings in various locations throughout the Site.
- Asbestos-containing grey caulking was found on interior walls along the joints of the wall, South Warehouse 1-22.
- Asbestos-containing cream caulking was found along the joints of the exterior west wall, North and South Warehouse.
- Asbestos-containing drywall joint compound was found on the walls in Office Area 2-07.
- Asbestos-containing white caulking was found around the exterior of the window and around door frames of the two-story office building.
- Asbestos-containing dark grey caulking was found along the flashing on the roof and wall joints of the two-story office building.

- Asbestos-containing Transite pipes were identified in the South Warehouse area, 1-22.
- Asbestos-containing Transite Board was identified along the roof line of the South and North warehouse area.

Prior to demolition activities at the Site, all asbestos-containing materials must be removed from the Site in accordance with MOL O. Reg. 278/05 - *Asbestos on Construction Projects and in Buildings and Repair Operations*, and disposed of at MOE-licensed landfill in accordance with O. Reg. 558/00 (amending O. Reg. 347, *General – Waste Management*).

Specifically, Fisher recommends the following:

- Provide a copy of this report to contractors bidding on or performing work at the Site.
- Removal of the grey caulking (approximately 300 linear feet) will require Type 1 asbestos abatement procedures, as per O. Reg. 278/05.
- Removal of the cream caulking (approximately 150 linear feet) will require Type 1 asbestos abatement procedures, as per O. Reg. 278/05.
- Removal of drywall joint compound (approximately 1,025 square feet) will require Type 2 asbestos abatement procedures, as per O. Reg. 278/05.
- Removal of the white caulking (approximately 2,900 linear feet) will require Type 1 asbestos abatement procedures, as per O. Reg. 278/05.
- Removal of the dark grey caulking (approximately 1,000 linear feet) will require Type 1 asbestos abatement procedures, as per O. Reg. 278/05.
- Removal of parging cement found on pipe fittings (thirty-two) will require Type 2 Glove Bag asbestos abatement procedures, as per O. Reg. 278/05.
- Removal of the Transite pipe (approximately 75 linear feet) will require Type 1 asbestos abatement procedures, as per O. Reg. 278/05. Please note, that if the Transite pipe is disturbed using power tools during removal, abatement must be performed using Type 3 procedures.
- Removal of the Transite Board (approximately 400 square feet) will require Type 1 asbestos abatement procedures, as per O. Reg. 278/05. Please note, that if the Transite board is disturbed using power tools during removal, abatement must be performed using Type 3 procedures.

## **Lead**

Various paint colours were observed on the wall and ceiling finishes throughout the Site. During the current survey, six (6) bulk samples were collected and submitted to Fisher Environmental Laboratories for inductively coupled plasma (ICP) analysis, as outlined in NIOSH method 7300.



Additionally, as a part of previous survey conducted by Fisher Engineering, project No. 23-13000, dated June 6, 2023, one (1) bulk sample was collected.

- Measurable quantities of lead (less than 0.1% lead) were found in the blue paint on the block wall of the North stairwell of the two-story office building. However, the concentration of lead was found below the action limit.
- Measurable quantities of lead (less than 0.1% lead) were found in the dark purple paint on the drywall wall in Office 2-25. However, the concentration of lead was found below the action limit.
- Measurable quantities of lead (less than 0.1% lead) were found in the cream paint on the drywall wall in Office 2-06. However, the concentration of lead was found below the action limit.
- Elevated concentrations of lead-containing yellow paint (26,750 ppm) were found on the bollard in South Warehouse 1-22.
- Elevated concentrations of lead-containing white paint (1,084 ppm) were found on the block wall in the corridor adjacent to Washrooms at South Warehouse 1-22.
- Elevated concentrations of lead-containing grey paint (1,474 ppm) were found on the wall in Office 2-24.
- Elevated concentrations of lead-containing beige paint (3,460 ppm) were previously found on the wall of a second-floor office of the two-story office building.
- Lead-containing batteries may be present in the emergency lighting present at the Site.
- Lead may be present in wiring connectors; grounding conductors and solder joints.

Fisher recommends the following for the removal of lead-containing materials:

- Before disposal of any building debris, verify with the landfill sites the requirement of the TCLP test.
- Removal of any lead-containing materials shall be carried out in accordance with the following regulations and guidelines:
  - Guideline: Lead on Construction Projects (issued by Ontario Ministry of Labour);
  - Designated Substances Regulation, O. Reg. 490/09; and
  - Regulation for Construction Projects, O. Reg. 213/91.

## **Mercury**

- Mercury is present as a vapour in fluorescent light bulbs.
- Mercury is presumed to be present as a component in electrical equipment.
- Mercury-containing thermostat controls were observed in the office building.

Fisher recommends that the presumed mercury-containing fluorescent light tubes and thermostats be removed and disposed of in accordance with O. Reg. 558/00.

## **Silica**

As the buildings are constructed of concrete block and brick, with concrete floors, silica is expected to be found within these components of the building. No samples were collected for analysis of silica content during the current survey. During demolition where these materials are disturbed, Fisher recommends that the work be conducted as outlined in the MOL *Guideline: Silica on Construction Projects, 2011*.

- Demolition works that are likely to generate silica-containing dust shall be carried out in accordance with the following regulations and guidelines:
  - Guideline: Silica on Construction Projects (issued by Ontario Ministry of Labour);
  - Designated Substances Regulation, O. Reg. 490/09; and
  - Regulation for Construction Projects, O. Reg. 213/91

## **Other Designated Substances**

The other designated substances (acrylonitrile, arsenic, benzene, coke oven emissions, ethylene oxide, isocyanates, and vinyl chloride) were not observed during the current survey and would not be expected to be present at the Site. No immediate recommendations are warranted with regard to these other designated substances.

## **PCBs**

It would be recommended that during any ballast removal works the generated ballasts be evaluated for PCB content. Any PCB ballasts identified should be consolidated and sent for disposal to an MOE-licensed PCB receiver under waste class 243D.

## **Mould**

During the visual inspection of the surveyed areas, mould growth was observed on the drywall in Corridor 1-10, and in Storage 1-13 of the two-story office building. During the recent survey, the basement was inaccessible due to flooding, with water levels reaching approximately 2 feet and

submerging the bottom stairs. The presence of mould impacted building should be presumed in locations not accessed during the survey. Fisher recommends the following:

- Removal of the mould-impacted drywall wall should be conducted as a Level 1 or as Level 2 Operation, depending on the amount of the mould present, following EACC Mould Abatement guidelines.
- Remove and dispose of all water-damaged porous materials, including drywall walls and fiberglass insulation, from the basement of the building following the extraction of water.

### **Other Hazardous Materials**

In the latest inspection, we noted the presence of skids containing used oil and abandoned tires on the eastern side of the yard. It is advisable to properly dispose of all oil-filled containers and automobile tires at a landfill licensed by the Ministry of the Environment, following the guidelines outlined in O. Reg. 347: General Waste Management.

## 2.0 INTRODUCTION

Fisher Engineering Limited ('Fisher') was retained by the City of Toronto, Corporate Real Estate Management to carry out a Pre-Demolition Designated Substances & Hazardous Building Materials of a warehouse building located at 30 Newbridge Road, Toronto, Ontario (hereinafter referred to as the "Site").

The scope of a pre-demolition Designated Substances & Hazardous Building Materials Survey generally consists of a review of existing environmental reports (if available); visual inspection for the presence of Designated Substances within the buildings; collection and analysis of the building materials suspected to contain designated substances, particularly asbestos and lead, to identify their locations, and other potentially hazardous materials at the Site; and to providing recommendations for the safe handling or abatement of these materials prior to demolition. The Site inspections and sampling work were conducted on May 15, 2023, by Mr. Iqbal Fattah and Ms. Yvonne Hoogeveen and on January 23, 2024 by Mrs. Renata Stec and Mr. Iqbal Fattah of Fisher.

## 3.0 REGULATIONS

The survey was conducted in compliance with the Ontario Ministry of Labour (MOL) regulations for Designated Substances; Ontario Regulation 490/09 - *Designated Substances* (O. Reg. 490/09) and Ontario Regulation 278/05 - *Asbestos on Construction Projects and in Buildings and Repair Operations* (O. Reg. 278/05) made under the Occupational Health and Safety Act (OHSA), R.S.O. 1990.

The OHSA defines a toxic substance as a biological, chemical, or physical agent (or a combination of such agents) whose presence in the workplace may endanger the health and safety of a worker. Sections of the Act concerning toxic substances are intended to:

- Ensure worker exposure to toxic substances is controlled;
- Ensure toxic substances in the workplace are identified, and that workers are provided with enough information to be capable of handling them safely; and,
- Provide the general public with access to information about toxic substances used by industry in their communities.

The Act makes provision for a toxic substance to be "Designated" where its use in the workplace is prohibited, regulated, restricted, limited or controlled. The designation is reserved for eleven particularly hazardous substances, covered under O. Reg. 490/09 implemented on July 1, 2010, and include Acrylonitrile, Arsenic, Asbestos, Benzene, Coke Oven Emissions, Ethylene Oxides, Isocyanates, Lead, Mercury, Silica, and Vinyl Chloride. Formerly, regulations for these

substances were passed separately, and each outlined exposure limits where workers were likely to inhale, ingest, or absorb the Substance.

O. Reg. 490/09 provides a consistent approach to dealing with existing requirements and provisions, which outlines steps required to control worker exposure to these Substances, including inhalation, ingestion, skin absorption or skin contact.

Each Designated Substance has an allowable level of exposure based on a time-weighted average (TWA) limit and may also have a short-term exposure limit (STEL) or ceiling limit (C) assigned to it. TWA refers to the time-weighted average airborne concentration of a biological or chemical agent to which a worker may be exposed in a work day or week. STEL refers to the maximum airborne concentration of a biological or chemical agent to which a worker may be exposed in any 15-minute period. Finally, C refers to the maximum airborne concentration of a biological or chemical agent to which a worker may be exposed at any time.

Management of asbestos-containing building materials in the construction industry is governed by O. Reg. 278/05 – *Asbestos on Construction Projects and in Buildings and Repair Operations*. The regulation prescribes requirements for the maintenance of asbestos-containing materials in buildings and outlines the measures and procedures for the abatement of these materials.

In addition to the OHSA and regulations regarding Designated Substances, the following regulations, guidelines and standards were also taken into account or referenced:

- O. Reg. 213/91 - *Construction Projects* regulated under the OHSA and last amended by O. Reg. 443/09;
- O. Reg. 558/00 made under the Ministry of Environment (MOE) Environmental Protection Act (EPA), amending O. Reg. 347 - *General Waste Management*;
- The Transport of Dangerous Goods Act (TDGA) provides regulations for the transport of asbestos-containing materials and wastes;
- MOL *Guideline: Lead on Construction Projects*, 2011; and,
- MOL *Guideline: Silica on Construction Projects*, 2011.

## 4.0 METHODOLOGY

Fisher followed the protocols outlined in O. Reg. 278/05 for collecting and analyzing bulk samples of materials suspected to contain asbestos. Visual assessment of the material was the primary method of identification with occasional physical contact to collect bulk samples or examine for underlying layers.

Representative bulk samples were collected of materials suspected of containing asbestos. The tools used by the investigator to collect the bulk samples were cleaned after each sample was collected to avoid cross-contamination. Samples were placed in plastic sealable containers, marked with a unique sample number and transported to an accredited laboratory for analysis.

Where applicable, samples of suspect materials were collected to establish asbestos or lead content. Samples were grouped according to the similarity of appearance (“homogeneous” materials). The frequency at which the samples were collected was sufficient to obtain a general representation of the presence of these materials at the Site. Samples collected are presumed to be representative of the respective building materials in place at the Site. However, due to potential past renovations, alterations, repairs, or phases of construction, individual materials may not be representative of the samples collected.

Samples collected during the assessment were placed in plastic zip-lock bags labelled and submitted for laboratory analysis. Fisher Environmental Laboratories analyzed bulk samples for asbestos type and approximate percent content by performing polarized light microscopy (PLM), as outlined in NIOSH Method 9002. Lead content analysis was performed by Fisher Laboratories through acid digestion of samples followed by inductively coupled plasma (ICP) analysis, as outlined in NIOSH Method 7303.

The laboratory certificate of analysis is included in Appendix A. Site plans to indicate bulk sample locations and areas of asbestos or lead abatement are included in Appendix B. A room-by-room survey log is included in Appendix C. Representative photos of Site conditions encountered at the time of the current survey are included in Appendix D.

## 5.0 HISTORICAL INFORMATION

As part of this survey, the following reports were reviewed:

- ❑ Phase One Environmental Site Assessment, 30 Newbridge Road, Toronto, completed by WSP Canada Inc., completed for Toronto Transit Commission, dated February 2019, Project No. 181-10974-00.
- ❑ Designated Substance Survey, Warehouse, 30 Newbridge Road, Toronto, completed by Fisher Environmental Ltd., dated August 2020, Project No. FE 20-10475.
- ❑ Designated Substance Sampling, 30 Newbridge Road, Toronto, completed by Fisher Environmental Ltd., dated January 22, 2021, Project No. FE 21-10889.
- ❑ Pre-Reno Designated Substance Survey, Warehouse Building Upgrade Project, 30 Newbridge Road, Toronto, completed by Fisher Environmental Ltd., dated October 17, 2021, Project No. FE 21-11596.
- ❑ Asbestos Abatement, 30 Newbridge Road, Toronto, completed by Fisher Environmental Ltd., dated November 2, 2021, Project No. FE 21-11636, and
- ❑ Pre-Demolition Designated Substance Survey, Warehouse Building, completed by Fisher Engineering Limited, dated June 6, 2023, Project No. FE 23-13000.

The findings from the previous surveys are discussed in Section 6.0 of this report.

## 6.0 FINDINGS AND RECOMMENDATIONS

### 6.1 Acrylonitrile

Acrylonitrile would not be expected to be present at the Site and was not observed during the current survey. No recommendations for Acrylonitrile are warranted at this time.

### 6.2 Arsenic

Arsenic would not be expected to be present at the Site and was not observed during the current survey. No recommendations for Arsenic are warranted at this time.

### 6.3 Asbestos

#### 6.3.1 General Information

Asbestos is the name given to a group of six different fibrous minerals (amosite, chrysotile, crocidolite, and the fibrous varieties of *tremolite*, *actinolite* and *anthophyllite*) that occur naturally in the environment. Asbestos minerals have long separable fibres that are strong and flexible to be spun and woven and are heat resistant. Because of these characteristics, asbestos has been used for a wide range of manufactured goods, mostly in building materials (roofing shingles, ceiling and floor tiles, paper products, and asbestos cement products), friction products (automobile clutch, brake, and transmission parts), heat-resistant fabrics, packaging, gaskets, and coatings. Some vermiculite or talc products may also contain asbestos.

Asbestos fibres may be released into the air by the disturbance of asbestos-containing material (ACM) during product use, demolition work, building or home maintenance, repair and remodelling. In general, exposure may occur only when the ACM is disturbed in some way to release particles and fibres into the air.

#### 6.3.2 Friable vs. Non-Friable ACM

Based on the requirements of O. Reg. 278/05 and due diligence, an asbestos survey and report must be available at any workplace where asbestos exists identifying locations and types of ACM in the building. The survey must include both friable and non-friable materials confirmed to contain asbestos, as well as any other materials which were not sampled but are suspected (presumed) ACM. The term, friable refers to the material(s) that could be readily reduced to dust or powder when crushed by hand or moderate pressure. Friable materials have a greater chance of releasing airborne asbestos fibres when disturbed.

In the past, the most commonly used friable asbestos-containing building materials were surfacing materials (e.g., sprayed on fireproofing, texture, decorative or acoustic plaster) as well as thermal insulation.

Examples of manufactured asbestos-containing materials include vinyl floor tiles, ceiling tiles, gasket materials, asbestos cement (Transite) pipes or boards, and asbestos textiles. Depending

on the above-noted formulation, these materials range from non-friable to friable. Although some products are considered non-friable when in good condition, severe damage or deterioration may cause non-friable materials to generate airborne dust more readily. Severely damaged non-friable materials, or those to be worked on with powered tools, may be considered as friable ACM for abatement purposes.

### 6.3.3 Regulations

Exposure to asbestos is controlled by regulations passed under Ontario OHSA, R.R.O. 1990:

- O. Reg. 490/09 – *Designated Substances* regarding asbestos applies to:
  - Every employer operating a mine for mining, crushing, grinding, or sifting asbestos;
  - Every employer processing, adapting, or using asbestos in connection with manufacturing or assembling of goods or products;
  - Every employer engaged in the repair, alteration or maintenance of machinery, equipment, aircraft, ships, locomotives, railway cars and vehicles;
  - Every employer engaged in work on a building that is necessarily incidental to the repair, alteration or maintenance of machinery or equipment; and,
  - To those workers of such employers who are likely to be exposed to asbestos.

Exposure limits for this substance are set at 0.1 f/cc (TWA) for all types of asbestos.

- O. Reg. 278/05 - Asbestos on Construction Projects and in Buildings and Repair Operations applies to buildings that contain friable and non-friable ACM and to the repair, alteration and / or maintenance of these buildings.

In addition to regulations for controlling work on asbestos-containing building materials on construction projects, regulations for packaging, transportation and disposal of asbestos-containing waste include:

- O. Reg. 558/00 made under the MOE EPA, amending O. Reg. 347 - General Waste Management; and
- TDGA provides regulations for the transport of ACM and wastes.

### 6.3.4 Findings

During the current and previous surveys, samples of homogenous materials suspected to contain asbestos were collected and submitted for analysis.

A total of seventy-nine (79) bulk samples were collected as per previous survey conducted by Fisher Engineering, project No. 23-13000, dated June 6, 2023. During current survey, forty-three (43) bulk samples were collected and submitted to Fisher Environmental Laboratories for Polarized Light Microscopy (PLM) analysis, as outlined in NIOSH Method 9002. Findings are outlined in further detail below.



## **Mechanical Insulation**

### **A. Pipe Systems**

During the current survey, three (3) samples of parging cement from pipe fittings were collected and submitted for analysis. The results of the analysis revealed that the parging cement contains **5-25% Chrysotile asbestos**.

Additionally, three (3) samples of straight pipe cover insulation were collected and submitted for analysis. Asbestos was not identified in any of the pipe cover insulation samples.

Fibreglass insulation was observed on some pipe straights and is not suspected to contain asbestos.

### **B. Mechanical Equipment**

Mechanical systems observed throughout the building are either not insulated or are insulated with fibreglass, which is not suspected to contain asbestos.

### **C. HVAC System**

HVAC systems observed throughout the building are either not insulated or are insulated with fibreglass, which is not suspected to contain asbestos.

## **Sprayed or Troweled Fireproofing**

Sprayed or troweled fireproofing was not observed at the site during the survey.

## **Texture Finish**

Texture finish was not observed at the site during the survey.

## **Plaster and Drywall Joint Compound**

Plaster was not observed at the Site.

Drywall Joint Compound (DJC) was observed on walls and some ceilings throughout the Site. As part of the previous surveys, a total of twenty-two (22) samples of DJC were collected and submitted for analysis. Asbestos was not identified in most of the DJC samples, but one, which contained **0.5-5% Chrysotile asbestos**. Additionally, one sample contained trace amounts of asbestos <0.5% Chrysotile. However, ACM is defined in O. Reg. 278/05 as material that contains 0.5% or more asbestos by dry weight.

During the current survey, 2 sets of five (5) samples of DJC were collected and submitted for analysis. Asbestos was not identified in any of the collected samples.

## **Ceiling Tile**

As part of the previous survey, six (6) ceiling tile samples were collected and submitted for analysis. During the current survey, eighteen (18) ceiling tile samples were collected and submitted for analysis. Asbestos was not identified in any of the ceiling tile samples

### **Vinyl Floor Tile**

During the current survey, several varieties of vinyl floor tiles were observed throughout the Site, two (2) types of vinyl floor tiles were collected and submitted for analysis. Asbestos was not identified in any of the vinyl floor tiles samples.

As part of the previous surveys, eight (8) types of vinyl floor tiles were analyzed. Asbestos was not identified in any type of vinyl floor tiles.

### **Vinyl Sheet Flooring**

Vinyl Sheet Flooring was not observed at the site during the survey.

### **Asbestos Cement Products**

The previous report confirmed asbestos cement products, such as Transite pipe and Transite board are present at the Site. Transite pipes were observed as rain leaders in the south warehouse area.

As part of the previous surveys, Transite board samples were collected and submitted for analysis. The results of the analysis revealed that the Transite board contains **25-50% Chrysotile asbestos**.

Transite Board was observed in the north and south warehouse, along the roof where the roof line changes height.

### **Roofing Materials**

As part of the previous surveys, fourteen (14) samples of roofing materials were collected and submitted for analysis. Asbestos was not identified in any of the roofing materials samples.

### **Caulking and Sealant Materials**

Grey caulking was found on the exterior wall of the south warehouse along wall joints. As part of the current survey, three (3) samples of the grey caulking were collected and submitted for analysis. Asbestos was not identified in any of the grey caulking samples.

Grey caulking was found on the interior wall of the south warehouse along wall joints. As part of the current survey, three (3) samples of the grey caulking were collected and submitted for analysis. The results of the analysis revealed that the grey caulking contains **0.5-5% Chrysotile asbestos**.

Cream caulking was found on the exterior wall of the north and south warehouse along wall joints. As part of the current survey, three (3) samples of the cream caulking were collected and submitted for analysis. The results of the analysis revealed that the cream caulking contains **0.5-5% Chrysotile asbestos**.

Brown sealant was found on airducts in office areas. During the current survey, three (3) samples of the brown sealant were collected and submitted for analysis. Asbestos was not identified in any of the sealant samples

In addition to the sampling of various caulking during the current survey, caulking and sealant were also collected as part of the previous assessment.

Grey caulking was found around the exterior of the warehouse door frames. As part of the previous survey, three (3) samples of the grey caulking were collected and submitted for analysis. Asbestos was not identified in any of the grey caulking samples.

White caulking was found around the exterior of the windows and door frames of the two-story office building. During the previous survey, three (3) samples of the white caulking were collected and submitted for analysis. The results of the analysis revealed that the white caulking contains **0.5-5% Chrysotile asbestos.**

Dark grey caulking was found along the flashing on the roof and wall joints of the two-story office building. During the previous survey, three (3) samples of the dark grey caulking were collected and submitted for analysis. The results of the analysis revealed that the dark grey caulking contains **0.5-5% Chrysotile asbestos.**

Dark brown sealant was found on the second-floor roof, around the anchor for the chimney. During the previous survey, three (3) samples of the dark brown sealant were collected and submitted for analysis. Asbestos was not identified in any of the sealant samples.

#### **Other ACM**

Three (3) samples of the mortar were collected from the interior block wall and submitted for analysis. Analysis of the samples determined that this material does not contain asbestos.

During the previous survey, three (3) samples of mortar were collected from the block wall on the exterior of the building. Asbestos was not identified in any of the mortar samples.

#### Exterior Ductwork Insulation

Insulation cover was found on the ductwork insulation on the roof. During the previous survey, three (3) samples of the insulation cover were collected and submitted for analysis. Asbestos was not identified in any of the insulation cover samples.

Black duct connector was found on the ductwork on the roof. During the previous survey, three (3) samples of the black duct connector were collected and submitted for analysis. Asbestos was not identified in any of the collected samples.

### Asphalt

During the previous surveys, three (3) samples of asphalt were collected and submitted for analysis. Asbestos was not identified in any of the asphalt samples.

Additionally, three (3) samples of the predominate, presumed older, asphalt were also collected during the previous survey. Trace amounts of asbestos were identified in these asphalt samples. However, ACM is defined in O. Reg. 278/05 as material that contains 0.5% or more asbestos by dry weight. Therefore, asphalt will not require any asbestos abatement.

### Inspection of Wall Cavity

As part of the pre-demolition Designated Substance & Hazardous Building Materials Survey, destructive inspections were conducted within the wall cavity for Designated Substances. Fibreglass wall insulation was observed within the wall cavity.

No materials suspected to contain Designated Substances were observed within the wall cavity.

## **6.3.5 Recommendations**

Prior to demolition activities at the Site, all asbestos-containing materials must be removed from the Site in accordance with MOL O. Reg. 278/05 - *Asbestos on Construction Projects and in Buildings and Repair Operations*, and disposed of at a MOE-licensed landfill in accordance with O. Reg. 558/00 (amending O. Reg. 347, *General – Waste Management*).

Specifically, Fisher recommends the following:

- Provide a copy of this report to contractors bidding on or performing work at the Site.
- Removal of the grey caulking (approximately 300 linear feet) will require Type 1 asbestos abatement procedures, as per O. Reg. 278/05.
- Removal of the cream caulking (approximately 150 linear feet) will require Type 1 asbestos abatement procedures, as per O. Reg. 278/05.
- Removal of drywall joint compound (approximately 1,025 square feet) will require Type 2 asbestos abatement procedures, as per O. Reg. 278/05.
- Removal of the white caulking (approximately 2,900 linear feet) will require Type 1 asbestos abatement procedures, as per O. Reg. 278/05.
- Removal of the dark grey caulking (approximately 1,000 linear feet) will require Type 1 asbestos abatement procedures, as per O. Reg. 278/05.
- Removal of parging cement found on pipe fittings (thirty-two) will require Type 2 Glove Bag asbestos abatement procedures as per O. Reg. 278/05.

- Removal of the Transite pipe (approximately 75 linear feet) will require Type 1 asbestos abatement procedures, as per O. Reg. 278/05. Please note, that if the Transite board is disturbed using power tools during removal, abatement must be performed using Type 3 procedures.
- Removal of the Transite board (approximately 400 square feet) will require Type 1 asbestos abatement procedures, as per O. Reg. 278/05. Please note, that if the Transite board is disturbed using power tools during removal, abatement must be performed using Type 3 procedures.

In the course of the recent survey, the basement was inaccessible due to flooding, with water levels reaching approximately 2 feet and submerging the bottom stairs. The presence of ACM should be presumed in locations not accessed during the survey.

Sampling of materials found within operating equipment or generally non-accessible components, such as insulation within electrical switch gears, wiring, motors, light fixtures, fire door cores, and other materials outside the project scope, was not performed. A location-specific sampling of these materials is recommended prior to disturbance.

It is possible that ACM is present at the Site that is not identified in this report. Should additional suspected ACM not outlined in this report be discovered, it should be presumed as ACM until sample analysis determines asbestos content. Precautions should be taken when dismantling solid walls, ceiling finishes, or any other building surfaces which may conceal potential ACM. Such precautions include but are not limited to, isolation measures and appropriate personal protective equipment

#### **6.4 Benzene**

Benzene would not be expected to be present at the Site and was not observed during the current survey. No recommendations for benzene are warranted at this time.

#### **6.5 Coke Oven Emissions**

Coke oven emissions would not be expected to be present at the Site and were not observed during the current survey. No recommendations for coke oven emissions are warranted.

#### **6.6 Ethylene Oxides**

Ethylene oxides would not be expected to be present at the Site and were not observed during the current survey. No recommendations for ethylene oxides are warranted at this time.

#### **6.7 Isocyanates**

Isocyanates would not be expected to be present at the Site and were not observed during the current survey. No recommendations for isocyanates are warranted at this time.

## 6.8 Lead

### 6.8.1 General Information

Lead is a naturally occurring bluish–grey metal found in small amounts in the earth’s crust. Most lead in the environment comes from human activities such as burning fossil fuels, mining and manufacturing. Lead is used in the production of batteries, ammunition, metal products (solder and pipes) and X-ray devices.

Lead does not break down, but lead compounds are changed by sunlight, air and water. Exposure occurs when eating food or drinking water that contains lead. Deteriorated lead paint can contribute to lead dust. The main target for lead toxicity is the nervous system.

### 6.8.2 Regulations

The Ontario MOL has not prescribed criteria defining an analyzed sample of bulk material as “lead-containing”. Further, the MOL has not established a lower limit for concentrations of lead in paint, below which precautions do not need to be considered during construction projects. However, except for very aggressive disturbance of painted finishes, (e.g., abrasive blasting, torch cutting, or grinding), Fisher believes that a lead content below 0.1% by weight (1,000 ug/g or 1000 ppm) represents a concentration in which the lead content is not the limiting hazard for construction hygiene purposes. Regular construction dust suppression techniques and worker hygiene practices are sufficient for disturbance of paint finishes determined to contain less than 0.1% lead by weight, provided that work is limited to non-aggressive operations.

The regulation for the designated substance lead applies to every employer and worker at a workplace where lead is present, produced, processed, used, handled, or stored and at which a worker is likely to be exposed to lead. Exposure limits for this substance are set at 0.05 – 0.10 mg/m<sup>3</sup> (TWA) depending on the type of lead, and for tetraethyl lead 0.30 mg/m<sup>3</sup> (STEL).

Additionally, in 2011 the MOL revised *Guideline: Lead on Construction Projects* outlining practices that should be followed during construction projects to protect workers from exposure to lead. This includes the methods and equipment employed in the removal of lead-containing coatings that reduce the creation of dust, providing appropriate facilities for workers to wash after each shift, and providing protective clothing and respirators where necessary.

### 6.8.3 Findings

Bulk samples were collected of each major visually distinct painted finish suspected to contain lead. Six (6) bulk samples were collected during current survey, and (1) bulk sample was collected during previous survey conducted by Fisher on May 15, 2023, project number 23-13000. All samples were submitted to Fisher Environmental Laboratories for inductively coupled plasma (ICP) analysis, as outlined in NIOSH method 7300.

The MOL has not prescribed criteria defining “lead-containing” materials. Further, the MOL has not established a lower limit for concentrations of lead in paint, below which precautions do not need to be considered during construction projects. However, except for aggressive disturbance of painted finishes, (e.g., abrasive blasting, torch cutting, or grinding), Fisher believes that a lead content below 0.1% by weight (1,000 µg/g or 1000 ppm) represents a concentration in which lead content is not the limiting hazard for construction hygiene purposes.

It is important to note that multiple layers of paint finishes were noted in many locations and the descriptions generally apply to the outermost, visible layer of paint.

- Measurable quantities of lead (less than 0.1% lead) were found in the blue paint on the block wall of the north stairwell of the two-story office building. However, the concentration of lead was found below the action limit.
- Measurable quantities of lead (less than 0.1% lead) were found in the dark purple paint on the drywall wall in Office 2-25. However, the concentration of lead was found below the action limit.
- Measurable quantities of lead (less than 0.1% lead) were found in the cream paint on the drywall wall in Office 2-06. However, the concentration of lead was found below the action limit.
- Elevated concentrations of lead-containing yellow paint (26,750 ppm) were found on the bollard in South Warehouse 1-22.
- Elevated concentrations of lead-containing white paint (1,084 ppm) were found on the block wall in the corridor adjacent to Washrooms at South Warehouse 1-22.
- Elevated concentrations of lead-containing grey paint (1,474 ppm) were found on the wall in Office 2-24.
- Elevated concentrations of lead-containing beige paint (3,460 ppm) were previously found on the wall of a second-floor office of the two-story office building.
- Lead-containing batteries may be present in the emergency lighting present at the Site.
- Lead may be present in wiring connectors; grounding conductors and solder joints.

#### **6.8.4 Recommendations**

Where any lead-containing materials may be disturbed, Fisher recommends appropriate lead abatement procedures to be used. The lead abatement procedures are determined by the method(s) of disturbance employed. Regular construction dust suppression techniques and worker hygiene practices are sufficient for disturbance of paint finishes determined to contain less than 0.1% lead by weight, provided that work is limited to non-aggressive operations. Refer to

MOL Guideline: Lead on Construction Projects, 2011, for details of the Ministry's health and safety guidelines regarding lead.

Fisher recommends the following for the removal of lead-containing materials:

- Before disposal of any building debris, verify with the landfill sites the requirement of the TCLP test.
- Removal of any lead-containing materials shall be carried out in accordance with the following regulations and guidelines:
  - Guideline: Lead on Construction Projects (issued by Ontario Ministry of Labour);
  - Designated Substances Regulation, O. Reg. 490/09; and
  - Regulation for Construction Projects, O. Reg. 213/91.

## **6.9 Mercury**

### **6.9.1 General Information**

Mercury is a naturally occurring metal. It is a shiny, silver-white and odourless liquid. It combines with other elements to form inorganic compounds or salts. Metallic mercury is used to produce chlorine gas and caustic soda and is used in thermostats and thermometers, fluorescent light bulbs, dental fillings and batteries. Exposure occurs when eating fish or shellfish contaminated with methyl mercury, breathing vapours from spills, incinerators, etc.

The nervous system is very sensitive to all forms of mercury. Exposure to high levels of metallic inorganic or organic mercury can permanently damage the brain, kidneys and developing fetus. Short-term exposure may cause lung damage, nausea, vomiting, diarrhea, as well as skin and eye irritation.

### **6.9.2 Regulations**

The regulation for mercury applies to every employer and worker at a workplace where mercury is present, produced, processed, used, handled or stored and at which a worker is likely to be exposed to mercury. Exposure limits for this substance are set at 0.025 – 0.01 mg/m<sup>3</sup> (TWA) for all forms of mercury excluding alkyl, and for alkyl compounds of mercury 0.03 mg/m<sup>3</sup> (STEL).

### **6.9.3 Findings**

- Mercury is present as a vapour in fluorescent light bulbs.
- Mercury is presumed to be present as a component in electrical equipment.
- Mercury-containing thermostat controls were observed in the office building.

### **6.9.4 Recommendations**

Fisher recommends that the presumed mercury-containing fluorescent light tubes and thermostats be removed and disposed of in accordance with O. Reg. 558/00



## 6.10 Silica

### 6.10.1 General Information

Silica is a crystalline compound occurring abundantly as quartz, sand, and many other minerals, and is used to manufacture a variety of materials, especially glass and concrete. When mining this substance, silica can be deadly when it becomes airborne. If inhaled, silica dust can cause silicosis, which can be fatal.

Some of the following industries have a high potential for risk to workers: construction (sandblasting, rock drilling, masonry work, jack hammering, tunnelling), mining (cutting or drilling through sandstone or granite), foundry work (grinding, mouldings, shakeout, core room), stone cutting (sawing, abrasive blasting, chipping, grinding), manufacturing and use of abrasives, etc.

### 6.10.2 Regulations

The regulation for silica applies to every employer and worker at a workplace where silica is present, produced, processed, used, handled or stored and at which a worker is likely to be exposed to silica. Exposure limits for this substance are set at 0.05 - 0.10 mg/m<sup>3</sup> (TWA), depending on the type of silica.

Additionally, in 2011 the MOL revised *Guideline: Silica on Construction Projects* outlining practices that should be followed during construction projects to protect workers from exposure to silica. This includes the methods and equipment employed in the removal of silica-containing materials that reduce the creation of dust, providing appropriate facilities for workers to wash after each shift, and providing protective clothing and respirators where necessary.

### 6.10.3 Findings

As the building is constructed of concrete block and brick, with concrete floors, silica is expected to be found within these components of the building. No samples were collected for analysis of silica content during the current survey.

### 6.10.4 Recommendations

During demolition where these materials are disturbed, Fisher recommends the work be conducted as outlined in the Ministry of Labour *Guideline: Silica on Construction Projects, 2011*.

- Renovation works that are likely to generate silica-containing dust shall be carried out in accordance with the following regulations and guidelines:
  - Guideline: Silica on Construction Projects (issued by Ontario Ministry of Labour);
  - Designated Substances Regulation, O. Reg. 490/09; and
  - Regulation for Construction Projects, O. Reg. 213/91

## **6.11 Vinyl Chloride**

Vinyl chloride would not be expected to be present at the Site and was not observed during the current survey. No recommendations for vinyl chloride are warranted at this time.

## **6.12 Polychlorinated Biphenyls (PCBs)**

### **6.12.1 General Information**

PCBs are mixtures of synthetic organic chemicals with the same basic chemical structure and similar physical properties ranging from oily liquids to waxy solids. Due to their non-flammability, chemical stability, high boiling point and electrical insulating properties, PCBs were used in hundreds of industrial and commercial applications including electrical, heat transfer, and hydraulic equipment; as plasticizers in paints, plastics, and rubber products; in pigments, dyes and carbonless copy paper and many other applications.

PCBs have been demonstrated to cause a variety of adverse health effects. PCBs have been shown to cause cancer.

### **6.12.2 Regulations**

The disposal of PCB-containing equipment is regulated under MOE O. Reg. 558/00, amending O. Reg. 347 - General Waste Management.

### **6.12.3 Findings**

No PCB-containing equipment with the potential exception of fluorescent lighting ballasts was observed on site. Fluorescent lighting was observed in use in several areas of the building and inspection of three random light ballasts revealed that they did not contain PCB's.

### **6.12.4 Recommendations**

It would be recommended that during any ballast removal works the generated ballasts be evaluated for PCB content. Any PCB ballasts identified should be consolidated and sent for disposal to a MOE-licensed PCB receiver under waste class 243D.

## **6.13 Mould**

### **6.13.1 General Information**

Mould contamination inside buildings has become a concern to both building owners and occupants. Exposure to moulds is known to cause a variety of health effects in some people. Many fungal spores are considered to be allergenic to susceptible persons, though individual susceptibility varies greatly.

Elevated levels of indoor mould are usually attributed to chronic moist conditions due to water leaks, floods, or elevated humidity. Under these conditions, already low levels of fungal spores in air from plants and other sources may multiply on cellulose-containing materials such as

carpets, wallboards, and wood, and result in mould contamination and, if left untreated, can be destructive to certain building materials.

### **6.13.2 Regulations**

The Environmental Abatement Council of Canada (EACC) has provided guidelines regarding investigation and remediation works in Mould Abatement Guidelines Edition 3 (2015). Mould Guidelines for the EACC to protect the health of workers who may be exposed to mould in the course of building renovations and/or demolition works.

### **6.13.3 Findings**

While conducting a visual inspection of the surveyed zones, we identified the presence of mould on the drywall in Corridor 1-10 and Storage 1-13 within the two-story office building. During the recent survey, the basement was inaccessible due to flooding, with water levels reaching approximately 2 feet and submerging the bottom stairs. The presence of mould impacted building should be presumed in locations not accessed during the survey.

### **6.13.4 Recommendations**

- Removal of the mould-impacted drywall wall should be conducted as a Level 1 or as Level 2 Operation, depending on the amount of the mould present, following EACC Mould Abatement Guidelines.
- Remove and dispose of all water-damaged porous materials, including drywall walls and fiberglass insulation, from the basement of the building following the extraction of water.

## **6.14 Other Hazardous Materials**

In the latest inspection, we noted the presence of skids containing used oil and abandoned tires on the eastern side of the yard. It is advisable to properly dispose of all oil-filled containers and automobile tires at a landfill licensed by the Ministry of the Environment, following the guidelines outlined in O. Reg. 347: General Waste Management.

## **7.0 LIMITATIONS**

Fisher Engineering Limited accepts responsibility for the competent performance of its duties in executing this assignment within the normal standards of the profession, but disclaims responsibility for consequential damages, if any.


The scope of the survey is based on prior agreement with the client, and the rationale given in this report. The building survey findings rely on the professional interpretation of selective sampling and analysis. Sample analysis results have been applied to homogenous materials in

unsampled locations; it was not within the scope of work to carry out an exhaustive sampling and analysis program. For non-accessible building spaces, the likelihood of the presence or absence of asbestos and other designated substances and hazardous building materials has been described, but such assessment is not a definitive statement of presence or absence.

This report was prepared for the City of Toronto, Corporate Real Estate Management. The scope of services performed may not be appropriate for the purposes of other users, and any use or reuse of this document or its findings or recommendations represented herein is at the sole risk of any other user.

We trust that the information provided in the report meets your current requirements. If you have any questions or concerns, please do not hesitate to contact the undersigned.

Prepared by:



Renata Stec, M.Sc.  
Project Manager

Reviewed by:



Dave Fisher, P.Eng. C.Chem.  
Principal

## **APPENDIX A – LABORATORY CERTIFICATE OF ANALYSIS**



# FISHER ENVIRONMENTAL LABORATORIES

FULL RANGE ANALYTICAL SERVICES • SOIL/WATER/AIR TESTING • ENVIRONMENTAL COMPLIANCE PACKAGES • 24 HOUR EMERGENCY RESPONSE • CALA ACCREDITED

400 ESNA PARK DRIVE #15  
 MARKHAM, ONT. L3R 3K2  
 TEL: 905 475-7755  
 FAX: 905 475-7718  
 www.fisherenvironmental.com

**Client:** City of Toronto  
 Facilities Management  
**Address:** 2nd Floor, Metro Hall  
 55 John Street, Toronto, ON  
 M5V 3C6  
**Tel.:** 416-392-9024  
**Attn:** Inder Bhamra

**F.E. Job #:** 24-2359 Rev.  
**Project Name:** Pre-Demo DSS  
**Project ID:** FM-P 24-13595  
**Date Sampled:** 23-Jan-2024  
**Date Received:** 24-Jan-2024  
**Date Reported:** 29-Jan-2024  
**Location:** 30 Newbridge Road  
 Toronto, ON

## Certificate of Analysis

<b>Analysis Requested:</b>	Asbestos, Lead
<b>Sample Description:</b>	49 Bulk Sample(s) ( <i>Rush</i> )

Client Sample ID	Lab Sample ID	Sample Matrix	Fibre Type	Asbestos Content
1A - Black Mastic under VFT-1, Driver's Waiting Area 1-30	24-2359-1	Mastic		Not Detected
1B - Black Mastic under VFT-1, Stairwell Landing to Vestibule 1-15	24-2359-2	Mastic		Not Detected
1B - Black Mastic under VFT-8, Reception Area 2-12	24-2359-3	Mastic		Not Detected
2A - Parging Cement on Pipe Fitting, Women's Washroom 1-31	24-2359-4	Parging	Chrysotile	5-25%
2B - Parging Cement on Pipe Fitting, Stairwell to Vestibule 1-15	24-2359-5	Parging	Chrysotile	5-25%
2C - Parging Cement on Pipe Fitting, Dispatch Office 1-03	24-2359-6	Parging	Chrysotile	5-25%
3A - Grey Caulking on Block Wall, Warehouse South 1-22	24-2359-7	Caulking	Chrysotile	0.5-5%
3B - Grey Caulking on Block Wall, Warehouse South 1-22	24-2359-8	Caulking	Chrysotile	0.5-5%
3C - Grey Caulking on Block Wall, Warehouse South 1-22	24-2359-9	Caulking	Chrysotile	0.5-5%

## Certificate of Analysis

<b>Analysis Requested:</b>	Asbestos, Lead
<b>Sample Description:</b>	49 Bulk Sample(s) (Rush)

Client Sample ID	Lab Sample ID	Sample Matrix	Fibre Type	Asbestos Content
4A - Mortar on Block Wall, Skids Warehouse 1-26	24-2359-10	Mortar		Not Detected
4B - Mortar on Block Wall, Skids Warehouse 1-26	24-2359-11	Mortar		Not Detected
4C - Mortar on Block Wall, Skids Warehouse 1-26	24-2359-12	Mortar		Not Detected
5A - Cream Caulking on Exterior Wall, at Door #92, North Side	24-2359-13	Caulking	Chrysotile	0.5-5%
5B - Cream Caulking on Exterior Wall, South Side	24-2359-14	Caulking	Chrysotile	0.5-5%
5C - Cream Caulking on Exterior Wall, South Side	24-2359-15	Caulking	Chrysotile	0.5-5%
6A - Grey Caulking on Exterior Wall, at Door #88, North Side	24-2359-16	Caulking		Not Detected
6B - Grey Caulking on Exterior Wall, South Side	24-2359-17	Caulking		Not Detected
6C - Grey Caulking on Exterior Wall, South Side	24-2359-18	Caulking		Not Detected
7A - Pipe Insulation Cover, Stairwell to 2 <sup>nd</sup> Floor	24-2359-19	Insulation		Not Detected
7B - Pipe Insulation Cover, Dispatch Office 1-03	24-2359-20	Insulation		Not Detected
7C - Pipe Insulation Cover, Dispatch Office 1-03	24-2359-21	Insulation		Not Detected

## Certificate of Analysis

<b>Analysis Requested:</b>	Asbestos, Lead
<b>Sample Description:</b>	49 Bulk Sample(s) (Rush)

Client Sample ID	Lab Sample ID	Sample Matrix	Fibre Type	Asbestos Content
8A - Vinyl Floor Tile 10 (12"x12" Dark Brown Mastic), Storage 2-22	24-2359-22	Vinyl Tile		Not Detected
8B - Vinyl Floor Tile 10 (12"x12" Dark Brown Mastic), Storage 2-22	24-2359-23	Vinyl Tile		Not Detected
8C - Vinyl Floor Tile 10 (12"x12" Dark Brown Mastic), Storage 2-22	24-2359-24	Vinyl Tile		Not Detected
9A - Mustard Yellow Mastic under VFT 10, Storage 2-22	24-2359-25	Mastic		Not Detected
9B - Mustard Yellow Mastic under VFT 10, Storage 2-22	24-2359-26	Mastic		Not Detected
9C - Mustard Yellow Mastic under VFT 10, Storage 2-22	24-2359-27	Mastic		Not Detected
10A - DJC on the Wall, Office Area 2-21	24-2359-28	DJC		Not Detected
10B - DJC on the Wall, Office Area 2-24	24-2359-29	DJC		Not Detected
10C - DJC on the Wall, Office Area 2-25	24-2359-30	DJC		Not Detected
10D - DJC on the Wall, Office 2-06	24-2359-31	DJC		Not Detected
10E - DJC on the Wall, Office 2-05	24-2359-32	DJC		Not Detected



## Certificate of Analysis

<b>Analysis Requested:</b>	Asbestos, Lead
<b>Sample Description:</b>	49 Bulk Sample(s) (Rush)

Client Sample ID	Lab Sample ID	Sample Matrix	Fibre Type	Asbestos Content
11A - Vinyl Floor Tile 8 (12"x12" Blue/Grey Mastic), Reception Area 2-12	24-2359-33	Vinyl Tile		Not Detected
11B - Vinyl Floor Tile 8 (12"x12" Blue/Grey Mastic), Reception Area 2-12	24-2359-34	Vinyl Tile		Not Detected
11C - Vinyl Floor Tile 8 (12"x12" Blue/Grey Mastic), Reception Area 2-12	24-2359-35	Vinyl Tile		Not Detected
12A - Brown Sealant on Airduct, Meeting Room 2-25	24-2359-36	Sealant		Not Detected
12B - Brown Sealant on Airduct, Meeting Room 2-25	24-2359-37	Sealant		Not Detected
12C - Brown Sealant on Airduct, Meeting Room 2-25	24-2359-38	Sealant		Not Detected
13A - DJC, Corridor, Loc 1-10	24-2359-39	DJC		Not Detected
13B - DJC, Storage, Wall, Loc 1-12	24-2359-40	DJC		Not Detected
13C - DJC, Office Area, Wall, Loc 1-17	24-2359-41	DJC		Not Detected
13D - DJC, Office Area, Wall, Loc 1-09	24-2359-42	DJC		Not Detected
13E - DJC, Southwest Office, Wall, Loc 1-06	24-2359-43	DJC		Not Detected

Fisher Engineering Laboratories (Lab ID #: 2745) is accredited by CALA (Canadian Association for Laboratory Accreditation Inc.) for asbestos analysis by PLM.

**ANALYTICAL METHOD:**

Asbestos has been done in accordance with normal professional standard using the following Fisher Engineering Lab Method: Asbestos by PLM (Polarized Light Microscope) F-26, Rev.2.2.

## Certificate of Analysis

<b>Analysis Requested:</b>	Asbestos, Lead
<b>Sample Description:</b>	49 Bulk Sample(s) (Rush)

Client Sample ID	Lab Sample ID	Sample Matrix	Lead (ppm)	Comments
Pb1 - White Wall Paint, Corridor at Women's Washroom 1-31	24-2359-44	Paint	1,084	
Pb2 - Yellow Paint on Bollard, Warehouse South at Door #3W	24-2359-45	Paint	26,750	
Pb3 - Blue Wall Paint, Stairwell, Basement	24-2359-46	Paint	908	
Pb4 - Grey Wall Paint, Office 2-24	24-2359-47	Paint	1,474	
Pb5 - Dark Purple Wall Paint, Meeting Room 2-25	24-2359-48	Paint	527	
Pb6 - Cream Wall Paint, Office 2-06	24-2359-49	Paint	129	

< result obtained was below RL (Reporting Limit).

## QA/QC Report

Parameter	Blank (ppm)		LCS (%)		CRM/MS (%)	
	Result	RL	Recovery	AR	Recovery	AR
Lead	<10	10	107	80-120	103	70-130

Parameter	Duplicate (%)					
	RPD	AR				
Lead	16.3	0-30				

**LEGEND:**


- RL - Reporting Limit
- LCS - Laboratory Control Sample
- MS - Matrix Spike
- AR - Acceptable Range
- RPD - Relative Percent Difference

**ANALYTICAL METHODS:**

Metals (Lead) - Method # F-1, Rev. 4.5, Standard Operation Procedure for determination of Metals by the Inductively Coupled Plasma- Optical. Method used by Fisher Engineering Lab complies with the Standard Methods for the Examination of Water and Wastewater, 20th Ed 3120-B.

Authorized by: \_\_\_\_\_

*Roger Lin*  
 Roger Lin, Ph. D., C. Chem.  
 Laboratory Manager





# FISHER ENVIRONMENTAL LABORATORIES

FULL RANGE ANALYTICAL SERVICES • SOIL/WATER/AIR TESTING • ENVIRONMENTAL COMPLIANCE PACKAGES • 24 HOUR EMERGENCY RESPONSE • CALA ACCREDITED

400 ESNA PARK DRIVE #15  
MARKHAM, ONT. L3R 3K2  
TEL: 905 475-7755  
FAX: 905 475-7718  
www.fisherenvironmental.com

**Client:** City of Toronto  
Facilities Management  
**Address:** 2nd Floor, Metro Hall  
55 John Street, Toronto, ON  
M5V 3C6  
**Tel.:** 416-392-9024  
**Attn:** Sara Reid

**F.E. Job #:** 23-1222  
**Project Name:** Pre-Reno DSS  
**Project ID:** FE-P 23-13000  
**Date Sampled:** 15-May-2023  
**Date Received:** 18-May-2023  
**Date Reported:** 26-May-2023  
**Location:** 30 Newbridge Road  
Toronto, ON

## Certificate of Analysis

<b>Analysis Requested:</b>	Asbestos, Lead
<b>Sample Description:</b>	80 Bulk Sample(s)

Client Sample ID	Lab Sample ID	Sample Matrix	Fibre Type	Asbestos Content
1A - Roofing Materials, Roof, North Section, Higher Level Roof	23-1222-1	Roofing		Not Detected
1B - Roofing Materials, Roof, North Section, Lower Level Roof	23-1222-2	Roofing		Not Detected
1C - Roofing Materials, Roof, South Section, Lower Level Roof	23-1222-3	Roofing		Not Detected
1D - Roofing Materials, Roof, South Section, Upper Level Roof	23-1222-4	Roofing		Not Detected
1E - Roofing Materials, Roof, 2 <sup>nd</sup> Floor Roof	23-1222-5	Roofing		Not Detected
2A - White Caulking, Window, around the Window Frame	23-1222-6	Caulking	Chrysotile	0.5-5%
2B - White Caulking, Window, around the Window Frame	23-1222-7	Caulking	Chrysotile	0.5-5%
2C - White Caulking, Door, around the Door Frame	23-1222-8	Caulking	Chrysotile	0.5-5%

## Certificate of Analysis

<b>Analysis Requested:</b>	Asbestos, Lead
<b>Sample Description:</b>	80 Bulk Sample(s)

Client Sample ID	Lab Sample ID	Sample Matrix	Fibre Type	Asbestos Content
3A - Insulation Cover, Roof, Ductwork, Insulation	23-1222-9	Insulation		Not Detected
3B - Insulation Cover, Roof, Ductwork, Insulation	23-1222-10	Insulation		Not Detected
3C - Insulation Cover, Roof, Ductwork, Insulation	23-1222-11	Insulation		Not Detected
4A - Dark Grey Caulking, Roof, along the Flashing & Wall Joint	23-1222-12	Caulking	Chrysotile	0.5-5%
4B - Dark Grey Caulking, Roof, along the Flashing & Wall Joint	23-1222-13	Caulking	Chrysotile	0.5-5%
4C - Dark Grey Caulking, Roof, along the Flashing & Wall Joint	23-1222-14	Caulking	Chrysotile	0.5-5%
5A - Dark Brown Sealant, 2 <sup>nd</sup> Floor, Roof, around the Anchor for Chimney	23-1222-15	Sealant		Not Detected
5B - Dark Brown Sealant, 2 <sup>nd</sup> Floor, Roof, around the Anchor for Chimney	23-1222-16	Sealant		Not Detected
5C - Dark Brown Sealant, Roof, around the Conduit-Penetration	23-1222-17	Sealant		Not Detected
6A - Black Duct Connector, Roof, Duct Work	23-1222-18	Insulation		Not Detected
6B - Black Duct Connector, Roof, Duct Work	23-1222-19	Insulation		Not Detected
6C - Black Duct Connector, Roof, Duct Work	23-1222-20	Insulation		Not Detected

## Certificate of Analysis

<b>Analysis Requested:</b>	Asbestos, Lead
<b>Sample Description:</b>	80 Bulk Sample(s)

Client Sample ID	Lab Sample ID	Sample Matrix	Fibre Type	Asbestos Content
7A - Transite Board, Roof, Transite Board Debris	23-1222-21	Transite	Chrysotile	5-25%
7B - Transite Board, Roof, Transite Board Debris	23-1222-22	Transite	Chrysotile	5-25%
7C - Transite Board, Roof, Transite Board Debris	23-1222-23	Transite	Chrysotile	5-25%
8A - Asphalt, West Side Asphalt Pavement	23-1222-24	Asphalt		Not Detected
8B - Asphalt, West Side Asphalt Pavement	23-1222-25	Asphalt		Not Detected
8C - Asphalt, West Side Asphalt Pavement	23-1222-26	Asphalt		Not Detected
9A - Asphalt, East Side Asphalt Pavement	23-1222-27	Asphalt	Chrysotile	Trace; <0.5%
9B - Asphalt, East Side Asphalt Pavement	23-1222-28	Asphalt	Chrysotile	Trace; <0.5%
9C - Asphalt, East Side Asphalt Pavement	23-1222-29	Asphalt	Chrysotile	Trace; <0.5%
Rm 2-04, DJC	23-1222-30	DJC	Chrysotile	Trace; <0.5%
Rm 2-06, DJC	23-1222-31	DJC		Not Detected
Rm 2-07, DJC	23-1222-32	DJC		Not Detected
Rm 2-16, DJC	23-1222-33	DJC		Not Detected
Rm 2-17, DJC	23-1222-34	DJC	Chrysotile	Trace; <0.5%

## Certificate of Analysis

<b>Analysis Requested:</b>	Asbestos, Lead
<b>Sample Description:</b>	80 Bulk Sample(s)

Client Sample ID	Lab Sample ID	Sample Matrix	Fibre Type	Asbestos Content
Rm 1-01, VFT-2	23-1222-35	Vinyl Floor Tile		Not Detected
Rm 1-01, VFT-2	23-1222-36	Vinyl Floor Tile		Not Detected
Rm 1-01, VFT-2	23-1222-37	Vinyl Floor Tile		Not Detected
Rm 2-01, VFT-6	23-1222-38	Vinyl Floor Tile		Not Detected
Rm 2-01, VFT-6	23-1222-39	Vinyl Floor Tile		Not Detected
Rm 2-01, VFT-6	23-1222-40	Vinyl Floor Tile		Not Detected
Rm 2-03, VFT-3	23-1222-41	Vinyl Floor Tile		Not Detected
Rm 2-03, VFT-3	23-1222-42	Vinyl Floor Tile		Not Detected
Rm 2-03, VFT-3	23-1222-43	Vinyl Floor Tile		Not Detected
Rm 2-09, VFT-5	23-1222-44	Vinyl Floor Tile		Not Detected
Rm 2-09, VFT-5	23-1222-45	Vinyl Floor Tile		Not Detected
Rm 2-09, VFT-5	23-1222-46	Vinyl Floor Tile		Not Detected
Rm 2-11, VFT-9	23-1222-47	Vinyl Floor Tile		Not Detected
Rm 2-11, VFT-9	23-1222-48	Vinyl Floor Tile		Not Detected
Rm 2-11, VFT-9	23-1222-49	Vinyl Floor Tile		Not Detected

## Certificate of Analysis

<b>Analysis Requested:</b>	Asbestos, Lead
<b>Sample Description:</b>	80 Bulk Sample(s)

Client Sample ID	Lab Sample ID	Sample Matrix	Fibre Type	Asbestos Content
Rm 2-19, VFT-4	23-1222-50	Vinyl Floor Tile		Not Detected
Rm 2-19, VFT-4	23-1222-51	Vinyl Floor Tile		Not Detected
Rm 2-19, VFT-4	23-1222-52	Vinyl Floor Tile		Not Detected
Rm 2-24, VFT-7	23-1222-53	Vinyl Floor Tile		Not Detected
Rm 2-24, VFT-7	23-1222-54	Vinyl Floor Tile		Not Detected
Rm 2-24, VFT-7	23-1222-55	Vinyl Floor Tile		Not Detected
Rm 1-06, VFT-1	23-1222-56	Vinyl Floor Tile		Not Detected
Rm 1-06, VFT-1	23-1222-57	Vinyl Floor Tile		Not Detected
Rm 1-06, VFT-1	23-1222-58	Vinyl Floor Tile		Not Detected
Rm 1-15, DJC	23-1222-59	DJC		Not Detected
Rm 1-15, DJC	23-1222-60	DJC		Not Detected
Rm 1-14, DJC	23-1222-61	DJC		Not Detected
Rm 1-01, CT-2	23-1222-62	Ceiling Tile		Not Detected
Rm 1-01, CT-2	23-1222-63	Ceiling Tile		Not Detected
Rm 1-01, CT-2	23-1222-64	Ceiling Tile		Not Detected



## Certificate of Analysis

<b>Analysis Requested:</b>	Asbestos, Lead
<b>Sample Description:</b>	80 Bulk Sample(s)

Client Sample ID	Lab Sample ID	Sample Matrix	Fibre Type	Asbestos Content
Rm 1-06, CT-9	23-1222-65	Ceiling Tile		Not Detected
Rm 1-06, CT-9	23-1222-66	Ceiling Tile		Not Detected
Rm 1-06, CT-9	23-1222-67	Ceiling Tile		Not Detected
Rm 2-02, CT-1	23-1222-68	Ceiling Tile		Not Detected
Rm 2-02, CT-1	23-1222-69	Ceiling Tile		Not Detected
Rm 2-02, CT-1	23-1222-70	Ceiling Tile		Not Detected
Rm 2-11, CT-4	23-1222-71	Ceiling Tile		Not Detected
Rm 2-11, CT-4	23-1222-72	Ceiling Tile		Not Detected
Rm 2-11, CT-4	23-1222-73	Ceiling Tile		Not Detected
Rm 2-12, CT-5	23-1222-74	Ceiling Tile		Not Detected
Rm 2-12, CT-5	23-1222-75	Ceiling Tile		Not Detected
Rm 2-12, CT-5	23-1222-76	Ceiling Tile		Not Detected
Rm 2-23, CT-7	23-1222-77	Ceiling Tile		Not Detected
Rm 2-23, CT-7	23-1222-78	Ceiling Tile		Not Detected
Rm 2-23, CT-7	23-1222-79	Ceiling Tile		Not Detected

Fisher Environmental Laboratories (Lab ID #: 2745) is accredited by CALA (Canadian Association for Laboratory Accreditation Inc.) for asbestos analysis by PLM.

**ANALYTICAL METHOD:**

Asbestos has been done in accordance with normal professional standard using the following Fisher Environmental Lab Method: Asbestos by PLM (Polarized Light Microscope) F-26, Rev.2.2.

## Certificate of Analysis

<b>Analysis Requested:</b>	Asbestos, Lead
<b>Sample Description:</b>	80 Bulk Sample(s)

Client Sample ID	Lab Sample ID	Sample Matrix	Lead (ppm)	Comments
Blue Paint, Rm 2-23	23-1222-80	Paint	470	

< result obtained was below RL (Reporting Limit).

## QA/QC Report

Parameter	Blank (ppm)		LCS (%)		CRM/MS (%)	
	Result	RL	Recovery	AR	Recovery	AR
Lead	<10	10	94	80-120	92	70-130

Parameter	Duplicate (%)				
	RPD	AR			
Lead	0.1	0-30			


**LEGEND:**

- RL - Reporting Limit
- LCS - Laboratory Control Sample
- MS - Matrix Spike
- AR - Acceptable Range
- RPD - Relative Percent Difference


**ANALYTICAL METHODS:**

Metals (Lead) - Method # F-1, Rev. 4.5, Standard Operation Procedure for determination of Metals by the Inductively Coupled Plasma- Optical. Method used by Fisher Environmental Lab complies with the Standard Methods for the Examination of Water and Wastewater, 20th Ed 3120-B.

**Authorized by:**   
 Roger Lin, Ph. D., C. Chem.  
 Laboratory Manager



## APPENDIX B – SITE PLANS



### Legend

- 1-01 Location Number
- Asbestos Sample Location
- ▲ Lead Sample Location




Figure 1

**LOCATION:**  
30 Newbridge Road  
Etobicoke, Ontario

**BUILDING NAME:**  
Newbridge Warehouse  
Main Floor


Asbestos and Lead Sample Location  
Pre-Demo DS and Hazardous Building  
Materials Survey

**CLIENT:** City of Toronto

**PROJECT NUMBER:** FE 24-13595    **DATE:** January 2024    **DRW BY:** T.L.

**CAD FILE:** FIG1    **SCALE:** Not to Scale    **CHK BY:** R.S.





## Legend

1-01

Location Number



Lead Sample Location

NAR

No Access to Room

### Figure 2

**LOCATION:**

30 Newbridge Road  
Etobicoke, Ontario

**BUILDING NAME:**

Newbridge Warehouse  
Basement Plan-Office

Asbestos and Lead Sample Location  
Pre-Demo DS and Hazardous Building  
Materials Survey

**CLIENT:**

City of Toronto

**PROJECT NUMBER:** FE 24-13595

**DATE:** January 2024



**DRW BY:** T.L.

**CAD FILE:** FIG2

**SCALE:** Not to Scale

**CHK BY:** R.S.





### Legend

- 1-01 Location Number
- Asbestos Sample Location

Figure 3

**LOCATION:**  
30 Newbridge Road  
Etobicoke, Ontario



**BUILDING NAME:**  
Newbridge Warehouse  
First Floor Plan-Office

Asbestos and Lead Sample Location  
Pre-Demo DS and Hazardous Building  
Materials Survey

CLIENT: City of Toronto

PROJECT NUMBER: FE 24-13595	DATE: January 2024	DRW BY:
CAD FILE: FIG3	SCALE: Not to Scale	CHK BY: R.B.





### Legend

- 1-01 Location Number
- Asbestos Sample Location
- ▲ Lead Sample Location

**Figure 4**

**LOCATION:**  
30 Newbridge Road  
Etobicoke, Ontario

**BUILDING NAME:**  
Newbridge Warehouse  
Second Floor Plan-Office

Asbestos and Lead Sample Location  
Pre-Demo DS and Hazardous Building  
Materials Survey

CLIENT: City of Toronto


PROJECT NUMBER: FE 24-13595	DATE: January 2024	DRW BY:
-----------------------------	--------------------	---------

CAD FILE: FIG4	SCALE: Not to Scale	CHK BY: R.B.
----------------	---------------------	--------------





## South Office Area



## Legend

1-01

Location Number




Asbestos Sample Location



Lead Sample Location

## South Drivers Area



### Figure 5

#### LOCATION:

30 Newbridge Road  
Etobicoke, Ontario

#### BUILDING NAME:

Newbridge Warehouse  
Main Floor Plan

Asbestos and Lead Sample Location  
Pre-Demo DS and Hazardous Building  
Materials Survey

#### CLIENT:

City of Toronto

PROJECT NUMBER: FE 24-13595

DATE: January 2024

DRW BY:


CAD FILE: FIG5

SCALE: Not to Scale

CHK BY: R.S.








### Legend

 Dark Grey Caulking

 Property Boundary

### Figure 6

**LOCATION:**  
30 Newbridge Road  
Etobicoke, Ontario

**BUILDING NAME:**  
Newbridge Warehouse  
Roof

Asbestos Containing Material Locations

**CLIENT:** City of Toronto

**PROJECT NUMBER:** FE 24-13595    **DATE:** January 2024    **DRW BY:** T.L.

**CAD FILE:** FIG6    **SCALE:** Not to Scale    **CHK BY:** R.S.





### Legend

- 1-01 Location Number
- Transite Pipe
- Parging Concrete
- Transite Board
- Caulking




Figure 7

**LOCATION:**  
30 Newbridge Road  
Etobicoke, Ontario

**BUILDING NAME:**  
Newbridge Warehouse



### Asbestos Containing Material Locations

**CLIENT:** City of Toronto

**PROJECT NUMBER:** FE 24-13595    **DATE:** January 2024    **DRW BY:** T.L.

**CAD FILE:** FIG7    **SCALE:** Not to Scale    **CHK BY:** R.S.





### Legend

- 1-01 Location Number
- Drywall Joint Compound

Figure 8

**LOCATION:**  
30 Newbridge Road  
Etobicoke, Ontario

**BUILDING NAME:**  
Newbridge Warehouse

Second Floor Plan-Office  
Asbestos Containing Material Locations

CLIENT: City of Toronto


PROJECT NUMBER: FE 24-13595    DATE: January 2024    DRW BY: T.L.

CAD FILE: FIG8    SCALE: Not to Scale    CHK BY: R.S.





## South Office Area



## Legend

- 1-01 Location Number
- Parging Cement

## South Drivers Area




Figure 9

**LOCATION:**  
30 Newbridge Road  
Etobicoke, Ontario

**BUILDING NAME:**  
Newbridge Warehouse



Main Floor Plan-Warehouse  
Asbestos Containing Material Locations

**CLIENT:** City of Toronto

**PROJECT NUMBER:** FE 24-13595 **DATE:** January 2024 **DRW BY:** T.L.

**CAD FILE:** FIG9 **SCALE:** Not to Scale **CHK BY:** R.S.





### Legend

- 1-01 Location Number
- Parking Cement
- Mould

Figure 10

**LOCATION:**  
30 Newbridge Road  
Etobicoke, Ontario

**BUILDING NAME:**  
Newbridge Warehouse

First Floor Plan-Office  
Asbestos Containing Material Locations

**CLIENT:** City of Toronto


**PROJECT NUMBER:** FE 24-13595    **DATE:** January 2024    **DRW BY:** T.L.

**CAD FILE:** FIG10    **SCALE:** Not to Scale    **CHK BY:** R.S.



## **APPENDIX C – ROOM-BY-ROOM SURVEY LOG**

**APPENDIX I - REASSESSMENT SURVEY FORM**

Building Address:	30 Newbridge Road	Date(s) of Current Assessment:	January 23, 2024
Building Name:	Warehouse and Offices	Organization Completing Assessment:	Fisher Engineering Limited / Project 24-13595
Original Survey Conducted By:	Fisher Environmental Ltd.	Name of Surveyor:	Renata Stec & Iqbal Fattah
Date(s) of Original Survey:	July 27, 2020	Signature of Surveyor:	

**Summary of Findings**  
 Exposed parging cement insulation was observed in Office 1-12, one damaged pipe fitting was noted in North Warehouse 1-26.  
 Basement had no access

Location Number	Location Name	Building System	Material Observed	Potential Hazardous Material	Sample ID	Analytical Result	Quantity	Condition	Notes / Recommended Actions
0-00	Exterior	Roof	Roofing Material	Asbestos	21-7304-1 to 3*	None Detected	N/A	N/A	Lower Level *From Fisher Project No. 21-11596, dated Oct. 2021
0-00	Exterior	Roof	Roofing Material	Asbestos	21-7304-4 to 6*	None Detected	N/A	N/A	Upper Level *From Fisher Project No. 21-11596, dated Oct. 2021
0-00	Exterior	Roof	Roofing Material	Asbestos	23-1222-1 to 5*	None Detected	N/A	N/A	*From Fisher Project 23-13000, dated June 2023
0-00	Exterior	Roof	Roofing Material	Asbestos	21-7304-10 to 12*	None Detected	N/A	N/A	Tar *From Fisher Project No. 21-11596, dated Oct. 2021
0-00	Exterior	Roof	Duct Insulation	Asbestos	23-1222-9 to 11*	None Detected	N/A	N/A	*From Fisher Project 23-13000, dated June 2023
0-00	Exterior	Roof	Duct Connector	Asbestos	23-1222-18 to 20*	None Detected	N/A	N/A	*From Fisher Project 23-13000, dated June 2023
0-00	Exterior	Roof	Caulking - Dark Grey	Asbestos	23-1222-12 to 14*	0.5-5 % Chrysotile	1000 LF	N/A	Along the flashing and wall joints *From Fisher Project 23-13000, dated June 2023
0-00	Exterior	Roof	Sealant - Dark Brown	Asbestos	23-1222-15 to 17*	None Detected	N/A	N/A	Around anchor and conduit *From Fisher Project 23-13000, dated June 2023
0-00	Exterior	Door	Caulking - Grey	Asbestos	20-4976-1 to 3*	None Detected	N/A	N/A	Grey *From Fisher Project No. 20-10475, dated Aug. 2020
0-00	Exterior	Door	Caulking - White	Asbestos	23-1222-8*	0.5-5 % Chrysotile	50 LF	N/A	Around the door (Office building) *From Fisher Project 23-13000, dated June 2023
0-00	Exterior	Window	Caulking - White	Asbestos	23-1222-6 and 7*	0.5-5 % Chrysotile	2850 LF	N/A	Around the window (Office building) *From Fisher Project 23-13000, dated June 2023
0-00	Exterior	Roof	Mortar	Asbestos	21-7304-7 to 9*	None Detected	N/A	N/A	*From Fisher Project No. 21-11596, dated Oct. 2021
0-00	Exterior	Roof	Transite Board	Asbestos	23-1222-21 to 23*	5-25% Chrysotile	8 SF	Good	Loose debris *From Fisher Project 23-13000, dated June 2023
0-00	Exterior	Walls	Masonry	N/A	N/A	N/A	N/A	N/A	
0-00	Exterior	Walls	Caulking - Cream	Asbestos	24-2359-13 to 15*	0.5-5 % Chrysotile	150 LF	Good	West Wall of South Warehouse, and at the door #92. *From Fisher Project No. 24-13595, dated Jan. 2024
0-00	Exterior	Walls	Caulking - Grey	Asbestos	24-2359-16 to 18*	None Detected	N/A	N/A	North Side, and at the door #88. *From Fisher Project No. 24-13595, dated Jan. 2024
0-00	Exterior	Floor	Asphalt	Asbestos	23-1222-24 to 26*	None Detected	N/A	N/A	From West Side Pavement *From Fisher Project 23-13000, dated June 2023
0-00	Exterior	Floor	Asphalt	Asbestos	23-1222-27 to 29*	None Detected	N/A	N/A	From East Side Pavement *From Fisher Project 23-13000, dated June 2023
B-01	Vestibule	Floor	Concrete	N/A	N/A	N/A	N/A	N/A	<b>NO ACCESS</b>
B-01	Vestibule	Walls	Block	N/A	N/A	N/A	N/A	N/A	
B-01	Vestibule	Ceiling	Ceiling Tile 1	Asbestos	Homogeneous w/ 23-1222-68 to 70	None Detected	N/A	N/A	2' x 4' Crow's Feet

APPENDIX I - REASSESSMENT SURVEY FORM

Location Number	Location Name	Building System	Material Observed	Potential Hazardous Material	Sample ID	Analytical Result	Quantity	Condition	Notes / Recommended Actions
B-02	South Office Area	Floor	Concrete	N/A	N/A	N/A	N/A	N/A	<b>NO ACCESS</b>
B-02	South Office Area	Walls	Block	N/A	N/A	N/A	N/A	N/A	
B-02	South Office Area	Ceiling	Ceiling Tile 1	Asbestos	Homogeneous w/ 23-1222-68 to 70	None Detected	N/A	N/A	2' x 4' Crow's Feet
B-03	North Office Area	Floor	Concrete	N/A	N/A	N/A	N/A	N/A	<b>NO ACCESS</b>
B-03	North Office Area	Walls	Block	N/A	N/A	N/A	N/A	N/A	
B-03	North Office Area	Ceiling	Ceiling Tile 1	Asbestos	Homogeneous w/ 23-1222-68 to 70	None Detected	N/A	N/A	2' x 4' Crow's Feet
1-01	Corridor	Floor	Vinyl Floor Tile 1	Asbestos	Homogeneous w/ 23-1222-56 to 58	None Detected	N/A	N/A	12" x 12" Light Grey with Dark Grey Smears
1-01	Corridor	Floor	Vinyl Floor Tile 2	Asbestos	23-1222-35 to 37*	None Detected	N/A	N/A	Tan - under VFT1 * From Fisher Project 23-13000, dated June 2023
1-01	Corridor	Walls	Drywall (DJC)	Asbestos	Homogeneous w/ 24-2359-28 to 32, 39 to 43 23-1222-59 to 61	None Detected	N/A	N/A	
1-01	Corridor	Ceiling	Ceiling Tile 2	Asbestos	23-1222-62 to 64*	None Detected	N/A	N/A	2' x 4' Large and Small Pinhole *From Fisher Project 23-13000, dated June 2023
1-02	Office	Floor	Vinyl Floor Tile 1	Asbestos	Homogeneous w/ 23-1222-56 to 58	None Detected	N/A	N/A	12" x 12" Light Grey with Dark Grey Smears
1-02	Office	Floor	Vinyl Floor Tile 2	Asbestos	Homogeneous w/ 23-1222-35 to 37	None Detected	N/A	N/A	Tan - under VFT1
1-02	Office	Walls	Drywall (DJC)	Asbestos	Homogeneous w/ 24-2359-28 to 32, 39 to 43 23-1222-59 to 61	None Detected	N/A	N/A	
1-02	Office	Ceiling	Ceiling Tile 5	Asbestos	Homogeneous w/ 23-1222-74 to 76	None Detected	N/A	N/A	2' x 4' Pinhole Fissure
1-03	Dispatch Office	Floor	Vinyl Floor Tile 1	Asbestos	Homogeneous w/ 23-1222-56 to 58	None Detected	N/A	N/A	12" x 12" Light Grey with Dark Grey Smears
1-03	Dispatch Office	Floor	Vinyl Floor Tile 2	Asbestos	Homogeneous w/ 23-1222-35 to 37	None Detected	N/A	N/A	Tan - under VFT1
1-03	Dispatch Office	Pipe	Parging Cement	Asbestos	24-2359-6*	5-25% Chrysotile	1 Fitting	Good	*From Fisher Project No. 24-13595, dated Jan. 2024
1-03	Dispatch Office	Pipe	Insulation Cover	Asbestos	24-2359-20, 21*	None Detected	N/A	N/A	*From Fisher Project No. 24-13595, dated Jan. 2024
1-03	Dispatch Office	Walls	Block	N/A	N/A	N/A	N/A	N/A	
1-03	Dispatch Office	Walls	Drywall (DJC)	Asbestos	Homogeneous w/ 24-2359-28 to 32, 39 to 43 23-1222-59 to 61	None Detected	N/A	N/A	
1-03	Dispatch Office	Ceiling	Ceiling Tile 5	Asbestos	Homogeneous w/ 23-1222-74 to 76	None Detected	N/A	N/A	2' x 4' Pinhole Fissure
1-04	Office	Floor	Vinyl Floor Tile 1	Asbestos	Homogeneous w/ 23-1222-56 to 58	None Detected	N/A	N/A	12" x 12" Light Grey with Dark Grey Smears
1-04	Office	Floor	Vinyl Floor Tile 2	Asbestos	Homogeneous w/ 23-1222-35 to 37	None Detected	N/A	N/A	Tan - under VFT1
1-04	Office	Walls	Block	N/A	N/A	N/A	N/A	N/A	
1-04	Office	Walls	Drywall (DJC)	Asbestos	Homogeneous w/ 24-2359-28 to 32, 39 to 43 23-1222-59 to 61	None Detected	N/A	N/A	
1-04	Office	Ceiling	Ceiling Tile 1	Asbestos	Homogeneous w/ 23-1222-68 to 70	None Detected	N/A	N/A	2' x 4' Crow's Feet



APPENDIX I - REASSESSMENT SURVEY FORM

Location Number	Location Name	Building System	Material Observed	Potential Hazardous Material	Sample ID	Analytical Result	Quantity	Condition	Notes / Recommended Actions
1-05	Drivers Waiting	Floor	Concrete	N/A	N/A	N/A	N/A	N/A	
1-05	Drivers Waiting	Walls	Block	N/A	N/A	N/A	N/A	N/A	
1-05	Drivers Waiting	Walls	Drywall (DJC)	Asbestos	Homogeneous w/ 24-2359-28 to 32, 39 to 43 23-1222-59 to 61	None Detected	N/A	N/A	
1-05	Drivers Waiting	Ceiling	Ceiling Tile 6	Asbestos	21-5864-10 to 12*	None Detected	N/A	N/A	2' x 4' Pinhole Long Fissure *From Fisher Project No. 21-10889, dated Jan. 2021
1-06	Southwest Office	Floor	Vinyl Floor Tile 1	Asbestos	23-1222-56 to 58*	None Detected	N/A	N/A	12" x 12" Light Grey with Dark Grey Smears *From Fisher Project 23-13000, dated June 2023
1-06	Southwest Office	Floor	Vinyl Floor Tile 2	Asbestos	Homogeneous w/ 23-1222-35 to 37	None Detected	N/A	N/A	Tan - under VFT1
1-06	Southwest Office	Walls	Drywall (DJC)	Asbestos	24-2359-43*	None Detected	N/A	N/A	*From Fisher Project No. 24-13595, dated Jan. 2024
1-06	Southwest Office	Ceiling	Ceiling Tile 5	Asbestos	Homogeneous w/ 23-1222-74 to 76	None Detected	N/A	N/A	2' x 4' Pinhole Fissure
1-06	Southwest Office	Ceiling	Ceiling Tile 9	Asbestos	23-1222-65 to 67*	None Detected	N/A	N/A	2' x 4' Large and Small Pinhole *From Fisher Project 23-13000, dated June 2023
1-07	Vestibule	Floor	Vinyl Floor Tile 1	Asbestos	Homogeneous w/ 23-1222-56 to 58	None Detected	N/A	N/A	12" x 12" Light Grey with Dark Grey Smears
1-07	Vestibule	Floor	Vinyl Floor Tile 2	Asbestos	Homogeneous w/ 23-1222-35 to 37	None Detected	N/A	N/A	Tan - under VFT1
1-07	Vestibule	Walls	Drywall (DJC)	Asbestos	Homogeneous w/ 24-2359-28 to 32, 39 to 43 23-1222-59 to 61	None Detected	N/A	N/A	
1-07	Vestibule	Ceiling	Ceiling Tile 4	Asbestos	Homogeneous w/ 23-1222-71 to 73	None Detected	N/A	N/A	2' x 2' Pinhole Short Fissure
1-08	Office	Floor	Vinyl Floor Tile 1	Asbestos	Homogeneous w/ 23-1222-56 to 58	None Detected	N/A	N/A	12" x 12" Light Grey with Dark Grey Smears
1-08	Office	Floor	Vinyl Floor Tile 2	Asbestos	Homogeneous w/ 23-1222-35 to 37	None Detected	N/A	N/A	Tan - under VFT1
1-08	Office	Walls	Drywall (DJC)	Asbestos	Homogeneous w/ 24-2359-28 to 32, 39 to 43 23-1222-59 to 61	None Detected	N/A	N/A	
1-08	Office	Ceiling	Ceiling Tile 4	Asbestos	Homogeneous w/ 23-1222-71 to 73	None Detected	N/A	N/A	2' x 2' Pinhole Short Fissure
1-09	Office Area	Floor	Vinyl Floor Tile 1	Asbestos	Homogeneous w/ 23-1222-56 to 58	None Detected	N/A	N/A	12" x 12" Light Grey with Dark Grey Smears
1-09	Office Area	Floor	Vinyl Floor Tile 2	Asbestos	Homogeneous w/ 23-1222-35 to 37	None Detected	N/A	N/A	Tan - under VFT1
1-09	Office Area	Walls	Drywall (DJC)	Asbestos	24-2359-42*	None Detected	N/A	N/A	*From Fisher Project No. 24-13595, dated Jan. 2024
1-09	Office Area	Ceiling	Ceiling Tile 4	Asbestos	Homogeneous w/ 23-1222-71 to 73	None Detected	N/A	N/A	2' x 2' Pinhole Short Fissure
1-10	Corridor	Floor	Vinyl Floor Tile 1	Asbestos	Homogeneous w/ 23-1222-56 to 58	None Detected	N/A	N/A	12" x 12" Light Grey with Dark Grey Smears
1-10	Corridor	Floor	Vinyl Floor Tile 3	Asbestos	Homogeneous w/ 23-1222-41 to 43	None Detected	N/A	N/A	Beige - under VFT1
1-10	Corridor	Walls	Drywall (DJC)	Asbestos	24-2359-39*	None Detected	N/A	N/A	*From Fisher Project No. 24-13595, dated Jan. 2024
1-10	Corridor	Ceiling	Ceiling Tile 5	Asbestos	Homogeneous w/ 23-1222-74 to 76	None Detected	N/A	N/A	2' x 4' Pinhole Fissure
1-11	Mechanical Room	Floor	Vinyl Floor Tile 1	Asbestos	Homogeneous w/ 23-1222-56 to 58	None Detected	N/A	N/A	12" x 12" Light Grey with Dark Grey Smears

APPENDIX I - REASSESSMENT SURVEY FORM

<i>Location Number</i>	<i>Location Name</i>	<i>Building System</i>	<i>Material Observed</i>	<i>Potential Hazardous Material</i>	<i>Sample ID</i>	<i>Analytical Result</i>	<i>Quantity</i>	<i>Condition</i>	<i>Notes / Recommended Actions</i>
1-11	Mechanical Room	Floor	Vinyl Floor Tile 3	Asbestos	Homogeneous w/ 23-1222-41 to 43	None Detected	N/A	N/A	Beige - under VFT1
1-11	Mechanical Room	Walls	Drywall (DJC)	Asbestos	Homogeneous w/ 24-2359-28 to 32, 39 to 43 23-1222-59 to 61	None Detected	N/A	N/A	
1-11	Mechanical Room	Walls	Block	N/A	N/A	N/A	N/A	N/A	
1-11	Mechanical Room	Ceiling	Ceiling Tile 4	Asbestos	Homogeneous w/ 23-1222-71 to 73	None Detected	N/A	N/A	2' x 2' Pinhole Short Fissure
1-12	Storage	Floor	Vinyl Floor Tile 1	Asbestos	Homogeneous w/ 23-1222-56 to 58	None Detected	N/A	N/A	12" x 12" Light Grey with Dark Grey Smears
1-12	Storage	Floor	Vinyl Floor Tile 3	Asbestos	Homogeneous w/ 23-1222-41 to 43	None Detected	N/A	N/A	Beige - under VFT1
1-12	Storage	Walls	Drywall (DJC)	Asbestos	24-2359-40*	None Detected	N/A	N/A	*From Fisher Project No. 24-13595, dated Jan. 2024
1-12	Storage	Pipe	Parging Cement	Asbestos	Homogeneous w/ 24-2359-4 to 6	5-25% Chrysotile	1 Fitting	POOR	Exposed insulation on end pipe.
1-12	Storage	Ceiling	Ceiling Tile 4	Asbestos	Homogeneous w/ 23-1222-71 to 73	None Detected	N/A	N/A	2' x 2' Pinhole Short Fissure
1-13	Storage	Floor	Vinyl Floor Tile 1	Asbestos	Homogeneous w/ 23-1222-56 to 58	None Detected	N/A	N/A	12" x 12" Light Grey with Dark Grey Smears
1-13	Storage	Floor	Vinyl Floor Tile 3	Asbestos	Homogeneous w/ 23-1222-41 to 43	None Detected	N/A	N/A	Beige - under VFT1
1-13	Storage	Walls	Drywall (DJC)	Asbestos	Homogeneous w/ 24-2359-28 to 32, 39 to 43 23-1222-59 to 61	None Detected	N/A	N/A	
1-13	Storage	Ceiling	Ceiling Tile 4	Asbestos	Homogeneous w/ 23-1222-71 to 73	None Detected	N/A	N/A	2' x 2' Pinhole Short Fissure
1-14	Corridor	Floor	Vinyl Floor Tile 1	Asbestos	Homogeneous w/ 23-1222-56 to 58	None Detected	N/A	N/A	12" x 12" Light Grey with Dark Grey Smears
1-14	Corridor	Floor	Vinyl Floor Tile 2	Asbestos	Homogeneous w/ 23-1222-35 to 37	None Detected	N/A	N/A	Tan - under VFT1
1-14	Corridor	Walls	Drywall (DJC)	Asbestos	23-1222-61*	None Detected	N/A	N/A	*From Fisher Project No. 23-13000, dated June 2023
1-14	Corridor	Ceiling	Ceiling Tile 4	Asbestos	Homogeneous w/ 23-1222-71 to 73	None Detected	N/A	N/A	2' x 2' Pinhole Short Fissure
1-15	Vestibule	Floor	Vinyl Floor Tile 1	Asbestos	Homogeneous w/ 23-1222-56 to 58	None Detected	N/A	N/A	12" x 12" Light Grey with Dark Grey Smears
1-15	Vestibule	Floor	Mastic - Black	Asbestos	24-2359-2*	None Detected	N/A	N/A	Under VFT1, on stairwell landing leading up to Vestibule
1-15	Vestibule	Walls	Drywall (DJC)	Asbestos	23-1222-59 and 60*	None Detected	N/A	N/A	*From Fisher Project No. 23-13000, dated June 2023
1-15	Vestibule	Ceiling	Ceiling Tile 4	Asbestos	Homogeneous w/ 23-1222-71 to 73	None Detected	N/A	N/A	2' x 2' Pinhole Short Fissure
1-16	Northwest Office	Floor	Vinyl Floor Tile 1	Asbestos	Homogeneous w/ 23-1222-56 to 58	None Detected	N/A	N/A	12" x 12" Light Grey with Dark Grey Smears
1-16	Northwest Office	Walls	Drywall (DJC)	Asbestos	Homogeneous w/ 24-2359-28 to 32, 39 to 43 23-1222-59 to 61	None Detected	N/A	N/A	
1-16	Northwest Office	Ceiling	Ceiling Tile 5	Asbestos	Homogeneous w/ 23-1222-74 to 76	None Detected	N/A	N/A	2' x 4' Pinhole Fissure
1-16	Northwest Office	Ceiling	Ceiling Tile 4	Asbestos	Homogeneous w/ 23-1222-71 to 73	None Detected	N/A	N/A	2' x 2' Pinhole Short Fissure
1-17	Office Area	Floor	Vinyl Floor Tile 1	Asbestos	Homogeneous w/ 23-1222-56 to 58	None Detected	N/A	N/A	12" x 12" Light Grey with Dark Grey Smears

APPENDIX I - REASSESSMENT SURVEY FORM

Location Number	Location Name	Building System	Material Observed	Potential Hazardous Material	Sample ID	Analytical Result	Quantity	Condition	Notes / Recommended Actions
1-17	Office Area	Walls	Drywall (DJC)	Asbestos	24-2359-41*	None Detected	N/A	N/A	*From Fisher Project No. 24-13595, dated Jan. 2024
1-17	Office Area	Ceiling	Ceiling Tile 5	Asbestos	Homogeneous w/ 23-1222-74 to 76	None Detected	N/A	N/A	2' x 4' Pinhole Fissure
1-17	Office Area	Ceiling	Ceiling Tile 4	Asbestos	Homogeneous w/ 23-1222-71 to 73	None Detected	N/A	N/A	2' x 2' Pinhole Short Fissure
1-18	Corridor	Floor	Vinyl Floor Tile 1	Asbestos	Homogeneous w/ 23-1222-56 to 58	None Detected	N/A	N/A	12" x 12" Light Grey with Dark Grey Smears
1-18	Corridor	Walls	Drywall (DJC)	Asbestos	Homogeneous w/ 24-2359-28 to 32, 39 to 43 23-1222-59 to 61	None Detected	N/A	N/A	
1-18	Corridor	Ceiling	Ceiling Tile 4	Asbestos	Homogeneous w/ 23-1222-71 to 73	None Detected	N/A	N/A	2' x 2' Pinhole Short Fissure
1-19	Storage	Floor	Vinyl Floor Tile 1	Asbestos	Homogeneous w/ 23-1222-56 to 58	None Detected	N/A	N/A	12" x 12" Light Grey with Dark Grey Smears
1-19	Storage	Walls	Drywall (DJC)	Asbestos	Homogeneous w/ 24-2359-28 to 32, 39 to 43 23-1222-59 to 61	None Detected	N/A	N/A	
1-19	Storage	Ceiling	Ceiling Tile 4	Asbestos	Homogeneous w/ 23-1222-71 to 73	None Detected	N/A	N/A	2' x 2' Pinhole Short Fissure
1-20	Storage	Floor	Vinyl Floor Tile 1	Asbestos	Homogeneous w/ 23-1222-56 to 58	None Detected	N/A	N/A	12" x 12" Light Grey with Dark Grey Smears
1-20	Storage	Walls	Drywall (DJC)	Asbestos	Homogeneous w/ 24-2359-28 to 32, 39 to 43 23-1222-59 to 61	None Detected	N/A	N/A	
1-20	Storage	Ceiling	Ceiling Tile 4	Asbestos	Homogeneous w/ 23-1222-71 to 73	None Detected	N/A	N/A	2' x 2' Pinhole Short Fissure
1-21	Warehouse Office	Floor	Vinyl Floor Tile 1	Asbestos	Homogeneous w/ 23-1222-56 to 58	None Detected	N/A	N/A	12" x 12" Light Grey with Dark Grey Smears
1-21	Warehouse Office	Walls	Drywall (DJC)	Asbestos	Homogeneous w/ 24-2359-28 to 32, 39 to 43 23-1222-59 to 61	None Detected	N/A	N/A	
1-21	Warehouse Office	Ceiling	Ceiling Tile 4	Asbestos	Homogeneous w/ 23-1222-71 to 73	None Detected	N/A	N/A	2' x 2' Pinhole Short Fissure
1-21	Warehouse Office	Pipe	Insulation Cover	Asbestos	24-2359-19*	None Detected	N/A	N/A	Stairwell leading to 2nd Floor *From Fisher Project No. 24-13595, dated Jan. 2024
1-22	Warehouse South	Floor	Concrete	N/A	N/A	N/A	N/A	N/A	
1-22	Warehouse South	Walls	Block	N/A	N/A	N/A	N/A	N/A	
1-22	Warehouse South	Walls	Drywall (DJC)	Asbestos	Homogeneous w/ 24-2359-28 to 32, 39 to 43 23-1222-59 to 61	None Detected	N/A	N/A	
1-22	Warehouse South	Walls	Paint - White	Lead	24-2359-44*	1,084 ppm	500 SF	Good	Corridor adjacent to Washrooms *From Fisher Project No. 24-13595, dated Jan. 2024
1-22	Warehouse South	Walls	Caulking - Grey	Asbestos	24-2359-7 to 9*	0.5-5% Chrysotile	300 LF	Good	*From Fisher Project No. 24-13595, dated Jan. 2024
1-22	Warehouse South	Ceiling	Not Found	N/A	N/A	N/A	N/A	N/A	Open to above
1-22	Warehouse South	Ceiling	Transite Board	Asbestos	Homogeneous w/ 23-1222-21 to 23	5-25% Chrysotile	240 SF	Good	Where the roof line changes height
1-22	Warehouse South	Pipe	Transite Pipe	Asbestos	Not Sampled	Visually Positive	75 LF	Good	3 Pipes, Rain leaders
1-22	Warehouse South	Bollard	Paint - Yellow	Lead	24-2359-45*	26,750 ppm	All	Good	At door # 3W *From Fisher Project No. 24-13595, dated Jan. 2024

APPENDIX I - REASSESSMENT SURVEY FORM

Location Number	Location Name	Building System	Material Observed	Potential Hazardous Material	Sample ID	Analytical Result	Quantity	Condition	Notes / Recommended Actions
1-23	Central Warehouse	Floor	Concrete	N/A	N/A	N/A	N/A	N/A	
1-23	Central Warehouse	Walls	Block	N/A	N/A	N/A	N/A	N/A	
1-23	Central Warehouse	Walls	Drywall (DJC)	Asbestos	20-4890-4 to 7*	None Detected	N/A	N/A	*From Fisher Project No. 20-10475, dated Aug. 2020
1-23	Central Warehouse	Door	Caulking - Grey	Asbestos	20-4976-1 to 3*	None Detected	N/A	N/A	*From Fisher Project No. 20-10475, dated Aug. 2020
1-23	Central Warehouse	Ceiling	Not Found	N/A	N/A	N/A	N/A	N/A	Open to above
1-24	Midway Warehouse	Floor	Concrete	N/A	N/A	N/A	N/A	N/A	
1-24	Midway Warehouse	Walls	Block	N/A	N/A	N/A	N/A	N/A	
1-24	Midway Warehouse	Walls	Transite Board	Asbestos	21-5864-1 to 3*	25-50% Chrysotile	200 SF	Good	*From Fisher Project 21-10889, dated Jan. 2021 NOT OBSERVED
1-24	Midway Warehouse	Walls	Drywall (DJC)	Asbestos	20-4890-1 to 3*	None Detected	N/A	N/A	*From Fisher Project No. 20-10475, dated Aug. 2020
1-24	Midway Warehouse	Ceiling	Not Found	N/A	N/A	N/A	N/A	N/A	Open to above
1-25	Warehouse North	Floor	Concrete	N/A	N/A	N/A	N/A	N/A	
1-25	Warehouse North	Walls	Block	N/A	N/A	N/A	N/A	N/A	
1-25	Warehouse North	Walls	Drywall (DJC)	Asbestos	Homogeneous w/ 24-2359-28 to 32, 39 to 43 23-1222-59 to 61	None Detected	N/A	N/A	
1-25	Warehouse North	Ceiling	Not Found	N/A	N/A	N/A	N/A	N/A	Open to above
1-25	Warehouse North	Pipe	Parging Cement	Asbestos	Homogeneous w/ 24-2359-4 to 6	5-25% Chrysotile	6 Fittings	Good	On rain leaders
1-26	Skids Warehouse	Floor	Concrete	N/A	N/A	N/A	N/A	N/A	
1-26	Skids Warehouse	Walls	Block	N/A	N/A	N/A	N/A	N/A	
1-26	Skids Warehouse	Walls	Mortar	Asbestos	24-2359-10 to 12*	None Detected	N/A	N/A	*From Fisher Project No. 24-13595, dated Jan. 2024
1-26	Skids Warehouse	Walls	Drywall (DJC)	Asbestos	Homogeneous w/ 20-4890-1 to 7	None Detected	N/A	N/A	
1-26	Skids Warehouse	Ceiling	Not Found	N/A	N/A	N/A	N/A	N/A	Open to above
1-26	Skids Warehouse	Ceiling	Transite Board	Asbestos	Homogeneous w/ 23-1222-21 to 23	5-25% Chrysotile	160 SF	Good	Where the roof line changes height
1-26	Skids Warehouse	Pipe	Parging Cement	Asbestos	Homogeneous w/ 24-2359-4 to 6	5-25% Chrysotile	9 Fittings	Good	On rain leaders 1 Pipe Fitting damaged.
1-27	Hub Room	Floor	Carpet	N/A	N/A	N/A	N/A	N/A	
1-27	Hub Room	Floor	Vinyl Floor Tile 1	Asbestos	Homogeneous w/ 23-1222-56 to 58	None Detected	N/A	N/A	Grey - under carpet
1-27	Hub Room	Walls	Drywall (DJC)	Asbestos	21-5864-19*	None Detected	N/A	N/A	*From Fisher Project No. 21-10889, dated Jan. 2021
1-27	Hub Room	Ceiling	Wood	N/A	N/A	N/A	N/A	N/A	
1-28	Office	Floor	Carpet	N/A	N/A	N/A	N/A	N/A	

APPENDIX I - REASSESSMENT SURVEY FORM

Location Number	Location Name	Building System	Material Observed	Potential Hazardous Material	Sample ID	Analytical Result	Quantity	Condition	Notes / Recommended Actions
1-28	Office	Walls	Drywall (DJC)	Asbestos	Homogeneous w/ 24-2359-28 to 32, 39 to 43 23-1222-59 to 61	None Detected	N/A	N/A	
1-28	Office	Ceiling	Ceiling Tile 6	Asbestos	Homogeneous w/ 21-5864-10 to 12	None Detected	N/A	N/A	2' x 4' Pinhole Long Fissure
1-29	Tool Room	Floor	Concrete	N/A	N/A	N/A	N/A	N/A	
1-29	Tool Room	Walls	Block/Wood	N/A	N/A	N/A	N/A	N/A	
1-29	Tool Room	Ceiling	Wood	N/A	N/A	N/A	N/A	N/A	
1-30	Drivers Waiting Area	Floor	Carpet	N/A	N/A	N/A	N/A	N/A	
1-30	Drivers Waiting Area	Floor	Vinyl Floor Tile 1	Asbestos	Homogeneous w/ 23-1222-56 to 58	None Detected	N/A	N/A	Grey - under carpet
1-30	Drivers Waiting Area	Floor	Mastic - Black	Asbestos	24-2359-1*	None Detected	N/A	N/A	Under VFT1 *From Fisher Project No. 24-13595, dated Jan. 2024
1-30	Drivers Waiting Area	Walls	Drywall (DJC)	Asbestos	21-5864-16 to 18*	None Detected	N/A	N/A	*From Fisher Project No. 21-10889, dated Jan. 2021
1-30	Drivers Waiting Area	Walls	Paint - Grey	Lead	21-5864-21*	<10 ppm	N/A	N/A	*From Fisher Project No. 21-10889, dated Jan. 2021
1-30	Drivers Waiting Area	Ceiling	Drywall (DJC)	Asbestos	21-5864-13 to 15*	None Detected	N/A	N/A	*From Fisher Project No. 21-10889, dated Jan. 2021
1-31	Woman's Washroom	Floor	Concrete	N/A	N/A	N/A	N/A	N/A	
1-31	Woman's Washroom	Walls	Drywall (DJC)	Asbestos	Homogeneous w/ 24-2359-28 to 32, 39 to 43 23-1222-59 to 61	None Detected	N/A	N/A	
1-31	Woman's Washroom	Ceiling	Ceiling Tile 8	N/A	N/A	N/A	N/A	N/A	2' x 4' Smooth - drywall panels
1-31	Woman's Washroom	Pipe	Parging Cement	Asbestos	24-2359-4*	5-25% Chrysotile	2 Fittings	Good	1 fitting above ceiling tiles *From Fisher Project No. 24-13595, dated Jan. 2024
1-32	Men's Washroom	Floor	Concrete	N/A	N/A	N/A	N/A	N/A	
1-32	Men's Washroom	Walls	Block	N/A	N/A	N/A	N/A	N/A	
1-32	Men's Washroom	Walls	Drywall (DJC)	Asbestos	Homogeneous w/ 24-2359-28 to 32, 39 to 43 23-1222-59 to 61	None Detected	N/A	N/A	
1-32	Men's Washroom	Ceiling	Ceiling Tile 8	N/A	N/A	N/A	N/A	N/A	2' x 4' Smooth - drywall panels
1-32	Men's Washroom	Pipe	Parging Cement	Asbestos	Homogeneous w/ 24-2359-4 to 6	5-25% Chrysotile	3 Fittings	Good	Above ceiling tiles
2-01	Stairwell	Floor	Vinyl Floor Tile 6	Asbestos	23-1222-38 to 40*	None Detected	N/A	N/A	12" x 12" Beige *From Fisher Project 23-13000, dated 2023
2-01	Stairwell	Walls	Block	N/A	N/A	N/A	N/A	N/A	
2-01	Stairwell	Ceiling	Ceiling Tile 5	Asbestos	Homogeneous w/ 23-1222-74 to 76	None Detected	N/A	N/A	2' x 4' Pinhole Fissure
2-02	Corridor	Floor	Vinyl Floor Tile 6	Asbestos	Homogeneous w/ 23-1222-38 to 40	None Detected	N/A	N/A	12" x 12" Beige
2-02	Corridor	Walls	Drywall (DJC)	Asbestos	Homogeneous w/ 24-2359-28 to 32, 39 to 43 23-1222-59 to 61	None Detected	N/A	N/A	
2-02	Corridor	Ceiling	Ceiling Tile 6	Asbestos	Homogeneous w/ 21-5864-10 to 12	None Detected	N/A	N/A	2' x 4' Pinhole Long Fissure

APPENDIX I - REASSESSMENT SURVEY FORM

Location Number	Location Name	Building System	Material Observed	Potential Hazardous Material	Sample ID	Analytical Result	Quantity	Condition	Notes / Recommended Actions
2-02	Corridor	Ceiling	Ceiling Tile 1	Asbestos	23-1222-68 to 70*	None Detected	N/A	N/A	2' x 4' Crow's Feet * From Fisher Project No. 23-13000, dated June 2023
2-03	File Storage	Floor	Carpet	N/A	N/A	N/A	N/A	N/A	
2-03	File Storage	Floor	Vinyl Floor Tile 3	Asbestos	23-1222-41 to 43*	None Detected	N/A	N/A	Beige - under carpet * From Fisher Project 23-13000, dated June 2023
2-03	File Storage	Walls	Drywall (DJC)	Asbestos	Homogeneous w/ 24-2359-28 to 32, 39 to 43 23-1222-59 to 61	None Detected	N/A	N/A	
2-03	File Storage	Ceiling	Ceiling Tile 6	Asbestos	Homogeneous w/ 21-5864-10 to 12	None Detected	N/A	N/A	2' x 4' Pinhole Long Fissure
2-04	Dispatch Office	Floor	Carpet	N/A	N/A	N/A	N/A	N/A	
2-04	Dispatch Office	Floor	Vinyl Floor Tile 3	Asbestos	Homogeneous w/ 23-1222-41 to 43	None Detected	N/A	N/A	Beige - under carpet
2-04	Dispatch Office	Walls	Drywall (DJC)	Asbestos	23-1222-30*	None Detected	N/A	N/A	*From Fisher Project No. 23-13000, dated June 2023
2-04	Dispatch Office	Ceiling	Ceiling Tile 3	Asbestos	Homogeneous w/ 21-5864-4 to 6	None Detected	N/A	N/A	2' x 4' Pinhole Deep Fissure
2-05	Office	Floor	Carpet	N/A	N/A	N/A	N/A	N/A	
2-05	Office	Floor	Vinyl Floor Tile 3	Asbestos	Homogeneous w/ 23-1222-41 to 43	None Detected	N/A	N/A	Beige - under carpet
2-05	Office	Walls	Drywall (DJC)	Asbestos	Homogeneous w/ 24-2359-28 to 32, 39 to 43 23-1222-59 to 61	None Detected	N/A	N/A	
2-05	Office	Walls	Drywall (DJC)	Asbestos	24-2359-32*	None Detected	N/A	N/A	*From Fisher Project No. 24-13595, dated Jan. 2024
2-05	Office	Walls	Paint - Beige	Lead	21-5864-20*	3960 ppm	350 SF	Good	*From Fisher Project No. 21-10889, dated Jan. 2021
2-05	Office	Ceiling	Ceiling Tile 3	Asbestos	Homogeneous w/ 21-5864-4 to 6	None Detected	N/A	N/A	2' x 4' Pinhole Deep Fissure
2-06	Office	Floor	Carpet	N/A	N/A	N/A	N/A	N/A	
2-06	Office	Floor	Vinyl Floor Tile 3	Asbestos	Homogeneous w/ 23-1222-41 to 43	None Detected	N/A	N/A	Beige - under carpet
2-06	Office	Walls	Drywall (DJC)	Asbestos	23-1222-31*	None Detected	N/A	N/A	*From Fisher Project No. 23-13000, dated June 2023
2-06	Office	Walls	Drywall (DJC)	Asbestos	24-2359-31*	None Detected	N/A	N/A	*From Fisher Project No. 24-13595, dated Jan. 2024
2-06	Office	Walls	Paint - Cream	Lead	24-2359-49*	129 ppm	N/A	N/A	*From Fisher Project No. 24-13595, dated Jan. 2024
2-06	Office	Ceiling	Ceiling Tile 3	Asbestos	Homogeneous w/ 21-5864-7 to 9	None Detected	N/A	N/A	2' x 4' Pinhole Deep Fissure
2-07	Office Area	Floor	Carpet	N/A	N/A	N/A	N/A	N/A	
2-07	Office Area	Floor	Vinyl Floor Tile 3	Asbestos	Homogeneous w/ 23-1222-41 to 43	None Detected	N/A	N/A	Beige - under carpet
2-07	Office Area	Walls	Drywall (DJC)	Asbestos	23-1222-32* 21-5864-4, 6*	None Detected	1025 SF	Good	*From Fisher Project No. 23-13000, dated Jan. 2023 *From Fisher Project No. 21-10889, dated Jan. 2021
2-07	Office Area	Walls	Drywall (DJC)	Asbestos	21-5864- 5*	0.5-5% Chrysotile	1025 SF	Good	*From Fisher Project No. 21-10889, dated Jan. 2021
2-07	Office Area	Ceiling	Ceiling Tile 3	Asbestos	21-5864-7 to 9*	None Detected	N/A	N/A	2' x 4' Pinhole Deep Fissure *From Fisher Project No. 21-10889, dated Jan. 2021
2-08	Break Room	Floor	Vinyl Floor Tile 7	Asbestos	Homogeneous w/ 23-1222-53 to 55	None Detected	N/A	N/A	12" x 12" Taupe with black streaks

APPENDIX I - REASSESSMENT SURVEY FORM

Location Number	Location Name	Building System	Material Observed	Potential Hazardous Material	Sample ID	Analytical Result	Quantity	Condition	Notes / Recommended Actions
2-08	Break Room	Walls	Drywall Panels	N/A	N/A	N/A	N/A	N/A	
2-08	Break Room	Walls	Drywall (DJC)	Asbestos	Homogeneous w/ 24-2359-28 to 32, 39 to 43 23-1222-59 to 61	None Detected	N/A	N/A	
2-08	Break Room	Ceiling	Ceiling Tile 3	Asbestos	Homogeneous w/ 21-5864-4 to 6	None Detected	N/A	N/A	2' x 4' Pinhole Deep Fissure
2-09	Men's Washroom	Floor	Vinyl Floor Tile 5	Asbestos	23-1222-44 to 46*	None Detected	N/A	N/A	9" x 9" Blue with white streaks * From Fisher Project 23-13000, dated June 2023
2-09	Men's Washroom	Floor	Vinyl Floor Tile 1	Asbestos	Homogeneous w/ 23-1222-56 to 58	None Detected	N/A	N/A	12" x 12" Light Grey with Dark Grey Smears
2-09	Men's Washroom	Walls	Drywall (DJC)	Asbestos	Homogeneous w/ 24-2359-28 to 32, 39 to 43 23-1222-59 to 61	None Detected	N/A	N/A	
2-09	Men's Washroom	Ceiling	Drywall (DJC)	Asbestos	Homogeneous w/ 24-2359-28 to 32, 39 to 43 23-1222-59 to 61	None Detected	N/A	N/A	
2-10	Storage	Floor	Concrete	N/A	N/A	N/A	N/A	N/A	
2-10	Storage	Walls	Drywall (DJC)	Asbestos	Homogeneous w/ 24-2359-28 to 32, 39 to 43 23-1222-59 to 61	None Detected	N/A	N/A	
2-10	Storage	Ceiling	Ceiling Tile 3	Asbestos	Homogeneous w/ 21-5864-4 to 6	None Detected	N/A	N/A	2' x 4' Pinhole Deep Fissure
2-11	Office Area	Floor	Vinyl Floor Tile 9	Asbestos	23-1222-47 to 49*	None Detected	N/A	N/A	12" x 12" Grey with dark grey specks *From Fisher Project 23-13000, dated June 2023
2-11	Office Area	Walls	Drywall (DJC)	Asbestos	Homogeneous w/ 24-2359-28 to 32, 39 to 43 23-1222-59 to 61	None Detected	N/A	N/A	
2-11	Office Area	Ceiling	Ceiling Tile 1	Asbestos	Homogeneous w/ 23-1222-68 to 70	None Detected	N/A	N/A	2' x 4' Crow's Feet
2-11	Office Area	Ceiling	Ceiling Tile 4	Asbestos	23-1222-71 to 73*	None Detected	N/A	N/A	2' x 2' Pinhole Short Fissure *From Fisher Project 23-13000, dated June 2023
2-12	Reception Area	Floor	Vinyl Floor Tile 8	Asbestos	24-2359-33 to 35*	None Detected	N/A	N/A	*From Fisher Project No. 24-13595, dated Jan. 2024 12" x 12" Blue/Grey Mosaic
2-12	Reception Area	Floor	Mastic - Black	Asbestos	24-2359-3*	None Detected	N/A	N/A	Under VFT1 *From Fisher Project No. 24-13595, dated Jan. 2024
2-12	Reception Area	Walls	Drywall (DJC)	Asbestos	Homogeneous w/ 24-2359-28 to 32, 39 to 43 23-1222-59 to 61	None Detected	N/A	N/A	
2-12	Reception Area	Ceiling	Ceiling Tile 5	Asbestos	23-1222-74 to 76*	None Detected	N/A	N/A	2' x 4' Pinhole Fissure *From Fisher Project 23-13000, dated June 2023
2-13	Office	Floor	Vinyl Floor Tile 8	Asbestos	Homogeneous w/ 24-2359-33 to 35*	None Detected	N/A	N/A	12" x 12" Blue/Grey Mosaic NOT OBSERVED - covered by laminate
2-13	Office	Walls	Drywall (DJC)	Asbestos	Homogeneous w/ 24-2359-28 to 32, 39 to 43 23-1222-59 to 61	None Detected	N/A	N/A	
2-13	Office	Ceiling	Ceiling Tile 5	Asbestos	Homogeneous w/ 23-1222-74 to 76	None Detected	N/A	N/A	2' x 4' Pinhole Fissure
2-14	Office	Floor	Vinyl Floor Tile 8	Asbestos	Homogeneous w/ 24-2359-33 to 35*	None Detected	N/A	N/A	12" x 12" Blue/Grey Mosaic NOT OBSERVED - covered by laminate
2-14	Office	Walls	Drywall (DJC)	Asbestos	Homogeneous w/ 24-2359-28 to 32, 39 to 43 23-1222-59 to 61	None Detected	N/A	N/A	
2-14	Office	Ceiling	Ceiling Tile 5	Asbestos	Homogeneous w/ 23-1222-74 to 76	None Detected	N/A	N/A	2' x 4' Pinhole Fissure

APPENDIX I - REASSESSMENT SURVEY FORM

Location Number	Location Name	Building System	Material Observed	Potential Hazardous Material	Sample ID	Analytical Result	Quantity	Condition	Notes / Recommended Actions
2-15	Meeting Room	Floor	Vinyl Floor Tile 8	Asbestos	Homogeneous w/ 24-2359-33 to 35*	None Detected	N/A	N/A	12" x 12" Blue/Grey Mosaic NOT OBSERVED - covered by laminate
2-15	Meeting Room	Walls	Drywall (DJC)	Asbestos	Homogeneous w/ 24-2359-28 to 32, 39 to 43 23-1222-59 to 61	None Detected	N/A	N/A	
2-15	Meeting Room	Ceiling	Ceiling Tile 5	Asbestos	Homogeneous w/ 23-1222-74 to 76	None Detected	N/A	N/A	2' x 4' Pinhole Fissure
2-16	Lunch Room	Floor	Vinyl Floor Tile 8	Asbestos	Homogeneous w/ 24-2359-33 to 35*	None Detected	N/A	N/A	12" x 12" Blue/Grey Mosaic NOT OBSERVED - covered by laminate
2-16	Lunch Room	Walls	Drywall (DJC)	Asbestos	23-1222-33*	None Detected	N/A	N/A	*From Fisher Project No. 23-13000, dated June 2023
2-16	Lunch Room	Ceiling	Ceiling Tile 5	Asbestos	Homogeneous w/ 23-1222-74 to 76	None Detected	N/A	N/A	2' x 4' Pinhole Fissure
2-17	Vestibule	Floor	Vinyl Floor Tile 6	Asbestos	Homogeneous w/ 23-1222-38 to 40	None Detected	N/A	N/A	12" x 12" Beige
2-17	Vestibule	Walls	Drywall (DJC)	Asbestos	23-1222-34*	Trace <0.5% Chrysotile	500 SF	Good	*From Fisher Project No. 23-13000, dated June 2023
2-17	Vestibule	Ceiling	Ceiling Tile 1	Asbestos	Homogeneous w/ 23-1222-68 to 70	None Detected	N/A	N/A	2' x 4' Crow's Feet
2-18	Office	Floor	Concrete	N/A	N/A	N/A	N/A	N/A	
2-18	Office	Walls	Drywall (DJC)	Asbestos	Homogeneous w/ 24-2359-28 to 32, 39 to 43 23-1222-59 to 61	None Detected	N/A	N/A	
2-18	Office	Ceiling	Ceiling Tile 3	Asbestos	Homogeneous w/ 21-5864-4 to 6	None Detected	N/A	N/A	2' x 4' Pinhole Deep Fissure
2-19	Woman's Washroom	Floor	Vinyl Floor Tile 4	Asbestos	23-1222-50 to 52*	None Detected	N/A	N/A	9" x 9" Tan with brown and white streaks *From Fisher Project 23-13000, dated June 2023
2-19	Woman's Washroom	Walls	Drywall (DJC)	Asbestos	Homogeneous w/ 24-2359-28 to 32, 39 to 43 23-1222-59 to 61	None Detected	N/A	N/A	
2-19	Woman's Washroom	Ceiling	Drywall (DJC)	Asbestos	Homogeneous w/ 24-2359-28 to 32, 39 to 43 23-1222-59 to 61	None Detected	N/A	N/A	
2-20	Corridor	Floor	Vinyl Floor Tile 6	Asbestos	Homogeneous w/ 23-1222-38 to 40	None Detected	N/A	N/A	12" x 12" Beige
2-20	Corridor	Walls	Drywall (DJC)	Asbestos	Homogeneous w/ 24-2359-28 to 32, 39 to 43 23-1222-59 to 61	None Detected	N/A	N/A	
2-20	Corridor	Ceiling	Ceiling Tile 1	Asbestos	Homogeneous w/ 23-1222-68 to 70	None Detected	N/A	N/A	2' x 4' Crow's Feet
2-21	Office Area	Floor	Vinyl Floor Tile 8	Asbestos	Homogeneous w/ 24-2359-33 to 35*	None Detected	N/A	N/A	12" x 12" Blue/Grey Mosaic
2-21	Office Area	Walls	Drywall (DJC)	Asbestos	23-1222-28*	None Detected	N/A	N/A	*From Fisher Project No. 24-13595, dated Jan. 2024
2-21	Office Area	Ceiling	Ceiling Tile 1	Asbestos	Homogeneous w/ 23-1222-68 to 70	None Detected	N/A	N/A	2' x 4' Crow's Feet
2-22	Storage	Floor	Vinyl Floor Tile 10	Asbestos	24-2359-22 to 24*	None Detected	N/A	N/A	*From Fisher Project No. 24-13595, dated Jan. 2024 12" x 12" Dark Brown Mosaic
2-22	Storage	Floor	Mastic - Mustard Yellow	Asbestos	24-2359-25 to 27*	None Detected	N/A	N/A	Under VFT10 *From Fisher Project No. 24-13595, dated Jan. 2024
2-22	Storage	Walls	Drywall (DJC)	Asbestos	Homogeneous w/ 24-2359-28 to 32, 39 to 43 23-1222-59 to 61	None Detected	N/A	N/A	
2-22	Storage	Ceiling	Ceiling Tile 1	Asbestos	Homogeneous w/ 23-1222-68 to 70	None Detected	N/A	N/A	2' x 4' Crow's Feet



APPENDIX I - REASSESSMENT SURVEY FORM

Location Number	Location Name	Building System	Material Observed	Potential Hazardous Material	Sample ID	Analytical Result	Quantity	Condition	Notes / Recommended Actions
2-23	Stairwell	Floor	Steel	N/A	N/A	N/A	N/A	N/A	
2-23	Stairwell	Walls	Block	N/A	N/A	N/A	N/A	N/A	
2-23	Stairwell	Walls	Paint - Blue	Lead	23-1222-80*	470 ppm	N/A	N/A	*From Fisher Project 23-13000, dated June 2023
2-23	Stairwell	Ceiling	Ceiling Tile 7	Asbestos	23-1222-77 to 79*	None Detected	N/A	N/A	2' x 4' Pinhole *From Fisher Project 23-13000, dated June 2023
2-23	Stairwell	Pipe	Parging Cement	Asbestos	Homogeneous w/ 24-2359-4 to 6	5-25% Chrysotile	8 Fittings	Good	Ground floor stairwell
2-24	Office	Ceiling	Ceiling Tile 1	Asbestos	Homogeneous w/ 23-1222-68 to 70	None Detected	N/A	N/A	2' x 4' Crow's Feet
2-24	Office	Floor	Vinyl Floor Tile 7	Asbestos	23-1222-53 to 55*	None Detected	N/A	N/A	12" x 12" Taupe with black streaks *From Fisher Project 23-13000, dated June 2023
2-24	Office	Walls	Drywall (DJC)	Asbestos	23-1222-29*	None Detected	N/A	N/A	*From Fisher Project No. 24-13595, dated Jan. 2024
2-24	Office	Walls	Paint - Grey	Lead	24-2359-47*	1474 ppm	380 SF	Good	*From Fisher Project No. 24-13595, dated Jan. 2024
2-24	Office	Ceiling	Ceiling Tile 3	Asbestos	Homogeneous w/ 21-5864-4 to 6	None Detected	N/A	N/A	2' x 4' Pinhole Deep Fissure
2-25	Meeting Room	Floor	Vinyl Floor Tile 7	Asbestos	Homogeneous w/ 23-1222-53 to 55	None Detected	N/A	N/A	12" x 12" Taupe with black streaks
2-25	Meeting Room	Walls	Drywall (DJC)	Asbestos	23-1222-30*	None Detected	N/A	N/A	*From Fisher Project No. 24-13595, dated Jan. 2024
2-25	Meeting Room	Walls	Paint - Dark Purple	Lead	24-2359-48*	527 ppm	N/A	N/A	*From Fisher Project No. 24-13595, dated Jan. 2024
2-25	Meeting Room	Ceiling	Ceiling Tile 3	Asbestos	Homogeneous w/ 21-5864-4 to 6	None Detected	N/A	N/A	2' x 4' Pinhole Deep Fissure
2-25	Meeting Room	Duct	Sealant - Brown	Asbestos	24-2359-36 to 38*	None Detected	N/A	N/A	*From Fisher Project No. 24-13595, dated Jan. 2024
2-26	Servery/Coat Room	Floor	Vinyl Floor Tile 7	Asbestos	Homogeneous w/ 23-1222-53 to 55	None Detected	N/A	N/A	12" x 12" Taupe with black streaks
2-26	Servery/Coat Room	Walls	Drywall (DJC)	Asbestos	Homogeneous w/ 24-2359-28 to 32, 39 to 43 23-1222-59 to 61	None Detected	N/A	N/A	
2-26	Servery/Coat Room	Ceiling	Ceiling Tile 3	Asbestos	Homogeneous w/ 21-5864-4 to 6	None Detected	N/A	N/A	2' x 4' Pinhole Deep Fissure
2-27	Stairwell	Floor	Vinyl Floor Tile 6	Asbestos	Homogeneous w/ 23-1222-38 to 40	None Detected	N/A	N/A	12" x 12" Beige
2-27	Stairwell	Floor	Vinyl Floor Tile 1	Asbestos	Homogeneous w/ 23-1222-56 to 58	None Detected	N/A	N/A	12" x 12" Light Grey with Dark Grey Smears - under VFT6
2-27	Stairwell	Walls	Block	N/A	N/A	N/A	N/A	N/A	
2-27	Stairwell	Walls	Paint - Blue	Lead	24-2359-46*	908 ppm	N/A	N/A	Basement stairwell *From Fisher Project No. 24-13595, dated Jan. 2024
2-27	Stairwell	Pipe	Parging Cement	Asbestos	24-2359-5*	5-25% Chrysotile	2 Fittings	Good	Ground floor stairwell *From Fisher Project No. 24-13595, dated Jan. 2024
2-27	Stairwell	Ceiling	Ceiling Tile 5	Asbestos	Homogeneous w/ 23-1222-74 to 76	None Detected	N/A	N/A	2' x 4' Pinhole Fissure
<b>Surveyor's Field Notes</b>									

APPENDIX I - REASSESSMENT SURVEY FORM

<i>Location Number</i>	<i>Location Name</i>	<i>Building System</i>	<i>Material Observed</i>	<i>Potential Hazardous Material</i>	<i>Sample ID</i>	<i>Analytical Result</i>	<i>Quantity</i>	<i>Condition</i>	<i>Notes / Recommended Actions</i>

## APPENDIX D – SITE PHOTOGRAPHS




**Photo 1** – View of asbestos-containing parging cement insulation on pipe fittings above the ceiling tiles in Men's Washroom 1-32.



**Photo 2** – View of asbestos-containing parging cement insulation on pipe fitting in the North Warehouse 1-26.



**Photo 3** – View of asbestos-containing parging cement insulation on pipe fittings in the North Warehouse 1-25.




**Photos 4 to 6:** View of asbestos-containing Transite board, along the roof of the warehouse areas where the roof line changes height.





**Photos 7 to 9** – View of asbestos-containing grey caulking along wall joints on interior wall at the South Warehouse.





**Photos 10, 11** – View of asbestos-containing Transite pipe observed in South Warehouse 1-22.





**Photos 12 to 14:** View of the asbestos-containing dark grey caulking along the flashing on the roof and wall joints.








**Photos 15 to 17:** View of the asbestos-containing white caulking along the wall and door/windows.






**Photos 18 to 20:** View of the asbestos-containing cream caulking along the exterior wall.





**Photos 21 to 23** – View of the flooded basement at the Site.





**Photos 24 to 26** – View of the mould on non-asbestos drywall wall in the Office area.





**Photo 27** – View of the pails of used oil observed at the Site.



**Photo 28** – View of the used tires observed at the Site.

## PART 1 – About Asbestos

### 1.1 What is Asbestos

Asbestos is a carcinogenic mineral. It consists of flexible fibres resistant to heat, electricity, and corrosion. These qualities make the mineral useful in many products. They also contribute to asbestos exposure toxicity. Construction materials contained asbestos because it is an effective insulator. Asbestos in cloth, paper, cement, plastic, and other materials makes them stronger. Inhaling or ingesting asbestos causes fibres to become trapped in the body. Over decades, trapped asbestos fibres can cause inflammation, scarring and cancer.

Based on their physical and chemical properties, there are two major groups of asbestos: serpentine and amphibole.

**Serpentine:** Serpentine fibres are long, flexible, and curved. These fibres can be woven together. The main type of serpentine asbestos is chrysotile (white asbestos), which is the main type of asbestos used in manufacturing.

**Amphibole:** Amphibole fibres are straight and stiff. These fibres are generally brittle and rod- or needle-shaped, which limits their commercial usefulness. There are 5 sub-types of amphibole asbestos, including:

- Crocidolite (blue asbestos)
- Amosite (brown asbestos)
- Actinolite
- Anthophyllite
- Tremolite

### 1.2 Asbestos-Containing Materials (ACM)

Because it has heat-resistant and insulating properties, asbestos was used in a wide range of manufactured products. Before 1990, asbestos was mainly used for insulating buildings and homes against cold weather and noise, and fireproofing. Asbestos was used by industry, construction, and commercial sectors in products such as:

- Building materials (roofing shingles, roof sealants, ceiling and floor tiles, paper products and felts, house siding, and asbestos-containing cement and plaster products).
- Friction materials (automobile clutch pads, brake linings, pads and shoes, and transmission parts).
- Fire and heat protection wear.
- Industrial furnaces and heating systems.
- Asbestos textiles (fabrics).
- Heat, electrical, and sound insulation, or wrappings.
- Insulation for hot and cold areas.
- Packing materials, gaskets, linings, and coatings.
- Reinforcement of plastic products, thermosets and thermoplastic resins.
- Filler in resins, plastics, caulking, and asphalt road surfacing.

### 1.3 Health Hazard of Asbestos

The human health effects from long-term unsafe asbestos exposure are well documented. Asbestos fibres are easily inhaled and carried into the lower regions of the lung where they can cause fibrotic lung disease (asbestosis) and changes in the lining of the chest cavity (pleura). These diseases can lead to reduced respiratory function and death. Long-term inhalation of asbestos fibres also increases the risk of lung cancer and mesothelioma.

Enlargement of the heart can also occur as an indirect effect from the increased resistance of blood flow through the lungs. People are more likely to experience asbestos-related disorders if they:

- are exposed to high concentrations of asbestos,
- are exposed for longer periods, and/or
- are exposed to asbestos more frequently.

#### 1.4 Industry Terms/ Definition

- 1.4.1 Abatement: Procedures to control fibre release from asbestos-containing building materials. Includes encapsulation, enclosure, and removal.
- 1.4.2 Amended Water: Water containing a wetting agent or surfactant that is to reduce water surface tension to allow proper wetting of asbestos material.
- 1.4.3 Asbestos: The term includes chrysotile, amosite, crocidolite, tremolite, anthophyllite, and actinolite, and any of these that have been chemically treated and/or altered.
- 1.4.4 Area Monitoring: Sampling of asbestos fibre concentrations within the asbestos control area and outside the asbestos control area is representative of the airborne concentrations of asbestos fibres, which may reach the breathing zone.
- 1.4.5 Asbestos Work/Control Area: An area where asbestos removal operations are performed which is isolated by physical boundaries to prevent the spread of asbestos dust, fibres, or debris.
- 1.4.6 Air Monitoring: The process of measuring the asbestos fibre content of a specific volume of air in a stated period of time.
- 1.4.7 Asbestos Containing Material (ACM): Any material analyzed and found to contain 0.5 percent more asbestos either alone or mixed with other fibrous or nonfibrous materials.
- 1.4.8 Asbestos Fibres: For this specification, asbestos fibres are 5 microns or longer, with an aspect ratio of at least 3:1.
- 1.4.9 Barrier: Any surface that closes up the work area to prevent the movement of fibres.
- 1.4.10 Critical Barrier: One or more layers of plastic sealed over all openings into a regulated area or any other similarly placed physical barrier sufficient to prevent airborne asbestos in a regulated area from migrating to an adjacent area.
- 1.4.11 Contractor/Supervisor: An individual who supervises asbestos abatement work and has the proper qualifications and training as specified in this document.
- 1.4.12 Control Area: An area considered uncontaminated and suitable for regular occupancy.
- 1.4.13 Disposal: Procedures necessary to transport and deposit the asbestos-contaminated material stripped and removed from the building, piping, and equipment in an approved waste disposal site in compliance with the applicable environmental regulations.
- 1.4.14 Demolition: The razing, removing, or wrecking of any building component, assembly or system together with any associated handling operations.
- 1.4.15 Dioctylphthalate (DOP) Test: A test method that uses Dioctylphthalate aerosol to challenge a HEPA filter-equipped negative pressure unit to determine its integrity and effectiveness to filter
- 1.4.16 Disposal Bag: A 0.15 mm 6 mil thick, leak-tight plastic bag, pre-labelled as containing asbestos waste and used for transporting asbestos waste from containment to disposal site.
- 1.4.17 Disturbance: Activities that disrupt the matrix of ACM, crumble or pulverize ACM, or generate visible debris from ACM.
- 1.4.18 Enclosure: All specified procedures are necessary to complete the enclosure of all hazardous materials behind airtight, impermeable, permanent barriers.
- 1.4.19 Friable Asbestos Material: Material when dry, can be crumbled, pulverized, or powdered by hand pressure and includes material that is crumbled, pulverized or powdered.

- 1.4.20 HEPA Filter Equipment: High-efficiency particulate air-filtered vacuuming equipment with a filter system capable of collecting and retaining asbestos fibres. Filters shall be capable of trapping and retaining at least 99.97 percent of 0.3 micrometre diameter particles.
- 1.4.21 Non-friable Asbestos Material: Material that contains asbestos in which the fibres have been locked in by a bonding agent, coating, binder, or other material so that the asbestos is well bound and will not release fibres during any appropriate use, handling, demolition, storage, transportation, processing, or disposal.
- 1.4.22 Negative Pressure Respirator: A respirator in which the air inside the respiratory inlet covering is negative during inhalation in relation to the air pressure of the outside atmosphere and positive during exhalation in relation to the air pressure of the outside atmosphere.
- 1.4.23 Personal Monitoring: Sampling of asbestos fibre concentrations within an employee's breathing zone (within 12 inches of the mouth).
- 1.4.24 Personnel: Supervisors, Contractor employees, subcontractor employees.
- 1.4.25 Positive Pressure Respirator: A respirator that maintains a positive pressure inside the facepiece during inhalation and exhalation in relation to the atmospheric pressure.
- 1.4.26 Surfactant: A chemical wetting agent added to water to improve penetration, thus reducing the quantity of water required for a given operation or area.
- 1.4.27 Tape-Sealed Polyethylene Sheets: Rip-proof polyethylene sheets or polyethylene sheets of type and thickness as specified, sealed with tape along the edges, around objects, over cuts and in other locations as required to provide a continuous polyethylene membrane to protect underlying surfaces from water damage and damage by sealant and to prevent the escape of asbestos fibres through the sheeting into a clean area.
- 1.4.28 Wet Cleaning: The process of eliminating asbestos from building surfaces and objects by using cloths, mops, or other cleaning tools dampened with water.
- 1.4.29 Work Decontamination Enclosure System: A decontamination system for workers, consisting of a clean room, a shower room, and an equipment room. One entrance to the clean room shall be outside of the contaminated area. One entrance to the equipment room shall be connected directly to the contaminated area.
- 1.4.30 Work: Includes all labour, supervision, materials, and equipment required for the complete execution of the project as specified in the contract.



## PART 2 – Abatement Specification Document – Caulking, Transite Board, Transite Pipe, Parging Cement, and Drywall Joint Compound

### 2.1 *General Conditions and Related Work*

- 2.1.1 This abatement specification document was prepared based on the findings from the Designated Substance and Hazardous Building Materials Survey report completed by Fisher Engineering Limited; “Pre-Demo Designated Substance Survey, 30 Newbridge Road, Toronto, ON, Project No. 24-13595, dated January 31, 2024.
- 2.1.2 The following document will serve as the scope of work for asbestos-containing white caulking, grey caulking, cream caulking and dark grey caulking abatement project from the window and door frames on the exterior building, from the roof along the flashing, and from the walls along wall joints. Additionally, asbestos-containing Transite board, Transite pipe, parging cement insulation on pipe fittings, and drywall joint compound on the wall. The scope of work details, all work activities, and the methodology to be employed are to be included.
- 2.1.3 It is the intent to remove Transite board, Transite pipe, parging cement insulation, drywall joint compound, and all types of identified asbestos-containing caulking types. Therefore, the work performed as outlined in this section will result in the removal and disposal of the above-listed asbestos-containing materials; and materials that become contaminated by asbestos, as a result of the work.
- 2.1.4 The abatement Contractor shall remove and dispose of asbestos-containing caulking, Transite board, and Transite pipe **following the Type 1 Operation procedures**, as per the Regulation Respecting Asbestos on Construction Projects and in Buildings and Repair Operations, Ontario Regulation 278/05.
- 2.1.5 The abatement Contractor shall remove and dispose of asbestos-containing wall drywall joint compound **following the Type 2 Operation procedures**, as per the Regulation Respecting Asbestos on Construction Projects and in Buildings and Repair Operations, Ontario Regulation 278/05.
- 2.1.6 The abatement Contractor shall remove and dispose of asbestos-containing parging cement insulation on pipe fittings **following the Type 2 Glove Bag Operation procedures**, as per the Regulation Respecting Asbestos on Construction Projects and in Buildings and Repair Operations, Ontario Regulation 278/05.
- 2.1.7 The Contractor shall comply with all local, provincial, and federal requirements (regulations, codes, standards and guidelines) relating to asbestos abatement and other work activities being carried out.
- 2.1.8 Perform work following the requirements of the various regulations and guidelines in effect at the time the work is being carried out.
- 2.1.9 The regulations, codes, standards, and guidelines shall include, but are not limited to:
- Regulation Respecting Asbestos on Construction Projects and in Buildings and Repair Operations, Ontario Regulation 278/05;
  - Designated Substances Regulation, Ontario Regulation 490/09;
  - Ontario Occupational Health and Safety Act;
  - Ministry of Labour Occupational Health and Safety Act Ontario Regulation 213/91 Construction Projects, as amended to O. Reg. 628/05; and
  - WHMIS Regulations.
- 2.1.10 In cases of conflict between procedures outlined in this document, the more stringent requirement will apply.

## 2.2 Work Area 1 – Roof

Remove asbestos-containing dark grey caulking (approximately 1,000 linear feet) found along the flashing and wall joints. Remove asbestos-containing loose debris of Transite board (approximately 8 square feet) found on the roof.

- 2.2.1 The contractor shall remove and dispose of asbestos-containing dark grey caulking, and Transite board debris **following the Type 1 Operation procedures**, as per the Regulation Respecting Asbestos on Construction Projects and in Buildings and Repair Operations, Ontario Regulation 278/05, and the procedures are as follows:
- 2.2.1.1 Pre-clean and protect all unaffected surfaces in the immediate vicinity of the work area by HEPA vacuuming and poly sheeting. This includes securing a poly drop sheet below the work area.
- 2.2.1.2 For the Type 1 operations, signs should be posted in sufficient numbers to warn of the asbestos operations. There should be a sign at least at each entrance to the work area. The signs should display the following information in large, clear visible letters:
- a) Caution: Asbestos Exposure
  - b) Access to the work area is restricted to authorized persons; and
  - c) Respirators must be worn in the work area.
- 2.2.1.3 Workers are not permitted to eat, drink, chew gum or smoke in the work area.
- 2.2.1.4 Protective clothing shall be provided by the employer and worn by every worker who enters the work area, and the protective clothing,
- o shall be made of a material that does not readily retain nor permit penetration of asbestos fibres,
  - o shall consist of head covering and full body covering that fit snugly at the ankles, wrists and neck, in order to prevent asbestos fibres from reaching the garments and skin under the protective clothing,
  - o shall include suitable footwear, and
  - o shall be repaired or replaced if torn.
- 2.2.1.5 The material shall be wet before and kept wet during the work to control the spread of dust or fibres unless wetting would create a hazard or cause damage.
- 2.2.1.6 A wetting agent shall be added to the water that is to be used to control the spread of dust and fibres.
- 2.2.1.7 The spread of dust from the work area shall be controlled by measures appropriate to the work to be done, including the use of drop sheets of polyethylene or other suitable material impervious to asbestos.
- 2.2.1.8 Dust and waste shall be cleaned up and removed using a vacuum equipped with a HEPA filter, or by damp mopping or wet sweeping, and placed in a waste bag.
- 2.2.1.9 Compressed air shall not be used to clean up and remove dust from any surface.
- 2.2.1.10 Remove all waste generated by the abatement work, including, but not limited to, building debris, disposable coveralls, respirator cartridges, and plastic sheeting. Seal all waste into 6 mil nominal disposal bags. Wet wipe or clean the bags with a HEPA vacuum and double-bag in a second clean 6 mil nominal bag or suitable sealed container.
- 2.2.1.11 Clean all equipment used in the abatement work (e.g., vacuum cleaner, knives, saws) using a HEPA vacuum and wet wiping. Equipment that cannot be readily cleaned (e.g. vacuum hose or wire brushes) shall be HEPA vacuumed and sealed in 6 mil polyethylene bags or a suitable sealed container before removal from the work area.
- 2.2.1.12 Dispose of the waste materials in compliance with local, provincial, and federal regulations.
- 2.2.1.13 Wash face and hands, and clean and maintain respirator after completion of asbestos abatement. Contractors will be required to provide water for washing and cleaning hands and face for workers leaving the work area.

- 2.2.1.14 All the waste generated in the Work Area shall be double bagged using asbestos-labelled yellow bags and disposed of as asbestos waste.
- 2.2.1.15 The abatement Contractor shall be responsible for the disposal of all waste generated as part of the project. This includes the costs related to the procurement of waste bins and the associated handling, transportation, and disposal fees.

### **2.3 Work Area 2 – Office Building - 1<sup>st</sup> Floor**

Remove asbestos-containing parging cement insulation found on eleven pipe fittings and on one pipe's end.

- 2.3.1 The contractor shall remove and dispose of asbestos-containing pipe fitting insulation **following the Type 2 Glove Bag Operation procedures**, as per the Regulation Respecting Asbestos on Construction Projects and in Buildings and Repair Operations, Ontario Regulation 278/05, and the procedures are as follows:
- 2.3.1.1 Pre-clean and protect all unaffected surfaces in the immediate vicinity of the work area by HEPA vacuuming and the use of poly sheeting respectively. This includes securing a poly drop sheet to the floor directly below the work area.
- 2.3.1.2 For the Type 2 Glove Bag operations, signs should be posted in sufficient numbers to warn of the asbestos operations. There should be a sign at least at each entrance to the work area. The signs should display the following information in large, clearly visible letters:
- a) Caution: Asbestos Exposure
  - b) Access to the work area is restricted to authorized persons; and
  - c) Respirators must be worn in the work area.
- 2.3.1.3 Workers are not permitted to eat, drink, chew gum or smoke in the work area.
- 2.3.1.4 The spread of dust from the work area shall be controlled by measures appropriate to the work to be done, including the use of drop sheets of polyethylene or other suitable material impervious to asbestos.
- 2.3.1.5 Protective clothing shall be provided by the employer and worn by every worker who enters the work area, and the protective clothing,
- shall be made of a material that does not readily retain nor permit penetration of asbestos fibres,
  - shall consist of head covering and full body covering that fit snugly at the ankles, wrists and neck, in order to prevent asbestos fibres from reaching the garments and skin under the protective clothing,
  - shall include suitable footwear, and
  - shall be repaired or replaced if torn.
- 2.3.1.6 The material shall be wet before and kept wet during the work to control the spread of dust or fibres unless wetting would create a hazard or cause damage.
- 2.3.1.7 A wetting agent shall be added to the water that is to be used to control the spread of dust and fibres.
- 2.3.1.8 Dust and waste shall be cleaned up and removed using a vacuum equipped with a HEPA filter, or by damp mopping or wet sweeping, and placed in a waste bag.
- 2.3.1.9 Compressed air shall not be used to clean up and remove dust from any surface.
- 2.3.1.10 Remove all waste generated by the abatement work, including, but not limited to, building debris, disposable coveralls, respirator cartridges, and plastic sheeting. Seal all waste into 6 mil nominal disposal bags. Wet wipe or clean the bags with a HEPA vacuum and double-bag in a second clean 6 mil nominal bag or suitable sealed container.
- 2.3.1.11 Clean all equipment used in the abatement work (e.g., vacuum cleaner, knives, saws) using a HEPA vacuum and wet wiping. Equipment that cannot be readily cleaned (e.g. vacuum hose or

wire brushes) shall be HEPA vacuumed and sealed in 6 mil polyethylene bags or a suitable sealed container before removal from the work area.

- 2.3.1.12 Dispose of the waste materials in compliance with local, provincial, and federal regulations.
- 2.3.1.13 Wash face and hands, and clean and maintain respirator after completion of asbestos abatement. Contractors will be required to provide water for washing and cleaning hands and face for workers leaving the work area.
- 2.3.1.14 All the waste generated in the Work Area shall be double bagged using asbestos-labelled yellow bags and disposed of as asbestos waste.
- 2.3.1.15 The abatement Contractor shall be responsible for the disposal of all waste generated as part of the project. This includes the costs related to the procurement of waste bins and the associated handling, transportation, and disposal fees.

#### **2.4 Work Area 3 – Office Area (Loc. 2-07)**

Remove asbestos-containing drywall joint compound found on the wall at this location, approximately 1,025 square feet.

2.4.1 The contractor shall remove and dispose of asbestos-containing drywall joint compound **following the Type 2 procedures**, as per the Regulation Respecting Asbestos on Construction Projects and in Buildings and Repair Operations, Ontario Regulation 278/05, and the procedures are as follows:

2.4.1.1 Pre-clean and protect all unaffected surfaces in the immediate vicinity of the work area by HEPA vacuuming and poly sheeting. This includes securing a poly drop sheet to the floor directly below the work area.

2.4.1.2 For the Type 2 operations, signs should be posted in sufficient numbers to warn of the asbestos operations. There should be a sign at least at each entrance to the work area. The signs should display the following information in large, clear visible letters:

- a) Caution: Asbestos Exposure
- b) Access to the work area is restricted to authorized persons; and
- c) Respirators must be worn in the work area.

2.4.1.3 Workers are not permitted to eat, drink, chew gum or smoke in the work area.

2.4.1.4 The spread of dust from the work area shall be prevented, if practicable, by,

- using an enclosure of polyethylene or other suitable material that is impervious to asbestos (including, if the enclosure is opaque, one or more transparent window areas to allow observation of the entire work area from outside the enclosure), if the work area is not enclosed by walls,
- disabling the mechanical ventilation system serving the work area, and
- sealing the ventilation ducts to and from the work area.

2.4.1.5 Protective clothing shall be provided by the employer and worn by every worker who enters the work area, and the protective clothing,

- shall be made of a material that does not readily retain nor permit penetration of asbestos fibres,
- shall consist of head covering and full body covering that fit snugly at the ankles, wrists and neck, in order to prevent asbestos fibres from reaching the garments and skin under the protective clothing,
- shall include suitable footwear, and
- shall be repaired or replaced if torn.

2.4.1.6 When the removal work is completed,

- the inner surface of the glove bag and the waste inside shall be thoroughly wetted and the air inside shall be removed through an elasticized valve, utilizing a vacuum equipped with a HEPA filter,
  - the pipe shall be wiped down and sealed with a suitable encapsulant,
  - the glove bag, with the waste inside, shall be placed in a container, and
  - the work area shall be cleaned by damp wiping or by cleaning with a vacuum equipped with a HEPA filter
- 2.4.1.7 The material shall be wet before and kept wet during the work to control the spread of dust or fibres unless wetting would create a hazard or cause damage.
- 2.4.1.8 A wetting agent shall be added to the water that is to be used to control the spread of dust and fibres.
- 2.4.1.9 Dust and waste shall be cleaned up and removed using a vacuum equipped with a HEPA filter, or by damp mopping or wet sweeping, and placed in a waste bag.
- 2.4.1.10 Compressed air shall not be used to clean up and remove dust from any surface.
- 2.4.1.11 Remove all waste generated by the abatement work, including, but not limited to, building debris, disposable coveralls, respirator cartridges, and plastic sheeting. Seal all waste into 6 mil nominal disposal bags. Wet wipe or clean the bags with a HEPA vacuum and double-bag in a second clean 6 mil nominal bag or suitable sealed container.
- 2.4.1.12 Clean all equipment used in the abatement work (e.g., vacuum cleaner, knives, saws) using a HEPA vacuum and wet wiping. Equipment that cannot be readily cleaned (e.g. vacuum hose or wire brushes) shall be HEPA vacuumed and sealed in 6 mil polyethylene bags or a suitable sealed container before removal from the work area.
- 2.4.1.13 Dispose of the waste materials in compliance with local, provincial, and federal regulations.
- 2.4.1.14 Wash face and hands, and clean and maintain respirator after completion of asbestos abatement. Contractors will be required to provide water for washing and cleaning hands and face for workers leaving the work area.
- 2.4.1.15 All the waste generated in the Work Area shall be double bagged using asbestos-labelled yellow bags and disposed of as asbestos waste.
- 2.4.1.16 The abatement Contractor shall be responsible for the disposal of all waste generated as part of the project. This includes the costs related to the procurement of waste bins and the associated handling, transportation, and disposal fees.

## **2.5 Work Area 4 – South Warehouse (Loc. 1-22)**

Remove asbestos-containing Transite board (approximately 240 square feet) found on the ceiling where the roof line changes height, three (3) asbestos-containing Transite pipes (75 linear feet), and approximately 300 linear feet of asbestos-containing grey caulking on the wall along the block wall joints.

- 2.5.1 The contractor shall remove and dispose of asbestos-containing Transite board, Transite pipes, and grey caulking **following the Type 1 Operation procedures**, as per the Regulation Respecting Asbestos on Construction Projects and in Buildings and Repair Operations, Ontario Regulation 278/05, and the procedures are as follows:
- 2.5.1.1 Pre-clean and protect all unaffected surfaces in the immediate vicinity of the work area by HEPA vacuuming and poly sheeting. This includes securing a poly drop sheet to the ground directly below the work area.
- 2.5.1.2 For the Type 1 and Type 2 operations, signs should be posted in sufficient numbers to warn of the asbestos operations. There should be a sign at least at each entrance to the work area. The signs should display the following information in large, clear visible letters:
- a) Caution: Asbestos Exposure
  - b) Access to the work area is restricted to authorized persons; and
  - c) Respirators must be worn in the work area.
- 2.5.1.3 Workers are not permitted to eat, drink, chew gum or smoke in the work area.

- 2.5.1.4 The spread of dust from the work area shall be controlled by measures appropriate to the work to be done, including the use of drop sheets of polyethylene or other suitable material impervious to asbestos.
- 2.5.1.5 Protective clothing shall be provided by the employer and worn by every worker who enters the work area, and the protective clothing,
- shall be made of a material that does not readily retain nor permit penetration of asbestos fibres,
  - shall consist of head covering and full body covering that fit snugly at the ankles, wrists and neck, in order to prevent asbestos fibres from reaching the garments and skin under the protective clothing,
  - shall include suitable footwear, and
  - shall be repaired or replaced if torn.
- 2.5.1.6 The material shall be wet before and kept wet during the work to control the spread of dust or fibres unless wetting would create a hazard or cause damage.
- 2.5.1.7 A wetting agent shall be added to the water that is to be used to control the spread of dust and fibres.
- 2.5.1.8 Dust and waste shall be cleaned up and removed using a vacuum equipped with a HEPA filter, or by damp mopping or wet sweeping, and placed in a waste bag.
- 2.5.1.9 Compressed air shall not be used to clean up and remove dust from any surface.
- 2.5.1.10 Remove all waste generated by the abatement work, including, but not limited to, building debris, disposable coveralls, respirator cartridges, and plastic sheeting. Seal all waste into 6 mil nominal disposal bags. Wet wipe or clean the bags with a HEPA vacuum and double-bag in a second clean 6 mil nominal bag or suitable sealed container.
- 2.5.1.11 Clean all equipment used in the abatement work (e.g., vacuum cleaner, knives, saws) using a HEPA vacuum and wet wiping. Equipment that cannot be readily cleaned (e.g. vacuum hose or wire brushes) shall be HEPA vacuumed and sealed in 6 mil polyethylene bags or a suitable sealed container before removal from the work area.
- 2.5.1.12 Dispose of the waste materials in compliance with local, provincial, and federal regulations.
- 2.5.1.13 Wash face and hands, and clean and maintain respirator after completion of asbestos abatement. Contractors will be required to provide water for washing and cleaning hands and face for workers leaving the work area.
- 2.5.1.14 All the waste generated in the Work Area shall be double bagged using asbestos-labelled yellow bags and disposed of as asbestos waste.
- 2.5.1.15 The abatement Contractor shall be responsible for the disposal of all waste generated as part of the project. This includes the costs related to the procurement of waste bins and the associated handling, transportation, and disposal fees.

## **2.6 Work Area 5 – North Warehouse 1-25 & 1-26**

Remove asbestos-containing parging cement insulation found on fifteen (15) pipe fittings and asbestos-containing Transite board (approximately 160 square feet) found on the ceiling where the roof line changes height.

- 2.6.1 The contractor shall remove and dispose of asbestos-containing Transite board **following the Type 1 Operation procedures**, as per the Regulation Respecting Asbestos on Construction Projects and in Buildings and Repair Operations, Ontario Regulation 278/05, and the procedures are as follows:
- 2.6.2 The contractor shall remove and dispose of asbestos-containing pipe fitting insulation **following the Type 2 Glove Bag Operation procedures**, as per the Regulation Respecting Asbestos on Construction Projects and in Buildings and Repair Operations, Ontario Regulation 278/05, and the procedures are as follows:

- 2.6.2.1 Pre-clean and protect all unaffected surfaces in the immediate vicinity of the work area by HEPA vacuuming and poly sheeting. This includes securing a poly drop sheet to the floor directly below the work area.
- 2.6.2.2 For the Type 1 and Type 2 operations, signs should be posted in sufficient numbers to warn of the asbestos operations. There should be a sign, at least, at each entrance to the work area. The signs should display the following information in large, clear visible letters:
- a) Caution: Asbestos Exposure
  - b) Access to the work area is restricted to authorized persons; and
  - c) Respirators must be worn in the work area.
- 2.6.2.3 The glove bag shall be made of material impervious to asbestos and sufficiently strong to support the weight of the material the bag will hold.
- 2.6.2.4 The glove should be equipped with,
- sleeves and gloves that are permanently sealed to the body of the bag to allow the worker to access and deal with the insulation and maintain a sealed enclosure throughout the work period,
  - valves or openings to allow insertion of a vacuum hose and the nozzle of a water sprayer while maintaining the seal to the pipe, duct or similar structure,
  - a tool pouch with a drain,
  - a seamless bottom and a means of sealing off the lower portion of the bag, and
  - a high-strength double throw zipper and removable straps, if the bag is to be moved during the removal operation.
- 2.6.2.5 A glove bag shall not be used to remove insulation from a pipe, duct or similar structure if,
- it may not be possible to maintain a proper seal
  - the bag could become damaged for any reason
- 2.6.2.6 Immediately before the glove bag is attached, the insulation jacketing or coating shall be inspected for damage or defects, and if any damage or defect is present, it shall be repaired.
- 2.6.2.7 The glove bag should be inspected for damages or defects,
- immediately before it is attached to the pipe, duct or other similar structure, and
  - at regular intervals during its use.
- 2.6.2.8 If damage or defects are observed when the glove bag is inspected, the glove bag shall not be used and shall be disposed of.
- 2.6.2.9 Workers are not permitted to eat, drink, chew gum or smoke in the work area.
- 2.6.2.10 The spread of dust from the work area shall be controlled by measures appropriate to the work to be done, including the use of drop sheets of polyethylene or other suitable material impervious to asbestos.
- 2.6.2.11 Protective clothing shall be provided by the employer and worn by every worker who enters the work area, and the protective clothing,
- shall be made of a material that does not readily retain nor permit penetration of asbestos fibres,
  - shall consist of head covering and full body covering that fit snugly at the ankles, wrists and neck, in order to prevent asbestos fibres from reaching the garments and skin under the protective clothing,
  - shall include suitable footwear, and
  - shall be repaired or replaced if torn.
- 2.6.2.12 When the removal work is completed,

- the inner surface of the glove bag and the waste inside shall be thoroughly wetted and the air inside shall be removed through an elasticized valve, utilizing a vacuum equipped with a HEPA filter,
  - the pipe shall be wiped down and sealed with a suitable encapsulant,
  - the glove bag, with the waste inside, shall be placed in a container, and
  - the work area shall be cleaned by damp wiping or by cleaning with a vacuum equipped with a HEPA filter
- 2.6.2.13 The material shall be wet before and kept wet during the work to control the spread of dust or fibres unless wetting would create a hazard or cause damage.
- 2.6.2.14 A wetting agent shall be added to the water that is to be used to control the spread of dust and fibres.
- 2.6.2.15 Dust and waste shall be cleaned up and removed using a vacuum equipped with a HEPA filter, or by damp mopping or wet sweeping, and placed in a waste bag.
- 2.6.2.16 Compressed air shall not be used to clean up and remove dust from any surface.
- 2.6.2.17 Remove all waste generated by the abatement work, including, but not limited to, building debris, disposable coveralls, respirator cartridges, and plastic sheeting. Seal all waste into 6 mil nominal disposal bags. Wet wipe or clean the bags with a HEPA vacuum and double-bag in a second clean 6 mil nominal bag or suitable sealed container.
- 2.6.2.18 Clean all equipment used in the abatement work (e.g., vacuum cleaner, knives, saws) using a HEPA vacuum and wet wiping. Equipment that cannot be readily cleaned (e.g. vacuum hose or wire brushes) shall be HEPA vacuumed and sealed in 6 mil polyethylene bags or a suitable sealed container before removal from the work area.
- 2.6.2.19 Dispose of the waste materials in compliance with local, provincial, and federal regulations.
- 2.6.2.20 Wash face and hands, and clean and maintain respirator after completion of asbestos abatement. Contractors will be required to provide water for washing and cleaning hands and face for workers leaving the work area.
- 2.6.2.21 All the waste generated in the Work Area shall be double bagged using asbestos-labelled yellow bags and disposed of as asbestos waste.
- 2.6.2.22 The abatement Contractor shall be responsible for the disposal of all waste generated as part of the project. This includes the costs related to the procurement of waste bins and the associated handling, transportation, and disposal fees.

## **2.7 Work Area 6 – Exterior Wall on West Side**

Remove asbestos-containing white caulking found around the exterior of the windows and around the door frames of the two-story office building, and asbestos-containing cream caulking was found on the wall along the wall joints.

- 2.7.1 The contractor shall remove and dispose of asbestos-containing caulking **following the Type 1 Operation procedures**, as per the Regulation Respecting Asbestos on Construction Projects and in Buildings and Repair Operations, Ontario Regulation 278/05, and the procedures are as follows:
- 2.7.1.1 Pre-clean and protect all unaffected surfaces in the immediate vicinity of the work area by HEPA vacuuming and poly sheeting. This includes securing a poly drop sheet to the floor directly below the work area.
- 2.7.1.2 For the Type 1 operations, signs should be posted in sufficient numbers to warn of the asbestos operations. There should be a sign at least at each entrance to the work area. The signs should display the following information in large, clear visible letters:
- d) Caution: Asbestos Exposure
  - e) Access to the work area is restricted to authorized persons; and
  - f) Respirators must be worn in the work area.



- 2.7.1.3 Workers are not permitted to eat, drink, chew gum or smoke in the work area.
- 2.7.1.4 Protective clothing shall be provided by the employer and worn by every worker who enters the work area, and the protective clothing,
- shall be made of a material that does not readily retain nor permit penetration of asbestos fibres,
  - shall consist of head covering and full body covering that fit snugly at the ankles, wrists and neck, in order to prevent asbestos fibres from reaching the garments and skin under the protective clothing,
  - shall include suitable footwear, and
  - shall be repaired or replaced if torn.
- 2.7.1.5 The material shall be wet before and kept wet during the work to control the spread of dust or fibres unless wetting would create a hazard or cause damage.
- 2.7.1.6 A wetting agent shall be added to the water that is to be used to control the spread of dust and fibres.
- 2.7.1.7 Dust and waste shall be cleaned up and removed using a vacuum equipped with a HEPA filter, or by damp mopping or wet sweeping, and placed in a waste bag.
- 2.7.1.8 Compressed air shall not be used to clean up and remove dust from any surface.
- 2.7.1.9 Remove all waste generated by the abatement work, including, but not limited to, building debris, disposable coveralls, respirator cartridges, and plastic sheeting. Seal all waste into 6 mil nominal disposal bags. Wet wipe or clean the bags with a HEPA vacuum and double-bag in a second clean 6 mil nominal bag or suitable sealed container.
- 2.7.1.10 Clean all equipment used in the abatement work (e.g., vacuum cleaner, knives, saws) using a HEPA vacuum and wet wiping. Equipment that cannot be readily cleaned (e.g. vacuum hose or wire brushes) shall be HEPA vacuumed and sealed in 6 mil polyethylene bags or a suitable sealed container before removal from the work area.
- 2.7.1.11 Dispose of the waste materials in compliance with local, provincial, and federal regulations.
- 2.7.1.12 Wash face and hands, and clean and maintain respirator after completion of asbestos abatement. Contractors will be required to provide water for washing and cleaning hands and face for workers leaving the work area.
- 2.7.1.13 All the waste generated in the Work Area shall be double bagged using asbestos-labelled yellow bags and disposed of as asbestos waste.
- 2.7.1.14 The abatement Contractor shall be responsible for the disposal of all waste generated as part of the project. This includes the costs related to the procurement of waste bins and the associated handling, transportation, and disposal fees.

## **2.8 Work Area 7 – Men’s & Women’s Washrooms, 1<sup>st</sup> Floor, (Loc. 1-31, 1-32)**

Remove asbestos-containing parging cement insulation found on five pipe fittings.

- 2.8.1 The contractor shall remove and dispose of asbestos-containing pipe fitting insulation **following the Type 2 Glove Bag Operation procedures**, as per the Regulation Respecting Asbestos on Construction Projects and in Buildings and Repair Operations, Ontario Regulation 278/05, and the procedures are as follows:
- 2.8.1.1 Pre-clean and protect all unaffected surfaces in the immediate vicinity of the work area by HEPA vacuuming and the use of poly sheeting respectively. This includes securing a poly drop sheet to the floor directly below the work area.
- 2.8.1.2 For the Type 2 operations, signs should be posted in sufficient numbers to warn of the asbestos operations. There should be a sign at least at each entrance to the work area. The signs should display the following information in large, clearly visible letters:

g) Caution: Asbestos Exposure

- h) Access to the work area is restricted to authorized persons; and
  - i) Respirators must be worn in the work area.
- 2.8.1.3 The glove bag shall be made of material impervious to asbestos and sufficiently strong to support the weight of the material the bag will hold.
- 2.8.1.4 The glove should be equipped with,
  - o sleeves and gloves that are permanently sealed to the body of the bag to allow the worker to access and deal with the insulation and maintain a sealed enclosure throughout the work period,
  - o valves or openings to allow insertion of a vacuum hose and the nozzle of a water sprayer while maintaining the seal to the pipe, duct or similar structure,
  - o a tool pouch with a drain,
  - o a seamless bottom and a means of sealing off the lower portion of the bag, and
  - o a high-strength double throw zipper and removable straps, if the bag is to be moved during the removal operation.
- 2.8.1.5 A glove bag shall not be used to remove insulation from a pipe, duct or similar structure if,
  - o it may not be possible to maintain a proper seal
  - o the bag could become damaged for any reason
- 2.8.1.6 Immediately before the glove bag is attached, the insulation jacketing or coating shall be inspected for damage or defects, and if any damage or defect is present, it shall be repaired.
- 2.8.1.7 The glove bag should be inspected for damages or defects,
  - o immediately before it is attached to the pipe, duct or other similar structure, and
  - o at regular intervals during its use.
- 2.8.1.8 If damage or defects are observed when the glove bag is inspected, the glove bag shall not be used and shall be disposed of.
- 2.8.1.9 Workers are not permitted to eat, drink, chew gum or smoke in the work area.
- 2.8.1.10 The spread of dust from the work area shall be controlled by measures appropriate to the work to be done, including the use of drop sheets of polyethylene or other suitable material impervious to asbestos.
- 2.8.1.11 Protective clothing shall be provided by the employer and worn by every worker who enters the work area, and the protective clothing,
  - o shall be made of a material that does not readily retain nor permit penetration of asbestos fibres,
  - o shall consist of head covering and full body covering that fit snugly at the ankles, wrists and neck, in order to prevent asbestos fibres from reaching the garments and skin under the protective clothing,
  - o shall include suitable footwear, and
  - o shall be repaired or replaced if torn.
- 2.8.1.12 The material shall be wet before and kept wet during the work to control the spread of dust or fibres unless wetting would create a hazard or cause damage.
- 2.8.1.13 A wetting agent shall be added to the water that is to be used to control the spread of dust and fibres.
- 2.8.1.14 Dust and waste shall be cleaned up and removed using a vacuum equipped with a HEPA filter, or by damp mopping or wet sweeping, and placed in a waste bag.
- 2.8.1.15 Compressed air shall not be used to clean up and remove dust from any surface.

- 2.8.1.16 Remove all waste generated by the abatement work, including, but not limited to, building debris, disposable coveralls, respirator cartridges, and plastic sheeting. Seal all waste into 6 mil nominal disposal bags. Wet wipe or clean the bags with a HEPA vacuum and double-bag in a second clean 6 mil nominal bag or suitable sealed container.
- 2.8.1.17 Clean all equipment used in the abatement work (e.g., vacuum cleaner, knives, saws) using a HEPA vacuum and wet wiping. Equipment that cannot be readily cleaned (e.g. vacuum hose or wire brushes) shall be HEPA vacuumed and sealed in 6 mil polyethylene bags or a suitable sealed container before removal from the work area.
- 2.8.1.18 Dispose of the waste materials in compliance with local, provincial, and federal regulations.
- 2.8.1.19 Wash face and hands, and clean and maintain respirator after completion of asbestos abatement. Contractors will be required to provide water for washing and cleaning hands and face for workers leaving the work area.
- 2.8.1.20 All the waste generated in the Work Area shall be double bagged using asbestos-labelled yellow bags and disposed of as asbestos waste.
- 2.8.1.21 The abatement Contractor shall be responsible for the disposal of all waste generated as part of the project. This includes the costs related to the procurement of waste bins and the associated handling, transportation, and disposal fees.

## **2.9 Regulations**

- 2.9.1 The Contractor shall comply with all local, provincial and federal requirements relating to asbestos, hazardous building materials, and other work being carried out.
- 2.9.2 In case of conflict among the above-mentioned requirements or with these specifications, the more stringent requirements shall apply.
- 2.9.3 Perform work following the requirements of the various regulations in effect at the time the work is being carried out.
- 2.9.4 The regulations shall include, but are not limited to:
  - 2.9.4.1 Ontario Occupational Health and Safety Act.
  - 2.9.4.2 Ontario Regulation 278/05, Regulation Respecting Asbestos on Construction Projects and in Building and Repair Operations.
  - 2.9.4.3 The Designated Substances Regulation, Ontario Regulation 490/09.
  - 2.9.4.4 Ontario Ministry of Environment Regulation 347 (as amended) for the disposal of asbestos waste made under the Environmental Protection Act.
  - 2.9.4.5 Health and Safety Guideline: Lead on Construction Projects, Published by the Ministry of Labour.
  - 2.9.4.6 Health and Safety Guideline: Silica on Construction Projects, Published by the Ministry of Labour.
  - 2.9.4.7 Standard Construction Document, Canadian Construction Association, CCA 82 - 2004.
  - 2.9.4.8 Regulations respecting the Handling, Offering for Transport and Transportation of Dangerous Goods.
  - 2.9.4.9 WHMIS Regulations.

## **2.10 Proscriptions**

- 2.10.1 The use of compressed air for removal or clean up of asbestos dust and debris from any surface is not allowed.
- 2.10.2 Smoking, eating, drinking or chewing is not allowed in the work area.
- 2.10.3 Unauthorized persons or persons not using proper personal protective equipment shall not be allowed to enter the work area.
- 2.10.4 No entry into the work area shall be permitted to any person who has facial hair growth that prevents the establishment of a proper seal between the respirator and the skin.

2.10.5 The use of torches, propane-fired heaters and other open flames shall not be permitted in the abatement work area.

**2.11 Worker and Visitor Protection**

2.11.1 Instruct all personnel (workers and visitors) in all aspects of work procedures and protective equipment before allowing entry into the asbestos abatement work areas.

2.11.2 A competent person (as defined by An Act Respecting Occupational Health and Safety, shall provide all the training and instructions.

2.11.3 Instructions and training shall include, but shall not be limited to, the following:

2.11.3.1 Entry and exit from asbestos abatement work areas.

2.11.3.2 Work practices and personal hygiene.

2.11.3.3 The use, cleaning and care of respirators and protective clothing.

2.11.3.4 Protective measures and work procedures.

2.11.4 Asbestos work area entry and exit procedures shall be posted in the clean room of the decontamination unit.

**2.11.5 Respiratory Protection:**

2.11.5.1 All personnel required to wear respirators shall be fit tested either by a qualitative or quantitative fit testing method.

2.11.5.2 Each worker or visitor required to enter an asbestos abatement work area shall be provided with a personally issued respirator that is:

2.11.5.2.1 Appropriate for the work that is being carried out.

2.11.5.2.2 The worker shall be responsible for wearing a respirator issued by the Contractor.

2.11.5.2.3 The following criteria, as outlined in Table 1 and Table 2, shall be followed when selecting an appropriate respirator:

**Table 1: Respirators – Asbestos**

Column 1		Column 2
Work Category		Required respirator
<b>Type 1 Operations</b>		
Worker requests that the employer provide a respirator to be used by the worker, as described in paragraph 12 of section 14		Air purifying half-mask respirator with N-100, R-100 or P-100 particulate filter
<b>Type 2 Operations</b>		
Work described in paragraph 1 of subsection 12 (3)		One of the following: <ul style="list-style-type: none"> <li>- Air purifying full-facepiece respirator with N-100, R-100 or P-100 particulate filter</li> <li>- Powered air purifying respirator equipped with a tight-fitting facepiece (half or full-facepiece) and a high-efficiency filter or N-100, P-100 or R-100 particulate filter</li> <li>- Negative pressure (demand) supplied air respirator equipped with a full-facepiece</li> <li>- Continuous flow supplied-air respirator equipped with a tight-fitting facepiece (half or full-facepiece)</li> </ul>
Work described in paragraphs 2 to 7 and 9 to 11 of subsection 12 (3)		Air purifying half-mask respirator with N-100, R-100 or P-100 particulate filter
<b>Type 3 Operations</b>		
Breaking, cutting, drilling, abrading, grinding,	Material is not wetted	One of the following:
sanding or vibrating non-friable material containing asbestos by means of power tools, if the tool is attached to a dust-collecting device equipped with a HEPA filter as described in paragraph 8 of subsection 12 (3)		- Air purifying full-facepiece respirator with N-100, R-100 or P-100 particulate filter
		- Powered air purifying respirator equipped with a tight-fitting facepiece (half or full-facepiece) and a high-efficiency filter or N-100, P-100 or R-100 particulate filter
		- Negative pressure (demand) supplied-air respirator equipped with a full-facepiece
		- Continuous flow supplied air respirator equipped with a tight-fitting facepiece (half or full-facepiece)
Breaking, cutting, drilling, abrading, grinding, sanding or vibrating non-friable material containing	Material is wetted to control the spread of fibre	Air purifying half-mask respirator with N-100, R-100 or P-100 particulate filter
	Material is not wetted	Pressure demand supplied-air respirator equipped with a half mask
<b>Work Category</b>		<b>Required respirator</b>
<b>Type 3 Operations</b>		
asbestos by means of power tools, if the tool is not attached to a dust-collecting device equipped with a HEPA filter as described in paragraph 5 of	Material is wetted to control the spread of fibre	One of the following:

subsection 12 (4)		- Air purifying full-facepiece respirator with N-100, R-100 or P-100 particulate filter
		- Powered air purifying respirator equipped with a tight-fitting facepiece (half or full-facepiece) and a high-efficiency filter or N-100, P-100 or R-100 particulate filter
		- Negative pressure (demand) supplied air respirator equipped with a full-facepiece
		- Continuous flow supplied-air respirator equipped with a tight-fitting facepiece (half or full-facepiece)
Work with friable material containing asbestos, as described in paragraphs 1 to 4 and 6 of subsection 12 (4)	Material is not wetted	Pressure demand supplied-air respirator equipped with a full facepiece
Work with friable material, as described in paragraphs 1 to 4 and 6 of subsection 12 (4), that contains a type of asbestos other than chrysotile	Material was applied or installed by spraying, and is wetted to control spread of fibre	Pressure demand supplied-air respirator equipped with a half mask
Work with friable material, as described in		One of the following:
paragraphs 1 to 4 and 6 of subsection 12 (4), which contains only chrysotile asbestos		- Air purifying full-facepiece respirator with N-100, R-100 or P-100 particulate filter
		- Powered air purifying respirator equipped with a tight-fitting facepiece (half or full-facepiece) and a high-efficiency filter or N-100, P-100 or R-100 particulate filter
		- Negative pressure (demand) supplied-air respirator equipped with a full-facepiece
		- Continuous flow supplied air respirator equipped with a tight-fitting facepiece (half or full-facepiece)
Work with friable material containing asbestos, as	Material was not applied or installed by spraying, and is wetted to control the spread of fibre	One of the following:
described in paragraphs 1 to 4 and 6 of subsection 12 (4)		- Air purifying full-facepiece respirator with N-100, R-100 or P-100 particulate filter
		- Powered air purifying respirator equipped with a tight-fitting facepiece (half or full-facepiece) and a high-efficiency filter or N-100, P-100 or R-100 particulate filter
		- Negative pressure (demand) supplied-air respirator equipped with a full-facepiece

		- Continuous flow supplied air respirator equipped with a tight-fitting facepiece (half or full-facepiece)
--	--	--

- 2.11.5.3 Respirator shall be stored in a clean location such as the clean room of the decontamination unit. This room can also be used for charging PAPR batteries.
- 2.11.5.4 The procedures specified by the equipment manufacturer shall be followed while using and maintaining the respirators.
- 2.11.5.5 Respirators shall be cleaned and inspected at the end of each shift. All damaged and deteriorated parts found during the inspection shall be replaced before the respirator is used again.
- 2.11.5.6 Appropriate combination cartridges shall be used if substances other than asbestos are to be handled inside the asbestos removal work area.
- 2.11.5.7 Used filters shall be tested and replaced as specified by the manufacturer or as specified below. The more stringent testing and replacement protocol shall be followed.
- 2.11.5.8 Cartridges for negative pressure respirators should be replaced every 16 hours of actual usage
- 2.11.5.9 Cartridges for PAPRs should be replaced every 8 hours.
- 2.11.5.10 Cartridges shall be treated as asbestos waste and disposed of accordingly after usage inside an asbestos removal work area.
- 2.11.6 Protective Clothing:
- 2.11.6.1 The Contractor shall provide every worker and authorized visitor with full-body disposable coveralls.
- 2.11.6.2 All personnel shall wear protective coveralls before they are allowed to enter into the asbestos removal work area.
- 2.11.6.3 Coveralls shall be equipped with head covering (hood), foot covering and tight-fitting cuffs at the neck, ankles and wrists.
- 2.11.6.4 The disposable coveralls shall be made up of materials that do not readily permit the penetration of asbestos fibres.
- 2.11.6.5 Disposable coveralls shall be immediately repaired (using duct tape) or replaced once torn.
- 2.11.6.6 Coveralls shall be disposed of as asbestos waste once worn inside an asbestos abatement area.
- 2.11.6.7 Workers are allowed to wear reusable protective clothing provided and left in the equipment room until the end of the asbestos abatement project. The clothing shall then be disposed of as asbestos waste.
- 2.11.6.8 Safety shoes, hard hats and additional body protection equipment shall be used as necessary to meet the requirements of applicable safety regulations.

**2.12 Waste Transport and Disposal**

- 2.12.1 All hazardous materials, including but not limited to asbestos-containing materials, existing asbestos-contaminated materials and materials that become contaminated by asbestos as a result of the work, shall be disposed of as prescribed by Ontario Regulation 347, Waste Management Regulation, made under the Environmental Protection Act and the provincial and federal regulations for the Transportation of Dangerous Goods.
- 2.12.2 All non-asbestos-containing waste generated during abatement activities inside an asbestos work area shall be treated as asbestos waste.
- 2.12.3 Non-porous materials that can be washed and properly cleaned, can be disposed of as clean waste.

- 2.12.4 The waste must be stored and transported in an enclosed, lockable waste bin.
- 2.12.5 Every vehicle used for the transportation of asbestos waste shall display a Class 9 Label.
- 2.12.6 Both sides of the vehicle used for the transportation of asbestos waste and every waste bag and container shall display the word CAUTION in letters not less than 10 cm in height and the words:

**CONTAINS ASBESTOS FIBRES**

Avoid Creating Dust

Asbestos May Be Harmful to Your Health

Wear Approved Protective Equipment

- 2.12.7 The transport vehicle must be properly equipped to deal with asbestos waste spills. Equipment shall include but is not limited to, respiratory protective equipment, disposable protective clothing, 6 mil polyethylene bags, shovel and broom and wetting agent.
- 2.12.8 For asbestos waste of unknown material or an asbestos type other than Chrysotile, the words Asbestos, Blue, and Product Identification Number must be displayed on every waste container.
- 2.12.9 For Chrysotile asbestos, the words Asbestos, White, and Product Identification Number must be displayed on every waste container.



## PART 3 – EXECUTION – ASBESTOS ABATEMENT

### 3.1 *Type 1 Removal Operation*

3.1.1 Initial Preparation and Isolation of Work Areas: Unless specified, work carried out as part of this phase shall proceed as follows:

3.1.1.1 Survey the work areas to compile an inventory of existing damages and provide a copy to the Client.

3.1.1.2 The Contractor is responsible for moving materials and objects which are present in the work areas.

3.1.1.3 Prevent the spread of dust from the work area using measures appropriate to the work to be done.

3.1.1.4 Shut off, lockout and seal all ventilation duct vents with the application of one layer of 6 mil (0.15mm) thick clear polyethylene sheet sealed with tape.

3.1.1.5 Use polyethylene drop sheets on all flooring in work areas where dust and contamination cannot otherwise be thoroughly cleaned.

3.1.1.6 Use one layer of 6 mil (0.15 mm) thick clear polyethylene sheets to cover walls.

3.1.1.7 Separate parts of the building required to remain in use from the work area by polyethylene drop sheets at the perimeter of the work area.

3.1.1.8 Separate the work area with clearly visible warning signs advising of the hazards of asbestos dust and that entry is restricted to authorized trained personnel wearing personal protective equipment.

3.1.2 Entry and Exit Procedures from Asbestos Removal Work Areas: the following general procedures shall be adhered to when entering and exiting from asbestos abatement work areas:

3.1.2.1 Work Area Entry Procedures:

3.1.2.1.1 Every worker and visitor planning to enter the work area should remove all street clothing and store them in a designated clean change room.

3.1.2.1.2 The person shall then put on a disposal coverall with head covering, respirators with clean filters and foot covering and then proceed to the work area.

3.1.2.2 Work Area Exit Procedures:

3.1.2.2.1 Each worker shall decontaminate their protective clothing, boots, and respirator by first HEPA vacuuming and then by damp wiping using soap and water.

3.1.2.2.2 The removed disposable coveralls shall be disposed of as asbestos waste in a 0.15 mm (6 mil) labelled waste bag. Respirator filter inlets shall be sealed in tape or disposed of as asbestos waste.

3.1.3 Asbestos Removal Procedures

3.1.3.1 Asbestos Removal shall not commence until:

3.1.3.1.1 The work area is effectively separated from the clean areas of the building.

3.1.3.1.2 Warning signs are posted outside to be removal work areas.

3.1.3.1.3 All surfaces not possible to clean are sealed with polyethylene sheeting and tape.

3.1.3.1.4 Arrangements have been made for waste disposal, the landfill site operator has been contacted, and the storage bin is on site.

3.1.3.1.5 Tools, equipment, and materials are on hand and in the work area.

3.1.3.1.6 Facilities for washing hands and face are available for workers leaving the work area.

- 3.1.3.2 Before beginning work, remove visible dust from surfaces in the work area likely to be disturbed during the work. Use HEPA vacuum or damp cloths where damp cleaning does not create a hazard and is otherwise appropriate. Do not use compressed air to clean up or remove dust from any surface.
- 3.1.3.3 Wet materials containing asbestos are to be cut, ground, abraded, drilled, or otherwise disturbed with amended water. Use a garden-type low-velocity fine mist sprayer. Perform work in a manner to reduce dust creation to the lowest levels practicable. Spray asbestos material repeatedly during the work process to minimize asbestos fibre release.
- 3.1.3.4 Additional cement board removal procedures.
- 3.1.3.4.1 Cement board shall be removed intact where possible.
- 3.1.3.4.2 When not possible to remove intact, the board shall be cut with hand saws where necessary, and dust shall be collected with a HEPA vacuum cleaner nozzle held under the cut area.
- 3.1.3.4.3 Drop sheets shall be used no more than 0.5 metres below the cutting location and shall be constructed in such a manner that any dust not removed by the HEPA vacuum is collected.
- 3.1.3.5 Remove material in sections as intact as possible.
- 3.1.3.6 During and immediately after completion of the work, frequently clean up dust and waste containing asbestos using a HEPA vacuum or by damp wiping.
- 3.1.4 Final Clean
- 3.1.4.1 When removal is complete, clean the entire work area with HEPA vacuuming and wet wiping.
- 3.1.4.2 The work area shall be deemed clean when there is no visible residue, dirt, film, stain, or discolouration resulting from either asbestos removal or cleaning activities.
- 3.1.4.3 After completion of the initial cleaning, spray sealant on all surfaces in the work area, including, but not limited to:
- 3.1.4.3.1 Where asbestos material has been removed.
- 3.1.4.3.2 Polyethylene sheeting used on walls, floors, and ceilings.
- 3.1.4.4 Sealant should be sprayed using a garden reservoir-type low-velocity fine mist sprayer. The sprayer cannot be used if the nozzle is partially obstructed, or if a uniform fine mist spray cannot be obtained.
- 3.1.4.5 After the area is declared clean and approval to proceed has been received:
- 3.1.4.5.1 Dismantle boundaries and isolate barriers as asbestos waste. Drop sheets shall be wetted and folded to contain dust and then placed in waste bags.
- 3.1.4.5.2 Immediately before their removal from the work area, and disposal, clean each filled labelled waste bag using damp cloths or a HEPA vacuum and place it in a second clean clear polyethylene waste bag.
- 3.1.4.5.3 Dispose of waste as per procedures specified in subsection 2.6 Waste Transport and Disposal.
- 3.1.4.6 Repair or replace objects damaged in the course of the work. Re-establish objects moved to temporary locations during the work to their proper positions. Re-secure mounted objects removed in their former positions.

**3.2 Type 2 Removal Operation: For Work in Enclosures**

- 3.2.1 Initial Preparation and Isolation of Work Areas: Unless otherwise specified, work carried out as part of this phase shall proceed as follows:
- 3.2.1.1 Carry out a survey of the work areas to compile an inventory of existing damages and provide a copy to the Consultant.
  - 3.2.1.2 The Contractor is responsible for moving materials which are present in the work.
  - 3.2.1.3 Prevent the spread of dust from the work area using measures appropriate to the work to be done.
    - 3.2.1.3.1 Shut off, lock out and seal all ventilation duct vents with the application of one layer of 6 mil (0.15 mm) thick clear polyethylene sheet sealed with tape.
    - 3.2.1.3.2 Clean all moveable objects within the proposed work area using a HEPA vacuum.
    - 3.2.1.3.3 Clean fixed casework, plant, and equipment within the proposed work area using a HEPA vacuum and cover with polyethylene sheeting sealed with tape.
    - 3.2.1.3.4 Clean proposed work areas using, where practicable, HEPA vacuum cleaning equipment. Do not use methods that raise dust, such as dry sweeping, or vacuuming using other than HEPA filter-equipped vacuums.
    - 3.2.1.3.5 Cover and seal airtight light fixtures, duct openings and other suspended ceiling objects using clear 6 mil polyethylene sheeting and tape.
    - 3.2.1.3.6 Erect scaffolding or platforms necessary to perform the removal work. All platforms that exceed 25 feet in height will require the submission of a shop drawing stamped by a professional engineer for approval by the inspector within a minimum of 5 days prior to commencing the work. Guard rails shall be provided around all platforms or scaffolding where practicable.
    - 3.2.1.3.7 Cover the floor area of scaffold or platform with one layer of FR polyethylene.
    - 3.2.1.3.8 Extend scaffolding or platform under the item being removed to prevent material from falling.
    - 3.2.1.3.9 Separate parts of the building required to remain in use from the work area by polyethylene drop sheets at the perimeter of the work area.
    - 3.2.1.3.10 Set up an airtight enclosure around the work area where the work on friable asbestos-containing material is to be carried out. Enclosure should be set up using 1 layer of FR polyethylene sheeting to cover the floors, and 1 layer of 6 mil (0.15 mm) thick clear polyethylene sheeting to cover the walls. Two layers of FR polyethylene sheeting should be used to cover carpeted floors. Polyethylene on the walls should be made to overlap with the polyethylene on the floor a minimum of 300 mm.
    - 3.2.1.3.11 Polyethylene sheeting shall be suitably braced and/or restrained so that excessive billowing or failure of the polyethylene sheeting or taped joints does not occur as a result of the negative pressure differential created by the vacuums.
    - 3.2.1.3.12 Erect a temporary structure made of wooden studs to support polyethylene sheeting where necessary.
    - 3.2.1.3.13 Insert a hose of a HEPA filter-equipped vacuum into the enclosure to provide negative air pressure inside the enclosure.
    - 3.2.1.3.14 Entrance to the enclosure should be covered with two pieces of overlapping polyethylene sheeting.
    - 3.2.1.3.15 Separate the work area with clearly visible warning signs advising of the hazards of asbestos dust and that entry is restricted to authorized trained personnel wearing personal protective equipment.

- 3.2.2 Entry and Exit Procedures from Asbestos Removal Work Areas: the following general procedures shall be adhered to when entering into and exiting from asbestos abatement work areas:
- 3.2.2.1 Work Area Entry Procedures:
- 3.2.2.1.1 Every worker and visitor planning to enter the work area should remove all street clothing and store them in a designated clean change room.
- 3.2.2.1.2 The person shall then put on a disposal coverall with head covering, respirators with clean filters and foot covering and shall proceed to the work area through the flaps covering the entrance to the enclosure.
- 3.2.2.2 Work Area Exit Procedures:
- 3.2.2.2.1 Each worker shall decontaminate their protective clothing, boots and respirator by first HEPA vacuuming and then by damp wiping using soap and water.
- 3.2.2.2.2 The removed disposable coveralls shall be disposed of as asbestos waste in a 0.15 mm (6 mil) labelled waste bag. Respirator filter inlets shall be sealed in tape or disposed of as asbestos waste.
- 3.2.3 Asbestos Removal Procedures
- 3.2.3.1 Asbestos Removal shall not commence until:
- 3.2.3.1.1 The work area is effectively separated from the clean areas of the building.
- 3.2.3.1.2 Warning signs are posted outside the removal work areas.
- 3.2.3.1.3 All surfaces not possible to clean are sealed with polyethylene sheeting and tape.
- 3.2.3.1.4 Arrangements have been made for waste disposal, the landfill site operator has been contacted, and the storage bin is on site.
- 3.2.3.1.5 Tools, equipment, and materials are on hand and in the work area.
- 3.2.3.1.6 Facilities for washing hands and face are available for workers leaving the work area.
- 3.2.3.2 Before beginning the work, remove visible dust from surfaces in the work area. Use HEPA vacuum, or damp cloths where damp cleaning is considered more appropriate. Do not use compressed air to clean up or remove dust from any surface.
- 3.2.3.3 Wet materials containing asbestos are to be removed, disturbed, or sealed with amended water. A garden reservoir-type low-velocity fine mist sprayer may be used. Perform work in a manner to reduce dust creation to the lowest levels practicable. Spray asbestos material repeatedly during the work process to minimize asbestos fibre dispersion.
- 3.2.3.4 Removed material has to be placed directly in waste bags. Wherever possible, asbestos-containing material should be removed in sections as intact as possible.
- 3.2.3.5 Areas that used to be covered with the asbestos-containing material should be cleaned after the material is removed, using brushes, steel wool, or any other tools suitable.
- 3.2.3.6 During and immediately after completion of the work, frequently clean up dust and waste containing asbestos using a HEPA vacuum or by damp wiping.
- 3.2.3.7 All labelled waste bags should be placed in clean clear 6 mil poly bags before they are taken out of the enclosure.
- 3.2.4 Final Clean
- 3.2.4.1 When removal is complete, clean the entire work area by HEPA vacuuming and wet wiping.
- 3.2.4.2 All tools and equipment used in the removal process such as hook knives, extension cords, scrapers, wire brushes, garden sprayers etc, should be washed and cleaned and placed in 6 mil polyethylene bags.

- 3.2.4.3 The work area shall be deemed clean by the Inspector when there is no visible residue, dirt, film, stain, or discolouration resulting from either asbestos removal or cleaning activities.
- 3.2.4.4 After completion of the initial cleaning and after the Inspector has passed the visual inspection, spray sealant on all surfaces in the work area, including, but not limited to:
  - 3.2.4.4.1 Where asbestos material has been removed.
  - 3.2.4.4.2 Polyethylene sheeting used on walls, floors and ceilings.
- 3.2.4.5 Sealant should be sprayed using a garden reservoir-type low-velocity fine mist sprayer. The sprayer cannot be used if the nozzle is partially obstructed, or if a uniform fine mist spray cannot be obtained.
- 3.2.4.6 Enclosure should be left standing until all the sealant has dried or, if required, until an air sample is taken inside the enclosure, and the fibre concentration level is below 0.05f/cc.
- 3.2.4.7 After the area is declared clean and written approval to proceed has been received from the Inspector:
  - 3.2.4.7.1 Dismantle boundaries and isolating barriers and treat as asbestos waste. Drop sheets shall be wetted and folded to contain dust and then placed in waste bags.
  - 3.2.4.7.2 Immediately before their removal from the work area and disposal, clean each filled labelled waste bag using damp cloths or a HEPA vacuum and place it in a second clean clear polyethylene waste bag.
  - 3.2.4.7.3 Dispose of waste as per procedures specified in subsection 1.15 Waste Transport and Disposal.
- 3.2.4.8 Repair or replace objects damaged in the course of the work. Re-establish objects moved to temporary locations during the work to their proper positions. Re-secure removed mounted objects to their former positions.

### **3.3            *Type 2 Removal Operation: For Work Using Glove Bags***

3.3.1            Initial Preparation and Isolation of Work Areas: Unless otherwise specified, work carried out as part of this phase shall proceed as follows:

3.3.1.1        Carry out a survey of the work areas to compile an inventory of existing damages and provide a copy to the Consultant.

3.3.1.2        Prevent the spread of dust from the work area using measures appropriate to the work to be done.

3.3.1.2.1      Shut off, lock out and seal all ventilation duct vents with the application of one layer of 6 mil (0.15 mm) thick clear polyethylene sheet sealed with tape.

3.3.1.2.2      Use FR polyethylene drop sheets over flooring such as carpeting that absorbs dust and overall flooring in the work area where dust and contamination cannot otherwise be safely contained.

3.3.1.2.3      Separate parts of the building required to remain in use from the work area by polyethylene drop sheets around the perimeter of the work area.

3.3.1.2.4      Separate the work area with clearly visible warning signs advising of the hazards of asbestos dust and that entry is restricted to authorized trained personnel wearing personal protective equipment.

#### **3.3.2            Worker Protection Procedures**

3.3.2.1        Before proceeding to the work area:

3.3.2.1.1      Each worker shall don a respirator and disposable coveralls, including head covering and suitable footwear. Removal of street clothes in a designated clean room before wearing the disposable coveralls is recommended.

3.3.2.2        Before leaving the work area:

3.3.2.2.1      Each worker shall decontaminate their protective clothing, boots and respirator by first HEPA vacuuming and then by damp wiping using soap and water.

3.3.2.2.2      The removed disposable coveralls shall be disposed of as asbestos waste in a 6 mil (0.15 mm) labelled waste bag.

3.3.2.2.3      The worker shall proceed to clean their hands and arms. The wastewater should be collected and filtered using a filter that passes particles 5 microns in size and smaller, before it is discharged into the municipal sewer system.

#### **3.3.3            Asbestos Removal Procedures**

3.3.3.1        Asbestos Removal shall not commence until:

3.3.3.1.1      The work area is effectively separated from clean areas of the building by polyethylene drop sheets and the placing of rope barriers at the boundary of the designated work area. The boundaries of the work area shall be a minimum of 10 feet from the location of the insulation being removed.

3.3.3.1.2      Warning signs are posted outside the removal work areas.

3.3.3.1.3      All surfaces which are not possible to clean are sealed with polyethylene sheeting and tape.

3.3.3.1.4      Arrangements have been made for waste disposal, the landfill site has been contacted, and the storage bin is on site.

3.3.3.1.5      Tools equipment and materials are on hand and in the work area.

3.3.3.1.6      Facilities for the washing of hands and face are available for workers leaving the work area.

3.3.3.2        Before beginning work remove visible dust from surfaces in the work area where dust is likely to be disturbed during the work. Use HEPA vacuum, or damp cloths where damp

- cleaning does not create a hazard and is otherwise appropriate. Do not use compressed air to clean up or remove dust from any surface.
- 3.3.3.3 Remove all obstructions from around the pipe. Where access is required above plaster ceilings, provide sufficient openings to gain access.
- 3.3.3.4 Friable material containing asbestos to be removed or disturbed shall be thoroughly surface wetted before and during work unless wetting creates a hazard or causes damage. Use a garden-type low-velocity fine mist sprayer. Sprayers that are partially clogged, or that do not produce uniformly fine mist will not be accepted. Perform work in a manner to reduce dust creation to the lowest levels practicable.
- 3.3.3.5 Inspect all glove bags for defects before using. A defective bag shall not be used.
- 3.3.3.6 Ensure that the following tools are used:
- 3.3.3.6.1 The knife shall have a retractable blade.
- 3.3.3.6.2 Saw shall be a flexible wire type.
- 3.3.3.6.3 Brushes shall not have metal bristles.
- 3.3.3.7 After written authorization has been received from the Inspector to proceed perform the removal using the following procedures.
- 3.3.3.7.1 Place tools necessary to remove insulation in the tool pouch. Wrap the bag around the pipe and close zippers. Seal the bag to pipe with restraining nylon straps. Welds and folds of glove bag are to remain intact without modification to the manufacturer's design.
- 3.3.3.7.2 Place hands in gloves and use the necessary tools to remove insulation. Cut or remove exterior insulation covering where applicable to expose asbestos pipe covering. Wet exposed pipe or duct covering with sufficient mixture to suppress any dust. Arrange insulation in the bag to obtain the full capacity of the bag.
- 3.3.3.7.3 Insert the nozzle of spray pump pre-filled and primed with water and surfactant into the bag through a valve and wash down the pipe and interior of the bag thoroughly, use a cloth or sponge to aid in the washing process. The wet surface of insulation in the lower section of the bag.
- 3.3.3.7.4 Waste material in bags intended for use at more than one location and which are equipped with internal zippers to seal off waste, shall have the upper section of the bag thoroughly cleaned and then shall be sealed off in lower sections of the bag before the bag is removed from the pipe. Reinstall the bag in a new location before opening the zip lock.
- 3.3.3.7.5 If the bag (**Only if the bag is a Safe-T-Strip**) is to be moved along the pipe, loosen straps, move the bag, reseal to pipe using double pull zipper to pass hangers. Repeat the stripping operation.
- 3.3.3.7.6 To remove the bag after completion of stripping, wash the top section and tools thoroughly. Seal off the waste in the lower section of the bag using a zipper. Pull polyethylene waste container over the glove bag before removing from pipe. Release one strap and remove freshly washed tools. Place tools in water. Remove the second strap and zipper. Fold over into appropriately labelled waste disposal bags and seal.
- 3.3.3.7.7 Prior to removal of the bag, ensure that the pipe is free of all residue. Remove all residue using wet cloths as necessary. Ensure that surfaces are free of sludge which after drying could release asbestos dust into the atmosphere. Seal exposed surfaces of pipe and ends of insulation with slow-drying sealer to seal in any residual fibres.
- 3.3.3.7.8 If the glove bag is ripped, cut or opened in any way, work that may disturb friable material shall cease immediately. If the rip, cut or opening is small and easy to repair then the glove bag shall be repaired forthwith with tape. Work may continue once the repairs are complete. If the rip, cut or opening is not small and cannot be easily repaired, place the glove bag forthwith in a suitable asbestos waste container. Any spilled material

containing asbestos shall be cleaned up and removed by using a vacuum equipped with a HEPA filter.

3.3.3.8 All work will be subject to visual inspection and air monitoring. Any contamination of surrounding areas indicated by visual inspection or air monitoring will require the complete enclosure and clean up of affected areas.

3.3.4 Cleanup:

3.3.4.1 Frequently during the work and immediately after completion of the work clean up dust and waste containing asbestos using a HEPA vacuum or by damp mopping.

3.3.4.2 Place dust and waste containing asbestos in sealed dust-tight waste bags. Drop sheets and disposable protective clothing shall be treated as asbestos waste and shall be wetted and folded inward to contain dust and then placed in waste bags.

3.3.4.3 Glove bags, disposal bags, drop sheets, cloth rags and any porous materials are to be considered as asbestos waste and handled according to the disposal subsection.

3.3.4.4 Immediately before their removal from the work area, and disposal, clean each filled waste bag using damp cloths or HEPA vacuum and place in second clean waste bag.

3.3.4.5 Seal and remove the double-bagged waste from the site. Dispose of in accordance with procedures specified in section 1.15.

3.3.4.6 Perform final thorough cleanup of work areas and adjacent areas affected by the work using HEPA vacuums.

The End





### Legend



Work Area 1

Property Boundary

### Figure 1

**LOCATION:**  
30 Newbridge Road  
Etobicoke, Ontario

**BUILDING NAME:**  
Newbridge Warehouse  
Roof

Asbestos Containing Material Locations

**CLIENT:** City of Toronto

**PROJECT NUMBER:** FE 24-13595    **DATE:** January 2024    **DRW BY:** T.L.

**CAD FILE:** FIG1    **SCALE:** Not to Scale    **CHK BY:** R.S.





### Legend

- 1-01 Location Number
- Work Area 2
- Work Area 4
- Work Area 5
- Work Area 6
- Work Area 7




Figure 2

**LOCATION:**  
30 Newbridge Road  
Etobicoke, Ontario

**BUILDING NAME:**  
Newbridge Warehouse  
Ground Floor & Exterior



### Asbestos Containing Material Locations

**CLIENT:** City of Toronto

**PROJECT NUMBER:** FE 24-13595    **DATE:** January 2024    **DRW BY:** T.L.

**CAD FILE:** FIG2    **SCALE:** Not to Scale    **CHK BY:** R.S.





### Legend

- 1-01 Location Number
- Work Area 3

Figure 3

**LOCATION:**  
30 Newbridge Road  
Etobicoke, Ontario

**BUILDING NAME:**  
Newbridge Warehouse

Second Floor Plan  
Asbestos Containing Material Locations

CLIENT: City of Toronto

PROJECT NUMBER: FE 24-13595    DATE: January 2024    DRW BY: T.L.

CAD FILE: FIG3    SCALE: Not to Scale    CHK BY: R.S.





### Legend

- 1-01 Location Number
- Work Area 7

## South Drivers Area




Figure 4

**LOCATION:**  
30 Newbridge Road  
Etobicoke, Ontario

**BUILDING NAME:**  
Newbridge Warehouse

Main Floor Plan (South Side)  
Asbestos Containing Material Locations

**CLIENT:** City of Toronto

**PROJECT NUMBER:** FE 24-13595    **DATE:** January 2024    **DRW BY:** T.L.

**CAD FILE:** FIG4    **SCALE:** Not to Scale    **CHK BY:** R.S.



The contractor hereby submits the total quotation amount for the removal of asbestos-containing materials and certifies that this charge covers all materials, labour and equipment required to complete the works in accordance with the requirements of the specification.

The estimated quantity and other information presented in this document should not be used as the only basis for submitting a bid. It is the abatement contractor's responsibility to confirm all quantities and measurements during the site meeting.

Item	Task	Unit of Measure	Unit Rate	Estimated Quantity	Total Cost
1	<b>Work Area 1:</b> <ul style="list-style-type: none"> <li>Removal of asbestos-containing dark grey caulking along the flashing on the roof and wall joints on the two-story office building, including but not limited to:               <ul style="list-style-type: none"> <li>Mobilization of equipment to Site.</li> <li>Supply of any required protection measures and lifting devices for the abatement work.</li> <li>Provision of any electrical or water as may be required for the project.</li> <li>Provision of all required PPE.</li> <li>Hand scrapping of caulking including final cleaning and disposal of generated asbestos waste to appropriate landfill site.</li> </ul> </li> </ul>	Lump Sum	n/a	1,000 LF (Approximately)	\$ _____
2	<b>Work Area 2:</b> <ul style="list-style-type: none"> <li>Removal of asbestos-containing parging cement insulation on pipe fittings in the two-story office building on the 1<sup>st</sup> floor, including but not limited to:               <ul style="list-style-type: none"> <li>Mobilization of equipment to Site.</li> <li>Supply of any required protection measures and lifting devices for the abatement work.</li> <li>Provision of any electrical or water as may be required for the project.</li> <li>Supply of required containment measures.</li> <li>Provision of all required PPE.</li> <li>Removal of parging cement insulation by use of glove bag, including final cleaning and disposal of generated asbestos waste to appropriate landfill site.</li> </ul> </li> </ul>	Lump Sum	n/a	12 Pipe Fittings	\$ _____
3	<b>Work Area 3:</b> <ul style="list-style-type: none"> <li>Removal of asbestos-containing drywall joint compound on the wall (Office Area 2-07) on the 2<sup>nd</sup> floor of the two-story office building, including but not limited to:               <ul style="list-style-type: none"> <li>Mobilization of equipment to Site.</li> <li>Supply of any required protection measures and lifting devices for the abatement work.</li> <li>Provision of any electrical or water as may be required for the project.</li> <li>Supply of required containment measures.</li> <li>Provision of all required PPE.</li> </ul> </li> </ul>	Lump Sum	n/a	1025 SF (Approximately)	\$ _____

Pricing Detail

Item	Task	Unit of Measure	Unit Rate	Estimated Quantity	Total Cost
4	<ul style="list-style-type: none"> <li>Removing drywall joint compound inside the created enclosure, including final cleaning and disposal of generated asbestos waste to appropriate landfill site.</li> </ul> <p><b>Work Area 4:</b></p> <ul style="list-style-type: none"> <li>Removal of asbestos-containing Transite board, Transite pipes and grey caulking on the wall in South Warehouse, including but not limited to:               <ul style="list-style-type: none"> <li>Mobilization of equipment to Site.</li> <li>Supply of any required protection measures and lifting devices for the abatement work.</li> <li>Provision of any electrical or water as may be required for the project.</li> <li>Supply of required containment measures.</li> <li>Provision of all required PPE.</li> <li>Removal of Transite board, Transite pipes and grey caulking by the use of a non-powered hand tools, including final cleaning and disposal of generated asbestos waste to appropriate landfill site.</li> </ul> </li> </ul>	Lump Sum	n/a	Transite Board 240 SF Transite Pipe 75 LF. Grey Caulking 300 LF (Approximately)	\$ _____
5	<p><b>Work Area 5:</b></p> <ul style="list-style-type: none"> <li>Removal of asbestos-containing parging cement insulation on pipe fittings and Transite board in North Warehouse, including but not limited to:               <ul style="list-style-type: none"> <li>Mobilization of equipment to Site.</li> <li>Supply of any required protection measures and lifting devices for the abatement work.</li> <li>Provision of any electrical or water as may be required for the project.</li> <li>Supply of required containment measures.</li> <li>Provision of all required PPE.</li> <li>Removal of parging cement insulation by use of glove bag, including final cleaning and disposal of generated asbestos waste to appropriate landfill site.</li> <li>Removal of Transite board by use of a non-powered hand tools, including final cleaning and disposal of generated asbestos waste to appropriate landfill site.</li> <li>Removal of parging cement insulation by use of glove bag, including final cleaning and disposal of generated asbestos waste to appropriate landfill site.</li> </ul> </li> </ul>	Lump Sum	n/a	15 Pipe Fittings Transite Board 160 SF (Approximately)	\$ _____
6	<p><b>Work Area 6:</b></p> <ul style="list-style-type: none"> <li>Removal of asbestos-containing cream caulking along the exterior wall joints on the west side, and removal of white caulking around the doors and windows of the two-story office, including but not limited to:               <ul style="list-style-type: none"> <li>Mobilization of equipment to Site.</li> <li>Supply of any required protection measures and lifting devices for the abatement work.</li> </ul> </li> </ul>	Lump Sum	n/a	Cream Caulking 150 LF White Caulking 2,800 LF (Approximately)	\$ _____



Pricing Detail

Item	Task	Unit of Measure	Unit Rate	Estimated Quantity	Total Cost
7	<ul style="list-style-type: none"> <li>Provision of any electrical or water as may be required for the project.</li> <li>Supply of required containment measures.</li> <li>Provision of all required PPE.</li> <li>Hand scrapping of caulking including final cleaning and disposal of generated asbestos waste to appropriate landfill site.</li> </ul> <p><b>Work Area 7:</b></p> <ul style="list-style-type: none"> <li>Removal of asbestos-containing parging cement insulation on pipe fittings in Men's and Women's Washroom, including but not limited to:               <ul style="list-style-type: none"> <li>Mobilization of equipment to Site.</li> <li>Supply of any required protection measures and lifting devices for the abatement work.</li> <li>Provision of any electrical or water as may be required for the project.</li> <li>Supply of required containment measures.</li> <li>Provision of all required PPE.</li> <li>Removal of parging cement insulation by use of glove bag, including final cleaning and disposal of generated asbestos waste to appropriate landfill site.</li> </ul> </li> </ul>	Lump Sum	n/a	5 Pipe Fittings	\$ _____

Unit Rate for Asbestos Abatement

Building Material	Unit of Measurement	Cost (\$)
Caulking	Linear Feet (LF)	
Parging Cement Insulation	Per pipe fitting	
Transite Pipe	Linear Feet (LF)	
Transite Board	Square Feet (SF)	



PHASE ONE ENVIRONMENTAL SITE ASSESSMENT  
30 NEWBRIDGE ROAD,  
TORONTO, ONTARIO

TORONTO TRANSIT COMMISSION

PROJECT NO.: 181-10974-00  
DATE: FEBRUARY 2019

WSP  
51 CONSTELLATION COURT  
TORONTO, ON, M9W 1K4, CANADA

[WSP.COM](http://WSP.COM)





51 CONSTELLATION COURT  
TORONTO, ON, M9W 1K4, CANADA

wsp.com

February 08, 2019

Mr. Andrew Drevininkas  
Toronto Transit Commission  
5140 Yonge Street, 6th Floor, Toronto, Ontario  
M2N 6L6

Dear Sir:

Subject: Phase One Environmental Site Assessment  
30 Newbridge Road, Toronto, Ontario  
WSP Project No.: 181-10974-00

WSP Canada Inc. is pleased to present our Phase One Environmental Site Assessment report for the above-noted property. The scope of this Phase One Environmental Site Assessment conforms to the requirements outlined in Ontario Regulation 153/04. This Phase One Environmental Site Assessment does not include sampling or testing, and is based solely on visual observations and a review of available or supplied factual data.

The report provides site information from site reconnaissance, records reviews, interviews, and our conclusions for your consideration.

Thank you for the opportunity to be of service on this project. We trust that this report will be satisfactory for your current needs. If you have any questions or require further information, please contact our office at your convenience.

Yours truly,

A handwritten signature in blue ink, appearing to read 'Rodney Obdeyn', with a stylized flourish at the end.

Rodney Obdeyn, P.Eng., QP<sub>ESA</sub>  
Principal Engineer

WSP ref.: 181-10974-00

---

# SIGNATURES


PREPARED BY



---

Shawna Lundrigan, B.Sc.  
Environmental Scientist

REVIEWED BY



---

Rodney Obdeyn, P.Eng., QP<sub>ESA</sub>  
Principal Engineer

This report was prepared by WSP Canada Inc. (WSP) for the account of Toronto Transit Commission, in accordance with the professional services agreement. The disclosure of any information contained in this report is the sole responsibility of the intended recipient. The material in it reflects WSP's best judgement in light of the information available to it at the time of preparation. Any use which a third party makes of this report, or any reliance on or decisions to be made based on it, are the responsibility of such third parties. WSP accepts no responsibility for damages, if any, suffered by any third party as a result of decisions made or actions based on this report. This limitations statement is considered part of this report.

The original of the technology-based document sent herewith has been authenticated and will be retained by WSP for a minimum of ten years. Since the file transmitted is now out of WSP's control and its integrity can no longer be ensured, no guarantee may be given with regards to any modifications made to this document.



# TABLE OF CONTENTS

1	EXECUTIVE SUMMARY .....	3
2	INTRODUCTION .....	10
2.1	Phase One Property Information .....	10
3	SCOPE OF INVESTIGATION .....	11
4	RECORDS REVIEW .....	12
4.1	Environmental Source Information .....	15
4.2	Physical Setting Sources .....	32
4.3	Site Operating Records.....	34
5	INTERVIEWS .....	37
6	SITE RECONNAISSANCE .....	38
6.1	Written Description of the Investigation.....	38
6.2	Specific Observations at the Phase One Property .....	38
6.3	Observations within Phase One Study Area .....	41
7	REVIEW AND EVALUATION OF INFORMATION ....	43
7.1	Current and Past uses .....	43
7.2	Potentially Contaminating Activity .....	43
7.3	Areas of Potential Environmental Concern .....	43
7.4	Phase One Conceptual Site Model.....	43
8	CONCLUSIONS .....	46
8.1	Whether Phase Two Environmental Site Assessment Required Before Record of Site Condition Submitted.....	46
8.2	Record of Site Condition Based on Phase One Environmental Site Assessment Alone .....	46
8.3	Qualifier .....	46
8.4	Qualifications of the Assessors .....	47
9	REFERENCES .....	48

---

**TABLES (WITHIN BODY OF REPORT)**

TABLE 1.1	SUMMARY OF APECS .....	4
TABLE 2.1	PROPERTY INFORMATION .....	10
TABLE 4.1	SUMMARY OF GENERAL RECORDS REVIEW .....	12
TABLE 4.2	SUMMARY OF ENVIRONMENTAL RECORDS .....	15
TABLE 4.3	SUMMARY OF PHYSICAL SETTING SOURCES .....	32
TABLE 4.4	SUMMARY OF SITE OPERATING RECORDS.....	35
TABLE 6.1	SITE RECONNAISSANCE INVESTIGATION NOTES .....	38
TABLE 6.2	SITE RECONNAISSANCE OBSERVATIONS .....	39
TABLE 6.3	PHASE ONE STUDY AREA RECONNAISSANCE OBSERVATIONS .....	42
TABLE 7.4	CSM SUMMARY .....	44

---

**TABLES (APPENDED TO REPORT)**

TABLE 1	TABLE OF CURRENT AND PAST USES OF THE PHASE ONE PROPERTY
TABLE 2	SUMMARY OF POTENTIALLY CONTAMINATING ACTIVITIES ON-SITE AND WITHIN THE PHASE ONE STUDY AREA
TABLE 3	AREAS OF POTENTIAL ENVIRONMENTAL CONCERN

---

**FIGURES**

FIGURE 1	PHASE ONE CONCEPTUAL SITE MODEL
FIGURE 2	AREAS OF POTENTIAL ENVIRONMENTAL CONCERN

---

**APPENDICES**

A	LEGAL SURVEY
B	ERIS REPORT
C	SUMMARY OF CITY DIRECTORY SEARCH
D	MECP FOI AND TSSA REQUESTS
E	AERIAL PHOTOGRAPHS
F	SITE OPERATING RECORDS
G	SITE PHOTOGRAPHS

---

# ACRONYMS AND ABBREVIATIONS

ACM	asbestos containing material
ABNs	acid-base neutralizing compounds
APEC	area(s) of potential environmental concern as defined in O.Reg. 153/04, “the area on, in or under a phase one property where one or more contaminants are potentially present, as determined through the phase one environmental site assessment, including through (a) identification of past or present uses on, in or under the phase one property, and (b) identification of potentially contaminating activity”
As	arsenic
AST	above ground storage tank
B-HWS	boron (hot water soluble)
BTEX	benzene, toluene, ethylbenzene, and xylenes
Cl-	chlorine
CN-	cyanide
Cr (VI)	hexavalent chromium
CSM	conceptual site model
EC	electrical conductivity
ECA	Environmental Compliance Approval
ERIS	Environmental Risk Information Services
ESA	environmental site assessment
FIP	fire insurance plan
FOI	freedom of information
ha	hectare(s)
Hg	mercury
km	kilometre(s)
L	litre(s)
LCM	lead containing material
m	metre(s)
masl	metres above sea level
mbgs	metres below ground surface
MNDM	Ministry of Northern Development and Mines
MNRF	Ministry of Natural Resources and Forestry
MECP	Ministry of the Environment, Conservation and Parks
NPRI	National Pollutant Release Inventory
N/S	not specified in Table 2, Schedule D, of O.Reg. 153/04

Na sodium  
O.Reg. 153/04 Ontario Regulation 153/04, as amended  
O.Reg. 347 Ontario Regulation 347, as amended  
ODS ozone depleting substances  
ORPs other regulated parameters  
PAH polycyclic aromatic hydrocarbon  
PCA potentially contaminating activity as defined in O.Reg. 153/04, “a use or activity set out in Column A of Table 2 of Schedule D that is occurring or has occurred in a Phase One study area”  
PCB polychlorinated biphenyl  
PCOC potential contaminant(s) of concern  
PHC petroleum hydrocarbon  
PIN property identification number  
QA quality assurance  
QC quality control  
QPESA Qualified Person for ESAs according to MECP (O.Reg. 153/04)  
RA risk assessment  
RSC Record of Site Condition  
SAR sodium adsorption ratio  
Sb antimony  
SCS Site Condition Standard  
Se selenium  
THM trihalomethane  
TSSA Technical Standards and Safety Authority  
UFFI urea formaldehyde foam insulation  
UST underground storage tank  
VOC volatile organic compounds

# 1 EXECUTIVE SUMMARY

WSP Canada Inc. (WSP) was retained by Toronto Transit Commission to conduct a Phase One Environmental Site Assessment (ESA) at 30 Newbridge Road, Toronto, Ontario (hereafter referred to as the “Phase One Property” or “Site”). The site under assessment includes the properties listed as 30 and 30A Newbridge Road as well as 36 North Queen Street. It is understood that this Phase One ESA was undertaken for due diligence purposes.

The scope of this Phase One ESA conforms to the requirements outlined in Ontario Regulation (O. Reg.) 153/04. The objectives of the Phase One ESA were to identify the likelihood of the presence or absence of potentially contaminating activities (PCAs) on the Phase One Property or within the Phase One Study Area, identify the areas of potential environmental concern (APECs) and potential contaminants of concern (PCOCs) from the PCAs, and based on this information, assess the requirements for additional investigation in the form of a Phase Two ESA. This Phase One ESA does not include sampling or testing, and is based solely on visual observations and a review of available or supplied factual data.

The Site is located on the eastern end of Newbridge Road in a mixed commercial and industrial area in the City of Toronto, Ontario, approximately 200 m east of the intersection of Newbridge Road and Shorncliffe Road. The Site is irregular in shape, and occupied an area of approximately 29.5 ha (73 acres). The Phase One Property is currently utilized for mixed commercial and industrial purposes.

Based on the Phase One ESA, WSP presents the following findings:

- The Phase One Property gently slopes to the southeast with an elevation ranging from approximately 115 to 120 metres above sea level (masl). The topography in the vicinity of the Phase One Property also slopes to the southeast. The inferred shallow groundwater flow direction of the Phase One Study Area is to the southeast towards Humber River, which is located approximately 2.7 km east of the Site. The groundwater flow direction on the Phase One Property can only be confirmed through long-term groundwater monitoring;
- The Site is situated within a sand plain physiographic region. The surficial geology in the vicinity of the Site is described as “sand, gravel, minor silt and clay and Foreshore and basinal deposits derived from coarse-textured glaciolacustrine deposits”. The underlying bedrock within the area generally consists of shale, limestone, dolostone, and siltstone of the Georgian Bay Formation; Blue Mountain Formation; Billings Formation; Collingwood Member; Eastview Member. Based on the Phase Two ESA completed concurrently with this assessment, bedrock was encountered during drilling at depths ranging between 3.2 and 7.9 metres below ground surface (mbgs);
- The Phase One Property consists of municipal addresses 30 Newbridge Road, 30A Newbridge Road, and 36 North Queen Street. The property located at 30 Newbridge Road is occupied by a mixed multi-tenant commercial and industrial building. 30A Newbridge Road is occupied by a commercial building which is occupied by Humberview Group, a retail car dealership. The eastern portion of 30 Newbridge Road is vacant of any structures and is occupied by Hansen Releasing Company Inc. as a car storage lot. The property listed as 36 North Queen Street is occupied by a commercial building which is occupied by Canada Pacific. 36 North Queen Street is utilized as a commercial trucking and container terminal. An auto repair garage is located on the south-central portion of 36 North Queen Street and one (1) 4,500 L diesel aboveground storage tank (AST) was located to the southwest of the on-site garage;
- Based on the records review, the Phase One Property was used for residential and/or agricultural use until approximately 1950 when the Site was developed for industrial use as Hydro Electric Power Commission of Ontario’s West Yard, which included a hydraulics model laboratory located on the northwestern portion of the Site and pole storage along the western portion of the Site. In the mid to late 1960s, the Site was purchased by Canada Pacific (CP) and utilized as a commercial trucking and container terminal. The records review indicated that self-serve private fuel outlets were historically present on 30 Newbridge Road, which had four (4) associated underground storage tanks, and at 36 North Queen Street, which had three (3) USTs, including one (1) 9,000-L single wall diesel UST (1977), one (1) 9,000L single wall gasoline UST (1977), and one (1) 4,450-L single wall gasoline UST (1971);
- The Ontario Spills database listed various gasoline and oil spills associated with historical site operations, including the commercial trucking and container terminals and private fuel outlets located at 30 Newbridge Road and 36 North Queen Street;
- Current and historical tenants at 30 Newbridge Road and 36 North Queen Street were registered in the O. Reg 347 Waste Generators database for the generation, use, and/or storage of various liquid and/or hazardous wastes, including

light fuels, waste compressed gases, alkaline wastes – other metals, inorganic laboratory chemicals, petroleum distillates, alkaline wastes – heavy metals, acid waste – other metals, waste oils & lubricants, aliphatic solvents, organic acids, oil skimmings & sludges, and acid waste – heavy metals, paint/pigment/coating residues, organic acids, and/or other specified inorganics;

- Based on the review of a report entitled “Draft Environmental Strategy for Planned Redevelopment Canadian Pacific Obico Rail Yard” that was reviewed by WSP, fill material consisting of sand and gravel was identified across the Site. In addition, WSP observed piles of fill material during the site reconnaissance that were reportedly placed on Site by the City of Toronto (according to the facilities manager) to the east of the building at 30 Newbridge Road;
- A review of historical reports identified petroleum hydrocarbon (PHC) impacted soil and/or groundwater in the northwestern portion of the Site, the south-central portion of the Site, and the east-central portion of the Site. Salt related impacts were also identified in soil (electrical conductivity and sodium adsorption ratio) and groundwater (sodium and chloride) across the Site;
- Rail lines oriented in a northeast to southwest direction are located along to the north and east of the Phase One Property. Historically, rail tracks and spurs ran in a north to south direction along the eastern portion of the Site;
- Various PCAs were identified within the Phase One Study Area, including:
  - adhesive manufacturing, commercial autobody shops, commercial trucking operation, cement manufacturing, electricity generation, transformation, and power stations, auto garages, gasoline and diesel tanks, bulk ink storage, metal fabrication, paperboard manufacturing, rubber manufacturing, vehicle parts assembling and manufacturing, and waste disposal and waste management – considered to be potentially impacting the northern and western portions of the Phase One Property; and
  - commercial autobody shops, commercial trucking operation, cement manufacturing, auto garages, gasoline and diesel tanks, pesticide bulk storage, salvage yards, and waste disposal and waste management - considered to be potentially impacting the southwestern portion of the Phase One Property.

Based on the information obtained as part of the Phase One ESA, it is concluded that PCAs on the Site and/or within the Phase One Study Area resulted in the identification APECs on the Phase One Property. Based on the APECs identified during this investigation, associated PCOCs include metals and other regulated parameters (ORPs), petroleum hydrocarbons (PHCs), volatile organic hydrocarbons (VOCs), polycyclic aromatic hydrocarbons (PAHs), and polychlorinated biphenyls (PCBs). The table of APECs presented in the form as approved by the Director is provided below:

**Table 1.1 Summary of APECs**

AREA OF POTENTIAL ENVIRONMENTAL CONCERN	LOCATION OF POTENTIAL ENVIRONMENTAL CONCERN ON PHASE ONE PROPERTY	POTENTIALLY CONTAMINATING ACTIVITY	LOCATION OF PCA (ON-SITE OR OFF-SITE)	POTENTIAL CONTAMINANTS OF CONCERN	MEDIA POTENTIALLY IMPACTED (GROUND WATER, SOIL AND/OR SEDIMENT)
APEC 1	Northern and Western portion of the Phase One Property	PCA No. 2 Adhesive and Resin Manufacturing, Processing and Bulk Storage	Off-site	VOCs, BTEX, Metals, Sb, Se, Cr (VI), Hg, B-HWS, low or high pH	Soil & Groundwater
		PCA No. 10 Commercial Autobody Shops		Metals, As, Cr (VI), Hg, Se, PHCs, VOCs	
		PCA No. 11 Commercial Trucking and Container Terminals		PHCs, BTEX, PAHs, metals	



AREA OF POTENTIAL ENVIRONMENTAL CONCERN	LOCATION OF POTENTIAL ENVIRONMENTAL CONCERN ON PHASE ONE PROPERTY	POTENTIALLY CONTAMINATING ACTIVITY	LOCATION OF PCA (ON-SITE OR OFF-SITE)	POTENTIAL CONTAMINANTS OF CONCERN	MEDIA POTENTIALLY IMPACTED (GROUND WATER, SOIL AND/OR SEDIMENT)
APEC-1	Northern and Western portion of the Phase One Property	PCA No. 12 Concrete, Cement, and Lime Manufacturing	Off-site	Ca, Na, low or high pH	Soil & Groundwater
		PCA No. 18 Electricity Generation, Transformation, and Power Stations		PCBs, PHCs, Metals	
		PCA No. 27 Garages and Maintenance and Repair of Railcars, Marine Vehicles, and Aviation Vehicles		PHCs, VOCs, metals, As, Cr (VI), Hg, Sb, Se	
		PCA No. 28 Gasoline and Associated Products Storage in Fixed Tanks		PHCs, BTEX, Metals, PAHs	
		PCA No. 31 Ink Manufacturing, Processing and Bulk Storage		metals, low or high pH PHC, BTEX, VOC	
		PCA No. 34 Metal Fabrication		VOCs, Metals, Sb, Se, CN-, Cr (VI), Hg, low or high pH	
		PCA No. 45 Pulp, Paper and Paperboard Manufacturing and Processing		metals, PHC, BTEX, VOC, high or low pH	
		PCA No. 47 Rubber Manufacturing and Processing		metals, PHC, BTEX, VOC	
		PCA No. 57 Vehicles and Associated Parts Manufacturing		metals, PHC, BTEX, VOC	

AREA OF POTENTIAL ENVIRONMENTAL CONCERN	LOCATION OF POTENTIAL ENVIRONMENTAL CONCERN ON PHASE ONE PROPERTY	POTENTIALLY CONTAMINATING ACTIVITY	LOCATION OF PCA (ON-SITE OR OFF-SITE)	POTENTIAL CONTAMINANTS OF CONCERN	MEDIA POTENTIALLY IMPACTED (GROUND WATER, SOIL AND/OR SEDIMENT)
APEC-1	Northern and Western Portions of the Phase One Property	PCA No. 58 Waste Disposal and Waste Management, including thermal treatment. Landfilling and transfer of waste, other than use of biosoils as soil conditioners	Off-site	PHCs, BTEX, VOCs, metals, As, Hg, Sb, Se, PCBs	Soil & Groundwater
		PCA No. N/S (A) Spills		High or low pH	
APEC-2	Southwestern portion of the Phase One Property	PCA No. 10 Commercial Autobody Shops	Off-site	Metals, As, Cr (VI), Hg, Se, PHCs, VOCs	Soil & Groundwater
		PCA No. 12 Concrete, Cement and Lime Manufacturing		Ca, Na, low or high pH	
		PCA No. 27 Garages and Maintenance and Repair of Railcars, Marine Vehicles, and Aviation Vehicles		PHCs, VOCs, metals, As, Cr (VI), Hg, Sb, Se	
		PCA No. 28 Gasoline and Associated Products Storage in Fixed Tanks		PHCs, BTEX, Metals, PAHs	
		PCA No. 40 Pesticides (including Herbicides, Fungicides, and Anti-Fouling Agents) Manufacturing, Processing, Bulk Storage and Large-Scale Applications		OCs	
		PCA No. 49 Salvage Yard, including automobile wrecking		metals, PHC, BTEX, VOC	

AREA OF POTENTIAL ENVIRONMENTAL CONCERN	LOCATION OF POTENTIAL ENVIRONMENTAL CONCERN ON PHASE ONE PROPERTY	POTENTIALLY CONTAMINATING ACTIVITY	LOCATION OF PCA (ON-SITE OR OFF-SITE)	POTENTIAL CONTAMINANTS OF CONCERN	MEDIA POTENTIALLY IMPACTED (GROUND WATER, SOIL AND/OR SEDIMENT)
APEC-2	Southwestern portion of the Phase One Property	PCA No. 58 Waste Disposal and Waste Management, including thermal treatment. Landfilling and transfer of waste, other than use of biosoils as soil conditioners	Off-site	PHCs, BTEX, VOCs, metals, As, Hg, Sb, Se	Soil & Groundwater
		PCA No. N/S (A) Spills		PHCs, BTEX, Metals, PAHs	
APEC-3	Entire Phase One Property	PCA No. 11 Commercial Trucking and Container Terminals	On-site	PHCs, BTEX, PAHs, metals	Soil & Groundwater
APEC-4	Western Portion of the Phase One Property	PCA No. 18 Electricity Generation, Transformation, and Power Stations	On-site	PCBs, PHCs, Metals	Soil & Groundwater
APEC-5	South-central portion of 36 North Queen Street (Phase One Property)	PCA No. 27 Garages and Maintenance and Repair of Railcars, Marine Vehicles, and Aviation Vehicles	On-site	PHCs, VOCs, metals, As, Cr (VI), Hg, Sb, Se	Soil & Groundwater
APEC-6	Central portion of 36 North Queen Street (Phase One Property)	PCA No. 28 Gasoline and Associated Products Storage in Fixed Tanks	On-site	PHCs, BTEX, Metals, PAHs	Soil & Groundwater
APEC-7	South-central portion of 36 North Queen Street (Phase One Property)	PCA No. 28 Gasoline and Associated Products Storage in Fixed Tanks	On-site	PHCs, BTEX, Metals, PAHs	Soil & Groundwater
APEC-8	Area surrounding AST located on the South-central portion of 36 North Queen Street (Phase One Property)	PCA No. 28 Gasoline and Associated Products Storage in Fixed Tanks	On-site	PHCs, BTEX, Metals, PAHs	Soil & Groundwater

AREA OF POTENTIAL ENVIRONMENTAL CONCERN	LOCATION OF POTENTIAL ENVIRONMENTAL CONCERN ON PHASE ONE PROPERTY	POTENTIALLY CONTAMINATING ACTIVITY	LOCATION OF PCA (ON-SITE OR OFF-SITE)	POTENTIAL CONTAMINANTS OF CONCERN	MEDIA POTENTIALLY IMPACTED (GROUND WATER, SOIL AND/OR SEDIMENT)
APEC-9	Central Portion of 30 Newbridge Road (Phase One Property)	PCA No. 28 Gasoline and Associated Products Storage in Fixed Tanks	On-site	PHCs, BTEX, Metals, PAHs	Soil & Groundwater
APEC-10	Entire Phase One Property	PCA No. 30 Importation of Fill Material of Unknown Quality	On-site	PAHs, SAR, B-HWS, CN-, metals, As, Cr (VI), Hg, Sb, Se, low or high pH, electrical conductivity	Soil
APEC-11	Eastern portion of the Phase One Property	PCA No. 46 Rail Yards, Tracks and Spurs	On-site	PHCs, BTEX, PAHs, metals, Cr (VI), Hg, Se	Soil & Groundwater
APEC-12	North-central portion of 30A Newbridge Road (Phase One Property)	PCA No. 48 Salt Manufacturing, Processing and Bulk Storage	On-site	Electrical conductivity, SAR, CL-, NA	Soil & Groundwater
APEC-13	West-central portion of the Phase One Property	PCA No. 55 Transformer Manufacturing, Processing and Use	On-site	PCBs	Soil & Groundwater
APEC-14	Central portion of 36 North Queen Street (Phase One Property)	PCA No. 55 Transformer Manufacturing, Processing and Use	On-site	PCBs	Soil & Groundwater
APEC-15	Southeastern portion of the Phase One Property	PCA No. 55 Transformer Manufacturing, Processing and Use	On-site	PCBs	Soil & Groundwater
APEC-16	Area surrounding the site building located at 30 Newbridge Road	PCA No. 58 Waste Disposal and Waste Management, including thermal treatment. Landfilling and transfer of waste, other than use of biosoils as soil conditioners	On-site	PHCs, BTEX, VOCs, metals, As, Hg, Sb, Se, PCBs	Soil & Groundwater

AREA OF POTENTIAL ENVIRONMENTAL CONCERN	LOCATION OF POTENTIAL ENVIRONMENTAL CONCERN ON PHASE ONE PROPERTY	POTENTIALLY CONTAMINATING ACTIVITY	LOCATION OF PCA (ON-SITE OR OFF-SITE)	POTENTIAL CONTAMINANTS OF CONCERN	MEDIA POTENTIALLY IMPACTED (GROUND WATER, SOIL AND/OR SEDIMENT)
APEC-17	Area surrounding the site building located at 36 North Queen Street	PCA No. 58 Waste Disposal and Waste Management, including thermal treatment. Landfilling and transfer of waste, other than use of biosoils as soil conditioners	On-site	PHCs, BTEX, VOCs, metals, As, Hg, Sb, Se, PCBs	Soil & Groundwater
APEC-18	Entire Phase One Property	PCA No. N/S (A) Spills	On-site	PHCs, BTEX, VOCs, PAHs, PCBs, metals, As, B-HWS, Ca, CN, Sb, Se, Mg	Soil & Groundwater
APEC-19	Northwestern portion of the Phase One Property	PCA N/S (C) Hydraulic Model Laboratory	On-site	PHCs, PCBs, metals	Soil & Groundwater
APEC-20	Northwestern portion of the Phase One Property	PCA No. N/S (D) Known Soil Contamination	On-site	PHCs	Soil & Groundwater
APEC-21	South -central portion of the Phase One Property	PCA No. N/S (D) Known Soil Contamination	On-site	PHCs	Soil & Groundwater
APEC-22	Southeastern portion of the Phase One Property	PCA No. N/S (D) Known Soil Contamination	On-site	PHCs	Soil & Groundwater
APEC-23	Entire Phase One Property	PCA No. N/S (D) Known Soil Contamination	On-site	Electrical Conductivity, SAR, Na, Cl-	Soil & Groundwater

N/S - not specified in Table 2, Schedule D, of O.Reg. 153/04

Based on the findings of the Phase One ESA, a Phase Two ESA would be required in order to investigate the identified APECs to further assess the existing soil and groundwater conditions on the Phase One Property.

## 2 INTRODUCTION

WSP was retained by Toronto Transit Commission to conduct a Phase One ESA at 30 Newbridge Road, Toronto, Ontario. It is our understanding that this Phase One ESA was undertaken for due diligence purposes to identify the presence or absence of PCAs on the Phase One Property or within the Phase One Study Area (defined as the area within 250 m of the Site) and any associated APECs. From these findings, this report will provide an assessment the requirements for additional investigation in the form of a Phase Two ESA.

The Site is located on the eastern end of Newbridge Road in a mixed commercial and industrial area in the City of Toronto, Ontario, approximately 200 m east of the intersection of Newbridge Road and Shorncliffe Road. The location of the Site is provided on Figure 1. The Phase One Property is currently utilized for mixed commercial and industrial purposes, with a total area of approximately 29.5 ha (73 acres) and includes the properties municipally listed as 30 Newbridge Road, 30A Newbridge Road, and 36 North Queen Street.

### 2.1 PHASE ONE PROPERTY INFORMATION

Property information for the Site is provided in the table below:

**Table 2.1 Property Information**

CRITERION	PHASE ONE PROPERTY INFORMATION
Current Site Owner	Canadian Pacific
Phase One Representative	Mr. Andrew Drevininkas Toronto Transit Commission 5140 Yonge Street, 6th Floor, Toronto, Ontario M2N 6L6
Municipal Addresses	30 Newbridge Road, Toronto, ON 36 North Queen Street, Toronto, ON
Property Identification Numbers	07459-0055 (LT) 07459-0113 (LT)
Legal Description	Part 1, Plan 64R-6124 of Part of Lot 7, Concession 4, Colonel Smith's Tract (Geographic Township of Etobicoke) City of Toronto

A Plan of Survey was included within the report titled "Draft Environmental Strategy for Planned Redevelopment Canadian Pacific Obico Rail Yard", which was provided to WSP for review. A copy of the survey has been included in Appendix A.

# 3 SCOPE OF INVESTIGATION

The objective of the assessment was to undertake a Phase One ESA for the Site in accordance with O.Reg. 153/04, including:

- Identify PCAs at the Phase One Property and Phase One Study Area;
- Identify APECs at the Site;
- Determine PCOCs associated with APECs; and,
- Provide a basis for subsequent investigation of the property based on the Phase One ESA findings.
- The scope of the assessment included:
  - Records Review;
  - Interviews and/or Correspondence;
  - Site Reconnaissance; and,
  - Preparation of a Phase One ESA report.

# 4 RECORDS REVIEW

Below is a summary of the records review, undertaken by WSP in accordance with O.Reg. 153/04 as part of this Phase One ESA. The records review provides Phase One Property information regarding the physical setting, history of development, and land use in connection with the Site and adjacent properties.

The following information sources were used to obtain these records:

- An ERIS standard report was obtained for the Site and lands within a 250-m radius of the Site. A copy of the ERIS report is provided in Appendix B. Searches of databases not included in the ERIS report were conducted specifically for the Phase One Property, as referenced in the applicable sections below;
- A summary of Polk’s Etobicoke, Ontario Criss-Cross directories was obtained from ERIS. A copy of the city directory search can be found in Appendix C;
- A Freedom of Information (FOI) request was submitted to the Ministry of Environment, Conservation, and Parks (MECP) requesting a search of environmental records for the Phase One Property. Copies of the request, the response, and any documents obtained through this process are included in Appendix D;
- Information and records were requested from the TSSA. Copies of the request, the response, and any documents obtained through this process are included in Appendix D; and,
- Aerial photographs for the Phase One Property and surrounding Study Area were obtained from ERIS. Copies of the aerial photographs are provided in Appendix E.

**Table 4.1 Summary of General Records Review**

SOURCE	RECORDS REVIEW RESULTS
i. Phase One Study Area Determination	The Phase One ESA Study Area for this undertaking included properties wholly, or partially, within 250 m of the site boundaries. Properties wholly beyond 250 m of the site boundary were not added to the Study Area due to low potential impact to the environmental condition of the Site. The limits of the Phase One Study Area are presented on Figure 1.
ii. First Developed Use Determination	The first developed land use was determined through a review of the 1878 York County Atlas, aerial photographs, and records review. Based on the 1878 York County Atlas, it appears that the Phase One Property was historically part of a large parcel of land owned by Donald McFarlane, potentially used for agricultural purposes. One (1) agricultural and/or residential building was located on the northeastern portion of the parcel of land along Kipling Avenue. Based on a review of the 1954 Toronto fire insurance plan (FIP), the Phase One Property was occupied by Hydro Electric Power Commission of Ontario’s West Yard and was improved with sixteen (16) steel framed structures utilized for various purposes, a hydraulic model laboratory, and additional, smaller, buildings utilized for various commercial purposes. It appears that the Phase One Property was used for agricultural purposes from the late 1800s to the early-mid 1900s, at which point the Phase One Property was redeveloped for mixed industrial and commercial purposes.
iii. Fire Insurance Plans (FIPs)	<p>Toronto Vol. 15 FIPs from 1954 were reviewed as part of this assessment. Significant information depicted on the FIPs is described below:</p> <p><b>1954</b></p> <ul style="list-style-type: none"> <li>– The Phase One Property was historically occupied by Hydro Electric Power Commission of Ontario’s West Yard.</li> <li>– The Phase One Property was occupied by sixteen (16) steel framed storage structures/buildings.</li> <li>– A hydraulic model laboratory was located on the northwestern portion of the Site.</li> <li>– A painting maintenance shop was located on the northeastern portion of the Phase One Property.</li> <li>– A single UST was located on the central portion of 36 North Queen Street.</li> <li>– Three (3) transformers were located on the southeastern portion of the Site.</li> </ul>



**SOURCE**

**RECORDS REVIEW RESULTS**

	<ul style="list-style-type: none"> <li>– The east neighboring property (present day 800 Kipling Avenue) was occupied by Hydro Electric Power Commission of Ontario’s East Yard.             <ul style="list-style-type: none"> <li>– The central east portion of the property was occupied by a truck repair building with one (1) associated UST.</li> <li>– An auto refinishing and spraying facility was located west of the above-mentioned USTs.</li> <li>– Two oil ASTs were located on the northwestern portion of the property.</li> </ul> </li> <li>– Canada Bread Co. Ltd. was historically located 150 North Queen Street, west of the Site, with one (1) associated UST located on the south-central portion of the property.</li> <li>– The Canadian Pacific Railway was depicted in a southwest to northeast direction to the north of the Phase One Property and in a north to south direction to the east of the Phase One Property.</li> </ul>
<p>iv. City Directories</p>	<p>As part of this assessment, WSP reviewed a summary of Polk’s Etobicoke, Ontario Criss-Cross directories between 1950 and 2000 at approximately 5-year intervals, provided by ERIS.</p> <p>The Phase One Property was listed in the city directory starting in 1978/79 until 1991 as Can. Pacific Express and Can. Customs Office. In 1996 the Phase One Property was listed as Interlink Freight Systems and Pickups. The Site was not listed in the city directories in 2000.</p> <p>Neighboring properties were listed in the city directories as commercial and/or industrial beginning in 1960, including the following notable listings:</p> <p>Trucking and transportation companies along Shorncliffe Road and Lockport Avenue, west of the Phase One Property from 1960 to 1986;</p> <p>Automotive garages were listed at various properties along Lockport Avenue and Shorncliffe Road, west of the Phase One Property from 1965 to 2000;</p> <p>Waste disposal companies were listed at multiple properties on Shorncliffe Road, west of the Phase One Property, from 1965 to 2000;</p> <p>The west neighbouring property at 11 Newbridge Road was listed as a rubber manufacturing or processing facility and adhesive manufacturing company from 1965 to 1986;</p> <p>The west adjacent property at 20 Newbridge Road was listed as a paper products company in 1972;</p> <p>The west neighbouring property at 85 Shorncliffe Road was listed as a mechanical machinery company and chemical company from 1965 to 1996;</p> <p>The west neighbouring property at 109 Shorncliffe Road was listed as a sheet metal facility from 1991 to 2000;</p> <p>The west neighbouring property at 113 Shorncliffe Road was listed as a chemical company in 1965; and</p> <p>The west neighbouring properties at 16 Lockport Avenue and 107 Shorncliffe Road were listed at oil companies from 1965 to 1979.</p> <p>A copy of the city directory search can be found in Appendix B.</p>
<p>v. Environmental Reports</p>	<p>WSP was provided with a report titled “Draft Environmental Strategy for Planned Redevelopment Canadian Pacific Obico Rail Yard” prepared by Watters Environmental Group Inc. (Watters) for Aird &amp; Berlis LLP dated November 22, 2017. The report prepared by Watters included a review and summary of two (2) previous environmental investigations listed below for purposes of preparing cost estimates for remediation associated with the proposed redevelopment of the Site.</p> <p>Phase II Environmental Site Assessment, CP Obico Yard, Mile 9.6 Galt Subdivision, 36 North Queen Street, Etobicoke, Ontario, prepared by Dillon Consulting Limited, dated March 2012; and</p>

## SOURCE

## RECORDS REVIEW RESULTS

	<p>Phase II Environmental Site Assessment. Canadian Pacific Obico Rail Yard, 36 North Queen Street and 30 Newbridge Road, Toronto, Ontario, prepared by Golder Associates for Canadian Pacific, dated September 2016.</p> <p>The salient information from the previous Phase II ESA reports is summarized below:</p> <p>The 2012 investigation involved the advancement of twenty-two (22) boreholes across the Site to depths of approximately 8.3 mbgs, eight (8) of which were converted to monitoring wells. Soil and groundwater samples were analyzed for PHCs, BTEX, VOCs and metals.</p> <p>Electrical conductivity (EC) and sodium adsorption ratio (SAR) exceedances in soil were identified in five (5) locations at depths of 0 to 2.1 mbgs.</p> <p>PHC fractions F1 to F3 in soil exceeding the site condition standards were identified at three (3) locations at depths of 0 to 3.0 mbgs.</p> <p>Sodium and chloride exceedances in groundwater were identified in three (3) of the monitoring wells at depths ranging from 1.4 to 2.1 mbgs.</p> <p>The 2016 investigation involved the advancement of thirty-three (33) boreholes, thirty (30) of which were converted into monitoring wells. Six (6) test pits were also excavated within the area of salt storage and former snow dump. Soil and groundwater samples were analyzed for PHCs, BTEX, VOCs, PCBs, semi-VOCs, glycol, metals and inorganics.</p> <p>The following soil and groundwater exceedances above the 2011 MECP Table 3 Standards were identified:</p> <p>EC and SAR exceedances in soil were identified in seven (7) locations at depths ranging from 0 to 1.8 mbgs.</p> <p>PHC fractions F1 and F2 exceedances in soil were identified in one (1) location, and a PHC fraction F4 exceedance was identified in one (1) location;</p> <p>Chloride exceedances in groundwater were identified in three (3) of the monitoring wells at depths ranging from 1.3 to 2.7 mbgs; and</p> <p>PHC fraction F2 exceedances in groundwater were identified in two (2) monitoring wells at depths ranging from 1.0 to 1.3 mbgs.</p>
--	---

## 4.1 ENVIRONMENTAL SOURCE INFORMATION

Below is a summary of the environmental records reviewed by WSP as part of this Phase One ESA.

**Table 4.2 Summary of Environmental Records**

SOURCE	RECORDS OF REVIEW RESULTS
vi. Environmental Risk Information Services Report (ERIS)	<p>WSP obtained an ERIS Report for the Phase One Property and surrounding Study Area. The ERIS report tabulates the results of a search of provincial, federal, and private source databases which are considered relevant in the identification of potential environmental risks associated with the Site.</p> <p>The ERIS report identified 169 records for the Phase One Property, and 1,188 records for properties within the Phase One Study Area. These records are summarized in subsequent sections below, along with notable records found within the Study Area.</p> <p>A copy of the full ERIS report is provided as Appendix B.</p>
vii. National Pollutant Release Inventory (NPRI)	<p>The ERIS report did not identify any NPRI records for the Phase One Property, however, forty-three (43) records corresponding to five (5) properties within the Phase One Study Area were identified in the NPRI, as summarized below:</p> <ul style="list-style-type: none"> <li>– Cargill Kitchen Solutions (NPRI ID 27696), a food manufacturing operation located at 25 Newbridge Road, reported on-site release of VOCs into the air from 2009 to 2015;</li> <li>– Helmitin Inc. (NPRI ID 383), a paint, coating and adhesive manufacturing operation located at 99 Shorncliffe Road, approximately 100 m west of the Site, reported the on-site releases of toluene, dichloromethane, n-Hexane, methyl ethyl ketone, acetone, and/or trichloroethylene from 1993 to 2015;</li> <li>– Point One Graphics (NPRI ID 11393), a printing operation located at 14 Vansco Road, approximately 190 m south of the Site, reported on-site releases of VOCs into the air from 2005 to 2013 and in 2015;</li> <li>– Metro Waste Paper Recovery (NPRI ID 8800000468), a material recovery facility located at 66 Shorncliffe Road, approximately 220 m west of the Site, reported on-site release of nitrous oxide, sulfur dioxide, carbon monoxide, carbon dioxide, VOCs, and hydrofluorocarbon in 2004 and particulate matter in 2004 and 2005; and,</li> <li>– Triple M Metal LP (NPRI ID 28762), a metal recycler located at 70 North Queen Street, approximately 235 m west of the Site, report on-site release of particulate matter in 2014.</li> </ul>
viii. PCB Inventories	<p>The ERIS report did not identify any PCB Inventory records for the Site; however, twenty-five (25) records corresponding to four (4) properties within the Phase One Study Area were identified in the National PCB Inventory, and seventeen (17) records corresponding to three (3) of these properties were also identified in the Inventory of PCB Storage Sites, as summarized below:</p> <ul style="list-style-type: none"> <li>– The following businesses located at 45 Vansco Road, approximately 155 m south of the Site, were identified as PCB Storage Sites:             <ul style="list-style-type: none"> <li>– Canadian Hanson Ltd. was listed as in the National PCB Inventory for the storage of Askarel in 1990 and 1996 and Inerteen and Pyranol in 1990 and was listed as a PCB Storage Site in 1995 and 1998;</li> <li>– Islington Lakeshore Mall Inc., a metal refining operation, was listed in the National PCB Inventory for the storage of askarel, pyranol and inerteen in 1996;</li> <li>– Canada Food Equipment was listed as a PCB Storage Site in 1999.</li> </ul> </li> </ul>

SOURCE

RECORDS OF REVIEW RESULTS

	<ul style="list-style-type: none"> <li>– The following businesses located at 15 North Queen Street, approximately 60 m southeast of the Site, were listed in the National PCB Inventory:             <ul style="list-style-type: none"> <li>– Canadian Coleman Co. Ltd., a metal refining operation, was listed in the National PCB Inventory for the storage of pyranol in 1990 and having three (3) transformers;</li> <li>– Pamlimar Investments &amp; Enterprises Limited was listed as in the National PCB Inventory as having three (3) transformers which contain askarel and pyranol in 1993; and</li> </ul> </li> <li>– Ontario Hydro, located at 800 Kipling Avenue, approximately 110 m east of the Site, was listed in the National PCB Inventory as having four (4) capacitors and the storing of askarel for disposal. It was also listed in the Inventory of PCB Storage Sites as containing drums of ballasts with high level PCBs, drums of other material with low level PCBs, capacitors with high level PCBs, bulk liquid with low level PCBs, and transformers containing PCB liquids.</li> </ul>
<p>ix. Ministry of the Environment and Climate Change Environment Compliance Approval, Permits to Take Water, and Certificates of Property Use</p>	<p>The ERIS report identified two (2) Certificates of Approval (CAs) and two (2) Environmental Compliance Approvals (ECAs) relating to the Phase One Property, as summarized below:</p> <ul style="list-style-type: none"> <li>– Two (2) CAs and two (2) ECAs were registered to 30 Newbridge Road in 2006 for approvals relating to waste management systems;</li> <li>– The ERIS report also identified eighty-seven (87) CAs, eight (8) Environmental Activity and Sector Registries, and seventy-four (74) ECAs for properties within the Phase One Study Area, as summarized below:             <ul style="list-style-type: none"> <li>– One (1) CA and one (1) ECA was registered to 24 Newbridge Road, immediately east of the Site, in 2011 for approval relating to waste management systems;</li> <li>– Two (2) CAs and four (4) ECAs were registered to 25 Newbridge Road, located immediately east of the Site, between 2001 and 2014 for approvals relating to previous on-site activities, including the approval to discharge into the natural environment other than water (i.e., Air);</li> <li>– One (1) CA was registered to 50 North Queen Street, south of the Site, in 1995 for approval for the installation of a spray booth for an auto body shop;</li> <li>– One (1) CA and one (1) ECA was registered to 20 Lockport Avenue in 2003 for approval to discharge into the natural environment other than water (i.e., Air);</li> <li>– One (1) CA and one (1) ECA was registered to 65 Shorncliffe Road for the approval to discharge into the natural environment other than water (i.e., Air) in relation to an autobody repair spray paint booth;</li> <li>– Three (3) CAs and three (3) ECAs were registered to 89 Shorncliffe Road between 2004 and 2010 for approvals relating to waste management systems;</li> <li>– One (1) CA and one (1) EASR listing were registered to 131 Shorncliffe Road in 1989 and 2017, respectively, for the approval to discharge into the natural environment other than water (i.e., Air) in relation to an autobody repair spray paint booth;</li> <li>– Three (3) CAs and two (2) ECAs were registered to 99 Shorncliffe Road between 1998 and 2014 for the approval to discharge into the natural environment other than water (i.e., Air);</li> <li>– One (1) CA, one (1) EASR listing, and one (1) ECA were registered to 135 Shorncliffe Road between 2008 and 2015 for the approval to discharge into the natural environment other than water (i.e., Air) and for an approval relating to a waste management system;</li> <li>– Three (3) CA and four (4) ECAs were registered to 51 Shorncliffe Road between 2003 and 2013 for the approval to discharge into the natural environment other than water (i.e., Air) and for an approval relating to a waste management system;</li> <li>– One (1) CA was registered to 81 Shorncliffe Road in 1998 for the approval to release into the air in relation to the installation of a paint spray booth for an auto body shop;</li> <li>– One (1) CA, one (1) ECA, and one (1) EASR listing were registered to 55 Shorncliffe Road in 2001 and 2012, respectively, for the approval to discharge into the natural environment</li> </ul> </li> </ul>

SOURCE

RECORDS OF REVIEW RESULTS

	<p>other than water (i.e., Air) in relation to the installation of a dual bay automotive paint spray booth for an auto body shop;</p> <ul style="list-style-type: none"> <li>– One (1) CA and one (1) ECA were registered to 75 North Queen Street in 2005 for a revoked and/or replaced approval in relation to a waste management system;</li> <li>– One (1) CA and one (1) ECA were registered to 78 Shorncliffe Road in 2008 for approvals relating to waste management systems;</li> <li>– One (1) CA, one (1) EASR listing, and four (4) ECAs were registered to 14 Vansco Road between 2007 and 2014 for approvals relating to previous on-site activities, including the approval to discharge into the natural environment other than water (i.e., Air);</li> <li>– Three (3) CAs were registered to 15 North Queen Street between 1988 and 1996 for approval for the discharge into the natural environment other than water (i.e., Air) in relation to the installation of a spray booth;</li> <li>– One (1) CA and one (1) ECA were registered to 66 Shorncliffe Road in 2008 for approval for the discharge into the natural environment other than water (i.e., Air);</li> <li>– One (1) CA was registered to 77 North Queen Street in 1998 for the approval for the installation of an oil/water coalescing separator system;</li> <li>– One (1) CA and one (1) EASR listing were registered to 15 Shorncliffe Road in 1999 and 2012, respectively for approvals relating to previous on-site activities, including the approval for the release of nitrogen oxides into the air in relation to a laundry steam boiler;</li> <li>– Four (4) CAs and four (4) ECAs were registered to 90 Shorncliffe Road in 2003 and 2004 for approvals relating to previous on-site activities, including the approval for a waste management system;</li> <li>– One (1) EASR listing was registered to Bruell Contracting Limited, located at 37 Shorncliffe Road, in 2018 for the approval of a waste management system;</li> <li>– One (1) EASR listing was registered to K-Lo’s Excavating Incorporated, located at 14 North Queen Street, in 2015 for the approval of a waste management system;</li> <li>– One (1) EASR listing was registered to Wastecorp Pumps Inc., located at 50 Shorncliffe Road, for the approval of air emissions; and</li> <li>– Fifty-three (53) CAs and twenty-one (21) ECAs were registered to 800 Kipling Avenue between 1987 and 2009 for approvals relating to previous on-site activities, including the approval to discharge into the natural environment other than water (i.e., Air), the installation of various industrial type spray booths and fume hoods.</li> </ul>
<p>x. Inventory of Coal Gasification Plants</p>	<p>The ERIS report did not identify any records of coal gasification plants or coal tar sites relating to the Phase One Property or properties within the Phase One Study Area.</p>
<p>xi. Records of Environmental Incidents, Orders, Offences, Spills, Discharges of Contaminants or Inspections</p>	<p>A FOI request was submitted to the MECP, requesting information pertaining to environmental incidents, orders, offences, spills, discharges of contaminants, or inspections for the Phase One Property. A response was received on December 11, 2018 indicating that records were found for the Phase One Property. WSP is currently awaiting the records from the MECP and will include the response in the Phase One ESA report prior to finalizing. A copy of the MECP FOI request form can be found in Appendix D.</p> <p>The ERIS report identified the following records of spills and/or discharge of contaminants pertaining to the Phase One Property:</p> <ul style="list-style-type: none"> <li>– In April 1996, as a result of a container leak, 100 L of diesel fuel was released onto the shipping yard and to a catch basin at 30 Newbridge Road. An environmental impact was not anticipated;</li> <li>– In January 1995, approximately 45 L of diesel fuel was released onto the gravel and storm sewer at 30 Newbridge Road. Possible soil contamination was noted;</li> <li>– In June 1997, an unknown quantity of diesel fuel was released into Etobicoke Creek by Interlink Freight Systems at 30 Newbridge Road. An environmental impact was confirmed;</li> </ul>

## SOURCE

## RECORDS OF REVIEW RESULTS

	<ul style="list-style-type: none"><li>— In October 1995, as a result of a container leak, approximately 12-L of naphthalene was released to the ground at 30 Newbridge Road. An environmental impact was not anticipated;</li><li>— In April 1995, as a result of a container leak, approximately 205-L of water based paint was released onto the ground and into the storm sewer at 30 Newbridge Road. A possible environmental impact was noted;</li><li>— In May 1997, as a result of a container overflowing, approximately 2-L of diesel was released onto the concrete at 30 Newbridge Road. An environmental impact was not anticipated;</li><li>— In April 1996, as a result of a container leak, approximately 3-L of waste type 6 (UN 9306) was released onto the concrete at 30 Newbridge Road. A possible environmental impact was noted;</li><li>— In August 1995, approximately 203-L of return line descaler was released onto the asphalt at 30 Newbridge Road. An environmental impact was not anticipated;</li><li>— In December 1994, as a result of a cooling system leak, approximately 25-L of non-PCB transformer oil was released onto the ground at 30 Newbridge Road. Possible soil contamination was noted;</li><li>— In August 1994, as a result of a container leak, approximately 20-L of sulphuric acid was released onto the ground at 30 Newbridge Road. A possible environmental impact was not anticipated;</li><li>— In December 1994, as a result of a container leak, approximately 2-L of sodium hydroxide solution was released to the ground at 30 Newbridge Road. An environmental impact was not anticipated;</li><li>— In December 1993, as a result of a container leak, approximately 4 L of ethylene glycol was released to the parking lot at 30 Newbridge Road. An environmental impact was not anticipated;</li><li>— In December 1993, as a result of a pipe/hose leak, approximately 30 L of diesel was released onto the ground at 30 Newbridge Road. Soil contamination was confirmed;</li><li>— In April 1992, as a result of a container leak, approximately 4 L of trichloroethane and solvoplast was released onto the yard at 30 Newbridge Road. An environmental impact was not anticipated;</li><li>— In August 1993, as a result of a container leak, approximately 90 K of plasticizer was released onto the ground at 30 Newbridge Road. An environmental impact was not anticipated;</li><li>— In February 1995, as a result of a container leak, approximately 25 L of resin adhesive was released to the asphalt at 30 Newbridge Road. An environmental impact was not anticipated;</li><li>— In January 1990, as a result of a container leak, approximately 23 L of hydrochloric acid was released to the ground at 30 Newbridge Road;</li><li>— In September 1995, as a result of a container leak, approximately 203 L of UN1814 was released onto the ground at 30 Newbridge Road. An environmental impact was not anticipated;</li><li>— In September 1995, as a result of a container leak, approximately 10 L UN2796 was released to the inside of a trailer and onto the ground at 30 Newbridge Road. An environmental impact was not anticipated;</li><li>— In June 1995, as a result of a bladder failure, approximately 5 L of UN1760 was released onto the ground at 30 Newbridge Road. An environmental impact was not anticipated;</li><li>— In September 1994, as a result of a container leak, approximately 205 L of hydraulic oil was released onto the ground at 30 Newbridge Road. An environmental impact was not anticipated;</li><li>— In March 1998, as a result of a container leak, approximately 150 L of xylene was released to the pavement at 30 Newbridge Road;</li></ul>
--	---

SOURCE

RECORDS OF REVIEW RESULTS

	<ul style="list-style-type: none"> <li>– In October 1994, as a result of a container leak, approximately 0.25 L of paint (UN1263) was released to the ground at 30 Newbridge Road. An environmental impact was not anticipated;</li> <li>– In September 1994, as a result of a container leak, approximately 1 L of diphenylmethane was released onto the ground at 30 Newbridge Road. An environmental impact was not anticipated;</li> <li>– In July 1993, as a result of a pipe/hose leak, approximately 340 L of lube oil was released to the rail tracks at 36 North Queen Street. Soil contamination was confirmed;</li> <li>– In March 1994, a small unknown amount of a poisonous liquid was released onto the ground at 36 North Queen Street. Possible soil contamination was noted;</li> <li>– In March 1995, as a result of a transportation accident, approximately 100 L of diesel was released onto the ground at 36 North Queen Street. An environmental impact was not anticipated;</li> <li>– In May 2002, as a result of a container leak, approximately 15 L of sodium hydroxide was released to the ground at 36 North Queen Street. An environmental impact was not anticipated;</li> <li>– In June 2010, as a result of discharging, approximately 50 L of hydraulic oil was released onto the asphalt at 36 North Queen Street. An environmental impact was confirmed;</li> <li>– In April 2011, as a result of discharging, approximately 125 L of hydraulic oil was released onto the ground at 36 North Queen Street. An environmental impact was not anticipated;</li> <li>– In July 2010, as a result of a process upset, approximately 50 L of hydraulic oil was released onto the ground at 36 North Queen Street. Possible soil contamination was noted;</li> <li>– In July 1994, as a result of a pipe/hose leak, approximately 50 L of diesel was released onto the ground at 36 North Queen Street. An environmental impact was not anticipated;</li> <li>– In June 2007, as a result of a pipe/hose leak, approximately 600 L of hydraulic oil was released onto the ground at 36 North Queen Street. An environmental impact was not anticipated;</li> <li>– In May 2003, approximately 100 L of hydraulic oil was released onto the land at 36 North Queen Street. A possible environmental impact was noted;</li> <li>– In October 2000, an unknown amount of fuel oil was released onto the ground at 36 North Queen Street during delivery. Possible soil contamination was noted;</li> <li>– In July 2008, as a result of a leaking rail car, approximately 2 L of Cauntec was released onto the ground at 36 North Queen Street;</li> <li>– In March 2006, an unknown amount of diesel fuel was released onto the ground at 36 North Queen Street. Possible soil contamination was noted;</li> <li>– In October 2000, as a result of a fire/explosion, approximately 230 L of diesel and 180 L of hydraulic oil burned/was released onto the ground at 36 North Queen Street. An environmental impact was not anticipated;</li> <li>– In May 2011, approximately 20 L of antifreeze was released onto the ground at 36 North Queen Street. An environmental impact was not anticipated;</li> <li>– In July 2011, as a result of discharging, approximately 50-100L of hydraulic oil was released onto the ground at 36 North Queen Street. Possible soil contamination was noted;</li> <li>– In 1995, as a result of a pipe/hose leak, approximately 100-L of diesel was released onto the ground at 36 North Queen Street. An environmental impact was not anticipated;</li> <li>– In May 1992, as a result of an AST leak, approximately 270 L of diesel was released to the ground at 36 North Queen Street. Possible soil contamination was noted;</li> <li>– In March 2006, as a result of a valve failure, approximately 1-5 L of antifreeze was released onto the ground at 36 North Queen Street. Human health/safety concerns were noted;</li> <li>– In January 2006, as a result of discharging, approximately 400 L of hydraulic oil was released onto the asphalt at 36 North Queen Street. An environmental impact was not anticipated;</li> </ul>
--	--

SOURCE

RECORDS OF REVIEW RESULTS

	<ul style="list-style-type: none"> <li>– In June 1998, as a result of a transportation accident, approximately 463 L of diesel and 45 gallons of glycol was released to the parking lot at 36 North Queen Street. An environmental impact was not anticipated;</li> <li>– In August 1991, as a result of a pipe/hose leak, approximately 100 L of diesel fuel was released to the railway bed from an AST. Soil contamination was confirmed;</li> <li>– In April 2002, as a result of a pipe/hose leak, approximately 150 L of diesel was released to the rail yard at 36 North Queen Street. Possible soil contamination was noted;</li> <li>– In July 1997, as a result of a container leak, an unknown amount of diesel was released onto the ground at 36 North Queen Street. Possible soil contamination was noted;</li> <li>– In July 2011, approximately 10 L of hydraulic oil was released onto the ground at 36 North Queen Street. Soil contamination was confirmed;</li> <li>– In February 2006, approximately 50 – 100 L of stove oil (clear or dyed) was released to the ground. Possible soil contamination was noted;</li> <li>– In March 2011, approximately 50 L of hydraulic oil was released to the ground at 36 North Queen Street. An environmental impact was not anticipated; and</li> <li>– In July 2009, as a result of an AST leak, approximately 50 – 100 L of diesel was released to the CP rail located at 36 North Queen Street. A possible environmental impact was noted.</li> </ul> <p>The ERIS report identified the following records of spills and/or discharge of contaminants pertaining to properties within the Phase One Study Area:</p> <ul style="list-style-type: none"> <li>– A spill involving 2,000 L of ammonia, which leaked from an AST, to the property located at 25 Lockport Avenue, west adjacent to the Site; and</li> <li>– A spill including diesel to the property located at 58 North Queen Street, approximately 55 m west of the Site.</li> <li>– The remaining spills identified through the records review were not considered to be contributing to an APEC on-Site due to distance of the PCAs from the Phase One Property, the location relative to the anticipated direction of groundwater flow, and the nature of the products involved in the spill.</li> </ul> <p>The ERIS report identified the following records of compliances and/or convictions pertaining to properties within the Phase One Study Area:</p> <ul style="list-style-type: none"> <li>– Arizona Disposal Services, located at 67 Shorncliffe Road was fined for operating a diesel fuelled heavy vehicle that contravenes emission standards and fined for failing to comply with a CA or provisional CA by exceeding their allowable waste tonnage;</li> <li>– College Disposal Services Ltd., located at 51 Shorncliffe Road, was fined for operating a waste management system not in accordance with a CA and fined for storing and disposing of demolition and/or construction waste contrary to its CA; and</li> <li>– Global Waste Services Inc., located at 90 Shorncliffe Road, was fined for failing to comply with conditions of a CA for a waste disposal site.</li> </ul>
<p>xii. O.Reg. 347 Waste Generators/Receivers Summary Records</p>	<p>The ERIS report identified thirty-two (32) O. Reg. 347 Waste Generator/Receiver Summary Records for the Phase One Property, as summarized below:</p> <ul style="list-style-type: none"> <li>– Canadian Pacific Railway Company located at 30 Newbridge Road was registered under generator number ON2674452 in 2006 for the generation, use, and/or storage of alkaline wastes – other metals, paints, pigments, and coating residues, light fuels, and waste oils and lubricants;</li> <li>– Interlink Freight Systems/3028241 Canada Limited located at 30 Newbridge Road was registered under generator number ON1890800 in 1994 until 1999 for the generation, use, and/or storage of inorganic laboratory chemicals, petroleum distillates, oil skimmings &amp; sludges, waste oils &amp; lubricants, and organic laboratory chemicals;</li> <li>– Canadian Pacific Railway, a mainline freight rail transportation company located at 30 Newbridge Road, was registered under generator number ON8476083 in 2004 until 2016</li> </ul>



SOURCE

RECORDS OF REVIEW RESULTS

	<p>for the generation, use, and/or storage of waste oils &amp; lubricants, emulsified oils, waste compressed gases, acid wastes – heavy metals, organic laboratory chemicals, alkaline wastes – heavy metals, oil skimmings &amp; sludges, inorganic laboratory chemicals, and paint/pigment/coating residues;</p> <ul style="list-style-type: none"> <li>– Canadian Pacific Railways, Canadian Pacific Express &amp; Transport located at 30 Newbridge Road was registered under generator number ON0048103 in 1986 until 1990 for the generation, use, and/or storage of waste oils and lubricants and oil skimmings &amp; sludges and in 1992 until 2001 for the generation, use and/or storage of inorganic laboratory chemicals, petroleum distillates, light fuels, oil skimmings &amp; sludges, waste oils &amp; lubricants, and organic laboratory chemicals;</li> <li>– VNV Logistics Express Ltd. located at 30 Newbridge Road was registered under generator number ON6204776 in 2017 for the generation, use, and/or storage of waste oils &amp; lubricants; and</li> <li>– Canadian Pacific Railway Company, a mainline freight rail transportation company located at 36 North Queen Street, was registered under generator number ON0048108 in 1986 – 1990, 1994 – 2016 for the generation, use, and/or storage of light fuels, waste compressed gases, alkaline wastes – other metals, inorganic laboratory chemicals, petroleum distillates, alkaline wastes – heavy metals, acid waste – other metals, waste oils &amp; lubricants, aliphatic solvents, organic acids, oil skimmings &amp; sludges, and acid waste – heavy metals, paint/pigment/coating residues, organic acids, and/or other specified inorganics.</li> </ul> <p>The ERIS report identified O.Reg. 347 Waste Generator/Receiver Summary Records for twenty-eight (28) properties located within the Phase One Study Area, including;</p> <ul style="list-style-type: none"> <li>– E. Valentine Holdings Ltd., a real estate property manager located at 46 North Queen Street, west adjacent to the Phase One property, was registered for the generation, use, and/or storage of light fuels in 2013;</li> <li>– J.F. Larsen Ltd. located at 46 North Queen Street, west adjacent to the Phase One property, was registered for the generation, use, and/or storage of waste oils and lubricants in 1992 through 2001;</li> <li>– North Star Landscaping Inc., a landscaping services operation located at 24 Newbridge Road, west adjacent to the Phase One property, was registered under generator number ON8595976 for the generation, use, and/or storage of oil skimmings and sludges in 2003 through 2017;</li> <li>– Mimico Construction Co. Ltd. located at 24 Newbridge Road, west adjacent to the Phase One property, was registered under generator number ON1654900 for the generation, use, and/or storage of alkaline wastes – heavy metals and waste oils &amp; lubricants in 1992 through 1998;</li> <li>– Hydro One Networks Inc., an electric power distribution company located at 30 Lockport Avenue, west adjacent to the Phase One Property, was registered under generator number ON204401 for the generation, use, and/or storage of PCBs, phenolic wastes, acid waste – heavy metals, alkaline wastes – heavy metals, aliphatic solvents, light fuels, halogenated solvents, oil skimmings &amp; sludges, waste oils &amp; lubricants, organic laboratory chemicals, waste compressed gases, paint/pigment/coating residues, other specified inorganics, inorganic laboratory chemicals, alkaline wastes – other metals, petroleum distillates, and non-halogenated pesticides in 2002 through 2017;</li> <li>– Inland Tracked Equipment located at 25 Lockport Avenue, west adjacent to the Phase One Property, was registered under generator number ON0445701 for the generation, use, and/or storage of waste oils and lubricants in 1986 through 1990 and in 1992 through 2001;</li> <li>– Cargill Kitchen Solutions/ Global Egg Corporation, a frozen food manufacturing operation located at 25 Newbridge Road, west adjacent to the Phase One Property, was registered under generator number ON7927653 for the generation, use, and/or storage of waste oils &amp; lubricants, detergents/soaps, aliphatic solvents, and organic laboratory chemicals in 2006 through 2017;</li> </ul>
--	--

## SOURCE

## RECORDS OF REVIEW RESULTS

	<ul style="list-style-type: none"><li>– Dor-Seal Limited, a metal door and window manufacturing operation located at 25 Newbridge Road, west adjacent to the Phase One Property, was registered under generator number ON0480900 for the generation, use, and/or storage of aliphatic solvents, polymeric resins, and halogenated solvents in 1986 through 1989 and in 1992 through 1998;</li><li>– General Cartage &amp; Express Co. Ltd., a freight truck company located at 48 North Queen Street, approximately 20 m west of the Phase One Property, was registered under generator number ON0679800 for the generation, use, and/or storage of petroleum distillates, light fuels, oil skimmings &amp; sludges, and/or waste oils &amp; lubricants in 1986 through 1990, in 1992 through 1998 and in 2009, and 2011 through 2017;</li><li>– Canadian Dis, a truck/transport operation located at 48 North Queen Street, approximately 20 m west of the Phase One Property, was registered under generator number ON1596800 for the generation, use, and/or storage of aliphatic solvents, petroleum distillates, and waste oils &amp; lubricants in 1992 through 1998;</li><li>– BTL Transport Leasing Ltd., an auto/truck rental company located at 18 Lockport Avenue, approximately 60 m west of the Phase One Property, was registered under generator number ON1093100 for the generation, use, and/or storage of waste oils &amp; lubricants in 1988 through 1990;</li><li>– Suncor Energy, a petroleum product wholesaler and distributor located at 58 North Queen Street, was registered under generator number ON2727392 for the generation, use, and/or storage of light fuels in 2012 through 2017;</li><li>– Siena Foods, a food manufacturer located at 16 Newbridge Road, approximately 45 m west of the Phase One Property, was registered under generator number ON8310600 for the generation, use, and/or storage of inorganic laboratory chemicals in 2009;</li><li>– Global Egg Corporation, a chicken egg production operation located at 17 Newbridge Road, approximately 70 m west of the Phase One Property, was registered under generator number ON2654700 for the generation, use, and/or storage of waste oils and lubricants in 2001 and in 2003 through 2008;</li><li>– Village Contractors, a masonry work company and general automotive repair garage located at 12 Newbridge Road, approximately 100 m west of the Phase One Property, was registered under generator number ON0633500 for the generation, use, and/or storage of petroleum distillates and waste oils &amp; lubricants in 1986 through 1990, in 1992 through 2011;</li><li>– North Queen Truck &amp; Equipment Repair, a waste management services company located at 60 North Queen Street, approximately 90 m west of the Phase One Property, was registered under generator number ON9762193 for the generation, use, and/or storage of waste oils &amp; lubricants in 2015 through 2017;</li><li>– 1076284 Ontario Inc., an automotive repair and maintenance garage located at 60 North Queen Street, approximately 90 m west of the Phase One Property, was registered under generator number ON0468202 for the generation, use, and/or storage of petroleum distillates, oil skimmings &amp; sludges, and waste oils &amp; lubricants in 2002 through 2009 and in 2013 through 2017;</li><li>– Penetang-Midland located at 60 North Queen Street, approximately 90 m west of the Phase One Property, was registered under generator number ON0138908 for the generation, use, and/or storage of petroleum distillates, light fuels, oil skimmings &amp; sludges, and waste oils &amp; lubricants in 1992 through 1998;</li><li>– Versatile Contrail Limited, a commercial trailer company located at 60 North Queen Street, approximately 80 m west of the Phase One Property, was registered under generator number ON0619400 for the generation, use, and/or storage of petroleum distillates in 1986 through 1990;</li><li>– Universal Truck and Equipment Service, a tire store located at 60 North Queen Street, approximately 90 m west of the Phase One Property, was registered under generator number ON2047100 for the generation, use, and/or storage of petroleum distillates, light fuels, oil skimmings &amp; sludges, and waste oils &amp; lubricants in 1995 through 1998;</li></ul>
--	---

SOURCE

RECORDS OF REVIEW RESULTS

	<ul style="list-style-type: none"> <li>– Hub Equipment located at 60 North Queen Street, approximately 90 m west of the Phase One Property, was registered under generator number ON0468202 for the generation, use, and/or storage of petroleum distillates, oil skimmings &amp; sludges, and waste oils &amp; lubricants in 1996 through 2001;</li> <li>– Vanguard Floors Limited, a concrete pouring and finishing company located at 15 Newbridge Road, was registered under generator number ON0670400 for the generation, use, and/or storage of petroleum distillates in 1986 through 1990 and in 1992 through 1998;</li> <li>– Helmitin Canada Inc./Helmitin Inc., an adhesives manufacturing operation located at 99 Shorncliffe Road, approximately 100 m west of the Phase One Property, was registered under generator number ON0409200 for the generation, use, and/or storage of aromatic solvents in 1986 and 1987, of aromatic solvents and latex wastes in 1988 through 1990, and of inorganic laboratory chemicals, aromatic solvents, other specified inorganics, organic laboratory chemicals, polymeric resins, graphic art wastes, waste oils &amp; lubricants, aliphatic solvents, latex wastes, waste compressed gases, halogenated solvents, and/or other specified organics in 1992 through 2017;</li> <li>– Imperial Oil Limited, a gasoline service station located at 39 Shorncliffe Road, approximately 30 m west of the Phase One Property, was registered under generator number ON8369738 for the generation, use, and/or storage of light fuels and oil skimmings &amp; sludges in 2009,</li> <li>– Imperial Oil Limited, a gasoline service station located at 39 Shorncliffe Road, approximately 30 m west of the Phase One Property, was registered under generator number ON1586224 for the generation, use, and/or storage of other specified inorganics, light fuels, oil skimmings &amp; sludges, and waste oils &amp; lubricants in 1999 and in 2002 through 2008,</li> <li>– West End Truck Center Limited, a commercial and industrial machinery and equipment company located at 39 Shorncliffe Road, approximately 30 m west of the Phase One Property, was registered under generator number ON5055142 for the generation, use, and/or storage of waste oils &amp; lubricants in 2006 through 2008, and in 2010 and 2011;</li> <li>– Best Waste Solutions Inc., a waste management services company located at 51 Shorncliffe Road, approximately 30 m west of the Site, was registered under generator number ON2161500 for the generation, use, and/or storage of waste oils &amp; lubricants in 2004 through 2009;</li> <li>– Cathcart Truck Lines (Tor) Ltd., a gen. freight truck company located at 51 Shorncliffe Road, approximately 30 m west of the Site, was registered under generator number ON005200 for the generation, use, and/or storage of petroleum distillates and waste oils &amp; lubricants in 1986 through 2001;</li> <li>– 1281906 Ontario Inc./Danyle Group Inc., a dry bulk materials trucking company located at 51 Shorncliffe Road, approximately 30 m west of the Phase One Property, was registered under generator number ON9683441 for the generation, use, and/or storage of waste oils &amp; lubricants in 2010 through 2017;</li> <li>– First Choice Limo Service Ltd., a taxi service company located at 51 Shorncliffe Road, approximately 30 m west of the Phase One Property, was registered under generator number ON8897225 for the generation, use, and/or storage of waste oils &amp; lubricants in 2004 through 2006;</li> <li>– Metro Ready Mix &amp; Building Products Ltd., a ready-mix concrete manufacturing operation located at 51 Shorncliffe Road, approximately 30 m west of the Site, was registered under generator number ON7458502 for the generation, use, and/or storage of waste oils &amp; lubricants in 2007 and 2008;</li> <li>– College Disposal Services located at 51 Shorncliffe Road, approximately 30 m west of the Site, was registered under generator number ON2161500 for the generation, use, and/or storage of waste oils &amp; lubricants in 1996 through 2003; and</li> <li>– Bruell Contracting Limited, a highway, street, and bridge construction company located at 37 Shorncliffe Road, approximately 30 m west of the Phase One Property, was registered under generator number ON1354500 for the generation, use, and/or storage of waste oils &amp;</li> </ul>
--	--

SOURCE

RECORDS OF REVIEW RESULTS

	<p>lubricants, petroleum distillates, and oil skimmings &amp; sludges in 1990, and in 1992 through 2017.</p> <p>Due to distance from the Phase One Property, anticipated direction of groundwater flow, and the nature of waste products identified, the remaining properties within the Study Area registered in the O.Reg. 347 Waste Generators/Receivers Records were not anticipated to have impacted the environmental quality of the Site, and are not listed herein. Details pertaining to these additional records can be found in the ERIS report in Appendix B.</p>
<p>xiii. MECP Waste Disposal Inventory</p>	<p>The ERIS report did not produce any records pertaining to the Phase One Property with regards to large or small scale, active or closed landfill sites. Forty-five (45) records were identified for seven (7) properties within the Phase One Study Area, as summarized below:</p> <ul style="list-style-type: none"> <li>– Arizona Disposal Services Limited, located at 67 Shorncliffe Road, approximately 120 m west of the Site, was registered as a waste disposal site (certificate number A220331) from at least 2007 until 2017;</li> <li>– Danyle Group Inc., located at 51 Shorncliffe, approximately 30 m west of the Site, was registered as a waste disposal site (certificate number 5010-98JKZE) from at least 2014 until 2018;</li> <li>– Best Waste Solutions Inc./1595066 Ontario Limited, located at 51 Shorncliffe Road, approximately 30 m of the Site, was registered as a waste disposal site (certificate number A680236) in 2004, 2006, and 2007;</li> <li>– Super Disposal Services Ltd., located at 66 Shorncliffe Road, approximately 220 m west of the Site, was a waste disposal site (certificate number A280228) which was revoked and sent to Cooksville;</li> <li>– Cascades Recovery Inc., located at 66 Shorncliffe Road, approximately 220 m west of the Site, was registered as a waste disposal site (certificate number A280309) in 2013, 2014, and 2016;</li> <li>– Global Waste Services Inc., located at 90 Shorncliffe Road, approximately 220 m west of the Site, was registered as a waste disposal site (certificate number 4088-5KKT8L) in 2003 and 2009;</li> <li>– Terra-Green Recycling &amp; Transfer Inc./King Recycling &amp; Waste Disposal Inc., located at 86 and 90 Shorncliffe Road, approximately 220 m west of the Site, was registered as a waste disposal site (certificate number 4912-5L9PJB) from at least 2003 until 2015;</li> <li>– Metalogics Inc., located at 70 North Queen Street, approximately 235 m west of the Site, was registered as a waste disposal site (certificate number R-007-9659816142) in 2016;</li> <li>– Ontario Hydro, located at 800 Kipling Avenue, approximately 40 m east of the Site, was registered as a waste disposal site (certificate number A280307) in 1998 and 2000; and</li> <li>– Kinectrics Inc., located at 800 Kipling Avenue, approximately 40 m east of the Site, was registered as a waste disposal site (certificate number 4059-84YJY4) from at least 2000 until 2011.</li> </ul>
<p>xiv. Records of Fuel Storage</p>	<p>An information request was submitted to the TSSA pertaining to underground and aboveground fuel storage for the Site. A response was received on November 2, 2018, which identified the following tanks at the Phase One Property:</p> <ul style="list-style-type: none"> <li>– 30 Newbridge Road was listed as an expired self-serve private fuel outlet with associated tanks. TSSA had seven (7) instances of liquid fuel tanks registered at this property; and</li> <li>– 36 North Queen Street was listed as an active self-serve private fuel outlet with associated tanks. TSSA had three (3) instances of liquid fuel tanks registered at this property.</li> <li>– During the Phase One Site reconnaissance, WSP identified one (1) self-serve diesel fuel AST located along the south-central portion of the property. There were no other records of any ASTs or USTs located at 36 North Queen Street. There were no records or indications of any ASTs or USTs located at 30 Newbridge Road during the site reconnaissance.</li> </ul>

## SOURCE

## RECORDS OF REVIEW RESULTS

A copy of TSSA response can be found in Appendix D.

The ERIS report identified twenty-one (21) records of TSSA Expired Facilities, three (3) records of fuel storage tanks (FST), two (2) records of historic fuel storage tanks (FSTH), and three (3) records of private and retail fuel storage tanks (PRT) for the Phase One Property, as summarized below:

- The List of Expired TSSA Facilities included Interlink Freight Systems Inc., located at 30 Newbridge Road, as an expired self-serve private fuel outlet in 1997 with associated piping and four (4) liquid fuel tanks;
- The List of Expired TSSA Facilities included CP Express and Transport Ltd., located at 30 Newbridge Road, as an expired self-serve private fuel outlet in 1990 with associated piping and two (2) liquid fuel tanks;
- The PRT database listed CP Express & Transport Ltd., located at 30 Newbridge Road, as a private and retail facility (location ID 4721) with a total capacity of 90,920 L;
- The PRT database listed CP Rail, located at 36 North Queen Street, as a private facility (location ID 4729) with a total capacity of 22,450-L;
- The FST database listed CP Rail, located at 36 North Queen Street, as a self-serve private fuel outlet with one (1) 9,000-L single wall diesel UST (1977), one (1) 9,000L single wall gasoline UST (1977), and one (1) 4,450-L single wall gasoline UST (1971); and
- The FSTH database listed CP Rail, located at 36 North Queen Street, as an expired self-serve private fuel outlet with one (1) 9,000-L single wall diesel UST (1977), one (1) 9,000L single wall gasoline UST (1977), and one (1) 4,450-L single wall gasoline UST (1971).

The following records of tanks were located on properties within the Phase One Study Area:

- The following listings were identified for 48 North Queen Street, located approximately 20 m west of the Site:
  - The FST database identified General Cartage & Express Co. Ltd. as a self-serve private fuel outlet with one (1) 22,730 single wall diesel UST;
  - The FSTH identified General Cartage & Express Co. Ltd. as a self-serve private fuel outlet with two (2) 22,730 single wall diesel USTs, installed in 1981; and
  - The PRT database identified General Cartage & Express Co. Ltd. as a private fuel outlet (location ID 4722) with a maximum capacity of 45,460-L.
- The following listings were identified for 58 North Queen Street, located approximately 55 m west of the Site:
  - The TSSA Expired Facilities database identified Petro Canada Wholesale Operations Petro Pass as an expired gasoline station with two (2) expired liquid fuel tanks;
  - The FST database identified Suncor Energy Products Partnership as a GS gasoline station with three (3) 50,000-L double wall diesel UST, installed in 2004;
  - The FSTH database identified Petro Canada Wholesale Operations Petro Pass as a retail fuel outlet with three (3) 50,000-L double wall diesel USTs, installed in 2004;
  - The FSTH database identified the removal of four (4) 50,000-L single wall diesel USTs in 2002 for Petro Canada Wholesale Marketing;
  - North Queen Petro Pass was identified in the RST database as a diesel fuel provider; and
  - The PRT database identified Petro Canada as a retail fuel outlet (location ID 4724) with a maximum capacity of 200,000-L, expiry date 1996-03-31.
- The following listings were identified for 16 Newbridge Road, located approximately 45 m west of the Site:
  - The FST database identified Siena Foods Ltd. as a self-serve private fuel outlet with one (1) 13,638-L single wall diesel UST, installed in 1984;

## SOURCE

## RECORDS OF REVIEW RESULTS

	<ul style="list-style-type: none"><li>— The FSTH database identified Siena Foods Ltd. as a private fuel outlet with one (1) 13,638-L double wall diesel UST, installed in 1978 and one (1) 13,638-L single wall diesel UST, installed in 1984; and</li><li>— The PRT database identified Siena Foods Ltd. as a private fuel outlet (location ID 15516) with a maximum capacity of 27,276-L.</li><li>— The TSSA Expired Facilities database identified Wetmore Welding Supplies Ltd., located at 89 Shorncliffe Road, approximately 120 m west of the Site, as a private fuel outlet. No additional information was provided;</li><li>— The PRT database identified Cathcart Transport Ltd., located at 51 Shorncliffe Road, approximately 60 m west of the Site, as an expired FS propane refill centre;</li><li>— The TSSA Expired Facilities database identified Cronkwright Transport Company, located at 67 Shorncliffe Road, approximately 120 m west of the Site, as an expired self-serve FS private fuel outlet with one (1) expired FS liquid fuel tank and associated piping. The PRT database identified Cronkwright Transport Company as a private fuel outlet with a maximum capacity of 18,184-L;</li><li>— The following listings were identified for 39 Shorncliffe Road, located approximately 30 m west of the Site:<ul style="list-style-type: none"><li>— The TSSA Expired Facilities database identified West End Truck Centre Ltd., located at 39 Shorncliffe Road, approximately 30 m west of the Site, as an expired gasoline station with three (3) expired liquid fuel tanks and associated piping.</li><li>— The FSTH database identified this Site as a retail fuel outlet with three (3) 50,000-L single wall gasoline USTs, which were installed in 1987;</li><li>— The PRT database identified West-End Truck Centre Ltd. as a retail fuel outlet with a maximum capacity of 125,000-L and an expiry date of 1994-06-30;</li><li>— The PRT database identified Imperial Oil Ltd. as a retail fuel outlet with a maximum capacity of 100,000-L and an expiry date of 1996-04-30; and</li><li>— The RST database identified OK Tire as an auto garage under headcode ID 00921430, oil changes and lubrication services.</li></ul></li><li>— The following listings were identified for 37 Shorncliffe Road, located approximately 30 m west of the Site:<ul style="list-style-type: none"><li>— The TSSA Expired Facilities database identified Liquids Ltd. with an expired highway tank – gas/diesel;</li><li>— The TSSA Expired Facilities database identified Bruell Contracting Ltd. as an expired gasoline station with two (2) expired liquid fuel tanks and associated piping;</li><li>— The PRT identified Bruell Contracting Ltd. as a retail fuel outlet with a maximum capacity of 10,000-L and an expiry date of 1995-10-31; and</li><li>— The RST database identified City Lube Oil Co., as an auto garage under headcode number 00926800, oils-waste.</li></ul></li><li>— The TSSA Expired Facilities database identified Superpower Coin Wash., located at 40 Shorncliffe Road, approximately 235 m west of the Site, as an expired propane refill centre. The PRT database identified this site as a retail fuel outlet with a maximum capacity of 2,000-L and an expiry date of 1993-01-31;</li><li>— The following listings were identified for 55 North Queen Street, located approximately 65 m south of the Site:<ul style="list-style-type: none"><li>— The FST database identified Bell Canada as a self-serve private fuel outlet with one (1) 22,730-L single wall gasoline UST;</li><li>— The FSTH database identified Bell Canada. as a private fuel outlet with one (1) 22,730-L single wall gasoline UST;</li><li>— The PRT database identified Bell Canada as a private fuel outlet with a maximum capacity of 22,730-L.</li></ul></li></ul>
--	--

SOURCE

RECORDS OF REVIEW RESULTS

	<ul style="list-style-type: none"> <li>– The following listings were identified for 77 North Queen Street, located approximately 230 m west of the Site:             <ul style="list-style-type: none"> <li>– The TSSA Expired Facilities database identified Suncor Energy Products Inc. as an expired FS gasoline station with three (3) expired liquid fuel tanks;</li> <li>– The TSSA Expired Facilities database identified Penske Truck Leasing Canada as an expired gasoline station with one (1) expired liquid fuel tank;</li> <li>– The FST database identified Penske Truck Leasing Canada Inc. as an active self-serve private fuel outlet with one (1) 6,500-L single wall fiberglass gasoline UST, installed in 2004;</li> <li>– The FSTH database identified Penske Truck Leasing Canada as a private fuel outlet with one (1) active 6,500-L single wall fiberglass gasoline UST, installed in 2004 and two (2) removed single wall USTs; and</li> <li>– The PRT database identified Range Truck Rental as a private fuel outlet with a maximum capacity of 36,368-L.</li> </ul> </li> <li>– The following listings were identified for 80 Shorncliffe Road, located approximately 215 m west of the Site:             <ul style="list-style-type: none"> <li>– The TSSA Expired Facilities database identified Ultramar Canada Inc. as an expired gasoline station;</li> <li>– The FST database identified Sunoco Petroleum as a private fuel outlet with one (1) 45,460-L single wall diesel UST, installed in 1975;</li> <li>– The FSTH database identified Sunoco Petroleum as a private fuel outlet with one (1) 45,460-L single wall diesel UST, installed in 1975; and</li> <li>– The PRT database identified Eagle Concepts Inc. as a private fuel outlet with a maximum capacity of 45,460-L.</li> </ul> </li> <li>– The PRT database identified North Queen Auto Parts, located at 70 North Queen Street, approximately 235 m west of the Site, as a private fuel outlet with a maximum capacity of 9,092-L;</li> <li>– The FST and FSTH database listed Ontario Hydro, located at 800 Kipling Avenue, approximately 40 m east of the Site as a self-serve private fuel outlet with one (1) 13,638-L single wall gasoline UST, installed in 1973, two (2) 18,184-L single wall gasoline UST, installed in 1988, and one (1) 18,184-L single wall diesel UST, installed in 1988. The PRT identified Hydro One as a private fuel outlet with a maximum capacity of 68,190 L; and</li> <li>– Cherry Harry, located at 14 Shorncliffe Road, approximately 230 m northwest of the Site, was listed in Anderson’s Storage Tank Database in 1930 for a building permit to install two (2) fuel oil tanks.</li> </ul>
<p>xv. Environmental Registry</p>	<p>The ERIS report did not identify any Environmental Registrations for the Phase One Property however, fifty-four (54) records were identified pertaining to thirteen (13) properties within the Study Area, as summarized below:</p> <ul style="list-style-type: none"> <li>– Hydro One Networks Inc., located at 30 Lockport Avenue, was listed in the Environmental Registry (EBR Registry No. 012-6300) in 2016 for an ECA (project type: air);</li> <li>– Global Egg Corporation and Cargill Egg Products, located at 25 Newbridge Road, immediately west of the Site, were listed in the Environmental Registry (EBR Registry No. IA01E0362, 010-0220, and 011-9343) for the approval to discharge into the natural environment other than water (i.e., Air)</li> <li>– 1536394 Ontario Inc., located at 20 Lockport Avenue, was listed in the Environmental Registry (EBR Registry No. IA03E0720) for the approval to discharge into the natural environment other than water (i.e., Air);</li> <li>– Evans Ford Lincoln Inc., located at 65 Shorncliffe Road, was listed in the Environmental Registry (EBR Registry No. IA01E0409) for the approval to discharge into the natural environment other than water (i.e., Air);</li> </ul>

SOURCE

RECORDS OF REVIEW RESULTS

	<ul style="list-style-type: none"> <li>– Arizona Disposal Services Limited, located at 67 Shorncliffe Road, was listed in the Environmental Registry (EBR Registry No. IA02E1448) in 2007 for the approval for a waste disposal site;</li> <li>– Helmitin Canada Inc./Helmitin Adhesives Inc., located at 99 Shorncliffe Road, was listed in the Environmental Registry under various EBR registry numbers for the approval for discharge into the natural environment other than water (i.e., Air);</li> <li>– Danyle Group Inc. and 621311 Ontario Limited, located at 51 Shorncliffe Road, were listed in the Environmental Registry under various EBR Registry numbers for the approval for a waste disposal site;</li> <li>– Leading Edge Automobile Enterprise Inc., located at 81 Shorncliffe Road, was listed in the Environmental Registry (EBR Registry No. IA8E0941) for the approval to discharge into the natural environment other than water (i.e., Air);</li> <li>– Century 3000 Auto Collision Centre Ltd., located at 55 Shorncliffe Road, was listed in the Environmental Registry (EBR Registry No. IA01E0533) for the approval to discharge into the natural environment other than water (i.e., Air);</li> <li>– PointOne Graphics Inc., located at 14 Vansco Road, was listed in the Environmental Registry (EBR Registry No. 011-6233 and IA06E1462) for an ECA (project type: air) and the approval for discharge into the natural environment other than water (i.e., Air);</li> <li>– Metro Waste Paper Recovery Inc. and Cascades Recovery Inc., located at 66 Shorncliffe Road, were listed in the Environmental Registry (EBR Registry No. IA06E0238 and 012-0051, respectively) in 2008 and 2014 for the approval for discharge into the natural environment other than water (i.e., Air);</li> <li>– Global Waste Services Inc., Terra-Green Recycling &amp; Transfer Inc., and King Recycling, located at 86 and 90 Shorncliffe Road, were listed in the Environmental Registry under various EBR registry numbers for the approval for a waste disposal site; and</li> <li>– Twenty-one (21) EBR registries were registered to 800 Kipling Avenue under various EBR registry numbers for approvals relating to previous on-site activities, including the approvals for discharge into the natural environment other than water (i.e., Air) and approval for a waste disposal site.</li> </ul>
<p>xvi. Scott’s Manufacturing Directory</p>	<p>The ERIS report did not identify any manufacturing records for the Phase One Property. Fifty-one (51) records pertaining to twenty-one (21) properties within the surrounding Study Area were identified, as summarized below:</p> <ul style="list-style-type: none"> <li>– Two Star Design, located at 46 North Queen Street, immediately west of the Site, was identified in Scott’s Manufacturing Directory as having historically operated as an all other non-metallic mineral product and other concrete manufacturing operation established in 1971;</li> <li>– Inland Tracked Equipment, located at 25 Lockport Avenue, immediately west of the Site, was identified in Scott’s Manufacturing Directory as having historically operated as a construction machinery manufacturer, a general-purpose machinery manufacturer, an agricultural implement manufacturer, an industrial machinery, equipment and supplies wholesaler-distributor, a new and used automobile and light-duty truck wholesaler-distributor, an other transportation equipment manufacturer, a recreational and other motor vehicles wholesaler-distributor, a material handling equipment manufacturing, a farm, lawn, and garden machinery and equipment wholesaler-distributor, an industrial machinery, equipment and supplies wholesaler-distributor, and a construction and forestry machinery, equipment and supplies wholesaler-distributor, established in 1958;</li> <li>– Acheson Bros. Ltd., located at 25 Lockport Avenue, immediately west of the Site, was identified in Scott’s Manufacturing Directory as having historically operated as a construction, transportation, mining, and forestry machinery and equipment rental and leasing operation, established in 1958;</li> <li>– Tayco Panelink Ltd., located at 25 Newbridge Road, immediately west of the Site, was identified in Scott’s Manufacturing Directory as having historically operated as an office</li> </ul>



SOURCE

RECORDS OF REVIEW RESULTS

	<p>furniture, except wood, manufacturer, an office and store fixtures, partitions, shelving, and lockers, except wood, manufacturer, and a furniture and fixtures, not elsewhere classified manufacturer, established in 1976;</p> <ul style="list-style-type: none"> <li>– Octanorm Canada Ltd., located at 15 Lockport Avenue, approximately 50 m west of the Site, was identified in Scott’s Manufacturing Directory as having historically operated as an office and store fixtures, shelving, except wood, manufacturer, established in 1982;</li> <li>– Siena Foods Ltd., located at 12 and 16 Newbridge, approximately 50 m west of the Site, was identified in Scott’s Manufacturing Directory as having historically operated as a butter, cheese, and dry and condensed dairy products manufacturing operation and as a red met and met product and other specialty-line food wholesaler-distributor, established in 1959;</li> <li>– Allseas Fisheries Inc., located at 55 Vansco Road, approximately 60 m south of the Site, was identified in Scott’s Manufacturing Directory as having historically operated as a wholesale trade agents and brokers;</li> <li>– Taylor Manufacturing Ind. Inc., located at 55 Vansco Road, approximately 60 m south of the Site, was identified in Scott’s Manufacturing Directory as having historically operated as a wood office and store fixtures, partitions, shelving and lockers manufacturing operation, a signs and advertising specialist, and a business service, established in 1983;</li> <li>– Flap &amp; Seal Envelope, located at 60 North Queen Street, approximately 90 m west of the Site, was identified in Scott’s Manufacturing Directory as having historically operated as a digital printing operation, established in 1993;</li> <li>– A.D.A Precision Machin, located at 30 Vansco Road, approximately 120 m south of the Site, was listed in the Scott’s Manufacturing Directory as having historically operated as an industrial and commercial machinery and equipment manufacturing operation and as a machine shop, establish in 1968;</li> <li>– Factory Automation Plus Inc., located at 115 Shorncliffe Road, approximately 135 m west of the Site, was identified in Scott’s Manufacturing Directory as having historically operated as a switchgear and switchboard, and relay and industrial control apparatus manufacturing and measuring, medical and controlling devices manufacturing operation, established in 1993;</li> <li>– Concordian Chesterfield Co., located at 113 Shorncliffe Road, approximately 135 m west of the Site, was identified in Scott’s Manufacturing Directory as having historically operated as an upholstered household furniture manufacturing operation, established in 1973;</li> <li>– Hep-Sure Machine Co. Limited, located at 85 Shorncliffe Road, approximately 115 m west of the Site, was identified in Scott’s Manufacturing Directory as having historically operated as a metalworking and industrial machinery manufacturing operation, established in 1960;</li> <li>– Weld Rite Metal Fabricating, located at 127 Shorncliffe Road, approximately 140 m west of the Site, was identified in Scott’s Manufacturing Directory as having historically operated as a fabricated plate work (boiler shop) and sheet metal work operation, established in 1962;</li> <li>– Ontario Signs, located at 45 Vansco Road, approximately 145 m south of the Site, was identified in Scott’s Manufacturing Directory as having historically operated as a sign manufacturing operation and graphic design services, established in 1999;</li> <li>– Helmitin Canada Inc, located at 99 Shorncliffe Road, approximately 95 m west of the Site, was identified in Scott’s Manufacturing Directory as having historically operated as an adhesive and sealants manufacturing operation, established in 1959;</li> <li>– Downtown Concrete Supply, located at 51 Shorncliffe Road, approximately 30 m west of the Site, was identified in Scott’s Manufacturing Directory as having historically operated as a ready-mix concrete manufacturing operation, established in 1995;</li> <li>– Al-Mersal Canadian Arab Network, located at 51 Shorncliffe Road, approximately 30 m west of the Site, was identified in Scott’s Manufacturing Directory as having historically operated as a newspaper publisher, established in 1989;</li> </ul>
--	---

SOURCE

RECORDS OF REVIEW RESULTS

	<ul style="list-style-type: none"> <li>– Tre Mari Bakery Limited, located at 41 Shorncliffe Road, approximately 30 m west of the Site, was identified in Scott’s Manufacturing Directory as having historically operated as a bread and other bakery products, except cookies and crackers, operation established in 1967;</li> <li>– Meriden Food Inc., located at 41 Shorncliffe Road, approximately 30 m west of the Site, was identified in Scott’s Manufacturing Directory as having historically operated as a retail bakery and other specialty-line food wholesaler-distributor established in 1960;</li> <li>– Allegany Foods, located at 41 Shorncliffe Road, approximately 30 m west of the Site, was identified in Scott’s Manufacturing Directory as having historically operated as a commercial bakery and frozen bakery product manufacturing operation established in 1999;</li> <li>– Euro Bread Inc., located at 41 Shorncliffe Road, approximately 30 m west of the Site, was identified in Scott’s Manufacturing Directory as having historically operated as a</li> <li>– Dompas Productions Ltd., located at 75 North Queen Street, approximately 170 m southwest of the Site, was identified in Scott’s Manufacturing Directory as having historically operated as a machine shop, all other industrial machinery manufacturing operation, a turned product and screw, nut and bolt manufacturing operation, and a mining and oil and gas field machinery manufacturing operation, established in 1973;</li> <li>– PointOne Graphics, located at 14 Vansco Road, approximately 190 m south of the Site, was identified in Scott’s Manufacturing Directory as having historically operated as a graphic design services operation established in 1984;</li> <li>– Binks Canada Ltd., located at 14 Vansco Road, approximately 190 m south of the Site, was identified in Scott’s Manufacturing Directory as having historically operated as a fabricated plate work (boiler shop), sheet metal work, fluid power valves and hose fittings, air and gas compressors, industrial and commercial fans and blowers and air purification equipment, construction material, not elsewhere classified, industrial machinery and equipment, and industrial supplies manufacturing operation established in 1934;</li> <li>– Enercorp Instruments Ltd., located at 25 Shorncliffe Road, approximately 180 m northwest of the Site, was identified in Scott’s Manufacturing Directory as having historically operated as a switchgear and switchboard, and relay and industrial control apparatus manufacturing operation and a measuring, medical and controlling devices manufacturing operation established in 1977;</li> <li>– Kavanagh Controls Ltd., located at 25 Shorncliffe Road, approximately 180 m northwest of the Site, was identified in Scott’s Manufacturing Directory as having historically operated as an industrial instrument for measurement, display, and control of process variables and related items manufacturing operation established in 1983;</li> <li>– Ultraseal Water Proof/SealTech, located at 15 North Queen Street, approximately 80 m southeast of the Site, was identified in Scott’s Manufacturing Directory as having historically operated as an asphalt shingle and coating material manufacturing and paint and coating manufacturing operation established in 1991;</li> <li>– The Canadian Coleman Company, located at 15 North Queen Street, approximately 80 m southeast of the Site, was identified in Scott’s Manufacturing Directory as having historically operated as a sporting and recreational goods and supplies and nondurable goods, not elsewhere classified manufacturing operation established in 1920; and</li> <li>– Auged Machine Shop, located at 50 Shorncliffe Road, approximately 240 m west of the Site, was identified in Scott’s Manufacturing Directory as having historically operated as a machine shop established in 1953.</li> </ul>
<p>xvii. Automobile Wrecking &amp; Supplies</p>	<p>The ERIS report did not identify any automobile wrecking and supplies records for the Phase One Property. Forty-three (43) records pertaining to twenty-two (22) properties within the surrounding Study Area were identified, as summarized below:</p> <ul style="list-style-type: none"> <li>– Atlas Industrial Recycling Ltd., located at 46 North Queen Street, immediately west of the Site, was identified in the Automobile Wrecking and Supplies database as a scrap metals operation;</li> </ul>

SOURCE

RECORDS OF REVIEW RESULTS

	<ul style="list-style-type: none"> <li>– Crown Canada Automotive, located at 50 North Queen Street, approximately 35 m west of the Site, was identified in the Automobile Wrecking and Supplies database as an automobile parts and supplies operation;</li> <li>– Niki Auto Motor, located at 11 Lockport Avenue, approximately 85 m west of the Site, was listed in the Automobile Wrecking and Supplies database as an automobile parts and supplies operation;</li> <li>– North Queen Auto Parts, located at 70 North Queen Street, approximately 230 m west of the Site, was registered in the Automobile Wrecking and Supplies database as an automobile parts and supplies operation; and</li> <li>– Automotive Recyclers Management Services Ltd., located at 70 North Queen Street, approximately 230 m west of the Site, was registered in the Automobile Wrecking and Supplies database as an automobile wrecking and recycling operation.</li> </ul>
<p>xviii. Chemical Register</p>	<p>The ERIS report did not identify any chemical register records for the Phase One Property. Hanson Inc., located at 45 Vansco Road, approximately 155 m south of the Site, was listed in the chemical register. No further description was provided.</p>
<p>xix. Pesticide Register</p>	<p>The ERIS report did not identify any pesticide register records for the Phase One Property. Five (5) records pertaining to two (2) properties within the surrounding Study Area were identified, as summarized below:</p> <ul style="list-style-type: none"> <li>– Clintar Groundskeeping Services., located at 46 North Queen Street, immediately west of the Site, was identified in the Pesticide Register database as an operator;</li> <li>– J.F. Larsen Limited, located at 46 North Queen Street, immediately west of the Site, was identified in the Pesticide Register database as an operator; and</li> <li>– Crystal Lawn Care Inc., located at 135 Shorncliffe Road, approximately 160 m west of the Site, was identified in the Pesticide Register database as an operator.</li> </ul>
<p>xx. Water Well Information System</p>	<p>The ERIS report identified twenty-seven (27) well records for the Phase One Property and an additional seventy-five (75) records were identified within the surrounding Study Area. Based on a review of these records, the stratigraphy in the vicinity of the Site was generally described as fill ranging in depth from surface to 1.1 mbgs, underlain by silty sand to sandy silt till at depths ranging from 0.5 to 6.1 mbgs. Shale bedrock was encountered at depths ranging between 3.1 and 6.1 mbgs. The depth to groundwater measured in the Study Area ranged from 0.6 to 3.1 mbgs.</p>
<p>xxi. Areas of Natural Significance (life science or earth science)</p>	<p>The Natural Heritage Areas database lists areas of natural significance including provincial parks, conservation reserves, areas of natural and scientific interest, wetlands environmentally significant areas, habitats of a threatened or endangered species, and wilderness areas. A review of this database listed the Henslow’s Sparrow (bird) as an endangered species within 1 km of the Site.</p> <p>The Phase One Property is located within an industrial/commercially developed neighborhood and is not likely to provide shelter for such species. According to the MNRF, the Henslow’s Sparrow lives in open fields with tall grasses, flowering plants, and few scattered shrubs and prefers extensive, dense, tall grasslands where it can more easily conceal its ground nest. As there are no tall grasslands within 1 km of the Site and visual reconnaissance indicated no potential habitats for the Henslow’s Sparrow, it is not anticipated that this species would be found on the Site; however, if required, an environmental specialist could be retained to undertake a site-specific Ecological assessment. At this time further assessment is not warranted.</p>

## 4.2 PHYSICAL SETTING SOURCES

Below is a summary of the physical setting sources reviewed by WSP as part of this Phase One ESA.

**Table 4.3 Summary of Physical Setting Sources**

SOURCE	RECORDS REVIEW RESULTS
<p>i. Aerial Photographs – National Air Photo Library and Google Earth Satellite Images</p>	<p>Aerial photographs provided by Toronto City Archives digital database were reviewed as part of this assessment. The first available aerial photograph from 1947 was reviewed in order to determine early land use. Subsequent aerial photographs were obtained for review at approximately ten-year intervals, as available (i.e., 1950, 1959, 1970, 1983, 1992, 2005, and 2017) in order to observe changes to the Phase One Property and surrounding Study Area over time. Significant information depicted from these photographs, where possible, is summarized below, copies of the documents are provided in Appendix E:</p> <p><b>1947</b></p> <ul style="list-style-type: none"> <li>– The Phase One Property appeared to be a vacant, grass-covered parcel of land with no structures present.</li> <li>– The CP rail appeared to be constructed to the north of the Site with a rail siding extending down to run along the eastern property boundary of the Site.</li> <li>– The south adjacent properties appeared to be used for agricultural purposes with rural residential structures and barn structures present.</li> <li>– The east adjacent property appeared to be under construction with some structures present and disturbed earth.</li> <li>– The west adjacent property was not covered in the aerial photograph.</li> <li>– Properties within the surrounding Study Area appeared to be developed for agricultural and residential land use.</li> <li>– North Queen Street was present south of the Site.</li> </ul> <p><b>1950</b></p> <ul style="list-style-type: none"> <li>– The Phase One Property appeared to have undergone redevelopment for industrial purposes. Six (6) long rectangular structures were visible on the southern portion of the Site, with two (2) larger rectangular buildings further north. The majority of the Site appeared to be paved but vacant of structures. The western portion of the Site (30 Newbridge Road) appeared to be occupied by many small structures, possibly shipping containers, throughout. Rail spurs were constructed near the perimeter of the Site. These operations extended to the north adjacent property.</li> <li>– The west adjacent properties appeared to be used for residential purposes with some agricultural sized land parcels apparent.</li> <li>– The east adjacent property appeared developed for industrial purposes with multiple structures and vehicles visible throughout the property.</li> <li>– The south adjacent properties appeared in a similar configuration as the 1947 aerial photograph.</li> <li>– Properties within the surrounding Study Area appeared similar in configuration to the 1947 aerial photograph.</li> <li>– Kipling Avenue was present to the east of the Site.</li> </ul> <p><b>1959</b></p> <ul style="list-style-type: none"> <li>– The south and west portions of the Phase One Property appeared similar to the 1950 aerial photograph. The central portion of the Site that was previously vacant appeared to have six large structures present with vehicles or container storage to the north of the structures. The northwest portion of the Site appeared to have been developed with a long</li> </ul>

## SOURCE

## RECORDS REVIEW RESULTS

rectangular building present on a portion of the Site, and extending to the north adjacent property.

- The south adjacent properties appeared to be redeveloped for commercial or light industrial purposes.
- The west and east adjacent properties appeared similar in configuration to the 1950 aerial photograph.

### 1970

- The Phase One Property appeared to be undergoing redevelopment. The structures that were previously located on the south and central portions of the Site appeared to have been removed/demolished. A long rectangular building appeared constructed along the western portion of the Site, in a similar configuration to the building presently located at 30 Newbridge Road. A smaller rectangular building appeared to be constructed to the north of this building, in a similar configuration to the building presently located at 30A Newbridge Road. Rail spurs are visible throughout the Site and were shown to enter the building at 30 Newbridge Road. The majority of the property at 36 North Queen Street appeared to be disturbed earth with trucks and containers sparsely located throughout with additional rail spurs extending through the center of the property.
- Adjacent properties to the north, south, and east appeared similar in configuration to the 1959 aerial photograph.
- The west adjacent properties appeared to be redeveloped for commercial and/or light industrial uses. Newbridge Road, Shorncliffe Road and Lockport Avenue appeared to be constructed.

### 1983

- The portion of the Site occupied by 36 North Queen Street appeared to be occupied by commercial trucks and containers throughout the property, with rail spurs located throughout running in a north to south direction. A small square-shaped building appeared to be constructed on the southeast portion of the Site, similar in configuration to the office building presently in this location. The west part of the Site, occupied by 30 and 30A Newbridge appeared similar in configuration as the 1970 aerial photograph.
- The north adjacent property appeared to have a square-shaped building, similar in configuration to present day, and what appeared to be a possible aboveground tank constructed.
- The properties within the surrounding Study Area appeared similar in configuration to the 1970 aerial photograph.

### 1992

- The Phase One Property appeared to be similar in configuration to the 1983 aerial photograph.
- The possible aboveground tank on the north adjacent property appeared to be removed since the 1983 aerial photograph, the remainder of the property appeared similar to the 1983 aerial photograph.
- The properties within the surrounding Study Area appeared similar in configuration to the 1983 aerial photograph.

### 2005

- No significant changes were observed to the Phase One Property, with the exception of the apparent demolition of the rectangular building formerly located on the northwest portion of the site, that extended to the north adjacent property.
- The properties within the surrounding Study Area appeared similar in configuration to the 1992 aerial photograph.

## SOURCE

## RECORDS REVIEW RESULTS

	<p><b>2017</b></p> <ul style="list-style-type: none"> <li>– The central and north portions of the property at 36 North Queen Street as well as the northwest portion of the Site at 30A Newbridge appeared to be used for car storage, similar to present day. The southwest portion of the Site appeared to be vacant.</li> <li>– The properties within the surrounding Study Area appeared similar in configuration to present day.</li> </ul>
ii. Topography, Hydrology, Geology-The Atlas of Canada (Toporama website), OGS Earth website by Ontario Ministry of Northern Development, Mines and Forestry	<p>The Phase One Property gently slopes to the southeast with an elevation of approximately 115 to 120 masl. The topography in the vicinity of the Phase One Property also slopes to the southeast. The inferred shallow groundwater flow direction of the Phase One Study Area is to the southeast towards Humber River, which is located approximately 2.7 km east of the Site. The groundwater flow direction on the Phase One Property can only be confirmed through long-term groundwater monitoring.</p> <p>The Site is situated within a sand plain physiographic region. The surficial geology in the vicinity of the Site is described as “sand, gravel, minor silt and clay and Foreshore and basinal deposits derived from coarse-textured glaciolacustrine deposits”. The underlying bedrock within the area generally consists of shale, limestone, dolostone, and siltstone of the Georgian Bay Formation; Blue Mountain Formation; Billings Formation; Collingwood Member; Eastview Member. Based on the Phase Two ESA completed concurrently with this investigation, bedrock was encountered during drilling at depths ranging between 3.2 and 7.9 mbgs.</p>
iii. Fill Materials	<p>Based on a report entitled “Draft Environmental Strategy for Planned Redevelopment Canadian Pacific Obico Rail Yard” that was reviewed by WSP, fill material consisting of sand and gravel was identified across the Site. In addition, WSP observed piles of fill material that were placed on Site by the City of Toronto (according to the facilities manager) to the east of the building located at 30 Newbridge during the site reconnaissance.</p>
iv. Water Bodies and Areas of Natural Significance	<p>Etobicoke Creek is located approximately 2.2 km west of the Phase One Property, oriented in a northwest to southeast direction and the Humber River is located approximately 2.7 km east of the Site, oriented in a northwest to southeast direction.</p> <p>No areas of natural significance were identified in the Phase One Study Area.</p>
v. Well Records	<p>The MECP records identified 27 well record for the Site and 75 records of wells within the Phase One Study Area. No potable/domestic wells were identified. The approximate well locations are depicted on Figure 1.</p>

## 4.3 SITE OPERATING RECORDS

To be classified as an enhanced investigation property, the Phase One Property must be used or have been used in whole or in part for any of the following uses:

- any industrial use;
- as a garage;
- as a bulk liquid dispensing facility, including a gasoline outlet; or,
- for the operation of dry cleaning equipment.

The Phase One Property has been used for industrial purposes as early as 1954, and is therefore considered an enhanced investigation property. The additional review of available site operating records is provided in the table below. It is noted

that WSP obtained information from the overall property manager; however, personnel directly involved with operations of the Site were not made available for interview.

**Table 4.4 Summary of Site Operating Records**

SOURCE	RECORDS REVIEW RESULT
i. Regulatory Permits and Records Related to APECs	According to the property manager and the ERIS report, there were no records of regulatory permits or records available related to the APECs.
ii. Safety Data Sheets	Material Safety Data Sheets (MSDS) were reviewed on site and contained information for various products including oils, lubricants, degreasers, sealants, and cleaners.
iii. Underground Utility Drawings	Utility locate clearances were obtained as part of the Phase Two ESA conducted concurrently with this investigation. A copy of the clearances is included in Appendix F. The gas main and Bell telecom lines run along the western edge of the property boundary and connect to the 30 Newbridge Road through the west exterior wall before running north to connect to 30A Newbridge Road. The water main also runs along the western property boundary, however, it is unknown where it connects to the buildings. In addition, an underground fire ring loop is located around the perimeter of 30 Newbridge Road. Additional underground electrical lines are located across the Site to connect the lights. Overhead hydro lines were also observed around the Site perimeter. Underground utilities on the Phase One Property and on adjacent properties may affect migration of off-site contaminants to the Phase One Property.
iv. Inventories of Chemicals, Chemical Usage and Chemical Storage Areas	<p>According to the property manager and the records requests, there were no inventories of chemicals or records of chemicals used at the Site.</p> <p>Chemicals at the Site were stored in various locations across the Site. According to the facilities manager, large quantities of chemicals were never stored on the property. Totes of spent oil, motor oil, and transmission fluid were observed outside the on-site garage located on the south-central portion of 36 North Queen Street. An AST containing diesel is also located on the south-central portion of 36 North Queen Street.</p>
v. Inventory of Above Ground Storage Tanks and Underground Storage Tanks	There was no evidence of USTs during the Site reconnaissance. One (1) 4,500 L steel double walled diesel AST was observed on the south-central portion of 36 North Queen Street. According to the property manager, there is no inventory of underground storage tanks available for the Site. According to the records reviewed, 30 Newbridge Road and 36 North Queen Street were both self-serve private fuel outlets with four (4) USTs and three (3) USTs, respectively. A review of the 1954 FIP indicates that a single UST was located on the central portion of 36 North Queen Street.
vi. Environmental Monitoring Data	According to the property manager and the ERIS report, there were no records of environmental monitoring data available.
vii. Waste Management Records	Based on a review of the ERIS report, the Site has been historically registered in the O.Reg. 347 database as a waste generator. For information regarding the on-site waste generation, refer to section 4.1.
viii. Process, Production and Maintenance Documents Related to APEC	According to the property manager and the records review, there were no process, production, or maintenance documents available.

**SOURCE****RECORDS REVIEW RESULT**

ix. Records of Spills and Discharges of Contaminants	Limited evidence of spills and staining were observed throughout the facility. Multiple spills were reported to have occurred on the Site, as discussed in Table 4.2 section VI.
x. Emergency Response and Contingency Plans	According to the facilities manager, there is no emergency response and contingency plans for the Site. Granular absorbent material was available across the Site to place on any material spills.
xi. Environmental Audit Report	There were no Environmental Audit Reports available for review for this assessment. The property manager was not aware of any Environmental Audit Reports for the Site.
xii. Site Plan of Facility Showing Areas of Production and Manufacturing	Production and manufacturing is not conducted at the Site. There were no Site Plans available for review for this assessment from the property manager.



# 5 INTERVIEWS

An interview has not been conducted for this assessment as designated site personnel/site operators were not made available for an interview.

# 6 SITE RECONNAISSANCE

## 6.1 WRITTEN DESCRIPTION OF THE INVESTIGATION

The written description of the investigation and reconnaissance are documented throughout Section 6.0 with identified areas of environmental concern further discussed in Section 7.0.

**Table 6.1 Site Reconnaissance Investigation Notes**

CRITERION	PHASE ONE PROPERTY INFORMATION
i. date and time of the investigation	August 15, 2018 from 10:00am to 1:00pm
ii. weather conditions	The temperature was approximately 30°C and weather conditions were overcast
iii. whether the facility was operating at the time of the investigation, where the phase one property is an enhanced investigation property that is currently being used for one of the uses described in clause 32 (1) (b) to which subsection 32 (2) does not apply	<p>The following facilities were operational at the time of this investigation:</p> <p>30 Newbridge Road – multi-tenant commercial</p> <ul style="list-style-type: none"> <li>– Interlink Freight Systems</li> <li>– Bestway Cartage Ltd.</li> <li>– VNV Logistics</li> <li>– Sokil Trucking Inc.</li> <li>– JMD Express</li> <li>– Premium Choice</li> <li>– Downtown Pallets</li> </ul> <p>30A Newbridge Road – Humberview Group</p> <p>36 North Queen Street – Canadian Pacific Obico Yard (Commercial Trucking and Container Terminal)</p> <p>An auto service garage was operating at 36 North Queen Street in the container lot.</p> <p>Select photographs taken during the Site reconnaissance are provided in Appendix G.</p>
iv. The name and qualifications of the person conducting the investigation	A site reconnaissance was conducted by Mrs. Shawna Lundrigan, B.Sc. and Mr. Randy Furtado, B.E.S. Mrs. Lundrigan’s qualifications are outlined in section 8.4.

## 6.2 SPECIFIC OBSERVATIONS AT THE PHASE ONE PROPERTY

The following table summarizes the specific site reconnaissance observations.

**Table 6.2 Site Reconnaissance Observations**

IDENTIFIABLE FEATURES	SPECIFIC OBSERVATIONS
-----------------------	-----------------------

General	
i. Subject Site Structures and Improvements including Below-Ground Structures	<p>Three (3) buildings are located on the Phase One Property, including two (2) buildings at 30 Newbridge Road and one (1) building at 36 North Queen Street:</p> <ul style="list-style-type: none"> <li>– 30A Newbridge Road - the northern most building, is a slab on-grade structure with a brick frame. Interior finishes include unfinished cement flooring, brick walls, and a metal clad roof;</li> <li>– 30 Newbridge Road - the west-central building, is a brick and metal clad warehouse. The central portion of the building is two-stories. The second floor is utilized as office space and the bottom level, which is partially below grade, is utilized for storage, lunch room space, and equipped with bathrooms. The northern and southern portions of the Site are utilized as warehouse space, the southern most portion of the Site is equipped with fifty (50) bay doors on the western elevation and fifty (50) bay doors on the eastern most portion. The northern portion of the warehouse is equipped with twenty-eight (28) bay doors. The office space is improved with acoustic ceiling tiles, carpet and laminate flooring, and painted gypsum board walls. The warehouse portions are metal framed with concrete flooring; and</li> <li>– 36 North Queen – a two-storey brick building occupies the southeastern portion of the property. The building is utilized as office space for Canadian Pacific. Interior finishes include drywall walls and ceilings, and carpeted and laminated floorings.</li> </ul> <p>– Fluorescent and incandescent lighting was observed in all three buildings.</p>
ii. Underground Storage Tanks	No evidence of USTs was observed on the Site during the site reconnaissance. Based on the records reviewed, 30 Newbridge Road and 36 North Queen Street were both self-serve private fuel outlets with four (4) USTs and three (3) USTs, respectively. A review of the 1954 FIP, a single UST was located on the central portion of 36 North Queen Street.
iii. Above Ground Storage Tanks	One (1) 4,500 L steel double walled diesel AST was observed on the south-central portion of 36 North Queen Street. An additional AST containing propane was observed on the north-central portion of 30 Newbridge Road.
iv. Potable and Non-potable Water Sources	Potable water is supplied by the municipality to the Phase One Property and properties within the Phase One Study Area. There were no potable water wells observed on the Site.
Underground Utilities and Corridors	
i. Underground Utilities and Corridors	Underground utilities have the potential to affect contaminant distribution and transport. The gas main and bell telecom lines run along the western edge of the property boundary and connects to the 30 Newbridge Road through the west exterior wall before running north to connect to 30A Newbridge Road. The water main also runs along the western property boundary, however, it is unknown where it connects to the buildings. In addition, an underground fire ring loop is located around the perimeter of 30 Newbridge Road. Additional underground electrical lines are located across the Site to connect the lights. Overhead hydro lines were also observed around the Site perimeter. Underground utilities on the Phase One Property and on adjacent properties may affect migration of off-site contaminants to the Phase One Property.
Features and Structures of On-site Buildings	

**IDENTIFIABLE  
FEATURES**

**SPECIFIC OBSERVATIONS**

i. Entry and Exit Points	The entry/exit points to the building on the Phase One Property are located on all four sides of site buildings located at 30 and 30A Newbridge Road. The entry/exit point to the site building located at 36 North Queen Street is on the north side.
ii. Heating & Cooling Systems	The Phase One Property is heated and cooled via forced air utilizing natural gas.
iii. Drains, Pits, Sumps	Drains were observed within all three (3) buildings on the Phase One Property. It is anticipated that these drains are connected to the water/waste water lines located along the western property boundary.
iv. Unidentified Substances	No evidence of unidentified substances that could have an effect on the environmental conditions at the Site was observed.
<b>Miscellaneous</b>	
i. Wells	Six (6) monitoring wells were observed across the Site. These monitoring wells were installed by various consultants during previous environmental work, as discussed in Section 4.1 above.
ii. Sewage Works	The Site is serviced by municipal storm and sanitary sewers. Storm water catch basins are located on Newbridge Road and Lockport Avenue, to the west of the Site and on North Queen Street, to the south of the Site.
iii. Ground Surface	The ground surface of the site was primarily covered by asphalt.
iv. Railway Lines and Spurs	Former rail lines and spurs are located on the northeastern and eastern portions of the Site. The Canadian Pacific Rail is also located to the north and east of the Site.
<b>Exterior Observations</b>	
i. Stained Soil, Vegetation or Pavement	There were limited areas of stained pavement observed across the Site, specifically on the southern portion of 30 Newbridge Road and the area around the on-site garage located at 36 North Queen Street.
ii. Stressed Vegetation	No evidence of stressed vegetation was observed on the Site.
iii. Areas where fill and debris materials appear to have been placed or graded	Fill piles were observed along the eastern exterior of the site building located at 30 Newbridge Road.
iv. Potentially contaminating activity	The following PCAs were observed on the Site during the reconnaissance: <ul style="list-style-type: none"> <li>– PCA Item No. 11 – 36 North Queen Street operates as a commercial trucking and container terminal;</li> <li>– PCA Item No. 27 – An auto garage was observed on the central portion of 36 North Queen Street;</li> <li>– PCA Item No. 28 – A 4,500-L diesel AST was observed on the south-central portion of 36 North Queen;</li> <li>– PCA Item No.30 – Fill piles were observed on the eastern exterior of 30 Newbridge Road; and</li> <li>– PCA Item No. 46 – Former rail spurs were observed along the eastern portion of 30 Newbridge Road.</li> <li>– PCA Item No. 48 – a salt dome was observed on the north-central portion of 30A Newbridge Road</li> </ul>

## IDENTIFIABLE

### FEATURES

### SPECIFIC OBSERVATIONS

v. Details of unidentified substances found at the property	None observed.
<b>Enhanced Investigation Property</b>	
i. Enhanced Investigation Property	As the Phase One Property is currently operating as a commercial trucking and container terminal with an on-site garage, it is considered an enhanced investigation property; however, as no Site Owner was available at the time of this investigation, WSP was not able to obtain copies of site operating records for review.
<b>Additional Potential Environmental Concerns</b>	
i. PCB Materials and Equipment	Fluorescent lighting was observed throughout the building on the Phase One Property. Installation and production of PCB-containing electrical equipment was banned in the 1980s. Due to the age of the structures on the Phase One Property, it is possible that this equipment may have PCB-containing ballasts. The possible presence of PCB-containing light ballasts is not considered a significant environmental concern for the property; however, as best practice methods any such ballasts removed from the site should be regarded as PCB waste and managed accordingly, unless the ballasts can be confirmed to be PCB free.
ii. Lead Containing Materials	Lead paint may have been used in interior and exterior building finishes. Precautions should be taken to limit exposure of potential lead dust during renovations that involve grinding or sanding of painted surfaces.
iii. Asbestos Containing Materials	Given the age of the site building, building materials such as vinyl floor tiles, linoleum, textured ceiling plaster, caulking, roofing materials and drywall joint compound may contain ACMs. The presence or absence of ACMs should be confirmed prior to undertaking demolition or major renovation work which may disturb such materials.
iv. Urea Formaldehyde Foam Insulation	UFFI was banned in Canada in 1980. No evidence of UFFI was observed during the site reconnaissance; however, spaces behind walls and above ceilings, where UFFI would most likely be found, were not inspected.
v. Ozone Depleting Substances	Air conditioning units exists in all three (3) buildings located on the Phase One Property, however, it is not known if these units contain ODSs. In the event of removal or maintenance, the units, should be recycled following O.Reg. 189/94, as amended, if found to contain ODSs.
vi. Herbicides and Pesticides	At the time of the site reconnaissance, there was no evidence of the use of herbicides and pesticides.
vii. Pits and Lagoons	No pits or lagoons were observed during the site reconnaissance.
viii. Air Emissions	There were no sources of air emissions requiring an ECA observed on-site.

## 6.3 OBSERVATIONS WITHIN PHASE ONE STUDY AREA

As part of the site reconnaissance, a visual inspection of adjacent properties and properties located within the Phase One Study Area was conducted from the perimeter of the Site and from publicly accessible areas to identify any PCAs. At the time of the site reconnaissance, land use within the Phase One Study Area was a mix of commercial and industrial uses, as listed in the table below:

**Table 6.3 Phase One Study Area Reconnaissance Observations**

IDENTIFIABLE FEATURES	SPECIFIC OBSERVATIONS
i. Adjacent Land Uses	<p>Adjacent land uses at the time of the site reconnaissance are illustrated on Figure 1.</p> <p><b><u>North:</u></b> Hydro One followed by the CP Rail</p> <p><b><u>South:</u></b> North Queen Street followed by mixed commercial and industrial</p> <p><b><u>East:</u></b> CP Rail followed by an industrial lot (Kinectrics)</p> <p><b><u>West:</u></b> Mixed commercial and residential, including Egg Solutions at 25 Newbridge and Hydro One at 30 Lockport Avenue</p>
ii. Water Bodies	No waterbodies were observed during the site reconnaissance.
iii. Areas of Natural Significance	No areas of natural significance were observed during the site reconnaissance.
iv. Potentially Contaminating Activity	<p>During the site reconnaissance, operational auto body shops were observed at 87 Shorncliffe Road (Simplicity Car Care/West End Autobody), 66 North Queen Street (Total), 64 North Queen Street (North Queen Auto Centre), 81 Shorncliffe Road (A2Z Car Care Centre), 55 Shorncliffe Road (Fix Auto). Additionally, six (6) auto garages were observed at 18 Lockport Avenue (High Revolution Auto-Performance), 11 Lockport Avenue (Niki Auto Motor), 65 Shorncliffe Road (Super Shell), 61 Shorncliffe Road (OK Tire), 79 Shorncliffe Road (Islington Village Automotive), and 78 Shorncliffe Road (White Eagle Automotive Ltd.) all located to the west of the Phase One Property. A gasoline service (Petro Canada Petro Pass) station was also observed at 58 North Queen Street, approximately 55 m west of the Site.</p>

# 7 REVIEW AND EVALUATION OF INFORMATION

---

## 7.1 CURRENT AND PAST USES

The table of current and past uses of the Phase One Property is provided as Table 1 (appended) as interpreted from records obtained during the Phase One ESA records review

---

## 7.2 POTENTIALLY CONTAMINATING ACTIVITY

PCAs on the Phase One Property or within the Phase One Study Area are summarized in the form as approved by the Director in Table 2 (appended).

All PCAs including the number and location (if known) of USTs are illustrated on the Phase One CSM provided as Figures 1 and 2, attached.

---

## 7.3 AREAS OF POTENTIAL ENVIRONMENTAL CONCERN

Based on a review of the PCAs summarized in Table 2, APECs were identified on the Site. The table of APECs presented in the form as approved by the Director is provided as Table 3 (appended). The table was prepared in accordance with clause 16(2) (a), Schedule D, O.Reg. 153/04.

---

## 7.4 PHASE ONE CONCEPTUAL SITE MODEL

Through analysis and interpretation of available information gathered during the Phase One ESA, a CSM was developed for the Phase One Property

Phase One CSM figures for the Site are presented as Figures 1 and 2. The figures present the following information for the Phase One Property and Phase One Study Area:

- Any existing buildings and structures
- Water bodies located in whole, or in part, on the Phase One Study Area
- Areas of natural significance located in whole, or in part, on the Phase One Study Area
- Water wells at the Phase One Property or within the Phase One Study Area
- Roads, including names, within the Phase One Study Area
- Uses of properties adjacent to the Phase One Property
- Areas where any PCAs have occurred, including location of any tanks
- APECs, as identified in Section 7.3
- Further, narrative descriptions and assessments the following aspects of the CSM are presented in the table below:

**Table 7.1 CSM Summary**

CRITERIA	DISCUSSION
<p>i. Any areas where potentially contaminating activities on, or potentially affecting, the Phase One Property have occurred</p>	<p>Table 2 provides a summary and assessment of the identified PCAs within the Phase One Study Area and at the Phase One Property, including which PCAs were determined to be contributing to an APEC at the Phase One Property.</p> <p>Potentially contaminating activities identified within the Phase One Study Area and on the Phase One Property are shown on Figures 1 and 2. PCAs determined to be contributing to an APEC on the Site are shown in red, and PCAs which are considered not to be contributing to an APEC are shown in black. The resulting APECs are illustrated on Figure 2.</p>
<p>ii. Any contaminants of potential concern</p>	<p>Table 3 provides a summary of the APECs on the Phase One Property, identifying the PCAs considered to be contributing to the on-site APECs and indicates their location at the Phase One Property, the associated contaminants of potential concern, and the medium that is potentially affected.</p> <p>Figure 2 of the Phase One CSM, shows the location of the identified APECs.</p>
<p>iii. The potential for underground utilities, if any present, to affect contaminant distribution and transport</p>	<p>Underground utilities have the potential to affect contaminant distribution and transport. The gas main and bell telecom lines run along the western edge of the property boundary and connects to the 30 Newbridge Road through the west exterior wall before running north to connect to 30A Newbridge Road. The water main also runs along the western property boundary, however, it is unknown where it connects to the buildings. In addition, an underground fire ring loop is located around the perimeter of 30 Newbridge Road. Additional underground electrical lines are located across the Site to connect the lights. Overhead hydro lines were also observed around the Site perimeter. Underground utilities on the Phase One Property and on adjacent properties may affect migration of off-site contaminants to the Phase One Property.</p>
<p>iv. Available regional or site specific geological and hydrogeological information</p>	<p>The Site is situated within a sand plain physiographic region. The surficial geology in the vicinity of the Site is described as “sand, gravel, minor silt and clay Foreshore and basal deposits derived from coarse-textured glaciolacustrine deposits”. The underlying bedrock within the area generally consists of shale, limestone, dolostone, and siltstone of the Georgian Bay Formation; Blue Mountain Formation; Billings Formation; Collingwood Member; Eastview Member. Based on the Phase Two ESA being completed concurrently with this investigation, bedrock was encountered during drilling at depths ranging between 3.2 and 7.9 mbgs.</p> <p>The Phase One Property gently slopes to the southeast with an elevation of approximately 115-120 masl. The topography in the vicinity of the Phase One Property slopes to the southeast. The inferred shallow groundwater flow direction of the Phase One Study Area is to the southeast towards Humber River, which is located approximately 2.7 km east of the Site. The groundwater flow direction on the Phase One Property can only be confirmed through long-term groundwater monitoring.</p>
<p>v. How any uncertainty or absence of information obtained in each of the components of the phase one environmental site assessment could affect the validity of the model</p>	<p>During the records review, WSP relied on information obtained from municipal, provincial, and independent sources as referenced in this report. Although the information was assessed for consistency, verification of the accuracy or the completeness of this third party information was not completed.</p> <p>WSP made all reasonable inquiries to obtain accessible information for this assessment as required by O.Reg. 153/04 Schedule D Table 1: Mandatory Requirements for Phase One ESA Reports. All responses to information requests were received prior to completion on this report, except for the MECP FOI requests. If MECP records indicate data which pose significant environmental concerns into Phase One Property</p>



## CRITERIA

## DISCUSSION



and change the findings of this assessment, an addendum will be provided to the Client. The evaluation provided in this report reflects our best judgement in light of the information available at the time of the report preparation.

# 8 CONCLUSIONS

A Phase One ESA was conducted for the property located at 30 Newbridge Road, Toronto, Ontario. It is understood that this Phase One ESA was requested for due diligence purposes.

The scope of this Phase One ESA conforms to the requirements outlined in O.Reg. 153/04. The objectives of the Phase One ESA were to identify the likelihood of the presence or absence of PCAs on the Phase One Property or within the Phase One Study Area, and to identify the APECs and PCOCs from these PCAs. The results of the Phase One ESA are documented in this report and reflect site conditions observed at the time of the site reconnaissance.

Based on the information obtained as part of the Phase One ESA, it is concluded that PCAs on the Site and/or within the Phase One Study Area resulted in the identification APECs on the Phase One Property. Based on the APECs identified during this investigation, associated PCOCs include metals and ORPs, PHCs, VOCs, and PAHs. The table of APECs presented in the form as approved by the Director is provided in Table 3, attached.

It should be noted that general environmental management and housekeeping practices were reviewed as part of this assessment with respect to their impact on the environmental condition of the property; however, a detailed review of regulatory compliance issues was beyond the scope of our investigation. This Phase One ESA does not constitute an audit of environmental management practices, indicate geotechnical conditions, or identify geologic hazards.

---

## 8.1 WHETHER PHASE TWO ENVIRONMENTAL SITE ASSESSMENT REQUIRED BEFORE RECORD OF SITE CONDITION SUBMITTED

Based on the findings of the Phase One ESA, current and historical PCA which could adversely affect environmental condition of the Site were identified; therefore, a Phase Two ESA would be required to characterize soil and groundwater quality prior to filing a RSC.

---

## 8.2 RECORD OF SITE CONDITION BASED ON PHASE ONE ENVIRONMENTAL SITE ASSESSMENT ALONE

Based on the findings of the Phase One ESA alone, a RSC cannot be filed.

---

## 8.3 QUALIFIER

This assignment is limited to a data assessment, site inspection, and preliminary analysis of potential areas of contamination. During this assessment, WSP has relied on information obtained from sources as referenced in this report. Verification of the accuracy or completeness of this third-party information was not completed.

Site characterization was limited to the direct observation of visible and accessible locations. Subsurface investigations, sampling, and laboratory analyses were not completed as part of this assessment.

This Phase One ESA is prepared for Toronto Transit Committee solely for their exclusive use in the evaluation of the property at 30 Newbridge Road, Toronto, Ontario. It is understood that site conditions, environmental or otherwise, are not static and that this report documents site conditions at the time of the assessment.

The conclusions provided in this report reflect our best judgment in light of the information available at the time of report preparation. Any use, which a third party makes of this report, or any reliance on or any decisions to be made based on it, is the responsibility of such third parties. WSP accepts no responsibility for damages, if any, suffered by any third party

because of decisions made or actions based on this report. If site conditions are observed to be different from those reported, please contact us.

---

## 8.4 QUALIFICATIONS OF THE ASSESSORS


This report was prepared by Mrs. Shawna Lundrigan, B.Sc., who is currently an Environmental Scientist in the Toronto, Ontario office of WSP Canada Inc. She has experience in conducting Phase One and Two ESAs on numerous residential, commercial, and industrial properties.

This report was reviewed by Mr. Rodney Obdeyn, P.Eng., QP<sub>ESA</sub>, a Senior Environmental Engineer in the Toronto, Ontario office of WSP Canada Inc. Rodney has obtained a Bachelor's Degree in Engineering, and is a recognized Professional Engineer in Ontario since 1990 and is a Qualified Person under Ontario Regulation 153/04. Rodney has conducted and managed hundreds of environmental investigations including Phase One ESAs, Phase Two ESAs, and various site remediation projects across Ontario.

## 9 REFERENCES

- Environmental Risk Information Services (ERIS) 2018. ERIS Database Report, 30 Newbridge Road, Toronto, On. Requested by WSP Canada Inc. on August 17, 2018.
- City of Toronto (Toronto). 1959. Toronto Fire Insurance Plans – 1959. <http://www1.toronto.ca/wps/portal/contentonly?vgnextoid=9f53226b48c21410VgnVCM10000071d60f89RCRD>. Accessed August 23, 2018.
- Google Earth (Google). 2016. Image © 2016 DigitalGlobe Image NASA. Accessed November 3, 2018.
- Government of Ontario (Ontario). 2016. Brownfields Environmental Registry. <https://www.ontario.ca/page/brownfields-redevelopment>. Accessed November 3, 2018.
- McGill University (McGill). 2001. The Canadian County Atlas Digital Project. <http://digital.library.mcgill.ca/countyatlas/searchmapframes.php>. Accessed November 3, 2018.
- Ontario Ministry of the Environment and Climate Change (MECP). 1988. Ontario Ministry of the Environment Waste Disposal Site Inventory. May 1988
- Ontario Ministry of the Environment and Climate Change (MECP). 1999. Ontario Inventory of PCB Storage Sites. 1999.
- Ontario Ministry of the Environment and Climate Change (MECP). 2003. Ontario Inventory of PCB Storage Sites. 2003.
- Ontario Ministry of the Environment and Climate Change (MECP). 2010. Access Environment – Certificates of Approval. <http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/GoSearch.action?search=basic>. Accessed November 3, 2016.
- Ontario Ministry of the Environment and Climate Change (MECP). 2011. Ontario Regulation 153/04, as amended, made under the Environmental Protection Act. July 1, 2011.
- Ontario Ministry of the Environment and Climate Change (MECP). 2016a. Environmental Monitoring and Reporting Branch Well Records. <https://www.ontario.ca/environment-and-energy/map-well-records>. Accessed November 3, 2016.
- Ontario Ministry of the Environment and Climate Change (MECP). 2016b. Hazardous Waste Information Network. <https://www.hwin.ca/hwin/index.jsp>. Accessed November 2, 2018.
- Ontario Ministry of the Environment and Climate Change (MECP). 2016c. National Pollutant Release Inventory. <https://www.ec.gc.ca/inrp-npri/>. Accessed November 2, 2018.
- Ontario Ministry of Natural Resources and Forestry (MNRF). 2008. Ontario Base Map Index. <https://www.ontario.ca/data/ontario-base-map-index>. Accessed November 2, 2018.
- Ontario Ministry of Natural Resources and Forestry (MNRF). 2015. Natural Heritage Areas. [http://www.gisoeapp.lrc.gov.on.ca/Mamnh/Index.html?site=MNR\\_NHLUPS\\_NaturalHeritage&viewer=NaturalHeritage&locale=en-US](http://www.gisoeapp.lrc.gov.on.ca/Mamnh/Index.html?site=MNR_NHLUPS_NaturalHeritage&viewer=NaturalHeritage&locale=en-US). Accessed November 2, 2018.
- Ontario Ministry of Northern Development and Mines (MNDM). 2016. Ontario Geological Society Maps. 2016
- Technical Standards and Safety Authority (TSSA). 2016. Public Information Services Underground Storage Tank Request, email. November 2, 2018.

# TABLES



**Table 1 - Current and Past Uses of the Phase One Property**

(Refer to Clause 16 (2)(b), Schedule D, O. Reg. 153/04)

30 Newbridge Road, Toronto, Ontario  
36 North Queen Street, Toronto, Ontario

**PIN:** 07459-0055 (LT)

**PIN:** 07459-0113 (LT)

YEAR	NAME OF OWNER	DESCRIPTION OF PROPERTY USE	PROPERTY USE	OTHER OBSERVATIONS FROM AERIAL PHOTOGRAPHS, FIRE INSURANCE PLANS, ETC.
1878 – 1950	Various Private Individuals	Agriculture or other use	Agriculture or other use	Based on a review of the 1878 York County Atlas, the Phase One Property appeared to be a part of a larger parcel of land, owned by Donald McFarlane, and was potentially utilized for agricultural purposes. Based on a review of the 1947 aerial photographs, the Phase One Property appeared to be a vacant, grass-covered parcel of land.
~1950 – 1965	Hydro Electric Power Commission of Ontario	Industrial	Industrial use	Based on review of the 1954 FIP, the Phase One Property was historically owned and operated by Hydro Electric Power Commission of Ontario as their west yard. A hydraulics model laboratory was located on the northwestern portion of the Site and the western portion of the Site was utilized for pole storage. Based on a review of the 1950 and 1959 aerial photographs, six (6) long rectangular structures were visible on the southern portion of the Site, with two (2) larger rectangular buildings further north. Rail spurs were constructed near the perimeter of the Site. Various shipping containers were observed on-site.
~1965 – Present	Canadian Pacific	Mixed commercial and Industrial	Industrial use	Based on a review of a previous report provided by the Client, the Phase One Property was purchased by Canadian Pacific in the mid to late 1960s. A review of the 1970 and 1983 aerial photographs indicated that the Site had begun redevelopment in 1970, in which the two (2) buildings located on 30 Newbridge Road were constructed. Rail spurs were observed throughout the Site and were shown to enter the building located on the central portion of 30 Newbridge Road. The majority of the property at 36 North Queen Street appeared to be disturbed earth with trucks and containers sparsely located throughout with additional rail spurs extending through the center of the property.

**Table 2 –Summary of Potentially Contaminating Activities On-Site and Within the Phase One Study Area**

(Refer to Table 2, Schedule D, O. Reg. 153/04)

PCAs	DESCRIPTION
<p>PCA No. 2 Adhesive and Resins Manufacturing, Processing and Bulk Storage</p>	<p><b>Phase One Property</b> – Based on a review of the city directories, 11 Newbridge Road was listed as an adhesive manufacturing operation in 1985/1986 (<b>APEC 1</b>). Based on the records review and site reconnaissance, an adhesives manufacturing operation (Helmitin Inc.) is located at 99 Shorncliffe Road, approximately 100 m west of the Site (<b>APEC 1</b>).</p>
<p>PCA No. 5 Asphalt and Bitumen Manufacturing</p>	<p><b>Phase One Study Area</b> – Based on the records review, an asphalt manufacturer (Ultraseal Water Proof/SealTech) historically operated at 15 North Queen Street, located approximately 80 m southeast of the Site and was listed in the chemical register. Based on the location relative to inferred groundwater flow direction, and distance of the PCA from the Site, this operation was not considered to be contributing to an APEC on-site.</p>
<p>PCA No. 8 Chemical Manufacturing, Processing, and Bulk Storage</p>	<p><b>Phase One Study Area</b> – Based on the records review, Hanson Inc., located at 45 Vansco Road, approximately 155 m south of the Site, was listed in the chemical register. The records review also identified Ultraseal Water Proof/Seal Tech, located at 15 North Queen Street, approximately 80 m southeast of the Site, as a chemical manufacturing facility. Based on a review of the city directories, 113 Shorncliffe Road, approximately 140 m west of the Site, was listed as Resco Chemicals in 1965 and 85 Shorncliffe Road, approximately 120 m west of the Site, was listed as Falcon Chemicals in 1965. Based on the location relative to inferred groundwater flow direction, and/or distance of the PCAs from the Site, these operations were not considered to be contributing to an APEC on-site.</p>
<p>PCA No. 10 Commercial Autobody Shops</p>	<p><b>Phase One Study Area</b> – Based on a review of the city directories, an auto body shop was historically located at 18 Lockport Avenue, approximately 60 m west of the Site, from at least 1978 until 2000 (<b>APEC 1</b>). Based on the records review, an auto body shop was also historically located at 50 North Queen Street, approximately 35 m west of the Site (<b>APEC 2</b>). During the site reconnaissance, autobody shops were observed at 81 Shorncliffe Road (A2Z Car Care) and 87 Shorncliffe Road (Simplicity Car Care/West End Autobody), approximately 120 m west of the Site, 55 Shorncliffe Road (Fix Auto) approximately 150 m west of the Site, 66 North Queen Street (Total), approximately 175 m west of the Site, 64 North Queen Street (North Queen Auto Centre), approximately 155 m west of the Site, Additional auto body shops were identified in the records review as being historically located at 65 Shorncliffe Road and 131 Shorncliffe Road, approximately 150 m west and 140 m west of the Site, respectively. The 1954 FIP also identified an auto refinishing and spraying facility along the eastern portion of 800 Kipling Avenue, located approximately 35 m east of the Site. Based on the location relative to inferred groundwater flow direction, and distance of the PCAs from the Site, these operations were not considered to be contributing to an APEC on-site.</p>
<p>PCA No. 11 Commercial Trucking and Container Terminals</p>	<p><b>Phase One Property</b> – During the site reconnaissance, 36 North Queen Street was occupied by CP Rail Obico Yard, a commercial trucking and container terminal and 30 Newbridge Road was listed in the city directories as Canadian Pacific Express, a commercial trucking company, from at least 1978 until 1991 (<b>APEC 3</b>). Based on a review of the city directories, 24 and 30 Lockport Avenue, located immediately west and north of the Site, was listed as CP Express and Transportation, a commercial trucking company from at least 1991 until 2001 (<b>APEC 1</b>).</p>

**PCAs**

**DESCRIPTION**

	<p>Additionally, 80 Shorncliffe Road, located approximately 220 m west of the Site, and 109 Shorncliffe Road, located approximately 120 m west of the Site, were listed in the city directories as having historically operated as trucking companies in 1965 and 1985/1986, respectively; however, given the distance of these PCAs from the Site, these operations were not considered to be contributing to an APEC on-site.</p>
<p>PCA No. 12 Concrete, Cement and Lime Manufacturing</p>	<p><b>Phase One Study Area</b> – Based on the records review, a concrete manufacturer historically operated at 51 Shorncliffe Road, located approximately 25 m from the Site (<b>APEC 1</b>). Two Star Design, a concrete manufacturing operation, was historically located at 46 North Queen Street, immediately west of the Site (<b>APEC 2</b>).</p>
<p>PCA No. 18 Electricity Generation, Transformation, and Power Stations</p>	<p><b>Phase One Study Area</b> – Based on a review of the 1954 FIP, the site was historically owned and occupied by Hydro Electric Power Commission of Ontario, which contained a pole storage area on the western portion of the Site (<b>APEC 4</b>).</p> <p>Based on the records review and the site reconnaissance, Hydro One Networks Inc., an electric power distribution company, is located at 30 Lockport Avenue, immediately north and west of the Site (<b>APEC 1</b>).</p> <p>Based on a review on the 1954 FIP, the east neighboring property (800 Kipling Avenue) was owned and occupied by Hydro Electric Power Commission of Ontario, including a switch area and regulator transfer track along the northern portion of the Site. Based on the location relative to inferred groundwater flow direction, and barrier of the CP Rail between the Site and this off-site property, this operation was not considered to be contributing to an APEC on-site.</p>
<p>PCA No. 19 Electronic and Computer Equipment Manufacturing</p>	<p><b>Phase One Study Area</b> – Based on the records review, a computer component manufacturer historically operated at 115 Shorncliffe Road, located approximately 120 m west of the Site and a medical devices/controlling devices manufacturer historically operated at 25 Shorncliffe Road, approximately 180 m northwest of the Site.</p> <p>Based on the location relative to inferred groundwater flow direction, and/or distance of these PCAs from the Site, these operations were not considered to be contributing to an APEC on-site.</p>
<p>PCA No. 27 Garages and Maintenance and Repair of Railcars, Marine Vehicles, and Aviation Vehicles</p>	<p><b>Phase One Property</b> – During the site reconnaissance, an auto garage was located along the south-central portion of 36 North Queen Street (<b>APEC 5</b>).</p> <p><b>Phase One Study Area</b> – Based on a review of the city directories, auto garages were historically located at 12 Lockport Avenue (from at least 1985 until 2000), 14 Lockport Avenue (from at least 1985 until 2001), and 25 Lockport Avenue (from at least 1972 until 1986), located approximately 115 m west, 95 m west, and west adjacent to the Phase One Property (<b>APEC 1</b>).</p> <p>During the site reconnaissance, auto garages were observed at 18 Lockport Avenue (High Revolution Auto-Performance), 11 Lockport Avenue (Niki Auto Motor), located 60 m and 85 m west of the Site, respectively (<b>APEC 1</b>).</p> <p>Based on records review, a historical auto garage was located at 39 Shorncliffe Road, located approximately 25 m west of the Site (<b>APEC 1</b>) and at 60 North Queen Street, located approximately 90 m west of the Site (<b>APEC 2</b>).</p> <p>Additional auto garages were identified during the records review, within the city directories, and/or observed during the site reconnaissance at 61 Shorncliffe Road, 65 Shorncliffe Road, 67 Shorncliffe Road, and 79 Shorncliffe Road (approximately 125 m west of the Site), 79 Shorncliffe Road, 81 Shorncliffe Road and 87 Shorncliffe Road (approximately 120 m west of the Site), 111 Shorncliffe Road, approximately 140 m west of the Site), 78 Shorncliffe Road, 80 Shorncliffe Road, and 86 Shorncliffe Road (approximately 220 m west of the Site), and 800 Kipling Avenue (approximately 35 m east of the site).</p> <p>Based on the location relative to inferred groundwater flow direction, and distance of the PCAs from the Site, these operations were not considered to be contributing to an APEC on-site.</p>



## PCAs

## DESCRIPTION

PCA No. 28  
Gasoline and Associated Products  
Storage in Fixed Tanks

**Phase One Property** – The following tanks were identified at the Phase One Property

- Based on a review of the 1954 FIP, a UST was located along the central portion of 36 North Queen Street (**APEC 6**);
- 30 Newbridge Road was listed as an expired self-serve private fuel outlet with associated tanks. TSSA had seven (7) instances of liquid fuel tanks registered at this property. The List of Expired TSSA Facilities included Interlink Freight Systems Inc., located at 30 Newbridge Road, as an expired self-serve private fuel outlet in 1997 with associated piping and four (4) liquid fuel tanks (**APEC 7**);
- One (1) 4,500 L steel double walled diesel AST was observed on the south-central portion of 36 North Queen Street (**APEC 8**); and
- 36 North Queen Street was listed as an active self-serve private fuel outlet with associated tanks. TSSA had three (3) instances of liquid fuel tanks registered at this property. The FST database listed CP Rail, located at 36 North Queen Street, as a self-serve private fuel outlet with one (1) 9,000-L single wall diesel UST (1977), one (1) 9,000L single wall gasoline UST (1977), and one (1) 4,450-L single wall gasoline UST (1971) (**APEC 9**).

**Phase One Study Area** – Based on the records review, the installation of the following tanks were registered to properties within the surrounding study area to the west of the Site in the anticipated upgradient direction of groundwater flow (**APEC 1**):

- The property located at 16 Newbridge Road, approximately 45 m west of the Site, was listed in the FST, FSTH, and PRT databases as a private fuel outlet with one (1) 13,638-L double wall diesel UST, installed in 1978 and one (1) 13,638-L single wall diesel UST, installed in 1984;
- The property located at 39 Shorncliffe Road, approximately 30 m west of the Site, was listed in the TSSA Expired Facilities database and the FSTH, PRT, and RST databases as a retail fuel outlet with three (3) 50,000-L single wall gasoline USTs, which were installed in 1987; and
- The property located at 39 Shorncliffe Road, approximately 30 m west of the Site, was listed in the TSSA Expired Facilities database and the FSTH, PRT, and RST databases as a retail fuel outlet with two (2) expired liquid fuel tanks and associated piping.

The installation of the following tanks were registered to the properties within the surrounding area to the west of the southern portion of the Site in the anticipated upgradient direction of groundwater flow (**APEC 2**):

- The property located at 48 North Queen Street, approximately 45 m west of the Site, was listed within the FST, FSTH and PRT databases as having historically operated as a private fuel outlet with (2) 22,730 single wall diesel USTs, which were installed in 1981; and
- The property located at 58 North Queen Street, approximately 55 m west of the Site, was listed within the TSSA Expired Facilities, the FST, FSTH, RST, and PRT databases as a retail fuel outlet with (3) 50,000-L double wall diesel UST, installed in 2004 and four (4) historical 50,000-L single wall diesel USTs, which were removed in 2002.

Ten (10) additional records corresponding to the installation of tanks on properties within the Study Area were identified; however, based on the location relative to inferred groundwater flow direction, and/or the distance of the PCAs from the Site, tanks associated with these records were not considered to be contributing to an APEC on-site, including the installation of:

Based on a review of the 1954 FIP, two (2) USTs (oil) were located on the northwestern portion of 800 Kipling Avenue and one (1) UST was located on the central-west portion of 800 Kipling Avenue, located approximately 35 m east of the Site.

**PCAs****DESCRIPTION**

<p>PCA No. 30 Importation of Fill Material of Unknown Quality</p>	<p><b>Phase One Property</b> – Based on a report entitled “Draft Environmental Strategy for Planned Redevelopment Canadian Pacific Obico Rail Yard” that was reviewed by WSP, fill material consisting of sand and gravel was identified across the Site. In addition, WSP observed piles of fill material that were placed on Site by the City of Toronto (according to the facilities manager) to the east of the building located at 30 Newbridge Road (<b>APEC 10</b>)</p>
<p>PCA No. 31 Ink Manufacturing, Processing and Bulk Storage</p>	<p><b>Phase One Study Area</b> – Based on the records review, a newspaper publisher was historically located at 51 Shorncliffe Road, located approximately 25 m west of the Site (<b>APEC 1</b>).</p> <p>A printing operation was also identified in the records review to have historically operated at 14 Vansco Road, located approximately 190 m south of the Site. Based on the location relative to inferred groundwater flow direction, and distance of the PCA from the Site, this operation was not considered to be contributing to an APEC on-site.</p>
<p>PCA No. 33 Metal Treatment, Coating, Plating, and Finishing</p>	<p><b>Phase One Study Area</b> – Based on the records review, a metal finishing facility historically operated at 15 North Queen Street (C&amp;W Metal Finishers Limited), located approximately 80 m southeast of the Site. Based on the location relative to inferred groundwater flow direction, and distance of the PCA from the Site, this operation was not considered to be contributing to an APEC on-site.</p>
<p>PCA No. 34 Metal Fabrication</p>	<p><b>Phase One Study Area</b> – Based on the records review, Inland Tracked Equipment, a construction machinery manufacturer and general-purpose machinery manufacturer, historically operated at 25 Lockport Avenue, immediately west of the Site (<b>APEC 1</b>).</p> <p>Based on the records review and/or city directories, historical machine shops were located at 30 Vansco Road, located approximately 120 m south of the Site, 85 Shorncliffe Road, located approximately 120 m west of the Site, 75 North Queen Street, located approximately 235 m west of the Site, 50 Shorncliffe Road, located approximately 240 m west of the Site. Sheet metal work facilities historically operated at 14 Vansco Road, located approximately 190 m south of the Site and 109 Shorncliffe Road, located approximately 120 m west of the Site.</p> <p>Based on the location relative to inferred groundwater flow direction, and distance of the PCAs from the Site, these operations were not considered to be contributing to an APEC on-site.</p>
<p>PCA No. 35 Mining, Smelting, and Refining; Ore Processing; Tailings Storage</p>	<p><b>Phase One Study Area</b> – Based on the records review, a historical metal refining facility historically operated at 45 Vansco Road, located approximately 140 m south of the Site. Based on the location relative to inferred groundwater flow direction, and distance of the PCA from the Site, this operation was not considered to be contributing to an APEC on-site.</p>
<p>PCA No. 37 Operation of Dry Cleaning Equipment (where chemicals are used)</p>	<p><b>Phase One Study Area</b> – Based on the records review, dry cleaning facilities historically operated at 15 Shorncliffe Road (K-Bro/Brighton Laundry Limited and Gentletouch Drycleaners), located approximately 180 m northwest of the Site. Based on the distance of the PCA from the Site, this operation was not considered to be contributing to an APEC on-site.</p>
<p>PCA No. 39 Paints Manufacturing, Processing and Bulk Storage</p>	<p><b>Phase One Study Area</b> – Based on a review of the 1954 FIP, a painting maintenance shop was historically located approximately 100 m north of the Site. Based on the distance of the PCA from the Site, this operation not considered to be contributing to an APEC on-site.</p>
<p>PCA No. 40 Pesticides (including Herbicides, Fungicides, and Anti-Fouling Agents) Manufacturing, Processing, Bulk Storage and Large-Scale Applications</p>	<p><b>Phase One Study Area</b> – Based on the records review, 46 North Queen Street, located immediately west of the Site was listed in the pesticide register database as an operator (Clintar Groundskeeping Services and J.F. Larsen Limited) (<b>APEC 2</b>).</p> <p>135 Shorncliffe Road was also listed in the pesticide register database as an operator (Crystal Lawn Care Inc.), however, this property is located approximately 160 m west of the Site and is not considered to be contributing to an APEC.</p>

**PCAs****DESCRIPTION**

PCA No. 45 Pulp, Paper and Paperboard Manufacturing and Processing	<b><u>Phase One Study Area</u></b> – Based on a review of the city directories, 20 Newbridge Road, approximately 25 m west of the Site, was listed as a paper product manufacturing operation (Beckett Paper Products) in 1972 ( <b>APEC 1</b> ).
PCA Item No. 46 Rail Yards, Tracks, and Spurs	<b><u>Phase One Property</u></b> – Based on a review of aerial photographs, as well as the site reconnaissance, historical rail tracks and spurs were located on the northeastern portion of the Phase One Property ( <b>APEC 11</b> ).  Based on a review of aerial photographs, as well as the site reconnaissance, the CP Rail is located to the east and 190 m north of the Site. Based on the location relative to inferred groundwater flow direction, and distance of these PCAs from the Site, these operations were not considered to be contributing to an APEC on-site.
PCA Item No. 47 Rubber Manufacturing and Processing	<b><u>Phase One Study Area</u></b> – Based on a review of the city directories, 11 Newbridge Road, approximately 100 m west of the Site, was listed as a rubber manufacturing operation from at least 1965 until 1978/79 ( <b>APEC 1</b> ).
PCA No. 48 Salt Manufacturing, Processing and Bulk Storage	<b><u>Phase One Property</u></b> – During the site reconnaissance, a salt hut was observed on the north-central portion of 30A Newbridge Road ( <b>APEC 12</b> ).
PCA No. 49 Salvage Yard, including automobile wrecking	<b><u>Phase One Study Area</u></b> – Based on the records review, Atlas Industrial Recycling Ltd., a scrap metals operation, was historically operated at 46 North Queen Street, immediately west of the Site ( <b>APEC 2</b> ).  Automotive Recyclers Management Services Ltd., an automobile wrecking and recycling operation was also identified at 70 North Queen Street, approximately 235 m west of the Site. Based on the location relative to inferred groundwater flow direction, and distance of the PCA from the Site, this operation was not considered to be contributing to an APEC on-site.
PCA No. 54 Textile Manufacturing and Processing	<b><u>Phase One Study Area</u></b> – Based on the records review, a furniture/upholstery manufacturer historically operated at 113 Shorncliffe Road, located approximately 120 m west of the Site. Based on the location relative to inferred groundwater flow direction, and distance of the PCA from the Site, this operation was not considered to be contributing to an APEC on-site.
PCA 55 Transformer Manufacturing, Processing and Use	<b><u>Phase One Property</u></b> – During the site reconnaissance, three (3) transformers were observed on site, one (1) was observed on the western property boundary at 30 Newbridge Road ( <b>APEC 13</b> ), a second was observed along the north-central property boundary of 36 North Queen Street ( <b>APEC 14</b> ), and the third transformer was observed to the south of the site building located at 36 North Queen Street ( <b>APEC 15</b> ).  Based on a review of the available 1954 FIP and aerial photographs, several transformers were located at 800 Kipling Avenue, located approximately 35 m east of the Site, across the CP Rail. Based on the location relative to inferred groundwater flow direction, and barrier of the CP Rail between the Site and this off-site property, this operation was not considered to be contributing to an APEC on-site.
PCA No. 57 Vehicles and Associated Parts Manufacturing	<b><u>Phase One Study Area</u></b> – Based on records review, an automobile parts manufacturer historically operated at 25 Lockport Avenue, located immediately west of the Site ( <b>APEC 1</b> ).
PCA No. 58 Waste Disposal and Waste Management, including thermal treatment. Landfilling and transfer of waste, other than use of biosoils as soil conditioners	<b><u>Phase One Property</u></b> - The ERIS report identified thirty-two (32) O. Reg. 347 Waste Generator/Receiver Summary Records for the Phase One Property, as summarized below: <ul style="list-style-type: none"> <li>• Canadian Pacific Railway Company located at 30 Newbridge Road was registered under generator number ON2674452 in 2006 for the generation, use, and/or storage of alkaline wastes – other metals, paints, pigments, and coating residues, light fuels, and waste oils and lubricants;</li> <li>• Interlink Freight Systems/3028241 Canada Limited located at 30 Newbridge Road was registered under generator number ON1890800 in 1994 until 1999 for the generation, use, and/or storage of inorganic laboratory chemicals,</li> </ul>

**PCAs****DESCRIPTION**

petroleum distillates, oil skimmings & sludges, waste oils & lubricants, and organic laboratory chemicals;

- Canadian Pacific Railway, a mainline freight rail transportation company located at 30 Newbridge Road, was registered under generator number ON8476083 in 2004 until 2016 for the generation, use, and/or storage of waste oils & lubricants, emulsified oils, waste compressed gases, acid wastes – heavy metals, organic laboratory chemicals, alkaline wastes – heavy metals, oil skimmings & sludges, inorganic laboratory chemicals, and paint/pigment/coating residues;
- Canadian Pacific Railways, Canadian Pacific Express & Transport located at 30 Newbridge Road was registered under generator number ON0048103 in 1986 until 1990 for the generation, use, and/or storage of waste oils and lubricants and oil skimmings & sludges and in 1992 until 2001 for the generation, use and/or storage of inorganic laboratory chemicals, petroleum distillates, light fuels, oil skimmings & sludges, waste oils & lubricants, and organic laboratory chemicals;
- VNV Logistics Express Ltd. located at 30 Newbridge Road was registered under generator number ON6204776 in 2017 for the generation, use, and/or storage of waste oils & lubricants; and
- Canadian Pacific Railway Company, a mainline freight rail transportation company located at 36 North Queen Street, was registered under generator number ON0048108 in 1986 – 1990, 1994 – 2016 for the generation, use, and/or storage of light fuels, waste compressed gases, alkaline wastes – other metals, inorganic laboratory chemicals, petroleum distillates, alkaline wastes – heavy metals, acid waste – other metals, waste oils & lubricants, aliphatic solvents, organic acids, oil skimmings & sludges, and acid waste – heavy metals, paint/pigment/coating residues, organic acids, and/or other specified inorganics.

The waste generation at 30 Newbridge is considered to be contributing to **APEC 16** and the waste generation at 36 North Queen Street is considered to be contributing to **APEC 17**.

**Phase One Study Area:** The ERIS report identified O.Reg. 347 Waste Generator/Receiver Summary Records for twenty-eight (28) properties located within the Phase One Study Area, including:

- E. Valentine Holdings Ltd., a real estate property manager located at 46 North Queen Street, west adjacent to the Phase One property, was registered for the generation, use, and/or storage of light fuels in 2013 (**APEC 2**);
- J.F. Larsen Ltd. located at 46 North Queen Street, west adjacent to the Phase One property, was registered for the generation, use, and/or storage of waste oils and lubricants in 1992 through 2001 (**APEC 2**);
- North Star Landscaping Inc., a landscaping services operation located at 24 Newbridge Road, west adjacent to the Phase One property, was registered under generator number ON8595976 for the generation, use, and/or storage of oil skimmings and sludges in 2003 through 2017 (**APEC 1**);
- Mimico Construction Co. Ltd. located at 24 Newbridge Road, west adjacent to the Phase One property, was registered under generator number ON1654900 for the generation, use, and/or storage of alkaline wastes – heavy metals and waste oils & lubricants in 1992 through 1998 (**APEC 1**);
- Hydro One Networks Inc., an electric power distribution company located at 30 Lockport Avenue, west adjacent to the Phase One Property, was registered under generator number ON204401 for the generation, use, and/or storage of PCBs, phenolic wastes, acid waste – heavy metals, alkaline wastes – heavy metals, aliphatic solvents, light fuels, halogenated solvents, oil skimmings &

**PCAs****DESCRIPTION**

	<p>sludges, waste oils &amp; lubricants, organic laboratory chemicals, waste compressed gases, paint/pigment/coating residues, other specified inorganics, inorganic laboratory chemicals, alkaline wastes – other metals, petroleum distillates, and non-halogenated pesticides in 2002 through 2017 (APEC 1);</p> <ul style="list-style-type: none"><li>• Inland Tracked Equipment located at 25 Lockport Avenue, west adjacent to the Phase One Property, was registered under generator number ON0445701 for the generation, use, and/or storage of waste oils and lubricants in 1986 through 1990 and in 1992 through 2001 (APEC 1);</li><li>• Cargill Kitchen Solutions/ Global Egg Corporation, a frozen food manufacturing operation located at 25 Newbridge Road, west adjacent to the Phase One Property, was registered under generator number ON7927653 for the generation, use, and/or storage of waste oils &amp; lubricants, detergents/soaps, aliphatic solvents, and organic laboratory chemicals in 2006 through 2017 (APEC 1);</li><li>• Dor-Seal Limited, a metal door and window manufacturing operation located at 25 Newbridge Road, west adjacent to the Phase One Property, was registered under generator number ON0480900 for the generation, use, and/or storage of aliphatic solvents, polymeric resins, and halogenated solvents in 1986 through 1989 and in 1992 through 1998 (APEC 1);</li><li>• General Cartage &amp; Express Co. Ltd., a gen. freight truck company located at 48 North Queen Street, approximately 20 m west of the Phase One Property, was registered under generator number ON0679800 for the generation, use, and/or storage of petroleum distillates, light fuels, oil skimmings &amp; sludges, and/or waste oils &amp; lubricants in 1986 through 1990, in 1992 through 1998 and in 2009, and 2011 through 2017 (APEC 1);</li><li>• Canadian Dis, a truck/transport operation located at 48 North Queen Street, approximately 20 m west of the Phase One Property, was registered under generator number ON1596800 for the generation, use, and/or storage of aliphatic solvents, petroleum distillates, and waste oils &amp; lubricants in 1992 through 1998 (APEC 1);</li><li>• BTL Transport Leasing Ltd., an auto/truck rental company located at 18 Lockport Avenue, approximately 60 m west of the Phase One Property, was registered under generator number ON1093100 for the generation, use, and/or storage of waste oils &amp; lubricants in 1988 through 1990 (APEC 1);</li><li>• Suncor Energy, a petroleum product wholesaler and distributor located at 58 North Queen Street, was registered under generator number ON2727392 for the generation, use, and/or storage of light fuels in 2012 through 2017 (APEC 2);</li><li>• Siena Foods, a food manufacturer located at 16 Newbridge Road, approximately 45 m west of the Phase One Property, was registered under generator number ON8310600 for the generation, use, and/or storage of inorganic laboratory chemicals in 2009 (APEC 1);</li><li>• Global Egg Corporation, a chicken egg production operation located at 17 Newbridge Road, approximately 70 m west of the Phase One Property, was registered under generator number ON2654700 for the generation, use, and/or storage of waste oils and lubricants in 2001 and in 2003 through 2008 (APEC 1);</li><li>• Village Contractors, a masonry work company and general automotive repair garage located at 12 Newbridge Road, approximately 100 m west of the Phase One Property, was registered under generator number ON0633500 for the generation, use, and/or storage of petroleum distillates and waste oils &amp; lubricants in 1986 through 1990, in 1992 through 2011 (APEC 1);</li></ul>
--	---

**PCAs****DESCRIPTION**

- North Queen Truck & Equipment Repair, a waste management services company located at 60 North Queen Street, approximately 90 m west of the Phase One Property, was registered under generator number ON9762193 for the generation, use, and/or storage of waste oils & lubricants in 2015 through 2017 (**APEC 2**);
- 1076284 Ontario Inc., an automotive repair and maintenance garage located at 60 North Queen Street, approximately 90 m west of the Phase One Property, was registered under generator number ON0468202 for the generation, use, and/or storage of petroleum distillates, oil skimmings & sludges, and waste oils & lubricants in 2002 through 2009 and in 2013 through 2017 (**APEC 2**);
- Penetang-Midland located at 60 North Queen Street, approximately 90 m west of the Phase One Property, was registered under generator number ON0138908 for the generation, use, and/or storage of petroleum distillates, light fuels, oil skimmings & sludges, and waste oils & lubricants in 1992 through 1998 (**APEC 2**);
- Versatile Conrail Limited, a commercial trailer company located at 60 North Queen Street, approximately 80 m west of the Phase One Property, was registered under generator number ON0619400 for the generation, use, and/or storage of petroleum distillates in 1986 through 1990 (**APEC 2**);
- Universal Truck and Equipment Service, a tire store located at 60 North Queen Street, approximately 90 m west of the Phase One Property, was registered under generator number ON2047100 for the generation, use, and/or storage of petroleum distillates, light fuels, oil skimmings & sludges, and waste oils & lubricants in 1995 through 1998 (**APEC 2**);
- Hub Equipment located at 60 North Queen Street, approximately 90 m west of the Phase One Property, was registered under generator number ON0468202 for the generation, use, and/or storage of petroleum distillates, oil skimmings & sludges, and waste oils & lubricants in 1996 through 2001 (**APEC 2**);
- Vanguard Floors Limited, a concrete pouring and finishing company located at 15 Newbridge Road, was registered under generator number ON0670400 for the generation, use, and/or storage of petroleum distillates in 1986 through 1990 and in 1992 through 1998 (**APEC 1**);
- Helmitin Canada Inc./Helmitin Inc., an adhesives manufacturing operation located at 99 Shorncliffe Road, approximately 100 m west of the Phase One Property, was registered under generator number ON0409200 for the generation, use, and/or storage of aromatic solvents in 1986 and 1987, of aromatic solvents and latex wastes in 1988 through 1990, and of inorganic laboratory chemicals, aromatic solvents, other specified inorganics, organic laboratory chemicals, polymeric resins, graphic art wastes, waste oils & lubricants, aliphatic solvents, latex wastes, waste compressed gases, halogenated solvents, and/or other specified organics in 1992 through 2017 (**APEC 1**);
- Imperial Oil Limited, a gasoline service station located at 39 Shorncliffe Road, approximately 30 m west of the Phase One Property, was registered under generator number ON8369738 for the generation, use, and/or storage of light fuels and oil skimmings & sludges in 2009 (**APEC 1**);
- Imperial Oil Limited, a gasoline service station located at 39 Shorncliffe Road, approximately 30 m west of the Phase One Property, was registered under generator number ON1586224 for the generation, use, and/or storage of other specified inorganics, light fuels, oil skimmings & sludges, and waste oils & lubricants in 1999 and in 2002 through 2008 (**APEC 1**);
- West End Truck Center Limited, a commercial and industrial machinery and equipment company located at 39 Shorncliffe Road, approximately 30 m west

**PCAs**

**DESCRIPTION**

	<p>of the Phase One Property, was registered under generator number ON5055142 for the generation, use, and/or storage of waste oils &amp; lubricants in 2006 through 2008, and in 2010 and 2011 (<b>APEC 1</b>);</p> <ul style="list-style-type: none"> <li>• Best Waste Solutions Inc., a waste management services company located at 51 Shorncliffe Road, approximately 30 m west of the Site, was registered under generator number ON2161500 for the generation, use, and/or storage of waste oils &amp; lubricants in 2004 through 2009 (<b>APEC 1</b>);</li> <li>• Cathcart Truck Lines (Tor) Ltd., a gen. freight truck company located at 51 Shorncliffe Road, approximately 30 m west of the Site, was registered under generator number ON005200 for the generation, use, and/or storage of petroleum distillates and waste oils &amp; lubricants in 1986 through 2001 (<b>APEC 1</b>);</li> <li>• 1281906 Ontario Inc./Danyle Group Inc., a dry bulk materials trucking company located at 51 Shorncliffe Road, approximately 30 m west of the Phase One Property, was registered under generator number ON9683441 for the generation, use, and/or storage of waste oils &amp; lubricants in 2010 through 2017 (<b>APEC 1</b>);</li> <li>• First Choice Limo Service Ltd., a taxi service company located at 51 Shorncliffe Road, approximately 30 m west of the Phase One Property, was registered under generator number ON8897225 for the generation, use, and/or storage of waste oils &amp; lubricants in 2004 through 2006 (<b>APEC 1</b>);</li> <li>• Metro Ready Mix &amp; Building Products Ltd., a ready-mix concrete manufacturing operation located at 51 Shorncliffe Road, approximately 30 m west of the Site, was registered under generator number ON7458502 for the generation, use, and/or storage of waste oils &amp; lubricants in 2007 and 2008 (<b>APEC 1</b>);</li> <li>• College Disposal Services located at 51 Shorncliffe Road, approximately 30 m west of the Site, was registered under generator number ON2161500 for the generation, use, and/or storage of waste oils &amp; lubricants in 1996 through 2003 (<b>APEC 1</b>); and</li> <li>• Bruell Contracting Limited, a highway, street, and bridge construction company located at 37 Shorncliffe Road, approximately 30 m west of the Phase One Property, was registered under generator number ON1354500 for the generation, use, and/or storage of waste oils &amp; lubricants, petroleum distillates, and oil skimmings &amp; sludges in 1990, and in 1992 through 2017 (<b>APEC 1</b>).</li> </ul> <p>Due to distance from the Phase One Property, anticipated direction of groundwater flow, and the nature of waste products identified, the remaining properties within the Study Area registered in the 347 Waste Generators/Receivers Records were not anticipated to have impacted the environmental quality of the Site.</p> <p>Based on the records review, Danyle Group Inc., located at 51 Shorncliffe, approximately 30 m west of the Site, was registered as a waste disposal site (certificate number 5010-98JKZE) from at least 2014 until 2018 and Best Waste Solutions Inc./1595066 Ontario Limited, located at 51 Shorncliffe Road, approximately 30 m of the Site, was registered as a waste disposal site (certificate number A680236) in 2004, 2006, and 2007 (<b>APEC 1</b>).</p> <p>Eight (8) additional waste disposal sites were identified within the study area, however, due to distance from the Phase One Property and anticipated direction of groundwater flow, the remaining properties within the Study Area identified as waste disposal sites were not anticipated to have impacted the environmental quality of the Site.</p>
<p>PCA N/S (A) Spills</p>	<p><b>Phase One Property</b> – Based on the records review, fifty-four (54) spills occurred on the Phase One Property. Of the 54 spills, the following were considered to be contributing to an APEC (<b>APEC 18</b>):</p>

**PCAs****DESCRIPTION**

- In April 1996, as a result of a container leak, 100 L of diesel fuel was released onto the shipping yard and to a catch basin at 30 Newbridge Road;
- In January 1995, approximately 45 L of diesel fuel was released onto the gravel and storm sewer at 30 Newbridge Road;
- In June 1997, an unknown quantity of diesel fuel was released into Etobicoke Creek by Interlink Freight Systems at 30 Newbridge Road;
- In October 1995, as a result of a container leak, approximately 12-L of naphthalene was released to the ground at 30 Newbridge Road;
- In April 1995, as a result of a container leak, approximately 205-L of water based paint was released onto the ground and into the storm sewer at 30 Newbridge Road;
- In April 1996, as a result of a container leak, approximately 3-L of waste type 6 (UN 9306) was released onto the concrete at 30 Newbridge Road;
- In December 1994, as a result of a cooling system leak, approximately 25-L of non-PCB transformer oil was released onto the ground at 30 Newbridge Road;
- In August 1994, as a result of a container leak, approximately 20-L of sulphuric acid was release onto the ground at 30 Newbridge Road;
- In December 1993, as a result of a pipe/hose leak, approximately 30 L of diesel was released onto the ground at 30 Newbridge Road;
- In April 1992, as a result of a container leak, approximately 4 L of trichloroethane and solvoplast was released onto the yard at 30 Newbridge Road;
- In February 1995, as a result of a container leak, approximately 25 L of resin adhesive was released to the asphalt at 30 Newbridge Road;
- In January 1990, as a result of a container leak, approximately 23 L of hydrochloric acid was released to the ground at 30 Newbridge Road;
- In September 1994, as a result of a container leak, approximately 205 L of hydraulic oil was released onto the ground at 30 Newbridge Road;
- In March 1998, as a result of a container leak, approximately 150 L of xylene was released to the pavement at 30 Newbridge Road;
- In July 1993, as a result of a pipe/hose leak, approximately 340 L of lube oil was released to the rail tracks at 36 North queen Street;
- In March 1995, as a result of a transportation accident, approximately 100 L of diesel was released onto the ground at 36 North Queen Street;
- In June 2010, as a result of discharging, approximately 50 L of hydraulic oil was released onto the asphalt at 36 North Queen Street;
- In April 2011, as a result of discharging, approximately 125 L of hydraulic oil was released onto the ground at 36 North Queen Street;
- In July 2010, as a result of a process upset, approximately 50 L of hydraulic oil was released onto the ground at 36 North Queen Street;
- In July 1994, as a result of a pipe/hose leak, approximately 51 L of diesel was released onto the ground at 36 North Queen Street;
- In June 2007, as a result of a pipe/hose leak, approximately 600 L of hydraulic oil was released onto the ground at 36 North Queen Street;
- In May 2003, approximately 100 L of hydraulic oil was released onto the land at 36 North Queen Street;
- In October 2000, an unknown amount of fuel oil was released onto the ground at 36 North Queen Street during delivery;
- In March 2006, an unknown amount of diesel fuel was released onto the ground at 36 North Queen Street;



**PCAs**

**DESCRIPTION**

	<ul style="list-style-type: none"> <li>• In October 2000, as a result of a fire/explosion, approximately 230 L of diesel and 180 L of hydraulic oil burned/was released onto the ground at 36 North Queen Street;</li> <li>• In July 2011, as a result of discharging, approximately 50-100 L of hydraulic oil was released onto the ground at 36 North Queen Street;</li> <li>• In 1995, as a result of a pipe/hose leak, approximately 100-L of diesel was released onto the ground at 36 North Queen Street;</li> <li>• In May 1992, as a result of an AST leak, approximately 270 L of diesel was released to the ground at 36 North Queen Street;</li> <li>• In January 2006, as a result of discharging, approximately 400 L of hydraulic oil was released onto the asphalt at 36 North Queen Street;</li> <li>• In June 1998, as a result of a transportation accident, approximately 463 L of diesel and 45 gallons of glycol was released to the parking lot at 36 North Queen Street;</li> <li>• In August 1991, as a result of a pipe/hose leak, approximately 100 L of diesel fuel was released to the railway bed from an AST;</li> <li>• In April 2002, as a result of a pipe/hose leak, approximately 150 L of diesel was released to the rail yard at 36 North Queen Street;</li> <li>• In July 1997, as a result of a container leak, an unknown amount of diesel was released onto the ground at 36 North Queen Street;</li> <li>• In July 2011, approximately 10 L of hydraulic oil was released onto the ground at 36 North Queen Street;</li> <li>• In February 2006, approximately 50 – 100 L of stove oil (clear or dyed) was released to the ground;</li> <li>• In March 2011, approximately 50 L of hydraulic oil was released to the ground at 36 North Queen Street; and</li> <li>• In July 2009, as a result of an AST leak, approximately 50 – 100 L of diesel was released to the CP rail located at 36 North Queen Street.</li> </ul> <p><b>Phase One Study Area</b> – Several records pertaining to spills on properties within the Phase One Study Area were identified in the Ontario Spills database, including one (1) spill involving 2,000 L of ammonia to the property located at 25 Lockport Avenue, west adjacent to the Site (<b>APEC 1</b>), and a spill including diesel to the property located at 58 North Queen Street, approximately 55 m west of the Site (<b>APEC 2</b>).</p> <p>The remaining spills identified through the records review were not considered to be contributing to an APEC on-Site due to distance of the PCAs from the Phase One Property, the location relative to the anticipated direction of groundwater flow, and the nature of the products involved in the spill.</p>
<p>PCA N/S (B) PCB Storage Site</p>	<p><b>Phase One Study Area</b> Based on the records review, PCB Storage Sites were registered at 45 Vansco Road, approximately 155 m south of the Site, 15 North Queen Street, approximately 60 m southeast of the Site, and 800 Kipling Avenue, approximately 110 m east of the Site. Based on the location relative to inferred groundwater flow direction, and distance of the PCAs from the Site, these operations were not considered to be contributing to an APEC on-site.</p>
<p>PCA N/S (C) Hydraulic Model Laboratory</p>	<p><b>Phase One Property</b> – Based on a review of the available FIPs, a hydraulic model laboratory was historically located on the northwestern portion of the Site (<b>APEC 19</b>).</p>
<p>PCA N/S (D) Known Soil Contamination</p>	<p><b>Phase One Property</b> – Soil impacts with PHC F4 above the applicable MECP Table 3 SCS were identified in one (1) test pit advanced on the northwestern portion of the Phase One Property. In addition, PHC F2 impacted groundwater was identified in one (1) monitoring well located within the northwestern portion of the Site (<b>APEC 20</b>).</p>

**PCAs****DESCRIPTION**

	<p>PHC F1 through F3 impacted soils were identified to a maximum depth of 3.0 mbgs within the south -central portion of the Site (<b>APEC 21</b>) and the southeast portion of the Site (<b>APEC 22</b>). In addition, PHC F2 impacted groundwater was identified in one (1) previously installed monitoring well, within the south-central portion of the Site (<b>APEC 21</b>)</p> <p>Salt related impacts were also identified within soil (EC and SAR) and groundwater (sodium and chloride) across the Site during previous soil and groundwater investigations (<b>APEC 23</b>).</p>
--	--

*N/S - not specified in Table 2, Schedule D, of O.Reg. 153/04*

**Table 3 –Areas of Potential Environmental Concern**

(Refer to clause 16(2)(a), Schedule D, O. Reg. 153/04)

AREA OF POTENTIAL ENVIRONMENTAL CONCERN	LOCATION OF POTENTIAL ENVIRONMENTAL CONCERN ON PHASE ONE PROPERTY	POTENTIALLY CONTAMINATING ACTIVITY	LOCATION OF PCA (ON-SITE OR OFF-SITE)	POTENTIAL CONTAMINANTS OF CONCERN	MEDIA POTENTIALLY IMPACTED (GROUND WATER, SOIL AND/OR SEDIMENT)
APEC-1	Northern and Western portion of the Phase One Property	PCA No. 2 Adhesive and Resin Manufacturing, Processing and Bulk Storage	Off-site	VOCs, BTEX, Metals, Sb, Se, Cr (VI), Hg, B-HWS, low or high pH	Soil & Groundwater
		PCA No. 10 Commercial Autobody Shops		Metals, As, Cr (VI), Hg, Se, PHCs, VOCs	
		PCA No. 11 Commercial Trucking and Container Terminals		PHCs, BTEX, PAHs, metals	
		PCA No. 12 Concrete, Cement, and Lime Manufacturing		Ca, Na, low or high pH	
		PCA No. 18 Electricity Generation, Transformation, and Power Stations		PCBs, PHCs, Metals	
		PCA No. 27 Garages and Maintenance and Repair of Railcars, Marine Vehicles, and Aviation Vehicles		PHCs, VOCs, metals, As, Cr (VI), Hg, Sb, Se	
		PCA No. 28 Gasoline and Associated Products Storage in Fixed Tanks		PHCs, BTEX, Metals, PAHs	
		PCA No. 31 Ink Manufacturing, Processing and Bulk Storage		metals, PHC, BTEX, VOC, high or low pH	

APEC-1	Northern and Western portion of Phase One Property	PCA No. 34 Metal Fabrication	Off-site	VOCs, Metals, Sb, Se, CN-, Cr (VI), Hg, low or high pH	Soil & Groundwater
		PCA No. 45 Pulp, Paper and Paperboard Manufacturing and Processing		metals, PHC, BTEX, VOC, high or low pH	
		PCA No. 47 Rubber Manufacturing and Processing		metals, PHC, BTEX, VOC	
		PCA No. 57 Vehicles and Associated Parts Manufacturing		metals, PHC, BTEX, VOC	
		PCA No. 58 Waste Disposal and Waste Management, including thermal treatment. Landfilling and transfer of waste, other than use of biosoils as soil conditioners		PHCs, BTEX, VOCs, metals, As, Hg, Sb, Se, PCBs	
		PCA No. N/S (A) Spills		High or low pH	
APEC-2	Southwestern portion of the Phase One Property	PCA No. 10 Commercial Autobody Shops	Off-site	Metals, As, Cr (VI), Hg, Se, PHCs, VOCs	Soil & Groundwater
		PCA No. 12 Concrete, Cement and Lime Manufacturing		Ca, Na, low or high pH	
		PCA No. 27 Garages and Maintenance and Repair of Railcars, Marine Vehicles, and Aviation Vehicles		PHCs, VOCs, metals, As, Cr (VI), Hg, Sb, Se	
		PCA No. 28 Gasoline and Associated Products Storage in Fixed Tanks		PHCs, BTEX, Metals, PAHs	

APEC-2	Southwestern portion of the Phase One Property	PCA No. 40 Pesticides (including Herbicides, Fungicides, and Anti-Fouling Agents) Manufacturing, Processing, Bulk Storage and Large-Scale Applications	Off-site	OCs	Soil & Groundwater
		PCA No. 49 Salvage Yard, including automobile wrecking		metals, PHC, BTEX, VOC	
		PCA No. 58 Waste Disposal and Waste Management, including thermal treatment. Landfilling and transfer of waste, other than use of biosoils as soil conditioners		PHCs, BTEX, VOCs, metals, As, Hg, Sb, Se	
		PCA No. N/S (A) Spills		PHCs, BTEX, Metals, PAHs	
APEC-3	Entire Phase One Property	PCA No. 11 Commercial Trucking and Container Terminals	On-site	PHCs, BTEX, PAHs, metals	Soil & Groundwater
APEC-4	Western Portion of the Phase One Property	PCA No. 18 Electricity Generation, Transformation, and Power Stations	On-site	PCBs, PHCs, Metals	Soil & Groundwater
APEC-5	South-central portion of 36 North Queen Street (Phase One Property)	PCA No. 27 Garages and Maintenance and Repair of Railcars, Marine Vehicles, and Aviation Vehicles	On-site	PHCs, VOCs, metals, As, Cr (VI), Hg, Sb, Se	Soil & Groundwater
APEC-6	Central portion of 36 North Queen Street (Phase One Property)	PCA No. 28 Gasoline and Associated Products Storage in Fixed Tanks	On-site	PHCs, BTEX, Metals, PAHs	Soil & Groundwater
APEC-7	South-central portion of 36 North Queen Street (Phase One Property)	PCA No. 28 Gasoline and Associated Products Storage in Fixed Tanks	On-site	PHCs, BTEX, Metals, PAHs	Soil & Groundwater
APEC-8	Area surrounding AST located on the	PCA No. 28	On-site	PHCs, BTEX, Metals, PAHs	Soil & Groundwater

	South-central portion of 36 North Queen Street (Phase One Property)	Gasoline and Associated Products Storage in Fixed Tanks			
APEC-9	Central Portion of 30 Newbridge Road (Phase One Property)	PCA No. 28 Gasoline and Associated Products Storage in Fixed Tanks	On-site	PHCs, BTEX, Metals, PAHs	Soil & Groundwater
APEC-10	Entire Phase One Property	PCA No. 30 Importation of Fill Material of Unknown Quality	On-site	PAHs, SAR, B-HWS, CN-, metals, As, Cr (VI), Hg, Sb, Se, low or high pH, electrical conductivity	Soil
APEC-11	Eastern portion of the Phase One Property	PCA No. 46 Rail Yards, Tracks and Spurs	On-site	PHCs, BTEX, PAHs, metals, Cr (VI), Hg, Se	Soil & Groundwater
APEC-12	North-central portion of 30A Newbridge Road (Phase One Property)	PCA No. 48 Salt Manufacturing, Processing and Bulk Storage	On-site	Electrical conductivity, SAR, CL-, NA	Soil & Groundwater
APEC-13	West-central portion of the Phase One Property	PCA No. 55 Transformer Manufacturing, Processing and Use	On-site	PCBs	Soil & Groundwater
APEC-14	Central portion of 36 North Queen Street (Phase One Property)	PCA No. 55 Transformer Manufacturing, Processing and Use	On-site	PCBs	Soil & Groundwater
APEC-15	Southeastern portion of the Phase One Property	PCA No. 55 Transformer Manufacturing, Processing and Use	On-site	PCBs	Soil & Groundwater
APEC-16	Area surrounding the site building located at 30 Newbridge Road	PCA No. 58 Waste Disposal and Waste Management, including thermal treatment. Landfilling and transfer of waste, other than use of biosoils as soil conditioners	On-site	PHCs, BTEX, VOCs, metals, As, Hg, Sb, Se, PCBs	Soil & Groundwater
APEC-17	Area surrounding the site building located at 36 North Queen Street	PCA No. 58 Waste Disposal and Waste Management, including thermal treatment. Landfilling and transfer of waste, other than use of biosoils as soil conditioners	On-site	PHCs, BTEX, VOCs, metals, As, Hg, Sb, Se, PCBs	Soil & Groundwater

APEC-18	Entire Phase One Property	PCA No. N/S (A) Spills	On-site	PHCs, BTEX, VOCs, PAHs, PCBs, metals, As, B-HWS, Ca, CN, Sb, Se, Mg	Soil & Groundwater
APEC-19	Northwestern portion of the Phase One Property	PCA N/S (C) Hydraulic Model Laboratory	On-site	PHCs, PCBs, metals	Soil & Groundwater
APEC-20	Northwestern portion of the Phase One Property	PCA No. N/S (D) Known Soil Contamination	On-site	PHCs	Soil & Groundwater
APEC-21	South -central portion of the Phase One Property	PCA No. N/S (D) Known Soil Contamination	On-site	PHCs	Soil & Groundwater
APEC-22	Southeastern portion of the Phase One Property	PCA No. N/S (D) Known Soil Contamination	On-site	PHCs	Soil & Groundwater
APEC-23	Entire Phase One Property	PCA No. N/S (D) Known Soil Contamination	On-site	Electrical Conductivity, SAR, NA, Cl-	Soil & Groundwater

*Notes:*

*ABNs – Acid/Base Neutral Compounds*

*AS – Arsenic*

*B-HWS – Boron (Hot Water Soluble)*

*BTEX – Benzene, Toluene, Ethylbenzene, and Xylenes*

*Ca - Calcium*

*CN- Cyanide*

*Cl- - Chloride*

*Sb – Antimony*

*Se - Selenium*

*Mg - Magnesium*

*Na - Sodium*

*N/S - Not specified in Table 2, Schedule D, of O.Reg. 153/04*

*OCs – Organochlorine Pesticides*

*PAHs – Polycyclic Aromatic Hydrocarbons*

*PCBs – Polychlorinated Biphenyls*


*PHCs – Petroleum Hydrocarbons*

*SAR – Sodium Adsorption Ratio*



*VOCs – Volatile Organic Compounds*

*THMs - Trihalomethanes*

# FIGURES







- POTENTIALLY CONTAMINATING ACTIVITIES (PCAs)
- 2 PCA 2 Adhesives and Resins Manufacturing, Processing and Bulk Storage
  - 5 PCA 5 Asphalt and Bitumen Manufacturing
  - 8 PCA 8 Chemical Manufacturing, Processing and Bulk Storage
  - 10 PCA 10 Commercial Autobody Shops
  - 11 PCA 11 Commercial Trucking and Container Terminals
  - 12 PCA 12 Concrete, Cement and Lime Manufacturing
  - 18 PCA 18 Electricity Generation, Transformation and Power Stations
  - 19 PCA 19 Electronic and Computer Equipment Manufacturing
  - 27 PCA 27 Garages and Maintenance and Repair of Railcars, Marine Vehicles and Aviation Vehicles
  - 28 PCA 28 Gasoline and Associated Products Storage in Fixed Tanks
  - 30 PCA 30 Importation of Fill Material of Unknown Quality
  - 31 PCA 31 Ink Manufacturing, Processing and Bulk Storage
  - 33 PCA 33 Metal Treatment, Coating, Plating and Finishing
  - 34 PCA 34 Metal Fabrication
  - 35 PCA 35 Mining, Smelting and Refining; Ore Processing; Tailings Storage
  - 37 PCA 37 Operation of Dry Cleaning Equipment (where chemicals are used)
  - 39 PCA 39 Paints Manufacturing, Processing and Bulk Storage
  - 40 PCA 40 Pesticides (including Herbicides, Fungicides and Anti-Fouling Agents) Manufacturing, Processing, Bulk Storage and Large-Scale Applications
  - 46 PCA 46 Rail Yards, Tracks and Spurs
  - 47 PCA 47 Rubber Manufacturing and Processing
  - 49 PCA 49 Salvage Yard, including automobile wrecking
  - 55 PCA 55 Transformer Manufacturing, Processing and Use
  - 57 PCA 57 Vehicles and Associated Parts Manufacturing
  - 58 PCA 58 Waste Disposal and Waste Management, including thermal treatment, landfilling and transfer of waste, other than use of biosoils as soil conditioners
  - A PCA N/S A - Spill
  - B PCA N/S B - PCB Database
  - C PCA N/S C - Hydraulic Model Laboratory
  - D PCA N/S D - Known Soil & Groundwater Contamination

Source: Esri, DigitalGlobe, GeoEye, i-cubed, USDA, USGS, AEX, Getmapping, Aerogrid, IGN, IGP, and the GIS User Community

51 CONSTELLATION COURT  
TORONTO, ONTARIO, CANADA M9W 1K4  
TEL: 416-798-0065 | FAX: 416-798-05-18 | WWW.WSPGROUP.COM

**Legend**


- 250m Study Area
- Phase One Property
- Railway
- Topographic Contour
- Inferred Groundwater Flow Direction
- AST
- UST
- MECP Water Well
- # PCA Contributing to APEC
- # PCA Not Contributing to APEC roads

CLIENT: Toronto Transit Commission

CLIENT REF. #

PROJECT: PHASE ONE ENVIRONMENTAL SITE ASSESSMENT  
30 NEWBRIDGE ROAD, TORONTO, ONTARIO


PROJECT NO: 181-10974-00	DATE: February 2019	TITLE:  CONCEPTUAL SITE MODEL	
DESIGNED BY: SL	DRAWN BY: RA		DISCIPLINE: ENVIRONMENT
CHECKED BY: RO	FIGURE NO: 1	SCALE: As Shown	ISSUE:  RV#: 0
DATE OF: February 2019			



- POTENTIALLY CONTAMINATING ACTIVITIES (PCAs)
- ② PCA 2 Adhesives and Resins Manufacturing, Processing and Bulk Storage
  - ⑤ PCA 5 Asphalt and Bitumen Manufacturing
  - ⑧ PCA 8 Chemical Manufacturing, Processing and Bulk Storage
  - ⑩ PCA 10 Commercial Autobody Shops
  - ⑪ PCA 11 Commercial Trucking and Container Terminals
  - ⑫ PCA 12 Concrete, Cement and Lime Manufacturing
  - ⑱ PCA 18 Electricity Generation, Transformation and Power Stations
  - ⑲ PCA 19 Electronic and Computer Equipment Manufacturing
  - ⑳ PCA 27 Garages and Maintenance and Repair of Railcars, Marine Vehicles and Aviation Vehicles
  - ㉔ PCA 28 Gasoline and Associated Products Storage in Fixed Tanks
  - ⑳ PCA 30 Importation of Fill Material of Unknown Quality
  - ㉑ PCA 31 Ink Manufacturing, Processing and Bulk Storage
  - ㉓ PCA 33 Metal Treatment, Coating, Plating and Finishing
  - ㉔ PCA 34 Metal Fabrication
  - ㉕ PCA 35 Mining, Smelting and Refining; Ore Processing; Tailings Storage
  - ㉗ PCA 37 Operation of Dry Cleaning Equipment (where chemicals are used)
  - ㉙ PCA 39 Paints Manufacturing, Processing and Bulk Storage
  - ㉚ PCA 40 Pesticides (including Herbicides, Fungicides and Anti-Fouling Agents) Manufacturing, Processing, Bulk Storage and Large-Scale Applications
  - ㉜ PCA 46 Rail Yards, Tracks and Spurs
  - ㉝ PCA 47 Rubber Manufacturing and Processing
  - ㉟ PCA 49 Salvage Yard, including automobile wrecking
  - ㉛ PCA 55 Transformer Manufacturing, Processing and Use
  - ㉝ PCA 57 Vehicles and Associated Parts Manufacturing
  - ㉞ PCA 58 Waste Disposal and Waste Management, including thermal treatment, landfilling and transfer of waste, other than use of biosols as soil conditioners
  - Ⓐ PCA N/S A - Spill
  - Ⓑ PCA N/S B - PCB Database
  - Ⓒ PCA N/S C - Hydraulic Model Laboratory
  - Ⓓ PCA N/S D - Known Soil & Groundwater Contamination


Refer to Table 3 in Appendix of the Phase One ESA Report

Source: Esri, DigitalGlobe, GeoEye, i-cubed, USDA, USGS, AEX, Getmapping, Aerogrid, IGN, IGP, and the GIS User Community

 <p>51 CONSTELLATION COURT TORONTO, ONTARIO, CANADA M9W 1K4 TEL: 416-798-0065   FAX: 416-798-05-18   WWW.WSPGROUP.COM</p>	<b>Legend</b> <ul style="list-style-type: none"> <li style="width: 33%;">Phase One Property (APEC 3,10,18,23)</li> <li style="width: 33%;">APEC 1</li> <li style="width: 33%;">APEC 2</li> <li style="width: 33%;">APEC 4</li> <li style="width: 33%;">APEC 5</li> <li style="width: 33%;">APEC 6</li> <li style="width: 33%;">APEC 7,17</li> <li style="width: 33%;">APEC 8</li> <li style="width: 33%;">APEC 9,16</li> <li style="width: 33%;">APEC 11</li> <li style="width: 33%;">APEC 12</li> <li style="width: 33%;">APEC 13</li> <li style="width: 33%;">APEC 14</li> <li style="width: 33%;">APEC 15</li> <li style="width: 33%;">APEC 19</li> <li style="width: 33%;">APEC 20</li> <li style="width: 33%;">APEC 21</li> <li style="width: 33%;">APEC 22</li> <li style="width: 33%;">AST</li> <li style="width: 33%;">UST</li> <li style="width: 33%;">Railway</li> <li style="width: 33%;"># PCA Contributing to APEC</li> <li style="width: 33%;"># PCA Not Contributing to APEC</li> </ul>			CLIENT: Toronto Transit Commission	PROJECT NO: 181-10974-00	DATE: February 2019	TITLE: AREAS OF POTENTIAL ENVIRONMENTAL CONCERN
				CLIENT REF. #	DESIGNED BY: SL	DISCIPLINE: ENVIRONMENT	
				PROJECT: PHASE ONE ENVIRONMENTAL SITE ASSESSMENT 30 NEWBRIDGE ROAD, TORONTO, ONTARIO	DRAWN BY: RA		ISSUE: RV.#: 0
					CHECKED BY: RO	DATE OF: February 2019	
				FIGURE NO: 2	SCALE: As Shown		

# APPENDIX


## A LEGAL SURVEY



SURVEYOR'S REAL PROPERTY REPORT  
 PART 1, PLAN OF  
 PART OF LOT 7  
 CONCESSION 4  
 COLONEL SMITH'S TRACT  
 (GEOGRAPHY: TOWNSHIP OF ETOBICOKE)  
 CITY OF TORONTO  
 SCALE: 1:1000

David B. Scarles Surveying Ltd.  
 1000 SHEPPARD AVENUE EAST  
 SUITE 100  
 SCARBOROUGH, ONTARIO M1S 1T5  
 METRO

DISTANCES AND COORDINATE SIGNALS ON THIS PLAN ARE IN METERS AND CAN BE CONVERTED TO FEET BY DIVIDING BY 0.3048



LEGEND

- 1.0000 BOUNDARY CONTROL POINT
- 1.0001 BOUNDARY CONTROL POINT
- 1.0002 BOUNDARY CONTROL POINT
- 1.0003 BOUNDARY CONTROL POINT
- 1.0004 BOUNDARY CONTROL POINT
- 1.0005 BOUNDARY CONTROL POINT
- 1.0006 BOUNDARY CONTROL POINT
- 1.0007 BOUNDARY CONTROL POINT
- 1.0008 BOUNDARY CONTROL POINT
- 1.0009 BOUNDARY CONTROL POINT
- 1.0010 BOUNDARY CONTROL POINT
- 1.0011 BOUNDARY CONTROL POINT
- 1.0012 BOUNDARY CONTROL POINT
- 1.0013 BOUNDARY CONTROL POINT
- 1.0014 BOUNDARY CONTROL POINT
- 1.0015 BOUNDARY CONTROL POINT
- 1.0016 BOUNDARY CONTROL POINT
- 1.0017 BOUNDARY CONTROL POINT
- 1.0018 BOUNDARY CONTROL POINT
- 1.0019 BOUNDARY CONTROL POINT
- 1.0020 BOUNDARY CONTROL POINT
- 1.0021 BOUNDARY CONTROL POINT
- 1.0022 BOUNDARY CONTROL POINT
- 1.0023 BOUNDARY CONTROL POINT
- 1.0024 BOUNDARY CONTROL POINT
- 1.0025 BOUNDARY CONTROL POINT
- 1.0026 BOUNDARY CONTROL POINT
- 1.0027 BOUNDARY CONTROL POINT
- 1.0028 BOUNDARY CONTROL POINT
- 1.0029 BOUNDARY CONTROL POINT
- 1.0030 BOUNDARY CONTROL POINT
- 1.0031 BOUNDARY CONTROL POINT
- 1.0032 BOUNDARY CONTROL POINT
- 1.0033 BOUNDARY CONTROL POINT
- 1.0034 BOUNDARY CONTROL POINT
- 1.0035 BOUNDARY CONTROL POINT
- 1.0036 BOUNDARY CONTROL POINT
- 1.0037 BOUNDARY CONTROL POINT
- 1.0038 BOUNDARY CONTROL POINT
- 1.0039 BOUNDARY CONTROL POINT
- 1.0040 BOUNDARY CONTROL POINT
- 1.0041 BOUNDARY CONTROL POINT
- 1.0042 BOUNDARY CONTROL POINT
- 1.0043 BOUNDARY CONTROL POINT
- 1.0044 BOUNDARY CONTROL POINT
- 1.0045 BOUNDARY CONTROL POINT
- 1.0046 BOUNDARY CONTROL POINT
- 1.0047 BOUNDARY CONTROL POINT
- 1.0048 BOUNDARY CONTROL POINT
- 1.0049 BOUNDARY CONTROL POINT
- 1.0050 BOUNDARY CONTROL POINT
- 1.0051 BOUNDARY CONTROL POINT
- 1.0052 BOUNDARY CONTROL POINT
- 1.0053 BOUNDARY CONTROL POINT
- 1.0054 BOUNDARY CONTROL POINT
- 1.0055 BOUNDARY CONTROL POINT
- 1.0056 BOUNDARY CONTROL POINT
- 1.0057 BOUNDARY CONTROL POINT
- 1.0058 BOUNDARY CONTROL POINT
- 1.0059 BOUNDARY CONTROL POINT
- 1.0060 BOUNDARY CONTROL POINT
- 1.0061 BOUNDARY CONTROL POINT
- 1.0062 BOUNDARY CONTROL POINT
- 1.0063 BOUNDARY CONTROL POINT
- 1.0064 BOUNDARY CONTROL POINT
- 1.0065 BOUNDARY CONTROL POINT
- 1.0066 BOUNDARY CONTROL POINT
- 1.0067 BOUNDARY CONTROL POINT
- 1.0068 BOUNDARY CONTROL POINT
- 1.0069 BOUNDARY CONTROL POINT
- 1.0070 BOUNDARY CONTROL POINT
- 1.0071 BOUNDARY CONTROL POINT
- 1.0072 BOUNDARY CONTROL POINT
- 1.0073 BOUNDARY CONTROL POINT
- 1.0074 BOUNDARY CONTROL POINT
- 1.0075 BOUNDARY CONTROL POINT
- 1.0076 BOUNDARY CONTROL POINT
- 1.0077 BOUNDARY CONTROL POINT
- 1.0078 BOUNDARY CONTROL POINT
- 1.0079 BOUNDARY CONTROL POINT
- 1.0080 BOUNDARY CONTROL POINT
- 1.0081 BOUNDARY CONTROL POINT
- 1.0082 BOUNDARY CONTROL POINT
- 1.0083 BOUNDARY CONTROL POINT
- 1.0084 BOUNDARY CONTROL POINT
- 1.0085 BOUNDARY CONTROL POINT
- 1.0086 BOUNDARY CONTROL POINT
- 1.0087 BOUNDARY CONTROL POINT
- 1.0088 BOUNDARY CONTROL POINT
- 1.0089 BOUNDARY CONTROL POINT
- 1.0090 BOUNDARY CONTROL POINT
- 1.0091 BOUNDARY CONTROL POINT
- 1.0092 BOUNDARY CONTROL POINT
- 1.0093 BOUNDARY CONTROL POINT
- 1.0094 BOUNDARY CONTROL POINT
- 1.0095 BOUNDARY CONTROL POINT
- 1.0096 BOUNDARY CONTROL POINT
- 1.0097 BOUNDARY CONTROL POINT
- 1.0098 BOUNDARY CONTROL POINT
- 1.0099 BOUNDARY CONTROL POINT
- 1.0100 BOUNDARY CONTROL POINT

INTEGRATION DATA

PLAN NO.	DATE	DESCRIPTION
PLAN 648-1078	2015	PLAN OF PART OF LOT 7, CONCESSION 4, COLONEL SMITH'S TRACT
PLAN 648-1079	2015	PLAN OF PART OF LOT 7, CONCESSION 4, COLONEL SMITH'S TRACT
PLAN 648-1080	2015	PLAN OF PART OF LOT 7, CONCESSION 4, COLONEL SMITH'S TRACT
PLAN 648-1081	2015	PLAN OF PART OF LOT 7, CONCESSION 4, COLONEL SMITH'S TRACT
PLAN 648-1082	2015	PLAN OF PART OF LOT 7, CONCESSION 4, COLONEL SMITH'S TRACT
PLAN 648-1083	2015	PLAN OF PART OF LOT 7, CONCESSION 4, COLONEL SMITH'S TRACT
PLAN 648-1084	2015	PLAN OF PART OF LOT 7, CONCESSION 4, COLONEL SMITH'S TRACT
PLAN 648-1085	2015	PLAN OF PART OF LOT 7, CONCESSION 4, COLONEL SMITH'S TRACT
PLAN 648-1086	2015	PLAN OF PART OF LOT 7, CONCESSION 4, COLONEL SMITH'S TRACT
PLAN 648-1087	2015	PLAN OF PART OF LOT 7, CONCESSION 4, COLONEL SMITH'S TRACT
PLAN 648-1088	2015	PLAN OF PART OF LOT 7, CONCESSION 4, COLONEL SMITH'S TRACT
PLAN 648-1089	2015	PLAN OF PART OF LOT 7, CONCESSION 4, COLONEL SMITH'S TRACT
PLAN 648-1090	2015	PLAN OF PART OF LOT 7, CONCESSION 4, COLONEL SMITH'S TRACT
PLAN 648-1091	2015	PLAN OF PART OF LOT 7, CONCESSION 4, COLONEL SMITH'S TRACT
PLAN 648-1092	2015	PLAN OF PART OF LOT 7, CONCESSION 4, COLONEL SMITH'S TRACT
PLAN 648-1093	2015	PLAN OF PART OF LOT 7, CONCESSION 4, COLONEL SMITH'S TRACT
PLAN 648-1094	2015	PLAN OF PART OF LOT 7, CONCESSION 4, COLONEL SMITH'S TRACT
PLAN 648-1095	2015	PLAN OF PART OF LOT 7, CONCESSION 4, COLONEL SMITH'S TRACT
PLAN 648-1096	2015	PLAN OF PART OF LOT 7, CONCESSION 4, COLONEL SMITH'S TRACT
PLAN 648-1097	2015	PLAN OF PART OF LOT 7, CONCESSION 4, COLONEL SMITH'S TRACT
PLAN 648-1098	2015	PLAN OF PART OF LOT 7, CONCESSION 4, COLONEL SMITH'S TRACT
PLAN 648-1099	2015	PLAN OF PART OF LOT 7, CONCESSION 4, COLONEL SMITH'S TRACT
PLAN 648-1100	2015	PLAN OF PART OF LOT 7, CONCESSION 4, COLONEL SMITH'S TRACT

BEARING NOTE

BEARINGS ARE GIVEN IN DEGREES, MINUTES AND SECONDS. ANGLES ARE GIVEN IN DEGREES AND MINUTES. ALL BEARINGS ARE TRUE BEARINGS. ALL DISTANCES ARE IN METERS. ALL DISTANCES ARE TO BE TAKEN AS SHOWN ON THIS PLAN.

DISTANCE NOTE

DISTANCES ARE GIVEN IN METERS. ALL DISTANCES ARE TO BE TAKEN AS SHOWN ON THIS PLAN.

NOTE

OTHER PLANS ARE NOT SHOWN UNLESS REFERRED TO IN THIS PLAN.

SURVEYOR'S CERTIFICATE


I, the undersigned, being a duly qualified and licensed Surveyor, do hereby certify that this plan is a true and correct copy of the original plan as shown to me by the client.

9 October 2015  
 David B. Scarles  
 Surveyor

	PART 1, PLAN OF PART OF LOT 7, CONCESSION 4, COLONEL SMITH'S TRACT PLAN 648-1078 2015	PART 2, PLAN OF PART OF LOT 7, CONCESSION 4, COLONEL SMITH'S TRACT PLAN 648-1079 2015
	David B. Scarles Surveying Ltd. 1000 SHEPPARD AVENUE EAST SUITE 100 SCARBOROUGH, ONTARIO M1S 1T5 (416) 291-1111 www.dbsurveying.com	David B. Scarles Surveying Ltd. 1000 SHEPPARD AVENUE EAST SUITE 100 SCARBOROUGH, ONTARIO M1S 1T5 (416) 291-1111 www.dbsurveying.com

# APPENDIX

# B ERIS REPORT



**ERIS**  
ENVIRONMENTAL RISK INFORMATION SERVICES



# DATABASE REPORT

**Project Property:** 30 Newbridge Road  
30 Newbridge Road  
Etobicoke ON M8Z 2L7

**Project No:**

**Report Type:** RSC Report - Quote

**Order No:** 20180716058

**Requested by:** WSP Canada Inc.

**Date Completed:** August 17, 2018

**Environmental Risk  
Information Services**  
A division of Glacier Media Inc.  
P: 1.866.517.5204  
E: info@erisinfo.com

**[www.erisinfo.com](http://www.erisinfo.com)**

# Table of Contents

Table of Contents.....	2
Executive Summary.....	3
Executive Summary: Report Summary.....	4
Executive Summary: Site Report Summary - Project Property.....	6
Executive Summary: Site Report Summary - Surrounding Properties.....	25
Executive Summary: Summary By Data Source.....	119
Map.....	242
Aerial.....	243
Topographic Map.....	244
Detail Report.....	245
Unplottable Summary.....	1071
Unplottable Report.....	1076
Appendix: Database Descriptions.....	1110
Definitions.....	1119

## **Notice: IMPORTANT LIMITATIONS and YOUR LIABILITY**

**Reliance on information in Report:** This report DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as a database review of environmental records.

**License for use of information in Report:** No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

**Your Liability for misuse:** Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

**No warranty of Accuracy or Liability for ERIS:** The information contained in this report has been produced by ERIS Information Limited Partnership ("ERIS") using various sources of information, including information provided by Federal and Provincial government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

**Trademark and Copyright:** You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report(s) are protected by copyright owned by ERIS Information Limited Partnership. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS.

# Executive Summary

## **Property Information:**

**Project Property:** 30 Newbridge Road  
30 Newbridge Road Etobicoke ON M8Z 2L7

**Project No:**

## **Order Information:**

**Order No:** 20180716058  
**Date Requested:** July 16, 2018  
**Requested by:** WSP Canada Inc.  
**Report Type:** RSC Report - Quote

## **Historical/Products:**

**City Directory Search** CD - Subject Site plus 250m Radius  
**Land Title Search** Historical Land Title Search  
**Land Title Search** Current Land Title Search  
**Topographic Map** Ontario Base Map (OBM)



## Executive Summary: Report Summary

<i>Database</i>	<i>Name</i>	<i>Searched</i>	<i>Project Property</i>	<i>Boundary to 0.30km</i>	<i>Total</i>
AAGR	<i>Abandoned Aggregate Inventory</i>	Y	0	0	0
AGR	<i>Aggregate Inventory</i>	Y	0	0	0
AMIS	<i>Abandoned Mine Information System</i>	Y	0	0	0
ANDR	<i>Anderson's Waste Disposal Sites</i>	Y	0	0	0
AUWR	<i>Automobile Wrecking &amp; Supplies</i>	Y	0	9	9
BORE	<i>Borehole</i>	Y	19	19	38
CA	<i>Certificates of Approval</i>	Y	2	87	89
CFOT	<i>Commercial Fuel Oil Tanks</i>	Y	0	0	0
CHEM	<i>Chemical Register</i>	Y	0	1	1
CNG	<i>Compressed Natural Gas Stations</i>	Y	0	0	0
COAL	<i>Inventory of Coal Gasification Plants and Coal Tar Sites</i>	Y	0	0	0
CONV	<i>Compliance and Convictions</i>	Y	0	5	5
CPU	<i>Certificates of Property Use</i>	Y	0	0	0
DRL	<i>Drill Hole Database</i>	Y	0	0	0
DRYCLEANERS	<i>Dry Cleaning Facilities</i>	Y	0	0	0
EASR	<i>Environmental Activity and Sector Registry</i>	Y	0	8	8
EBR	<i>Environmental Registry</i>	Y	0	54	54
ECA	<i>Environmental Compliance Approval</i>	Y	2	74	76
EEM	<i>Environmental Effects Monitoring</i>	Y	0	0	0
EHS	<i>ERIS Historical Searches</i>	Y	4	38	42
EIIS	<i>Environmental Issues Inventory System</i>	Y	0	0	0
EMHE	<i>Emergency Management Historical Event</i>	Y	0	0	0
EXP	<i>List of TSSA Expired Facilities</i>	Y	21	58	79
FCON	<i>Federal Convictions</i>	Y	0	0	0
FCS	<i>Contaminated Sites on Federal Land</i>	Y	0	0	0
FOFT	<i>Fisheries &amp; Oceans Fuel Tanks</i>	Y	0	0	0
FST	<i>Fuel Storage Tank</i>	Y	3	14	17
FSTH	<i>Fuel Storage Tank - Historic</i>	Y	2	15	17
GEN	<i>Ontario Regulation 347 Waste Generators Summary</i>	Y	32	432	464
GHG	<i>Greenhouse Gas Emissions from Large Facilities</i>	Y	0	0	0
HINC	<i>TSSA Historic Incidents</i>	Y	0	1	1
IAFT	<i>Indian &amp; Northern Affairs Fuel Tanks</i>	Y	0	0	0
INC	<i>TSSA Incidents</i>	Y	0	0	0
LIMO	<i>Landfill Inventory Management Ontario</i>	Y	0	0	0
MINE	<i>Canadian Mine Locations</i>	Y	0	0	0
MISA PENALTY	<i>Environmental Penalty Annual Report</i>	Y	0	0	0

<b>Database</b>	<b>Name</b>	<b>Searched</b>	<b>Project Property</b>	<b>Boundary to 0.30km</b>	<b>Total</b>
MNR	<i>Mineral Occurrences</i>	Y	0	0	0
NATE	<i>National Analysis of Trends in Emergencies System (NATES)</i>	Y	0	0	0
NCPL	<i>Non-Compliance Reports</i>	Y	0	0	0
NDFT	<i>National Defense &amp; Canadian Forces Fuel Tanks</i>	Y	0	0	0
NDSP	<i>National Defense &amp; Canadian Forces Spills</i>	Y	0	0	0
NDWD	<i>National Defence &amp; Canadian Forces Waste Disposal Sites</i>	Y	0	0	0
NEBI	<i>National Energy Board Pipeline Incidents</i>	Y	0	0	0
NEBW	<i>National Energy Board Wells</i>	Y	0	0	0
NEES	<i>National Environmental Emergencies System (NEES)</i>	Y	0	0	0
NPCB	<i>National PCB Inventory</i>	Y	0	25	25
NPRI	<i>National Pollutant Release Inventory</i>	Y	0	45	45
OGW	<i>Oil and Gas Wells</i>	Y	0	0	0
OOGW	<i>Ontario Oil and Gas Wells</i>	Y	0	0	0
OPCB	<i>Inventory of PCB Storage Sites</i>	Y	0	17	17
ORD	<i>Orders</i>	Y	0	0	0
PAP	<i>Canadian Pulp and Paper</i>	Y	0	0	0
PCFT	<i>Parks Canada Fuel Storage Tanks</i>	Y	0	0	0
PES	<i>Pesticide Register</i>	Y	0	5	5
PINC	<i>TSSA Pipeline Incidents</i>	Y	0	0	0
PRT	<i>Private and Retail Fuel Storage Tanks</i>	Y	3	14	17
PTTW	<i>Permit to Take Water</i>	Y	0	0	0
REC	<i>Ontario Regulation 347 Waste Receivers Summary</i>	Y	0	30	30
RSC	<i>Record of Site Condition</i>	Y	0	0	0
RST	<i>Retail Fuel Storage Tanks</i>	Y	0	6	6
SCT	<i>Scott's Manufacturing Directory</i>	Y	0	51	51
SPL	<i>Ontario Spills</i>	Y	54	62	116
SRDS	<i>Wastewater Discharger Registration Database</i>	Y	0	0	0
TANK	<i>Anderson's Storage Tanks</i>	Y	0	1	1
TCFT	<i>Transport Canada Fuel Storage Tanks</i>	Y	0	0	0
VAR	<i>TSSA Variances for Abandonment of Underground Storage Tanks</i>	Y	0	1	1
WDS	<i>Waste Disposal Sites - MOE CA Inventory</i>	Y	0	41	41
WDSH	<i>Waste Disposal Sites - MOE 1991 Historical Approval Inventory</i>	Y	0	0	0
WWIS	<i>Water Well Information System</i>	Y	27	75	102
<b>Total:</b>			169	1,188	1,357

## Executive Summary: Site Report Summary - Project Property

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev diff (m)</i>	<i>Page Number</i>
<a href="#">1</a>	EHS		36 Queen St N Toronto ON M8Z2C4  <i>Order ID: 422087</i>	-/0.0	0.00	<a href="#">245</a>
<a href="#">2</a>	WWIS		TORONTO ON  <i>Well ID: 7261867</i>	-/0.0	0.00	<a href="#">245</a>
<a href="#">3</a>	WWIS		TORONTO ON  <i>Well ID: 7261863</i>	-/0.0	1.00	<a href="#">248</a>
<a href="#">4</a>	BORE		ON	-/0.0	-0.38	<a href="#">250</a>
<a href="#">5</a>	WWIS		TORONTO ON  <i>Well ID: 7261872</i>	-/0.0	-1.00	<a href="#">251</a>
<a href="#">6</a>	WWIS		TORONTO ON  <i>Well ID: 7261858</i>	-/0.0	2.00	<a href="#">253</a>
<a href="#">7</a>	WWIS		TORONTO ON  <i>Well ID: 7261862</i>	-/0.0	2.00	<a href="#">256</a>
<a href="#">8</a>	WWIS		TORONTO ON  <i>Well ID: 7261844</i>	-/0.0	2.00	<a href="#">259</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev diff (m)</b>	<b>Page Number</b>
<a href="#">9</a>	WWIS		TORONTO ON  <i>Well ID: 7261868</i>	-/0.0	0.00	<a href="#">261</a>
<a href="#">10</a>	SPL	INTERLINK FREIGHT SYSTEMS	IN YARD ON PROPERTY TRANSPORT TRUCK (CARGO) TORONTO CITY ON	-/0.0	2.00	<a href="#">26</a>
<a href="#">11</a>	CA	Edward Boczkowski	30 Newbridge Road Toronto ON	-/0.0	2.00	<a href="#">265</a>
<a href="#">11</a>	CA	Stajkowski Zbigniew	30 Newbridge Road Toronto ON	-/0.0	2.00	<a href="#">265</a>
<a href="#">11</a>	ECA	Stajkowski Zbigniew	30 Newbridge Road Toronto ON L4N 8G9	-/0.0	2.00	<a href="#">265</a>
<a href="#">11</a>	ECA	Edward Boczkowski	30 Newbridge Road Toronto ON L7A 2S4	-/0.0	2.00	<a href="#">265</a>
<a href="#">11</a>	EHS		30 Newbridge Road Toronto (Etobicoke) ON M8Z 2L7  <i>Order ID: 123594</i>	-/0.0	2.00	<a href="#">266</a>
<a href="#">11</a>	EXP	C P EXPRESS & TRANSPORT LTD	30 NEWBRIDGE RD ETOBICOKE ON	-/0.0	2.00	<a href="#">266</a>
<a href="#">11</a>	EXP	C P EXPRESS & TRANSPORT LTD	30 NEWBRIDGE RD ETOBICOKE ON	-/0.0	2.00	<a href="#">266</a>
<a href="#">11</a>	EXP	C P EXPRESS & TRANSPORT LTD	30 NEWBRIDGE RD ETOBICOKE ON M8Z 2L7	-/0.0	2.00	<a href="#">266</a>

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev diff (m)</i>	<i>Page Number</i>
<a href="#">11</a>	EXP	C P EXPRESS & TRANSPORT LTD	30 NEWBRIDGE RD ETOBICOKE ON	-/0.0	2.00	<a href="#">267</a>
<a href="#">11</a>	EXP	INTERLINK FREIGHT SYSTEMS INC	30 NEWBRIDGE RD ETOBICOKE ON	-/0.0	2.00	<a href="#">267</a>
<a href="#">11</a>	EXP	C P EXPRESS & TRANSPORT LTD	30 NEWBRIDGE RD ETOBICOKE ON	-/0.0	2.00	<a href="#">267</a>
<a href="#">11</a>	EXP	C P EXPRESS & TRANSPORT LTD	30 NEWBRIDGE RD ETOBICOKE ON	-/0.0	2.00	<a href="#">267</a>
<a href="#">11</a>	EXP	INTERLINK FREIGHT SYSTEMS INC	30 NEWBRIDGE RD ETOBICOKE ON	-/0.0	2.00	<a href="#">268</a>
<a href="#">11</a>	EXP	C P EXPRESS & TRANSPORT LTD	30 NEWBRIDGE RD ETOBICOKE ON	-/0.0	2.00	<a href="#">268</a>
<a href="#">11</a>	EXP	INTERLINK FREIGHT SYSTEMS INC	30 NEWBRIDGE RD ETOBICOKE ON	-/0.0	2.00	<a href="#">268</a>
<a href="#">11</a>	EXP	C P EXPRESS & TRANSPORT LTD	30 NEWBRIDGE RD ETOBICOKE ON	-/0.0	2.00	<a href="#">268</a>
<a href="#">11</a>	EXP	C P EXPRESS & TRANSPORT LTD	30 NEWBRIDGE RD ETOBICOKE ON M8Z 2L7	-/0.0	2.00	<a href="#">269</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev diff (m)</b>	<b>Page Number</b>
<a href="#">11</a>	EXP	INTERLINK FREIGHT SYSTEMS INC	30 NEWBRIDGE RD ETOBICOKE ON	-/0.0	2.00	<a href="#">269</a>
<a href="#">11</a>	EXP	C P EXPRESS & TRANSPORT LTD	30 NEWBRIDGE RD ETOBICOKE ON M8Z 2L7	-/0.0	2.00	<a href="#">269</a>
<a href="#">11</a>	EXP	INTERLINK FREIGHT SYSTEMS INC	30 NEWBRIDGE RD ETOBICOKE ON M8Z 2L7	-/0.0	2.00	<a href="#">269</a>
<a href="#">11</a>	EXP	INTERLINK FREIGHT SYSTEMS INC	30 NEWBRIDGE RD ETOBICOKE ON M8Z 2L7	-/0.0	2.00	<a href="#">270</a>
<a href="#">11</a>	EXP	INTERLINK FREIGHT SYSTEMS INC	30 NEWBRIDGE RD ETOBICOKE ON M8Z 2L7	-/0.0	2.00	<a href="#">270</a>
<a href="#">11</a>	EXP	C P EXPRESS & TRANSPORT LTD	30 NEWBRIDGE RD ETOBICOKE ON M8Z 2L7	-/0.0	2.00	<a href="#">270</a>
<a href="#">11</a>	EXP	C P EXPRESS & TRANSPORT LTD	30 NEWBRIDGE RD ETOBICOKE ON M8Z 2L7	-/0.0	2.00	<a href="#">270</a>
<a href="#">11</a>	EXP	C P EXPRESS & TRANSPORT LTD	30 NEWBRIDGE RD ETOBICOKE ON M8Z 2L7	-/0.0	2.00	<a href="#">271</a>
<a href="#">11</a>	EXP	C P EXPRESS & TRANSPORT LTD	30 NEWBRIDGE RD ETOBICOKE ON M8Z 2L7	-/0.0	2.00	<a href="#">271</a>
<a href="#">11</a>	GEN	Canadian Pacific Railway Company	30 Newbridge Rd. Toronto ON M8Z 2L7	-/0.0	2.00	<a href="#">271</a>

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev diff (m)</i>	<i>Page Number</i>
<a href="#">11</a>	GEN	INTERLINK FREIGHT SYSTEMS	30 NEWBRIDGE ROAD EAST ETOBICOKE ON M8Z 2L7	-/0.0	2.00	<a href="#">271</a>
<a href="#">11</a>	GEN	Canadian Pacific Railway	30 New Bridge Etobicoke ON	-/0.0	2.00	<a href="#">272</a>
<a href="#">11</a>	GEN	CANADIAN PACIFIC RAILWAY	30 New Bridge Etobicoke ON	-/0.0	2.00	<a href="#">272</a>
<a href="#">11</a>	GEN	CANADIAN PACIFIC RAILWAYS	CANADIAN PACIFIC EXPRESS & TRANSPORT 30 NEWBRIDGE ROAD (GARAGE) ETOBICOKE ON M8Z 2L7	-/0.0	2.00	<a href="#">273</a>
<a href="#">11</a>	GEN	CANADIAN PACIFIC RAILWAY COMPANY	30 NEWBRIDGE ROAD ETOBICOKE ON M8Z 2L7	-/0.0	2.00	<a href="#">273</a>
<a href="#">11</a>	GEN	Canadian Pacific Railway	30 New Bridge Etobicoke ON	-/0.0	2.00	<a href="#">274</a>
<a href="#">11</a>	GEN	Canadian Pacific Railway	30 New Bridge Etobicoke ON M8Z 2L7	-/0.0	2.00	<a href="#">275</a>
<a href="#">11</a>	GEN	CP EXPRESS A(SEE & USE ON1890800) 08-097	30 NEWBRIDGE ROAD ETOBICOKE ON M8Z 2L7	-/0.0	2.00	<a href="#">275</a>
<a href="#">11</a>	GEN	Canadian Pacific Railway	30 New Bridge Etobicoke ON M8Z 2L7	-/0.0	2.00	<a href="#">276</a>

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev diff (m)</i>	<i>Page Number</i>
<a href="#">11</a>	GEN	Canadian Pacific Railway	30 New Bridge Etobicoke ON M8Z 2L7	-/0.0	2.00	<a href="#">276</a>
<a href="#">11</a>	GEN	Canadian Pacific Railway	30 New Bridge Etobicoke ON M8Z 2L7	-/0.0	2.00	<a href="#">277</a>
<a href="#">11</a>	GEN	VNV Logistics Express Ltd	30 Newbridge Rd ETOBICOKE ON M8Z2L7	-/0.0	2.00	<a href="#">278</a>
<a href="#">11</a>	GEN	3028241 CANADA LIMITED	30 NEWBRIDGE ROAD ETOBICOKE ON M8Z 2L7	-/0.0	2.00	<a href="#">278</a>
<a href="#">11</a>	GEN	INTERLINK FREIGHT (SEE & USE ON0048103)	30 NEWBRIDGE ROAD EAST ETOBICOKE ON M8Z 2L7	-/0.0	2.00	<a href="#">278</a>
<a href="#">11</a>	GEN	CANADIAN PACIFIC RAILWAY	30 New Bridge Etobicoke ON M8Z 2L7	-/0.0	2.00	<a href="#">279</a>
<a href="#">11</a>	GEN	GVT. OF CAN. - NATIONAL DEFENSE	CANADIAN FORCES SUPPLY DEPOT 30 NEWBRIDGE ROAD ETOBICOKE ON M8Z 2L7	-/0.0	2.00	<a href="#">280</a>
<a href="#">11</a>	GEN	Canadian Pacific Railway	30 New Bridge Etobicoke ON	-/0.0	2.00	<a href="#">280</a>
<a href="#">11</a>	PRT	C P EXPRESS & TRANSPORT LTD	30 NEWBRIDGE RD ETOBICOKE ON M8Z 2L7	-/0.0	2.00	<a href="#">28</a>



<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev diff (m)</b>	<b>Page Number</b>
<a href="#">11</a>	PRT	C P EXPRESS & TRANSPORT LTD	30 NEWBRIDGE RD ETOBICOKE ON M8Z 2L7	-/0.0	2.00	<a href="#">28</a>
<a href="#">11</a>	SPL	CANADIAN PACIFIC EXPRESS & TRA	30 NEWBRIDGE RD. MOTOR VEHICLE (OPERATING FLUID) TORONTO CITY ON M8Z 2L7	-/0.0	2.00	<a href="#">28</a>
<a href="#">11</a>	SPL	INTERLINK	30 NEWBRIDGE RD, ETOBICOKE CREEK BEHIND QUEENSWAY HOSP. 30 NEWBRIDGE ROAD TORONTO CITY ON M8Z 2L7	-/0.0	2.00	<a href="#">28</a>
<a href="#">11</a>	SPL	INTERLINK	30 NEWBRIDGE ROAD TORONTO CITY ON M8Z 2L7	-/0.0	2.00	<a href="#">28</a>
<a href="#">11</a>	SPL	CP EXPRESS & TRANSPORT	30 NEWBRIDGE ROAD ETOBICOKE TERMINAL 30 NEWBRIDGE ROAD TORONTO CITY ON M8Z 2L7	-/0.0	2.00	<a href="#">28</a>
<a href="#">11</a>	SPL	INTERLINK	30 NEWBRIDGE 30 NEWBRIDGE ROAD TORONTO CITY ON M8Z 2L7	-/0.0	2.00	<a href="#">28</a>
<a href="#">11</a>	SPL	INTERLINK FREIGHT SYSTEMS	30 NEWBRIDGE RD. TRANSPORT TRUCK (CARGO) TORONTO CITY ON M8Z 2L7	-/0.0	2.00	<a href="#">28</a>
<a href="#">11</a>	SPL	INTERLINK FREIGHT LINES	TERMINAL AT 30 NEWBRIDGE AVE ETOB. TRANSPORT TRUCK (CARGO) TORONTO CITY ON M8Z 2L7	-/0.0	2.00	<a href="#">28</a>
<a href="#">11</a>	SPL	CANADIAN PACIFIC EXPRESS & TRA	30 NEWBRIDGE ROAD ETOBICOKE TERMINAL 30 NEWBRIDGE ROAD TORONTO CITY ON M8Z 2L7	-/0.0	2.00	<a href="#">28</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev diff (m)</b>	<b>Page Number</b>
<a href="#">11</a>	SPL	CP EXPRESS & TRANSPORT	30 NEWBRIDGE TRANSPORT TRUCK (CARGO) TORONTO CITY ON M8Z 2L7	-/0.0	2.00	<a href="#">28</a>
<a href="#">11</a>	SPL	CANADIAN PACIFIC EXPRESS & TRA	30 NEWBRIDGE RD. TRANSPORT TRUCK (CARGO) TORONTO CITY ON M8Z 2L7	-/0.0	2.00	<a href="#">28</a>
<a href="#">11</a>	SPL	INTERLINK FREIGHT SYSTEMS	30 NEWBRIDGE RD. TRANSPORT TRUCK (CARGO) TORONTO CITY ON M8Z 2L7	-/0.0	2.00	<a href="#">28</a>
<a href="#">11</a>	SPL	CANADIAN PACIFIC EXPRESS & TRA	30 NEWBRIDGE RD. TRANSPORT TRUCK (CARGO) TORONTO CITY ON M8Z 2L7	-/0.0	2.00	<a href="#">28</a>
<a href="#">11</a>	SPL	CANADIAN PACIFIC EXPRESS & TRA	30 NEWBRIDGE ROAD ETOBICOKE TERMINAL 30 NEWBRIDGE ROAD TORONTO CITY ON M8Z 2L7	-/0.0	2.00	<a href="#">28</a>
<a href="#">11</a>	SPL	CANADIAN PACIFIC EXPRESS & TRA	30 NEWBRIDGE TRANSPORT TRUCK (CARGO) TORONTO CITY ON M8Z 2L7	-/0.0	2.00	<a href="#">28</a>
<a href="#">11</a>	SPL	INTERLINK	30 NEWBRIDGE ROAD TORONTO CITY ON M8Z 2L7	-/0.0	2.00	<a href="#">28</a>
<a href="#">11</a>	SPL	INTERLINK	30 NEWBRIDGE ROAD TORONTO CITY ON M8Z 2L7	-/0.0	2.00	<a href="#">28</a>
<a href="#">11</a>	SPL	INTERLINK FREIGHT LINES	TRUCK YARD AT 30 NEWBRIDGE RD, ETOB. TRANSPORT TRUCK (CARGO) TORONTO CITY ON M8Z 2L7	-/0.0	2.00	<a href="#">28</a>
<a href="#">11</a>	SPL	INTERLINK	30 NEWBRIDGE ROAD TORONTO CITY ON M8Z 2L7	-/0.0	2.00	<a href="#">28</a>

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev diff (m)</i>	<i>Page Number</i>
<a href="#">11</a>	SPL	STANCHEM	30 NEWBRIDGE RD ETOBICOKE DEPOT TORONTO CITY ON M8Z 2L7	-/0.0	2.00	<a href="#">29</a>
<a href="#">11</a>	SPL	CANADIAN PACIFIC EXPRESS & TRA	30 NEWBRIDGE ETOBICOKE TERMINAL 30 NEWBRIDGE ROAD TORONTO CITY ON M8Z 2L7	-/0.0	2.00	<a href="#">29</a>
<a href="#">11</a>	SPL	CANADIAN PACIFIC EXPRESS & TRA	30 NEWBRIDGE RD. ETOBICOKE TERMINAL 30 NEWBRIDGE ROAD TORONTO CITY ON M8Z 2L7	-/0.0	2.00	<a href="#">29</a>
<a href="#">11</a>	SPL	CANADIAN PACIFIC EXPRESS & TRA	30 NEWBRIDGE ROAD ETOBICOKE TERMINAL 30 NEWBRIDGE ROAD TORONTO CITY ON M8Z 2L7	-/0.0	2.00	<a href="#">29</a>
<a href="#">11</a>	SPL	CANADIAN PACIFIC EXPRESS & TRA	30 NEWBRIDGE ROAD ETOBICOKE TERMINAL 30 NEWBRIDGE ROAD TORONTO CITY ON M8Z 2L7	-/0.0	2.00	<a href="#">29</a>
<a href="#">11</a>	SPL	CANADIAN PACIFIC EXPRESS & TRA	30 NEWBRIDGE RD. ETOBICOKE TERMINAL 30 NEWBRIDGE ROAD TORONTO CITY ON M8Z 2L7	-/0.0	2.00	<a href="#">29</a>
<a href="#">11</a>	SPL	CANADIAN PACIFIC EXPRESS & TRA	30 NEWBRIDGE ETOBICOKE TERMINAL 30 NEWBRIDGE ROAD TORONTO CITY ON M8Z 2L7	-/0.0	2.00	<a href="#">29</a>
<a href="#">11</a>	SPL	CANADIAN PACIFIC EXPRESS & TRA	30 NEWBRIDGE ROAD ETOBICOKE TERMINAL 30 NEWBRIDGE ROAD TORONTO CITY ON M8Z 2L7	-/0.0	2.00	<a href="#">29</a>
<a href="#">12</a>	BORE		ON	-/0.0	0.00	<a href="#">294</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev diff (m)</b>	<b>Page Number</b>
<a href="#">13</a>	WWIS		TORONTO ON <i>Well ID: 7261861</i>	-/0.0	2.00	<a href="#">294</a>
<a href="#">14</a>	BORE		ON	-/0.0	1.00	<a href="#">297</a>
<a href="#">15</a>	WWIS		TORONTO ON <i>Well ID: 7261859</i>	-/0.0	2.00	<a href="#">298</a>
<a href="#">16</a>	WWIS		TORONTO ON <i>Well ID: 7261860</i>	-/0.0	2.00	<a href="#">300</a>
<a href="#">17</a>	WWIS		TORONTO ON <i>Well ID: 7261871</i>	-/0.0	-1.00	<a href="#">302</a>
<a href="#">18</a>	WWIS		ETOBICOKE ON <i>Well ID: 7128501</i>	-/0.0	-2.00	<a href="#">305</a>
<a href="#">19</a>	WWIS		TORONTO ON <i>Well ID: 7261850</i>	-/0.0	-2.00	<a href="#">318</a>
<a href="#">20</a>	WWIS		TORONTO ON <i>Well ID: 7261847</i>	-/0.0	-2.00	<a href="#">321</a>
<a href="#">21</a>	BORE		ON	-/0.0	-0.13	<a href="#">324</a>
<a href="#">22</a>	BORE		ON	-/0.0	-2.00	<a href="#">324</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev diff (m)</b>	<b>Page Number</b>
<a href="#">23</a>	BORE		ON	-/0.0	0.00	<a href="#">325</a>
<a href="#">24</a>	WWIS		TORONTO ON <i>Well ID: 7261843</i>	-/0.0	2.00	<a href="#">325</a>
<a href="#">25</a>	WWIS		TORONTO ON <i>Well ID: 7261866</i>	-/0.0	3.04	<a href="#">328</a>
<a href="#">26</a>	BORE		ON	-/0.0	-1.00	<a href="#">331</a>
<a href="#">27</a>	EHS		30 Lockport Ave Toronto ON M8Z 2R7 <i>Order ID: 177407</i>	-/0.0	3.07	<a href="#">332</a>
<a href="#">28</a>	WWIS		TORONTO ON <i>Well ID: 7261864</i>	-/0.0	2.96	<a href="#">332</a>
<a href="#">29</a>	WWIS		TORONTO ON <i>Well ID: 7261865</i>	-/0.0	2.96	<a href="#">334</a>
<a href="#">30</a>	BORE		ON	-/0.0	-0.09	<a href="#">337</a>
<a href="#">31</a>	WWIS		TORONTO ON <i>Well ID: 7261870</i>	-/0.0	-3.00	<a href="#">338</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev diff (m)</b>	<b>Page Number</b>
<a href="#">32</a>	BORE		ON	-/0.0	-2.00	<a href="#">340</a>
<a href="#">33</a>	BORE		ON	-/0.0	-2.00	<a href="#">341</a>
<a href="#">34</a>	WWIS		TORONTO ON <i>Well ID: 7261869</i>	-/0.0	-3.00	<a href="#">341</a>
<a href="#">35</a>	WWIS		TORONTO ON <i>Well ID: 7261846</i>	-/0.0	-3.00	<a href="#">344</a>
<a href="#">36</a>	BORE		ON	-/0.0	-2.00	<a href="#">347</a>
<a href="#">37</a>	BORE		ON	-/0.0	3.00	<a href="#">347</a>
<a href="#">38</a>	EHS		36 North Queen Street Etobicoke ON M8Z 2C4  <i>Order ID: 45078</i>	-/0.0	-3.00	<a href="#">348</a>
<a href="#">38</a>	FST	CP RAIL	36 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	-/0.0	-3.00	<a href="#">348</a>
<a href="#">38</a>	FST	CP RAIL	36 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	-/0.0	-3.00	<a href="#">349</a>
<a href="#">38</a>	FST	CP RAIL	36 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	-/0.0	-3.00	<a href="#">349</a>

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev diff (m)</i>	<i>Page Number</i>
<a href="#">38</a>	FSTH	CP RAIL	36 NORTH QUEEN ST OBICO INTERMO ETOBICOKE ON M8Z 2C4	-/0.0	-3.00	<a href="#">349</a>
<a href="#">38</a>	FSTH	CP RAIL	36 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	-/0.0	-3.00	<a href="#">350</a>
<a href="#">38</a>	GEN	CANADIAN PACIFIC RAILWAY COMPANY	36 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	-/0.0	-3.00	<a href="#">350</a>
<a href="#">38</a>	GEN	CANADIAN PACIFIC RAILWAY COMPANY	36 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	-/0.0	-3.00	<a href="#">351</a>
<a href="#">38</a>	GEN	CP RAIL INTERMODAL SERVICES	36 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	-/0.0	-3.00	<a href="#">352</a>
<a href="#">38</a>	GEN	CANADIAN PACIFIC RAILWAY COMPANY	36 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	-/0.0	-3.00	<a href="#">352</a>
<a href="#">38</a>	GEN	CANADIAN PACIFIC RAILWAYS 08-248	(INTERMODAL SERVICE) 36 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	-/0.0	-3.00	<a href="#">353</a>
<a href="#">38</a>	GEN	CANADIAN PACIFIC RAILWAY COMPANY	36 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	-/0.0	-3.00	<a href="#">354</a>
<a href="#">38</a>	GEN	CANADIAN PACIFIC RAILWAY COMPANY	36 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	-/0.0	-3.00	<a href="#">355</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev diff (m)</b>	<b>Page Number</b>
<a href="#">38</a>	GEN	CANADIAN PACIFIC RAILWAY COMPANY	36 NORTH QUEEN STREET ETOBICOKE ON	-/0.0	-3.00	<a href="#">355</a>
<a href="#">38</a>	GEN	Transport TFI 12 L.P.	36 North Queen St Etobicoke ON M8Z2C4	-/0.0	-3.00	<a href="#">356</a>
<a href="#">38</a>	GEN	CANADIAN PACIFIC RAILWAY	36 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	-/0.0	-3.00	<a href="#">356</a>
<a href="#">38</a>	GEN	CANADIAN PACIFIC RAILWAY COMPANY	36 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	-/0.0	-3.00	<a href="#">357</a>
<a href="#">38</a>	GEN	CANADIAN PACIFIC RAILWAYS	(INTERMODAL SERVICE) 36 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	-/0.0	-3.00	<a href="#">358</a>
<a href="#">38</a>	GEN	CANADIAN PACIFIC RAILWAY COMPANY	36 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	-/0.0	-3.00	<a href="#">358</a>
<a href="#">38</a>	GEN	CANADIAN PACIFIC RAILWAY COMPANY	36 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	-/0.0	-3.00	<a href="#">359</a>
<a href="#">38</a>	PRT	CP RAIL	36 NORTH QUEEN ST OBICO INTERMO ETOBICOKE ON M8Z 2C4	-/0.0	-3.00	<a href="#">36</a>
<a href="#">38</a>	SPL	CANADIAN PACIFIC RAILWAYS	36 NORTH QUEEN ST ETOBICOKE STATION 36 NORTH QUEEN STREET TORONTO CITY ON M8Z 2C4	-/0.0	-3.00	<a href="#">360</a>
<a href="#">38</a>	SPL	Canadian Pacific Railway Company	36 North Queen St Toronto ON M8Z 2C4	-/0.0	-3.00	<a href="#">360</a>



<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev diff (m)</i>	<i>Page Number</i>
<a href="#">38</a>	SPL	Canadian Pacific Railway Company	36 North Queen St Toronto ON M8Z 2C4	-/0.0	-3.00	<a href="#">361</a>
<a href="#">38</a>	SPL	Canadian Pacific Railway Company	36 North Queen Street OBICO STATION Toronto ON M8Z 2C4	-/0.0	-3.00	<a href="#">361</a>
<a href="#">38</a>	SPL	CP RAIL INTERMODAL OPERATIONS	36 North Queen St Toronto ON M8Z 2C4	-/0.0	-3.00	<a href="#">362</a>
<a href="#">38</a>	SPL	CANADIAN PACIFIC RAILWAYS	36 NORTH QUEEN ST. CPR. YARD ETOBICOKE STATION 36 NORTH QUEEN STREET TORONTO CITY ON M8Z 2C4	-/0.0	-3.00	<a href="#">36</a>
<a href="#">38</a>	SPL	Canadian Pacific Railway Company	36 Queen St Toronto ON	-/0.0	-3.00	<a href="#">363</a>
<a href="#">38</a>	SPL	CANADIAN PACIFIC RAILWAY	36 NORTH QUEEN, AT CPR OBICO YARD. STORAGE TANK TORONTO CITY ON	-/0.0	-3.00	<a href="#">363</a>
<a href="#">38</a>	SPL	CANADIAN PACIFIC RAILWAYS	36 QUEEN ST. TRAIN TORONTO CITY ON	-/0.0	-3.00	<a href="#">36</a>
<a href="#">38</a>	SPL	TRANSPORT TRUCK	C.P. YARD AT 36 NORTH QUEEN, ETOBICOKE MOTOR VEHICLE (OPERATING FLUID) TORONTO CITY ON	-/0.0	-3.00	<a href="#">36</a>
<a href="#">38</a>	SPL	Canadian Pacific Railway Company	36 North Queen Street OBICO STATION Toronto ON M8Z 2C4	-/0.0	-3.00	<a href="#">365</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev diff (m)</b>	<b>Page Number</b>
<a href="#">38</a>	SPL	Canadian Pacific Railway Company	36 North Queen Street OBICO STATION Toronto ON M8Z 2C4	-/0.0	-3.00	<a href="#">365</a>
<a href="#">38</a>	SPL	CANADIAN PACIFIC RAILWAYS	36 NORTH QUEEN STREET TORONTO CITY ON M8Z 2C4	-/0.0	-3.00	<a href="#">36</a>
<a href="#">38</a>	SPL	CANADIAN PACIFIC RAILWAYS	36 NORTH QUEEN ST ETOBICOKE STATION 36 NORTH QUEEN STREET TORONTO CITY ON M8Z 2C4	-/0.0	-3.00	<a href="#">36</a>
<a href="#">38</a>	SPL	Canadian Pacific Railway Company	36 North Queen St Toronto ON M8Z 2C4	-/0.0	-3.00	<a href="#">367</a>
<a href="#">38</a>	SPL	CP RAIL INTERMODAL OPERATIONS	36 North Queen St. Toronto ON M8Z 2C4	-/0.0	-3.00	<a href="#">367</a>
<a href="#">38</a>	SPL	CANADIAN PACIFIC RAILWAYS	ETOBICOKE STATION 36 NORTH QUEEN STREET TORONTO ON M8Z 2C4	-/0.0	-3.00	<a href="#">368</a>
<a href="#">38</a>	SPL	Canadian Pacific Railway Company	36 North Queen Str. Toronto ON M8Z 2C4	-/0.0	-3.00	<a href="#">368</a>
<a href="#">38</a>	SPL	Canadian Pacific Railway Company	36 North Queen Street OBICO STATION Toronto ON M8Z 2C4	-/0.0	-3.00	<a href="#">369</a>
<a href="#">38</a>	SPL	Canadian Pacific Railway Company	36 North Queen St Toronto ON M8Z 2C4	-/0.0	-3.00	<a href="#">369</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev diff (m)</b>	<b>Page Number</b>
<a href="#">38</a>	SPL	PRIVATE RESIDENCE	36 NORTH QUEEN STREET FURNACE OIL TANK TORONTO ON M8Z 2C4	-/0.0	-3.00	<a href="#">370</a>
<a href="#">38</a>	SPL	Canadian Pacific Railway Company	36 North Queen St., Etobicoke Toronto ON M8Z 2C4	-/0.0	-3.00	<a href="#">370</a>
<a href="#">38</a>	SPL	Canadian Pacific Railway Company	36 North Queen St Toronto ON M8Z 2C4	-/0.0	-3.00	<a href="#">371</a>
<a href="#">38</a>	SPL	CANADIAN PACIFIC RAILWAYS	36 NORTHQUEEN STREET ETOBICOKE STATION 36 NORTH QUEEN STREET TORONTO CITY ON M8Z 2C4	-/0.0	-3.00	<a href="#">37</a>
<a href="#">38</a>	SPL	CP RAIL INTERMODAL OPERATIONS	36 North Queen St Toronto ON M8Z 2C4	-/0.0	-3.00	<a href="#">372</a>
<a href="#">38</a>	SPL	CP RAIL INTERMODAL OPERATIONS	36 North Queen St Toronto ON M8Z 2C4	-/0.0	-3.00	<a href="#">372</a>
<a href="#">38</a>	SPL	Canadian Pacific Railway Company	36 North Queen St Toronto ON M8Z 2C4	-/0.0	-3.00	<a href="#">373</a>
<a href="#">39</a>	WWIS		TORONTO ON  <i>Well ID: 7261842</i>	-/0.0	3.00	<a href="#">373</a>
<a href="#">40</a>	WWIS		TORONTO ON  <i>Well ID: 7261848</i>	-/0.0	-1.00	<a href="#">376</a>
<a href="#">41</a>	WWIS		TORONTO ON	-/0.0	-3.16	<a href="#">379</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev diff (m)</b>	<b>Page Number</b>
			<i>Well ID: 7261845</i>			
<a href="#">42</a>	BORE		ON	-/0.0	-3.72	<a href="#">382</a>
<a href="#">43</a>	BORE		ON	-/0.0	-2.97	<a href="#">383</a>
<a href="#">44</a>	WWIS		TORONTO ON	-/0.0	5.27	<a href="#">383</a>
			<i>Well ID: 7261873</i>			
<a href="#">45</a>	WWIS		TORONTO ON	-/0.0	5.00	<a href="#">386</a>
			<i>Well ID: 7261874</i>			
<a href="#">46</a>	WWIS		TORONTO ON	-/0.0	5.00	<a href="#">389</a>
			<i>Well ID: 7261875</i>			
<a href="#">47</a>	BORE		ON	-/0.0	4.40	<a href="#">392</a>
<a href="#">48</a>	BORE		ON	-/0.0	4.00	<a href="#">392</a>
<a href="#">48</a>	BORE		ON	-/0.0	4.00	<a href="#">393</a>
<a href="#">49</a>	BORE		ON	-/0.0	4.00	<a href="#">394</a>

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev diff (m)</i>	<i>Page Number</i>
<a href="#">49</a>	BORE		ON	-/0.0	4.00	<a href="#">395</a>

## Executive Summary: Site Report Summary - Surrounding Properties

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
<a href="#">50</a>	SPL	CANADIAN PACIFIC RAILWAYS	OBICO INTERMODAL TERMINAL ETOBICOKE STATION 36 NORTH QUEEN STREET TORONTO CITY ON	SSE/0.7	-4.00	<a href="#">395</a>
<a href="#">50</a>	SPL	CANADIAN PACIFIC RAILWAYS	OBICO YARD IN WEST TORONTO. TRAIN TORONTO CITY ON	SSE/0.7	-4.00	<a href="#">396</a>
<a href="#">50</a>	SPL	CANADIAN PACIFIC RAILWAYS	OBICO YARD, MILEAGE 9.6, GALT SUBDIVISION TRAIN TORONTO ON	SSE/0.7	-4.00	<a href="#">396</a>
<a href="#">50</a>	SPL	CP EXPRESS & TRANSPORT	NORTH QUEEN STREET YARD TRANSPORT TRUCK (CARGO) TORONTO CITY ON	SSE/0.7	-4.00	<a href="#">397</a>
<a href="#">50</a>	SPL	CANADIAN PACIFIC RAILWAYS	NORTH QUEEN ETOBICOKE STATION 36 NORTH QUEEN STREET TORONTO CITY ON	SSE/0.7	-4.00	<a href="#">397</a>
<a href="#">50</a>	SPL	CANADIAN PACIFIC RAILWAYS	CAMPUS SUBDIVISION, OBICOE ON JOINT TRACKS. TRAIN TORONTO CITY ON	SSE/0.7	-4.00	<a href="#">398</a>
<a href="#">51</a>	BORE		ON	SSE/5.7	-3.00	<a href="#">398</a>
<a href="#">52</a>	BORE		ON	SE/7.6	-3.18	<a href="#">399</a>
<a href="#">53</a>	AUWR	ATLAS INDUSTRIAL RECYCLING LTD	46 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	S/10.7	-1.00	<a href="#">399</a>
<a href="#">53</a>	GEN	E.Valente Holdings Ltd	46 North Queen St. Bldg. 2 Toronto ON	S/10.7	-1.00	<a href="#">399</a>
<a href="#">53</a>	GEN	J.F. LARSEN LTD. 552	22- 46 NORTH QUEEN ST. ETOBICOKE ON M8Z 2C4	S/10.7	-1.00	<a href="#">400</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">53</a>	GEN	J.F. LARSEN LIMITED	46 NORTH QUEEN STREET ETOBICOKE ON M8E 2C4	S/10.7	-1.00	<a href="#">400</a>
<a href="#">53</a>	PES	CLINTAR GROUNDSKEEPING SERVICE	46 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	S/10.7	-1.00	<a href="#">400</a>
<a href="#">53</a>	PES	J.F. LARSEN LIMITED	46 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	S/10.7	-1.00	<a href="#">400</a>
<a href="#">53</a>	SCT	Two Star Design	46 North Queen St Etobicoke ON M8Z 2C4	S/10.7	-1.00	<a href="#">401</a>
<a href="#">54</a>	WWIS		TORONTO ON <i>Well ID: 7261849</i>	N/11.8	4.00	<a href="#">401</a>
<a href="#">55</a>	SPL	STEED & EVANS LTD.	NORTH QUEEN & VANSKO MOTOR VEHICLE (OPERATING FLUID) TORONTO CITY ON	SSE/15.9	-3.00	<a href="#">404</a>
<a href="#">56</a>	CA	North Star Landscaping Inc.	24 Newbridge Rd Etobicoke Toronto ON M8Z 2L7	WSW/16.2	2.27	<a href="#">404</a>
<a href="#">56</a>	ECA	North Star Landscaping Inc.	24 Newbridge Rd Etobicoke Toronto ON M8Z 2L7	WSW/16.2	2.27	<a href="#">405</a>
<a href="#">56</a>	GEN	North Star Landscaping Inc.	24 Newbridge Road Etobicoke ON M8Z 2L7	WSW/16.2	2.27	<a href="#">405</a>
<a href="#">56</a>	GEN	North Star Landscaping Inc.	24 Newbridge Road Etobicoke ON M8Z 2L7	WSW/16.2	2.27	<a href="#">405</a>
<a href="#">56</a>	GEN	North Star Landscaping Inc.	24 Newbridge Road Etobicoke ON M8Z 2L7	WSW/16.2	2.27	<a href="#">405</a>
<a href="#">56</a>	GEN	North Star Landscaping Inc.	24 Newbridge Road Etobicoke ON M8Z 2L7	WSW/16.2	2.27	<a href="#">406</a>
<a href="#">56</a>	GEN	North Star Landscaping Inc.	24 Newbridge Road Etobicoke ON M8Z 2L7	WSW/16.2	2.27	<a href="#">406</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">56</a>	GEN	North Star Landscaping Inc.	24 Newbridge Road Etobicoke ON M8Z 2L7	WSW/16.2	2.27	<a href="#">406</a>
<a href="#">56</a>	GEN	North Star Landscaping Inc.	24 Newbridge Road Etobicoke ON M8Z 2L7	WSW/16.2	2.27	<a href="#">407</a>
<a href="#">56</a>	GEN	North Star Landscaping Inc.	24 Newbridge Road Etobicoke ON M8Z 2L7	WSW/16.2	2.27	<a href="#">407</a>
<a href="#">56</a>	GEN	North Star Landscaping Inc.	24 Newbridge Road Etobicoke ON M8Z 2L7	WSW/16.2	2.27	<a href="#">407</a>
<a href="#">56</a>	GEN	North Star Landscaping Inc.	24 Newbridge Road Etobicoke ON	WSW/16.2	2.27	<a href="#">407</a>
<a href="#">56</a>	GEN	MIMICO CONSTRUCTION CO.LTD. 27-606	CADCAN BATTERY CORP. 24 NEWBRIDGE ROAD ETOBICOKE ON M8Z 2L7	WSW/16.2	2.27	<a href="#">408</a>
<a href="#">57</a>	EBR	Hydro One Networks Inc.	30 Lockport Avenue Toronto M8Z 2R7 CITY OF TORONTO ON	NW/17.9	4.33	<a href="#">408</a>
<a href="#">57</a>	ECA	Hydro One Networks Inc.	30 Lockport Ave Lot 7, Concession 4 Toronto ON M5G 2P5	NW/17.9	4.33	<a href="#">408</a>
<a href="#">57</a>	ECA	Hydro One Networks Inc.	30 Lockport Ave Lot 7, Concession 4 Toronto ON M5G 2P5	NW/17.9	4.33	<a href="#">409</a>
<a href="#">57</a>	GEN	HYDRO ONE NETWORKS INC.	INVESTMENT RECOVERY 30 LOCKPORT AVENUE ETOBICOKE ON M8Z 2R7	NW/17.9	4.33	<a href="#">409</a>
<a href="#">57</a>	GEN	HYDRO ONE NETWORKS INC.	Investment Recovery 30 LOCKPORT AVENUE ETOBICOKE ON	NW/17.9	4.33	<a href="#">410</a>
<a href="#">57</a>	GEN	HYDRO ONE NETWORKS INC.	Investment Recovery 30 LOCKPORT AVENUE ETOBICOKE ON M8Z 2R7	NW/17.9	4.33	<a href="#">411</a>
<a href="#">57</a>	GEN	HYDRO ONE NETWORKS INC.	Investment Recovery 30 LOCKPORT AVENUE ETOBICOKE ON M8Z 2R7	NW/17.9	4.33	<a href="#">412</a>



<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
<a href="#">57</a>	GEN	HYDRO ONE NETWORKS INC.	Investment Recovery 30 LOCKPORT AVENUE ETOBICOKE ON M8Z 2R7	NW/17.9	4.33	<a href="#">413</a>
<a href="#">57</a>	GEN	HYDRO ONE NETWORKS INC.	Investment Recovery 30 LOCKPORT AVENUE ETOBICOKE ON M8Z 2R7	NW/17.9	4.33	<a href="#">414</a>
<a href="#">57</a>	GEN	HYDRO ONE NETWORKS INC.	Investment Recovery 30 LOCKPORT AVENUE ETOBICOKE ON M8Z 2R7	NW/17.9	4.33	<a href="#">415</a>
<a href="#">57</a>	GEN	HYDRO ONE NETWORKS INC.	Investment Recovery 30 LOCKPORT AVENUE ETOBICOKE ON M8Z 2R7	NW/17.9	4.33	<a href="#">416</a>
<a href="#">57</a>	GEN	HYDRO ONE NETWORKS INC.	Investment Recovery 30 LOCKPORT AVENUE ETOBICOKE ON M8Z 2R7	NW/17.9	4.33	<a href="#">417</a>
<a href="#">57</a>	GEN	HYDRO ONE NETWORKS INC.	Investment Recovery 30 LOCKPORT AVENUE ETOBICOKE ON M8Z 2R7	NW/17.9	4.33	<a href="#">418</a>
<a href="#">58</a>	GEN	INLAND TRACKED EQUIPMENT	25 LOCKPORT AVENUE TORONTO ON M8Z 5K7	WNW/21.8	3.03	<a href="#">419</a>
<a href="#">58</a>	GEN	INLAND TRACKED EQUIPMENT 21-264	25 LOCKPORT AVE. TORONTO ON M8Z 2R6	WNW/21.8	3.03	<a href="#">419</a>
<a href="#">58</a>	GEN	INLAND TRACKED EQUIPMENT	25 LOCKPORT AVE. TORONTO ON M8Z 2R6	WNW/21.8	3.03	<a href="#">419</a>
<a href="#">58</a>	GEN	INLAND TRACKED EQUIPMENT	25 LOCKPORT AVE. TORONTO ON M8Z 2R6	WNW/21.8	3.03	<a href="#">420</a>
<a href="#">58</a>	GEN	ALTON TRUCK INDUSTRIES	25 LOCKPORT ROAD 55 SHORNCLIFFE ROAD (SITE) TORONTO ON M8Z 2R6	WNW/21.8	3.03	<a href="#">420</a>
<a href="#">58</a>	SCT	Inland Tracked Equipment	25 Lockport Ave Toronto ON M8Z 2R6	WNW/21.8	3.03	<a href="#">420</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">58</a>	SCT	Acheson Bros. Ltd.	25 Lockport Ave Toronto ON M8Z 2R6	WNW/21.8	3.03	<a href="#">421</a>
<a href="#">59</a>	CA		25 Newbridge Road Toronto ON M8Z 2L6	WSW/21.9	2.00	<a href="#">421</a>
<a href="#">59</a>	CA		25 Newbridge Road Toronto ON M8Z 2L6	WSW/21.9	2.00	<a href="#">421</a>
<a href="#">59</a>	CA	Cargill Limited	25 Newbridge Rd Toronto ON M8Z 2L6	WSW/21.9	2.00	<a href="#">422</a>
<a href="#">59</a>	EBR	Global Egg Corporation	25 Newbridge Road Toronto Ontario Toronto ON	WSW/21.9	2.00	<a href="#">422</a>
<a href="#">59</a>	EBR	Cargill Egg Products	25 Newbridge Road Toronto Municipality Of Metropolitan Toronto CITY OF TORONTO ON	WSW/21.9	2.00	<a href="#">422</a>
<a href="#">59</a>	EBR	Cargill Limited	25 Newbridge Road Toronto, Municipality Of Metropolitan Toronto CITY OF TORONTO ON	WSW/21.9	2.00	<a href="#">423</a>
<a href="#">59</a>	ECA	Global Egg Corporation	25 Newbridge Road Toronto ON M8Z 2L6	WSW/21.9	2.00	<a href="#">423</a>
<a href="#">59</a>	ECA	Cargill Limited	25 Newbridge Rd Toronto ON M8Z 2L6	WSW/21.9	2.00	<a href="#">423</a>
<a href="#">59</a>	ECA	Cargill Limited	25 Newbridge Rd Toronto ON M8Z 2L6	WSW/21.9	2.00	<a href="#">424</a>
<a href="#">59</a>	ECA	Global Egg Corporation	25 Newbridge Road Toronto ON M8Z 2L6	WSW/21.9	2.00	<a href="#">424</a>
<a href="#">59</a>	EHS		25 Newbridge Road Etobicoke ON <b>Order ID: 475724</b>	WSW/21.9	2.00	<a href="#">424</a>
<a href="#">59</a>	GEN	Cargill Kitchen Solutions, div. of Cargill Limited	25 Newbridge Rd., Etobicoke ON M8Z 2L6	WSW/21.9	2.00	<a href="#">424</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">59</a>	GEN	Cargill Kitchen Solutions, div. of Cargill Limited	25 Newbridge Rd., Etobicoke ON M8Z 2L6	WSW/21.9	2.00	<a href="#">425</a>
<a href="#">59</a>	GEN	Cargill Kitchen Solutions, div. of Cargill Limited	25 Newbridge Rd., Etobicoke ON M8Z 2L6	WSW/21.9	2.00	<a href="#">425</a>
<a href="#">59</a>	GEN	Cargill Kitchen Solutions, div. of Cargill Limited	25 Newbridge Rd., Etobicoke ON M8Z 2L6	WSW/21.9	2.00	<a href="#">426</a>
<a href="#">59</a>	GEN	Cargill Egg Products, division of Cargill Limited	25 Newbridge Rd., Etobicoke ON M8Z 2L6	WSW/21.9	2.00	<a href="#">426</a>
<a href="#">59</a>	GEN	Cargill Kitchen Solutions, div. of Cargill Limited	25 Newbridge Rd., Etobicoke ON M8Z 2L6	WSW/21.9	2.00	<a href="#">426</a>
<a href="#">59</a>	GEN	Global Egg Corporation	25 Newbridge Rd. Etobicoke ON M8Z 2L6	WSW/21.9	2.00	<a href="#">427</a>
<a href="#">59</a>	GEN	DOR-SEAL LIMITED (OUT OF BUS)	25 NEWBRIDGE ROAD TORONTO ON M8Z 2L6	WSW/21.9	2.00	<a href="#">427</a>
<a href="#">59</a>	GEN	DOR-SEAL LIMITED (OUT OF BUS) 13-114	25 NEWBRIDGE ROAD TORONTO ON M8Z 2L6	WSW/21.9	2.00	<a href="#">428</a>
<a href="#">59</a>	GEN	Cargill Kitchen Solutions, div. of Cargill Limited	25 Newbridge Rd., Etobicoke ON M8Z 2L6	WSW/21.9	2.00	<a href="#">428</a>
<a href="#">59</a>	GEN	Global Egg Corporation Newbridge	25 Newbridge Rd. Etobicoke ON M8Z 2L6	WSW/21.9	2.00	<a href="#">428</a>
<a href="#">59</a>	GEN	Cargill Kitchen Solutions, div. of Cargill Limited	25 Newbridge Rd., Etobicoke ON M8Z 2L6	WSW/21.9	2.00	<a href="#">429</a>
<a href="#">59</a>	GEN	Cargill Kitchen Solutions, div. of Cargill Limited	25 Newbridge Rd., Etobicoke ON	WSW/21.9	2.00	<a href="#">429</a>
<a href="#">59</a>	NPRI	Cargill Kitchen Solutions, a division of Cargill Limited	25 Newbridge Road Etobicoke ON M8Z 2L6	WSW/21.9	2.00	<a href="#">429</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">59</a>	NPRI	Cargill Kitchen Solutions, A Division of Cargill Ltd.	25 NEWBRIDGE ROAD NOT AVAILABLE ETOBICOKE ON M8Z2L6	WSW/21.9	2.00	<a href="#">430</a>
<a href="#">59</a>	NPRI	CARGILL KITCHEN SOLUTIONS, A DIVISION OF CARGILL LTD.	25 NEWBRIDGE ROAD NOT AVAILABLE ETOBICOKE ON M8Z2L6	WSW/21.9	2.00	<a href="#">432</a>
<a href="#">59</a>	SCT	TAYCO PANELINK LTD	25 NEWBRIDGE RD ETOBICOKE ON M8Z 2L6	WSW/21.9	2.00	<a href="#">433</a>
<a href="#">59</a>	SPL	Egg Solutions<UNOFFICIAL>	25 Newbridge Road EGG SOLUTIONS<UNOFFICIAL> Toronto ON M8Z 2L6	WSW/21.9	2.00	<a href="#">433</a>
<a href="#">59</a>	SPL	Cargill Kitchen Solutions<UNOFFICIAL>	25 Newbridge Road, Etobicoke Toronto ON M8Z 2L6	WSW/21.9	2.00	<a href="#">434</a>
<a href="#">60</a>	GEN	RED STAR EXPRESS (OUT OF BUSINESS)33-271	49 N. QUEEN ETOBICOKE ON M8Z 1P9	S/25.4	-3.00	<a href="#">434</a>
<a href="#">60</a>	GEN	RED STAR EXPRESS LINES (OUT OF BUSINESS)	49 NORTH QUEEN ETOBICOKE ON M8Z 1P9	S/25.4	-3.00	<a href="#">434</a>
<a href="#">60</a>	GEN	RED STAR EXPRESS	49 N. QUEEN ETOBICOKE ON M8Z 1P9	S/25.4	-3.00	<a href="#">435</a>
<a href="#">60</a>	GEN	RED STAR EXPRESS (OUT OF BUSINESS)	49 N. QUEEN ETOBICOKE ON M8Z 1P9	S/25.4	-3.00	<a href="#">435</a>
<a href="#">61</a>	GEN	BLUE STAR TRAILER RENTALS INC.	53 NORTH QUEEN ST. TORONTO ON M8Z 2C7	SSE/31.9	-4.00	<a href="#">435</a>
<a href="#">62</a>	WWIS		Toronto ON <b>Well ID:</b> 7138414	NW/32.0	6.00	<a href="#">435</a>
<a href="#">63</a>	BORE		ON	SSE/34.6	-4.00	<a href="#">438</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">64</a>	EHS		37 Shorncliffe Road Toronto ON <i>Order ID: 502641</i>	NW/36.0	6.00	<a href="#">438</a>
<a href="#">65</a>	WWIS		ETOBICOKE ON <i>Well ID: 6929539</i>	S/38.1	-1.00	<a href="#">438</a>
<a href="#">66</a>	BORE		ON	SSE/39.0	-4.00	<a href="#">440</a>
<a href="#">67</a>	WWIS		Toronto ON <i>Well ID: 7118949</i>	NW/39.1	6.00	<a href="#">441</a>
<a href="#">68</a>	AUWR	CROWN CANADA AUTOMOTIVE	50 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	SSW/41.8	-0.41	<a href="#">446</a>
<a href="#">68</a>	AUWR	CROWN CANADA AUTOMOTIVE	50 NORTH QUEEN ST ETOBICOKE ON M8Z2C4	SSW/41.8	-0.41	<a href="#">447</a>
<a href="#">68</a>	CA	STEFANO LIESSI, VALCOURT COLLISION	50 NORTH QUEEN STREET ETOBICOKE CITY ON M8Z 2C4	SSW/41.8	-0.41	<a href="#">447</a>
<a href="#">68</a>	GEN	JOFRADO MANAGEMENT LTD.	50 NORTH QUEEN ST TORONTO ON M8Z 2C4	SSW/41.8	-0.41	<a href="#">447</a>
<a href="#">69</a>	EHS		20 Lockport Ave Toronto ON M8Z2R7 <i>Order ID: 355772</i>	WNW/44.6	3.98	<a href="#">447</a>
<a href="#">70</a>	NPRI	CARGILL KITCHEN SOLUTIONS, A DIVISION OF CARGILL LTD.	25 NEWBRIDGE ROAD NOT AVAILABLE ETOBICOKE ON M8Z2L6	WSW/44.6	2.66	<a href="#">447</a>
<a href="#">71</a>	CA	1536394 Ontario Inc.	20 Lockport Avenue Toronto ON M8Z 2R7	WNW/45.3	4.05	<a href="#">449</a>
<a href="#">71</a>	EBR	1536394 Ontario Inc.	20 Lockport Avenue Toronto Ontario M8Z 2R7 Toronto ON	WNW/45.3	4.05	<a href="#">449</a>
<a href="#">71</a>	ECA	1536394 Ontario Inc.	20 Lockport Avenue Toronto ON M8Z 2R7	WNW/45.3	4.05	<a href="#">450</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">71</a>	SPL		20 Lockport Ave Toronto ON	WNW/45.3	4.05	<a href="#">450</a>
<a href="#">72</a>	BORE		ON	ESE/46.7	-3.00	<a href="#">450</a>
<a href="#">73</a>	BORE		ON	SSE/49.8	-3.18	<a href="#">451</a>
<a href="#">74</a>	WWIS		Toronto ON <b>Well ID:</b> 7117894	W/50.3	3.72	<a href="#">451</a>
<a href="#">75</a>	FST	GENERAL CARTAGE & EXPRESS CO LTD	48 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	SSW/62.3	1.11	<a href="#">454</a>
<a href="#">75</a>	FST	GENERAL CARTAGE & EXPRESS CO LTD	48 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	SSW/62.3	1.11	<a href="#">454</a>
<a href="#">75</a>	FSTH	GENERAL CARTAGE & EXPRESS CO LTD	48 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	SSW/62.3	1.11	<a href="#">455</a>
<a href="#">75</a>	FSTH	GENERAL CARTAGE & EXPRESS CO LTD	48 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	SSW/62.3	1.11	<a href="#">455</a>
<a href="#">75</a>	GEN	GENERAL CARTAGE & EXPRESS CO. LTD.	48 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	SSW/62.3	1.11	<a href="#">455</a>
<a href="#">75</a>	GEN	GENERAL CARTAGE & EXPRESS CO. LTD.	48 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	SSW/62.3	1.11	<a href="#">456</a>
<a href="#">75</a>	GEN	GENERAL CARTAGE & EXPRESS CO. LTD.17-114	48 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	SSW/62.3	1.11	<a href="#">456</a>
<a href="#">75</a>	GEN	GENERAL CARTAGE & EXPRESS CO. LTD.	48 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	SSW/62.3	1.11	<a href="#">457</a>
<a href="#">75</a>	GEN	GENERAL CARTAGE & EXPRESS CO. LTD.	48 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	SSW/62.3	1.11	<a href="#">457</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">75</a>	GEN	GENERAL CARTAGE & EXPRESS CO. LTD.17-114	48 NORTH QUEEN ST. TORONTO ON M8Z 2C4	SSW/62.3	1.11	<a href="#">458</a>
<a href="#">75</a>	GEN	GENERAL CARTAGE & EXPRESS CO. LTD.	48 NORTH QUEEN ST. TORONTO ON M8Z 2C4	SSW/62.3	1.11	<a href="#">458</a>
<a href="#">75</a>	GEN	GENERAL CARTAGE & EXPRESS CO. LTD.	48 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	SSW/62.3	1.11	<a href="#">458</a>
<a href="#">75</a>	GEN	GENERAL CARTAGE & EXPRESS CO. LTD.	48 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	SSW/62.3	1.11	<a href="#">459</a>
<a href="#">75</a>	GEN	GENERAL CARTAGE & EXPRESS CO. LTD.	48 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	SSW/62.3	1.11	<a href="#">459</a>
<a href="#">75</a>	GEN	GENERAL CARTAGE & EXPRESS CO. LTD. n/a	48 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	SSW/62.3	1.11	<a href="#">459</a>
<a href="#">75</a>	GEN	GENERAL CARTAGE & EXPRESS CO. LTD.	48 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	SSW/62.3	1.11	<a href="#">460</a>
<a href="#">75</a>	GEN	CANADIAN DIS(OUT OF BUSINESS)D. 07-489	48 NORTH QUEEN STREET TORONTO ON M8Z 2C4	SSW/62.3	1.11	<a href="#">460</a>
<a href="#">75</a>	GEN	GENERAL CARTAGE & EXPRESS CO. LTD.	48 NORTH QUEEN STREET ETOBICOKE ON	SSW/62.3	1.11	<a href="#">461</a>
<a href="#">75</a>	PRT	GENERAL CARTAGE & EXPRESS CO LTD	48 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	SSW/62.3	1.11	<a href="#">461</a>
<a href="#">76</a>	GEN	BTL TRANSPORT & LEASING LTD. 04-294	18 LOCPORT AVENUE C/O 51 MANSTOR ROAD ETOBICOKE ON M9C 1B1	WNW/62.9	4.08	<a href="#">461</a>
<a href="#">76</a>	GEN	BTL TRANSPORT & LEASING LTD.	18 LOCPORT AVENUE C/O 51 MANSTOR ROAD ETOBICOKE ON M9C 1B1	WNW/62.9	4.08	<a href="#">462</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">77</a>	SCT	OCTANORM CANADA LTD	15 LOCKPORT AVE ETOBICOKE ON M8Z 2R6	WNW/66.5	4.22	<a href="#">462</a>
<a href="#">78</a>	WWIS		Toronto ON <b>Well ID:</b> 7138413	NW/68.9	6.00	<a href="#">462</a>
<a href="#">79</a>	BORE		ON	WNW/70.2	4.22	<a href="#">464</a>
<a href="#">80</a>	EXP	PETRO CANADA WHOLESale OPERATIONS PETRO PASS **	58 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	SSW/70.4	0.00	<a href="#">465</a>
<a href="#">80</a>	EXP	PETRO CANADA WHOLESale OPERATIONS PETRO PASS **	58 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	SSW/70.4	0.00	<a href="#">465</a>
<a href="#">80</a>	EXP	PETRO CANADA WHOLESale OPERATIONS PETRO PASS **	58 NORTH QUEEN ST ETOBICOKE ON	SSW/70.4	0.00	<a href="#">465</a>
<a href="#">80</a>	EXP	PETRO CANADA WHOLESale OPERATIONS PETRO PASS **	58 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	SSW/70.4	0.00	<a href="#">465</a>
<a href="#">80</a>	EXP	PETRO CANADA WHOLESale OPERATIONS PETRO PASS **	58 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	SSW/70.4	0.00	<a href="#">466</a>
<a href="#">80</a>	EXP	PETRO CANADA WHOLESale OPERATIONS PETRO PASS **	58 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	SSW/70.4	0.00	<a href="#">466</a>
<a href="#">80</a>	EXP	PETRO CANADA WHOLESale OPERATIONS PETRO PASS **	58 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	SSW/70.4	0.00	<a href="#">466</a>
<a href="#">80</a>	EXP	PETRO CANADA WHOLESale OPERATIONS PETRO PASS **	58 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	SSW/70.4	0.00	<a href="#">466</a>
<a href="#">80</a>	EXP	PETRO CANADA WHOLESale OPERATIONS PETRO PASS **	58 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	SSW/70.4	0.00	<a href="#">467</a>
<a href="#">80</a>	FST	SUNCOR ENERGY PRODUCTS PARTNERSHIP	58 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	SSW/70.4	0.00	<a href="#">467</a>



<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">80</a>	FST	SUNCOR ENERGY PRODUCTS PARTNERSHIP	58 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	SSW/70.4	0.00	<a href="#">467</a>
<a href="#">80</a>	FST	SUNCOR ENERGY PRODUCTS PARTNERSHIP	58 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	SSW/70.4	0.00	<a href="#">468</a>
<a href="#">80</a>	FSTH	PETRO CANADA WHOLESALE OPERATIONS PETRO PASS **	58 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	SSW/70.4	0.00	<a href="#">468</a>
<a href="#">80</a>	FSTH	PETRO CANADA WHOLESALE MARKETING ATT: LYDIA CHIPPER- PETROPASS **	58 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	SSW/70.4	0.00	<a href="#">468</a>
<a href="#">80</a>	GEN	Suncor Energy	58 NORTH QUEEN ETOBICOKE ON	SSW/70.4	0.00	<a href="#">469</a>
<a href="#">80</a>	GEN	Suncor Energy	58 NORTH QUEEN ETOBICOKE ON M8Z2C4	SSW/70.4	0.00	<a href="#">469</a>
<a href="#">80</a>	GEN	Suncor Energy	58 NORTH QUEEN ETOBICOKE ON M8Z2C4	SSW/70.4	0.00	<a href="#">469</a>
<a href="#">80</a>	GEN	Suncor Energy	58 NORTH QUEEN ETOBICOKE ON M8Z2C4	SSW/70.4	0.00	<a href="#">470</a>
<a href="#">80</a>	GEN	Suncor Energy	58 NORTH QUEEN ETOBICOKE ON M8Z2C4	SSW/70.4	0.00	<a href="#">470</a>
<a href="#">80</a>	GEN	Suncor Energy	58 NORTH QUEEN ETOBICOKE ON M8Z2C4	SSW/70.4	0.00	<a href="#">470</a>
<a href="#">80</a>	GEN	Suncor Energy	58 NORTH QUEEN ETOBICOKE ON M8Z2C4	SSW/70.4	0.00	<a href="#">470</a>
<a href="#">80</a>	PRT	PETRO CANADA C/O KELLY VANDERWERF CONSUMER SALES	58 NORTH QUEEN ST ETOBICOKE ON M8Z2C4	SSW/70.4	0.00	<a href="#">471</a>
<a href="#">80</a>	RST	NORTH QUEEN PETRO PASS	58 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	SSW/70.4	0.00	<a href="#">471</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">80</a>	SPL	TRANSPORT TRUCK	58 NORTH QUEEN ST. MOTOR VEHICLE (OPERATING FLUID) TORONTO CITY ON M8Z 2C4	SSW/70.4	0.00	<a href="#">471</a>
<a href="#">81</a>	FST	SIENA FOODS LTD	16 NEWBRIDGE RD TORONTO ON M8Z 2L7	WSW/73.2	4.08	<a href="#">472</a>
<a href="#">81</a>	FST	SIENA FOODS LTD	16 NEWBRIDGE RD TORONTO ON M8Z 2L7	WSW/73.2	4.08	<a href="#">472</a>
<a href="#">81</a>	FSTH	SIENA FOODS LTD	16 NEWBRIDGE RD TORONTO ON M8Z 2L7	WSW/73.2	4.08	<a href="#">472</a>
<a href="#">81</a>	FSTH	SIENA FOODS LTD	16 NEWBRIDGE RD TORONTO ON M8Z 2L7	WSW/73.2	4.08	<a href="#">473</a>
<a href="#">81</a>	GEN	Siena Foods Ltd.	16 Newbridge Road Toronto ON M8Z 2L7	WSW/73.2	4.08	<a href="#">473</a>
<a href="#">81</a>	HINC		16 NEWBRIDGE ROAD TORONTO ON M8Z 2L7	WSW/73.2	4.08	<a href="#">473</a>
<a href="#">81</a>	PRT	SIENA FOODS LTD	16 NEWBRIDGE RD TORONTO ON M8Z 2L7	WSW/73.2	4.08	<a href="#">474</a>
<a href="#">81</a>	SCT	SIENA FOODS LTD.	16 NEWBRIDGE RD ETOBICOKE ON M8Z 2L7	WSW/73.2	4.08	<a href="#">474</a>
<a href="#">81</a>	SCT	Siena Foods Ltd.	16 Newbridge Rd Etobicoke ON M8Z 2L7	WSW/73.2	4.08	<a href="#">474</a>
<a href="#">82</a>	BORE		ON	N/76.6	4.00	<a href="#">474</a>
<a href="#">82</a>	BORE		ON	N/76.6	4.00	<a href="#">475</a>
<a href="#">83</a>	WWIS		TORONTO ON	NW/76.7	6.00	<a href="#">476</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
			<b>Well ID:</b> 7116427			
<a href="#">84</a>	WWIS		ON	NW/85.7	6.00	<a href="#">478</a>
			<b>Well ID:</b> 7214404			
<a href="#">85</a>	EHS		17 Newbridge Rd Toronto ON M8Z 2L6	WSW/87.8	3.30	<a href="#">479</a>
			<b>Order ID:</b> 163255			
<a href="#">86</a>	EHS		17 Newbridge Rd Etobicoke ON M8Z 2L6	WSW/88.7	3.30	<a href="#">479</a>
			<b>Order ID:</b> 133234			
<a href="#">86</a>	GEN	GLOBAL EGG CORPORATION	#17 Newbridge Road Etobicoke ON M8Z 2L6	WSW/88.7	3.30	<a href="#">479</a>
<a href="#">86</a>	GEN	GLOBAL EGG CORPORATION LTD.	17 NEWBRIDGE ROAD ETOBICOKE ON M8Z 2L6	WSW/88.7	3.30	<a href="#">480</a>
<a href="#">86</a>	SPL		17 Newbridge Rd. Toronto ON M8Z 2L6	WSW/88.7	3.30	<a href="#">480</a>
<a href="#">87</a>	WWIS		ETOBICOKE ON	W/90.4	5.05	<a href="#">480</a>
			<b>Well ID:</b> 7116718			
<a href="#">88</a>	SPL	ADP Direct Poultry Ltd.	34 Vansco Road Toronto ON	SSE/94.7	-4.00	<a href="#">482</a>
<a href="#">88</a>	SPL	ADP Direct Poultry Ltd.	34 Vansco Rd. Etobicoke Toronto ON	SSE/94.7	-4.00	<a href="#">483</a>
<a href="#">89</a>	FST	BELL CANADA	55 NORTH QUEEN ST ETOBICOKE ON M8Z 2C7	S/94.7	-2.36	<a href="#">483</a>
<a href="#">89</a>	FSTH	BELL CANADA ATT: AKI OMAE MANAGER OF REALTY SERVICES	55 NORTH QUEEN ST ETOBICOKE ON M8Z 2C7	S/94.7	-2.36	<a href="#">484</a>
<a href="#">89</a>	FSTH	BELL CANADA ATT: AKI OMAE MANAGER OF REALTY SERVICES	55 NORTH QUEEN ST ETOBICOKE ON M8Z 2C7	S/94.7	-2.36	<a href="#">484</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">89</a>	GEN	BELL CANADA 083	05- 55 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C7	S/94.7	-2.36	<a href="#">484</a>
<a href="#">89</a>	GEN	BELL CANADA	55 North Queen St Etobicoke ON M8Z 2C7	S/94.7	-2.36	<a href="#">485</a>
<a href="#">89</a>	GEN	BELL CANADA	55 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C7	S/94.7	-2.36	<a href="#">486</a>
<a href="#">89</a>	GEN	BELL CANADA	55 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C7	S/94.7	-2.36	<a href="#">486</a>
<a href="#">89</a>	GEN	BELL CANADA	55 North Queen St Etobicoke ON	S/94.7	-2.36	<a href="#">487</a>
<a href="#">89</a>	GEN	BELL CANADA	55 North Queen St Etobicoke ON M8Z 2C7	S/94.7	-2.36	<a href="#">488</a>
<a href="#">89</a>	GEN	PETRO-CANADA PRODUCTS 31-092	NORTH QUEEN CARDLOCK PLANT - GULF ROBSON ENTERPRISES, 55 NORTH QUEEN ST. ETOBICOKE ON M8Z 2C7	S/94.7	-2.36	<a href="#">489</a>
<a href="#">89</a>	GEN	BELL CANADA	55 North Queen St Etobicoke ON M8Z 2C7	S/94.7	-2.36	<a href="#">489</a>
<a href="#">89</a>	GEN	PETRO-CANADA PRODUCTS	NORTH QUEEN CARDLOCK PLANT - GULF ROBSON ENTERPRISES, 55 NORTH QUEEN ST. ETOBICOKE ON M8Z 2C7	S/94.7	-2.36	<a href="#">490</a>
<a href="#">89</a>	GEN	BELL CANADA	55 North Queen St Etobicoke ON M8Z 2C7	S/94.7	-2.36	<a href="#">490</a>
<a href="#">89</a>	GEN	BELL CANADA	55 North Queen St Etobicoke ON M8Z 2C7	S/94.7	-2.36	<a href="#">491</a>
<a href="#">89</a>	GEN	BELL CANADA	55 North Queen St Etobicoke ON M8Z 2C7	S/94.7	-2.36	<a href="#">492</a>
<a href="#">89</a>	GEN	BELL CANADA	55 North Queen St Etobicoke ON M8Z 2C7	S/94.7	-2.36	<a href="#">492</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">89</a>	GEN	BELL CANADA	55 North Queen St Etobicoke ON M8Z 2C7	S/94.7	-2.36	<a href="#">493</a>
<a href="#">89</a>	PRT	BELL CANADA	55 NORTH QUEEN ST ETOBICOKE ON M8Z 2C7	S/94.7	-2.36	<a href="#">494</a>
<a href="#">90</a>	EHS		34 Vansco Road Toronto ON <b>Order ID:</b> 304544	SSE/96.5	-4.00	<a href="#">494</a>
<a href="#">91</a>	EHS		Shorncliffe Rd Queen St N Toronto ON <b>Order ID:</b> 448017	NNW/97.4	6.00	<a href="#">494</a>
<a href="#">92</a>	SPL		34 Vansco Toronto ON	SSE/97.8	-4.00	<a href="#">494</a>
<a href="#">93</a>	EHS		65 and 69 North Queen Street Toronto ON <b>Order ID:</b> 187423	SSW/99.7	0.05	<a href="#">495</a>
<a href="#">94</a>	WWIS		Toronto ON <b>Well ID:</b> 7117895	WSW/100.4	3.73	<a href="#">495</a>
<a href="#">95</a>	GEN	TAYLOR MANUFACTURING INDUSTRY INC.	55 VANSKO ROAD TORONTO ON M8Z 5Z8	SSE/101.2	-4.00	<a href="#">498</a>
<a href="#">95</a>	GEN	TAYLOR MANUFACTURING IND. INC.	55 VANSKO ROAD TORONTO ON M8Z 5Z8	SSE/101.2	-4.00	<a href="#">498</a>
<a href="#">95</a>	SCT	Allseas Fisheries Inc	55 Vansco Rd Toronto ON M8Z 5Z8	SSE/101.2	-4.00	<a href="#">498</a>
<a href="#">95</a>	SCT	TAYLOR MANUFACTURING IND. INC.	55 VANSKO RD ETOBICOKE ON M8Z 5Z8	SSE/101.2	-4.00	<a href="#">499</a>
<a href="#">96</a>	WWIS		Toronto ON <b>Well ID:</b> 7110120	WSW/102.2	3.35	<a href="#">499</a>
<a href="#">97</a>	AUWR	NIKI AUTO MOTOR	11 LOCKPORT AVE ETOBICOKE ON M8Z2R6	W/104.0	5.23	<a href="#">502</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">97</a>	AUWR	NIKI AUTO MOTOR	11 LOCKPORT AVE ETOBICOKE ON M8Z 2R6	W/104.0	5.23	<a href="#">502</a>
<a href="#">97</a>	RST	MAINLAND PARTS & SERVICE	11 LOCKPORT AVE ETOBICOKE ON M8Z 2R6	W/104.0	5.23	<a href="#">502</a>
<a href="#">98</a>	GEN	VILLAGE CONTRACTORS	12 NEWBRIDGE ROAD ETOBICOKE ON M8Z 2L7	WSW/108.4	4.55	<a href="#">503</a>
<a href="#">98</a>	GEN	VILLAGE CONTRACTORS 40-085	12 NEWBRIDGE RD. ETOBICOKE ON M8Z 2L7	WSW/108.4	4.55	<a href="#">503</a>
<a href="#">98</a>	GEN	VILLAGE MASONRY WORKS INC.	12 NEWBRIDGE ROAD ETOBICOKE ON	WSW/108.4	4.55	<a href="#">503</a>
<a href="#">98</a>	GEN	VILLAGE CONTRACTORS	12 NEWBRIDGE RD. ETOBICOKE ON M8Z 2L7	WSW/108.4	4.55	<a href="#">504</a>
<a href="#">98</a>	GEN	VILLAGE CONTRACTORS	12 NEWBRIDGE ROAD ETOBICOKE ON	WSW/108.4	4.55	<a href="#">504</a>
<a href="#">98</a>	GEN	VILLAGE MASONRY WORKS INC.	12 NEWBRIDGE ROAD ETOBICOKE ON	WSW/108.4	4.55	<a href="#">504</a>
<a href="#">98</a>	SCT	Siena Foods Ltd.	12 Newbridge Rd Etobicoke ON M8Z 2L7	WSW/108.4	4.55	<a href="#">505</a>
<a href="#">99</a>	GEN	BLUE STAR TRAILER RENTALS INC.	65 NORTH QUEEN ST. TORONTO ON M8Z 2C7	S/109.1	-1.31	<a href="#">505</a>
<a href="#">99</a>	GEN	BLUE STAR TRAILER RENTALS INC.	65 NORTH QUEEN ST. TORONTO ON M8Z 2C7	S/109.1	-1.31	<a href="#">505</a>
<a href="#">99</a>	GEN	West Van	65 North Queen Street Etobicoke ON	S/109.1	-1.31	<a href="#">505</a>
<a href="#">99</a>	GEN	TRANSPORT INTERNATIONAL POOL (T.I.P.)	65 NORTH QUEEN STREET TORONTO ON M8Z 2C7	S/109.1	-1.31	<a href="#">506</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">99</a>	GEN	TRANSPORT INTERNATIONAL POOL	65 NORTH QUEEN STREET TORONTO ON M8Z 2C7	S/109.1	-1.31	<a href="#">506</a>
<a href="#">100</a>	SPL	ONTARIO HYDRO	LOCKPORT RD. OFF STORMCLIFF, WEST SIDE OF KIPLING YARD. TRANSFORMER TORONTO CITY ON	WNW/111.1	5.02	<a href="#">506</a>
<a href="#">101</a>	SPL	RHONE-POULENC CANADA INC.	35 NORTH QUEEN STREET TRANSPORT TRUCK (CARGO) TORONTO CITY ON	SE/111.7	-3.31	<a href="#">507</a>
<a href="#">102</a>	WWIS		TORONTO ON <b>Well ID:</b> 7120237	NW/115.7	6.00	<a href="#">507</a>
<a href="#">103</a>	EHS		65 North Queen Street Etobicoke ON M8Z 2C7 <b>Order ID:</b> 217094	SSW/117.7	-0.40	<a href="#">509</a>
<a href="#">104</a>	WWIS		Toronto ON <b>Well ID:</b> 7110875	NW/118.2	6.00	<a href="#">509</a>
<a href="#">105</a>	WWIS		Toronto ON <b>Well ID:</b> 7120724	NE/121.5	0.19	<a href="#">512</a>
<a href="#">106</a>	GEN	1076284 ONTARIO INC.	60 NORTH QUEEN STREET TORONTO ON M8Z 2C4	SSW/124.6	1.80	<a href="#">515</a>
<a href="#">106</a>	GEN	1076284 ONTARIO INC.	60 NORTH QUEEN STREET TORONTO ON M8Z 2C4	SSW/124.6	1.80	<a href="#">515</a>
<a href="#">106</a>	GEN	North Queen Truck & Equipment Repair	60 North Queen St, Unit 1 Etobicoke ON M8Z2C4	SSW/124.6	1.80	<a href="#">516</a>
<a href="#">106</a>	GEN	1076284 ONTARIO INC.	60 NORTH QUEEN STREET TORONTO ON M8Z 2C4	SSW/124.6	1.80	<a href="#">516</a>
<a href="#">106</a>	GEN	North Queen Truck & Equipment Repair	60 North Queen St, Unit 1 Etobicoke ON M8Z2C4	SSW/124.6	1.80	<a href="#">516</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">106</a>	GEN	PENETANG-MIDLAND (OUT OF BUSINESS)	60 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	SSW/124.6	1.80	<a href="#">516</a>
<a href="#">106</a>	GEN	1076284 ONTARIO INC.	60 NORTH QUEEN STREET TORONTO ON M8Z 2C4	SSW/124.6	1.80	<a href="#">517</a>
<a href="#">106</a>	GEN	1076284 ONTARIO INC.	60 NORTH QUEEN STREET TORONTO ON M8Z 2C4	SSW/124.6	1.80	<a href="#">517</a>
<a href="#">106</a>	GEN	VERSATILE CONTRAIL LIMITED	60 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	SSW/124.6	1.80	<a href="#">518</a>
<a href="#">106</a>	GEN	1076284 ONTARIO INC.	60 NORTH QUEEN STREET TORONTO ON M8Z 2C4	SSW/124.6	1.80	<a href="#">518</a>
<a href="#">106</a>	GEN	UNIVERSAL TRUCK AND EQUIPMENT SERVICE	1007472 ONTARIO LIMITED 60 NORTHQUEEN STREET ETOBICOKE ON M8Z 2C4	SSW/124.6	1.80	<a href="#">518</a>
<a href="#">106</a>	GEN	PENETANG MIDLAND COACH LINES 30-715	60 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	SSW/124.6	1.80	<a href="#">519</a>
<a href="#">106</a>	GEN	PENETANG (OUT OF BUS) 30-715	60 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	SSW/124.6	1.80	<a href="#">519</a>
<a href="#">106</a>	GEN	1076284 ONTARIO INC.	60 NORTH QUEEN STREET TORONTO ON M8Z 2C4	SSW/124.6	1.80	<a href="#">519</a>
<a href="#">106</a>	GEN	1076284 ONTARIO INC.	60 NORTH QUEEN STREET TORONTO ON M8Z 2C4	SSW/124.6	1.80	<a href="#">520</a>
<a href="#">106</a>	GEN	HUB EQUIPMENT	60 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	SSW/124.6	1.80	<a href="#">520</a>
<a href="#">106</a>	GEN	2164777 Ontario Inc	60 North Queen Street Etobicoke ON M8Z 2C4	SSW/124.6	1.80	<a href="#">521</a>
<a href="#">106</a>	GEN	VERSATILE CONTRAIL LIMITED 40-079	60 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	SSW/124.6	1.80	<a href="#">521</a>



<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">106</a>	GEN	1076284 ONTARIO INC.	60 NORTH QUEEN STREET TORONTO ON	SSW/124.6	1.80	<a href="#">521</a>
<a href="#">106</a>	GEN	1076284 ONTARIO INC.	60 NORTH QUEEN STREET TORONTO ON M8Z 2C4	SSW/124.6	1.80	<a href="#">521</a>
<a href="#">106</a>	GEN	HUB EQUIPMENT LIMITED	60 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	SSW/124.6	1.80	<a href="#">522</a>
<a href="#">106</a>	GEN	North Queen Truck & Equipment Repair	60 North Queen St, Unit 1 Etobicoke ON M8Z2C4	SSW/124.6	1.80	<a href="#">522</a>
<a href="#">106</a>	SCT	Flap & Seal Envelope	60 North Queen St Etobicoke ON M8Z 2C4	SSW/124.6	1.80	<a href="#">522</a>
<a href="#">107</a>	WWIS		TORONTO ON <i>Well ID:</i> 6929023	WNW/127.1	5.57	<a href="#">523</a>
<a href="#">108</a>	EHS		30 Vansco Road Toronto ON <i>Order ID:</i> 474701	SSE/130.9	-4.00	<a href="#">526</a>
<a href="#">108</a>	EHS		30 Vansco Rd Toronto On Toronto ON M8Z5J4 <i>Order ID:</i> 286759	SSE/130.9	-4.00	<a href="#">526</a>
<a href="#">108</a>	GEN	ADA PRECISION MACHINE & TOOL CO. 02-691	30 VANSKO ROAD TORONTO ON M8Z 5J4	SSE/130.9	-4.00	<a href="#">526</a>
<a href="#">108</a>	GEN	ADA PRECISION MACHINE & TOOL COMPANY	30 VANSKO ROAD TORONTO ON M8Z 5J4	SSE/130.9	-4.00	<a href="#">526</a>
<a href="#">108</a>	SCT	A.D.A. PRECISION MACHINE	30 VANSKO RD ETOBICOKE ON M8Z 5J4	SSE/130.9	-4.00	<a href="#">527</a>
<a href="#">108</a>	SCT	ADA PRECISION MACHINE & TOOL C	30 VANSKO RD ETOBICOKE ON M8Z 5J4	SSE/130.9	-4.00	<a href="#">527</a>
<a href="#">108</a>	SCT	ADA Precision Machine & Tool	30 Vansco Rd Etobicoke ON M8Z 5J4	SSE/130.9	-4.00	<a href="#">527</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">108</a>	SCT	ADA Precision Machine & Tool Co. Ltd.	30 Vansco Rd Etobicoke ON M8Z 5J4	SSE/130.9	-4.00	<a href="#">528</a>
<a href="#">109</a>	WWIS		ETOBICOKE ON <i>Well ID: 7281260</i>	SE/132.1	-3.15	<a href="#">528</a>
<a href="#">110</a>	GEN	VANGUARD FLOORS LIMITED 40-091	15 NEWBRIDGE RD. TORONTO ON M8Z 2L6	WSW/133.7	4.07	<a href="#">530</a>
<a href="#">110</a>	GEN	VANGUARD FLOORS LIMITED	15 NEWBRIDGE RD. TORONTO ON M8Z 2L6	WSW/133.7	4.07	<a href="#">531</a>
<a href="#">111</a>	WWIS		Toronto ON <i>Well ID: 7138411</i>	NW/134.6	6.00	<a href="#">531</a>
<a href="#">112</a>	ECA	Helmitin Adhesives Inc.	99 Shorncliffe Road Toronto ON M8Z 5K7	WSW/136.7	4.00	<a href="#">533</a>
<a href="#">113</a>	WWIS		ETOBICOKE ON <i>Well ID: 7281241</i>	SE/137.2	-3.01	<a href="#">533</a>
<a href="#">114</a>	WWIS		Toronto ON <i>Well ID: 7138412</i>	NW/137.8	6.00	<a href="#">536</a>
<a href="#">115</a>	WWIS		Toronto ON <i>Well ID: 7284879</i>	SSW/138.1	1.80	<a href="#">538</a>
<a href="#">116</a>	WWIS		Toronto ON <i>Well ID: 7284878</i>	SSW/143.8	1.95	<a href="#">541</a>
<a href="#">117</a>	GEN	HERTZ CANADA LIMITED	69 NORTH QUEEN STREET C/O 5403 EGLINTON AVE. WEST, SUITE 100 ETOBICOKE ON M8Z 2C7	SSW/146.4	-0.33	<a href="#">544</a>
<a href="#">117</a>	GEN	HERTZ CANADA LIMITED	69 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C7	SSW/146.4	-0.33	<a href="#">544</a>
<a href="#">117</a>	GEN	HERTZ CANADA LIMITED 20-373	69 NORTH QUEEN STREET C/O 5403 EGLINTON AVE. WEST, SUITE 100 ETOBICOKE ON M8Z 2C7	SSW/146.4	-0.33	<a href="#">544</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">118</a>	BORE		ON	NE/151.3	1.00	<a href="#">545</a>
<a href="#">119</a>	EHS		121 Shorncliffe Road Etobicoke ON M8Z 5K7 <b>Order ID:</b> 33190	SW/151.3	3.34	<a href="#">545</a>
<a href="#">120</a>	BORE		ON	ENE/156.7	0.00	<a href="#">546</a>
<a href="#">121</a>	WWIS		ON <b>Well ID:</b> 7258924	WNW/159.1	5.22	<a href="#">546</a>
<a href="#">122</a>	WWIS		ON <b>Well ID:</b> 7281245	SE/163.6	-2.08	<a href="#">547</a>
<a href="#">123</a>	EHS		107 Shorncliffe Road Toronto ON M8Z 5K7 <b>Order ID:</b> 184098	SW/164.1	4.11	<a href="#">549</a>
<a href="#">124</a>	GEN	METRO (OUT OF BUSINESS)	115 SHORNCLIFF ROAD TORONTO ON M8Z 5K7	SW/164.9	4.00	<a href="#">550</a>
<a href="#">124</a>	GEN	METRO INDUSTRIAL LINEN SERVICE	115 SHORNCLIFF ROAD TORONTO ON M8Z 5K7	SW/164.9	4.00	<a href="#">550</a>
<a href="#">124</a>	GEN	METRO (OUT OF BUSINESS)	115 SHORNCLIFF ROAD TORONTO ON M8Z 5K7	SW/164.9	4.00	<a href="#">550</a>
<a href="#">124</a>	GEN	METRO (OUT OF BUSINESS) 26-013	115 SHORNCLIFF ROAD TORONTO ON M8Z 5K7	SW/164.9	4.00	<a href="#">550</a>
<a href="#">124</a>	SCT	Factory Automation Plus Inc.	115 Shorncliffe Rd Toronto ON M8Z 5K7	SW/164.9	4.00	<a href="#">551</a>
<a href="#">125</a>	CA		65 Shorncliffe Road Toronto ON M8Z 5K3	W/165.4	5.81	<a href="#">551</a>
<a href="#">125</a>	EBR	Evans Ford Lincoln Inc.	65 Shorncliffe Road Toronto Ontario M8Z 5K3 CITY OF TORONTO ON	W/165.4	5.81	<a href="#">551</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">125</a>	ECA	Evans Ford Lincoln Inc.	65 Shorncliffe Road Toronto ON M8Z 5K3	W/165.4	5.81	<a href="#">551</a>
<a href="#">125</a>	EHS		65 Shorncliffe Road Toronto (Etobicoke) ON M8Z 5K3 <b>Order ID:</b> 74035	W/165.4	5.81	<a href="#">552</a>
<a href="#">126</a>	WWIS		ON <b>Well ID:</b> 7175397	NW/165.8	6.00	<a href="#">552</a>
<a href="#">127</a>	SCT	Concordian Chesterfield Co	113 Shorncliffe Rd Etobicoke ON M8Z 5K7	SW/166.2	4.00	<a href="#">553</a>
<a href="#">128</a>	WWIS		Toronto ON <b>Well ID:</b> 7284880	SSW/169.1	2.57	<a href="#">553</a>
<a href="#">129</a>	SCT	Hep-Sur Machine Co. Limited	85 Shorncliffe Rd Etobicoke ON M8Z 5K3	W/169.6	6.00	<a href="#">556</a>
<a href="#">130</a>	CA	1294987 Ontario Inc.	89 Shorncliffe Rd. Toronto ON M8Z 5K3	WSW/170.4	5.00	<a href="#">556</a>
<a href="#">130</a>	CA	Pro-Con Demo & Disposal Limited	89 Shorncliffe Rd Etobicoke Toronto ON M8Z 5K3	WSW/170.4	5.00	<a href="#">556</a>
<a href="#">130</a>	CA	Pro-Con Construction Limited	89 Shorncliffe Rd Etobicoke Toronto ON M8Z 5K3	WSW/170.4	5.00	<a href="#">557</a>
<a href="#">130</a>	ECA	Pro-Con Demo & Disposal Limited	89 Shorncliffe Rd Etobicoke Toronto ON M8Z 5K3	WSW/170.4	5.00	<a href="#">557</a>
<a href="#">130</a>	ECA	Pro-Con Construction Limited	89 Shorncliffe Rd Etobicoke Toronto ON M8Z 5K3	WSW/170.4	5.00	<a href="#">557</a>
<a href="#">130</a>	ECA	1294987 Ontario Inc.	89 Shorncliffe Rd. Toronto ON L4N 9M8	WSW/170.4	5.00	<a href="#">557</a>
<a href="#">130</a>	EXP	WETMORE WELDING SUPPLIES LTD	89 SHORNCLIFFE RD ETOBICOKE ON	WSW/170.4	5.00	<a href="#">558</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">130</a>	EXP	WETMORE WELDING SUPPLIES LTD	89 SHORNCLIFFE RD ETOBICOKE ON	WSW/170.4	5.00	<a href="#">558</a>
<a href="#">130</a>	GEN	ACTIVE MECHANICAL SERVICES	89 SHORNCLIFFE ROAD TORONTO ON M8Z 5K3	WSW/170.4	5.00	<a href="#">558</a>
<a href="#">130</a>	GEN	ACTIVE MECHANICAL SERVICES	89 SHORNCLIFFE ROAD TORONTO ON M8Z 5K3	WSW/170.4	5.00	<a href="#">558</a>
<a href="#">131</a>	GEN	INLAND TRACKED EQUIPMENT	109 SHORNCLIFFE ROAD TORONTO ON M8Z 5K7	SW/170.6	4.44	<a href="#">559</a>
<a href="#">132</a>	CONV	ARIZON DISPOSAL SERVICES LTD.	ON	W/171.0	6.00	<a href="#">559</a>
<a href="#">132</a>	CONV	ARIZON DISPOSAL SERVICES	ON	W/171.0	6.00	<a href="#">559</a>
<a href="#">132</a>	EBR	Arizon Disposal Services Limited	67 Shorncliffe Road Toronto Ontario M8Z 5K3 Toronto ON	W/171.0	6.00	<a href="#">560</a>
<a href="#">132</a>	EXP	CRONKWRIGHT TRANSPORT COMPANY	67 SHORNCLIFFE RD ETOBICOKE ON M8Z 5K3	W/171.0	6.00	<a href="#">560</a>
<a href="#">132</a>	EXP	CRONKWRIGHT TRANSPORT COMPANY	67 SHORNCLIFFE RD ETOBICOKE ON	W/171.0	6.00	<a href="#">561</a>
<a href="#">132</a>	EXP	CRONKWRIGHT TRANSPORT COMPANY	67 SHORNCLIFFE RD ETOBICOKE ON	W/171.0	6.00	<a href="#">561</a>
<a href="#">132</a>	EXP	CRONKWRIGHT TRANSPORT COMPANY	67 SHORNCLIFFE RD ETOBICOKE ON	W/171.0	6.00	<a href="#">561</a>
<a href="#">132</a>	EXP	CRONKWRIGHT TRANSPORT COMPANY	67 SHORNCLIFFE RD ETOBICOKE ON	W/171.0	6.00	<a href="#">561</a>
<a href="#">132</a>	EXP	CRONKWRIGHT TRANSPORT COMPANY	67 SHORNCLIFFE RD ETOBICOKE ON M8Z 5K3	W/171.0	6.00	<a href="#">562</a>

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
<a href="#">132</a>	EXP	CRONKWRIGHT TRANSPORT COMPANY	67 SHORNCLIFFE RD ETOBICOKE ON M8Z 5K3	W/171.0	6.00	<a href="#">562</a>
<a href="#">132</a>	GEN	ARIZON DISPOSAL SERVICES LTD.	67 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K3	W/171.0	6.00	<a href="#">562</a>
<a href="#">132</a>	GEN	ARIZON DISPOSAL SERVICES LTD.	67 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K3	W/171.0	6.00	<a href="#">562</a>
<a href="#">132</a>	GEN	ARIZON DISPOSAL SERVICES LTD.	67 SHORNCLIFFE ROAD ETOBICOKE ON	W/171.0	6.00	<a href="#">563</a>
<a href="#">132</a>	GEN	ARIZON DISPOSAL SERVICES LTD.	67 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K3	W/171.0	6.00	<a href="#">563</a>
<a href="#">132</a>	GEN	ARIZON DISPOSAL SERVICES LTD.	67 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K3	W/171.0	6.00	<a href="#">563</a>
<a href="#">132</a>	GEN	ARIZON DISPOSAL SERVICES LTD.	67 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K3	W/171.0	6.00	<a href="#">564</a>
<a href="#">132</a>	GEN	CANADA TRUST 07-193	SAUNDERS ESTATE, 67 SHORNCLIFFE RD. ETOBICOKE, C/O 20 EGLINTON AVE. W. TORONTO ON M8Z 5K3	W/171.0	6.00	<a href="#">564</a>
<a href="#">132</a>	GEN	ARIZON DISPOSAL SERVICES LTD.	67 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K3	W/171.0	6.00	<a href="#">564</a>
<a href="#">132</a>	GEN	ARIZON DISPOSAL SERVICES LTD.	67 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K3	W/171.0	6.00	<a href="#">565</a>
<a href="#">132</a>	GEN	ARIZON DISPOSAL SERVICES LTD.	67 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K3	W/171.0	6.00	<a href="#">565</a>
<a href="#">132</a>	GEN	ARIZON DISPOSAL SERVICES LTD.	67 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K3	W/171.0	6.00	<a href="#">565</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">132</a>	PRT	CRONKWRIGHT TRANSPORT COMPANY	67 SHORNCLIFFE RD ETOBICOKE ON M8Z 5K3	W/171.0	6.00	<a href="#">566</a>
<a href="#">132</a>	WDS	Arizon Disposal Services Limited	67 Shorncliffe Rd Toronto ON M8Z 5K3	W/171.0	6.00	<a href="#">566</a>
<a href="#">132</a>	WDS	Arizon Disposal Services Limited	67 Shorncliffe Road Toronto ON M8Z 5K3	W/171.0	6.00	<a href="#">566</a>
<a href="#">132</a>	WDS	Arizon Disposal Services Limited	67 Shorncliffe Rd Toronto ON M8Z 5K3	W/171.0	6.00	<a href="#">567</a>
<a href="#">132</a>	WDS	Arizon Disposal Services Limited	67 Shorncliffe Rd Toronto ON M8Z 5K3	W/171.0	6.00	<a href="#">568</a>
<a href="#">132</a>	WDS	Arizon Disposal Services Limited	67 Shorncliffe Rd Toronto ON M8Z 5K3	W/171.0	6.00	<a href="#">568</a>
<a href="#">132</a>	WDS	Arizon Disposal Services Limited	67 Shorncliffe Road 67 Shorncliffe Rd Toronto City ON M8Z 5K3	W/171.0	6.00	<a href="#">569</a>
<a href="#">133</a>	WWIS		ETOBICOKE ON <b>Well ID:</b> 7281247	SE/171.2	-2.18	<a href="#">570</a>
<a href="#">134</a>	SCT	WELD RITE METAL FABRICATING	127 SHORNCLIFFE RD ETOBICOKE ON M8Z 5K7	SW/171.6	3.01	<a href="#">572</a>
<a href="#">135</a>	WWIS		Toronto ON <b>Well ID:</b> 7284882	SSW/171.6	2.41	<a href="#">572</a>
<a href="#">136</a>	GEN	HANSON & WELLS, INC.	45 VANSCO RD. TORONTO ON M8Z 5J7	SSE/173.0	-3.00	<a href="#">575</a>
<a href="#">136</a>	GEN	CANADA FOOD EQUIPMENT LIMITED	45 VANSCO ROAD ETOBICOKE ON M8Z 5Z8	SSE/173.0	-3.00	<a href="#">576</a>
<a href="#">136</a>	GEN	THYRISTOR DEVICES LTD. 37-867	45 VANSCO ROAD ETOBICOKE ON M8Z 5Z8	SSE/173.0	-3.00	<a href="#">576</a>

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
<a href="#">136</a>	GEN	CANADA FOOD EQUIPMENT LIMITED	45 VANSCO ROAD ETOBICOKE ON M8Z 5Z8	SSE/173.0	-3.00	<a href="#">577</a>
<a href="#">136</a>	GEN	CANADA FOOD EQUIPMENT LIMITED	45 VANSCO ROAD ETOBICOKE ON M8Z 5Z8	SSE/173.0	-3.00	<a href="#">577</a>
<a href="#">136</a>	GEN	HANSON & WELLS, INC. 19-006	45 VANSCO RD. TORONTO ON M8Z 5J7	SSE/173.0	-3.00	<a href="#">577</a>
<a href="#">136</a>	GEN	HANSON INC.	45 VANSCO RD. TORONTO ON M8Z 5Z8	SSE/173.0	-3.00	<a href="#">578</a>
<a href="#">136</a>	GEN	CANADIAN HAMSON LTD.	45 VANSCO ROAD TORONTO ON M8Z 5Z8	SSE/173.0	-3.00	<a href="#">579</a>
<a href="#">136</a>	GEN	HANSON (1984) INC	45 VANSCO RD. TORONTO ON M8Z 5Z8	SSE/173.0	-3.00	<a href="#">579</a>
<a href="#">136</a>	NPCB	CANADA FOOD EQUIPMENT LTD	45 VANSCO RD ETOBICOKE ON M8Z 5Z8	SSE/173.0	-3.00	<a href="#">580</a>
<a href="#">136</a>	NPCB	CANADIAN HANSON LTD.	45 VANSCO ROAD TORONTO ON M8Z 5Z8	SSE/173.0	-3.00	<a href="#">580</a>
<a href="#">136</a>	NPCB	CANADIAN HAMSON LTD.	45 VANSCO ROAD TORONTO ON M8Z 5Z8	SSE/173.0	-3.00	<a href="#">581</a>
<a href="#">136</a>	NPCB	CANADIAN HAMSON LTD.	45 VANSCO ROAD VANSCO ROAD TORONTO ON M8Z 5Z8	SSE/173.0	-3.00	<a href="#">582</a>
<a href="#">136</a>	NPCB	ISLINGTON LAKESHORE MALL INC.	45 VANSCO ROAD TORONTO ON M8Z 5Z8	SSE/173.0	-3.00	<a href="#">582</a>
<a href="#">136</a>	OPCB	CANADA FOOD EQUIPMENT	45 VANSCO ROAD TORONTO ON M8Z 5Z8	SSE/173.0	-3.00	<a href="#">586</a>
<a href="#">136</a>	OPCB	CANADIAN HAMSON LTD.	45 VANSCO ROAD TORONTO ON M8Z 5Z8	SSE/173.0	-3.00	<a href="#">586</a>



<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">136</a>	OPCB	CANADIAN HAMSON LTD.	45 VANSCO ROAD TORONTO ON M8Z 5Z8	SSE/173.0	-3.00	<a href="#">586</a>
<a href="#">136</a>	REC	CANADIAN HAMSON LTD.	45 VANSCO ROAD TORONTO ON M8Z 5Z8	SSE/173.0	-3.00	<a href="#">586</a>
<a href="#">136</a>	REC	CANADIAN HAMSON LTD.	45 VANSCO ROAD TORONTO ON M8Z 5Z8	SSE/173.0	-3.00	<a href="#">587</a>
<a href="#">136</a>	SCT	Ontario Signs	45 Vansco Rd Etobicoke ON M8Z 5Z8	SSE/173.0	-3.00	<a href="#">587</a>
<a href="#">137</a>	WWIS		ON <b>Well ID:</b> 7205389	SW/177.2	4.81	<a href="#">587</a>
<a href="#">138</a>	CA	SHERWAY COLLISION - ENZO CALISI	131 SHORNCLIFFE ROAD TORONTO CITY ON M8Z 5K7	SW/178.1	2.93	<a href="#">588</a>
<a href="#">138</a>	EASR	CALISI MOTORS LIMITED	131 Shorncliffe RD Toronto ON M8Z 5K7	SW/178.1	2.93	<a href="#">588</a>
<a href="#">139</a>	WWIS		Toronto ON <b>Well ID:</b> 7284881	SSW/178.9	3.07	<a href="#">589</a>
<a href="#">140</a>	WWIS		ETOBICOKE ON <b>Well ID:</b> 7110522	SW/180.3	4.12	<a href="#">592</a>
<a href="#">141</a>	WWIS		TORONTO ON <b>Well ID:</b> 7217840	SE/181.1	-1.76	<a href="#">601</a>
<a href="#">142</a>	CA	Helmitin Inc.	99 Shorncliffe Road Toronto ON M8Z 5K7	WSW/181.3	5.00	<a href="#">604</a>
<a href="#">142</a>	CA	HELMITIN CANADA INC.	99 SHORNCLIFFE ROAD TORONTO CITY ON M8Z 5K7	WSW/181.3	5.00	<a href="#">604</a>
<a href="#">142</a>	CA		99 Shorncliffe Road Toronto ON M8Z 5K7	WSW/181.3	5.00	<a href="#">604</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">142</a>	EBR	Helmitin Inc.	99 Shorncliffe Road Toronto Ontario M8Z 5K7 Toronto ON	WSW/181.3	5.00	<a href="#">605</a>
<a href="#">142</a>	EBR	Helmitin Canada Inc.	99 SHORNCLIFFE ROAD, TORONTO CITY Toronto ON	WSW/181.3	5.00	<a href="#">605</a>
<a href="#">142</a>	EBR	Helmitin Adhesives Inc.	99 Shorncliffe Road Toronto M8Z 5K7 CITY OF TORONTO ON	WSW/181.3	5.00	<a href="#">605</a>
<a href="#">142</a>	EBR	Helmitin Canada Inc.	99 SHORNCLIFFE ROAD, TORONTO CITY Toronto ON	WSW/181.3	5.00	<a href="#">606</a>
<a href="#">142</a>	ECA	Helmitin Adhesives Inc.	99 Shorncliffe Rd Toronto ON M8Z 5K7	WSW/181.3	5.00	<a href="#">606</a>
<a href="#">142</a>	ECA	Helmitin Inc.	99 Shorncliffe Road Toronto ON M8Z 5K7	WSW/181.3	5.00	<a href="#">606</a>
<a href="#">142</a>	GEN	HELMITIN CANADA INC	99 SHORNCLIFFE ROAD TORONTO ON M8Z 5K7	WSW/181.3	5.00	<a href="#">607</a>
<a href="#">142</a>	GEN	HELMITIN INC.	99 SHORNCLIFFE ROAD TORONTO ON M8Z 5K7	WSW/181.3	5.00	<a href="#">607</a>
<a href="#">142</a>	GEN	HELMITIN CANADA INC	99 SHORNCLIFFE ROAD TORONTO ON M8Z 5K7	WSW/181.3	5.00	<a href="#">608</a>
<a href="#">142</a>	GEN	HELMITIN CANADA INC.	99 SHORNCLIFFE ROAD TORONTO ON M8Z 5K7	WSW/181.3	5.00	<a href="#">608</a>
<a href="#">142</a>	GEN	HELMITIN CANADA INC. 20-052	99 SHORNCLIFFE ROAD TORONTO ON M8Z 5K7	WSW/181.3	5.00	<a href="#">609</a>
<a href="#">142</a>	GEN	HELMITIN INC.	99 SHORNCLIFFE ROAD TORONTO ON M8Z 5K7	WSW/181.3	5.00	<a href="#">609</a>
<a href="#">142</a>	GEN	HELMITIN INC.	99 SHORNCLIFFE ROAD TORONTO ON M8Z 5K7	WSW/181.3	5.00	<a href="#">610</a>

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
<a href="#">142</a>	GEN	HELMITIN INC.	99 SHORNCLIFFE ROAD TORONTO ON M8Z 5K7	WSW/181.3	5.00	<a href="#">611</a>
<a href="#">142</a>	GEN	HELMITIN INC.	99 SHORNCLIFFE ROAD TORONTO ON M8Z 5K7	WSW/181.3	5.00	<a href="#">611</a>
<a href="#">142</a>	GEN	HELMITIN INC.	99 SHORNCLIFFE ROAD TORONTO ON	WSW/181.3	5.00	<a href="#">612</a>
<a href="#">142</a>	GEN	HELMITIN INC.	99 SHORNCLIFFE ROAD TORONTO ON M8Z 5K7	WSW/181.3	5.00	<a href="#">613</a>
<a href="#">142</a>	GEN	HELMITIN INC.	99 SHORNCLIFFE ROAD TORONTO ON M8Z 5K7	WSW/181.3	5.00	<a href="#">614</a>
<a href="#">142</a>	GEN	HELMITIN INC.	99 SHORNCLIFFE ROAD TORONTO ON M8Z 5K7	WSW/181.3	5.00	<a href="#">615</a>
<a href="#">142</a>	GEN	HELMITIN INC.	99 SHORNCLIFFE ROAD TORONTO ON M8Z 5K7	WSW/181.3	5.00	<a href="#">616</a>
<a href="#">142</a>	NPRI	Helmitin Inc.	99 SHORNCLIFFE ROAD NOT AVAILABLE TORONTO ON M8Z5K7	WSW/181.3	5.00	<a href="#">617</a>
<a href="#">142</a>	NPRI	HELMITIN INC.	99 SHORNCLIFFE ROAD NOT AVAILABLE TORONTO ON M8Z5K7	WSW/181.3	5.00	<a href="#">618</a>
<a href="#">142</a>	NPRI	HELMITIN CANADA INC.	99 SHORNCLIFFE ROAD NOT AVAILABLE TORONTO ON M8Z5K7	WSW/181.3	5.00	<a href="#">620</a>
<a href="#">142</a>	NPRI	HELMITIN INC.	99 SHORNCLIFFE ROAD NOT AVAILABLE TORONTO ON M8Z5K7	WSW/181.3	5.00	<a href="#">621</a>
<a href="#">142</a>	NPRI	HELMITIN INC.	99 SHORNCLIFFE ROAD NOT AVAILABLE TORONTO ON M8Z5K7	WSW/181.3	5.00	<a href="#">623</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">142</a>	NPRI	HELMITIN INC.	99 SHORNCLIFFE ROAD NOT AVAILABLE TORONTO ON M8Z5K7	WSW/181.3	5.00	<a href="#">624</a>
<a href="#">142</a>	NPRI	HELMITIN CANADA INC.	99 SHORNCLIFFE ROAD NOT AVAILABLE TORONTO ON M8Z5K7	WSW/181.3	5.00	<a href="#">626</a>
<a href="#">142</a>	NPRI	HELMITIN INC	99 SHORNCLIFFE ROAD NOT AVAILABLE TORONTO ON M8Z5K7	WSW/181.3	5.00	<a href="#">628</a>
<a href="#">142</a>	NPRI	HELMITIN CANADA INC.	99 SHORNCLIFFE ROAD NOT AVAILABLE TORONTO ON M8Z5K7	WSW/181.3	5.00	<a href="#">629</a>
<a href="#">142</a>	NPRI	HELMITIN	99 SHORNCLIFFE ROAD NOT AVAILABLE TORONTO ON M8Z5K7	WSW/181.3	5.00	<a href="#">631</a>
<a href="#">142</a>	NPRI	HELMITIN	99 SHORNCLIFFE ROAD NOT AVAILABLE TORONTO ON M8Z5K7	WSW/181.3	5.00	<a href="#">633</a>
<a href="#">142</a>	NPRI	HELMITIN	99 SHORNCLIFFE ROAD NOT AVAILABLE TORONTO ON M8Z5K7	WSW/181.3	5.00	<a href="#">635</a>
<a href="#">142</a>	NPRI	HELMITIN CANADA INC	99 SHORNCLIFFE ROAD NOT AVAILABLE TORONTO ON M8Z5K7	WSW/181.3	5.00	<a href="#">638</a>
<a href="#">142</a>	NPRI	HELMITIN INC.	99 SHORNCLIFFE ROAD NOT AVAILABLE TORONTO ON M8Z5K7	WSW/181.3	5.00	<a href="#">639</a>
<a href="#">142</a>	NPRI	HELMITIN CANADA INC	99 SHORNCLIFFE ROAD NOT AVAILABLE TORONTO ON M8Z5K7	WSW/181.3	5.00	<a href="#">641</a>
<a href="#">142</a>	NPRI	HELMITIN	99 SHORNCLIFFE ROAD NOT AVAILABLE TORONTO ON M8Z5K7	WSW/181.3	5.00	<a href="#">642</a>
<a href="#">142</a>	NPRI	HELMITIN	99 SHORNCLIFFE ROAD NOT AVAILABLE TORONTO ON M8Z5K7	WSW/181.3	5.00	<a href="#">644</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">142</a>	NPRI	HELMITIN INC.	99 SHORNCLIFFE ROAD NOT AVAILABLE TORONTO ON M8Z5K7	WSW/181.3	5.00	<a href="#">646</a>
<a href="#">142</a>	NPRI	HELMITIN INC.	99 SHORNCLIFFE ROAD NOT AVAILABLE TORONTO ON M8Z5K7	WSW/181.3	5.00	<a href="#">648</a>
<a href="#">142</a>	NPRI	HELMITIN	99 SHORNCLIFFE ROAD NOT AVAILABLE TORONTO ON M8Z5K7	WSW/181.3	5.00	<a href="#">650</a>
<a href="#">142</a>	NPRI	HELMITIN INC.	99 SHORNCLIFFE ROAD NOT AVAILABLE TORONTO ON M8Z5K7	WSW/181.3	5.00	<a href="#">651</a>
<a href="#">142</a>	NPRI	HELMITIN CANADA INC.	99 SHORNCLIFFE ROAD NOT AVAILABLE TORONTO ON M8Z5K7	WSW/181.3	5.00	<a href="#">653</a>
<a href="#">142</a>	SCT	HELMITIN CANADA INC.	99 SHORNCLIFFE RD ETOBICOKE ON M8Z 5K7	WSW/181.3	5.00	<a href="#">655</a>
<a href="#">142</a>	SCT	Helmitin Inc.	99 Shorncliffe Rd Etobicoke ON M8Z 5K7	WSW/181.3	5.00	<a href="#">655</a>
<a href="#">142</a>	SPL	PROVOST BULK TRANSPORT	99 SHORNCLIFF ROAD. TANK TRUCK (CARGO) TORONTO CITY ON	WSW/181.3	5.00	<a href="#">655</a>
<a href="#">143</a>	EHS		39 Shorncliffe Road Toronto ON M8Z 5K2  <i>Order ID: 143455</i>	WNW/182.1	6.00	<a href="#">655</a>
<a href="#">143</a>	EXP	WEST END TRUCK CENTRE LTD	39 SHORNCLIFFE RD TORONTO ON M8Z 5K2	WNW/182.1	6.00	<a href="#">656</a>
<a href="#">143</a>	EXP	WEST-END TRUCK CENTRE LTD	39 SHORNCLIFFE RD TORONTO ON	WNW/182.1	6.00	<a href="#">656</a>
<a href="#">143</a>	EXP	WEST-END TRUCK CENTRE LTD	39 SHORNCLIFFE RD TORONTO ON	WNW/182.1	6.00	<a href="#">656</a>
<a href="#">143</a>	EXP	WEST END TRUCK CENTRE LTD	39 SHORNCLIFFE RD TORONTO ON M8Z 5K2	WNW/182.1	6.00	<a href="#">656</a>

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
<a href="#">143</a>	EXP	WEST-END TRUCK CENTRE LTD	39 SHORNCLIFFE RD TORONTO ON M8Z 5K2	WNW/182.1	6.00	<a href="#">657</a>
<a href="#">143</a>	EXP	WEST-END TRUCK CENTRE LTD	39 SHORNCLIFFE RD TORONTO ON M8Z 5K2	WNW/182.1	6.00	<a href="#">657</a>
<a href="#">143</a>	EXP	WEST-END TRUCK CENTRE LTD	39 SHORNCLIFFE RD TORONTO ON	WNW/182.1	6.00	<a href="#">657</a>
<a href="#">143</a>	EXP	WEST END TRUCK CENTRE LTD	39 SHORNCLIFFE RD TORONTO ON	WNW/182.1	6.00	<a href="#">657</a>
<a href="#">143</a>	EXP	WEST-END TRUCK CENTRE LTD	39 SHORNCLIFFE RD TORONTO ON M8Z 5K2	WNW/182.1	6.00	<a href="#">658</a>
<a href="#">143</a>	EXP	WEST END TRUCK CENTRE LTD	39 SHORNCLIFFE RD TORONTO ON M8Z 5K2	WNW/182.1	6.00	<a href="#">658</a>
<a href="#">143</a>	EXP	WEST-END TRUCK CENTRE LTD	39 SHORNCLIFFE RD TORONTO ON M8Z 5K2	WNW/182.1	6.00	<a href="#">658</a>
<a href="#">143</a>	EXP	WEST-END TRUCK CENTRE LTD	39 SHORNCLIFFE RD TORONTO ON M8Z 5K2	WNW/182.1	6.00	<a href="#">658</a>
<a href="#">143</a>	EXP	WEST-END TRUCK CENTRE LTD	39 SHORNCLIFFE RD TORONTO ON M8Z 5K2	WNW/182.1	6.00	<a href="#">659</a>
<a href="#">143</a>	EXP	WEST-END TRUCK CENTRE LTD	39 SHORNCLIFFE RD TORONTO ON M8Z 5K2	WNW/182.1	6.00	<a href="#">659</a>
<a href="#">143</a>	EXP	WEST END TRUCK CENTRE LTD	39 SHORNCLIFFE RD TORONTO ON M8Z 5K2	WNW/182.1	6.00	<a href="#">659</a>
<a href="#">143</a>	EXP	WEST END TRUCK CENTRE LTD	39 SHORNCLIFFE RD TORONTO ON M8Z 5K2	WNW/182.1	6.00	<a href="#">659</a>
<a href="#">143</a>	EXP	WEST END TRUCK CENTRE LTD	39 SHORNCLIFFE RD TORONTO ON M8Z 5K2	WNW/182.1	6.00	<a href="#">660</a>

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
<a href="#">143</a>	FSTH	WEST END TRUCK CENTRE LTD	39 SHORNCLIFFE RD TORONTO ON M8Z 5K2	WNW/182.1	6.00	<a href="#">660</a>
<a href="#">143</a>	GEN	West End Truck Center Limited	39 Shorncliffe Road Toronto ON	WNW/182.1	6.00	<a href="#">660</a>
<a href="#">143</a>	GEN	IMPERIAL OIL LIMITED	39 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K2	WNW/182.1	6.00	<a href="#">661</a>
<a href="#">143</a>	GEN	Imperial Oil Limited	39 Shorncliffe Road Etobicoke ON	WNW/182.1	6.00	<a href="#">661</a>
<a href="#">143</a>	GEN	IMPERIAL OIL LIMITED	39 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K2	WNW/182.1	6.00	<a href="#">661</a>
<a href="#">143</a>	GEN	IMPERIAL OIL	39 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K2	WNW/182.1	6.00	<a href="#">662</a>
<a href="#">143</a>	GEN	West End Truck Center Limited	39 Shorncliffe Road Toronto ON	WNW/182.1	6.00	<a href="#">662</a>
<a href="#">143</a>	GEN	West End Truck Center Limited	39 Shorncliffe Road Toronto ON	WNW/182.1	6.00	<a href="#">662</a>
<a href="#">143</a>	GEN	West End Truck Center Limited	39 Shorncliffe Road Toronto ON M8Z 5K2	WNW/182.1	6.00	<a href="#">663</a>
<a href="#">143</a>	PRT	WEST-END TRUCK CENTRE LTD	39 SHORNCLIFFE RD TORONTO ON M8Z5K2	WNW/182.1	6.00	<a href="#">663</a>
<a href="#">143</a>	PRT	IMPERIAL OIL LIMITED LINDA BOWES	39 SHORNCLIFFE RD TORONTO ON M8Z5K2	WNW/182.1	6.00	<a href="#">663</a>
<a href="#">143</a>	RST	OK TIRE	39 SHORNCLIFFE RD TORONTO ON M8Z5K2	WNW/182.1	6.00	<a href="#">663</a>
<a href="#">143</a>	RST	OK TIRE	39 SHORNCLIFFE RD TORONTO ON	WNW/182.1	6.00	<a href="#">664</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">143</a>	SPL	WEST END TRUCKING	FUELING DEPOT, 39 SHORNCLIFFE ROAD, FORMER ETOBICOKE 39 SHORNCLIFF ROAD ETOBICOKE TORONTO CITY ON M8Z 5K2	WNW/182.1	6.00	<a href="#">664</a>
<a href="#">143</a>	SPL	WEST END TRUCKING	FUELING DEPOT, 39 SHORNCLIFFE ROAD, FORMER ETOBICOKE 39 SHORNCLIFF ROAD ETOBICOKE TORONTO CITY ON M8Z 5K2	WNW/182.1	6.00	<a href="#">664</a>
<a href="#">143</a>	SPL	SERVICE STATION	39 SHORNCLIFFE RD (N.O.S.) TORONTO CITY ON M8Z 5K2	WNW/182.1	6.00	<a href="#">665</a>
<a href="#">143</a>	SPL	WEST END TRUCKING	39 SHORNCLIFFE ROAD 39 SHORNCLIFF ROAD ETOBICOKE TORONTO ON M8Z 5K2	WNW/182.1	6.00	<a href="#">665</a>
<a href="#">143</a>	SPL	SERVICE STATION	39 SHORNCLIFFE RD (N.O.S.) TORONTO ON M8Z 5K2	WNW/182.1	6.00	<a href="#">666</a>
<a href="#">143</a>	SPL	SERVICE STATION	39 SHORNE CLIFFE RD (N.O.S.) TORONTO CITY ON	WNW/182.1	6.00	<a href="#">666</a>
<a href="#">143</a>	SPL	ESSO PETROLEUM CANADA	39 SHORNECLIFFE ROAD CARD LOCK STATION TORONTO CITY ON	WNW/182.1	6.00	<a href="#">667</a>
<a href="#">143</a>	SPL	SERVICE STATION	CARD-LOCK STATION AT 39 SHORNCLIFFE RD. (N.O.S.) TORONTO CITY ON M8Z 5K2	WNW/182.1	6.00	<a href="#">667</a>
<a href="#">143</a>	SPL	TRANSPORT TRUCK	39 SHORNCLIFFE ROAD MOTOR VEHICLE (OPERATING FLUID) TORONTO CITY ON M8Z 5K2	WNW/182.1	6.00	<a href="#">668</a>
<a href="#">143</a>	SPL	West End Truck Centre<UNOFFICIAL>	39 Shorncliffe Rd, Etobicoke Toronto ON	WNW/182.1	6.00	<a href="#">668</a>
<a href="#">143</a>	SPL		39 Shorn Cliff Rd. Toronto ON	WNW/182.1	6.00	<a href="#">669</a>
<a href="#">143</a>	SPL	SERVICE STATION	39 SHORNCLIFFE RD. (N.O.S.) TORONTO CITY ON M8Z 5K2	WNW/182.1	6.00	<a href="#">669</a>



<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">144</a>	SPL	CAMERON COMPRESSORS	105 SHORNCLIFFE RD. TORONTO CITY ON M8Z 5K7	WSW/182.4	5.00	<a href="#">669</a>
<a href="#">145</a>	CA	Clements Radiator & Spring Service Limited	135 Shorncliffe Rd Toronto ON M8Z 5K7	SSW/183.5	3.07	<a href="#">670</a>
<a href="#">145</a>	EASR	CRYSTAL BINS INC.	135 SHORNCLIFFE RD ETOBICOKE ON M8Z 5K7	SSW/183.5	3.07	<a href="#">670</a>
<a href="#">145</a>	ECA	Clements Radiator & Spring Service Limited	135 Shorncliffe Rd Toronto ON L5T 2G1	SSW/183.5	3.07	<a href="#">670</a>
<a href="#">145</a>	EHS		135 Shorncliffe Road Toronto ON M8Z 5K7 <i>Order ID: 142200</i>	SSW/183.5	3.07	<a href="#">671</a>
<a href="#">145</a>	EHS		135 Shorncliffe Rd Toronto ON M8Z5K7 <i>Order ID: 501798</i>	SSW/183.5	3.07	<a href="#">671</a>
<a href="#">145</a>	GEN	CLEMENTS RADIATOR & SPRING SERVICE10-104	135 SHORNCLIFFE RD. TORONTO ON M8Z 5K7	SSW/183.5	3.07	<a href="#">671</a>
<a href="#">145</a>	GEN	ACME FX	135 SHORNCLIFFE ROAD TORONTO ON M8Z 5K7	SSW/183.5	3.07	<a href="#">671</a>
<a href="#">145</a>	GEN	Crystal Lawn and Garden Equipment Ltd	135 Shorncliffe Rd Etobicoke ON M8Z 5K7	SSW/183.5	3.07	<a href="#">672</a>
<a href="#">145</a>	GEN	CLEMENTS RADIATOR & SPRING SERVICE	135 SHORNCLIFFE RD. TORONTO ON M8Z 5K7	SSW/183.5	3.07	<a href="#">672</a>
<a href="#">145</a>	GEN	Crystal Lawn and Garden Equipment Ltd	135 Shorncliffe Rd Etobicoke ON M8Z 5K7	SSW/183.5	3.07	<a href="#">672</a>
<a href="#">145</a>	GEN	CLEMENTS RADIATOR & SPRING SERVICE LTD.	135 SHORNCLIFFE ROAD TORONTO ON M8Z 5K7	SSW/183.5	3.07	<a href="#">673</a>
<a href="#">145</a>	PES	CRYSTAL LAWN CARE INC	135 SHORNCLIFFE RD ETOBICOKE ON M8Z 5K7	SSW/183.5	3.07	<a href="#">673</a>

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
<a href="#">145</a>	PES	CRYSTAL LAWN CARE INC	135 SHORNCLIFFE RD ETOBICOKE ON M8Z 5K7	SSW/183.5	3.07	<a href="#">673</a>
<a href="#">145</a>	PES	CRYSTAL LAWN CARE INC	135 SHORNCLIFFE RD ETOBICOKE ON M8Z5K7	SSW/183.5	3.07	<a href="#">674</a>
<a href="#">146</a>	CA	617613 Ontario Ltd.	51 Shorncliffe Road Toronto ON	WNW/183.8	5.44	<a href="#">674</a>
<a href="#">146</a>	CA	College Disposal Services Limited	51 Shorncliffe Road Toronto ON	WNW/183.8	5.44	<a href="#">674</a>
<a href="#">146</a>	CA	Shorncliffe Disposal Services Inc.	51 Shorncliffe Rd Toronto ON	WNW/183.8	5.44	<a href="#">675</a>
<a href="#">146</a>	CONV	621311 ONTARIO CORPORATION, C.O.B. COLLEGE DISPOSAL SERVICES LTD.	TORONTO ON	WNW/183.8	5.44	<a href="#">675</a>
<a href="#">146</a>	CONV	COLLEGE DISPOSAL SERVICES LTD.	ETOBICOKE ON	WNW/183.8	5.44	<a href="#">675</a>
<a href="#">146</a>	EBR	Danyle Group Inc.	51 Shorncliffe Road Toronto ON	WNW/183.8	5.44	<a href="#">676</a>
<a href="#">146</a>	EBR	621311 Ontario Limited	51 Shorncliffe Road Toronto Ontario Toronto ON	WNW/183.8	5.44	<a href="#">676</a>
<a href="#">146</a>	EBR	Danyle Group Inc.	51 Shorncliffe Road Toronto M8Z 5K2 CITY OF TORONTO ON	WNW/183.8	5.44	<a href="#">677</a>
<a href="#">146</a>	EBR	1595066 Ontario Limited operating as College Disposal	51 Shorncliffe Road Toronto Ontario Toronto ON	WNW/183.8	5.44	<a href="#">677</a>
<a href="#">146</a>	EBR	Danyle Group Inc.	51 Shorncliffe Road Toronto M8Z 5K2 CITY OF TORONTO ON	WNW/183.8	5.44	<a href="#">677</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">146</a>	EBR	617613 Ontario Ltd.	51 Shorncliffe Road Toronto Ontario Toronto ON	WNW/183.8	5.44	<a href="#">678</a>
<a href="#">146</a>	ECA	617613 Ontario Ltd.	51 Shorncliffe Road Toronto ON	WNW/183.8	5.44	<a href="#">678</a>
<a href="#">146</a>	ECA	Shorncliffe Disposal Services Inc.	51 Shorncliffe Rd Toronto ON M8Z 5K2	WNW/183.8	5.44	<a href="#">678</a>
<a href="#">146</a>	ECA	Danyle Group Inc.	51 Shorncliffe Rd Toronto ON	WNW/183.8	5.44	<a href="#">678</a>
<a href="#">146</a>	ECA	College Disposal Services Limited	51 Shorncliffe Road Toronto ON M8Z 5K2	WNW/183.8	5.44	<a href="#">679</a>
<a href="#">146</a>	EHS		51 Shorncliffe Rd Etobicoke ON M8Z 5K2  <i>Order ID: 152600</i>	WNW/183.8	5.44	<a href="#">679</a>
<a href="#">146</a>	GEN	BEST WASTE SOLUTIONS INC	51 SHORNCLIFFE ROAD TORONTO ON	WNW/183.8	5.44	<a href="#">679</a>
<a href="#">146</a>	GEN	CATHCART TRUCK LINES (TOR) LTD	51 SHORNCLIFFE RD TORONTO ON M8Z 5K2	WNW/183.8	5.44	<a href="#">680</a>
<a href="#">146</a>	GEN	1281906 Ontario Inc.	51 Shorncliffe Road, Unit 3 Toronto ON M8Z 5K2	WNW/183.8	5.44	<a href="#">680</a>
<a href="#">146</a>	GEN	CATHCART TRUCK LINES (TOR) LTD 09-021	51 SHORNCLIFFE RD TORONTO ON M8Z 5K2	WNW/183.8	5.44	<a href="#">680</a>
<a href="#">146</a>	GEN	1281906 Ontario Inc.	51 Shorncliffe Road, Unit 3 Toronto ON M8Z 5K2	WNW/183.8	5.44	<a href="#">680</a>
<a href="#">146</a>	GEN	1281906 Ontario Inc.	51 Shorncliffe Road, Unit 3 Toronto ON M8Z 5K2	WNW/183.8	5.44	<a href="#">681</a>
<a href="#">146</a>	GEN	First Choice Limo Service Ltd.	#51 Shorncliffe Road Unit #2 Toronto ON M8Z 5K2	WNW/183.8	5.44	<a href="#">681</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">146</a>	GEN	BEST WASTE SOLUTIONS INC	51 SHORNCLIFFE ROAD TORONTO ON M8Z 5K2	WNW/183.8	5.44	<a href="#">681</a>
<a href="#">146</a>	GEN	CATHCART TRUCK LINES (TORONTO) LIMITED	51 SHORNCLIFFE ROAD TORONTO ON M8Z 5K2	WNW/183.8	5.44	<a href="#">682</a>
<a href="#">146</a>	GEN	Metro Ready Mix & Building Products Ltd.	51 Shorncliffe Rd Etobicoke ON M8Z 5K2	WNW/183.8	5.44	<a href="#">682</a>
<a href="#">146</a>	GEN	1281906 Ontario Inc.	51 Shorncliffe Road, Unit 3 Toronto ON	WNW/183.8	5.44	<a href="#">682</a>
<a href="#">146</a>	GEN	Danyle Group Inc.	51 Shorncliffe Road, Unit 3 Toronto ON M8Z 5K2	WNW/183.8	5.44	<a href="#">683</a>
<a href="#">146</a>	GEN	Danyle Group Inc.	51 Shorncliffe Road, Unit 3 Toronto ON M8Z 5K2	WNW/183.8	5.44	<a href="#">683</a>
<a href="#">146</a>	GEN	Danyle Group Inc.	51 Shorncliffe Road, Unit 3 Toronto ON M8Z 5K2	WNW/183.8	5.44	<a href="#">683</a>
<a href="#">146</a>	GEN	Danyle Group Inc.	51 Shorncliffe Road, Unit 3 Toronto ON M8Z 5K2	WNW/183.8	5.44	<a href="#">683</a>
<a href="#">146</a>	GEN	First Choice Limo Service Ltd.	#51 Shorncliffe Road Unit #2 Toronto ON M8Z 5K2	WNW/183.8	5.44	<a href="#">684</a>
<a href="#">146</a>	GEN	COLLEGE DISPOSAL SERVICES	51 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K2	WNW/183.8	5.44	<a href="#">684</a>
<a href="#">146</a>	GEN	COLLEGE DISPOSAL SERVICES LIMITED	51 SHORNCLIFFE ROAD TORONTO ON M8Z 5K2	WNW/183.8	5.44	<a href="#">684</a>
<a href="#">146</a>	PRT	CATHCART TRANSPORT LTD	51 SHORNCLIFFE RD TORONTO ON M8Z 5K2	WNW/183.8	5.44	<a href="#">684</a>
<a href="#">146</a>	SCT	Downtown Concrete Supply	51 Shorncliffe Rd Etobicoke ON M8Z 5K2	WNW/183.8	5.44	<a href="#">685</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">146</a>	SCT	Al-Mersal Canadian Arab Network	51 Shorncliffe Rd Etobicoke ON M8Z 5K2	WNW/183.8	5.44	<a href="#">685</a>
<a href="#">146</a>	SCT	DOWNTOWN CONCRETE SUPPLY	51 Shorncliffe Ave Etobicoke ON M8Z 5K2	WNW/183.8	5.44	<a href="#">685</a>
<a href="#">146</a>	SCT	Al-Mersal Cdn Arab Network	51 Shorncliffe Rd Etobicoke ON M8Z 5K2	WNW/183.8	5.44	<a href="#">685</a>
<a href="#">146</a>	WDS	Danyle Group Inc.	51 Shorncliffe Rd Toronto ON	WNW/183.8	5.44	<a href="#">685</a>
<a href="#">146</a>	WDS	Best Waste Solutions Inc.	51 Shorncliffe Road Toronto ON M8Z 5K2	WNW/183.8	5.44	<a href="#">686</a>
<a href="#">146</a>	WDS	1595066 Ontario Limited operating as College Disposal	51 Shorncliffe Road Toronto ON M8Z 5K2	WNW/183.8	5.44	<a href="#">687</a>
<a href="#">146</a>	WDS	1595066 Ontario Limited	51 Shorncliffe Road Toronto ON M8Z 5K2	WNW/183.8	5.44	<a href="#">687</a>
<a href="#">146</a>	WDS	Danyle Group Inc.	51 Shorncliffe Rd Toronto ON M8Z 5K2	WNW/183.8	5.44	<a href="#">688</a>
<a href="#">147</a>	CA	LEADING EDGE AUTOMOBILE ENTERPRISE INC.	81 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K3	W/184.4	6.00	<a href="#">689</a>
<a href="#">147</a>	EBR	Leading Edge Automobile Enterprise Inc.	81 Shorncliffe Road, City of Etobicoke Etobicoke ON	W/184.4	6.00	<a href="#">689</a>
<a href="#">148</a>	EASR	BRUELL CONTRACTING LIMITED	37 shorncliffe rd etobicoke ON M8Z 5K2	WNW/187.2	6.00	<a href="#">689</a>
<a href="#">148</a>	EXP	LIQUIDUS LTD	37 SHORNCLIFFE RD TORONTO ON	WNW/187.2	6.00	<a href="#">690</a>
<a href="#">148</a>	EXP	BRUELL CONTRACTING LTD	37 SHORNCLIFFE RD TORONTO ON	WNW/187.2	6.00	<a href="#">690</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">148</a>	EXP	BRUELL CONTRACTING LTD	37 SHORNCLIFFE RD TORONTO ON M8Z 5K2	WNW/187.2	6.00	<a href="#">690</a>
<a href="#">148</a>	EXP	BRUELL CONTRACTING LTD	37 SHORNCLIFFE RD TORONTO ON M8Z 5K2	WNW/187.2	6.00	<a href="#">690</a>
<a href="#">148</a>	EXP	BRUELL CONTRACTING LTD	37 SHORNCLIFFE RD TORONTO ON M8Z 5K2	WNW/187.2	6.00	<a href="#">691</a>
<a href="#">148</a>	GEN	BRUELL CONTRACTING LIMITED	37 SHORNCLIFFE ROAD ETOBICOKE ON	WNW/187.2	6.00	<a href="#">691</a>
<a href="#">148</a>	GEN	BRUELL CONTRACTING LIMITED	37 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K2	WNW/187.2	6.00	<a href="#">691</a>
<a href="#">148</a>	GEN	BRUELL CONTRACTING LIMITED	37 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K2	WNW/187.2	6.00	<a href="#">692</a>
<a href="#">148</a>	GEN	BRUELL CONTRACTING LIMITED	37 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K2	WNW/187.2	6.00	<a href="#">692</a>
<a href="#">148</a>	GEN	BRUELL CONTRACTING LIMITED	37 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K2	WNW/187.2	6.00	<a href="#">692</a>
<a href="#">148</a>	GEN	BRUELL CONTRACTING LIMITED	37 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K2	WNW/187.2	6.00	<a href="#">693</a>
<a href="#">148</a>	GEN	BRUELL CONTRACTING LIMITED	37 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K2	WNW/187.2	6.00	<a href="#">693</a>
<a href="#">148</a>	GEN	BRUELL CONTRACTING LIMITED	37 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K2	WNW/187.2	6.00	<a href="#">693</a>
<a href="#">148</a>	GEN	BRUELL CONTRACTING LIMITED 05-511	37 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K2	WNW/187.2	6.00	<a href="#">694</a>
<a href="#">148</a>	GEN	LIQUIDUS LTD.	37A SHORNCLIFFE RD. MISSISSAUGA ON M8Z 5K2	WNW/187.2	6.00	<a href="#">694</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">148</a>	GEN	BRUELL CONTRACTING LIMITED	37 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K2	WNW/187.2	6.00	<a href="#">694</a>
<a href="#">148</a>	GEN	BRUELL CONTRACTING LIMITED	37 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K2	WNW/187.2	6.00	<a href="#">695</a>
<a href="#">148</a>	PRT	BRUELL CONTRACTING LTD	37 SHORNCLIFFE RD TORONTO ON M8Z5K2	WNW/187.2	6.00	<a href="#">695</a>
<a href="#">148</a>	RST	CITY LUBE OIL CO	37 SHORNCLIFFE RD ETOBICOKE ON M8Z5K2	WNW/187.2	6.00	<a href="#">695</a>
<a href="#">148</a>	RST	CITY LUBE OIL CO	37 SHORNCLIFFE RD ETOBICOKE ON M8Z 5K2	WNW/187.2	6.00	<a href="#">696</a>
<a href="#">149</a>	WWIS		TORONTO ON <i>Well ID:</i> 7260413	NW/187.8	6.98	<a href="#">696</a>
<a href="#">150</a>	EASR	K-Lo's Excavating Incorporated	14 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	ESE/188.8	-2.73	<a href="#">698</a>
<a href="#">151</a>	WWIS		Toronto ON <i>Well ID:</i> 7270322	S/190.2	-4.00	<a href="#">699</a>
<a href="#">152</a>	EHS		119 Shorncliffe Rd Toronto ON M8Z 5K7 <i>Order ID:</i> 166865	SW/190.8	4.27	<a href="#">702</a>
<a href="#">153</a>	CA		55 Shorncliffe Road Toronto ON M8Z 5K2	WNW/191.1	4.94	<a href="#">702</a>
<a href="#">153</a>	EASR	CENTURY 3000 AUTO COLLISION CENTRE LTD	55 SHORNCLIFFE RD ETOBICOKE ON M8Z 5K2	WNW/191.1	4.94	<a href="#">702</a>
<a href="#">153</a>	EBR	Century 3000 Auto Collision Centre Ltd.	55 Shorncliffe Road Toronto Ontario Toronto ON	WNW/191.1	4.94	<a href="#">703</a>
<a href="#">153</a>	ECA	Century 3000 Auto Collision Centre Ltd.	55 Shorncliffe Road Toronto ON M8Z 5K3	WNW/191.1	4.94	<a href="#">703</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">154</a>	WWIS		TORONTO ON <i>Well ID:</i> 7260415	NW/191.2	7.05	<a href="#">703</a>
<a href="#">155</a>	WWIS		TORONTO ON <i>Well ID:</i> 7260412	NW/192.3	6.98	<a href="#">706</a>
<a href="#">155</a>	WWIS		TORONTO ON <i>Well ID:</i> 7260463	NW/192.3	6.98	<a href="#">708</a>
<a href="#">156</a>	WWIS		Toronto ON <i>Well ID:</i> 7284883	SSW/192.8	2.45	<a href="#">711</a>
<a href="#">157</a>	CHEM	HANSON INC.	TORONTO ON	SSE/194.8	-3.30	<a href="#">714</a>
<a href="#">158</a>	WWIS		ON <i>Well ID:</i> 7271394	NNW/198.9	7.00	<a href="#">714</a>
<a href="#">159</a>	WWIS		TORONTO ON <i>Well ID:</i> 7260464	NW/200.0	6.94	<a href="#">714</a>
<a href="#">160</a>	EHS		41 Shorncliffe Rd Toronto ON M9B 1B8 <i>Order ID:</i> 485677	WNW/200.8	6.00	<a href="#">717</a>
<a href="#">160</a>	GEN	7-11 POOL DISTRIBUTORS LTD.	41 SHORNCLIFFE RD. TORONTO ON M8Z 5K2	WNW/200.8	6.00	<a href="#">717</a>
<a href="#">160</a>	SCT	Meriden Foods Inc.	41 Shorncliffe Rd Etobicoke ON M8Z 5K2	WNW/200.8	6.00	<a href="#">717</a>
<a href="#">160</a>	SCT	TRE MARI BAKERY LTD.	41 Shorncliffe Rd Etobicoke ON M8Z 5K2	WNW/200.8	6.00	<a href="#">718</a>
<a href="#">160</a>	SCT	TRE MARI BAKERY LIMITED	41 SHORNCLIFFE RD ETOBICOKE ON M8Z 5K2	WNW/200.8	6.00	<a href="#">718</a>
<a href="#">160</a>	SCT	Allegany Foods	41 Shorncliffe Rd Toronto ON M8Z 5K2	WNW/200.8	6.00	<a href="#">718</a>



<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">160</a>	SCT	Euro Bread Inc.	41 Shorncliffe Rd Unit A Etobicoke ON M8Z 5K2	WNW/200.8	6.00	<a href="#">718</a>
<a href="#">160</a>	SCT	Tre Mari Bakery Ltd.	41 Shorncliffe Rd Etobicoke ON M8Z 5K2	WNW/200.8	6.00	<a href="#">719</a>
<a href="#">161</a>	WWIS		TORONTO ON <i>Well ID:</i> 7260416	NNW/201.0	6.91	<a href="#">719</a>
<a href="#">162</a>	WWIS		Toronto ON <i>Well ID:</i> 7276630	NNW/201.1	7.00	<a href="#">721</a>
<a href="#">163</a>	WWIS		ON <i>Well ID:</i> 7214405	NNW/201.2	7.02	<a href="#">723</a>
<a href="#">164</a>	WWIS		TORONTO ON <i>Well ID:</i> 7260414	NW/201.7	7.01	<a href="#">724</a>
<a href="#">165</a>	WWIS		ON <i>Well ID:</i> 7260418	NW/201.8	7.07	<a href="#">726</a>
<a href="#">166</a>	WWIS		ETOBICOKE ON <i>Well ID:</i> 7117449	SSW/203.9	3.00	<a href="#">729</a>
<a href="#">167</a>	WWIS		Toronto ON <i>Well ID:</i> 7270323	SSE/204.1	-3.66	<a href="#">731</a>
<a href="#">168</a>	NPRI	HELMITIN INC.	99 SHORNCLIFFE ROAD NOT AVAILABLE TORONTO ON M8Z5K7	WSW/205.7	5.00	<a href="#">733</a>
<a href="#">169</a>	BORE		ON	ENE/207.1	-0.10	<a href="#">735</a>
<a href="#">170</a>	CA	PCB Disposal Inc.	75 North Queen Street Toronto ON M8Z 2C7	SSW/207.4	1.02	<a href="#">736</a>
<a href="#">170</a>	ECA	PCB Disposal Inc.	75 North Queen Street Toronto ON L1S 3X1	SSW/207.4	1.02	<a href="#">736</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">170</a>	GEN	DOMPAS PRODUCTIONS LIMITED	75 NORTH QUEEN STREET ETOBICOKE ON	SSW/207.4	1.02	<a href="#">736</a>
<a href="#">170</a>	GEN	LOCAM (OUT OF BUSINESS) 24-688	75 NORTHQUEEN ST. UNIT 4 ETOBICOKE ON M8Z 2C7	SSW/207.4	1.02	<a href="#">736</a>
<a href="#">170</a>	GEN	DOMPAS PRODUCTIONS LIMITED	75 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C7	SSW/207.4	1.02	<a href="#">737</a>
<a href="#">170</a>	GEN	DOMPAS PRODUCTIONS LIMITED	75 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C7	SSW/207.4	1.02	<a href="#">737</a>
<a href="#">170</a>	GEN	DOMPAS PRODUCTIONS LIMITED	75 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C7	SSW/207.4	1.02	<a href="#">737</a>
<a href="#">170</a>	GEN	LOCAM TRUCK RENTALS & LEASING INC.	75 NORTHQUEEN ST. UNIT 4 ETOBICOKE ON M8Z 2C7	SSW/207.4	1.02	<a href="#">738</a>
<a href="#">170</a>	GEN	DOMPAS PRODUCTIONS LIMITED	75 NORTH QUEEN STREET UNIT #2 ETOBICOKE ON M8Z 2C7	SSW/207.4	1.02	<a href="#">738</a>
<a href="#">170</a>	GEN	DOMPAS PRODUCTIONS LIMITED	75 NORTH QUEEN STREET, UNIT 2 ETOBICOKE ON M8Z 2C7	SSW/207.4	1.02	<a href="#">738</a>
<a href="#">170</a>	GEN	DOMPAS PRODUCTIONS LIMITED	75 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C7	SSW/207.4	1.02	<a href="#">739</a>
<a href="#">170</a>	GEN	DOMPAS PRODUCTIONS LIMITED	75 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C7	SSW/207.4	1.02	<a href="#">739</a>
<a href="#">170</a>	GEN	DOMPAS PRODUCTIONS LIMITED	75 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C7	SSW/207.4	1.02	<a href="#">739</a>
<a href="#">170</a>	GEN	DOMPAS PRODUCTIONS LIMITED	75 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C7	SSW/207.4	1.02	<a href="#">740</a>
<a href="#">170</a>	SCT	Dompas Productions Ltd.	75 North Queen St Unit 2 Etobicoke ON M8Z 2C7	SSW/207.4	1.02	<a href="#">740</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">170</a>	SCT	DOMPAS PRODUCTIONS LTD	75 NORTH QUEEN ST UNIT 2 ETOBICOKE ON M8Z 2C7	SSW/207.4	1.02	<a href="#">740</a>
<a href="#">171</a>	WWIS		TORONTO ON <i>Well ID:</i> 7261635	NW/208.7	7.08	<a href="#">741</a>
<a href="#">172</a>	EHS		15 Shorncliffe Rd Toronto ON M9B3S4 <i>Order ID:</i> 454912	NW/209.5	6.99	<a href="#">744</a>
<a href="#">173</a>	WWIS		TORONTO ON <i>Well ID:</i> 7261636	NW/209.5	7.08	<a href="#">744</a>
<a href="#">174</a>	WWIS		TORONTO ON <i>Well ID:</i> 7217844	ESE/210.0	-2.00	<a href="#">747</a>
<a href="#">175</a>	WWIS		Toronto ON <i>Well ID:</i> 7274754	NNW/210.4	6.91	<a href="#">749</a>
<a href="#">176</a>	WWIS		ON <i>Well ID:</i> 7270685	NW/211.1	6.45	<a href="#">752</a>
<a href="#">177</a>	ECA	Global Waste Services Inc.	Toronto ON M8Z 5K5	WSW/211.5	6.00	<a href="#">752</a>
<a href="#">177</a>	ECA	Global Waste Services Inc.	Lot 34 of Registered Plan 2104 Toronto ON M8Z 5K5	WSW/211.5	6.00	<a href="#">753</a>
<a href="#">178</a>	WWIS		Toronto ON <i>Well ID:</i> 7270324	S/214.2	-3.00	<a href="#">753</a>
<a href="#">179</a>	BORE		ON	NE/214.7	0.00	<a href="#">756</a>
<a href="#">180</a>	GEN	DOMTAR PACKAGING LTD.	66-72 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K1	W/215.0	6.00	<a href="#">757</a>
<a href="#">180</a>	GEN	DOMTAR PACKAGING (SEE & USE ON1202603)	66-72 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K1	W/215.0	6.00	<a href="#">757</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">180</a>	GEN	DOMTAR PACKAGING	66-72 SHORNCLIFFE ROAD TORONTO ON M8Z 5K1	W/215.0	6.00	<a href="#">757</a>
<a href="#">180</a>	GEN	METRO WASTE PAPER RECOVERY INC.	66-72 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K1	W/215.0	6.00	<a href="#">758</a>
<a href="#">180</a>	GEN	DOMTAR INC., PACKAGING DIVISION 13-160	66-72 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K1	W/215.0	6.00	<a href="#">758</a>
<a href="#">180</a>	GEN	DOMTAR PACKING/RECYCLING	66-72 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K1	W/215.0	6.00	<a href="#">758</a>
<a href="#">181</a>	CA	2056635 Ontario Inc.	78 Shorncliffe Rd Toronto ON M8Z 5K5	W/215.6	6.00	<a href="#">759</a>
<a href="#">181</a>	ECA	2056635 Ontario Inc.	78 Shorncliffe Rd Toronto ON L4Y 3Y3	W/215.6	6.00	<a href="#">759</a>
<a href="#">181</a>	GEN	1294987 Ontario Inc.	78 SHORNCLIFFE RD TORONTO ON M8Z 5K3	W/215.6	6.00	<a href="#">759</a>
<a href="#">182</a>	EHS		15-25 Shorncliff Rd & 5414-5487 Dundas St W Toronto ON <b>Order ID:</b> 163518	NW/215.9	6.95	<a href="#">760</a>
<a href="#">182</a>	EHS		15-25 Shorncliff RD & 5415-5487 DUNDAS ST.W TORONTO ON <b>Order ID:</b> 163077	NW/215.9	6.95	<a href="#">760</a>
<a href="#">183</a>	WWIS		TORONTO ON <b>Well ID:</b> 7260226	NW/221.0	7.47	<a href="#">760</a>
<a href="#">184</a>	WWIS		ON <b>Well ID:</b> 7260196	NNW/222.1	7.13	<a href="#">763</a>
<a href="#">185</a>	WWIS		TORONTO ON <b>Well ID:</b> 7217842	ESE/223.0	-2.00	<a href="#">763</a>
<a href="#">186</a>	WWIS		ETOBICOKE ON	SE/225.7	-0.64	<a href="#">766</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
			<b>Well ID:</b> 7281246			
<a href="#">187</a>	CA	PointOne Graphics Inc.	14 Vansco Road Toronto ON	S/226.0	-4.00	<a href="#">768</a>
<a href="#">187</a>	EASR	POINTONE GRAPHICS INC.	14 VANSKO RD TORONTO ON M8Z 5J4	S/226.0	-4.00	<a href="#">768</a>
<a href="#">187</a>	EBR	PointOne Graphics Inc.	14 Vansco Road Toronto M8Z 5J4 CITY OF TORONTO ON	S/226.0	-4.00	<a href="#">769</a>
<a href="#">187</a>	EBR	PointOne Graphics Inc.	14 Vansco Road Toronto Ontario M8Z 5J4 Toronto ON	S/226.0	-4.00	<a href="#">769</a>
<a href="#">187</a>	ECA	PointOne Graphics Inc.	14 Vansco Road Toronto City ON M8Z 5J4	S/226.0	-4.00	<a href="#">769</a>
<a href="#">187</a>	ECA	PointOne Graphics Inc.	14 Vansco Road Toronto ON M8Z 5J4	S/226.0	-4.00	<a href="#">770</a>
<a href="#">187</a>	ECA	PointOne Graphics Inc.	14 Vansco Road Toronto ON M8Z 5J4	S/226.0	-4.00	<a href="#">770</a>
<a href="#">187</a>	GEN	BLOWTHERM CANADA INC.	14 VANSKO ROAD TORONTO ON M8Z 5J4	S/226.0	-4.00	<a href="#">770</a>
<a href="#">187</a>	GEN	BINKS MFG. CO. OF CANADA LTD. 05-370	14 VANSKO ROAD TORONTO ON M8Z 5J5	S/226.0	-4.00	<a href="#">770</a>
<a href="#">187</a>	GEN	Point One Graphics Inc	14 Vansco Road Etobicoke ON M8Z 5J4	S/226.0	-4.00	<a href="#">771</a>
<a href="#">187</a>	GEN	Point One Graphics Inc	14 Vansco Road Etobicoke ON	S/226.0	-4.00	<a href="#">771</a>
<a href="#">187</a>	GEN	Point One Graphics Inc	14 Vansco Road Etobicoke ON M8Z 5J4	S/226.0	-4.00	<a href="#">772</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">187</a>	GEN	Point One Graphics Inc	14 Vansco Road Etobicoke ON M8Z 5J4	S/226.0	-4.00	<a href="#">772</a>
<a href="#">187</a>	GEN	BINKS MA(OUT OF BUSINESS)	14 VANSKO ROAD TORONTO ON M8Z 5J4	S/226.0	-4.00	<a href="#">773</a>
<a href="#">187</a>	GEN	Point One Graphics Inc	14 Vansco Road Etobicoke ON M8Z 5J4	S/226.0	-4.00	<a href="#">773</a>
<a href="#">187</a>	GEN	BINKS MANUFACTURING	14 VANSKO ROAD TORONTO ON M8Z 5J5	S/226.0	-4.00	<a href="#">774</a>
<a href="#">187</a>	GEN	Point One Graphics Inc	14 Vansco Road Etobicoke ON M8Z 5J4	S/226.0	-4.00	<a href="#">774</a>
<a href="#">187</a>	GEN	Point One Graphics Inc	14 Vansco Road Etobicoke ON M8Z 4J5	S/226.0	-4.00	<a href="#">774</a>
<a href="#">187</a>	GEN	Point One Graphics Inc	14 Vansco Road Etobicoke ON M8Z 4J5	S/226.0	-4.00	<a href="#">775</a>
<a href="#">187</a>	GEN	Point One Graphics Inc	14 Vansco Road Etobicoke ON M8Z 4J5	S/226.0	-4.00	<a href="#">775</a>
<a href="#">187</a>	GEN	Point One Graphics Inc	14 Vansco Road Etobicoke ON M8Z 4J5	S/226.0	-4.00	<a href="#">776</a>
<a href="#">187</a>	NPRI	POINT ONE GRAPHICS	14 VANSKO ROAD NOT AVAILABLE TORONTO ON M8Z4J5	S/226.0	-4.00	<a href="#">776</a>
<a href="#">187</a>	NPRI	Point One Graphics Inc	14 VANSKO ROAD NOT AVAILABLE TORONTO ON M8Z4J5	S/226.0	-4.00	<a href="#">777</a>
<a href="#">187</a>	NPRI	POINT ONE GRAPHICS INC	14 VANSKO ROAD NOT AVAILABLE TORONTO ON M8Z4J5	S/226.0	-4.00	<a href="#">778</a>
<a href="#">187</a>	NPRI	POINT ONE GRAPHICS	14 VANSKO ROAD NOT AVAILABLE TORONTO ON M8Z4J5	S/226.0	-4.00	<a href="#">779</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">187</a>	NPRI	POINT ONE GRAPHICS	14 VANSKO ROAD NOT AVAILABLE TORONTO ON M8Z4J5	S/226.0	-4.00	<a href="#">781</a>
<a href="#">187</a>	NPRI	POINT ONE GRAPHICS	14 VANSKO ROAD NOT AVAILABLE TORONTO ON M8Z4J5	S/226.0	-4.00	<a href="#">781</a>
<a href="#">187</a>	NPRI	POINT ONE GRAPHICS INC	14 VANSKO ROAD NOT AVAILABLE TORONTO ON M8Z4J5	S/226.0	-4.00	<a href="#">783</a>
<a href="#">187</a>	NPRI	POINT ONE GRAPHICS LTD.	14 VANSKO ROAD NOT AVAILABLE TORONTO ON M8Z4J5	S/226.0	-4.00	<a href="#">784</a>
<a href="#">187</a>	NPRI	POINT ONE GRAPHICS LTD.	14 VANSKO ROAD NOT AVAILABLE TORONTO ON M8Z4J5	S/226.0	-4.00	<a href="#">785</a>
<a href="#">187</a>	NPRI	POINT ONE GRAPHICS	14 VANSKO ROAD NOT AVAILABLE TORONTO ON M8Z4J5	S/226.0	-4.00	<a href="#">786</a>
<a href="#">187</a>	SCT	PointOne Graphics Inc.	14 Vansco Rd Etobicoke ON M8Z 5J4	S/226.0	-4.00	<a href="#">787</a>
<a href="#">187</a>	SCT	BINKS CANADA LTD.	14 VANSKO RD ETOBICOKE ON M8Z 5J4	S/226.0	-4.00	<a href="#">787</a>
<a href="#">188</a>	WWIS		TORONTO ON <b>Well ID:</b> 7260461	NW/226.1	7.74	<a href="#">788</a>
<a href="#">189</a>	TANK	Cherry Harry	14 Shorncliffe Rd Toronto ON	WNW/226.6	6.00	<a href="#">790</a>
<a href="#">190</a>	GEN	ARZER CONTRACTING LTD.	25A SHORNCLIFFE ROAD ETOBICOKE ON M9B 3S4	NW/228.4	6.46	<a href="#">790</a>
<a href="#">190</a>	SCT	Enercorp Instruments Ltd.	25 Shorncliffe Rd Toronto ON M9B 3S4	NW/228.4	6.46	<a href="#">791</a>
<a href="#">190</a>	SCT	KAVANAGH CONTROLS LTD.	25 SHORNCLIFFE RD ETOBICOKE ON M9B 3S4	NW/228.4	6.46	<a href="#">791</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">190</a>	SCT	ENERCORP INSTRUMENTS LTD	25 SHORNCLIFFE RD ETOBICOKE ON M9B 3S4	NW/228.4	6.46	<a href="#">791</a>
<a href="#">191</a>	NPRI	POINT ONE GRAPHICS	14 Vansco Road Toronto ON M8Z4J5	SSE/228.8	-3.00	<a href="#">792</a>
<a href="#">191</a>	NPRI	POINT ONE GRAPHICS INC	14 VANSKO ROAD NOT AVAILABLE TORONTO ON M8Z4J5	SSE/228.8	-3.00	<a href="#">792</a>
<a href="#">192</a>	CA	C&W METAL FINISHERS LIMITED	15 NORTH QUEEN STREET ETOBICOKE CITY ON M8Z 6C1	SE/229.2	-0.86	<a href="#">794</a>
<a href="#">192</a>	CA	CANADIAN COLEMAN CO. LTD.	15 NORTH QUEEN ST. (WEST BLDG) ETOBICOKE CITY ON M8Z 6C1	SE/229.2	-0.86	<a href="#">794</a>
<a href="#">192</a>	CA	C&W METAL FINISHERS LIMITED	15 NORTH QUEEN STREET ETOBICOKE CITY ON M8Z 6C1	SE/229.2	-0.86	<a href="#">794</a>
<a href="#">192</a>	EHS		15 North Queen St Toronto ON <b>Order ID:</b> 194194	SE/229.2	-0.86	<a href="#">794</a>
<a href="#">192</a>	GEN	CANADIAN COLEMAN CO LTD, THE	15 NORTH QUEEN ST TORONTO ON M8Z 6C1	SE/229.2	-0.86	<a href="#">795</a>
<a href="#">192</a>	GEN	Pamlimar Investments & Enterprises Limited	15 North Queen Street Suite 103 Toronto ON M8Z 6C1	SE/229.2	-0.86	<a href="#">795</a>
<a href="#">192</a>	GEN	CANADIAN COLEMAN COMPANY LTD., THE	15 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C6	SE/229.2	-0.86	<a href="#">795</a>
<a href="#">192</a>	GEN	Quantum Murray LP	15 North Queen Street Etobicoke ON	SE/229.2	-0.86	<a href="#">796</a>
<a href="#">192</a>	GEN	CANADIAN COLEMAN CO LTD, THE	15 NORTH QUEEN ST ETOBICOKE ON M8Z 6C1	SE/229.2	-0.86	<a href="#">796</a>
<a href="#">192</a>	GEN	CANADIAN COLEMAN CO LTD, THE 08-053	15 NORTH QUEEN ST ETOBICOKE ON M8Z 6C1	SE/229.2	-0.86	<a href="#">797</a>



<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">192</a>	GEN	Christie Lites Ltd.	15 North Queen Street Unit 102 Toronto ON M8Z 6C1	SE/229.2	-0.86	<a href="#">798</a>
<a href="#">192</a>	NPCB	CANADIAN COLEMAN CO. LTD.	15 NORTH QUEEN STREET TORONTO ON M8Z 6C1	SE/229.2	-0.86	<a href="#">798</a>
<a href="#">192</a>	NPCB	PAMLIMAR INVESTMENTS & ENTERPRISES LIMITED	15 NORTH QUEEN STREET TORONTO ON M8Z 6C1	SE/229.2	-0.86	<a href="#">799</a>
<a href="#">192</a>	NPCB	CANADIAN COLEMAN CO. LTD.	15 NORTH QUEEN STREET Toronto ON M8Z 6C1	SE/229.2	-0.86	<a href="#">801</a>
<a href="#">192</a>	NPCB	CANADIAN COLEMAN CO. LTD.	15 NORTH QUEEN ST TORONTO ON M8Z 6C1	SE/229.2	-0.86	<a href="#">802</a>
<a href="#">192</a>	SCT	Ultraseal Water Proof/SealTech	15 North Queen St Toronto ON M8Z 6C1	SE/229.2	-0.86	<a href="#">802</a>
<a href="#">192</a>	SCT	THE CANADIAN COLEMAN COMPANY	15 NORTH QUEEN ST ETOBICOKE ON M8Z 6C1	SE/229.2	-0.86	<a href="#">803</a>
<a href="#">193</a>	WWIS		Toronto ON <b>Well ID:</b> 7258513	S/231.4	-0.96	<a href="#">803</a>
<a href="#">194</a>	SPL	ESSO PETROLEUM CANADA	30 SHORNCLIFF RD. CARD LOCK STATION TORONTO CITY ON	WNW/232.0	6.00	<a href="#">805</a>
<a href="#">195</a>	CA	Metro Waste Paper Recovery Inc.	66 Shorncliffe Road Toronto ON M8Z 5K1	W/232.1	6.00	<a href="#">806</a>
<a href="#">195</a>	EBR	Metro Waste Paper Recovery Inc.	66 Shorncliffe Road Toronto Ontario M8Z 5K1 Toronto ON	W/232.1	6.00	<a href="#">806</a>
<a href="#">195</a>	EBR	Cascades Recovery Inc.	66 Shorncliffe Road Toronto M8Z 5K1 CITY OF TORONTO ON	W/232.1	6.00	<a href="#">806</a>
<a href="#">195</a>	ECA	Metro Waste Paper Recovery Inc.	66 Shorncliffe Road Toronto ON M8Z 5K1	W/232.1	6.00	<a href="#">807</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">195</a>	GEN	CASCADES RECOVERY INC.	66 SHORNCLIFFE ROAD TORONTO ON M8Z 5K1	W/232.1	6.00	<a href="#">807</a>
<a href="#">195</a>	GEN	METRO WASTE PAPER RECOVERY INC.	66 SHORNCLIFFE ROAD TORONTO ON M8Z 5K1	W/232.1	6.00	<a href="#">807</a>
<a href="#">195</a>	GEN	METRO WASTE PAPER RECOVERY INC.	66 SHORNCLIFFE ROAD TORONTO ON M8Z 5K1	W/232.1	6.00	<a href="#">808</a>
<a href="#">195</a>	GEN	CASCADES RECOVERY INC.	66 SHORNCLIFFE ROAD TORONTO ON M8Z 5K1	W/232.1	6.00	<a href="#">808</a>
<a href="#">195</a>	GEN	CASCADES RECOVERY INC.	66 SHORNCLIFFE ROAD TORONTO ON M8Z 5K1	W/232.1	6.00	<a href="#">809</a>
<a href="#">195</a>	GEN	CASCADES RECOVERY INC.	66 SHORNCLIFFE ROAD TORONTO ON	W/232.1	6.00	<a href="#">809</a>
<a href="#">195</a>	GEN	CASCADES RECOVERY INC.	66 SHORNCLIFFE ROAD TORONTO ON M8Z 5K1	W/232.1	6.00	<a href="#">810</a>
<a href="#">195</a>	GEN	CASCADES RECOVERY INC.	66 SHORNCLIFFE ROAD TORONTO ON M8Z 5K1	W/232.1	6.00	<a href="#">811</a>
<a href="#">195</a>	GEN	Cascades Recovery+	66 SHORNCLIFFE ROAD TORONTO ON M8Z 5K1	W/232.1	6.00	<a href="#">811</a>
<a href="#">195</a>	GEN	Cascades Recovery+	66 SHORNCLIFFE ROAD TORONTO ON M8Z 5K1	W/232.1	6.00	<a href="#">812</a>
<a href="#">195</a>	NPRI	METRO WASTE PAPER RECOVERY	66 SHORNCLIFFE Road TORONTO ON M8Z5K1	W/232.1	6.00	<a href="#">813</a>
<a href="#">195</a>	NPRI	METRO WASTE PAPER RECOVERY	66 SHORNCLIFFE Road TORONTO ON M8Z5K1	W/232.1	6.00	<a href="#">815</a>
<a href="#">195</a>	SPL	Metro Waste Paper Recovery Inc.	66 Shorncliffe Rd. - Domtar Toronto ON M8Z 5K1	W/232.1	6.00	<a href="#">816</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">195</a>	SPL	Metro Waste Paper Recovery Inc.	North East corner of Shornecliff and Bramshot, Etobicoke<UNOFFICIAL> Toronto ON	W/232.1	6.00	<a href="#">817</a>
<a href="#">195</a>	WDS	SUPER DISPOSAL SERVICES LTD.	66 SHORNCLIFFE ROAD ON M8Z 5K1	W/232.1	6.00	<a href="#">817</a>
<a href="#">195</a>	WDS	Cascades Recovery Inc.	66 Shorncliffe Road Etobicoke ON	W/232.1	6.00	<a href="#">818</a>
<a href="#">195</a>	WDS	Cascades Recovery Inc.	66 Shorncliffe Rd Toronto ON M8Z 5K1	W/232.1	6.00	<a href="#">819</a>
<a href="#">195</a>	WDS	Metro Waste Paper Recovery Inc.	66 Shorncliffe Rd Toronto ON M8Z 5K1	W/232.1	6.00	<a href="#">819</a>
<a href="#">195</a>	WDS	Cascades Recovery Inc.	66 Shorncliffe Rd Toronto ON M8Z 5K1	W/232.1	6.00	<a href="#">820</a>
<a href="#">195</a>	WDS	Metro Waste Paper Recovery Inc.	66 Shorncliffe Rd. - Domtar Toronto ON M8Z 5K1	W/232.1	6.00	<a href="#">821</a>
<a href="#">195</a>	WDS	Cascades Recovery Inc.	66 Shorncliffe Rd Toronto ON M8Z 5K1	W/232.1	6.00	<a href="#">821</a>
<a href="#">195</a>	WDS	Metro Waste Paper Recovery Inc.	66 Shorncliffe Rd Toronto ON M8Z 5K1	W/232.1	6.00	<a href="#">822</a>
<a href="#">196</a>	WWIS		TORONTO ON <i>Well ID: 7260462</i>	NW/234.1	8.03	<a href="#">823</a>
<a href="#">197</a>	WWIS		ETOBICOKE ON <i>Well ID: 7235275</i>	NNE/234.5	3.00	<a href="#">825</a>
<a href="#">198</a>	WWIS		TORONTO ON <i>Well ID: 7260417</i>	NW/241.2	7.80	<a href="#">828</a>
<a href="#">199</a>	WWIS		Toronto ON	SSW/242.6	-0.12	<a href="#">830</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
			<b>Well ID:</b> 7181529			
<a href="#">200</a>	NPRI	TRIPLE M METAL LP	70 NORTH QUEEN STREET NOT AVAILABLE TORONTO ON M8Z2C7	SW/243.7	5.00	<a href="#">833</a>
<a href="#">201</a>	EXP	SUPERPOWER COIN WASH	40 SHORNCLIFFE RD ETOBICOKE ON	WNW/249.1	6.00	<a href="#">834</a>
<a href="#">201</a>	PRT	SUPERPOWER COIN WASH	40 SHORNCLIFFE ETOBICOKE ON M8Z 5K1	WNW/249.1	6.00	<a href="#">834</a>
<a href="#">202</a>	WWIS		ON <b>Well ID:</b> 7274661	NW/252.2	8.04	<a href="#">834</a>
<a href="#">203</a>	CA	SUNOCO INC.	77 NORTH QUEEN ST.,PT.LOT 8/C3 ETOBICOKE ON M8Z 2C7	SSW/256.2	2.03	<a href="#">835</a>
<a href="#">203</a>	EBR	Sunoco Inc.	77 North Queen Street, part lot 8, concession 3 Etobicoke ON	SSW/256.2	2.03	<a href="#">835</a>
<a href="#">203</a>	EHS		77 North Queen St Etobicoke ON M8Z 2C7 <b>Order ID:</b> 112	SSW/256.2	2.03	<a href="#">835</a>
<a href="#">203</a>	EXP	RANGE TRUCK RENTAL MISSISSAUGA U DRIVE INC ATTN D VIENNEAU	77 NORTH QUEEN ST ETOBICOKE ON	SSW/256.2	2.03	<a href="#">836</a>
<a href="#">203</a>	EXP	RANGE TRUCK RENTAL MISSISSAUGA U DRIVE INC ATTN D VIENNEAU	77 NORTH QUEEN ST ETOBICOKE ON	SSW/256.2	2.03	<a href="#">836</a>
<a href="#">203</a>	EXP	SUNCOR ENERGY PRODUCTS INC	77 NORTH QUEEN ST ETOBICOKE ON M8Z 2C7	SSW/256.2	2.03	<a href="#">836</a>
<a href="#">203</a>	EXP	SUNCOR ENERGY PRODUCTS INC	77 NORTH QUEEN ST ETOBICOKE ON M8Z 2C7	SSW/256.2	2.03	<a href="#">836</a>
<a href="#">203</a>	EXP	PENSKE TRUCK LEASING CANADA INC	77 NORTH QUEEN ST ETOBICOKE ON M8Z 2C7	SSW/256.2	2.03	<a href="#">837</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">203</a>	EXP	RANGE TRUCK RENTAL MISSISSAUGA U DRIVE INC ATTN D VIENNEAU	77 NORTH QUEEN ST ETOBICOKE ON	SSW/256.2	2.03	<a href="#">837</a>
<a href="#">203</a>	EXP	RANGE TRUCK RENTAL MISSISSAUGA U DRIVE INC ATTN D VIENNEAU	77 NORTH QUEEN ST ETOBICOKE ON M8Z 2C7	SSW/256.2	2.03	<a href="#">837</a>
<a href="#">203</a>	EXP	PENSKE TRUCK LEASING CANADA INC	77 NORTH QUEEN ST ETOBICOKE ON M8Z 2C7	SSW/256.2	2.03	<a href="#">837</a>
<a href="#">203</a>	EXP	PENSKE TRUCK LEASING CANADA INC	77 NORTH QUEEN ST ETOBICOKE ON M8Z 2C7	SSW/256.2	2.03	<a href="#">838</a>
<a href="#">203</a>	EXP	SUNCOR ENERGY PRODUCTS INC	77 NORTH QUEEN ST ETOBICOKE ON M8Z 2C7	SSW/256.2	2.03	<a href="#">838</a>
<a href="#">203</a>	EXP	RANGE TRUCK RENTAL MISSISSAUGA U DRIVE INC ATTN D VIENNEAU	77 NORTH QUEEN ST ETOBICOKE ON M8Z 2C7	SSW/256.2	2.03	<a href="#">838</a>
<a href="#">203</a>	EXP	SUNCOR ENERGY PRODUCTS INC	77 NORTH QUEEN ST ETOBICOKE ON	SSW/256.2	2.03	<a href="#">838</a>
<a href="#">203</a>	EXP	RANGE TRUCK RENTAL MISSISSAUGA U DRIVE INC ATTN D VIENNEAU	77 NORTH QUEEN ST ETOBICOKE ON	SSW/256.2	2.03	<a href="#">839</a>
<a href="#">203</a>	EXP	RANGE TRUCK RENTAL MISSISSAUGA U DRIVE INC ATTN D VIENNEAU	77 NORTH QUEEN ST ETOBICOKE ON M8Z 2C7	SSW/256.2	2.03	<a href="#">839</a>
<a href="#">203</a>	EXP	SUNCOR ENERGY PRODUCTS INC	77 NORTH QUEEN ST ETOBICOKE ON M8Z 2C7	SSW/256.2	2.03	<a href="#">839</a>
<a href="#">203</a>	EXP	PENSKE TRUCK LEASING CANADA INC	77 NORTH QUEEN ST ETOBICOKE ON M8Z 2C7	SSW/256.2	2.03	<a href="#">839</a>
<a href="#">203</a>	FST	PENSKE TRUCK LEASING CANADA INC	77 NORTH QUEEN ST ETOBICOKE ON M8Z 2C7	SSW/256.2	2.03	<a href="#">840</a>
<a href="#">203</a>	FSTH	PENSKE TRUCK LEASING CANADA INC	77 NORTH QUEEN ST ETOBICOKE ON M8Z 2C7	SSW/256.2	2.03	<a href="#">840</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">203</a>	FSTH	PENSKE TRUCK LEASING CANADA INC	77 NORTH QUEEN ST ETOBICOKE ON M8Z 2C7	SSW/256.2	2.03	<a href="#">840</a>
<a href="#">203</a>	GEN	PENSKE TRUCK LEASING CANADA INC.	77 NORTH QUEEN STREET TORONTO ON M8Z 2C7	SSW/256.2	2.03	<a href="#">841</a>
<a href="#">203</a>	GEN	ROLLINS LEASING COMPANY OF CANADA	77 NORTH QUEEN STREET TORONTO ON M8Z 2C7	SSW/256.2	2.03	<a href="#">841</a>
<a href="#">203</a>	GEN	PENSKE TRUCK LEASING CANADA INC.	77 NORTH QUEEN STREET TORONTO ON M8Z 2C7	SSW/256.2	2.03	<a href="#">842</a>
<a href="#">203</a>	GEN	PENSKE TRUCK LEASING CANADA INC.	77 NORTH QUEEN STREET TORONTO ON M8Z 2C7	SSW/256.2	2.03	<a href="#">842</a>
<a href="#">203</a>	GEN	ROLLINS (SEE & USE ON2055721)NADA	77 NORTH QUEEN STREET TORONTO ON M8Z 2C7	SSW/256.2	2.03	<a href="#">843</a>
<a href="#">203</a>	GEN	PENSKE TRUCK LEASING CANADA INC.	77 NORTH QUEEN STREET TORONTO ON M8Z 2C7	SSW/256.2	2.03	<a href="#">843</a>
<a href="#">203</a>	GEN	PENSKE TRUCK LEASING CANADA INC.	77 NORTH QUEEN STREET TORONTO ON	SSW/256.2	2.03	<a href="#">843</a>
<a href="#">203</a>	GEN	PENSKE TRUCK LEASING CANADA INC.	77 NORTH QUEEN STREET TORONTO ON M8Z 2C7	SSW/256.2	2.03	<a href="#">844</a>
<a href="#">203</a>	GEN	PENSKE TRUCK LEASING CANADA INC.	77 NORTH QUEEN STREET TORONTO ON M8Z 2C7	SSW/256.2	2.03	<a href="#">844</a>
<a href="#">203</a>	GEN	PENSKE TRUCK LEASING CANADA INC.	77 NORTH QUEEN STREET TORONTO ON M8Z 2C7	SSW/256.2	2.03	<a href="#">845</a>
<a href="#">203</a>	GEN	PENSKE TRUCK LEASING CANADA INC.	77 NORTH QUEEN STREET TORONTO ON M8Z 2C7	SSW/256.2	2.03	<a href="#">845</a>
<a href="#">203</a>	GEN	PENSKE TRUCK LEASING CANADA INC.	77 NORTH QUEEN STREET TORONTO ON M8Z 2C7	SSW/256.2	2.03	<a href="#">846</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">203</a>	PRT	RANGE TRUCK RENTAL MISSISSAUGA U DRIVE INC ATTN D	77 NORTH QUEEN ST ETOBICOKE ON M8Z 2C7	SSW/256.2	2.03	<a href="#">846</a>
<a href="#">204</a>	CA	BRIGHTON LAUNDRY LIMITED	15 SHORNCLIFFE RD. ETOBICOKE CITY ON M9B 3S4	NW/257.5	6.84	<a href="#">846</a>
<a href="#">204</a>	EASR	ORLANDO CORPORATION	15 SHORNCLIFFE ROAD TORONTO ON M8Z 5K2	NW/257.5	6.84	<a href="#">847</a>
<a href="#">204</a>	EHS		15 Shorncliffe Rd Etobicoke ON M9B 3S4 <b>Order ID:</b> 19149	NW/257.5	6.84	<a href="#">847</a>
<a href="#">204</a>	GEN	K-BRO LINEN SYSTEMS (ONTARIO) LIMITED	15 Shorncliffe Road Etobicoke ON M9B3S4	NW/257.5	6.84	<a href="#">847</a>
<a href="#">204</a>	GEN	Orlando Corporation	15 Shorncliff Toronto ON M9B 3S4	NW/257.5	6.84	<a href="#">848</a>
<a href="#">204</a>	GEN	K-BRO LINEN SYSTEMS (ONTARIO) LIMITED	15 Shorncliffe Road Etobicoke ON M9B3S4	NW/257.5	6.84	<a href="#">848</a>
<a href="#">204</a>	GEN	Orlando Corporation	15 Shorncliff Toronto ON M9B 3S4	NW/257.5	6.84	<a href="#">848</a>
<a href="#">204</a>	GEN	Orlando Corporation	15 Shorncliff Toronto ON M9B 3S4	NW/257.5	6.84	<a href="#">849</a>
<a href="#">204</a>	GEN	Orlando Corporation	15 Shorncliff Toronto ON M9B 3S4	NW/257.5	6.84	<a href="#">849</a>
<a href="#">204</a>	GEN	BRIGHTON LAUNDRY LIMITED	15 SHORNCLIFFE ROAD ETOBICOKE ON M9B 3S4	NW/257.5	6.84	<a href="#">849</a>
<a href="#">204</a>	GEN	GENTLETOUCH DRYCLEANERS	15 SHORNCLIFFE RD. ETOBICOKE ON M9B 3S4	NW/257.5	6.84	<a href="#">850</a>
<a href="#">204</a>	GEN	K-BRO LINEN SYSTEMS (ONTARIO) LIMITED	15 Shorncliffe Road Etobicoke ON M9B 3S4	NW/257.5	6.84	<a href="#">850</a>

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
<a href="#">204</a>	GEN	K-BRO LINEN SYSTEMS (ONTARIO) LIMITED	15 Shorncliffe Road Etobicoke ON M9B 3S4	NW/257.5	6.84	<a href="#">850</a>
<a href="#">204</a>	GEN	GENTLETOUCH (OUT OF BUS) 17-274	15 SHORNCLIFFE RD. ETOBICOKE ON M9B 3S4	NW/257.5	6.84	<a href="#">851</a>
<a href="#">204</a>	GEN	Orlando Corporation	15 Shorncliff Toronto ON	NW/257.5	6.84	<a href="#">851</a>
<a href="#">204</a>	GEN	Orlando Corporation	15 Shorncliff Toronto ON	NW/257.5	6.84	<a href="#">851</a>
<a href="#">204</a>	GEN	K-BRO LINEN SYSTEMS (ONTARIO) LIMITED	15 SHORNCLIFFE ROAD ETOBICOKE ON M9B 3S4	NW/257.5	6.84	<a href="#">852</a>
<a href="#">204</a>	GEN	Orlando Corporation	15 Shorncliff Toronto ON	NW/257.5	6.84	<a href="#">852</a>
<a href="#">204</a>	GEN	K-BRO LINEN SYSTEMS (ONTARIO) LIMITED	15 Shorncliffe Road Etobicoke ON M9B 3S4	NW/257.5	6.84	<a href="#">852</a>
<a href="#">204</a>	GEN	K-BRO LINEN SYSTEMS (ONTARIO) LIMITED	15 Shorncliffe Road Etobicoke ON M9B 3S4	NW/257.5	6.84	<a href="#">853</a>
<a href="#">204</a>	GEN	K-BRO LINEN SYSTEMS (ONTARIO) LIMITED	15 Shorncliffe Road Etobicoke ON M9B3S4	NW/257.5	6.84	<a href="#">853</a>
<a href="#">204</a>	GEN	Orlando Corporation	15 Shorncliffe Road Toronto ON M9B 3S4	NW/257.5	6.84	<a href="#">853</a>
<a href="#">204</a>	GEN	Orlando Corporation	15 Shorncliff Toronto ON M9B 3S4	NW/257.5	6.84	<a href="#">854</a>
<a href="#">204</a>	GEN	Orlando Corporation	15 Shorncliff Toronto ON M9B 3S4	NW/257.5	6.84	<a href="#">854</a>
<a href="#">204</a>	GEN	Orlando Corporation	15 Shorncliff Toronto ON	NW/257.5	6.84	<a href="#">854</a>



<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">204</a>	GEN	K-BRO LINEN SYSTEMS (ONTARIO) LIMITED	15 Shorncliffe Road Etobicoke ON	NW/257.5	6.84	<a href="#">854</a>
<a href="#">204</a>	GEN	Bro Linen System	15 shorncliffe rd Etobicoke ON M9B 3S4	NW/257.5	6.84	<a href="#">855</a>
<a href="#">204</a>	GEN	Orlando Corporation	15 Shorncliffe Road Toronto ON M9B 3S4	NW/257.5	6.84	<a href="#">855</a>
<a href="#">204</a>	GEN	K-BRO LINEN SYSTEMS (ONTARIO) LIMITED	15 Shorncliffe Road Etobicoke ON M9B3S4	NW/257.5	6.84	<a href="#">855</a>
<a href="#">205</a>	WWIS		ON <b>Well ID:</b> 7223054	NNW/258.1	8.13	<a href="#">856</a>
<a href="#">206</a>	BORE		ON	SSW/258.6	0.03	<a href="#">857</a>
<a href="#">207</a>	EHS		Dundas St W and Shorncliffe Rd Toronto ON M9B1B5 <b>Order ID:</b> 431195	NW/261.7	8.26	<a href="#">857</a>
<a href="#">208</a>	EHS		80 Shorncliffe Rd Toronto ON M8Z 5K5 <b>Order ID:</b> 26930	W/265.2	6.00	<a href="#">857</a>
<a href="#">208</a>	EHS		80 Shorncliffe Rd. Toronto ON M8Z 5K5 <b>Order ID:</b> 7610	W/265.2	6.00	<a href="#">858</a>
<a href="#">208</a>	EXP	ULTRAMAR CANADA INC	80 SHORNCLIFFE RD ETOBICOKE ON	W/265.2	6.00	<a href="#">858</a>
<a href="#">208</a>	FST	SUNOCO PETROLEUM	80 SHORNCLIFFE RD ETOBICOKE ON M8Z 5K5	W/265.2	6.00	<a href="#">858</a>
<a href="#">208</a>	FSTH	SUNOCO PETROLEUM	80 SHORNCLIFFE RD ETOBICOKE ON M8Z 5K5	W/265.2	6.00	<a href="#">858</a>
<a href="#">208</a>	FSTH	SUNOCO PETROLEUM	80 SHORNCLIFFE RD ETOBICOKE ON M8Z 5K5	W/265.2	6.00	<a href="#">859</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">208</a>	GEN	ULTRAMAR CANADA LTD.	80 SHORNCLIFFE ROAD CARDLOCK SITE 02650 ETOBICOKE ON M8Z 5K5	W/265.2	6.00	<a href="#">859</a>
<a href="#">208</a>	GEN	WORK WEAR CORP OF CANADA LTD.	80 A SHORNCLIFFE ROAD TORONTO ON M8Z 5K5	W/265.2	6.00	<a href="#">859</a>
<a href="#">208</a>	GEN	WORK WEAR (OUT OF BUS) 42-289	80A SHORNCLIFFE ROAD TORONTO ON M8Z 5K5	W/265.2	6.00	<a href="#">860</a>
<a href="#">208</a>	GEN	TRUCK WATCH SERVICES INC.	80 SHORNCLIFFE ROAD ETOBICOKE ON M8K 5Z5	W/265.2	6.00	<a href="#">860</a>
<a href="#">208</a>	GEN	TRUCK (OUT OF BUSINESS)C.	80 SHORNCLIFFE ROAD ETOBICOKE ON M8K 5Z5	W/265.2	6.00	<a href="#">860</a>
<a href="#">208</a>	GEN	WORK WEAR CORPORATION (OUT OF BUSINESS)	80-A SHORNCLIFFE ROAD_ TORONTO ON M8Z 5K5	W/265.2	6.00	<a href="#">861</a>
<a href="#">208</a>	GEN	AL BECK TRUCKING	80 SHORNCLIFFE ROAD TORONTO ON M8Z 5K5	W/265.2	6.00	<a href="#">861</a>
<a href="#">208</a>	GEN	TRAFFIX	80 SHORNCLIFFE ROAD ETOBICOKE ON M8K 5Z5	W/265.2	6.00	<a href="#">861</a>
<a href="#">208</a>	GEN	WORK WEAR CORP. OF CANADA LTD.	80A SHORNCLIFFE ROAD TORONTO ON M8Z 5K5	W/265.2	6.00	<a href="#">862</a>
<a href="#">208</a>	GEN	D.K.M. Travel Services Limited	80 Shorncliffe Road Toronto ON M8Z 5K5	W/265.2	6.00	<a href="#">862</a>
<a href="#">208</a>	GEN	ULTRAMAR CANADA LTD.	ULTRAMAR CARDLOCK - SITE 02650 80 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K5	W/265.2	6.00	<a href="#">863</a>
<a href="#">208</a>	PRT	EAGLE CONCEPTS INC	80 SHORNCLIFFE RD ETOBICOKE ON M8Z 5K5	W/265.2	6.00	<a href="#">863</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">209</a>	WWIS		ETOBICOKE ON <i>Well ID: 7281240</i>	ESE/266.2	-1.00	<a href="#">863</a>
<a href="#">210</a>	BORE		ON	NE/266.6	0.00	<a href="#">865</a>
<a href="#">211</a>	WWIS		ETOBICOKE ON <i>Well ID: 7257895</i>	NNE/270.3	5.00	<a href="#">866</a>
<a href="#">212</a>	WWIS		ETOBICOKE ON <i>Well ID: 7039432</i>	NE/271.2	0.00	<a href="#">868</a>
<a href="#">213</a>	EHS		Wilmar Rd Dundas St W Toronto ON <i>Order ID: 454562</i>	N/271.7	15.44	<a href="#">870</a>
<a href="#">214</a>	WWIS		TORONTO ON <i>Well ID: 7217839</i>	SE/271.9	0.07	<a href="#">871</a>
<a href="#">215</a>	CA	Global Waste Services Inc.	90 Shorncliffe Road, Lot 34 of Registered P 2104 Toronto ON	WSW/272.2	6.00	<a href="#">873</a>
<a href="#">215</a>	CA	King Recycling & Waste Disposal Inc.	90 Shorncliffe Road, Lot 33 of Registered P 2104 Toronto ON	WSW/272.2	6.00	<a href="#">873</a>
<a href="#">215</a>	CA	King Recycling & Waste Disposal Inc.	90 Shorncliffe Road, Lot 34 of Registered P 2104 Toronto ON	WSW/272.2	6.00	<a href="#">874</a>
<a href="#">215</a>	CA	1558231 Ontario Inc.	90 Shorncliffe Road, Lot 34 of Registered P 2104 Toronto ON	WSW/272.2	6.00	<a href="#">874</a>
<a href="#">215</a>	CONV	Global Waste Services Inc.	90 Shorncliffe Road Toronto ON	WSW/272.2	6.00	<a href="#">874</a>
<a href="#">215</a>	EBR	Global Waste Services Inc.	90 Shorncliffe Road Toronto CITY OF TORONTO ON	WSW/272.2	6.00	<a href="#">875</a>
<a href="#">215</a>	EBR	Terra-Green Recycling & Transfer Inc.	90 Shorncliffe Road Toronto CITY OF TORONTO ON	WSW/272.2	6.00	<a href="#">875</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">215</a>	EBR	Global Waste Services Inc.	90 Shorncliffe Road, Lot 34 of Registered P 2104 Toronto Ontario Toronto ON	WSW/272.2	6.00	<a href="#">876</a>
<a href="#">215</a>	EBR	Global Waste Services Inc.	90 Shornecliffe Road CITY OF TORONTO ON	WSW/272.2	6.00	<a href="#">876</a>
<a href="#">215</a>	EBR	King Recycling & Waste Disposal Inc.	90 Shorncliffe Road CITY OF TORONTO ON	WSW/272.2	6.00	<a href="#">876</a>
<a href="#">215</a>	EBR	King Recycling & Waste Disposal Inc.	90 Shorncliffe Road, Lot 33 of Registered P 2104 Toronto Ontario M8Z 5K5 Toronto ON	WSW/272.2	6.00	<a href="#">877</a>
<a href="#">215</a>	EBR	King Recycling & Waste Disposal Inc.	90 Shorncliffe Road, Lot 33 of Registered P 2104 Toronto Ontario M8Z 5K5 Toronto ON	WSW/272.2	6.00	<a href="#">877</a>
<a href="#">215</a>	EBR	Global Waste Services Inc.	90 Shorncliffe Road, Lot 34 of Registered P 2104 Toronto Ontario Toronto ON	WSW/272.2	6.00	<a href="#">877</a>
<a href="#">215</a>	ECA	1558231 Ontario Inc.	90 Shorncliffe Road, Lot 34 of Registered P 2104 Toronto ON L5T 1B7	WSW/272.2	6.00	<a href="#">878</a>
<a href="#">215</a>	ECA	King Recycling & Waste Disposal Inc.	90 Shorncliffe Road, Lot 33 of Registered P 2104 Toronto ON M8Z 5K5	WSW/272.2	6.00	<a href="#">878</a>
<a href="#">215</a>	ECA	Global Waste Services Inc.	90 Shorncliffe Road, Lot 34 of Registered P 2104 Toronto ON M8Z 5K5	WSW/272.2	6.00	<a href="#">878</a>
<a href="#">215</a>	ECA	King Recycling & Waste Disposal Inc.	90 Shorncliffe Road, Lot 34 of Registered P 2104 Toronto ON M8Z 5K5	WSW/272.2	6.00	<a href="#">878</a>
<a href="#">215</a>	GEN	Global Waste Services Inc.	90 Shorncliffe Road Toronto ON M8Z 5K5	WSW/272.2	6.00	<a href="#">879</a>
<a href="#">215</a>	GEN	GLENGARRY (OUT OF BUSINESS) 17-040	HYMUS DISTRIBUTION DIVISION 90 SHORNCLIFF ROAD TORONTO ON M8Z 5K5	WSW/272.2	6.00	<a href="#">879</a>

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
<a href="#">215</a>	GEN	GLENGARRY TRANSPORT LTD.	HYMUS DISTRIBUTION DIVISION 90 SHORNCLIFF ROAD TORONTO ON M8Z 5K5	WSW/272.2	6.00	<a href="#">879</a>
<a href="#">215</a>	GEN	Global Waste Services Inc.	90 Shorncliffe Road Toronto ON	WSW/272.2	6.00	<a href="#">880</a>
<a href="#">215</a>	GEN	GLENGARRY (OUT OF BUSINESS)	HYMUS DISTRIBUTION DIVISION 90 SHORNCLIFF ROAD TORONTO ON M8Z 5K5	WSW/272.2	6.00	<a href="#">880</a>
<a href="#">215</a>	GEN	Global Waste Services Inc.	90 Shorncliffe Road Toronto ON M8Z 5K5	WSW/272.2	6.00	<a href="#">880</a>
<a href="#">215</a>	GEN	GLENGARRY TRANSPORT (OUT OF BUSINESS)	HYMUS DISTRIBUTION DIVISION 90 SHORNCLIFF ROAD TORONTO ON M8Z 5K5	WSW/272.2	6.00	<a href="#">880</a>
<a href="#">215</a>	GEN	Global Waste Services Inc.	90 Shorncliffe Road Toronto ON M8Z 5K5	WSW/272.2	6.00	<a href="#">881</a>
<a href="#">215</a>	GEN	Global Waste Services Inc.	90 Shorncliffe Road Toronto ON M8Z 5K5	WSW/272.2	6.00	<a href="#">881</a>
<a href="#">215</a>	GEN	G.T.L.-GLENGARRY TRANSPORT LTD.	90 SHORNCLIFFE RD. TORONTO ON M8Z 5K5	WSW/272.2	6.00	<a href="#">881</a>
<a href="#">215</a>	GEN	Global Waste Services Inc.	90 Shorncliffe Road Toronto ON M8Z 5K5	WSW/272.2	6.00	<a href="#">881</a>
<a href="#">215</a>	GEN	Global Waste Services Inc.	90 Shorncliffe Road Toronto ON M8Z 5K5	WSW/272.2	6.00	<a href="#">882</a>
<a href="#">215</a>	GEN	Global Waste Services Inc.	90 Shorncliffe Road Toronto ON M8Z 5K5	WSW/272.2	6.00	<a href="#">882</a>
<a href="#">215</a>	GEN	Global Waste Services Inc.	90 Shorncliffe Road Toronto ON M8Z 5K5	WSW/272.2	6.00	<a href="#">882</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">215</a>	GEN	KING RECYCLING & WASTE DISPOSAL INC.	90 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K5	WSW/272.2	6.00	<a href="#">883</a>
<a href="#">215</a>	GEN	SHORNCLIFFE PROPERTIES	90 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K5	WSW/272.2	6.00	<a href="#">883</a>
<a href="#">215</a>	SPL	GLENGARRY TRANSPORT LTD.	90 SHORNCLIFF RD. GTL YARD TORONTO DEPOT 90 NORTH QUEEN STREET TORONTO CITY ON	WSW/272.2	6.00	<a href="#">883</a>
<a href="#">215</a>	WDS	Global Waste Services Inc.	90 Shorncliffe Road, Lot 34 of Registered P 2104 Toronto ON	WSW/272.2	6.00	<a href="#">884</a>
<a href="#">215</a>	WDS	King Recycling & Waste Disposal Inc.	90 Shorncliffe Road, Lot 33 of Registered P 2104 Toronto ON M8Z 5K5	WSW/272.2	6.00	<a href="#">884</a>
<a href="#">215</a>	WDS	Global Waste Services Inc.	90 Shorncliffe Rd Lot 34 of Registered P 2104 Toronto ON M8Z 5K5	WSW/272.2	6.00	<a href="#">885</a>
<a href="#">215</a>	WDS	King Recycling & Waste Disposal Inc.	90 Shorncliffe Road, Lot 34 of Registered P 2104 Toronto ON M8Z 5K5	WSW/272.2	6.00	<a href="#">886</a>
<a href="#">215</a>	WDS	Terra-Green Recycling & Transfer Inc.	90 Shorncliffe Road, Lot 34 of Registered P 2104 Toronto ON M8Z 5K5	WSW/272.2	6.00	<a href="#">886</a>
<a href="#">216</a>	CA	2130299 Ontario Ltd.	86 Shorncliffe Rd Toronto ON M8Z 5K5	WSW/272.4	6.00	<a href="#">887</a>
<a href="#">216</a>	EBR	Terra-Green Recycling & Transfer Inc.	86 Shorncliffe Road Toronto CITY OF TORONTO ON	WSW/272.4	6.00	<a href="#">887</a>
<a href="#">216</a>	ECA	King Recycling & Waste Disposal Inc.	86 Shorncliffe Rd Lot 33 of Registered Plan 2104 Toronto ON M8Z 5K5	WSW/272.4	6.00	<a href="#">888</a>
<a href="#">216</a>	ECA	2130299 Ontario Ltd.	86 Shorncliffe Rd Toronto ON M1K 2E3	WSW/272.4	6.00	<a href="#">888</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">216</a>	GEN	KING RECYCLING & WASTE DISPOSAL INC.	86 SHORNCLIFFE ROAD TORONTO ON M8E 5K5	WSW/272.4	6.00	<a href="#">888</a>
<a href="#">216</a>	GEN	KING RECYCLING & WASTE DISPOSAL INC.	86 SHORNCLIFFE ROAD TORONTO ON M8E 5K5	WSW/272.4	6.00	<a href="#">888</a>
<a href="#">216</a>	GEN	KING RECYCLING & WASTE DISPOSAL INC.	86 SHORNCLIFFE ROAD TORONTO ON M8E 5K5	WSW/272.4	6.00	<a href="#">889</a>
<a href="#">216</a>	GEN	KING RECYCLING & WASTE DISPOSAL INC.	86 SHORNCLIFFE ROAD TORONTO ON	WSW/272.4	6.00	<a href="#">889</a>
<a href="#">216</a>	GEN	KING RECYCLING & WASTE DISPOSAL INC.	86 SHORNCLIFFE ROAD TORONTO ON M8Z 5K5	WSW/272.4	6.00	<a href="#">889</a>
<a href="#">216</a>	GEN	KING RECYCLING & WASTE DISPOSAL INC.	86 SHORNCLIFFE ROAD TORONTO ON M8Z 5K5	WSW/272.4	6.00	<a href="#">889</a>
<a href="#">216</a>	GEN	KING RECYCLING & WASTE DISPOSAL INC.	86 SHORNCLIFFE ROAD TORONTO ON M8Z 5K5	WSW/272.4	6.00	<a href="#">890</a>
<a href="#">216</a>	GEN	KING RECYCLING & WASTE DISPOSAL INC.	86 SHORNCLIFFE ROAD TORONTO ON M8Z 5K5	WSW/272.4	6.00	<a href="#">890</a>
<a href="#">216</a>	GEN	KING RECYCLING & WASTE DISPOSAL INC.	86 SHORNCLIFFE ROAD TORONTO ON M8Z 5K5	WSW/272.4	6.00	<a href="#">890</a>
<a href="#">216</a>	GEN	KING RECYCLING & WASTE DISPOSAL INC.	86 SHORNCLIFFE ROAD TORONTO ON M8E 5K5	WSW/272.4	6.00	<a href="#">891</a>
<a href="#">216</a>	WDS	Terra-Green Recycling & Transfer Inc.	86 Shorncliffe Road Lot 33 Toronto ON	WSW/272.4	6.00	<a href="#">891</a>
<a href="#">216</a>	WDS	Terra-Green Recycling & Transfer Inc.	86 Shorncliffe Rd Lot 33 of Registered P 2104 Toronto ON M8Z 5K5	WSW/272.4	6.00	<a href="#">892</a>
<a href="#">216</a>	WDS	Terra-Green Recycling & Transfer Inc.	86 Shorncliffe Rd Lot 33 of Registered P 2104 Toronto ON M8Z 5K5	WSW/272.4	6.00	<a href="#">892</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">217</a>	GEN	1503647 Ontario Ltd.	12 Vansco Road Toronto ON M8Z 5J4	SSE/273.1	-3.00	<a href="#">893</a>
<a href="#">217</a>	GEN	DBS	12 Vansco Road Toronto ON M8Z 5J4	SSE/273.1	-3.00	<a href="#">893</a>
<a href="#">217</a>	VAR	DBS MECHANICAL	12 VANSKO RD ETOBICOKE ON M8Z 5J4	SSE/273.1	-3.00	<a href="#">894</a>
<a href="#">218</a>	BORE		ON	ENE/273.7	0.00	<a href="#">894</a>
<a href="#">219</a>	WWIS		ON <i>Well ID: 7288448</i>	WNW/275.5	6.00	<a href="#">894</a>
<a href="#">220</a>	BORE		ON	SSW/276.5	-0.03	<a href="#">895</a>
<a href="#">221</a>	AUWR	NORTH QUEEN AUTO PARTS LTD	70 NORTH QUEEN ST ETOBICOKE ON M8Z 2C9	SW/280.0	4.00	<a href="#">895</a>
<a href="#">221</a>	AUWR	AUTOMOTIVE RECYCLERS MANAGEMENT SERVICES LTD	70 NORTH QUEEN ST ETOBICOKE ON M8Z 2C9	SW/280.0	4.00	<a href="#">896</a>
<a href="#">221</a>	AUWR	NORTH QUEEN AUTO PARTS LTD	70 NORTH QUEEN ST ETOBICOKE ON M8Z2C9	SW/280.0	4.00	<a href="#">896</a>
<a href="#">221</a>	AUWR	NORTH QUEEN AUTO PARTS	70 NORTH QUEEN ST TORONTO ON M8Z2C9	SW/280.0	4.00	<a href="#">896</a>
<a href="#">221</a>	EHS		70 North Queen Street Toronto ON M8Z 2C9 <i>Order ID: 204593</i>	SW/280.0	4.00	<a href="#">896</a>
<a href="#">221</a>	GEN	Triple M Metal LP	70 North Queen Street Toronto ON	SW/280.0	4.00	<a href="#">896</a>
<a href="#">221</a>	GEN	Triple M Metal LP	70 North Queen Street Toronto ON M8Z 2C9	SW/280.0	4.00	<a href="#">897</a>



<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">221</a>	GEN	NORTH QUEEN AUTO PARTS LTD.	70 NORTH QUEEN ST. TORONTO ON M8Z 2C9	SW/280.0	4.00	<a href="#">897</a>
<a href="#">221</a>	GEN	Metalogics Inc	70 North Queen Street Etobicoke ON M8Z 2C9	SW/280.0	4.00	<a href="#">897</a>
<a href="#">221</a>	GEN	Triple M Metal LP	70 North Queen Street Toronto ON	SW/280.0	4.00	<a href="#">898</a>
<a href="#">221</a>	GEN	Triple M Metal LP	70 North Queen Street Toronto ON M8Z 2C9	SW/280.0	4.00	<a href="#">898</a>
<a href="#">221</a>	GEN	NORTH QUEEN AUTO PARTS LTD. 28-022	70 NORTH QUEEN ST. TORONTO ON M8Z 2C9	SW/280.0	4.00	<a href="#">899</a>
<a href="#">221</a>	NPRI	Triple M Metal LP	70 NORTH QUEEN STREET NOT AVAILABLE TORONTO ON M8Z2C7	SW/280.0	4.00	<a href="#">899</a>
<a href="#">221</a>	PRT	NORTH QUEEN AUTO PARTS LTD	70 NORTH QUEEN ST TORONTO ON M8Z 2C9	SW/280.0	4.00	<a href="#">900</a>
<a href="#">221</a>	WDS	METALOGICS INC.	70 NORTH QUEEN ST ETOBICOKE ON M8Z 2C9	SW/280.0	4.00	<a href="#">900</a>
<a href="#">222</a>	WWIS		ETOBICOKE ON <b>Well ID:</b> 7281257	ESE/282.6	-1.00	<a href="#">901</a>
<a href="#">223</a>	BORE		ON	SSW/282.6	0.37	<a href="#">903</a>
<a href="#">224</a>	EASR	WASTECORP PUMPS INC.	50 SHORNCLIFFE RD ETOBICOKE ON M8Z 5K1	WNW/283.0	6.00	<a href="#">903</a>
<a href="#">224</a>	EHS		50 Shorncliffe Rd Toronto ON M8Z5K1 <b>Order ID:</b> 507078	WNW/283.0	6.00	<a href="#">904</a>
<a href="#">224</a>	GEN	Miniplex Developments Limited	101 - 50 Shorncliffe Rd Etobicoke ON M8Z 5K1	WNW/283.0	6.00	<a href="#">904</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">224</a>	GEN	Miniplex Developments Limited	101 - 50 Shorncliffe Rd Etobicoke ON M8Z 5K1	WNW/283.0	6.00	<a href="#">904</a>
<a href="#">224</a>	GEN	Miniplex Developments Limited	101 - 50 Shorncliffe Rd Etobicoke ON M8Z 5K1	WNW/283.0	6.00	<a href="#">904</a>
<a href="#">224</a>	GEN	Miniplex Developments Limited	101 - 50 Shorncliffe Rd Etobicoke ON M8Z 5K1	WNW/283.0	6.00	<a href="#">905</a>
<a href="#">224</a>	GEN	Power clean mobile wash	50 Shorncliffe Rd unit 104 Toronto ON M8Z5K3	WNW/283.0	6.00	<a href="#">905</a>
<a href="#">224</a>	GEN	Miniplex developments Limited	101 - 50 Shorncliffe Rd Etobicoke ON M8Z 5K1	WNW/283.0	6.00	<a href="#">905</a>
<a href="#">224</a>	GEN	Miniplex developments Limited	101 - 50 Shorncliffe Rd Etobicoke ON M8Z 5K1	WNW/283.0	6.00	<a href="#">906</a>
<a href="#">224</a>	GEN	Miniplex developments Limited	101 - 50 Shorncliffe Rd Etobicoke ON M8Z 5K1	WNW/283.0	6.00	<a href="#">906</a>
<a href="#">224</a>	GEN	MOLSON ONTARIO BREWERIES LIMITED	50 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K1	WNW/283.0	6.00	<a href="#">906</a>
<a href="#">224</a>	GEN	IMPACT BUILDING MAINTENANCE SERVICES LTD	50 SHORNCLIFFE DRIVE ETOBICOKE ON M8Z 5K1	WNW/283.0	6.00	<a href="#">907</a>
<a href="#">224</a>	GEN	MOLSON ONTARIO BREWERIES LIMITED	50 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K1	WNW/283.0	6.00	<a href="#">907</a>
<a href="#">224</a>	GEN	MOLSON ONTARIO BREWERIES LIMITED 27-148	50 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K1	WNW/283.0	6.00	<a href="#">907</a>
<a href="#">224</a>	GEN	Miniplex developments Limited	101 - 50 Shorncliffe rd Etobicoke ON M8Z 5K1	WNW/283.0	6.00	<a href="#">908</a>
<a href="#">224</a>	GEN	Polaris Star Suites Inc.	50 Shorncliffe Road #107 Etobicoke ON M8Z 5K1	WNW/283.0	6.00	<a href="#">908</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">224</a>	GEN	Miniplex Developments Limited	101 - 50 Shorncliffe Rd Etobicoke ON	WNW/283.0	6.00	<a href="#">908</a>
<a href="#">224</a>	GEN	Miniplex developments Limited	101 - 50 Shorncliffe Rd Etobicoke ON M8Z 5K1	WNW/283.0	6.00	<a href="#">908</a>
<a href="#">224</a>	SCT	Auged Machine Shop	50 Shorncliffe Rd Suite 105 Etobicoke ON M8Z 5K1	WNW/283.0	6.00	<a href="#">909</a>
<a href="#">224</a>	SCT	Auged Engineering and Machine Shop	50 Shorncliffe Rd Etobicoke ON M8Z 5K1	WNW/283.0	6.00	<a href="#">909</a>
<a href="#">225</a>	WWIS		ETOBICOKE ON <b>Well ID:</b> 7281259	SE/285.4	-0.08	<a href="#">909</a>
<a href="#">226</a>	NPRI	STAR WEB PRINTING LIMITED	10 North Queen Street Toronto ON M8Z2C4	ESE/287.4	-1.00	<a href="#">912</a>
<a href="#">227</a>	CA	ONTARIO HYDRO	800 KIPLING AVE. ETOBICOKE CITY ON M8Z 5S4	NE/287.6	-0.12	<a href="#">914</a>
<a href="#">227</a>	CA		800 Kipling Avenue Toronto ON	NE/287.6	-0.12	<a href="#">914</a>
<a href="#">227</a>	CA		800 Kipling Avenue Toronto ON	NE/287.6	-0.12	<a href="#">915</a>
<a href="#">227</a>	CA		800 Kipling Avenue Toronto ON	NE/287.6	-0.12	<a href="#">915</a>
<a href="#">227</a>	CA	Kinectrics Inc.	800 Kipling Ave Toronto ON M8Z 6C4	NE/287.6	-0.12	<a href="#">915</a>
<a href="#">227</a>	CA	ONTARIO HYDRO	800 KIPLING AVENUE ETOBICOKE CITY ON M8Z 5S4	NE/287.6	-0.12	<a href="#">916</a>
<a href="#">227</a>	CA	ONTARIO HYDRO TECHNOLOGIES	800 KIPLING AVE., PORT. UNIT ETOBICOKE CITY ON M8Z 5S4	NE/287.6	-0.12	<a href="#">916</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">227</a>	CA		800 Kipling Avenue Toronto ON	NE/287.6	-0.12	<a href="#">916</a>
<a href="#">227</a>	CA	ONTARIO HYDRO TECH. SERVICES & NEW PROD.	800 KIPLING AVENUE TORONTO CITY ON	NE/287.6	-0.12	<a href="#">916</a>
<a href="#">227</a>	CA	1705686 Ontario Inc.	800 Kipling Ave Toronto ON M8Z 6C4	NE/287.6	-0.12	<a href="#">917</a>
<a href="#">227</a>	CA		800 Kipling Avenue Toronto ON	NE/287.6	-0.12	<a href="#">917</a>
<a href="#">227</a>	CA	ONTARIO HYDRO	800 KIPLING AVE., KV-105 TORONTO CITY ON	NE/287.6	-0.12	<a href="#">917</a>
<a href="#">227</a>	CA	ONTARIO HYDRO - KIPLING AVE.	800 KIPLING AVENUE ETOBICOKE CITY ON M8Z 5S4	NE/287.6	-0.12	<a href="#">918</a>
<a href="#">227</a>	CA	Kinectrics Inc.	800 Kipling Ave Toronto ON M8Z 6C4	NE/287.6	-0.12	<a href="#">918</a>
<a href="#">227</a>	CA	ONTARIO POWER GENERATION, BUILDING KJ	800 KIPLING AVE., ROOM KJ126 TORONTO CITY ON	NE/287.6	-0.12	<a href="#">918</a>
<a href="#">227</a>	CA	ONTARIO POWER GENERATION, PERFORMANCE &	800 KIPLING AVE., BUILDING KT TORONTO CITY ON	NE/287.6	-0.12	<a href="#">919</a>
<a href="#">227</a>	CA	Kinectrics, KG100	800 Kipling Avenue Toronto ON	NE/287.6	-0.12	<a href="#">919</a>
<a href="#">227</a>	CA	ONTARIO POWER TECH., DIV. OF ONTARIO POW	800 KIPLING AVE., ETOBICOKE TORONTO CITY ON	NE/287.6	-0.12	<a href="#">919</a>
<a href="#">227</a>	CA		800 Kipling Avenue Toronto ON	NE/287.6	-0.12	<a href="#">920</a>
<a href="#">227</a>	CA	ONTARIO HYDRO TECHNOLOGIES	800 KIPLING AVENUE ETOBICOKE CITY ON M8Z 5S4	NE/287.6	-0.12	<a href="#">920</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">227</a>	CA	Kinectrics Inc.	800 Kipling Avenue Toronto ON M8Z 6C4	NE/287.6	-0.12	<a href="#">920</a>
<a href="#">227</a>	CA	Kinectrics Inc.	800 Kipling Ave Toronto ON M8Z 6C4	NE/287.6	-0.12	<a href="#">920</a>
<a href="#">227</a>	CA	Purolator Courier Ltd.	800 Kipling Ave Toronto ON M8Z 6C4	NE/287.6	-0.12	<a href="#">921</a>
<a href="#">227</a>	CA		800 Kipling Avenue Toronto ON	NE/287.6	-0.12	<a href="#">921</a>
<a href="#">227</a>	CA	Kinectrics Inc.	800 Kipling Ave Toronto ON M8Z 6C4	NE/287.6	-0.12	<a href="#">921</a>
<a href="#">227</a>	CA	Purolator Courier Ltd.	800 Kipling Avenue Toronto ON M8Z 6C4	NE/287.6	-0.12	<a href="#">922</a>
<a href="#">227</a>	CA	ONTARIO HYDRO - COMBUSTION RES. FACILITY	800 KIPLING AVENUE TORONTO CITY ON	NE/287.6	-0.12	<a href="#">922</a>
<a href="#">227</a>	CA	ONTARIO HYDRO	800 KIPLING AVENUE TORONTO CITY ON	NE/287.6	-0.12	<a href="#">922</a>
<a href="#">227</a>	CA		800 Kipling Avenue Toronto ON	NE/287.6	-0.12	<a href="#">923</a>
<a href="#">227</a>	CA	ONTARIO HYDRO TECHNOLOGIES	800 KIPLING AVENUE ETOBICOKE CITY ON M8Z 5S4	NE/287.6	-0.12	<a href="#">923</a>
<a href="#">227</a>	CA	ONTARIO HYDRO	800 KIPLING AVE., KT BLDG. TORONTO CITY ON	NE/287.6	-0.12	<a href="#">923</a>
<a href="#">227</a>	CA	KR Building	800 Kipling Avenue Toronto ON	NE/287.6	-0.12	<a href="#">923</a>
<a href="#">227</a>	CA		800 Kipling Avenue Toronto ON	NE/287.6	-0.12	<a href="#">924</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">227</a>	CA	ONTARIO HYDRO	800 KIPLING AVE., KR BLDG. TORONTO CITY ON	NE/287.6	-0.12	<a href="#">924</a>
<a href="#">227</a>	CA	Kinectrics Inc.	800 Kipling Avenue Toronto ON M8Z 6C4	NE/287.6	-0.12	<a href="#">924</a>
<a href="#">227</a>	CA		800 Kipling Avenue Toronto ON	NE/287.6	-0.12	<a href="#">925</a>
<a href="#">227</a>	CA	Kinectrics Inc.	800 Kipling Ave Toronto ON M8Z 6C4	NE/287.6	-0.12	<a href="#">925</a>
<a href="#">227</a>	CA		800 Kipling Avenue Toronto ON	NE/287.6	-0.12	<a href="#">925</a>
<a href="#">227</a>	CA		800 Kipling Avenue Toronto ON	NE/287.6	-0.12	<a href="#">926</a>
<a href="#">227</a>	CA	ONTARIO HYDRO TECHNOLOGIES, CUSTOMER POW	800 KIPLING AVE., BUILDING KB TORONTO ON	NE/287.6	-0.12	<a href="#">926</a>
<a href="#">227</a>	CA		800 Kipling Avenue Toronto ON	NE/287.6	-0.12	<a href="#">926</a>
<a href="#">227</a>	CA	ONTARIO HYDRO	800 KIPLING AVENUE TORONTO CITY ON	NE/287.6	-0.12	<a href="#">927</a>
<a href="#">227</a>	CA		800 Kipling Avenue Toronto ON	NE/287.6	-0.12	<a href="#">927</a>
<a href="#">227</a>	CA	ONTARIO HYDRO	800 KIPLING AVE., KT-135 ETOBICOKE CITY ON M8Z 5S4	NE/287.6	-0.12	<a href="#">927</a>
<a href="#">227</a>	CA		800 Kipling Avenue Toronto ON	NE/287.6	-0.12	<a href="#">927</a>
<a href="#">227</a>	CA		800 Kipling Avenue Toronto ON	NE/287.6	-0.12	<a href="#">928</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">227</a>	CA		800 Kipling Avenue Toronto ON	NE/287.6	-0.12	<a href="#">928</a>
<a href="#">227</a>	CA	Kinectrics Inc.	800 Kipling Avenue Toronto ON M8Z 6C4	NE/287.6	-0.12	<a href="#">928</a>
<a href="#">227</a>	CA	ONTARIO HYDRO TECHNOLOGIES	800 KIPLING AVENUE ETOBICOKE CITY ON M8Z 5S4	NE/287.6	-0.12	<a href="#">929</a>
<a href="#">227</a>	CA		800 Kipling Avenue Toronto ON	NE/287.6	-0.12	<a href="#">929</a>
<a href="#">227</a>	CA	Ontario Power Generation Inc.	800 Kipling Ave Toronto ON M8Z 6C4	NE/287.6	-0.12	<a href="#">929</a>
<a href="#">227</a>	CA		800 Kipling Avenue Toronto ON	NE/287.6	-0.12	<a href="#">929</a>
<a href="#">227</a>	CA	Kinectrics Inc.	800 Kipling Ave Toronto ON M8Z 6C4	NE/287.6	-0.12	<a href="#">930</a>
<a href="#">227</a>	EBR	Ontario Power Generation Inc.	800 Kipling Avenue Toronto Ontario M8Z 6C4 Toronto ON	NE/287.6	-0.12	<a href="#">930</a>
<a href="#">227</a>	EBR	Kinectrics Inc.	800 Kipling Avenue Toronto M8Z 5S4 CITY OF TORONTO ON	NE/287.6	-0.12	<a href="#">930</a>
<a href="#">227</a>	EBR	Kinectrics Inc.	800 Kipling Avenue Unit 2 Toronto M8Z 6C4 CITY OF TORONTO ON	NE/287.6	-0.12	<a href="#">931</a>
<a href="#">227</a>	EBR	Kinectrics Inc.	800 Kipling Avenue Toronto M8Z 6C4 CITY OF TORONTO ON	NE/287.6	-0.12	<a href="#">931</a>
<a href="#">227</a>	EBR	Kinectrics Inc.	800 Kipling Avenue Toronto M8Z 5G5 CITY OF TORONTO ON	NE/287.6	-0.12	<a href="#">931</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">227</a>	EBR	Kinectrics Inc.	800 Kipling Avenue Toronto Ontario M8Z 6C4 Toronto ON	NE/287.6	-0.12	<a href="#">932</a>
<a href="#">227</a>	EBR	Kinectrics Inc.	800 Kipling Avenue Toronto Ontario M8Z 6C4 Toronto ON	NE/287.6	-0.12	<a href="#">932</a>
<a href="#">227</a>	EBR	Kinectrics Inc.	800 Kipling Avenue Toronto Ontario M8Z 6C4 Toronto ON	NE/287.6	-0.12	<a href="#">932</a>
<a href="#">227</a>	EBR	Kinectrics, a Subsidiary of Ontario Power Generation Inc.	800 Kipling Avenue CITY OF TORONTO ON	NE/287.6	-0.12	<a href="#">933</a>
<a href="#">227</a>	EBR	Purolator Courier Ltd.	800 Kipling Avenue Toronto Ontario M8Z 6C4 Toronto ON	NE/287.6	-0.12	<a href="#">933</a>
<a href="#">227</a>	EBR	Kinectrics Inc.	800 Kipling Avenue Unit Unit 2 Toronto M8Z 6C4 CITY OF TORONTO ON	NE/287.6	-0.12	<a href="#">933</a>
<a href="#">227</a>	EBR	Kinectrics Inc.	800 Kipling Avenue Toronto Ontario M8Z 6C4 Toronto ON	NE/287.6	-0.12	<a href="#">934</a>
<a href="#">227</a>	EBR	Kinectrics Inc.	800 Kipling Avenue Toronto M8Z 6C4 CITY OF TORONTO ON	NE/287.6	-0.12	<a href="#">934</a>
<a href="#">227</a>	EBR	Ontario Hydro Technologies	800 KIPLING AVENUE, ETOBICOKE CITY Etobicoke ON	NE/287.6	-0.12	<a href="#">935</a>
<a href="#">227</a>	EBR	Kinectrics Inc.	800 Kipling Avenue Toronto Ontario M8Z 6C4 Toronto ON	NE/287.6	-0.12	<a href="#">935</a>
<a href="#">227</a>	EBR	Kinectrics Inc.	800 Kipling Avenue Unit 2 Toronto M8Z 6C4 CITY OF TORONTO ON	NE/287.6	-0.12	<a href="#">935</a>
<a href="#">227</a>	EBR	1705686 Ontario Inc.	800 Kipling Avenue, Toronto M8Z 6C4 CITY OF TORONTO ON	NE/287.6	-0.12	<a href="#">936</a>



<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">227</a>	EBR	Kinectrics Inc.	800 Kipling Avenue Toronto M8Z 6C4 CITY OF TORONTO ON	NE/287.6	-0.12	<a href="#">936</a>
<a href="#">227</a>	EBR	Kinectrics Inc.	800 Kipling Avenue Toronto M8Z 6C4 CITY OF TORONTO ON	NE/287.6	-0.12	<a href="#">936</a>
<a href="#">227</a>	EBR	Ontario Power Generation Inc.	800 Kipling Avenue Toronto M8Z 5S4 CITY OF TORONTO ON	NE/287.6	-0.12	<a href="#">937</a>
<a href="#">227</a>	EBR	Kinectrics Inc.	800 Kipling Avenue Toronto Ontario M8Z 6C4 Toronto ON	NE/287.6	-0.12	<a href="#">937</a>
<a href="#">227</a>	ECA	Kinectrics Inc.	800 Kipling Avenue Toronto ON M8Z 6C4	NE/287.6	-0.12	<a href="#">937</a>
<a href="#">227</a>	ECA	Kinectrics Inc.	800 Kipling Avenue Toronto ON M8Z 6C4	NE/287.6	-0.12	<a href="#">938</a>
<a href="#">227</a>	ECA	Kinectrics Inc.	800 Kipling Avenue Toronto ON M8Z 6C4	NE/287.6	-0.12	<a href="#">938</a>
<a href="#">227</a>	ECA	Kinectrics Inc.	800 Kipling Avenue Toronto ON M8Z 6C4	NE/287.6	-0.12	<a href="#">938</a>
<a href="#">227</a>	ECA	Ontario Power Generation Inc.	800 Kipling Avenue Toronto ON M8Z 6C4	NE/287.6	-0.12	<a href="#">938</a>
<a href="#">227</a>	ECA	Purolator Inc.	800 Kipling Ave Toronto ON L5R 3T8	NE/287.6	-0.12	<a href="#">939</a>
<a href="#">227</a>	ECA	Kinectrics Inc.	800 Kipling Ave Toronto ON M8Z 6C4	NE/287.6	-0.12	<a href="#">939</a>
<a href="#">227</a>	ECA	1705686 Ontario Inc.	800 Kipling Ave Toronto ON M8Z 6C4	NE/287.6	-0.12	<a href="#">939</a>
<a href="#">227</a>	ECA	Kinectrics Inc.	800 Kipling Avenue Toronto ON M8Z 6C4	NE/287.6	-0.12	<a href="#">939</a>

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
<a href="#">227</a>	ECA	Kinectrics Inc.	800 Kipling Avenue Toronto ON M8Z 6C4	NE/287.6	-0.12	<a href="#">940</a>
<a href="#">227</a>	ECA	Kinectrics Inc.	800 Kipling Avenue Toronto ON M8Z 6C4	NE/287.6	-0.12	<a href="#">940</a>
<a href="#">227</a>	ECA	Kinectrics Inc.	800 Kipling Avenue Toronto ON M8Z 6C4	NE/287.6	-0.12	<a href="#">940</a>
<a href="#">227</a>	ECA	Kinectrics Inc.	800 Kipling Avenue Toronto ON M8Z 6C4	NE/287.6	-0.12	<a href="#">940</a>
<a href="#">227</a>	ECA	Kinectrics Inc.	800 Kipling Avenue Toronto ON M8Z 6C4	NE/287.6	-0.12	<a href="#">941</a>
<a href="#">227</a>	ECA	Kinectrics Inc.	800 Kipling Ave Toronto ON M8Z 6C4	NE/287.6	-0.12	<a href="#">941</a>
<a href="#">227</a>	ECA	Kinectrics Inc.	800 Kipling Avenue Toronto ON M8Z 6C4	NE/287.6	-0.12	<a href="#">941</a>
<a href="#">227</a>	ECA	Purolator Courier Ltd.	800 Kipling Avenue Toronto ON M8Z 5S4	NE/287.6	-0.12	<a href="#">941</a>
<a href="#">227</a>	ECA	Kinectrics Inc.	800 Kipling Ave Toronto ON M8Z 6C4	NE/287.6	-0.12	<a href="#">942</a>
<a href="#">227</a>	ECA	Kinectrics Inc.	800 Kipling Ave Toronto ON M8Z 6C4	NE/287.6	-0.12	<a href="#">942</a>
<a href="#">227</a>	ECA	Ontario Power Generation Inc.	800 Kipling Avenue Toronto ON M8Z 6C4	NE/287.6	-0.12	<a href="#">942</a>
<a href="#">227</a>	ECA	Ontario Power Generation Inc.	800 Kipling Ave Building KT Toronto ON M8Z 5S4	NE/287.6	-0.12	<a href="#">942</a>
<a href="#">227</a>	ECA	Kinectrics Inc.	800 Kipling Avenue Toronto ON M8Z 6C4	NE/287.6	-0.12	<a href="#">943</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">227</a>	ECA	Kinectrics Inc.	800 Kipling Avenue Toronto ON M8Z 6C4	NE/287.6	-0.12	<a href="#">943</a>
<a href="#">227</a>	ECA	Kinectrics Inc.	800 Kipling Ave Toronto ON M8Z 6C4	NE/287.6	-0.12	<a href="#">943</a>
<a href="#">227</a>	ECA	Kinectrics Inc.	800 Kipling Avenue Toronto ON M8Z 6C4	NE/287.6	-0.12	<a href="#">943</a>
<a href="#">227</a>	ECA	Ontario Power Generation Inc.	800 Kipling Avenue Toronto ON L5E 1E9	NE/287.6	-0.12	<a href="#">944</a>
<a href="#">227</a>	ECA	Kinectrics Inc.	800 Kipling Avenue Toronto ON M8Z 6C4	NE/287.6	-0.12	<a href="#">944</a>
<a href="#">227</a>	ECA	Kinectrics Inc.	800 Kipling Avenue Toronto ON M8Z 6C4	NE/287.6	-0.12	<a href="#">944</a>
<a href="#">227</a>	ECA	Kinectrics Inc.	800 Kipling Ave Toronto ON M8Z 6C4	NE/287.6	-0.12	<a href="#">944</a>
<a href="#">227</a>	ECA	Ontario Power Generation Inc.	800 Kipling Ave Toronto ON M8Z 6C4	NE/287.6	-0.12	<a href="#">945</a>
<a href="#">227</a>	ECA	Kinectrics Inc.	800 Kipling Avenue Toronto ON M8Z 6C4	NE/287.6	-0.12	<a href="#">945</a>
<a href="#">227</a>	ECA	Purolator Courier Ltd.	800 Kipling Ave Toronto ON L5R 3T8	NE/287.6	-0.12	<a href="#">945</a>
<a href="#">227</a>	ECA	Kinectrics Inc.	800 Kipling Avenue Toronto ON M8Z 6C4	NE/287.6	-0.12	<a href="#">945</a>
<a href="#">227</a>	ECA	Kinectrics Inc.	800 Kipling Avenue Toronto ON M8Z 6C4	NE/287.6	-0.12	<a href="#">946</a>
<a href="#">227</a>	ECA	Ontario Power Generation Inc.	800 Kipling Avenue Toronto ON M8Z 6C4	NE/287.6	-0.12	<a href="#">946</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">227</a>	ECA	Kinectrics Inc.	800 Kipling Ave Toronto ON M8Z 6C4	NE/287.6	-0.12	<a href="#">946</a>
<a href="#">227</a>	ECA	Kinectrics Inc.	800 Kipling Avenue Toronto ON M8Z 6C4	NE/287.6	-0.12	<a href="#">946</a>
<a href="#">227</a>	ECA	PCB Containment Technology (Kitchener) Inc.	800 Kipling Avenue Toronto ON N0B 1E0	NE/287.6	-0.12	<a href="#">947</a>
<a href="#">227</a>	ECA	Ontario Power Generation Inc.	800 Kipling Ave Building KT Toronto ON	NE/287.6	-0.12	<a href="#">947</a>
<a href="#">227</a>	EHS		800 Kipling Avenue Etobicoke ON M8Z 5S4 <i>Order ID: 43242</i>	NE/287.6	-0.12	<a href="#">947</a>
<a href="#">227</a>	EHS		800 Kipling Ave Toronto ON <i>Order ID: 160996</i>	NE/287.6	-0.12	<a href="#">947</a>
<a href="#">227</a>	EHS		800 Kipling Avenue Toronto ON M8Z 6C4 <i>Order ID: 73593</i>	NE/287.6	-0.12	<a href="#">948</a>
<a href="#">227</a>	FST	ONTARIO HYDRO C/O R HUGHES KR258	800 KIPLING AVEUNIT 1 KP200 TORONTO ON M8Z 5G5	NE/287.6	-0.12	<a href="#">948</a>
<a href="#">227</a>	FST	ONTARIO HYDRO C/O R HUGHES KR258	800 KIPLING AVEUNIT 1 KP200 TORONTO ON M8Z 5G5	NE/287.6	-0.12	<a href="#">948</a>
<a href="#">227</a>	FST	ONTARIO HYDRO C/O R HUGHES KR258	800 KIPLING AVEUNIT 1 KP200 TORONTO ON M8Z 5G5	NE/287.6	-0.12	<a href="#">949</a>
<a href="#">227</a>	FST	ONTARIO HYDRO C/O R HUGHES KR258	800 KIPLING AVEUNIT 1 KP200 TORONTO ON M8Z 5G5	NE/287.6	-0.12	<a href="#">949</a>
<a href="#">227</a>	FSTH	ONTARIO HYDRO C/O R HUGHES KR258	800 KIPLING AV TORONTO ON	NE/287.6	-0.12	<a href="#">949</a>
<a href="#">227</a>	FSTH	ONTARIO HYDRO C/O R HUGHES KR258	800 KIPLING AV TORONTO ON	NE/287.6	-0.12	<a href="#">950</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">227</a>	GEN	KINECTRICS INC.	800 KIPLING AVENUE TORONTO ON M8Z 6C4	NE/287.6	-0.12	<a href="#">950</a>
<a href="#">227</a>	GEN	ONTARIO POWER GENERATION	800 KIPLING AVENUE BUILDING KD118 ETOBICOKE ON M8Z 5G5	NE/287.6	-0.12	<a href="#">952</a>
<a href="#">227</a>	GEN	PUROLATOR INC.	800 KIPLING AVE TORONTO ON	NE/287.6	-0.12	<a href="#">953</a>
<a href="#">227</a>	GEN	PUROLATOR INC.	800 KIPLING AVE TORONTO ON	NE/287.6	-0.12	<a href="#">954</a>
<a href="#">227</a>	GEN	ONTARIO HYDRO 45-003	KIPLING COMPLEX 800 KIPLING AVENUE ETOBICOKE ON M8Z 5S4	NE/287.6	-0.12	<a href="#">955</a>
<a href="#">227</a>	GEN	ONTARIO POWER GENERATION	800 KIPLING AVENUE BUILDING KD118 ETOBICOKE ON M8Z 5G5	NE/287.6	-0.12	<a href="#">956</a>
<a href="#">227</a>	GEN	ONTARIO HYDRO NETWORKS COMPANY INC.	800 KIPLING AVENUE KN 100 ETOBICOKE ON M8Z 5S4	NE/287.6	-0.12	<a href="#">957</a>
<a href="#">227</a>	GEN	vnv logistics express ltd	800 kipling ave Etobicoke ON M8Z 6C4	NE/287.6	-0.12	<a href="#">958</a>
<a href="#">227</a>	GEN	PUROLATOR INC.	800 KIPLING AVE TORONTO ON M8Z5S4	NE/287.6	-0.12	<a href="#">959</a>
<a href="#">227</a>	GEN	KINECTRICS INC.	800 Kipling Avenue Toronto ON M8Z65G5	NE/287.6	-0.12	<a href="#">960</a>
<a href="#">227</a>	GEN	ONTARIO POWER GENERATION INC.	800 KIPLING AVENUE ETOBICOKE ON M8Z 6C4	NE/287.6	-0.12	<a href="#">961</a>
<a href="#">227</a>	GEN	HYDRO ONE NETWORKS INC.	INVESTMENT RECOVERY 800 KIPLING AVENUE ETOBICOKE ON M8Z 5S4	NE/287.6	-0.12	<a href="#">963</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">227</a>	GEN	KINECTRICS INC.	800 Kipling Avenue Toronto ON M8Z65G5	NE/287.6	-0.12	<a href="#">964</a>
<a href="#">227</a>	GEN	PUROLATOR INC.	800 KIPLING AVE TORONTO ON M8Z5S4	NE/287.6	-0.12	<a href="#">966</a>
<a href="#">227</a>	GEN	vnv logistics express ltd	800 kipling ave Etobicoke ON M8Z 6C4	NE/287.6	-0.12	<a href="#">967</a>
<a href="#">227</a>	GEN	ONTARIO HYDRO	TRANSFER SITE 800 KIPLING AVENUE ETOBICOKE ON M8Z 5S4	NE/287.6	-0.12	<a href="#">967</a>
<a href="#">227</a>	GEN	ONTARIO POWER GENERATION	800 KIPLING AVENUE BUILDING KT110 ETOBICOKE ON M8Z 6C4	NE/287.6	-0.12	<a href="#">967</a>
<a href="#">227</a>	GEN	Canadian Restorations GTA Inc.	800 Kipling Ave Toronto ON	NE/287.6	-0.12	<a href="#">968</a>
<a href="#">227</a>	GEN	ONTARIO HYDRO	800 KIPLING AVENUE KN100 KIPLING COMPLEX ETOBICOKE ON M8Z 5S4	NE/287.6	-0.12	<a href="#">968</a>
<a href="#">227</a>	GEN	KINECTRICS INC.	800 Kipling Avenue Toronto ON M8Z65G5	NE/287.6	-0.12	<a href="#">970</a>
<a href="#">227</a>	GEN	ONTARIO POWER GENERATION	800 KIPLING AVENUE BUILDING KD142 ETOBICOKE ON M8Z 5S4	NE/287.6	-0.12	<a href="#">971</a>
<a href="#">227</a>	GEN	KINECTRICS INC.	800 Kipling Avenue Toronto ON M8Z65G5	NE/287.6	-0.12	<a href="#">972</a>
<a href="#">227</a>	GEN	PUROLATOR INC.	800 KIPLING AVE TORONTO ON M8Z5S4	NE/287.6	-0.12	<a href="#">973</a>
<a href="#">227</a>	GEN	HYDRO ONE NETWORKS INC.	800 KIPLING AVENUE KN 100 ETOBICOKE ON M8Z 5S4	NE/287.6	-0.12	<a href="#">974</a>
<a href="#">227</a>	GEN	PUROLATOR INC.	800 KIPLING AVE TORONTO ON M8Z 5S4	NE/287.6	-0.12	<a href="#">976</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">227</a>	GEN	ONTARIO POWER GENERATION	800 KIPLING AVENUE BUILDING KD142 ETOBICOKE ON	NE/287.6	-0.12	<a href="#">977</a>
<a href="#">227</a>	GEN	ONTARIO HYDRO (SERVICE CTR/STORAGE BLDG)	800 KIPLING AVE. C/O 700 UNIVERSITY AVE., TORONTO ETOBICOKE ON M8Z 5S4	NE/287.6	-0.12	<a href="#">978</a>
<a href="#">227</a>	GEN	ONTARIO HYDRO	800 KIPLING AVENUE TORONTO ON M8Z 5S4	NE/287.6	-0.12	<a href="#">978</a>
<a href="#">227</a>	GEN	PUROLATOR INC.	800 KIPLING AVE TORONTO ON	NE/287.6	-0.12	<a href="#">979</a>
<a href="#">227</a>	GEN	ONTARIO POWER GENERATION	800 KIPLING AVENUE BUILDING KD142 ETOBICOKE ON	NE/287.6	-0.12	<a href="#">980</a>
<a href="#">227</a>	GEN	ONTARIO HYDRO	MOBILE DESTRUCTION FACILITY-800 KIPLING C/O 700 UNIVERSITY AVE., TORONTO M5G1X6 ETOBICOKE ON M8Z 5S4	NE/287.6	-0.12	<a href="#">981</a>
<a href="#">227</a>	GEN	ONTARIO HYDRO	SUPPLY SERVICES DIV 800 KIPLING AVE ETOBICOKE ON M8Z 5S4	NE/287.6	-0.12	<a href="#">981</a>
<a href="#">227</a>	GEN	ONTARIO POWER GENERATION	800 KIPLING AVENUE BUILDING KD142 ETOBICOKE ON	NE/287.6	-0.12	<a href="#">981</a>
<a href="#">227</a>	GEN	KINECTRICS INC.	800 Kipling Avenue Toronto ON	NE/287.6	-0.12	<a href="#">982</a>
<a href="#">227</a>	GEN	ONTARIO HYDRO	800 KIPLING AVENUE C/O 700 UNIVERSITY AVE. TORONTO ON M8Z 5S4	NE/287.6	-0.12	<a href="#">984</a>
<a href="#">227</a>	GEN	PUROLATOR COURIER LTD	800 KIPLING AVE TORONTO ON M8Z 5S4	NE/287.6	-0.12	<a href="#">985</a>
<a href="#">227</a>	GEN	KINECTRICS INC.	800Kipling Avenue Toronto ON	NE/287.6	-0.12	<a href="#">986</a>
<a href="#">227</a>	GEN	KINECTRICS INC.	800Kipling Avenue Toronto ON	NE/287.6	-0.12	<a href="#">987</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">227</a>	GEN	KINECTRICS INC.	800Kipling Avenue Toronto ON	NE/287.6	-0.12	<a href="#">989</a>
<a href="#">227</a>	GEN	ONTARIO POWER GENERATION	800 KIPLING AVENUE BUILDING KD142 ETOBICOKE ON M8Z 6C4	NE/287.6	-0.12	<a href="#">990</a>
<a href="#">227</a>	GEN	ONTARIO POWER GENERATION	800 KIPLING AVENUE BUILDING KD118 ETOBICOKE ON M8Z 5G5	NE/287.6	-0.12	<a href="#">991</a>
<a href="#">227</a>	GEN	PUROLATOR INC.	800 KIPLING AVE TORONTO ON M8Z5S4	NE/287.6	-0.12	<a href="#">992</a>
<a href="#">227</a>	GEN	ONTARIO POWER GENERATION	800 KIPLING AVENUE BUILDING KD118 ETOBICOKE ON M8Z 5G5	NE/287.6	-0.12	<a href="#">993</a>
<a href="#">227</a>	GEN	KINECTRICS INC.	800 Kipling Avenue Toronto ON	NE/287.6	-0.12	<a href="#">994</a>
<a href="#">227</a>	GEN	ONTARIO POWER GENERATION	800 KIPLING AVENUE BUILDING KD142 ETOBICOKE ON	NE/287.6	-0.12	<a href="#">996</a>
<a href="#">227</a>	GEN	KINECTRICS INC.	800Kipling Avenue Toronto ON M8Z 5S4	NE/287.6	-0.12	<a href="#">997</a>
<a href="#">227</a>	GEN	PUROLATOR COURIER LTD	800 KIPLING AVE TORONTO ON	NE/287.6	-0.12	<a href="#">998</a>
<a href="#">227</a>	GEN	ONTARIO HYDRO	800 KIPLING AVENUE KN100 KN 100 ETOBICOKE ON M8Z 5S4	NE/287.6	-0.12	<a href="#">999</a>
<a href="#">227</a>	NPCB	ONTARIO HYDRO	800 KIPLING AVE ELECTRICAL RESEARCH Toronto ON	NE/287.6	-0.12	<a href="#">1001</a>
<a href="#">227</a>	NPCB	ONTARIO HYDRO - ETOBICOKE	RESEARCH CENTRE, LOCATION 3; 800 KIPLING AVE ETOBICOKE ON	NE/287.6	-0.12	<a href="#">1001</a>



<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">227</a>	NPCB	ONTARIO HYDRO	ELECTRICAL RESEARCH; 800 KIPLING AVE TORONTO ON	NE/287.6	-0.12	<a href="#">1002</a>
<a href="#">227</a>	NPCB		ELECTRICAL RESEARCH 800 KIPLING AVE TORONTO ON	NE/287.6	-0.12	<a href="#">1002</a>
<a href="#">227</a>	NPCB	ONTARIO HYDRO (SERVICE CENTRE RM KN100)	800 KIPLING AVE.; STORAGE BLDG ETOBICOKE ON M8Z 5S4	NE/287.6	-0.12	<a href="#">1002</a>
<a href="#">227</a>	NPCB	ONTARIO HYDRO SERVICES COMPANY	800 KIPLING AVENUE TORONTO ON M8Z 5S4	NE/287.6	-0.12	<a href="#">1003</a>
<a href="#">227</a>	NPCB	ONTARIO HYDRO	RESEARCH CENTER 800 KI PLI NG AVE 800 KI PLI NG AVE ON M8Z 5S4	NE/287.6	-0.12	<a href="#">1003</a>
<a href="#">227</a>	NPCB	ONTARIO HYDRO	800 KIPLING AVENUE TORONTO ON M8ZS4	NE/287.6	-0.12	<a href="#">1003</a>
<a href="#">227</a>	NPCB	ONTARIO HYDRO	ELECTRICAL RESEARCH 800 KI PLI NG AVE TORONTO ON M8Z 5S4	NE/287.6	-0.12	<a href="#">1004</a>
<a href="#">227</a>	NPCB	ONTARIO HYDRO	RESEARCH CENTER; 800 KIPLING AVE TORONTO ON M8Z 5S4	NE/287.6	-0.12	<a href="#">1004</a>
<a href="#">227</a>	NPCB	ONTARIO HYDRO-ETOBICOKE	INVESTMENT RECOVERY & WASTE MANAGEMENT 800 KI PLI NG AVE ETOBICOKE ON M8Z 5S4	NE/287.6	-0.12	<a href="#">1004</a>
<a href="#">227</a>	OPCB	ONTARIO HYDRO - ETOBICOKE	RESEARCH CENTRE, LOCATION 3 800 KIPLING AVE ETOBICOKE ON M8Z 5S4	NE/287.6	-0.12	<a href="#">1005</a>
<a href="#">227</a>	OPCB	ONTARIO HYDRO - ETOBICOKE	INVESTMENT RECOVERY & WASTE MANAGEMENT 800 KIPLING AVE ETOBICOKE ON M8Z 5S4	NE/287.6	-0.12	<a href="#">1005</a>
<a href="#">227</a>	OPCB	ONTARIO HYDRO - ETOBICOKE	INVESTMENT RECOVERY & WASTE MANAGEMENT 800 KIPLING AVE ETOBICOKE ON M8Z 5S4	NE/287.6	-0.12	<a href="#">1005</a>
<a href="#">227</a>	OPCB	ONTARIO HYDRO SERVICES COMPANY	800 KIPLING AVENUE TORONTO ON M8Z 5S4	NE/287.6	-0.12	<a href="#">1006</a>

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
<a href="#">227</a>	OPCB	ONTARIO HYDRO	800 KIPLING AVENUE TORONTO ON M8Z 5S4	NE/287.6	-0.12	<a href="#">1006</a>
<a href="#">227</a>	OPCB	ONTARIO HYDRO SERVICES COMPANY	800 KIPLING AVENUE TORONTO ON M8Z 5S4	NE/287.6	-0.12	<a href="#">1006</a>
<a href="#">227</a>	OPCB	ONTARIO HYDRO SERVICES COMPANY	800 KIPLING AVENUE TORONTO ON M8Z 5S4	NE/287.6	-0.12	<a href="#">1006</a>
<a href="#">227</a>	OPCB	ONTARIO HYDRO	800 KIPLING AVENUE TORONTO ON M8Z 5S4	NE/287.6	-0.12	<a href="#">1007</a>
<a href="#">227</a>	OPCB	ONTARIO HYDRO	800 KIPLING AVENUE TORONTO ON M8Z 5S4	NE/287.6	-0.12	<a href="#">1007</a>
<a href="#">227</a>	OPCB	ONTARIO HYDRO (SERVICE CENTRE RM KN100)	800 KIPLING AVE. STORAGE BLDG ETOBICOKE ON M8Z 5S4	NE/287.6	-0.12	<a href="#">1007</a>
<a href="#">227</a>	PRT	ONTARIO HYDRO DON LEWIS	800 KIPLING AV ETOBICOKE ON M8Z 5S4	NE/287.6	-0.12	<a href="#">1007</a>
<a href="#">227</a>	REC	ONTARIO HYDRO	MOBILE DESTRUCTION FACILITY-800 KIPLING C/O 700 UNIVERSITY AVE.,TORONTO M5G1X6 ETOBICOKE ON M8Z 5S4	NE/287.6	-0.12	<a href="#">1008</a>
<a href="#">227</a>	REC	KINECTRICS INC.	800 KIPLING AVE., SUITE 2 TORONTO ON M8Z 6C4	NE/287.6	-0.12	<a href="#">1008</a>
<a href="#">227</a>	REC	ONTARIO HYDRO	800 KIPLING AVENUE ETOBICOKE ON M8Z 5S4	NE/287.6	-0.12	<a href="#">1008</a>
<a href="#">227</a>	REC	HYDRO ONE INC.	800 KIPLING AVENUE ETOBICOKE ON M8Z 6C4	NE/287.6	-0.12	<a href="#">1009</a>
<a href="#">227</a>	REC	KINECTRICS INC.	800 KIPLING AVE. TORONTO ON M8Z 6C4	NE/287.6	-0.12	<a href="#">1010</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">227</a>	REC	ONTARIO HYDRO (SERVICE CTR/STORAGE BLDG)	800 KIPLING AVE. ETOBICOKE ON M8Z 5S4	NE/287.6	-0.12	<a href="#">1011</a>
<a href="#">227</a>	REC	KINECTRICS INC.	800 KIPLING AVENUE TORONTO ON M8Z 6C4	NE/287.6	-0.12	<a href="#">1012</a>
<a href="#">227</a>	REC	ONTARIO HYDRO (SERVICE CTR/STORAGE BLDG)	800 KIPLING AVE. ETOBICOKE ON	NE/287.6	-0.12	<a href="#">1012</a>
<a href="#">227</a>	REC	ONTARIO HYDRO (SERVICE CTR/STORAGE BLDG)	800 KIPLING AVE. ETOBICOKE ON	NE/287.6	-0.12	<a href="#">1012</a>
<a href="#">227</a>	REC	KINECTRICS INC.	800 KIPLING AVE. TORONTO ON M8Z 6C4	NE/287.6	-0.12	<a href="#">1013</a>
<a href="#">227</a>	REC	ONTARIO HYDRO (SERVICE CTR/STORAGE BLDG)	800 KIPLING AVE. C/O 700 UNIVERSITY AVE., TORONTO ETOBICOKE ON M8Z 5S4	NE/287.6	-0.12	<a href="#">1014</a>
<a href="#">227</a>	REC	ONTARIO HYDRO (SERVICE CTR/STORAGE BLDG)	800 KIPLING AVE. ETOBICOKE ON	NE/287.6	-0.12	<a href="#">1015</a>
<a href="#">227</a>	REC	KINECTRICS INC.	800 KIPLING AVE. TORONTO ON M8Z 6C4	NE/287.6	-0.12	<a href="#">1015</a>
<a href="#">227</a>	REC	ONTARIO HYDRO	TRANSFER SITE 800 KIPLING AVENUE ETOBICOKE ON M8Z 5S4	NE/287.6	-0.12	<a href="#">1016</a>
<a href="#">227</a>	REC	KINETRICS INC.	800 KIPLING AVENUE TORONTO ON M8Z 6C4	NE/287.6	-0.12	<a href="#">1018</a>
<a href="#">227</a>	REC	KINECTRIED INC.	800 KIPLING AVENUE ETOBICOKE ON M8Z 5S4	NE/287.6	-0.12	<a href="#">1018</a>
<a href="#">227</a>	REC	KINECTRICS INC.	800 KIPLING AVE. TORONTO ON	NE/287.6	-0.12	<a href="#">1018</a>
<a href="#">227</a>	REC	ONTARIO HYDRO (SERVICE CTR/STORAGE BLDG)	800 KIPLING AVE. ETOBICOKE ON	NE/287.6	-0.12	<a href="#">1020</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">227</a>	REC	KINECTRICS INC.	800 KIPLING AVE., UNIT 2 TORONTO ON M8Z 5G5	NE/287.6	-0.12	<a href="#">1020</a>
<a href="#">227</a>	REC	ONTARIO HYDRO (SERVICE CTR/STORAGE BLDG)	800 KIPLING AVE. ETOBICOKE ON	NE/287.6	-0.12	<a href="#">1021</a>
<a href="#">227</a>	REC	KINECTRICS INC.	800 KIPLING AVE. TORONTO ON	NE/287.6	-0.12	<a href="#">1021</a>
<a href="#">227</a>	REC	ONTARIO HYDRO (SERVICE CTR/STORAGE BLDG)	800 KIPLING AVE. ETOBICOKE ON	NE/287.6	-0.12	<a href="#">1023</a>
<a href="#">227</a>	REC	KINECTRICS INC.	800 KIPLING AVE. TORONTO ON	NE/287.6	-0.12	<a href="#">1023</a>
<a href="#">227</a>	REC	ONTARIO HYDRO	SUPPLY SERVICES DIV 800 KIPLING AVE ETOBICOKE ON M8Z 5S4	NE/287.6	-0.12	<a href="#">1025</a>
<a href="#">227</a>	REC	ONTARIO HYDRO (SERVICE CTR/STORAGE BLDG)	800 KIPLING AVE. ETOBICOKE ON M8Z 5S4	NE/287.6	-0.12	<a href="#">1025</a>
<a href="#">227</a>	REC	HYDRO ONE NETWORKS INC.	800 KIPLING AVENUE TORONTO ON M8Z 6C4	NE/287.6	-0.12	<a href="#">1025</a>
<a href="#">227</a>	REC	ONTARIO HYDRO	800 KIPLING AVENUE ETOBICOKE ON M8Z 6C4	NE/287.6	-0.12	<a href="#">1027</a>
<a href="#">227</a>	REC	ONTARIO HYDRO	MOBILE DESTRUCTION FACILITY 800 KIPLING AVENUE ETOBICOKE ON M8Z 5S4	NE/287.6	-0.12	<a href="#">1028</a>
<a href="#">227</a>	SPL		800 Kipling Avenue Toronto ON	NE/287.6	-0.12	<a href="#">1028</a>
<a href="#">227</a>	SPL	ONTARIO HYDRO	800 KIPLING TRANSFORMER TORONTO CITY ON	NE/287.6	-0.12	<a href="#">1029</a>
<a href="#">227</a>	SPL	Seawy Marine Transport	800 Kipling Ave. Etobicoke PUROLATOR COURIER GARAGE<UNOFFICIAL> Toronto ON	NE/287.6	-0.12	<a href="#">1029</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">227</a>	SPL	ONTARIO HYDRO	800 KIPLING AVE., BUILDING KJ TORONTO CITY ON	NE/287.6	-0.12	<a href="#">1030</a>
<a href="#">227</a>	SPL	ONTARIO HYDRO	ONTARIO HYDRO, 800 KIPLING AVE. KIPLING COMPLEX 800 KIPLING AVENUE TORONTO CITY ON	NE/287.6	-0.12	<a href="#">1030</a>
<a href="#">227</a>	SPL	ONTARIO HYDRO SERVICES COMPANY	KIPLING COMPLEX 800 KIPLING AVENUE TORONTO CITY ON	NE/287.6	-0.12	<a href="#">1030</a>
<a href="#">227</a>	SPL	ONTARIO HYDRO	800 KIPLING AVE KIPLING COMPLEX 800 KIPLING AVENUE TORONTO CITY ON	NE/287.6	-0.12	<a href="#">1031</a>
<a href="#">227</a>	SPL	ONTARIO HYDRO	ONTARIO HYDRO WAREHOUSE YARD 800 KIPLING AVE MOTOR VEHICLE (OPERATING FLUID) TORONTO CITY ON	NE/287.6	-0.12	<a href="#">1031</a>
<a href="#">227</a>	SPL	ONTARIO HYDRO	800 KIPLING AVE KIPLING COMPLEX 800 KIPLING AVENUE TORONTO CITY ON	NE/287.6	-0.12	<a href="#">1032</a>
<a href="#">227</a>	SPL	ONTARIO HYDRO SERVICES COMPANY	KIPLING COMPLEX 800 KIPLING AVENUE TORONTO CITY ON	NE/287.6	-0.12	<a href="#">1032</a>
<a href="#">227</a>	SPL	ONTARIO HYDRO	800 KIPLING AVE. KIPLING COMPLEX 800 KIPLING AVENUE TORONTO CITY ON	NE/287.6	-0.12	<a href="#">1033</a>
<a href="#">227</a>	SPL	ONTARIO HYDRO	800 KIPLING AVE. TRANSFORMER TORONTO CITY ON	NE/287.6	-0.12	<a href="#">1033</a>
<a href="#">227</a>	SPL	Ontario Power Generation Inc.	800 Kipling Ave Building KT Toronto ON M8Z 5S4	NE/287.6	-0.12	<a href="#">1034</a>
<a href="#">227</a>	SPL	ONTARIO HYDRO	KIPLING COMPLEX 800 KIPLING AVENUE TORONTO CITY ON	NE/287.6	-0.12	<a href="#">1034</a>
<a href="#">227</a>	SPL	Purolator Courier Ltd.	800 Kipling Ave Toronto ON	NE/287.6	-0.12	<a href="#">1035</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">227</a>	SPL	ONTARIO HYDRO	800 KIPLING AVE MOTOR VEHICLE (OPERATING FLUID) TORONTO CITY ON	NE/287.6	-0.12	<a href="#">1035</a>
<a href="#">227</a>	SPL	ONTARIO HYDRO SERVICES COMPANY	AT ONTARIO HYDRO AT 800 KIPLING AVE. TORONTO CITY ON	NE/287.6	-0.12	<a href="#">1036</a>
<a href="#">227</a>	SPL	1705686 Ontario Inc.	Unit 2 - 800 Kipling Ave Toronto ON	NE/287.6	-0.12	<a href="#">1036</a>
<a href="#">227</a>	WDS		800 KIPLING AVENEUE YORK ON	NE/287.6	-0.12	<a href="#">1037</a>
<a href="#">227</a>	WDS	Kinectrics Inc.	800 Kipling Ave Toronto ON M8Z 5G5	NE/287.6	-0.12	<a href="#">1037</a>
<a href="#">227</a>	WDS	Kinectrics Inc.	800 Kipling Avenue Toronto ON M8Z 6C4	NE/287.6	-0.12	<a href="#">1038</a>
<a href="#">227</a>	WDS	Hydro One Inc.	800 Kipling Avenue Toronto ON M8Z 2R7	NE/287.6	-0.12	<a href="#">1039</a>
<a href="#">227</a>	WDS	Kinectrics Inc.	800 Kipling Avenue Toronto ON M8Z 6C4	NE/287.6	-0.12	<a href="#">1039</a>
<a href="#">227</a>	WDS	Kinectrics Inc.	800 Kipling Ave Suite 2 Toronto ON M8Z 6C4	NE/287.6	-0.12	<a href="#">1040</a>
<a href="#">227</a>	WDS	Kinectrics Inc.	800 Kipling Avenue Toronto ON M8Z 6C4	NE/287.6	-0.12	<a href="#">1041</a>
<a href="#">227</a>	WDS	Kinectrics Inc.	800 Kipling Ave Toronto ON M8Z 6C4	NE/287.6	-0.12	<a href="#">1041</a>
<a href="#">227</a>	WDS	Hydro One Inc.	800 Kipling Avenue Toronto ON M8Z 2R7	NE/287.6	-0.12	<a href="#">1042</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">227</a>	WDS	ONTARIO HYDRO	800 KIPLING AVENEUE YORK ON	NE/287.6	-0.12	<a href="#">1043</a>
<a href="#">227</a>	WDS	Kinectrics Inc.	800 Kipling Avenue Toronto ON M8Z 6C4	NE/287.6	-0.12	<a href="#">1043</a>
<a href="#">227</a>	WDS	Kinectrics Inc.	800 Kipling Ave Building KT Toronto ON M8Z 6C4	NE/287.6	-0.12	<a href="#">1044</a>
<a href="#">227</a>	WDS	Kinectrics Inc.	800 Kipling Ave Toronto ON M8Z 6C4	NE/287.6	-0.12	<a href="#">1045</a>
<a href="#">228</a>	NPRI	WEST STAR PRINTING LTD.	10 NORTH QUEEN STREET NOT AVAILABLE TORONTO ON M8Z2C4	ESE/289.7	-1.00	<a href="#">1045</a>
<a href="#">229</a>	WWIS		ON <b>Well ID:</b> 7188819	WSW/290.2	6.00	<a href="#">1046</a>
<a href="#">230</a>	SPL	ONTARIO HYDRO	MANBY ST. STATION, OUTSIDE THE SHOP. TRANSFORMER TORONTO CITY ON	N/294.5	5.00	<a href="#">1047</a>
<a href="#">230</a>	SPL	ONTARIO HYDRO	MANBY STN. TRANSFORMER TORONTO CITY ON	N/294.5	5.00	<a href="#">1047</a>
<a href="#">231</a>	WWIS		Toronto ON <b>Well ID:</b> 7170911	WNW/295.1	6.00	<a href="#">1047</a>
<a href="#">232</a>	WWIS		ETOBICOKE ON <b>Well ID:</b> 7278893	SW/295.9	5.87	<a href="#">1049</a>
<a href="#">233</a>	EHS		5481 Dundas Street West Etobicoke ON M9B 1B5 <b>Order ID:</b> 168526	NW/296.2	9.00	<a href="#">1052</a>
<a href="#">233</a>	SCT	www.onsiteview.ca	5481 Dundas St W Floor 2 Etobicoke ON M9B 1B5	NW/296.2	9.00	<a href="#">1052</a>
<a href="#">234</a>	GEN	BUDGET RENT A CAR O/A S&R CAR 05-717	RENTALS TORONTO (CENTRAL) LIMITED 5475 DUNDAS ST. WEST ISLINGTON ON M9B 1B5	NW/297.8	9.16	<a href="#">1052</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">235</a>	WWIS		TORONTO ON <i>Well ID: 7217841</i>	SE/298.2	0.95	<a href="#">1053</a>
<a href="#">236</a>	EHS		10 Shorncliffe Rd., Ste. 220 Etobicoke ON M9B 3S3 <i>Order ID: 2485</i>	NW/298.7	6.84	<a href="#">1055</a>
<a href="#">236</a>	EHS		10 Shorncliffe Rd., 220 Etobicoke ON M9B 3S3 <i>Order ID: 22412</i>	NW/298.7	6.84	<a href="#">1055</a>
<a href="#">236</a>	GEN	2283643 ONTARIO INC	10 SHORCLIFFE RD,UNIT1 ETOBICOKE ON M9B 3S3	NW/298.7	6.84	<a href="#">1056</a>
<a href="#">236</a>	GEN	ETOBICOLD STORAGE	10 SHORNCLIFFE ROAD ETOBICOKE ON M9B 3S3	NW/298.7	6.84	<a href="#">1056</a>
<a href="#">236</a>	GEN	PURE FOODS MEAT SOLUTIONS INC.	10 SHORNCLIFFE ROAD UNIT #5, SUITE 202 TORONTO ON M9B 3S3	NW/298.7	6.84	<a href="#">1056</a>
<a href="#">236</a>	GEN	ETOBICOLD STORAGE	ETOBICOLD STORAGE LTD. 10 SHORNCLIFFE ROAD ETOBICOKE ON M9B 3S3	NW/298.7	6.84	<a href="#">1057</a>
<a href="#">236</a>	GEN	ETOBICOLD STORAGE/1184631 ONTARIO LTD.	10 SHORNCLIFFE ROAD ETOBICOKE ON M9B 3S3	NW/298.7	6.84	<a href="#">1057</a>
<a href="#">236</a>	GEN	2283643 ONTARIO INC	10 SHORCLIFFE RD,UNIT1 ETOBICOKE ON M9B 3S3	NW/298.7	6.84	<a href="#">1058</a>
<a href="#">236</a>	GEN	LAKE SIMCOE (SEE & USE ON2134500) 24-154	10 SHORNCLIFFE ROAD ETOBICOKE ON M9B 3S3	NW/298.7	6.84	<a href="#">1058</a>
<a href="#">236</a>	GEN	Etobicold Storage Ltd.	10 Shorncliffe Rd. Unit 4 Toronto ON M9B 3S3	NW/298.7	6.84	<a href="#">1058</a>
<a href="#">236</a>	GEN	2283643 ONTARIO INC	10 SHORCLIFFE RD,UNIT1 ETOBICOKE ON M9B 3S3	NW/298.7	6.84	<a href="#">1059</a>



<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">236</a>	GEN	PURE FOODS MEAT SOLUTIONS INC.	10 SHORNCLIFFE ROAD UNIT #5, SUITE 202 TORONTO ON M9B 3S3	NW/298.7	6.84	<a href="#">1059</a>
<a href="#">236</a>	GEN	Tasty Chip Steak Products Limited	10 Shorncliffe road Toronto ON M9B 3S3	NW/298.7	6.84	<a href="#">1059</a>
<a href="#">236</a>	GEN	2283643 ONTARIO INC	10 SHORCLIFFE RD,UNIT1 ETOBICOKE ON M9B 3S3	NW/298.7	6.84	<a href="#">1059</a>
<a href="#">236</a>	GEN	2283643 ONTARIO INC	10 SHORCLIFFE RD,UNIT1 ETOBICOKE ON	NW/298.7	6.84	<a href="#">1060</a>
<a href="#">236</a>	GEN	LAKE SIMCOE ENTERPRISES LTD.	10 SHORNCLIFFE ROAD ETOBICOKE ON M9B 3S3	NW/298.7	6.84	<a href="#">1060</a>
<a href="#">236</a>	GEN	LAKE SIMCOE (SEE & USE ON2134500)	10 SHORNCLIFFE ROAD ETOBICOKE ON M9B 3S3	NW/298.7	6.84	<a href="#">1060</a>
<a href="#">236</a>	GEN	LAKE SIMCOE ENTERPRISES LTD. 24-154	10 SHORNCLIFFE ROAD ETOBICOKE ON M9B 3S3	NW/298.7	6.84	<a href="#">1061</a>
<a href="#">236</a>	NPCB	LAKE SIMCOE ENTERPRISES LIMITED	CHIEF OPERATOR; 10 SHORNCLIFFE ROAD ISLINGTON ON M9B 3S3	NW/298.7	6.84	<a href="#">1061</a>
<a href="#">236</a>	NPCB	ETOBICOLD STORAGE	10 SHORNCLIFFE ROAD ETOBICOKE ON M9B 3S3	NW/298.7	6.84	<a href="#">1062</a>
<a href="#">236</a>	NPCB	LAKE SIMCOE ENTERPRISES LTD.	10 SHORNCILFFE ROAD ETOBICOKE ON M9B 3S3	NW/298.7	6.84	<a href="#">1062</a>
<a href="#">236</a>	NPCB	LAKE SIMCOE ENTERPRISES LTD.	10 SHORNCILFFE ROAD ETOBICOKE ON	NW/298.7	6.84	<a href="#">1063</a>
<a href="#">236</a>	NPCB	ETOBICOLD STORAGE	10 SHORNCLIFFE ROAD SHORNCLIFFE ROAD ISLINGTON ON M9B 3S3	NW/298.7	6.84	<a href="#">1063</a>
<a href="#">236</a>	OPCB	LAKE SIMCOE ENTERPRISES LTD.	10 SHORNCILFFE ROAD ETOBICOKE ON M9B 3S3	NW/298.7	6.84	<a href="#">1064</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">236</a>	OPCB	LAKE SIMCOE ENTERPRISES LTD.	10 SHORNCILFFE ROAD ETOBICOKE ON M9B 3S3	NW/298.7	6.84	<a href="#">1064</a>
<a href="#">236</a>	OPCB	LAKE SIMCOE ENTERPRISES LTD.	10 SHORNCILFFE ROAD ETOBICOKE ON M9B 3S3	NW/298.7	6.84	<a href="#">1064</a>
<a href="#">236</a>	OPCB	LAKE SIMCOE ENTERPRISES LTD.	10 SHORNCILFFE ROAD ETOBICOKE ON M9B 3S3	NW/298.7	6.84	<a href="#">1065</a>
<a href="#">236</a>	SCT	OLYMEL & CO.	10 SHORNCLIFFE RD SUITE 210 ETOBICOKE ON M9B 3S3	NW/298.7	6.84	<a href="#">1065</a>
<a href="#">236</a>	SCT	Tasty Chip (2008) Inc.	10 Shorncliffe Rd Suite 202 Toronto ON M9B 3S3	NW/298.7	6.84	<a href="#">1065</a>
<a href="#">236</a>	SCT	Olymel & Co. Ltd.	10 Shorncliffe Rd Suite 210 Etobicoke ON M9B 3S3	NW/298.7	6.84	<a href="#">1065</a>
<a href="#">236</a>	SCT	TASTY CHIP STEAK PRODUCTS LTD	10 SHORNCLIFFE RD ETOBICOKE ON M9B 3S3	NW/298.7	6.84	<a href="#">1066</a>
<a href="#">236</a>	SCT	NEW ZEALAND LAMB PROCESSING PL	10 SHORNCLIFFE RD ETOBICOKE ON M9B 3S3	NW/298.7	6.84	<a href="#">1066</a>
<a href="#">236</a>	SCT	Tasty Chip Steak Products Ltd.	10 Shorncliffe Rd Suite 202 Toronto ON M9B 3S3	NW/298.7	6.84	<a href="#">1066</a>
<a href="#">236</a>	SCT	NEW ZEALAND LAMB	10 Shorncliffe Rd Etobicoke ON M9B 3S3	NW/298.7	6.84	<a href="#">1066</a>
<a href="#">236</a>	SPL	ONTARIO HYDRO	10 SHORNECLIFFE RD. TRANSFORMER TORONTO CITY ON	NW/298.7	6.84	<a href="#">1067</a>
<a href="#">236</a>	SPL	ETOBICOLD STORAGE	10 SHORNCLIFFE ROAD, ETOBICOKE STORAGE ETOBICOKE PLANT, 10 SHORNCLIFFE RD. TORONTO CITY ON M9B 3S3	NW/298.7	6.84	<a href="#">1067</a>

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
<a href="#">236</a>	SPL	LAKE SIMCOE ENTERPRISES	ROOF OF BLDG LAKE SIMCOE ENT TORONTO CITY ON	NW/298.7	6.84	<a href="#">1068</a>
<a href="#">236</a>	SPL	Newco<UNOFFICIAL>	10 Shorncliffe Rd, Etobicoke Toronto ON	NW/298.7	6.84	<a href="#">1068</a>
<a href="#">236</a>	SPL	ETOBICOLD STORAGE	10 SHORNCLIFF RD ETOBICOKE PLANT, 10 SHORNCLIFFE RD. TORONTO CITY ON	NW/298.7	6.84	<a href="#">1069</a>
<a href="#">236</a>	SPL	LAKE SIMCOE ENTERPRISES	10 SHORNCLIFFE TORONTO CITY ON M9B 3S3	NW/298.7	6.84	<a href="#">1069</a>
<a href="#">236</a>	SPL	LAKE SIMCOE ENTERPRISES	10 SHORNCLIFFE RD. TORONTO CITY ON M9B 3S3	NW/298.7	6.84	<a href="#">1070</a>
<a href="#">237</a>	BORE		ON	SSW/298.9	-0.06	<a href="#">1070</a>

# Executive Summary: Summary By Data Source

## **AUWR - Automobile Wrecking & Supplies**

A search of the AUWR database, dated 1999-Jan 31, 2018 has found that there are 9 AUWR site(s) within approximately 0.30 kilometers of the project property.

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
ATLAS INDUSTRIAL RECYCLING LTD	46 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	10.7	<a href="#"><u>53</u></a>
CROWN CANADA AUTOMOTIVE	50 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	41.8	<a href="#"><u>68</u></a>
CROWN CANADA AUTOMOTIVE	50 NORTH QUEEN ST ETOBICOKE ON M8Z2C4	41.8	<a href="#"><u>68</u></a>
NIKI AUTO MOTOR	11 LOCKPORT AVE ETOBICOKE ON M8Z2R6	104.0	<a href="#"><u>97</u></a>
NIKI AUTO MOTOR	11 LOCKPORT AVE ETOBICOKE ON M8Z 2R6	104.0	<a href="#"><u>97</u></a>
NORTH QUEEN AUTO PARTS LTD	70 NORTH QUEEN ST ETOBICOKE ON M8Z2C9	280.0	<a href="#"><u>221</u></a>
AUTOMOTIVE RECYCLERS MANAGEMENT SERVICES LTD	70 NORTH QUEEN ST ETOBICOKE ON M8Z 2C9	280.0	<a href="#"><u>221</u></a>
NORTH QUEEN AUTO PARTS	70 NORTH QUEEN ST TORONTO ON M8Z2C9	280.0	<a href="#"><u>221</u></a>
NORTH QUEEN AUTO PARTS LTD	70 NORTH QUEEN ST ETOBICOKE ON M8Z 2C9	280.0	<a href="#"><u>221</u></a>

## **BORE - Borehole**

A search of the BORE database, dated 1875-Jul 2014 has found that there are 38 BORE site(s) within approximately 0.30 kilometers of the project property.

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
	ON	0.0	<a href="#"><u>4</u></a>
	ON	0.0	<a href="#"><u>12</u></a>
	ON	0.0	<a href="#"><u>14</u></a>
	ON	0.0	<a href="#"><u>21</u></a>
	ON	0.0	<a href="#"><u>22</u></a>
	ON	0.0	<a href="#"><u>23</u></a>
	ON	0.0	<a href="#"><u>26</u></a>
	ON	0.0	<a href="#"><u>30</u></a>
	ON	0.0	<a href="#"><u>32</u></a>
	ON	0.0	<a href="#"><u>33</u></a>
	ON	0.0	<a href="#"><u>36</u></a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON	0.0	<a href="#"><u>37</u></a>
	ON	0.0	<a href="#"><u>42</u></a>
	ON	0.0	<a href="#"><u>43</u></a>
	ON	0.0	<a href="#"><u>47</u></a>
	ON	0.0	<a href="#"><u>48</u></a>
	ON	0.0	<a href="#"><u>48</u></a>
	ON	0.0	<a href="#"><u>49</u></a>
	ON	0.0	<a href="#"><u>49</u></a>
	ON	5.7	<a href="#"><u>51</u></a>
	ON	7.6	<a href="#"><u>52</u></a>
	ON	34.6	<a href="#"><u>63</u></a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON	39.0	<a href="#"><u>66</u></a>
	ON	46.7	<a href="#"><u>72</u></a>
	ON	49.8	<a href="#"><u>73</u></a>
	ON	70.2	<a href="#"><u>79</u></a>
	ON	76.6	<a href="#"><u>82</u></a>
	ON	76.6	<a href="#"><u>82</u></a>
	ON	151.3	<a href="#"><u>118</u></a>
	ON	156.7	<a href="#"><u>120</u></a>
	ON	207.1	<a href="#"><u>169</u></a>
	ON	214.7	<a href="#"><u>179</u></a>
	ON	258.6	<a href="#"><u>206</u></a>
	ON	266.6	<a href="#"><u>210</u></a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON	273.7	<a href="#">218</a>
	ON	276.5	<a href="#">220</a>
	ON	282.6	<a href="#">223</a>
	ON	298.9	<a href="#">237</a>

### **CA - Certificates of Approval**

A search of the CA database, dated 1985-Oct 30, 2011\* has found that there are 89 CA site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Edward Boczkowski	30 Newbridge Road Toronto ON	0.0	<a href="#">11</a>
Stajkowski Zbigniew	30 Newbridge Road Toronto ON	0.0	<a href="#">11</a>
North Star Landscaping Inc.	24 Newbridge Rd Etobicoke Toronto ON M8Z 2L7	16.2	<a href="#">56</a>
	25 Newbridge Road Toronto ON M8Z 2L6	21.9	<a href="#">59</a>
	25 Newbridge Road Toronto ON M8Z 2L6	21.9	<a href="#">59</a>



<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
Cargill Limited	25 Newbridge Rd Toronto ON M8Z 2L6	21.9	<a href="#"><u>59</u></a>
STEFANO LIESSI, VALCOURT COLLISION	50 NORTH QUEEN STREET ETOBICOKE CITY ON M8Z 2C4	41.8	<a href="#"><u>68</u></a>
1536394 Ontario Inc.	20 Lockport Avenue Toronto ON M8Z 2R7	45.3	<a href="#"><u>71</u></a>
	65 Shorncliffe Road Toronto ON M8Z 5K3	165.4	<a href="#"><u>125</u></a>
1294987 Ontario Inc.	89 Shorncliffe Rd. Toronto ON M8Z 5K3	170.4	<a href="#"><u>130</u></a>
Pro-Con Demo & Disposal Limited	89 Shorncliffe Rd Etobicoke Toronto ON M8Z 5K3	170.4	<a href="#"><u>130</u></a>
Pro-Con Construction Limited	89 Shorncliffe Rd Etobicoke Toronto ON M8Z 5K3	170.4	<a href="#"><u>130</u></a>
SHERWAY COLLISION - ENZO CALISI	131 SHORNCLIFFE ROAD TORONTO CITY ON M8Z 5K7	178.1	<a href="#"><u>138</u></a>
	99 Shorncliffe Road Toronto ON M8Z 5K7	181.3	<a href="#"><u>142</u></a>
HELMITIN CANADA INC.	99 SHORNCLIFFE ROAD TORONTO CITY ON M8Z 5K7	181.3	<a href="#"><u>142</u></a>
Helmitin Inc.	99 Shorncliffe Road Toronto ON M8Z 5K7	181.3	<a href="#"><u>142</u></a>
Clements Radiator & Spring Service Limited	135 Shorncliffe Rd Toronto ON M8Z 5K7	183.5	<a href="#"><u>145</u></a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
617613 Ontario Ltd.	51 Shorncliffe Road Toronto ON	183.8	<a href="#">146</a>
College Disposal Services Limited	51 Shorncliffe Road Toronto ON	183.8	<a href="#">146</a>
Shorncliffe Disposal Services Inc.	51 Shorncliffe Rd Toronto ON	183.8	<a href="#">146</a>
LEADING EDGE AUTOMOBILE ENTERPRISE INC.	81 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K3	184.4	<a href="#">147</a>
	55 Shorncliffe Road Toronto ON M8Z 5K2	191.1	<a href="#">153</a>
PCB Disposal Inc.	75 North Queen Street Toronto ON M8Z 2C7	207.4	<a href="#">170</a>
2056635 Ontario Inc.	78 Shorncliffe Rd Toronto ON M8Z 5K5	215.6	<a href="#">181</a>
PointOne Graphics Inc.	14 Vansco Road Toronto ON	226.0	<a href="#">187</a>
C&W METAL FINISHERS LIMITED	15 NORTH QUEEN STREET ETOBICOKE CITY ON M8Z 6C1	229.2	<a href="#">192</a>
CANADIAN COLEMAN CO. LTD.	15 NORTH QUEEN ST. (WEST BLDG) ETOBICOKE CITY ON M8Z 6C1	229.2	<a href="#">192</a>
C&W METAL FINISHERS LIMITED	15 NORTH QUEEN STREET ETOBICOKE CITY ON M8Z 6C1	229.2	<a href="#">192</a>

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
Metro Waste Paper Recovery Inc.	66 Shorncliffe Road Toronto ON M8Z 5K1	232.1	<a href="#">195</a>
SUNOCO INC.	77 NORTH QUEEN ST.,PT.LOT 8/C3 ETOBICOKE ON M8Z 2C7	256.2	<a href="#">203</a>
BRIGHTON LAUNDRY LIMITED	15 SHORNCLIFFE RD. ETOBICOKE CITY ON M9B 3S4	257.5	<a href="#">204</a>
Global Waste Services Inc.	90 Shorncliffe Road, Lot 34 of Registered P 2104 Toronto ON	272.2	<a href="#">215</a>
King Recycling & Waste Disposal Inc.	90 Shorncliffe Road, Lot 33 of Registered P 2104 Toronto ON	272.2	<a href="#">215</a>
King Recycling & Waste Disposal Inc.	90 Shorncliffe Road, Lot 34 of Registered P 2104 Toronto ON	272.2	<a href="#">215</a>
1558231 Ontario Inc.	90 Shorncliffe Road, Lot 34 of Registered P 2104 Toronto ON	272.2	<a href="#">215</a>
2130299 Ontario Ltd.	86 Shorncliffe Rd Toronto ON M8Z 5K5	272.4	<a href="#">216</a>
ONTARIO HYDRO	800 KIPLING AVE. ETOBICOKE CITY ON M8Z 5S4	287.6	<a href="#">227</a>
	800 Kipling Avenue Toronto ON	287.6	<a href="#">227</a>
	800 Kipling Avenue Toronto ON	287.6	<a href="#">227</a>
	800 Kipling Avenue Toronto ON	287.6	<a href="#">227</a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
Kinectrics Inc.	800 Kipling Ave Toronto ON M8Z 6C4	287.6	<a href="#">227</a>
ONTARIO HYDRO	800 KIPLING AVENUE ETOBICOKE CITY ON M8Z 5S4	287.6	<a href="#">227</a>
ONTARIO HYDRO TECHNOLOGIES	800 KIPLING AVE., PORT. UNIT ETOBICOKE CITY ON M8Z 5S4	287.6	<a href="#">227</a>
	800 Kipling Avenue Toronto ON	287.6	<a href="#">227</a>
ONTARIO HYDRO TECH. SERVICES & NEW PROD.	800 KIPLING AVENUE TORONTO CITY ON	287.6	<a href="#">227</a>
1705686 Ontario Inc.	800 Kipling Ave Toronto ON M8Z 6C4	287.6	<a href="#">227</a>
	800 Kipling Avenue Toronto ON	287.6	<a href="#">227</a>
ONTARIO HYDRO	800 KIPLING AVE., KV-105 TORONTO CITY ON	287.6	<a href="#">227</a>
ONTARIO HYDRO - KIPLING AVE.	800 KIPLING AVENUE ETOBICOKE CITY ON M8Z 5S4	287.6	<a href="#">227</a>
Kinectrics Inc.	800 Kipling Ave Toronto ON M8Z 6C4	287.6	<a href="#">227</a>
ONTARIO POWER GENERATION, BUILDING KJ	800 KIPLING AVE., ROOM KJ126 TORONTO CITY ON	287.6	<a href="#">227</a>

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
ONTARIO POWER GENERATION, PERFORMANCE &	800 KIPLING AVE., BUILDING KT TORONTO CITY ON	287.6	<a href="#">227</a>
Kinetrics, KG100	800 Kipling Avenue Toronto ON	287.6	<a href="#">227</a>
ONTARIO POWER TECH., DIV. OF ONTARIO POW	800 KIPLING AVE., ETOBICOKE TORONTO CITY ON	287.6	<a href="#">227</a>
	800 Kipling Avenue Toronto ON	287.6	<a href="#">227</a>
ONTARIO HYDRO TECHNOLOGIES	800 KIPLING AVENUE ETOBICOKE CITY ON M8Z 5S4	287.6	<a href="#">227</a>
Kinetrics Inc.	800 Kipling Avenue Toronto ON M8Z 6C4	287.6	<a href="#">227</a>
Kinetrics Inc.	800 Kipling Ave Toronto ON M8Z 6C4	287.6	<a href="#">227</a>
Purolator Courier Ltd.	800 Kipling Ave Toronto ON M8Z 6C4	287.6	<a href="#">227</a>
	800 Kipling Avenue Toronto ON	287.6	<a href="#">227</a>
Kinetrics Inc.	800 Kipling Ave Toronto ON M8Z 6C4	287.6	<a href="#">227</a>
Purolator Courier Ltd.	800 Kipling Avenue Toronto ON M8Z 6C4	287.6	<a href="#">227</a>
ONTARIO HYDRO - COMBUSTION RES. FACILITY	800 KIPLING AVENUE TORONTO CITY ON	287.6	<a href="#">227</a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
ONTARIO HYDRO	800 KIPLING AVENUE TORONTO CITY ON	287.6	<a href="#">227</a>
	800 Kipling Avenue Toronto ON	287.6	<a href="#">227</a>
ONTARIO HYDRO TECHNOLOGIES	800 KIPLING AVENUE ETOBICOKE CITY ON M8Z 5S4	287.6	<a href="#">227</a>
	800 Kipling Avenue Toronto ON	287.6	<a href="#">227</a>
ONTARIO HYDRO	800 KIPLING AVE., KT-135 ETOBICOKE CITY ON M8Z 5S4	287.6	<a href="#">227</a>
	800 Kipling Avenue Toronto ON	287.6	<a href="#">227</a>
	800 Kipling Avenue Toronto ON	287.6	<a href="#">227</a>
	800 Kipling Avenue Toronto ON	287.6	<a href="#">227</a>
Kinectrics Inc.	800 Kipling Avenue Toronto ON M8Z 6C4	287.6	<a href="#">227</a>
ONTARIO HYDRO TECHNOLOGIES	800 KIPLING AVENUE ETOBICOKE CITY ON M8Z 5S4	287.6	<a href="#">227</a>
	800 Kipling Avenue Toronto ON	287.6	<a href="#">227</a>

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
Ontario Power Generation Inc.	800 Kipling Ave Toronto ON M8Z 6C4	287.6	<a href="#">227</a>
	800 Kipling Avenue Toronto ON	287.6	<a href="#">227</a>
Kinectrics Inc.	800 Kipling Ave Toronto ON M8Z 6C4	287.6	<a href="#">227</a>
ONTARIO HYDRO	800 KIPLING AVE., KT BLDG. TORONTO CITY ON	287.6	<a href="#">227</a>
KR Building	800 Kipling Avenue Toronto ON	287.6	<a href="#">227</a>
	800 Kipling Avenue Toronto ON	287.6	<a href="#">227</a>
ONTARIO HYDRO	800 KIPLING AVE., KR BLDG. TORONTO CITY ON	287.6	<a href="#">227</a>
Kinectrics Inc.	800 Kipling Avenue Toronto ON M8Z 6C4	287.6	<a href="#">227</a>
	800 Kipling Avenue Toronto ON	287.6	<a href="#">227</a>
Kinectrics Inc.	800 Kipling Ave Toronto ON M8Z 6C4	287.6	<a href="#">227</a>
	800 Kipling Avenue Toronto ON	287.6	<a href="#">227</a>
	800 Kipling Avenue Toronto ON	287.6	<a href="#">227</a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
ONTARIO HYDRO TECHNOLOGIES, CUSTOMER POW	800 KIPLING AVE., BUILDING KB TORONTO ON	287.6	<a href="#">227</a>
	800 Kipling Avenue Toronto ON	287.6	<a href="#">227</a>
ONTARIO HYDRO	800 KIPLING AVENUE TORONTO CITY ON	287.6	<a href="#">227</a>

### **CHEM - Chemical Register**

A search of the CHEM database, dated 1999-Jan 31, 2018 has found that there are 1 CHEM site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
HANSON INC.	TORONTO ON	194.8	<a href="#">157</a>

### **CONV - Compliance and Convictions**

A search of the CONV database, dated 1989-Apr 2018 has found that there are 5 CONV site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
ARIZON DISPOSAL SERVICES	ON	171.0	<a href="#">132</a>
ARIZON DISPOSAL SERVICES LTD.	ON	171.0	<a href="#">132</a>
COLLEGE DISPOSAL SERVICES LTD.	ETOBICOKE ON	183.8	<a href="#">146</a>
621311 ONTARIO CORPORATION, C.O.B. COLLEGE DISPOSAL SERVICES LTD.	TORONTO ON	183.8	<a href="#">146</a>



<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Global Waste Services Inc.	90 Shorncliffe Road Toronto ON	272.2	<a href="#">215</a>

### **EASR - Environmental Activity and Sector Registry**

A search of the EASR database, dated Oct 2011-Jun 30, 2018 has found that there are 8 EASR site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
CALISI MOTORS LIMITED	131 Shorncliffe RD Toronto ON M8Z 5K7	178.1	<a href="#">138</a>
CRYSTAL BINS INC.	135 SHORNCLIFFE RD ETOBICOKE ON M8Z 5K7	183.5	<a href="#">145</a>
BRUELL CONTRACTING LIMITED	37 shorncliffe rd etobicoke ON M8Z 5K2	187.2	<a href="#">148</a>
K-Lo's Excavating Incorporated	14 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	188.8	<a href="#">150</a>
CENTURY 3000 AUTO COLLISION CENTRE LTD	55 SHORNCLIFFE RD ETOBICOKE ON M8Z 5K2	191.1	<a href="#">153</a>
POINTONE GRAPHICS INC.	14 VANSO RD TORONTO ON M8Z 5J4	226.0	<a href="#">187</a>
ORLANDO CORPORATION	15 SHORNCLIFFE ROAD TORONTO ON M8Z 5K2	257.5	<a href="#">204</a>
WASTECORP PUMPS INC.	50 SHORNCLIFFE RD ETOBICOKE ON M8Z 5K1	283.0	<a href="#">224</a>

## **EBR - Environmental Registry**

A search of the EBR database, dated 1994-Apr 30, 2018 has found that there are 54 EBR site(s) within approximately 0.30 kilometers of the project property.

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
Hydro One Networks Inc.	30 Lockport Avenue Toronto M8Z 2R7 CITY OF TORONTO ON	17.9	<a href="#"><u>57</u></a>
Global Egg Corporation	25 Newbridge Road Toronto Ontario Toronto ON	21.9	<a href="#"><u>59</u></a>
Cargill Egg Products	25 Newbridge Road Toronto Municipality Of Metropolitan Toronto CITY OF TORONTO ON	21.9	<a href="#"><u>59</u></a>
Cargill Limited	25 Newbridge Road Toronto, Municipality Of Metropolitan Toronto CITY OF TORONTO ON	21.9	<a href="#"><u>59</u></a>
1536394 Ontario Inc.	20 Lockport Avenue Toronto Ontario M8Z 2R7 Toronto ON	45.3	<a href="#"><u>71</u></a>
Evans Ford Lincoln Inc.	65 Shorncliffe Road Toronto Ontario M8Z 5K3 CITY OF TORONTO ON	165.4	<a href="#"><u>125</u></a>
Arizon Disposal Services Limited	67 Shorncliffe Road Toronto Ontario M8Z 5K3 Toronto ON	171.0	<a href="#"><u>132</u></a>
Helmitin Canada Inc.	99 SHORNCLIFFE ROAD, TORONTO CITY Toronto ON	181.3	<a href="#"><u>142</u></a>
Helmitin Adhesives Inc.	99 Shorncliffe Road Toronto M8Z 5K7 CITY OF TORONTO ON	181.3	<a href="#"><u>142</u></a>
Helmitin Canada Inc.	99 SHORNCLIFFE ROAD, TORONTO CITY Toronto ON	181.3	<a href="#"><u>142</u></a>
Helmitin Inc.	99 Shorncliffe Road Toronto Ontario M8Z 5K7 Toronto ON	181.3	<a href="#"><u>142</u></a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
1595066 Ontario Limited operating as College Disposal	51 Shorncliffe Road Toronto Ontario Toronto ON	183.8	<a href="#">146</a>
Danyle Group Inc.	51 Shorncliffe Road Toronto M8Z 5K2 CITY OF TORONTO ON	183.8	<a href="#">146</a>
617613 Ontario Ltd.	51 Shorncliffe Road Toronto Ontario Toronto ON	183.8	<a href="#">146</a>
Danyle Group Inc.	51 Shorncliffe Road Toronto M8Z 5K2 CITY OF TORONTO ON	183.8	<a href="#">146</a>
621311 Ontario Limited	51 Shorncliffe Road Toronto Ontario Toronto ON	183.8	<a href="#">146</a>
Danyle Group Inc.	51 Shorncliffe Road Toronto ON	183.8	<a href="#">146</a>
Leading Edge Automobile Enterprise Inc.	81 Shorncliffe Road, City of Etobicoke Etobicoke ON	184.4	<a href="#">147</a>
Century 3000 Auto Collision Centre Ltd.	55 Shorncliffe Road Toronto Ontario Toronto ON	191.1	<a href="#">153</a>
PointOne Graphics Inc.	14 Vansco Road Toronto M8Z 5J4 CITY OF TORONTO ON	226.0	<a href="#">187</a>
PointOne Graphics Inc.	14 Vansco Road Toronto Ontario M8Z 5J4 Toronto ON	226.0	<a href="#">187</a>
Cascades Recovery Inc.	66 Shorncliffe Road Toronto M8Z 5K1 CITY OF TORONTO ON	232.1	<a href="#">195</a>

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
Metro Waste Paper Recovery Inc.	66 Shorncliffe Road Toronto Ontario M8Z 5K1 Toronto ON	232.1	<a href="#">195</a>
Sunoco Inc.	77 North Queen Street, part lot 8, concession 3 Etobicoke ON	256.2	<a href="#">203</a>
Global Waste Services Inc.	90 Shorncliffe Road Toronto CITY OF TORONTO ON	272.2	<a href="#">215</a>
Terra-Green Recycling & Transfer Inc.	90 Shorncliffe Road Toronto CITY OF TORONTO ON	272.2	<a href="#">215</a>
Global Waste Services Inc.	90 Shorncliffe Road, Lot 34 of Registered P 2104 Toronto Ontario Toronto ON	272.2	<a href="#">215</a>
Global Waste Services Inc.	90 Shornecliffe Road CITY OF TORONTO ON	272.2	<a href="#">215</a>
King Recycling & Waste Disposal Inc.	90 Shorncliffe Road CITY OF TORONTO ON	272.2	<a href="#">215</a>
King Recycling & Waste Disposal Inc.	90 Shorncliffe Road, Lot 33 of Registered P 2104 Toronto Ontario M8Z 5K5 Toronto ON	272.2	<a href="#">215</a>
King Recycling & Waste Disposal Inc.	90 Shorncliffe Road, Lot 33 of Registered P 2104 Toronto Ontario M8Z 5K5 Toronto ON	272.2	<a href="#">215</a>
Global Waste Services Inc.	90 Shorncliffe Road, Lot 34 of Registered P 2104 Toronto Ontario Toronto ON	272.2	<a href="#">215</a>
Terra-Green Recycling & Transfer Inc.	86 Shorncliffe Road Toronto CITY OF TORONTO ON	272.4	<a href="#">216</a>
Kinectrics Inc.	800 Kipling Avenue Toronto Ontario M8Z 6C4 Toronto ON	287.6	<a href="#">227</a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
Kinectrics, a Subsidiary of Ontario Power Generation Inc.	800 Kipling Avenue CITY OF TORONTO ON	287.6	<a href="#">227</a>
Purolator Courier Ltd.	800 Kipling Avenue Toronto Ontario M8Z 6C4 Toronto ON	287.6	<a href="#">227</a>
Kinectrics Inc.	800 Kipling Avenue Unit Unit 2 Toronto M8Z 6C4 CITY OF TORONTO ON	287.6	<a href="#">227</a>
Kinectrics Inc.	800 Kipling Avenue Toronto Ontario M8Z 6C4 Toronto ON	287.6	<a href="#">227</a>
Kinectrics Inc.	800 Kipling Avenue Toronto M8Z 6C4 CITY OF TORONTO ON	287.6	<a href="#">227</a>
Ontario Hydro Technologies	800 KIPLING AVENUE, ETOBICOKE CITY Etobicoke ON	287.6	<a href="#">227</a>
Kinectrics Inc.	800 Kipling Avenue Toronto Ontario M8Z 6C4 Toronto ON	287.6	<a href="#">227</a>
Kinectrics Inc.	800 Kipling Avenue Unit 2 Toronto M8Z 6C4 CITY OF TORONTO ON	287.6	<a href="#">227</a>
1705686 Ontario Inc.	800 Kipling Avenue, Toronto M8Z 6C4 CITY OF TORONTO ON	287.6	<a href="#">227</a>
Kinectrics Inc.	800 Kipling Avenue Toronto M8Z 6C4 CITY OF TORONTO ON	287.6	<a href="#">227</a>
Kinectrics Inc.	800 Kipling Avenue Toronto Ontario M8Z 6C4 Toronto ON	287.6	<a href="#">227</a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
Kinectrics Inc.	800 Kipling Avenue Toronto M8Z 6C4 CITY OF TORONTO ON	287.6	<a href="#">227</a>
Ontario Power Generation Inc.	800 Kipling Avenue Toronto M8Z 5S4 CITY OF TORONTO ON	287.6	<a href="#">227</a>
Ontario Power Generation Inc.	800 Kipling Avenue Toronto Ontario M8Z 6C4 Toronto ON	287.6	<a href="#">227</a>
Kinectrics Inc.	800 Kipling Avenue Toronto M8Z 5S4 CITY OF TORONTO ON	287.6	<a href="#">227</a>
Kinectrics Inc.	800 Kipling Avenue Unit 2 Toronto M8Z 6C4 CITY OF TORONTO ON	287.6	<a href="#">227</a>
Kinectrics Inc.	800 Kipling Avenue Toronto M8Z 6C4 CITY OF TORONTO ON	287.6	<a href="#">227</a>
Kinectrics Inc.	800 Kipling Avenue Toronto M8Z 5G5 CITY OF TORONTO ON	287.6	<a href="#">227</a>
Kinectrics Inc.	800 Kipling Avenue Toronto Ontario M8Z 6C4 Toronto ON	287.6	<a href="#">227</a>
Kinectrics Inc.	800 Kipling Avenue Toronto Ontario M8Z 6C4 Toronto ON	287.6	<a href="#">227</a>

### **ECA - Environmental Compliance Approval**

A search of the ECA database, dated Oct 2011-Jun 30, 2018 has found that there are 76 ECA site(s) within approximately 0.30 kilometers of the project property.

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
Stajkowski Zbigniew	30 Newbridge Road Toronto ON L4N 8G9	0.0	<a href="#">11</a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
Edward Boczkowski	30 Newbridge Road Toronto ON L7A 2S4	0.0	<a href="#"><u>11</u></a>
North Star Landscaping Inc.	24 Newbridge Rd Etobicoke Toronto ON M8Z 2L7	16.2	<a href="#"><u>56</u></a>
Hydro One Networks Inc.	30 Lockport Ave Lot 7, Concession 4 Toronto ON M5G 2P5	17.9	<a href="#"><u>57</u></a>
Hydro One Networks Inc.	30 Lockport Ave Lot 7, Concession 4 Toronto ON M5G 2P5	17.9	<a href="#"><u>57</u></a>
Global Egg Corporation	25 Newbridge Road Toronto ON M8Z 2L6	21.9	<a href="#"><u>59</u></a>
Cargill Limited	25 Newbridge Rd Toronto ON M8Z 2L6	21.9	<a href="#"><u>59</u></a>
Cargill Limited	25 Newbridge Rd Toronto ON M8Z 2L6	21.9	<a href="#"><u>59</u></a>
Global Egg Corporation	25 Newbridge Road Toronto ON M8Z 2L6	21.9	<a href="#"><u>59</u></a>
1536394 Ontario Inc.	20 Lockport Avenue Toronto ON M8Z 2R7	45.3	<a href="#"><u>71</u></a>
Helmitin Adhesives Inc.	99 Shorncliffe Road Toronto ON M8Z 5K7	136.7	<a href="#"><u>112</u></a>
Evans Ford Lincoln Inc.	65 Shorncliffe Road Toronto ON M8Z 5K3	165.4	<a href="#"><u>125</u></a>

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
1294987 Ontario Inc.	89 Shorncliffe Rd. Toronto ON L4N 9M8	170.4	<a href="#">130</a>
Pro-Con Demo & Disposal Limited	89 Shorncliffe Rd Etobicoke Toronto ON M8Z 5K3	170.4	<a href="#">130</a>
Pro-Con Construction Limited	89 Shorncliffe Rd Etobicoke Toronto ON M8Z 5K3	170.4	<a href="#">130</a>
Helmitin Adhesives Inc.	99 Shorncliffe Rd Toronto ON M8Z 5K7	181.3	<a href="#">142</a>
Helmitin Inc.	99 Shorncliffe Road Toronto ON M8Z 5K7	181.3	<a href="#">142</a>
Clements Radiator & Spring Service Limited	135 Shorncliffe Rd Toronto ON L5T 2G1	183.5	<a href="#">145</a>
617613 Ontario Ltd.	51 Shorncliffe Road Toronto ON	183.8	<a href="#">146</a>
Shorncliffe Disposal Services Inc.	51 Shorncliffe Rd Toronto ON M8Z 5K2	183.8	<a href="#">146</a>
Danyle Group Inc.	51 Shorncliffe Rd Toronto ON	183.8	<a href="#">146</a>
College Disposal Services Limited	51 Shorncliffe Road Toronto ON M8Z 5K2	183.8	<a href="#">146</a>
Century 3000 Auto Collision Centre Ltd.	55 Shorncliffe Road Toronto ON M8Z 5K3	191.1	<a href="#">153</a>
PCB Disposal Inc.	75 North Queen Street Toronto ON L1S 3X1	207.4	<a href="#">170</a>



<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
Global Waste Services Inc.	Toronto ON M8Z 5K5	211.5	<a href="#">177</a>
Global Waste Services Inc.	Lot 34 of Registered Plan 2104 Toronto ON M8Z 5K5	211.5	<a href="#">177</a>
2056635 Ontario Inc.	78 Shorncliffe Rd Toronto ON L4Y 3Y3	215.6	<a href="#">181</a>
PointOne Graphics Inc.	14 Vansco Road Toronto City ON M8Z 5J4	226.0	<a href="#">187</a>
PointOne Graphics Inc.	14 Vansco Road Toronto ON M8Z 5J4	226.0	<a href="#">187</a>
PointOne Graphics Inc.	14 Vansco Road Toronto ON M8Z 5J4	226.0	<a href="#">187</a>
Metro Waste Paper Recovery Inc.	66 Shorncliffe Road Toronto ON M8Z 5K1	232.1	<a href="#">195</a>
1558231 Ontario Inc.	90 Shorncliffe Road, Lot 34 of Registered P 2104 Toronto ON L5T 1B7	272.2	<a href="#">215</a>
King Recycling & Waste Disposal Inc.	90 Shorncliffe Road, Lot 33 of Registered P 2104 Toronto ON M8Z 5K5	272.2	<a href="#">215</a>
Global Waste Services Inc.	90 Shorncliffe Road, Lot 34 of Registered P 2104 Toronto ON M8Z 5K5	272.2	<a href="#">215</a>
King Recycling & Waste Disposal Inc.	90 Shorncliffe Road, Lot 34 of Registered P 2104 Toronto ON M8Z 5K5	272.2	<a href="#">215</a>

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
King Recycling & Waste Disposal Inc.	86 Shorncliffe Rd Lot 33 of Registered Plan 2104 Toronto ON M8Z 5K5	272.4	<a href="#">216</a>
2130299 Ontario Ltd.	86 Shorncliffe Rd Toronto ON M1K 2E3	272.4	<a href="#">216</a>
Kinectrics Inc.	800 Kipling Avenue Toronto ON M8Z 6C4	287.6	<a href="#">227</a>
Purolator Courier Ltd.	800 Kipling Ave Toronto ON L5R 3T8	287.6	<a href="#">227</a>
Kinectrics Inc.	800 Kipling Avenue Toronto ON M8Z 6C4	287.6	<a href="#">227</a>
Kinectrics Inc.	800 Kipling Avenue Toronto ON M8Z 6C4	287.6	<a href="#">227</a>
Ontario Power Generation Inc.	800 Kipling Avenue Toronto ON M8Z 6C4	287.6	<a href="#">227</a>
Kinectrics Inc.	800 Kipling Ave Toronto ON M8Z 6C4	287.6	<a href="#">227</a>
Kinectrics Inc.	800 Kipling Avenue Toronto ON M8Z 6C4	287.6	<a href="#">227</a>
PCB Containment Technology (Kitchener) Inc.	800 Kipling Avenue Toronto ON N0B 1E0	287.6	<a href="#">227</a>
Ontario Power Generation Inc.	800 Kipling Ave Building KT Toronto ON	287.6	<a href="#">227</a>
Kinectrics Inc.	800 Kipling Avenue Toronto ON M8Z 6C4	287.6	<a href="#">227</a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
Kinectrics Inc.	800 Kipling Avenue Toronto ON M8Z 6C4	287.6	<a href="#">227</a>
Kinectrics Inc.	800 Kipling Avenue Toronto ON M8Z 6C4	287.6	<a href="#">227</a>
Kinectrics Inc.	800 Kipling Avenue Toronto ON M8Z 6C4	287.6	<a href="#">227</a>
Ontario Power Generation Inc.	800 Kipling Avenue Toronto ON M8Z 6C4	287.6	<a href="#">227</a>
Purolator Inc.	800 Kipling Ave Toronto ON L5R 3T8	287.6	<a href="#">227</a>
Kinectrics Inc.	800 Kipling Ave Toronto ON M8Z 6C4	287.6	<a href="#">227</a>
1705686 Ontario Inc.	800 Kipling Ave Toronto ON M8Z 6C4	287.6	<a href="#">227</a>
Kinectrics Inc.	800 Kipling Avenue Toronto ON M8Z 6C4	287.6	<a href="#">227</a>
Kinectrics Inc.	800 Kipling Avenue Toronto ON M8Z 6C4	287.6	<a href="#">227</a>
Kinectrics Inc.	800 Kipling Avenue Toronto ON M8Z 6C4	287.6	<a href="#">227</a>
Kinectrics Inc.	800 Kipling Avenue Toronto ON M8Z 6C4	287.6	<a href="#">227</a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
Kinectrics Inc.	800 Kipling Avenue Toronto ON M8Z 6C4	287.6	<a href="#"><u>227</u></a>
Kinectrics Inc.	800 Kipling Avenue Toronto ON M8Z 6C4	287.6	<a href="#"><u>227</u></a>
Kinectrics Inc.	800 Kipling Ave Toronto ON M8Z 6C4	287.6	<a href="#"><u>227</u></a>
Kinectrics Inc.	800 Kipling Avenue Toronto ON M8Z 6C4	287.6	<a href="#"><u>227</u></a>
Purolator Courier Ltd.	800 Kipling Avenue Toronto ON M8Z 5S4	287.6	<a href="#"><u>227</u></a>
Kinectrics Inc.	800 Kipling Ave Toronto ON M8Z 6C4	287.6	<a href="#"><u>227</u></a>
Kinectrics Inc.	800 Kipling Ave Toronto ON M8Z 6C4	287.6	<a href="#"><u>227</u></a>
Ontario Power Generation Inc.	800 Kipling Avenue Toronto ON M8Z 6C4	287.6	<a href="#"><u>227</u></a>
Ontario Power Generation Inc.	800 Kipling Ave Building KT Toronto ON M8Z 5S4	287.6	<a href="#"><u>227</u></a>
Kinectrics Inc.	800 Kipling Avenue Toronto ON M8Z 6C4	287.6	<a href="#"><u>227</u></a>
Kinectrics Inc.	800 Kipling Avenue Toronto ON M8Z 6C4	287.6	<a href="#"><u>227</u></a>
Kinectrics Inc.	800 Kipling Ave Toronto ON M8Z 6C4	287.6	<a href="#"><u>227</u></a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Kinectrics Inc.	800 Kipling Avenue Toronto ON M8Z 6C4	287.6	<a href="#">227</a>
Ontario Power Generation Inc.	800 Kipling Avenue Toronto ON L5E 1E9	287.6	<a href="#">227</a>
Kinectrics Inc.	800 Kipling Avenue Toronto ON M8Z 6C4	287.6	<a href="#">227</a>
Kinectrics Inc.	800 Kipling Avenue Toronto ON M8Z 6C4	287.6	<a href="#">227</a>
Kinectrics Inc.	800 Kipling Ave Toronto ON M8Z 6C4	287.6	<a href="#">227</a>
Ontario Power Generation Inc.	800 Kipling Ave Toronto ON M8Z 6C4	287.6	<a href="#">227</a>

### **EHS - ERIS Historical Searches**

A search of the EHS database, dated 1999-Feb 28, 2018 has found that there are 42 EHS site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	36 Queen St N Toronto ON M8Z2C4  <i>Order ID: 422087</i>	0.0	<a href="#">1</a>
	30 Newbridge Road Toronto (Etobicoke) ON M8Z 2L7  <i>Order ID: 123594</i>	0.0	<a href="#">11</a>
	30 Lockport Ave Toronto ON M8Z 2R7  <i>Order ID: 177407</i>	0.0	<a href="#">27</a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	36 North Queen Street Etobicoke ON M8Z 2C4  <i>Order ID: 45078</i>	0.0	<a href="#"><u>38</u></a>
	25 Newbridge Road Etobicoke ON  <i>Order ID: 475724</i>	21.9	<a href="#"><u>59</u></a>
	37 Shorncliffe Road Toronto ON  <i>Order ID: 502641</i>	36.0	<a href="#"><u>64</u></a>
	20 Lockport Ave Toronto ON M8Z2R7  <i>Order ID: 355772</i>	44.6	<a href="#"><u>69</u></a>
	17 Newbridge Rd Toronto ON M8Z 2L6  <i>Order ID: 163255</i>	87.8	<a href="#"><u>85</u></a>
	17 Newbridge Rd Etobicoke ON M8Z 2L6  <i>Order ID: 133234</i>	88.7	<a href="#"><u>86</u></a>
	34 Vansco Road Toronto ON  <i>Order ID: 304544</i>	96.5	<a href="#"><u>90</u></a>
	Shorncliffe Rd Queen St N Toronto ON  <i>Order ID: 448017</i>	97.4	<a href="#"><u>91</u></a>
	65 and 69 North Queen Street Toronto ON  <i>Order ID: 187423</i>	99.7	<a href="#"><u>93</u></a>
	65 North Queen Street Etobicoke ON M8Z 2C7  <i>Order ID: 217094</i>	117.7	<a href="#"><u>103</u></a>
	30 Vansco Road Toronto ON  <i>Order ID: 474701</i>	130.9	<a href="#"><u>108</u></a>
	30 Vansco Rd Toronto On Toronto ON M8Z5J4	130.9	<a href="#"><u>108</u></a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	<i>Order ID:</i> 286759		
	121 Shorncliffe Road Etobicoke ON M8Z 5K7	151.3	<a href="#">119</a>
	<i>Order ID:</i> 33190		
	107 Shorncliffe Road Toronto ON M8Z 5K7	164.1	<a href="#">123</a>
	<i>Order ID:</i> 184098		
	65 Shorncliffe Road Toronto (Etobicoke) ON M8Z 5K3	165.4	<a href="#">125</a>
	<i>Order ID:</i> 74035		
	39 Shorncliffe Road Toronto ON M8Z 5K2	182.1	<a href="#">143</a>
	<i>Order ID:</i> 143455		
	135 Shorncliffe Road Toronto ON M8Z 5K7	183.5	<a href="#">145</a>
	<i>Order ID:</i> 142200		
	135 Shorncliffe Rd Toronto ON M8Z5K7	183.5	<a href="#">145</a>
	<i>Order ID:</i> 501798		
	51 Shorncliffe Rd Etobicoke ON M8Z 5K2	183.8	<a href="#">146</a>
	<i>Order ID:</i> 152600		
	119 Shorncliffe Rd Toronto ON M8Z 5K7	190.8	<a href="#">152</a>
	<i>Order ID:</i> 166865		
	41 Shorncliffe Rd Toronto ON M9B 1B8	200.8	<a href="#">160</a>
	<i>Order ID:</i> 485677		
	15 Shorncliffe Rd Toronto ON M9B3S4	209.5	<a href="#">172</a>
	<i>Order ID:</i> 454912		
	15-25 Shorncliff Rd & 5414-5487 Dundas St W Toronto ON	215.9	<a href="#">182</a>
	<i>Order ID:</i> 163518		

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	15-25 Shorncliff RD & 5415-5487 DUNDAS ST.W TORONTO ON <i>Order ID:</i> 163077	215.9	<a href="#">182</a>
	15 North Queen St Toronto ON <i>Order ID:</i> 194194	229.2	<a href="#">192</a>
	77 North Queen St Etobicoke ON M8Z 2C7 <i>Order ID:</i> 112	256.2	<a href="#">203</a>
	15 Shorncliffe Rd Etobicoke ON M9B 3S4 <i>Order ID:</i> 19149	257.5	<a href="#">204</a>
	Dundas St W and Shorncliffe Rd Toronto ON M9B1B5 <i>Order ID:</i> 431195	261.7	<a href="#">207</a>
	80 Shorncliffe Rd Toronto ON M8Z 5K5 <i>Order ID:</i> 26930	265.2	<a href="#">208</a>
	80 Shorncliffe Rd. Toronto ON M8Z 5K5 <i>Order ID:</i> 7610	265.2	<a href="#">208</a>
	Wilmar Rd Dundas St W Toronto ON <i>Order ID:</i> 454562	271.7	<a href="#">213</a>
	70 North Queen Street Toronto ON M8Z 2C9 <i>Order ID:</i> 204593	280.0	<a href="#">221</a>
	50 Shorncliffe Rd Toronto ON M8Z5K1 <i>Order ID:</i> 507078	283.0	<a href="#">224</a>
	800 Kipling Avenue Etobicoke ON M8Z 5S4 <i>Order ID:</i> 43242	287.6	<a href="#">227</a>
	800 Kipling Ave Toronto ON	287.6	<a href="#">227</a>



<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	<i>Order ID:</i> 160996		
	800 Kipling Avenue Toronto ON M8Z 6C4	287.6	<a href="#">227</a>
	<i>Order ID:</i> 73593		
	5481 Dundas Street West Etobicoke ON M9B 1B5	296.2	<a href="#">233</a>
	<i>Order ID:</i> 168526		
	10 Shorncliffe Rd., Ste. 220 Etobicoke ON M9B 3S3	298.7	<a href="#">236</a>
	<i>Order ID:</i> 2485		
	10 Shorncliffe Rd., 220 Etobicoke ON M9B 3S3	298.7	<a href="#">236</a>
	<i>Order ID:</i> 22412		

### **EXP - List of TSSA Expired Facilities**

A search of the EXP database, dated Feb 28, 2017 has found that there are 79 EXP site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
INTERLINK FREIGHT SYSTEMS INC	30 NEWBRIDGE RD ETOBICOKE ON M8Z 2L7	0.0	<a href="#">11</a>
INTERLINK FREIGHT SYSTEMS INC	30 NEWBRIDGE RD ETOBICOKE ON M8Z 2L7	0.0	<a href="#">11</a>
C P EXPRESS & TRANSPORT LTD	30 NEWBRIDGE RD ETOBICOKE ON M8Z 2L7	0.0	<a href="#">11</a>
C P EXPRESS & TRANSPORT LTD	30 NEWBRIDGE RD ETOBICOKE ON M8Z 2L7	0.0	<a href="#">11</a>
C P EXPRESS & TRANSPORT LTD	30 NEWBRIDGE RD ETOBICOKE ON M8Z 2L7	0.0	<a href="#">11</a>

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
C P EXPRESS & TRANSPORT LTD	30 NEWBRIDGE RD ETOBICOKE ON M8Z 2L7	0.0	<a href="#">11</a>
C P EXPRESS & TRANSPORT LTD	30 NEWBRIDGE RD ETOBICOKE ON	0.0	<a href="#">11</a>
C P EXPRESS & TRANSPORT LTD	30 NEWBRIDGE RD ETOBICOKE ON	0.0	<a href="#">11</a>
C P EXPRESS & TRANSPORT LTD	30 NEWBRIDGE RD ETOBICOKE ON M8Z 2L7	0.0	<a href="#">11</a>
C P EXPRESS & TRANSPORT LTD	30 NEWBRIDGE RD ETOBICOKE ON	0.0	<a href="#">11</a>
INTERLINK FREIGHT SYSTEMS INC	30 NEWBRIDGE RD ETOBICOKE ON	0.0	<a href="#">11</a>
C P EXPRESS & TRANSPORT LTD	30 NEWBRIDGE RD ETOBICOKE ON	0.0	<a href="#">11</a>
C P EXPRESS & TRANSPORT LTD	30 NEWBRIDGE RD ETOBICOKE ON	0.0	<a href="#">11</a>
INTERLINK FREIGHT SYSTEMS INC	30 NEWBRIDGE RD ETOBICOKE ON	0.0	<a href="#">11</a>
C P EXPRESS & TRANSPORT LTD	30 NEWBRIDGE RD ETOBICOKE ON	0.0	<a href="#">11</a>
INTERLINK FREIGHT SYSTEMS INC	30 NEWBRIDGE RD ETOBICOKE ON	0.0	<a href="#">11</a>
C P EXPRESS & TRANSPORT LTD	30 NEWBRIDGE RD ETOBICOKE ON	0.0	<a href="#">11</a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
C P EXPRESS & TRANSPORT LTD	30 NEWBRIDGE RD ETOBICOKE ON M8Z 2L7	0.0	<a href="#"><u>11</u></a>
INTERLINK FREIGHT SYSTEMS INC	30 NEWBRIDGE RD ETOBICOKE ON	0.0	<a href="#"><u>11</u></a>
C P EXPRESS & TRANSPORT LTD	30 NEWBRIDGE RD ETOBICOKE ON M8Z 2L7	0.0	<a href="#"><u>11</u></a>
INTERLINK FREIGHT SYSTEMS INC	30 NEWBRIDGE RD ETOBICOKE ON M8Z 2L7	0.0	<a href="#"><u>11</u></a>
PETRO CANADA WHOLESale OPERATIONS PETRO PASS **	58 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	70.4	<a href="#"><u>80</u></a>
PETRO CANADA WHOLESale OPERATIONS PETRO PASS **	58 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	70.4	<a href="#"><u>80</u></a>
PETRO CANADA WHOLESale OPERATIONS PETRO PASS **	58 NORTH QUEEN ST ETOBICOKE ON	70.4	<a href="#"><u>80</u></a>
PETRO CANADA WHOLESale OPERATIONS PETRO PASS **	58 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	70.4	<a href="#"><u>80</u></a>
PETRO CANADA WHOLESale OPERATIONS PETRO PASS **	58 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	70.4	<a href="#"><u>80</u></a>
PETRO CANADA WHOLESale OPERATIONS PETRO PASS **	58 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	70.4	<a href="#"><u>80</u></a>
PETRO CANADA WHOLESale OPERATIONS PETRO PASS **	58 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	70.4	<a href="#"><u>80</u></a>

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
PETRO CANADA WHOLESAL OPERATIONS PETRO PASS **	58 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	70.4	<a href="#"><u>80</u></a>
PETRO CANADA WHOLESAL OPERATIONS PETRO PASS **	58 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	70.4	<a href="#"><u>80</u></a>
WETMORE WELDING SUPPLIES LTD	89 SHORNCLIFFE RD ETOBICOKE ON	170.4	<a href="#"><u>130</u></a>
WETMORE WELDING SUPPLIES LTD	89 SHORNCLIFFE RD ETOBICOKE ON	170.4	<a href="#"><u>130</u></a>
CRONKWRIGHT TRANSPORT COMPANY	67 SHORNCLIFFE RD ETOBICOKE ON M8Z 5K3	171.0	<a href="#"><u>132</u></a>
CRONKWRIGHT TRANSPORT COMPANY	67 SHORNCLIFFE RD ETOBICOKE ON	171.0	<a href="#"><u>132</u></a>
CRONKWRIGHT TRANSPORT COMPANY	67 SHORNCLIFFE RD ETOBICOKE ON	171.0	<a href="#"><u>132</u></a>
CRONKWRIGHT TRANSPORT COMPANY	67 SHORNCLIFFE RD ETOBICOKE ON	171.0	<a href="#"><u>132</u></a>
CRONKWRIGHT TRANSPORT COMPANY	67 SHORNCLIFFE RD ETOBICOKE ON	171.0	<a href="#"><u>132</u></a>
CRONKWRIGHT TRANSPORT COMPANY	67 SHORNCLIFFE RD ETOBICOKE ON M8Z 5K3	171.0	<a href="#"><u>132</u></a>
CRONKWRIGHT TRANSPORT COMPANY	67 SHORNCLIFFE RD ETOBICOKE ON M8Z 5K3	171.0	<a href="#"><u>132</u></a>
WEST END TRUCK CENTRE LTD	39 SHORNCLIFFE RD TORONTO ON M8Z 5K2	182.1	<a href="#"><u>143</u></a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
WEST-END TRUCK CENTRE LTD	39 SHORNCLIFFE RD TORONTO ON	182.1	<a href="#">143</a>
WEST-END TRUCK CENTRE LTD	39 SHORNCLIFFE RD TORONTO ON	182.1	<a href="#">143</a>
WEST END TRUCK CENTRE LTD	39 SHORNCLIFFE RD TORONTO ON M8Z 5K2	182.1	<a href="#">143</a>
WEST-END TRUCK CENTRE LTD	39 SHORNCLIFFE RD TORONTO ON M8Z 5K2	182.1	<a href="#">143</a>
WEST-END TRUCK CENTRE LTD	39 SHORNCLIFFE RD TORONTO ON M8Z 5K2	182.1	<a href="#">143</a>
WEST-END TRUCK CENTRE LTD	39 SHORNCLIFFE RD TORONTO ON	182.1	<a href="#">143</a>
WEST END TRUCK CENTRE LTD	39 SHORNCLIFFE RD TORONTO ON	182.1	<a href="#">143</a>
WEST-END TRUCK CENTRE LTD	39 SHORNCLIFFE RD TORONTO ON M8Z 5K2	182.1	<a href="#">143</a>
WEST END TRUCK CENTRE LTD	39 SHORNCLIFFE RD TORONTO ON M8Z 5K2	182.1	<a href="#">143</a>
WEST-END TRUCK CENTRE LTD	39 SHORNCLIFFE RD TORONTO ON M8Z 5K2	182.1	<a href="#">143</a>
WEST-END TRUCK CENTRE LTD	39 SHORNCLIFFE RD TORONTO ON M8Z 5K2	182.1	<a href="#">143</a>

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
WEST-END TRUCK CENTRE LTD	39 SHORNCLIFFE RD TORONTO ON M8Z 5K2	182.1	<a href="#">143</a>
WEST END TRUCK CENTRE LTD	39 SHORNCLIFFE RD TORONTO ON M8Z 5K2	182.1	<a href="#">143</a>
WEST END TRUCK CENTRE LTD	39 SHORNCLIFFE RD TORONTO ON M8Z 5K2	182.1	<a href="#">143</a>
WEST END TRUCK CENTRE LTD	39 SHORNCLIFFE RD TORONTO ON M8Z 5K2	182.1	<a href="#">143</a>
WEST-END TRUCK CENTRE LTD	39 SHORNCLIFFE RD TORONTO ON M8Z 5K2	182.1	<a href="#">143</a>
LIQUIDUS LTD	37 SHORNCLIFFE RD TORONTO ON	187.2	<a href="#">148</a>
BRUELL CONTRACTING LTD	37 SHORNCLIFFE RD TORONTO ON	187.2	<a href="#">148</a>
BRUELL CONTRACTING LTD	37 SHORNCLIFFE RD TORONTO ON M8Z 5K2	187.2	<a href="#">148</a>
BRUELL CONTRACTING LTD	37 SHORNCLIFFE RD TORONTO ON M8Z 5K2	187.2	<a href="#">148</a>
BRUELL CONTRACTING LTD	37 SHORNCLIFFE RD TORONTO ON M8Z 5K2	187.2	<a href="#">148</a>
SUPERPOWER COIN WASH	40 SHORNCLIFFE RD ETOBICOKE ON	249.1	<a href="#">201</a>
SUNCOR ENERGY PRODUCTS INC	77 NORTH QUEEN ST ETOBICOKE ON M8Z 2C7	256.2	<a href="#">203</a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
RANGE TRUCK RENTAL MISSISSAUGA U DRIVE INC ATTN D VIENNEAU	77 NORTH QUEEN ST ETOBICOKE ON M8Z 2C7	256.2	<a href="#">203</a>
SUNCOR ENERGY PRODUCTS INC	77 NORTH QUEEN ST ETOBICOKE ON	256.2	<a href="#">203</a>
RANGE TRUCK RENTAL MISSISSAUGA U DRIVE INC ATTN D VIENNEAU	77 NORTH QUEEN ST ETOBICOKE ON	256.2	<a href="#">203</a>
RANGE TRUCK RENTAL MISSISSAUGA U DRIVE INC ATTN D VIENNEAU	77 NORTH QUEEN ST ETOBICOKE ON M8Z 2C7	256.2	<a href="#">203</a>
SUNCOR ENERGY PRODUCTS INC	77 NORTH QUEEN ST ETOBICOKE ON M8Z 2C7	256.2	<a href="#">203</a>
PENSKE TRUCK LEASING CANADA INC	77 NORTH QUEEN ST ETOBICOKE ON M8Z 2C7	256.2	<a href="#">203</a>
RANGE TRUCK RENTAL MISSISSAUGA U DRIVE INC ATTN D VIENNEAU	77 NORTH QUEEN ST ETOBICOKE ON	256.2	<a href="#">203</a>
SUNCOR ENERGY PRODUCTS INC	77 NORTH QUEEN ST ETOBICOKE ON M8Z 2C7	256.2	<a href="#">203</a>
SUNCOR ENERGY PRODUCTS INC	77 NORTH QUEEN ST ETOBICOKE ON M8Z 2C7	256.2	<a href="#">203</a>
PENSKE TRUCK LEASING CANADA INC	77 NORTH QUEEN ST ETOBICOKE ON M8Z 2C7	256.2	<a href="#">203</a>
RANGE TRUCK RENTAL MISSISSAUGA U DRIVE INC ATTN D VIENNEAU	77 NORTH QUEEN ST ETOBICOKE ON	256.2	<a href="#">203</a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
RANGE TRUCK RENTAL MISSISSAUGA U DRIVE INC ATTN D VIENNEAU	77 NORTH QUEEN ST ETOBICOKE ON	256.2	<a href="#">203</a>
RANGE TRUCK RENTAL MISSISSAUGA U DRIVE INC ATTN D VIENNEAU	77 NORTH QUEEN ST ETOBICOKE ON M8Z 2C7	256.2	<a href="#">203</a>
PENSKE TRUCK LEASING CANADA INC	77 NORTH QUEEN ST ETOBICOKE ON M8Z 2C7	256.2	<a href="#">203</a>
PENSKE TRUCK LEASING CANADA INC	77 NORTH QUEEN ST ETOBICOKE ON M8Z 2C7	256.2	<a href="#">203</a>
ULTRAMAR CANADA INC	80 SHORNCLIFFE RD ETOBICOKE ON	265.2	<a href="#">208</a>

### **FST - Fuel Storage Tank**

A search of the FST database, dated Feb 28, 2017 has found that there are 17 FST site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
CP RAIL	36 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	0.0	<a href="#">38</a>
CP RAIL	36 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	0.0	<a href="#">38</a>
CP RAIL	36 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	0.0	<a href="#">38</a>
GENERAL CARTAGE & EXPRESS CO LTD	48 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	62.3	<a href="#">75</a>



<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
GENERAL CARTAGE & EXPRESS CO LTD	48 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	62.3	<a href="#"><u>75</u></a>
SUNCOR ENERGY PRODUCTS PARTNERSHIP	58 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	70.4	<a href="#"><u>80</u></a>
SUNCOR ENERGY PRODUCTS PARTNERSHIP	58 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	70.4	<a href="#"><u>80</u></a>
SUNCOR ENERGY PRODUCTS PARTNERSHIP	58 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	70.4	<a href="#"><u>80</u></a>
SIENA FOODS LTD	16 NEWBRIDGE RD TORONTO ON M8Z 2L7	73.2	<a href="#"><u>81</u></a>
SIENA FOODS LTD	16 NEWBRIDGE RD TORONTO ON M8Z 2L7	73.2	<a href="#"><u>81</u></a>
BELL CANADA	55 NORTH QUEEN ST ETOBICOKE ON M8Z 2C7	94.7	<a href="#"><u>89</u></a>
PENSKE TRUCK LEASING CANADA INC	77 NORTH QUEEN ST ETOBICOKE ON M8Z 2C7	256.2	<a href="#"><u>203</u></a>
SUNOCO PETROLEUM	80 SHORNCLIFFE RD ETOBICOKE ON M8Z 5K5	265.2	<a href="#"><u>208</u></a>
ONTARIO HYDRO C/O R HUGHES KR258	800 KIPLING AVE UNIT 1 KP200 TORONTO ON M8Z 5G5	287.6	<a href="#"><u>227</u></a>
ONTARIO HYDRO C/O R HUGHES KR258	800 KIPLING AVE UNIT 1 KP200 TORONTO ON M8Z 5G5	287.6	<a href="#"><u>227</u></a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
ONTARIO HYDRO C/O R HUGHES KR258	800 KIPLING AVE UNIT 1 KP200 TORONTO ON M8Z 5G5	287.6	<a href="#">227</a>
ONTARIO HYDRO C/O R HUGHES KR258	800 KIPLING AVE UNIT 1 KP200 TORONTO ON M8Z 5G5	287.6	<a href="#">227</a>

### **FSTH - Fuel Storage Tank - Historic**

A search of the FSTH database, dated Pre-Jan 2010\* has found that there are 17 FSTH site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
CP RAIL	36 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	0.0	<a href="#">38</a>
CP RAIL	36 NORTH QUEEN ST OBICO INTERMO ETOBICOKE ON M8Z 2C4	0.0	<a href="#">38</a>
GENERAL CARTAGE & EXPRESS CO LTD	48 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	62.3	<a href="#">75</a>
GENERAL CARTAGE & EXPRESS CO LTD	48 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	62.3	<a href="#">75</a>
PETRO CANADA WHOLESALE MARKETING ATT: LYDIA CHIPPER- PETROPASS **	58 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	70.4	<a href="#">80</a>
PETRO CANADA WHOLESALE OPERATIONS PETRO PASS **	58 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	70.4	<a href="#">80</a>
SIENA FOODS LTD	16 NEWBRIDGE RD TORONTO ON M8Z 2L7	73.2	<a href="#">81</a>
SIENA FOODS LTD	16 NEWBRIDGE RD TORONTO ON M8Z 2L7	73.2	<a href="#">81</a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
BELL CANADA ATT: AKI OMAE MANAGER OF REALTY SERVICES	55 NORTH QUEEN ST ETOBICOKE ON M8Z 2C7	94.7	<a href="#"><u>89</u></a>
BELL CANADA ATT: AKI OMAE MANAGER OF REALTY SERVICES	55 NORTH QUEEN ST ETOBICOKE ON M8Z 2C7	94.7	<a href="#"><u>89</u></a>
WEST END TRUCK CENTRE LTD	39 SHORNCLIFFE RD TORONTO ON M8Z 5K2	182.1	<a href="#"><u>143</u></a>
PENSKE TRUCK LEASING CANADA INC	77 NORTH QUEEN ST ETOBICOKE ON M8Z 2C7	256.2	<a href="#"><u>203</u></a>
PENSKE TRUCK LEASING CANADA INC	77 NORTH QUEEN ST ETOBICOKE ON M8Z 2C7	256.2	<a href="#"><u>203</u></a>
SUNOCO PETROLEUM	80 SHORNCLIFFE RD ETOBICOKE ON M8Z 5K5	265.2	<a href="#"><u>208</u></a>
SUNOCO PETROLEUM	80 SHORNCLIFFE RD ETOBICOKE ON M8Z 5K5	265.2	<a href="#"><u>208</u></a>
ONTARIO HYDRO C/O R HUGHES KR258	800 KIPLING AV TORONTO ON	287.6	<a href="#"><u>227</u></a>
ONTARIO HYDRO C/O R HUGHES KR258	800 KIPLING AV TORONTO ON	287.6	<a href="#"><u>227</u></a>

### **GEN - Ontario Regulation 347 Waste Generators Summary**

A search of the GEN database, dated 1986-December 31, 2017 has found that there are 464 GEN site(s) within approximately 0.30 kilometers of the project property.

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
Canadian Pacific Railway Company	30 Newbridge Rd. Toronto ON M8Z 2L7	0.0	<a href="#">11</a>
INTERLINK FREIGHT SYSTEMS	30 NEWBRIDGE ROAD EAST ETOBICOKE ON M8Z 2L7	0.0	<a href="#">11</a>
Canadian Pacific Railway	30 New Bridge Etobicoke ON	0.0	<a href="#">11</a>
CANADIAN PACIFIC RAILWAY	30 New Bridge Etobicoke ON	0.0	<a href="#">11</a>
CANADIAN PACIFIC RAILWAYS	CANADIAN PACIFIC EXPRESS & TRANSPORT 30 NEWBRIDGE ROAD (GARAGE) ETOBICOKE ON M8Z 2L7	0.0	<a href="#">11</a>
CANADIAN PACIFIC RAILWAY COMPANY	30 NEWBRIDGE ROAD ETOBICOKE ON M8Z 2L7	0.0	<a href="#">11</a>
Canadian Pacific Railway	30 New Bridge Etobicoke ON	0.0	<a href="#">11</a>
Canadian Pacific Railway	30 New Bridge Etobicoke ON M8Z 2L7	0.0	<a href="#">11</a>
CP EXPRESS A(SEE & USE ON1890800) 08-097	30 NEWBRIDGE ROAD ETOBICOKE ON M8Z 2L7	0.0	<a href="#">11</a>
Canadian Pacific Railway	30 New Bridge Etobicoke ON M8Z 2L7	0.0	<a href="#">11</a>
Canadian Pacific Railway	30 New Bridge Etobicoke ON M8Z 2L7	0.0	<a href="#">11</a>
Canadian Pacific Railway	30 New Bridge Etobicoke ON M8Z 2L7	0.0	<a href="#">11</a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
VNV Logistics Express Ltd	30 Newbridge Rd ETOBICOKE ON M8Z2L7	0.0	<a href="#"><u>11</u></a>
3028241 CANADA LIMITED	30 NEWBRIDGE ROAD ETOBICOKE ON M8Z 2L7	0.0	<a href="#"><u>11</u></a>
INTERLINK FREIGHT (SEE & USE ON0048103)	30 NEWBRIDGE ROAD EAST ETOBICOKE ON M8Z 2L7	0.0	<a href="#"><u>11</u></a>
CANADIAN PACIFIC RAILWAY	30 New Bridge Etobicoke ON M8Z 2L7	0.0	<a href="#"><u>11</u></a>
GVT. OF CAN. - NATIONAL DEFENSE	CANADIAN FORCES SUPPLY DEPOT 30 NEWBRIDGE ROAD ETOBICOKE ON M8Z 2L7	0.0	<a href="#"><u>11</u></a>
Canadian Pacific Railway	30 New Bridge Etobicoke ON	0.0	<a href="#"><u>11</u></a>
CANADIAN PACIFIC RAILWAY COMPANY	36 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	0.0	<a href="#"><u>38</u></a>
CANADIAN PACIFIC RAILWAY COMPANY	36 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	0.0	<a href="#"><u>38</u></a>
CP RAIL INTERMODAL SERVICES	36 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	0.0	<a href="#"><u>38</u></a>
CANADIAN PACIFIC RAILWAY COMPANY	36 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	0.0	<a href="#"><u>38</u></a>
CANADIAN PACIFIC RAILWAYS 08-248	(INTERMODAL SERVICE) 36 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	0.0	<a href="#"><u>38</u></a>

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
CANADIAN PACIFIC RAILWAY COMPANY	36 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	0.0	<a href="#">38</a>
CANADIAN PACIFIC RAILWAY COMPANY	36 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	0.0	<a href="#">38</a>
CANADIAN PACIFIC RAILWAY COMPANY	36 NORTH QUEEN STREET ETOBICOKE ON	0.0	<a href="#">38</a>
Transport TFI 12 L.P.	36 North Queen St Etobicoke ON M8Z2C4	0.0	<a href="#">38</a>
CANADIAN PACIFIC RAILWAY	36 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	0.0	<a href="#">38</a>
CANADIAN PACIFIC RAILWAY COMPANY	36 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	0.0	<a href="#">38</a>
CANADIAN PACIFIC RAILWAYS	(INTERMODAL SERVICE) 36 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	0.0	<a href="#">38</a>
CANADIAN PACIFIC RAILWAY COMPANY	36 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	0.0	<a href="#">38</a>
CANADIAN PACIFIC RAILWAY COMPANY	36 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	0.0	<a href="#">38</a>
E.Valente Holdings Ltd	46 North Queen St. Bldg. 2 Toronto ON	10.7	<a href="#">53</a>
J.F. LARSEN LTD.	22-552 46 NORTH QUEEN ST. ETOBICOKE ON M8Z 2C4	10.7	<a href="#">53</a>
J.F. LARSEN LIMITED	46 NORTH QUEEN STREET ETOBICOKE ON M8E 2C4	10.7	<a href="#">53</a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
North Star Landscaping Inc.	24 Newbridge Road Etobicoke ON M8Z 2L7	16.2	<a href="#"><u>56</u></a>
North Star Landscaping Inc.	24 Newbridge Road Etobicoke ON M8Z 2L7	16.2	<a href="#"><u>56</u></a>
North Star Landscaping Inc.	24 Newbridge Road Etobicoke ON M8Z 2L7	16.2	<a href="#"><u>56</u></a>
North Star Landscaping Inc.	24 Newbridge Road Etobicoke ON M8Z 2L7	16.2	<a href="#"><u>56</u></a>
North Star Landscaping Inc.	24 Newbridge Road Etobicoke ON M8Z 2L7	16.2	<a href="#"><u>56</u></a>
North Star Landscaping Inc.	24 Newbridge Road Etobicoke ON M8Z 2L7	16.2	<a href="#"><u>56</u></a>
North Star Landscaping Inc.	24 Newbridge Road Etobicoke ON M8Z 2L7	16.2	<a href="#"><u>56</u></a>
North Star Landscaping Inc.	24 Newbridge Road Etobicoke ON M8Z 2L7	16.2	<a href="#"><u>56</u></a>
North Star Landscaping Inc.	24 Newbridge Road Etobicoke ON M8Z 2L7	16.2	<a href="#"><u>56</u></a>
North Star Landscaping Inc.	24 Newbridge Road Etobicoke ON	16.2	<a href="#"><u>56</u></a>
MIMICO CONSTRUCTION CO.LTD. 27-606	CADCAN BATTERY CORP. 24 NEWBRIDGE ROAD ETOBICOKE ON M8Z 2L7	16.2	<a href="#"><u>56</u></a>

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
HYDRO ONE NETWORKS INC.	INVESTMENT RECOVERY 30 LOCKPORT AVENUE ETOBICOKE ON M8Z 2R7	17.9	<a href="#"><u>57</u></a>
HYDRO ONE NETWORKS INC.	Investment Recovery 30 LOCKPORT AVENUE ETOBICOKE ON	17.9	<a href="#"><u>57</u></a>
HYDRO ONE NETWORKS INC.	Investment Recovery 30 LOCKPORT AVENUE ETOBICOKE ON M8Z 2R7	17.9	<a href="#"><u>57</u></a>
HYDRO ONE NETWORKS INC.	Investment Recovery 30 LOCKPORT AVENUE ETOBICOKE ON M8Z 2R7	17.9	<a href="#"><u>57</u></a>
HYDRO ONE NETWORKS INC.	Investment Recovery 30 LOCKPORT AVENUE ETOBICOKE ON M8Z 2R7	17.9	<a href="#"><u>57</u></a>
HYDRO ONE NETWORKS INC.	Investment Recovery 30 LOCKPORT AVENUE ETOBICOKE ON M8Z 2R7	17.9	<a href="#"><u>57</u></a>
HYDRO ONE NETWORKS INC.	Investment Recovery 30 LOCKPORT AVENUE ETOBICOKE ON M8Z 2R7	17.9	<a href="#"><u>57</u></a>
HYDRO ONE NETWORKS INC.	Investment Recovery 30 LOCKPORT AVENUE ETOBICOKE ON M8Z 2R7	17.9	<a href="#"><u>57</u></a>
HYDRO ONE NETWORKS INC.	Investment Recovery 30 LOCKPORT AVENUE ETOBICOKE ON M8Z 2R7	17.9	<a href="#"><u>57</u></a>
HYDRO ONE NETWORKS INC.	Investment Recovery 30 LOCKPORT AVENUE ETOBICOKE ON M8Z 2R7	17.9	<a href="#"><u>57</u></a>
HYDRO ONE NETWORKS INC.	Investment Recovery 30 LOCKPORT AVENUE ETOBICOKE ON M8Z 2R7	17.9	<a href="#"><u>57</u></a>
INLAND TRACKED EQUIPMENT	25 LOCKPORT AVE. TORONTO ON M8Z 2R6	21.8	<a href="#"><u>58</u></a>
ALTON TRUCK IDUSTRIES	25 LOCKPORT ROAD 55 SHORNCLIFFE ROAD (SITE) TORONTO ON M8Z 2R6	21.8	<a href="#"><u>58</u></a>



<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
INLAND TRACKED EQUIPMENT	25 LOCKPORT AVENUE TORONTO ON M8Z 5K7	21.8	<a href="#"><u>58</u></a>
INLAND TRACKED EQUIPMENT 21-264	25 LOCKPORT AVE. TORONTO ON M8Z 2R6	21.8	<a href="#"><u>58</u></a>
INLAND TRACKED EQUIPMENT	25 LOCKPORT AVE. TORONTO ON M8Z 2R6	21.8	<a href="#"><u>58</u></a>
Cargill Kitchen Solutions, div. of Cargill Limited	25 Newbridge Rd., Etobicoke ON M8Z 2L6	21.9	<a href="#"><u>59</u></a>
Cargill Kitchen Solutions, div. of Cargill Limited	25 Newbridge Rd., Etobicoke ON M8Z 2L6	21.9	<a href="#"><u>59</u></a>
Cargill Egg Products, division of Cargill Limited	25 Newbridge Rd., Etobicoke ON M8Z 2L6	21.9	<a href="#"><u>59</u></a>
Cargill Kitchen Solutions, div. of Cargill Limited	25 Newbridge Rd., Etobicoke ON M8Z 2L6	21.9	<a href="#"><u>59</u></a>
Global Egg Corporation	25 Newbridge Rd. Etobicoke ON M8Z 2L6	21.9	<a href="#"><u>59</u></a>
DOR-SEAL LIMITED (OUT OF BUS)	25 NEWBRIDGE ROAD TORONTO ON M8Z 2L6	21.9	<a href="#"><u>59</u></a>
DOR-SEAL LIMITED (OUT OF BUS) 13-114	25 NEWBRIDGE ROAD TORONTO ON M8Z 2L6	21.9	<a href="#"><u>59</u></a>
Cargill Kitchen Solutions, div. of Cargill Limited	25 Newbridge Rd., Etobicoke ON M8Z 2L6	21.9	<a href="#"><u>59</u></a>

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
Global Egg Corporation Newbridge	25 Newbridge Rd. Etobicoke ON M8Z 2L6	21.9	<a href="#">59</a>
Cargill Kitchen Solutions, div. of Cargill Limited	25 Newbridge Rd., Etobicoke ON M8Z 2L6	21.9	<a href="#">59</a>
Cargill Kitchen Solutions, div. of Cargill Limited	25 Newbridge Rd., Etobicoke ON M8Z 2L6	21.9	<a href="#">59</a>
Cargill Kitchen Solutions, div. of Cargill Limited	25 Newbridge Rd., Etobicoke ON M8Z 2L6	21.9	<a href="#">59</a>
Cargill Kitchen Solutions, div. of Cargill Limited	25 Newbridge Rd., Etobicoke ON	21.9	<a href="#">59</a>
RED STAR EXPRESS (OUT OF BUSINESS)33-271	49 N. QUEEN ETOBICOKE ON M8Z 1P9	25.4	<a href="#">60</a>
RED STAR EXPRESS LINES (OUT OF BUSINESS)	49 NORTH QUEEN ETOBICOKE ON M8Z 1P9	25.4	<a href="#">60</a>
RED STAR EXPRESS	49 N. QUEEN ETOBICOKE ON M8Z 1P9	25.4	<a href="#">60</a>
RED STAR EXPRESS (OUT OF BUSINESS)	49 N. QUEEN ETOBICOKE ON M8Z 1P9	25.4	<a href="#">60</a>
BLUE STAR TRAILER RENTALS INC.	53 NORTH QUEEN ST. TORONTO ON M8Z 2C7	31.9	<a href="#">61</a>
JOFRADO MANAGEMENT LTD.	50 NORTH QUEEN ST TORONTO ON M8Z 2C4	41.8	<a href="#">68</a>
GENERAL CARTAGE & EXPRESS CO. LTD.17-114	48 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	62.3	<a href="#">75</a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
GENERAL CARTAGE & EXPRESS CO. LTD.	48 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	62.3	<a href="#"><u>75</u></a>
GENERAL CARTAGE & EXPRESS CO. LTD.	48 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	62.3	<a href="#"><u>75</u></a>
GENERAL CARTAGE & EXPRESS CO. LTD.17-114	48 NORTH QUEEN ST. TORONTO ON M8Z 2C4	62.3	<a href="#"><u>75</u></a>
GENERAL CARTAGE & EXPRESS CO. LTD.	48 NORTH QUEEN ST. TORONTO ON M8Z 2C4	62.3	<a href="#"><u>75</u></a>
GENERAL CARTAGE & EXPRESS CO. LTD.	48 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	62.3	<a href="#"><u>75</u></a>
GENERAL CARTAGE & EXPRESS CO. LTD.	48 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	62.3	<a href="#"><u>75</u></a>
GENERAL CARTAGE & EXPRESS CO. LTD.	48 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	62.3	<a href="#"><u>75</u></a>
GENERAL CARTAGE & EXPRESS CO. LTD. n/a	48 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	62.3	<a href="#"><u>75</u></a>
GENERAL CARTAGE & EXPRESS CO. LTD.	48 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	62.3	<a href="#"><u>75</u></a>
CANADIAN DIS(OUT OF BUSINESS)D. 07-489	48 NORTH QUEEN STREET TORONTO ON M8Z 2C4	62.3	<a href="#"><u>75</u></a>
GENERAL CARTAGE & EXPRESS CO. LTD.	48 NORTH QUEEN STREET ETOBICOKE ON	62.3	<a href="#"><u>75</u></a>

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
GENERAL CARTAGE & EXPRESS CO. LTD.	48 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	62.3	<a href="#"><u>75</u></a>
GENERAL CARTAGE & EXPRESS CO. LTD.	48 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	62.3	<a href="#"><u>75</u></a>
BTL TRANSPORT & LEASING LTD. 04-294	18 LOCPORT AVENUE C/O 51 MANSTOR ROAD ETOBICOKE ON M9C 1B1	62.9	<a href="#"><u>76</u></a>
BTL TRANSPORT & LEASING LTD.	18 LOCPORT AVENUE C/O 51 MANSTOR ROAD ETOBICOKE ON M9C 1B1	62.9	<a href="#"><u>76</u></a>
Suncor Energy	58 NORTH QUEEN ETOBICOKE ON	70.4	<a href="#"><u>80</u></a>
Suncor Energy	58 NORTH QUEEN ETOBICOKE ON M8Z2C4	70.4	<a href="#"><u>80</u></a>
Suncor Energy	58 NORTH QUEEN ETOBICOKE ON M8Z2C4	70.4	<a href="#"><u>80</u></a>
Suncor Energy	58 NORTH QUEEN ETOBICOKE ON M8Z2C4	70.4	<a href="#"><u>80</u></a>
Suncor Energy	58 NORTH QUEEN ETOBICOKE ON M8Z2C4	70.4	<a href="#"><u>80</u></a>
Suncor Energy	58 NORTH QUEEN ETOBICOKE ON M8Z2C4	70.4	<a href="#"><u>80</u></a>
Suncor Energy	58 NORTH QUEEN ETOBICOKE ON M8Z2C4	70.4	<a href="#"><u>80</u></a>
Suncor Energy	58 NORTH QUEEN ETOBICOKE ON M8Z2C4	70.4	<a href="#"><u>80</u></a>
Siena Foods Ltd.	16 Newbridge Road Toronto ON M8Z 2L7	73.2	<a href="#"><u>81</u></a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
GLOBAL EGG CORPORATION	#17 Newbridge Road Etobicoke ON M8Z 2L6	88.7	<a href="#"><u>86</u></a>
GLOBAL EGG CORPORATION LTD.	17 NEWBRIDGE ROAD ETOBICOKE ON M8Z 2L6	88.7	<a href="#"><u>86</u></a>
BELL CANADA	55 North Queen St Etobicoke ON	94.7	<a href="#"><u>89</u></a>
BELL CANADA	55 North Queen St Etobicoke ON M8Z 2C7	94.7	<a href="#"><u>89</u></a>
PETRO-CANADA PRODUCTS 31-092	NORTH QUEEN CARDLOCK PLANT - GULF ROBSON ENTERPRISES, 55 NORTH QUEEN ST. ETOBICOKE ON M8Z 2C7	94.7	<a href="#"><u>89</u></a>
BELL CANADA	55 North Queen St Etobicoke ON M8Z 2C7	94.7	<a href="#"><u>89</u></a>
PETRO-CANADA PRODUCTS	NORTH QUEEN CARDLOCK PLANT - GULF ROBSON ENTERPRISES, 55 NORTH QUEEN ST. ETOBICOKE ON M8Z 2C7	94.7	<a href="#"><u>89</u></a>
BELL CANADA	55 North Queen St Etobicoke ON M8Z 2C7	94.7	<a href="#"><u>89</u></a>
BELL CANADA	55 North Queen St Etobicoke ON M8Z 2C7	94.7	<a href="#"><u>89</u></a>
BELL CANADA	55 North Queen St Etobicoke ON M8Z 2C7	94.7	<a href="#"><u>89</u></a>
BELL CANADA	55 North Queen St Etobicoke ON M8Z 2C7	94.7	<a href="#"><u>89</u></a>

<b><u>Site</u></b>		<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
BELL CANADA		55 North Queen St Etobicoke ON M8Z 2C7	94.7	<a href="#"><u>89</u></a>
BELL CANADA	05-083	55 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C7	94.7	<a href="#"><u>89</u></a>
BELL CANADA		55 North Queen St Etobicoke ON M8Z 2C7	94.7	<a href="#"><u>89</u></a>
BELL CANADA		55 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C7	94.7	<a href="#"><u>89</u></a>
BELL CANADA		55 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C7	94.7	<a href="#"><u>89</u></a>
TAYLOR MANUFACTURING INDUSTRY INC.		55 VANSO ROAD TORONTO ON M8Z 5Z8	101.2	<a href="#"><u>95</u></a>
TAYLOR MANUFACTURING IND. INC.		55 VANSO ROAD TORONTO ON M8Z 5Z8	101.2	<a href="#"><u>95</u></a>
VILLAGE CONTRACTORS		12 NEWBRIDGE ROAD ETOBICOKE ON M8Z 2L7	108.4	<a href="#"><u>98</u></a>
VILLAGE CONTRACTORS 085	40-	12 NEWBRIDGE RD. ETOBICOKE ON M8Z 2L7	108.4	<a href="#"><u>98</u></a>
VILLAGE MASONRY WORKS INC.		12 NEWBRIDGE ROAD ETOBICOKE ON	108.4	<a href="#"><u>98</u></a>
VILLAGE CONTRACTORS		12 NEWBRIDGE RD. ETOBICOKE ON M8Z 2L7	108.4	<a href="#"><u>98</u></a>

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
VILLAGE CONTRACTORS	12 NEWBRIDGE ROAD ETOBICOKE ON	108.4	<a href="#"><u>98</u></a>
VILLAGE MASONRY WORKS INC.	12 NEWBRIDGE ROAD ETOBICOKE ON	108.4	<a href="#"><u>98</u></a>
BLUE STAR TRAILER RENTALS INC.	65 NORTH QUEEN ST. TORONTO ON M8Z 2C7	109.1	<a href="#"><u>99</u></a>
BLUE STAR TRAILER RENTALS INC.	65 NORTH QUEEN ST. TORONTO ON M8Z 2C7	109.1	<a href="#"><u>99</u></a>
West Van	65 North Queen Street Etobicoke ON	109.1	<a href="#"><u>99</u></a>
TRANSPORT INTERNATIONAL POOL (T.I.P.)	65 NORTH QUEEN STREET TORONTO ON M8Z 2C7	109.1	<a href="#"><u>99</u></a>
TRANSPORT INTERNATIONAL POOL	65 NORTH QUEEN STREET TORONTO ON M8Z 2C7	109.1	<a href="#"><u>99</u></a>
1076284 ONTARIO INC.	60 NORTH QUEEN STREET TORONTO ON M8Z 2C4	124.6	<a href="#"><u>106</u></a>
North Queen Truck & Equipment Repair	60 North Queen St, Unit 1 Etobicoke ON M8Z2C4	124.6	<a href="#"><u>106</u></a>
1076284 ONTARIO INC.	60 NORTH QUEEN STREET TORONTO ON M8Z 2C4	124.6	<a href="#"><u>106</u></a>
North Queen Truck & Equipment Repair	60 North Queen St, Unit 1 Etobicoke ON M8Z2C4	124.6	<a href="#"><u>106</u></a>
PENETANG-MIDLAND (OUT OF BUSINESS)	60 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	124.6	<a href="#"><u>106</u></a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
1076284 ONTARIO INC.	60 NORTH QUEEN STREET TORONTO ON M8Z 2C4	124.6	<a href="#">106</a>
1076284 ONTARIO INC.	60 NORTH QUEEN STREET TORONTO ON M8Z 2C4	124.6	<a href="#">106</a>
VERSATILE CONTRAIL LIMITED	60 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	124.6	<a href="#">106</a>
1076284 ONTARIO INC.	60 NORTH QUEEN STREET TORONTO ON M8Z 2C4	124.6	<a href="#">106</a>
UNIVERSAL TRUCK AND EQUIPMENT SERVICE	1007472 ONTARIO LIMITED 60 NORTHQUEEN STREET ETOBICOKE ON M8Z 2C4	124.6	<a href="#">106</a>
PENETANG MIDLAND COACH LINES 30-715	60 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	124.6	<a href="#">106</a>
PENETANG (OUT OF BUS) 715	30- 60 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	124.6	<a href="#">106</a>
1076284 ONTARIO INC.	60 NORTH QUEEN STREET TORONTO ON M8Z 2C4	124.6	<a href="#">106</a>
1076284 ONTARIO INC.	60 NORTH QUEEN STREET TORONTO ON M8Z 2C4	124.6	<a href="#">106</a>
HUB EQUIPMENT	60 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	124.6	<a href="#">106</a>
2164777 Ontario Inc	60 North Queen Street Etobicoke ON M8Z 2C4	124.6	<a href="#">106</a>



<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
VERSATILE CONTRAIL LIMITED 40-079	60 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	124.6	<a href="#">106</a>
1076284 ONTARIO INC.	60 NORTH QUEEN STREET TORONTO ON	124.6	<a href="#">106</a>
1076284 ONTARIO INC.	60 NORTH QUEEN STREET TORONTO ON M8Z 2C4	124.6	<a href="#">106</a>
HUB EQUIPMENT LIMITED	60 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	124.6	<a href="#">106</a>
North Queen Truck & Equipment Repair	60 North Queen St, Unit 1 Etobicoke ON M8Z2C4	124.6	<a href="#">106</a>
1076284 ONTARIO INC.	60 NORTH QUEEN STREET TORONTO ON M8Z 2C4	124.6	<a href="#">106</a>
ADA PRECISION MACHINE & TOOL CO. 02-691	30 VANSCO ROAD TORONTO ON M8Z 5J4	130.9	<a href="#">108</a>
ADA PRECISION MACHINE & TOOL COMPANY	30 VANSCO ROAD TORONTO ON M8Z 5J4	130.9	<a href="#">108</a>
VANGUARD FLOORS LIMITED 40-091	15 NEWBRIDGE RD. TORONTO ON M8Z 2L6	133.7	<a href="#">110</a>
VANGUARD FLOORS LIMITED	15 NEWBRIDGE RD. TORONTO ON M8Z 2L6	133.7	<a href="#">110</a>
HERTZ CANADA LIMITED	69 NORTH QUEEN STREET C/O 5403 EGLINTON AVE. WEST, SUITE 100 ETOBICOKE ON M8Z 2C7	146.4	<a href="#">117</a>
HERTZ CANADA LIMITED	69 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C7	146.4	<a href="#">117</a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
HERTZ CANADA LIMITED 373	20- 69 NORTH QUEEN STREET C/O 5403 EGLINTON AVE. WEST, SUITE 100 ETOBICOKE ON M8Z 2C7	146.4	<a href="#">117</a>
METRO (OUT OF BUSINESS)	115 SHORNCLIFF ROAD TORONTO ON M8Z 5K7	164.9	<a href="#">124</a>
METRO INDUSTRIAL LINEN SERVICE	115 SHORNCLIFF ROAD TORONTO ON M8Z 5K7	164.9	<a href="#">124</a>
METRO (OUT OF BUSINESS)	115 SHORNCLIFF ROAD TORONTO ON M8Z 5K7	164.9	<a href="#">124</a>
METRO (OUT OF BUSINESS) 26-013	115 SHORNCLIFF ROAD TORONTO ON M8Z 5K7	164.9	<a href="#">124</a>
ACTIVE MECHANICAL SERVICES	89 SHORNCLIFFE ROAD TORONTO ON M8Z 5K3	170.4	<a href="#">130</a>
ACTIVE MECHANICAL SERVICES	89 SHORNCLIFFE ROAD TORONTO ON M8Z 5K3	170.4	<a href="#">130</a>
INLAND TRACKED EQUIPMENT	109 SHORNCLIFFE ROAD TORONTO ON M8Z 5K7	170.6	<a href="#">131</a>
ARIZON DISPOSAL SERVICES LTD.	67 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K3	171.0	<a href="#">132</a>
ARIZON DISPOSAL SERVICES LTD.	67 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K3	171.0	<a href="#">132</a>
ARIZON DISPOSAL SERVICES LTD.	67 SHORNCLIFFE ROAD ETOBICOKE ON	171.0	<a href="#">132</a>

<b>Site</b>		<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
ARIZON DISPOSAL SERVICES LTD.		67 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K3	171.0	<a href="#">132</a>
ARIZON DISPOSAL SERVICES LTD.		67 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K3	171.0	<a href="#">132</a>
ARIZON DISPOSAL SERVICES LTD.		67 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K3	171.0	<a href="#">132</a>
CANADA TRUST	07-193	SAUNDERS ESTATE, 67 SHORNCLIFFE RD. ETOBICOKE, C/O 20 EGLINTON AVE. W. TORONTO ON M8Z 5K3	171.0	<a href="#">132</a>
ARIZON DISPOSAL SERVICES LTD.		67 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K3	171.0	<a href="#">132</a>
ARIZON DISPOSAL SERVICES LTD.		67 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K3	171.0	<a href="#">132</a>
ARIZON DISPOSAL SERVICES LTD.		67 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K3	171.0	<a href="#">132</a>
ARIZON DISPOSAL SERVICES LTD.		67 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K3	171.0	<a href="#">132</a>
ARIZON DISPOSAL SERVICES LTD.		67 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K3	171.0	<a href="#">132</a>
HANSON & WELLS, INC.		45 VANSO RD. TORONTO ON M8Z 5J7	173.0	<a href="#">136</a>
CANADA FOOD EQUIPMENT LIMITED		45 VANSO ROAD ETOBICOKE ON M8Z 5Z8	173.0	<a href="#">136</a>
THYRISTOR DEVICES LTD. 867	37-	45 VANSO ROAD ETOBICOKE ON M8Z 5Z8	173.0	<a href="#">136</a>
CANADA FOOD EQUIPMENT LIMITED		45 VANSO ROAD ETOBICOKE ON M8Z 5Z8	173.0	<a href="#">136</a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
CANADA FOOD EQUIPMENT LIMITED	45 VANSCO ROAD ETOBICOKE ON M8Z 5Z8	173.0	<a href="#">136</a>
HANSON & WELLS, INC. 006	19- 45 VANSCO RD. TORONTO ON M8Z 5J7	173.0	<a href="#">136</a>
HANSON INC.	45 VANSCO RD. TORONTO ON M8Z 5Z8	173.0	<a href="#">136</a>
CANADIAN HAMSON LTD.	45 VANSCO ROAD TORONTO ON M8Z 5Z8	173.0	<a href="#">136</a>
HANSON (1984) INC	45 VANSCO RD. TORONTO ON M8Z 5Z8	173.0	<a href="#">136</a>
HELMITIN CANADA INC	99 SHORNCLIFFE ROAD TORONTO ON M8Z 5K7	181.3	<a href="#">142</a>
HELMITIN INC.	99 SHORNCLIFFE ROAD TORONTO ON M8Z 5K7	181.3	<a href="#">142</a>
HELMITIN CANADA INC	99 SHORNCLIFFE ROAD TORONTO ON M8Z 5K7	181.3	<a href="#">142</a>
HELMITIN CANADA INC.	99 SHORNCLIFFE ROAD TORONTO ON M8Z 5K7	181.3	<a href="#">142</a>
HELMITIN CANADA INC. 052	20- 99 SHORNCLIFFE ROAD TORONTO ON M8Z 5K7	181.3	<a href="#">142</a>
HELMITIN INC.	99 SHORNCLIFFE ROAD TORONTO ON M8Z 5K7	181.3	<a href="#">142</a>

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
HELMITIN INC.	99 SHORNCLIFFE ROAD TORONTO ON M8Z 5K7	181.3	<a href="#">142</a>
HELMITIN INC.	99 SHORNCLIFFE ROAD TORONTO ON M8Z 5K7	181.3	<a href="#">142</a>
HELMITIN INC.	99 SHORNCLIFFE ROAD TORONTO ON M8Z 5K7	181.3	<a href="#">142</a>
HELMITIN INC.	99 SHORNCLIFFE ROAD TORONTO ON	181.3	<a href="#">142</a>
HELMITIN INC.	99 SHORNCLIFFE ROAD TORONTO ON M8Z 5K7	181.3	<a href="#">142</a>
HELMITIN INC.	99 SHORNCLIFFE ROAD TORONTO ON M8Z 5K7	181.3	<a href="#">142</a>
HELMITIN INC.	99 SHORNCLIFFE ROAD TORONTO ON M8Z 5K7	181.3	<a href="#">142</a>
HELMITIN INC.	99 SHORNCLIFFE ROAD TORONTO ON M8Z 5K7	181.3	<a href="#">142</a>
Imperial Oil Limited	39 Shorncliffe Road Etobicoke ON	182.1	<a href="#">143</a>
IMPERIAL OIL LIMITED	39 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K2	182.1	<a href="#">143</a>
IMPERIAL OIL	39 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K2	182.1	<a href="#">143</a>
West End Truck Center Limited	39 Shorncliffe Road Toronto ON	182.1	<a href="#">143</a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
West End Truck Center Limited	39 Shorncliffe Road Toronto ON	182.1	<a href="#">143</a>
West End Truck Center Limited	39 Shorncliffe Road Toronto ON M8Z 5K2	182.1	<a href="#">143</a>
West End Truck Center Limited	39 Shorncliffe Road Toronto ON	182.1	<a href="#">143</a>
IMPERIAL OIL LIMITED	39 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K2	182.1	<a href="#">143</a>
CLEMENTS RADIATOR & SPRING SERVICE10-104	135 SHORNCLIFFE RD. TORONTO ON M8Z 5K7	183.5	<a href="#">145</a>
ACME FX	135 SHORNCLIFFE ROAD TORONTO ON M8Z 5K7	183.5	<a href="#">145</a>
Crystal Lawn and Garden Equipment Ltd	135 Shorncliffe Rd Etobicoke ON M8Z 5K7	183.5	<a href="#">145</a>
CLEMENTS RADIATOR & SPRING SERVICE	135 SHORNCLIFFE RD. TORONTO ON M8Z 5K7	183.5	<a href="#">145</a>
Crystal Lawn and Garden Equipment Ltd	135 Shorncliffe Rd Etobicoke ON M8Z 5K7	183.5	<a href="#">145</a>
CLEMENTS RADIATOR & SPRING SERVICELTD.	135 SHORNCLIFFE ROAD TORONTO ON M8Z 5K7	183.5	<a href="#">145</a>
BEST WASTE SOLUTIONS INC	51 SHORNCLIFFE ROAD TORONTO ON	183.8	<a href="#">146</a>

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
CATHCART TRUCK LINES (TOR) LTD	51 SHORNCLIFFE RD TORONTO ON M8Z 5K2	183.8	<a href="#">146</a>
1281906 Ontario Inc.	51 Shorncliffe Road, Unit 3 Toronto ON M8Z 5K2	183.8	<a href="#">146</a>
CATHCART TRUCK LINES (TOR) LTD 09-021	51 SHORNCLIFFE RD TORONTO ON M8Z 5K2	183.8	<a href="#">146</a>
1281906 Ontario Inc.	51 Shorncliffe Road, Unit 3 Toronto ON M8Z 5K2	183.8	<a href="#">146</a>
1281906 Ontario Inc.	51 Shorncliffe Road, Unit 3 Toronto ON M8Z 5K2	183.8	<a href="#">146</a>
First Choice Limo Service Ltd.	#51 Shorncliffe Road Unit #2 Toronto ON M8Z 5K2	183.8	<a href="#">146</a>
BEST WASTE SOLUTIONS INC	51 SHORNCLIFFE ROAD TORONTO ON M8Z 5K2	183.8	<a href="#">146</a>
CATHCART TRUCK LINES (TORONTO) LIMITED	51 SHORNCLIFFE ROAD TORONTO ON M8Z 5K2	183.8	<a href="#">146</a>
Metro Ready Mix & Building Products Ltd.	51 Shorncliffe Rd Etobicoke ON M8Z 5K2	183.8	<a href="#">146</a>
1281906 Ontario Inc.	51 Shorncliffe Road, Unit 3 Toronto ON	183.8	<a href="#">146</a>
Danyle Group Inc.	51 Shorncliffe Road, Unit 3 Toronto ON M8Z 5K2	183.8	<a href="#">146</a>
Danyle Group Inc.	51 Shorncliffe Road, Unit 3 Toronto ON M8Z 5K2	183.8	<a href="#">146</a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
Danyle Group Inc.	51 Shorncliffe Road, Unit 3 Toronto ON M8Z 5K2	183.8	<a href="#">146</a>
Danyle Group Inc.	51 Shorncliffe Road, Unit 3 Toronto ON M8Z 5K2	183.8	<a href="#">146</a>
First Choice Limo Service Ltd.	#51 Shorncliffe Road Unit #2 Toronto ON M8Z 5K2	183.8	<a href="#">146</a>
COLLEGE DISPOSAL SERVICES	51 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K2	183.8	<a href="#">146</a>
COLLEGE DISPOSAL SERVICES LIMITED	51 SHORNCLIFFE ROAD TORONTO ON M8Z 5K2	183.8	<a href="#">146</a>
BRUELL CONTRACTING LIMITED	37 SHORNCLIFFE ROAD ETOBICOKE ON	187.2	<a href="#">148</a>
BRUELL CONTRACTING LIMITED	37 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K2	187.2	<a href="#">148</a>
BRUELL CONTRACTING LIMITED	37 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K2	187.2	<a href="#">148</a>
BRUELL CONTRACTING LIMITED	37 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K2	187.2	<a href="#">148</a>
BRUELL CONTRACTING LIMITED	37 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K2	187.2	<a href="#">148</a>
BRUELL CONTRACTING LIMITED	37 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K2	187.2	<a href="#">148</a>
BRUELL CONTRACTING LIMITED	37 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K2	187.2	<a href="#">148</a>



<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
BRUELL CONTRACTING LIMITED	37 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K2	187.2	<a href="#">148</a>
BRUELL CONTRACTING LIMITED	37 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K2	187.2	<a href="#">148</a>
BRUELL CONTRACTING LIMITED 05-511	37 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K2	187.2	<a href="#">148</a>
LIQUIDUS LTD.	37A SHORNCLIFFE RD. MISSISSAUGA ON M8Z 5K2	187.2	<a href="#">148</a>
BRUELL CONTRACTING LIMITED	37 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K2	187.2	<a href="#">148</a>
BRUELL CONTRACTING LIMITED	37 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K2	187.2	<a href="#">148</a>
7-11 POOL DISTRIBUTORS LTD.	41 SHORNCLIFFE RD. TORONTO ON M8Z 5K2	200.8	<a href="#">160</a>
DOMPAS PRODUCTIONS LIMITED	75 NORTH QUEEN STREET ETOBICOKE ON	207.4	<a href="#">170</a>
LOCAM (OUT OF BUSINESS) 24-688	75 NORTHQUEEN ST. UNIT 4 ETOBICOKE ON M8Z 2C7	207.4	<a href="#">170</a>
DOMPAS PRODUCTIONS LIMITED	75 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C7	207.4	<a href="#">170</a>
DOMPAS PRODUCTIONS LIMITED	75 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C7	207.4	<a href="#">170</a>
DOMPAS PRODUCTIONS LIMITED	75 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C7	207.4	<a href="#">170</a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
LOCAM TRUCK RENTALS & LEASING INC.	75 NORTHQUEEN ST. UNIT 4 ETOBICOKE ON M8Z 2C7	207.4	<a href="#">170</a>
DOMPAS PRODUCTIONS LIMITED	75 NORTH QUEEN STREET UNIT #2 ETOBICOKE ON M8Z 2C7	207.4	<a href="#">170</a>
DOMPAS PRODUCTIONS LIMITED	75 NORTH QUEEN STREET, UNIT 2 ETOBICOKE ON M8Z 2C7	207.4	<a href="#">170</a>
DOMPAS PRODUCTIONS LIMITED	75 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C7	207.4	<a href="#">170</a>
DOMPAS PRODUCTIONS LIMITED	75 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C7	207.4	<a href="#">170</a>
DOMPAS PRODUCTIONS LIMITED	75 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C7	207.4	<a href="#">170</a>
DOMPAS PRODUCTIONS LIMITED	75 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C7	207.4	<a href="#">170</a>
DOMPAS PRODUCTIONS LIMITED	75 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C7	207.4	<a href="#">170</a>
DOMTAR PACKAGING LTD.	66-72 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K1	215.0	<a href="#">180</a>
DOMTAR PACKAGING (SEE& USE ON1202603)	66-72 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K1	215.0	<a href="#">180</a>
DOMTAR PACKAGING	66-72 SHORNCLIFFE ROAD TORONTO ON M8Z 5K1	215.0	<a href="#">180</a>
METRO WASTE PAPER RECOVERY INC.	66-72 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K1	215.0	<a href="#">180</a>

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
DOMTAR INC., PACKAGING DIVISION 13-160	66-72 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K1	215.0	<a href="#">180</a>
DOMTAR PACKING/RECYCLING	66-72 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K1	215.0	<a href="#">180</a>
1294987 Ontario Inc.	78 SHORNCLIFFE RD TORONTO ON M8Z 5K3	215.6	<a href="#">181</a>
BLOWTHERM CANADA INC.	14 VANSCO ROAD TORONTO ON M8Z 5J4	226.0	<a href="#">187</a>
BINKS MFG. CO. OF CANADA LTD. 05-370	14 VANSCO ROAD TORONTO ON M8Z 5J5	226.0	<a href="#">187</a>
Point One Graphics Inc	14 Vansco Road Etobicoke ON M8Z 5J4	226.0	<a href="#">187</a>
Point One Graphics Inc	14 Vansco Road Etobicoke ON	226.0	<a href="#">187</a>
Point One Graphics Inc	14 Vansco Road Etobicoke ON M8Z 5J4	226.0	<a href="#">187</a>
Point One Graphics Inc	14 Vansco Road Etobicoke ON M8Z 5J4	226.0	<a href="#">187</a>
BINKS MA(OUT OF BUSINESS)	14 VANSCO ROAD TORONTO ON M8Z 5J4	226.0	<a href="#">187</a>
Point One Graphics Inc	14 Vansco Road Etobicoke ON M8Z 5J4	226.0	<a href="#">187</a>
BINKS MANUFACTURING	14 VANSCO ROAD TORONTO ON M8Z 5J5	226.0	<a href="#">187</a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
Point One Graphics Inc	14 Vansco Road Etobicoke ON M8Z 4J5	226.0	<a href="#">187</a>
Point One Graphics Inc	14 Vansco Road Etobicoke ON M8Z 4J5	226.0	<a href="#">187</a>
Point One Graphics Inc	14 Vansco Road Etobicoke ON M8Z 4J5	226.0	<a href="#">187</a>
Point One Graphics Inc	14 Vansco Road Etobicoke ON M8Z 4J5	226.0	<a href="#">187</a>
Point One Graphics Inc	14 Vansco Road Etobicoke ON M8Z 5J4	226.0	<a href="#">187</a>
ARZER CONTRACTING LTD.	25A SHORNCLIFFE ROAD ETOBICOKE ON M9B 3S4	228.4	<a href="#">190</a>
CANADIAN COLEMAN CO LTD, THE	15 NORTH QUEEN ST TORONTO ON M8Z 6C1	229.2	<a href="#">192</a>
Pamlimar Investments & Enterprises Limited	15 North Queen Street Suite 103 Toronto ON M8Z 6C1	229.2	<a href="#">192</a>
CANADIAN COLEMAN COMPANY LTD., THE	15 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C6	229.2	<a href="#">192</a>
Quantum Murray LP	15 North Queen Street Etobicoke ON	229.2	<a href="#">192</a>
CANADIAN COLEMAN CO LTD, THE	15 NORTH QUEEN ST ETOBICOKE ON M8Z 6C1	229.2	<a href="#">192</a>

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
CANADIAN COLEMAN CO LTD, THE 08-053	15 NORTH QUEEN ST ETOBICOKE ON M8Z 6C1	229.2	<a href="#">192</a>
Christie Lites Ltd.	15 North Queen Street Unit 102 Toronto ON M8Z 6C1	229.2	<a href="#">192</a>
CASCADES RECOVERY INC.	66 SHORNCLIFFE ROAD TORONTO ON M8Z 5K1	232.1	<a href="#">195</a>
METRO WASTE PAPER RECOVERY INC.	66 SHORNCLIFFE ROAD TORONTO ON M8Z 5K1	232.1	<a href="#">195</a>
METRO WASTE PAPER RECOVERY INC.	66 SHORNCLIFFE ROAD TORONTO ON M8Z 5K1	232.1	<a href="#">195</a>
CASCADES RECOVERY INC.	66 SHORNCLIFFE ROAD TORONTO ON M8Z 5K1	232.1	<a href="#">195</a>
CASCADES RECOVERY INC.	66 SHORNCLIFFE ROAD TORONTO ON M8Z 5K1	232.1	<a href="#">195</a>
CASCADES RECOVERY INC.	66 SHORNCLIFFE ROAD TORONTO ON	232.1	<a href="#">195</a>
CASCADES RECOVERY INC.	66 SHORNCLIFFE ROAD TORONTO ON M8Z 5K1	232.1	<a href="#">195</a>
CASCADES RECOVERY INC.	66 SHORNCLIFFE ROAD TORONTO ON M8Z 5K1	232.1	<a href="#">195</a>
Cascades Recovery+	66 SHORNCLIFFE ROAD TORONTO ON M8Z 5K1	232.1	<a href="#">195</a>
Cascades Recovery+	66 SHORNCLIFFE ROAD TORONTO ON M8Z 5K1	232.1	<a href="#">195</a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
PENSKE TRUCK LEASING CANADA INC.	77 NORTH QUEEN STREET TORONTO ON M8Z 2C7	256.2	<a href="#">203</a>
PENSKE TRUCK LEASING CANADA INC.	77 NORTH QUEEN STREET TORONTO ON M8Z 2C7	256.2	<a href="#">203</a>
ROLLINS LEASING COMPANY OF CANADA	77 NORTH QUEEN STREET TORONTO ON M8Z 2C7	256.2	<a href="#">203</a>
PENSKE TRUCK LEASING CANADA INC.	77 NORTH QUEEN STREET TORONTO ON M8Z 2C7	256.2	<a href="#">203</a>
PENSKE TRUCK LEASING CANADA INC.	77 NORTH QUEEN STREET TORONTO ON M8Z 2C7	256.2	<a href="#">203</a>
ROLLINS (SEE & USE ON2055721)NADA	77 NORTH QUEEN STREET TORONTO ON M8Z 2C7	256.2	<a href="#">203</a>
PENSKE TRUCK LEASING CANADA INC.	77 NORTH QUEEN STREET TORONTO ON M8Z 2C7	256.2	<a href="#">203</a>
PENSKE TRUCK LEASING CANADA INC.	77 NORTH QUEEN STREET TORONTO ON	256.2	<a href="#">203</a>
PENSKE TRUCK LEASING CANADA INC.	77 NORTH QUEEN STREET TORONTO ON M8Z 2C7	256.2	<a href="#">203</a>
PENSKE TRUCK LEASING CANADA INC.	77 NORTH QUEEN STREET TORONTO ON M8Z 2C7	256.2	<a href="#">203</a>
PENSKE TRUCK LEASING CANADA INC.	77 NORTH QUEEN STREET TORONTO ON M8Z 2C7	256.2	<a href="#">203</a>

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
PENSKE TRUCK LEASING CANADA INC.	77 NORTH QUEEN STREET TORONTO ON M8Z 2C7	256.2	<a href="#">203</a>
Orlando Corporation	15 Shorncliffe Road Toronto ON M9B 3S4	257.5	<a href="#">204</a>
K-BRO LINEN SYSTEMS (ONTARIO) LIMITED	15 Shorncliffe Road Etobicoke ON M9B3S4	257.5	<a href="#">204</a>
K-BRO LINEN SYSTEMS (ONTARIO) LIMITED	15 Shorncliffe Road Etobicoke ON M9B3S4	257.5	<a href="#">204</a>
Orlando Corporation	15 Shorncliff Toronto ON M9B 3S4	257.5	<a href="#">204</a>
K-BRO LINEN SYSTEMS (ONTARIO) LIMITED	15 Shorncliffe Road Etobicoke ON M9B3S4	257.5	<a href="#">204</a>
Orlando Corporation	15 Shorncliff Toronto ON M9B 3S4	257.5	<a href="#">204</a>
Orlando Corporation	15 Shorncliff Toronto ON M9B 3S4	257.5	<a href="#">204</a>
Orlando Corporation	15 Shorncliff Toronto ON M9B 3S4	257.5	<a href="#">204</a>
BRIGHTON LAUNDRY LIMITED	15 SHORNCLIFFE ROAD ETOBICOKE ON M9B 3S4	257.5	<a href="#">204</a>
GENTLETOUCH DRYCLEANERS	15 SHORNCLIFFE RD. ETOBICOKE ON M9B 3S4	257.5	<a href="#">204</a>
K-BRO LINEN SYSTEMS (ONTARIO) LIMITED	15 Shorncliffe Road Etobicoke ON M9B 3S4	257.5	<a href="#">204</a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
K-BRO LINEN SYSTEMS (ONTARIO) LIMITED	15 Shorncliffe Road Etobicoke ON M9B 3S4	257.5	<a href="#">204</a>
GENTLETOUCH (OUT OF BUS) 17-274	15 SHORNCLIFFE RD. ETOBICOKE ON M9B 3S4	257.5	<a href="#">204</a>
Orlando Corporation	15 Shorncliff Toronto ON	257.5	<a href="#">204</a>
Orlando Corporation	15 Shorncliff Toronto ON	257.5	<a href="#">204</a>
K-BRO LINEN SYSTEMS (ONTARIO) LIMITED	15 SHORNCLIFFE ROAD ETOBICOKE ON M9B 3S4	257.5	<a href="#">204</a>
Orlando Corporation	15 Shorncliff Toronto ON	257.5	<a href="#">204</a>
K-BRO LINEN SYSTEMS (ONTARIO) LIMITED	15 Shorncliffe Road Etobicoke ON M9B 3S4	257.5	<a href="#">204</a>
K-BRO LINEN SYSTEMS (ONTARIO) LIMITED	15 Shorncliffe Road Etobicoke ON M9B 3S4	257.5	<a href="#">204</a>
K-BRO LINEN SYSTEMS (ONTARIO) LIMITED	15 Shorncliffe Road Etobicoke ON M9B3S4	257.5	<a href="#">204</a>
Orlando Corporation	15 Shorncliffe Road Toronto ON M9B 3S4	257.5	<a href="#">204</a>
Orlando Corporation	15 Shorncliff Toronto ON M9B 3S4	257.5	<a href="#">204</a>



<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
Orlando Corporation	15 Shorncliff Toronto ON M9B 3S4	257.5	<a href="#">204</a>
Orlando Corporation	15 Shorncliff Toronto ON	257.5	<a href="#">204</a>
K-BRO LINEN SYSTEMS (ONTARIO) LIMITED	15 Shorncliffe Road Etobicoke ON	257.5	<a href="#">204</a>
Bro Linen System	15 shorncliffe rd Etobicoke ON M9B 3S4	257.5	<a href="#">204</a>
ULTRAMAR CANADA LTD.	80 SHORNCLIFFE ROAD CARDLOCK SITE 02650 ETOBICOKE ON M8Z 5K5	265.2	<a href="#">208</a>
WORK WEAR CORP OF CANADA LTD.	80 A SHORNCLIFFE ROAD TORONTO ON M8Z 5K5	265.2	<a href="#">208</a>
WORK WEAR (OUT OF BUS) 42-289	80A SHORNCLIFFE ROAD TORONTO ON M8Z 5K5	265.2	<a href="#">208</a>
TRUCK WATCH SERVICES INC.	80 SHORNCLIFFE ROAD ETOBICOKE ON M8K 5Z5	265.2	<a href="#">208</a>
TRUCK (OUT OF BUSINESS)C.	80 SHORNCLIFFE ROAD ETOBICOKE ON M8K 5Z5	265.2	<a href="#">208</a>
WORK WEAR CORPORATION (OUT OF BUSINESS)	80-A SHORNCLIFFE ROAD_ TORONTO ON M8Z 5K5	265.2	<a href="#">208</a>
AL BECK TRUCKING	80 SHORNCLIFFE ROAD TORONTO ON M8Z 5K5	265.2	<a href="#">208</a>
TRAFFIX	80 SHORNCLIFFE ROAD ETOBICOKE ON M8K 5Z5	265.2	<a href="#">208</a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
WORK WEAR CORP. OF CANADA LTD.	80A SHORNCLIFFE ROAD TORONTO ON M8Z 5K5	265.2	<a href="#">208</a>
D.K.M. Travel Services Limited	80 Shorncliffe Road Toronto ON M8Z 5K5	265.2	<a href="#">208</a>
ULTRAMAR CANADA LTD.	ULTRAMAR CARDLOCK - SITE 02650 80 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K5	265.2	<a href="#">208</a>
Global Waste Services Inc.	90 Shorncliffe Road Toronto ON M8Z 5K5	272.2	<a href="#">215</a>
Global Waste Services Inc.	90 Shorncliffe Road Toronto ON M8Z 5K5	272.2	<a href="#">215</a>
KING RECYCLING & WASTE DISPOSAL INC.	90 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K5	272.2	<a href="#">215</a>
SHORNCLIFFE PROPERTIES	90 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K5	272.2	<a href="#">215</a>
Global Waste Services Inc.	90 Shorncliffe Road Toronto ON M8Z 5K5	272.2	<a href="#">215</a>
GLENGARRY (OUT OF BUSINESS) 17-040	HYMUS DISTRIBUTION DIVISION 90 SHORNCLIFF ROAD TORONTO ON M8Z 5K5	272.2	<a href="#">215</a>
GLENGARRY TRANSPORT LTD.	HYMUS DISTRIBUTION DIVISION 90 SHORNCLIFF ROAD TORONTO ON M8Z 5K5	272.2	<a href="#">215</a>
Global Waste Services Inc.	90 Shorncliffe Road Toronto ON	272.2	<a href="#">215</a>

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
GLENGARRY (OUT OF BUSINESS)	HYMUS DISTRIBUTION DIVISION 90 SHORNCLIFF ROAD TORONTO ON M8Z 5K5	272.2	<a href="#">215</a>
Global Waste Services Inc.	90 Shorncliffe Road Toronto ON M8Z 5K5	272.2	<a href="#">215</a>
GLENGARRY TRANSPORT (OUT OF BUSINESS)	HYMUS DISTRIBUTION DIVISION 90 SHORNCLIFF ROAD TORONTO ON M8Z 5K5	272.2	<a href="#">215</a>
Global Waste Services Inc.	90 Shorncliffe Road Toronto ON M8Z 5K5	272.2	<a href="#">215</a>
Global Waste Services Inc.	90 Shorncliffe Road Toronto ON M8Z 5K5	272.2	<a href="#">215</a>
G.T.L.-GLENGARRY TRANSPORT LTD.	90 SHORNCLIFFE RD. TORONTO ON M8Z 5K5	272.2	<a href="#">215</a>
Global Waste Services Inc.	90 Shorncliffe Road Toronto ON M8Z 5K5	272.2	<a href="#">215</a>
Global Waste Services Inc.	90 Shorncliffe Road Toronto ON M8Z 5K5	272.2	<a href="#">215</a>
KING RECYCLING & WASTE DISPOSAL INC.	86 SHORNCLIFFE ROAD TORONTO ON M8E 5K5	272.4	<a href="#">216</a>
KING RECYCLING & WASTE DISPOSAL INC.	86 SHORNCLIFFE ROAD TORONTO ON M8E 5K5	272.4	<a href="#">216</a>
KING RECYCLING & WASTE DISPOSAL INC.	86 SHORNCLIFFE ROAD TORONTO ON M8E 5K5	272.4	<a href="#">216</a>
KING RECYCLING & WASTE DISPOSAL INC.	86 SHORNCLIFFE ROAD TORONTO ON	272.4	<a href="#">216</a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
KING RECYCLING & WASTE DISPOSAL INC.	86 SHORNCLIFFE ROAD TORONTO ON M8Z 5K5	272.4	<a href="#">216</a>
KING RECYCLING & WASTE DISPOSAL INC.	86 SHORNCLIFFE ROAD TORONTO ON M8Z 5K5	272.4	<a href="#">216</a>
KING RECYCLING & WASTE DISPOSAL INC.	86 SHORNCLIFFE ROAD TORONTO ON M8Z 5K5	272.4	<a href="#">216</a>
KING RECYCLING & WASTE DISPOSAL INC.	86 SHORNCLIFFE ROAD TORONTO ON M8Z 5K5	272.4	<a href="#">216</a>
KING RECYCLING & WASTE DISPOSAL INC.	86 SHORNCLIFFE ROAD TORONTO ON M8Z 5K5	272.4	<a href="#">216</a>
KING RECYCLING & WASTE DISPOSAL INC.	86 SHORNCLIFFE ROAD TORONTO ON M8E 5K5	272.4	<a href="#">216</a>
1503647 Ontario Ltd.	12 Vansco Road Toronto ON M8Z 5J4	273.1	<a href="#">217</a>
DBS	12 Vansco Road Toronto ON M8Z 5J4	273.1	<a href="#">217</a>
Triple M Metal LP	70 North Queen Street Toronto ON	280.0	<a href="#">221</a>
Triple M Metal LP	70 North Queen Street Toronto ON M8Z 2C9	280.0	<a href="#">221</a>
NORTH QUEEN AUTO PARTS LTD.	70 NORTH QUEEN ST. TORONTO ON M8Z 2C9	280.0	<a href="#">221</a>

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
Metalogics Inc	70 North Queen Street Etobicoke ON M8Z 2C9	280.0	<a href="#">221</a>
Triple M Metal LP	70 North Queen Street Toronto ON	280.0	<a href="#">221</a>
Triple M Metal LP	70 North Queen Street Toronto ON M8Z 2C9	280.0	<a href="#">221</a>
NORTH QUEEN AUTO PARTS LTD. 28-022	70 NORTH QUEEN ST. TORONTO ON M8Z 2C9	280.0	<a href="#">221</a>
Miniplex Developments Limited	101 - 50 Shorncliffe Rd Etobicoke ON M8Z 5K1	283.0	<a href="#">224</a>
Miniplex Developments Limited	101 - 50 Shorncliffe Rd Etobicoke ON M8Z 5K1	283.0	<a href="#">224</a>
Miniplex Developments Limited	101 - 50 Shorncliffe Rd Etobicoke ON M8Z 5K1	283.0	<a href="#">224</a>
Miniplex Developments Limited	101 - 50 Shorncliffe Rd Etobicoke ON M8Z 5K1	283.0	<a href="#">224</a>
Power clean mobile wash	50 Shorncliffe Rd unit 104 Toronto ON M8Z5K3	283.0	<a href="#">224</a>
Miniplex developments Limited	101 - 50 Shorncliffe Rd Etobicoke ON M8Z 5K1	283.0	<a href="#">224</a>
Miniplex developments Limited	101 - 50 Shorncliffe Rd Etobicoke ON M8Z 5K1	283.0	<a href="#">224</a>
Miniplex developments Limited	101 - 50 Shorncliffe Rd Etobicoke ON M8Z 5K1	283.0	<a href="#">224</a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
MOLSON ONTARIO BREWERIES LIMITED	50 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K1	283.0	<a href="#">224</a>
IMPACT BUILDING MAINTENANCE SERVICES LTD	50 SHORNCLIFFE DRIVE ETOBICOKE ON M8Z 5K1	283.0	<a href="#">224</a>
MOLSON ONTARIO BREWERIES LIMITED	50 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K1	283.0	<a href="#">224</a>
MOLSON ONTARIO BREWERIES LIMITED 27-148	50 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K1	283.0	<a href="#">224</a>
Miniplex developments Limited	101 - 50 Shorncliffe rd Etobicoke ON M8Z 5K1	283.0	<a href="#">224</a>
Polaris Star Suites Inc.	50 Shorncliffe Road #107 Etobicoke ON M8Z 5K1	283.0	<a href="#">224</a>
Miniplex Developments Limited	101 - 50 Shorncliffe Rd Etobicoke ON	283.0	<a href="#">224</a>
Miniplex developments Limited	101 - 50 Shorncliffe Rd Etobicoke ON M8Z 5K1	283.0	<a href="#">224</a>
PUROLATOR INC.	800 KIPLING AVE TORONTO ON M8Z5S4	287.6	<a href="#">227</a>
ONTARIO POWER GENERATION	800 KIPLING AVENUE BUILDING KD118 ETOBICOKE ON M8Z 5G5	287.6	<a href="#">227</a>
KINECTRICS INC.	800 Kipling Avenue Toronto ON	287.6	<a href="#">227</a>

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
ONTARIO POWER GENERATION	800 KIPLING AVENUE BUILDING KD142 ETOBICOKE ON	287.6	<a href="#">227</a>
KINECTRICS INC.	800Kipling Avenue Toronto ON M8Z 5S4	287.6	<a href="#">227</a>
PUROLATOR COURIER LTD	800 KIPLING AVE TORONTO ON	287.6	<a href="#">227</a>
ONTARIO HYDRO	800 KIPLING AVENUE KN100 KN 100 ETOBICOKE ON M8Z 5S4	287.6	<a href="#">227</a>
ONTARIO POWER GENERATION	800 KIPLING AVENUE BUILDING KD142 ETOBICOKE ON	287.6	<a href="#">227</a>
ONTARIO HYDRO (SERVICE CTR/STORAGE BLDG)	800 KIPLING AVE. C/O 700 UNIVERSITY AVE., TORONTO ETOBICOKE ON M8Z 5S4	287.6	<a href="#">227</a>
ONTARIO HYDRO	800 KIPLING AVENUE TORONTO ON M8Z 5S4	287.6	<a href="#">227</a>
PUROLATOR INC.	800 KIPLING AVE TORONTO ON	287.6	<a href="#">227</a>
ONTARIO POWER GENERATION	800 KIPLING AVENUE BUILDING KD142 ETOBICOKE ON	287.6	<a href="#">227</a>
ONTARIO HYDRO	MOBILE DESTRUCTION FACILITY-800 KIPLING C/O 700 UNIVERSITY AVE.,TORONTO M5G1X6 ETOBICOKE ON M8Z 5S4	287.6	<a href="#">227</a>
ONTARIO HYDRO	SUPPLY SERVICES DIV 800 KIPLING AVE ETOBICOKE ON M8Z 5S4	287.6	<a href="#">227</a>
ONTARIO POWER GENERATION	800 KIPLING AVENUE BUILDING KD142 ETOBICOKE ON	287.6	<a href="#">227</a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
KINECTRICS INC.	800 Kipling Avenue Toronto ON	287.6	<a href="#">227</a>
ONTARIO HYDRO	800 KIPLING AVENUE C/O 700 UNIVERSITY AVE. TORONTO ON M8Z 5S4	287.6	<a href="#">227</a>
PUROLATOR COURIER LTD	800 KIPLING AVE TORONTO ON M8Z 5S4	287.6	<a href="#">227</a>
KINECTRICS INC.	800Kipling Avenue Toronto ON	287.6	<a href="#">227</a>
KINECTRICS INC.	800Kipling Avenue Toronto ON	287.6	<a href="#">227</a>
KINECTRICS INC.	800Kipling Avenue Toronto ON	287.6	<a href="#">227</a>
ONTARIO POWER GENERATION	800 KIPLING AVENUE BUILDING KD142 ETOBICOKE ON M8Z 6C4	287.6	<a href="#">227</a>
ONTARIO POWER GENERATION	800 KIPLING AVENUE BUILDING KD118 ETOBICOKE ON M8Z 5G5	287.6	<a href="#">227</a>
KINECTRICS INC.	800 Kipling Avenue Toronto ON M8Z65G5	287.6	<a href="#">227</a>
ONTARIO POWER GENERATION INC.	800 KIPLING AVENUE ETOBICOKE ON M8Z 6C4	287.6	<a href="#">227</a>
HYDRO ONE NETWORKS INC.	INVESTMENT RECOVERY 800 KIPLING AVENUE ETOBICOKE ON M8Z 5S4	287.6	<a href="#">227</a>



<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
KINECTRICS INC.	800 Kipling Avenue Toronto ON M8Z65G5	287.6	<a href="#">227</a>
PUROLATOR INC.	800 KIPLING AVE TORONTO ON M8Z5S4	287.6	<a href="#">227</a>
vnv logistics express ltd	800 kipling ave Etobicoke ON M8Z 6C4	287.6	<a href="#">227</a>
ONTARIO HYDRO	TRANSFER SITE 800 KIPLING AVENUE ETOBICOKE ON M8Z 5S4	287.6	<a href="#">227</a>
ONTARIO POWER GENERATION	800 KIPLING AVENUE BUILDING KT110 ETOBICOKE ON M8Z 6C4	287.6	<a href="#">227</a>
Canadian Restorations GTA Inc.	800 Kipling Ave Toronto ON	287.6	<a href="#">227</a>
ONTARIO HYDRO	800 KIPLING AVENUE KN100 KIPLING COMPLEX ETOBICOKE ON M8Z 5S4	287.6	<a href="#">227</a>
KINECTRICS INC.	800 Kipling Avenue Toronto ON M8Z65G5	287.6	<a href="#">227</a>
ONTARIO POWER GENERATION	800 KIPLING AVENUE BUILDING KD142 ETOBICOKE ON M8Z 5S4	287.6	<a href="#">227</a>
KINECTRICS INC.	800 Kipling Avenue Toronto ON M8Z65G5	287.6	<a href="#">227</a>
PUROLATOR INC.	800 KIPLING AVE TORONTO ON M8Z5S4	287.6	<a href="#">227</a>
HYDRO ONE NETWORKS INC.	800 KIPLING AVENUE KN 100 ETOBICOKE ON M8Z 5S4	287.6	<a href="#">227</a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
PUROLATOR INC.	800 KIPLING AVE TORONTO ON M8Z 5S4	287.6	<a href="#">227</a>
KINECTRICS INC.	800 KIPLING AVENUE TORONTO ON M8Z 6C4	287.6	<a href="#">227</a>
ONTARIO POWER GENERATION	800 KIPLING AVENUE BUILDING KD118 ETOBICOKE ON M8Z 5G5	287.6	<a href="#">227</a>
PUROLATOR INC.	800 KIPLING AVE TORONTO ON	287.6	<a href="#">227</a>
PUROLATOR INC.	800 KIPLING AVE TORONTO ON	287.6	<a href="#">227</a>
ONTARIO HYDRO	45-003 KIPLING COMPLEX 800 KIPLING AVENUE ETOBICOKE ON M8Z 5S4	287.6	<a href="#">227</a>
ONTARIO POWER GENERATION	800 KIPLING AVENUE BUILDING KD118 ETOBICOKE ON M8Z 5G5	287.6	<a href="#">227</a>
ONTARIO HYDRO NETWORKS COMPANY INC.	800 KIPLING AVENUE KN 100 ETOBICOKE ON M8Z 5S4	287.6	<a href="#">227</a>
vnv logistics express ltd	800 kipling ave Etobicoke ON M8Z 6C4	287.6	<a href="#">227</a>
PUROLATOR INC.	800 KIPLING AVE TORONTO ON M8Z5S4	287.6	<a href="#">227</a>
BUDGET RENT A CAR O/A S&R CAR 05-717	RENTALS TORONTO (CENTRAL) LIMITED 5475 DUNDAS ST. WEST ISLINGTON ON M9B 1B5	297.8	<a href="#">234</a>

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
LAKE SIMCOE (SEE & USE ON2134500) 24-154	10 SHORNCLIFFE ROAD ETOBICOKE ON M9B 3S3	298.7	<a href="#">236</a>
Etobicoold Storage Ltd.	10 Shorncliffe Rd. Unit 4 Toronto ON M9B 3S3	298.7	<a href="#">236</a>
2283643 ONTARIO INC	10 SHORCLIFFE RD,UNIT1 ETOBICOKE ON M9B 3S3	298.7	<a href="#">236</a>
PURE FOODS MEAT SOLUTIONS INC.	10 SHORNCLIFFE ROAD UNIT #5, SUITE 202 TORONTO ON M9B 3S3	298.7	<a href="#">236</a>
Tasty Chip Steak Products Limited	10 Shorncliffe road Toronto ON M9B 3S3	298.7	<a href="#">236</a>
2283643 ONTARIO INC	10 SHORCLIFFE RD,UNIT1 ETOBICOKE ON M9B 3S3	298.7	<a href="#">236</a>
2283643 ONTARIO INC	10 SHORCLIFFE RD,UNIT1 ETOBICOKE ON	298.7	<a href="#">236</a>
LAKE SIMCOE ENTERPRISES LTD.	10 SHORNCLIFFE ROAD ETOBICOKE ON M9B 3S3	298.7	<a href="#">236</a>
LAKE SIMCOE (SEE & USE ON2134500)	10 SHORNCLIFFE ROAD ETOBICOKE ON M9B 3S3	298.7	<a href="#">236</a>
LAKE SIMCOE ENTERPRISES LTD. 24-154	10 SHORNCLIFFE ROAD ETOBICOKE ON M9B 3S3	298.7	<a href="#">236</a>
2283643 ONTARIO INC	10 SHORCLIFFE RD,UNIT1 ETOBICOKE ON M9B 3S3	298.7	<a href="#">236</a>
ETOBICOLD STORAGE	10 SHORNCLIFFE ROAD ETOBICOKE ON M9B 3S3	298.7	<a href="#">236</a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
PURE FOODS MEAT SOLUTIONS INC.	10 SHORNCLIFFE ROAD UNIT #5, SUITE 202 TORONTO ON M9B 3S3	298.7	<a href="#">236</a>
ETOBICOLD STORAGE	ETOBICOLD STORAGE LTD. 10 SHORNCLIFFE ROAD ETOBICOKE ON M9B 3S3	298.7	<a href="#">236</a>
ETOBICOLD STORAGE/1184631 ONTARIO LTD.	10 SHORNCLIFFE ROAD ETOBICOKE ON M9B 3S3	298.7	<a href="#">236</a>
2283643 ONTARIO INC	10 SHORCLIFFE RD,UNIT1 ETOBICOKE ON M9B 3S3	298.7	<a href="#">236</a>

### **HINC - TSSA Historic Incidents**

A search of the HINC database, dated 2006-June 2009\* has found that there are 1 HINC site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	16 NEWBRIDGE ROAD TORONTO ON M8Z 2L7	73.2	<a href="#">81</a>

### **NPCB - National PCB Inventory**

A search of the NPCB database, dated 1988-2008\* has found that there are 25 NPCB site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
CANADA FOOD EQUIPMENT LTD	45 VANSCO RD ETOBICOKE ON M8Z 5Z8	173.0	<a href="#">136</a>
CANADIAN HANSON LTD.	45 VANSCO ROAD TORONTO ON M8Z 5Z8	173.0	<a href="#">136</a>
CANADIAN HAMSON LTD.	45 VANSCO ROAD TORONTO ON M8Z 5Z8	173.0	<a href="#">136</a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
CANADIAN HAMSON LTD.	45 VANSO ROAD VANSO ROAD TORONTO ON M8Z 5Z8	173.0	<a href="#">136</a>
ISLINGTON LAKESHORE MALL INC.	45 VANSO ROAD TORONTO ON M8Z 5Z8	173.0	<a href="#">136</a>
CANADIAN COLEMAN CO. LTD.	15 NORTH QUEEN STREET TORONTO ON M8Z 6C1	229.2	<a href="#">192</a>
PAMLIMAR INVESTMENTS & ENTERPRISES LIMITED	15 NORTH QUEEN STREET TORONTO ON M8Z 6C1	229.2	<a href="#">192</a>
CANADIAN COLEMAN CO. LTD.	15 NORTH QUEEN STREET Toronto ON M8Z 6C1	229.2	<a href="#">192</a>
CANADIAN COLEMAN CO. LTD.	15 NORTH QUEEN ST TORONTO ON M8Z 6C1	229.2	<a href="#">192</a>
ONTARIO HYDRO	800 KIPLING AVE ELECTRICAL RESEARCH Toronto ON	287.6	<a href="#">227</a>
ONTARIO HYDRO - ETOBICOKE	RESEARCH CENTRE, LOCATION 3; 800 KIPLING AVE ETOBICOKE ON	287.6	<a href="#">227</a>
ONTARIO HYDRO	ELECTRICAL RESEARCH; 800 KIPLING AVE TORONTO ON	287.6	<a href="#">227</a>
	ELECTRICAL RESEARCH 800 KIPLING AVE TORONTO ON	287.6	<a href="#">227</a>
ONTARIO HYDRO (SERVICE CENTRE RM KN100)	800 KIPLING AVE.; STORAGE BLDG ETOBICOKE ON M8Z 5S4	287.6	<a href="#">227</a>

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
ONTARIO HYDRO SERVICES COMPANY	800 KIPLING AVENUE TORONTO ON M8Z 5S4	287.6	<a href="#">227</a>
ONTARIO HYDRO	RESEARCH CENTER 800 KI PLI NG AVE 800 KI PLI NG AVE ON M8Z 5S4	287.6	<a href="#">227</a>
ONTARIO HYDRO	800 KIPLING AVENUE TORONTO ON M8ZS4	287.6	<a href="#">227</a>
ONTARIO HYDRO	ELECTRICAL RESEARCH 800 KI PLI NG AVE TORONTO ON M8Z 5S4	287.6	<a href="#">227</a>
ONTARIO HYDRO	RESEARCH CENTER; 800 KIPLING AVE TORONTO ON M8Z 5S4	287.6	<a href="#">227</a>
ONTARIO HYDRO-ETOBICOKE	INVESTMENT RECOVERY & WASTE MANAGEMENT 800 KI PLI NG AVE ETOBICOKE ON M8Z 5S4	287.6	<a href="#">227</a>
LAKE SIMCOE ENTERPRISES LIMITED	CHIEF OPERATOR; 10 SHORNCLIFFE ROAD ISLINGTON ON M9B 3S3	298.7	<a href="#">236</a>
ETOBICOLD STORAGE	10 SHORNCLIFFE ROAD ETOBICOKE ON M9B 3S3	298.7	<a href="#">236</a>
LAKE SIMCOE ENTERPRISES LTD.	10 SHORNCILFFE ROAD ETOBICOKE ON M9B 3S3	298.7	<a href="#">236</a>
LAKE SIMCOE ENTERPRISES LTD.	10 SHORNCILFFE ROAD ETOBICOKE ON	298.7	<a href="#">236</a>
ETOBICOLD STORAGE	10 SHORNCLIFFE ROAD SHORNCLIFFE ROAD ISLINGTON ON M9B 3S3	298.7	<a href="#">236</a>

## **NPRI - National Pollutant Release Inventory**

A search of the NPRI database, dated 1993-May 2017 has found that there are 45 NPRI site(s) within approximately 0.30 kilometers of the project property.

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
Cargill Kitchen Solutions, a division of Cargill Limited	25 Newbridge Road Etobicoke ON M8Z 2L6	21.9	<a href="#"><u>59</u></a>
CARGILL KITCHEN SOLUTIONS, A DIVISION OF CARGILL LTD.	25 NEWBRIDGE ROAD NOT AVAILABLE ETOBICOKE ON M8Z2L6	21.9	<a href="#"><u>59</u></a>
Cargill Kitchen Solutions, A Division of Cargill Ltd.	25 NEWBRIDGE ROAD NOT AVAILABLE ETOBICOKE ON M8Z2L6	21.9	<a href="#"><u>59</u></a>
CARGILL KITCHEN SOLUTIONS, A DIVISION OF CARGILL LTD.	25 NEWBRIDGE ROAD NOT AVAILABLE ETOBICOKE ON M8Z2L6	44.6	<a href="#"><u>70</u></a>
Helmitin Inc.	99 SHORNCLIFFE ROAD NOT AVAILABLE TORONTO ON M8Z5K7	181.3	<a href="#"><u>142</u></a>
HELMITIN INC.	99 SHORNCLIFFE ROAD NOT AVAILABLE TORONTO ON M8Z5K7	181.3	<a href="#"><u>142</u></a>
HELMITIN CANADA INC.	99 SHORNCLIFFE ROAD NOT AVAILABLE TORONTO ON M8Z5K7	181.3	<a href="#"><u>142</u></a>
HELMITIN INC.	99 SHORNCLIFFE ROAD NOT AVAILABLE TORONTO ON M8Z5K7	181.3	<a href="#"><u>142</u></a>
HELMITIN INC.	99 SHORNCLIFFE ROAD NOT AVAILABLE TORONTO ON M8Z5K7	181.3	<a href="#"><u>142</u></a>
HELMITIN INC.	99 SHORNCLIFFE ROAD NOT AVAILABLE TORONTO ON M8Z5K7	181.3	<a href="#"><u>142</u></a>
HELMITIN CANADA INC.	99 SHORNCLIFFE ROAD NOT AVAILABLE TORONTO ON M8Z5K7	181.3	<a href="#"><u>142</u></a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
HELMITIN INC	99 SHORNCLIFFE ROAD NOT AVAILABLE TORONTO ON M8Z5K7	181.3	<a href="#">142</a>
HELMITIN CANADA INC.	99 SHORNCLIFFE ROAD NOT AVAILABLE TORONTO ON M8Z5K7	181.3	<a href="#">142</a>
HELMITIN	99 SHORNCLIFFE ROAD NOT AVAILABLE TORONTO ON M8Z5K7	181.3	<a href="#">142</a>
HELMITIN	99 SHORNCLIFFE ROAD NOT AVAILABLE TORONTO ON M8Z5K7	181.3	<a href="#">142</a>
HELMITIN	99 SHORNCLIFFE ROAD NOT AVAILABLE TORONTO ON M8Z5K7	181.3	<a href="#">142</a>
HELMITIN CANADA INC	99 SHORNCLIFFE ROAD NOT AVAILABLE TORONTO ON M8Z5K7	181.3	<a href="#">142</a>
HELMITIN INC.	99 SHORNCLIFFE ROAD NOT AVAILABLE TORONTO ON M8Z5K7	181.3	<a href="#">142</a>
HELMITIN CANADA INC	99 SHORNCLIFFE ROAD NOT AVAILABLE TORONTO ON M8Z5K7	181.3	<a href="#">142</a>
HELMITIN	99 SHORNCLIFFE ROAD NOT AVAILABLE TORONTO ON M8Z5K7	181.3	<a href="#">142</a>
HELMITIN	99 SHORNCLIFFE ROAD NOT AVAILABLE TORONTO ON M8Z5K7	181.3	<a href="#">142</a>
HELMITIN INC.	99 SHORNCLIFFE ROAD NOT AVAILABLE TORONTO ON M8Z5K7	181.3	<a href="#">142</a>



<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
HELMITIN INC.	99 SHORNCLIFFE ROAD NOT AVAILABLE TORONTO ON M8Z5K7	181.3	<a href="#">142</a>
HELMITIN	99 SHORNCLIFFE ROAD NOT AVAILABLE TORONTO ON M8Z5K7	181.3	<a href="#">142</a>
HELMITIN INC.	99 SHORNCLIFFE ROAD NOT AVAILABLE TORONTO ON M8Z5K7	181.3	<a href="#">142</a>
HELMITIN CANADA INC.	99 SHORNCLIFFE ROAD NOT AVAILABLE TORONTO ON M8Z5K7	181.3	<a href="#">142</a>
HELMITIN INC.	99 SHORNCLIFFE ROAD NOT AVAILABLE TORONTO ON M8Z5K7	205.7	<a href="#">168</a>
POINT ONE GRAPHICS	14 VANSCO ROAD NOT AVAILABLE TORONTO ON M8Z4J5	226.0	<a href="#">187</a>
Point One Graphics Inc	14 VANSCO ROAD NOT AVAILABLE TORONTO ON M8Z4J5	226.0	<a href="#">187</a>
POINT ONE GRAPHICS INC	14 VANSCO ROAD NOT AVAILABLE TORONTO ON M8Z4J5	226.0	<a href="#">187</a>
POINT ONE GRAPHICS	14 VANSCO ROAD NOT AVAILABLE TORONTO ON M8Z4J5	226.0	<a href="#">187</a>
POINT ONE GRAPHICS	14 VANSCO ROAD NOT AVAILABLE TORONTO ON M8Z4J5	226.0	<a href="#">187</a>
POINT ONE GRAPHICS	14 VANSCO ROAD NOT AVAILABLE TORONTO ON M8Z4J5	226.0	<a href="#">187</a>
POINT ONE GRAPHICS	14 VANSCO ROAD NOT AVAILABLE TORONTO ON M8Z4J5	226.0	<a href="#">187</a>
POINT ONE GRAPHICS INC	14 VANSCO ROAD NOT AVAILABLE TORONTO ON M8Z4J5	226.0	<a href="#">187</a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
POINT ONE GRAPHICS LTD.	14 VANSKO ROAD NOT AVAILABLE TORONTO ON M8Z4J5	226.0	<a href="#"><u>187</u></a>
POINT ONE GRAPHICS LTD.	14 VANSKO ROAD NOT AVAILABLE TORONTO ON M8Z4J5	226.0	<a href="#"><u>187</u></a>
POINT ONE GRAPHICS	14 VANSKO ROAD NOT AVAILABLE TORONTO ON M8Z4J5	226.0	<a href="#"><u>187</u></a>
POINT ONE GRAPHICS	14 Vansco Road Toronto ON M8Z4J5	228.8	<a href="#"><u>191</u></a>
POINT ONE GRAPHICS INC	14 VANSKO ROAD NOT AVAILABLE TORONTO ON M8Z4J5	228.8	<a href="#"><u>191</u></a>
METRO WASTE PAPER RECOVERY	66 SHORNCLIFFE Road TORONTO ON M8Z5K1	232.1	<a href="#"><u>195</u></a>
METRO WASTE PAPER RECOVERY	66 SHORNCLIFFE Road TORONTO ON M8Z5K1	232.1	<a href="#"><u>195</u></a>
TRIPLE M METAL LP	70 NORTH QUEEN STREET NOT AVAILABLE TORONTO ON M8Z2C7	243.7	<a href="#"><u>200</u></a>
Triple M Metal LP	70 NORTH QUEEN STREET NOT AVAILABLE TORONTO ON M8Z2C7	280.0	<a href="#"><u>221</u></a>
STAR WEB PRINTING LIMITED	10 North Queen Street Toronto ON M8Z2C4	287.4	<a href="#"><u>226</u></a>
WEST STAR PRINTING LTD.	10 NORTH QUEEN STREET NOT AVAILABLE TORONTO ON M8Z2C4	289.7	<a href="#"><u>228</u></a>

## **OPCB - Inventory of PCB Storage Sites**

A search of the OPCB database, dated 1987-Oct 2004; 2012-Dec 2013 has found that there are 17 OPCB site(s) within approximately 0.30 kilometers of the project property.

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
CANADA FOOD EQUIPMENT	45 VANSCO ROAD TORONTO ON M8Z 5Z8	173.0	<a href="#"><u>136</u></a>
CANADIAN HAMSON LTD.	45 VANSCO ROAD TORONTO ON M8Z 5Z8	173.0	<a href="#"><u>136</u></a>
CANADIAN HAMSON LTD.	45 VANSCO ROAD TORONTO ON M8Z 5Z8	173.0	<a href="#"><u>136</u></a>
ONTARIO HYDRO (SERVICE CENTRE RM KN100)	800 KIPLING AVE. STORAGE BLDG ETOBICOKE ON M8Z 5S4	287.6	<a href="#"><u>227</u></a>
ONTARIO HYDRO - ETOBICOKE	RESEARCH CENTRE, LOCATION 3 800 KIPLING AVE ETOBICOKE ON M8Z 5S4	287.6	<a href="#"><u>227</u></a>
ONTARIO HYDRO - ETOBICOKE	INVESTMENT RECOVERY & WASTE MANAGEMENT 800 KIPLING AVE ETOBICOKE ON M8Z 5S4	287.6	<a href="#"><u>227</u></a>
ONTARIO HYDRO - ETOBICOKE	INVESTMENT RECOVERY & WASTE MANAGEMENT 800 KIPLING AVE ETOBICOKE ON M8Z 5S4	287.6	<a href="#"><u>227</u></a>
ONTARIO HYDRO SERVICES COMPANY	800 KIPLING AVENUE TORONTO ON M8Z 5S4	287.6	<a href="#"><u>227</u></a>
ONTARIO HYDRO	800 KIPLING AVENUE TORONTO ON M8Z 5S4	287.6	<a href="#"><u>227</u></a>
ONTARIO HYDRO SERVICES COMPANY	800 KIPLING AVENUE TORONTO ON M8Z 5S4	287.6	<a href="#"><u>227</u></a>
ONTARIO HYDRO SERVICES COMPANY	800 KIPLING AVENUE TORONTO ON M8Z 5S4	287.6	<a href="#"><u>227</u></a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
ONTARIO HYDRO	800 KIPLING AVENUE TORONTO ON M8Z 5S4	287.6	<a href="#">227</a>
ONTARIO HYDRO	800 KIPLING AVENUE TORONTO ON M8Z 5S4	287.6	<a href="#">227</a>
LAKE SIMCOE ENTERPRISES LTD.	10 SHORNCILFFE ROAD ETOBICOKE ON M9B 3S3	298.7	<a href="#">236</a>
LAKE SIMCOE ENTERPRISES LTD.	10 SHORNCILFFE ROAD ETOBICOKE ON M9B 3S3	298.7	<a href="#">236</a>
LAKE SIMCOE ENTERPRISES LTD.	10 SHORNCILFFE ROAD ETOBICOKE ON M9B 3S3	298.7	<a href="#">236</a>
LAKE SIMCOE ENTERPRISES LTD.	10 SHORNCILFFE ROAD ETOBICOKE ON M9B 3S3	298.7	<a href="#">236</a>

### **PES - Pesticide Register**

A search of the PES database, dated 1988-Mar 2018 has found that there are 5 PES site(s) within approximately 0.30 kilometers of the project property.

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
J.F. LARSEN LIMITED	46 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	10.7	<a href="#">53</a>
CLINTAR GROUNDSKEEPING SERVICE	46 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	10.7	<a href="#">53</a>
CRYSTAL LAWN CARE INC	135 SHORNCLIFFE RD ETOBICOKE ON M8Z 5K7	183.5	<a href="#">145</a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
CRYSTAL LAWN CARE INC	135 SHORNCLIFFE RD ETOBICOKE ON M8Z 5K7	183.5	<a href="#">145</a>
CRYSTAL LAWN CARE INC	135 SHORNCLIFFE RD ETOBICOKE ON M8Z5K7	183.5	<a href="#">145</a>

### **PRT - Private and Retail Fuel Storage Tanks**

A search of the PRT database, dated 1989-1996\* has found that there are 17 PRT site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
C P EXPRESS & TRANSPORT LTD	30 NEWBRIDGE RD ETOBICOKE ON M8Z 2L7	0.0	<a href="#">11</a>
C P EXPRESS & TRANSPORT LTD	30 NEWBRIDGE RD ETOBICOKE ON M8Z 2L7	0.0	<a href="#">11</a>
CP RAIL	36 NORTH QUEEN ST OBICO INTERMO ETOBICOKE ON M8Z 2C4	0.0	<a href="#">38</a>
GENERAL CARTAGE & EXPRESS CO LTD	48 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	62.3	<a href="#">75</a>
PETRO CANADA C/O KELLY VANDERWERF CONSUMER SALES	58 NORTH QUEEN ST ETOBICOKE ON M8Z2C4	70.4	<a href="#">80</a>
SIENA FOODS LTD	16 NEWBRIDGE RD TORONTO ON M8Z 2L7	73.2	<a href="#">81</a>
BELL CANADA	55 NORTH QUEEN ST ETOBICOKE ON M8Z 2C7	94.7	<a href="#">89</a>
CRONKWRIGHT TRANSPORT COMPANY	67 SHORNCLIFFE RD ETOBICOKE ON M8Z 5K3	171.0	<a href="#">132</a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
WEST-END TRUCK CENTRE LTD	39 SHORNCLIFFE RD TORONTO ON M8Z5K2	182.1	<a href="#">143</a>
IMPERIAL OIL LIMITED LINDA BOWES	39 SHORNCLIFFE RD TORONTO ON M8Z5K2	182.1	<a href="#">143</a>
CATHCART TRANSPORT LTD	51 SHORNCLIFFE RD TORONTO ON M8Z 5K2	183.8	<a href="#">146</a>
BRUELL CONTRACTING LTD	37 SHORNCLIFFE RD TORONTO ON M8Z5K2	187.2	<a href="#">148</a>
SUPERPOWER COIN WASH	40 SHORNCLIFFE ETOBICOKE ON M8Z 5K1	249.1	<a href="#">201</a>
RANGE TRUCK RENTAL MISSISSAUGA U DRIVE INC ATTN D	77 NORTH QUEEN ST ETOBICOKE ON M8Z 2C7	256.2	<a href="#">203</a>
EAGLE CONCEPTS INC	80 SHORNCLIFFE RD ETOBICOKE ON M8Z 5K5	265.2	<a href="#">208</a>
NORTH QUEEN AUTO PARTS LTD	70 NORTH QUEEN ST TORONTO ON M8Z 2C9	280.0	<a href="#">221</a>
ONTARIO HYDRO DON LEWIS	800 KIPLING AV ETOBICOKE ON M8Z 5S4	287.6	<a href="#">227</a>

### **REC - Ontario Regulation 347 Waste Receivers Summary**

A search of the REC database, dated 1986-2016 has found that there are 30 REC site(s) within approximately 0.30 kilometers of the project property.

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
CANADIAN HAMSON LTD.	45 VANSCO ROAD TORONTO ON M8Z 5Z8	173.0	<a href="#">136</a>
CANADIAN HAMSON LTD.	45 VANSCO ROAD TORONTO ON M8Z 5Z8	173.0	<a href="#">136</a>
ONTARIO HYDRO (SERVICE CTR/STORAGE BLDG)	800 KIPLING AVE. ETOBICOKE ON M8Z 5S4	287.6	<a href="#">227</a>
ONTARIO HYDRO	SUPPLY SERVICES DIV 800 KIPLING AVE ETOBICOKE ON M8Z 5S4	287.6	<a href="#">227</a>
ONTARIO HYDRO	800 KIPLING AVENUE ETOBICOKE ON M8Z 6C4	287.6	<a href="#">227</a>
ONTARIO HYDRO	MOBILE DESTRUCTION FACILITY 800 KIPLING AVENUE ETOBICOKE ON M8Z 5S4	287.6	<a href="#">227</a>
HYDRO ONE NETWORKS INC.	800 KIPLING AVENUE TORONTO ON M8Z 6C4	287.6	<a href="#">227</a>
KINECTRICS INC.	800 KIPLING AVE. TORONTO ON	287.6	<a href="#">227</a>
ONTARIO HYDRO (SERVICE CTR/STORAGE BLDG)	800 KIPLING AVE. ETOBICOKE ON	287.6	<a href="#">227</a>
KINECTRICS INC.	800 KIPLING AVE. TORONTO ON	287.6	<a href="#">227</a>
ONTARIO HYDRO (SERVICE CTR/STORAGE BLDG)	800 KIPLING AVE. ETOBICOKE ON	287.6	<a href="#">227</a>
KINECTRICS INC.	800 KIPLING AVE., UNIT 2 TORONTO ON M8Z 5G5	287.6	<a href="#">227</a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
ONTARIO HYDRO	MOBILE DESTRUCTION FACILITY-800 KIPLING C/O 700 UNIVERSITY AVE.,TORONTO M5G1X6 ETOBICOKE ON M8Z 5S4	287.6	<a href="#">227</a>
KINECTRICS INC.	800 KIPLING AVE., SUITE 2 TORONTO ON M8Z 6C4	287.6	<a href="#">227</a>
ONTARIO HYDRO	800 KIPLING AVENUE ETOBICOKE ON M8Z 5S4	287.6	<a href="#">227</a>
HYDRO ONE INC.	800 KIPLING AVENUE ETOBICOKE ON M8Z 6C4	287.6	<a href="#">227</a>
KINECTRICS INC.	800 KIPLING AVE. TORONTO ON M8Z 6C4	287.6	<a href="#">227</a>
ONTARIO HYDRO (SERVICE CTR/STORAGE BLDG)	800 KIPLING AVE. ETOBICOKE ON M8Z 5S4	287.6	<a href="#">227</a>
KINECTRICS INC.	800 KIPLING AVENUE TORONTO ON M8Z 6C4	287.6	<a href="#">227</a>
ONTARIO HYDRO (SERVICE CTR/STORAGE BLDG)	800 KIPLING AVE. ETOBICOKE ON	287.6	<a href="#">227</a>
ONTARIO HYDRO (SERVICE CTR/STORAGE BLDG)	800 KIPLING AVE. ETOBICOKE ON	287.6	<a href="#">227</a>
KINECTRICS INC.	800 KIPLING AVE. TORONTO ON M8Z 6C4	287.6	<a href="#">227</a>
ONTARIO HYDRO (SERVICE CTR/STORAGE BLDG)	800 KIPLING AVE. C/O 700 UNIVERSITY AVE., TORONTO ETOBICOKE ON M8Z 5S4	287.6	<a href="#">227</a>



<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
ONTARIO HYDRO (SERVICE CTR/STORAGE BLDG)	800 KIPLING AVE. ETOBICOKE ON	287.6	<a href="#">227</a>
KINECTRICS INC.	800 KIPLING AVE. TORONTO ON M8Z 6C4	287.6	<a href="#">227</a>
ONTARIO HYDRO	TRANSFER SITE 800 KIPLING AVENUE ETOBICOKE ON M8Z 5S4	287.6	<a href="#">227</a>
KINETRICS INC.	800 KIPLING AVENUE TORONTO ON M8Z 6C4	287.6	<a href="#">227</a>
KINECTRIED INC.	800 KIPLING AVENUE ETOBICOKE ON M8Z 5S4	287.6	<a href="#">227</a>
KINECTRICS INC.	800 KIPLING AVE. TORONTO ON	287.6	<a href="#">227</a>
ONTARIO HYDRO (SERVICE CTR/STORAGE BLDG)	800 KIPLING AVE. ETOBICOKE ON	287.6	<a href="#">227</a>

### **RST - Retail Fuel Storage Tanks**

A search of the RST database, dated 1999-Jan 31, 2018 has found that there are 6 RST site(s) within approximately 0.30 kilometers of the project property.

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
NORTH QUEEN PETRO PASS	58 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	70.4	<a href="#">80</a>
MAINLAND PARTS & SERVICE	11 LOCKPORT AVE ETOBICOKE ON M8Z 2R6	104.0	<a href="#">97</a>
OK TIRE	39 SHORNCLIFFE RD TORONTO ON	182.1	<a href="#">143</a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
OK TIRE	39 SHORNCLIFFE RD TORONTO ON M8Z5K2	182.1	<a href="#">143</a>
CITY LUBE OIL CO	37 SHORNCLIFFE RD ETOBICOKE ON M8Z 5K2	187.2	<a href="#">148</a>
CITY LUBE OIL CO	37 SHORNCLIFFE RD ETOBICOKE ON M8Z5K2	187.2	<a href="#">148</a>

### **SCT - Scott's Manufacturing Directory**

A search of the SCT database, dated 1992-Mar 2011\* has found that there are 51 SCT site(s) within approximately 0.30 kilometers of the project property.

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
Two Star Design	46 North Queen St Etobicoke ON M8Z 2C4	10.7	<a href="#">53</a>
Inland Tracked Equipment	25 Lockport Ave Toronto ON M8Z 2R6	21.8	<a href="#">58</a>
Acheson Bros. Ltd.	25 Lockport Ave Toronto ON M8Z 2R6	21.8	<a href="#">58</a>
TAYCO PANELINK LTD	25 NEWBRIDGE RD ETOBICOKE ON M8Z 2L6	21.9	<a href="#">59</a>
OCTANORM CANADA LTD	15 LOCKPORT AVE ETOBICOKE ON M8Z 2R6	66.5	<a href="#">77</a>
SIENA FOODS LTD.	16 NEWBRIDGE RD ETOBICOKE ON M8Z 2L7	73.2	<a href="#">81</a>

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
Siena Foods Ltd.	16 Newbridge Rd Etobicoke ON M8Z 2L7	73.2	<a href="#"><u>81</u></a>
Allseas Fisheries Inc	55 Vansco Rd Toronto ON M8Z 5Z8	101.2	<a href="#"><u>95</u></a>
TAYLOR MANUFACTURING IND. INC.	55 VANSKO RD ETOBICOKE ON M8Z 5Z8	101.2	<a href="#"><u>95</u></a>
Siena Foods Ltd.	12 Newbridge Rd Etobicoke ON M8Z 2L7	108.4	<a href="#"><u>98</u></a>
Flap & Seal Envelope	60 North Queen St Etobicoke ON M8Z 2C4	124.6	<a href="#"><u>106</u></a>
A.D.A. PRECISION MACHINE	30 VANSKO RD ETOBICOKE ON M8Z 5J4	130.9	<a href="#"><u>108</u></a>
ADA PRECISION MACHINE & TOOL C	30 VANSKO RD ETOBICOKE ON M8Z 5J4	130.9	<a href="#"><u>108</u></a>
ADA Precision Machine & Tool	30 Vansco Rd Etobicoke ON M8Z 5J4	130.9	<a href="#"><u>108</u></a>
ADA Precision Machine & Tool Co. Ltd.	30 Vansco Rd Etobicoke ON M8Z 5J4	130.9	<a href="#"><u>108</u></a>
Factory Automation Plus Inc.	115 Shorncliffe Rd Toronto ON M8Z 5K7	164.9	<a href="#"><u>124</u></a>
Concordian Chesterfield Co	113 Shorncliffe Rd Etobicoke ON M8Z 5K7	166.2	<a href="#"><u>127</u></a>
Hep-Sur Machine Co. Limited	85 Shorncliffe Rd Etobicoke ON M8Z 5K3	169.6	<a href="#"><u>129</u></a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
WELD RITE METAL FABRICATING	127 SHORNCLIFFE RD ETOBICOKE ON M8Z 5K7	171.6	<a href="#">134</a>
Ontario Signs	45 Vansco Rd Etobicoke ON M8Z 5Z8	173.0	<a href="#">136</a>
HELMITIN CANADA INC.	99 SHORNCLIFFE RD ETOBICOKE ON M8Z 5K7	181.3	<a href="#">142</a>
Helmitin Inc.	99 Shorncliffe Rd Etobicoke ON M8Z 5K7	181.3	<a href="#">142</a>
Downtown Concrete Supply	51 Shorncliffe Rd Etobicoke ON M8Z 5K2	183.8	<a href="#">146</a>
Al-Mersal Canadian Arab Network	51 Shorncliffe Rd Etobicoke ON M8Z 5K2	183.8	<a href="#">146</a>
DOWNTOWN CONCRETE SUPPLY	51 Shorncliffe Ave Etobicoke ON M8Z 5K2	183.8	<a href="#">146</a>
Al-Mersal Cdn Arab Network	51 Shorncliffe Rd Etobicoke ON M8Z 5K2	183.8	<a href="#">146</a>
TRE MARI BAKERY LIMITED	41 SHORNCLIFFE RD ETOBICOKE ON M8Z 5K2	200.8	<a href="#">160</a>
Meriden Foods Inc.	41 Shorncliffe Rd Etobicoke ON M8Z 5K2	200.8	<a href="#">160</a>
TRE MARI BAKERY LTD.	41 Shorncliffe Rd Etobicoke ON M8Z 5K2	200.8	<a href="#">160</a>

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
Allegany Foods	41 Shorncliffe Rd Toronto ON M8Z 5K2	200.8	<a href="#">160</a>
Euro Bread Inc.	41 Shorncliffe Rd Unit A Etobicoke ON M8Z 5K2	200.8	<a href="#">160</a>
Tre Mari Bakery Ltd.	41 Shorncliffe Rd Etobicoke ON M8Z 5K2	200.8	<a href="#">160</a>
Dompas Productions Ltd.	75 North Queen St Unit 2 Etobicoke ON M8Z 2C7	207.4	<a href="#">170</a>
DOMPAS PRODUCTIONS LTD	75 NORTH QUEEN ST UNIT 2 ETOBICOKE ON M8Z 2C7	207.4	<a href="#">170</a>
PointOne Graphics Inc.	14 Vansco Rd Etobicoke ON M8Z 5J4	226.0	<a href="#">187</a>
BINKS CANADA LTD.	14 VANSKO RD ETOBICOKE ON M8Z 5J4	226.0	<a href="#">187</a>
Enercorp Instruments Ltd.	25 Shorncliffe Rd Toronto ON M9B 3S4	228.4	<a href="#">190</a>
KAVANAGH CONTROLS LTD.	25 SHORNCLIFFE RD ETOBICOKE ON M9B 3S4	228.4	<a href="#">190</a>
ENERCORP INSTRUMENTS LTD	25 SHORNCLIFFE RD ETOBICOKE ON M9B 3S4	228.4	<a href="#">190</a>
Ultraseal Water Proof/SealTech	15 North Queen St Toronto ON M8Z 6C1	229.2	<a href="#">192</a>
THE CANADIAN COLEMAN COMPANY	15 NORTH QUEEN ST ETOBICOKE ON M8Z 6C1	229.2	<a href="#">192</a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
Aged Machine Shop	50 Shorncliffe Rd Suite 105 Etobicoke ON M8Z 5K1	283.0	<a href="#">224</a>
Aged Engineering and Machine Shop	50 Shorncliffe Rd Etobicoke ON M8Z 5K1	283.0	<a href="#">224</a>
www.onsiteview.ca	5481 Dundas St W Floor 2 Etobicoke ON M9B 1B5	296.2	<a href="#">233</a>
OLYMEL & CO.	10 SHORNCLIFFE RD SUITE 210 ETOBICOKE ON M9B 3S3	298.7	<a href="#">236</a>
Tasty Chip (2008) Inc.	10 Shorncliffe Rd Suite 202 Toronto ON M9B 3S3	298.7	<a href="#">236</a>
Olymel & Co. Ltd.	10 Shorncliffe Rd Suite 210 Etobicoke ON M9B 3S3	298.7	<a href="#">236</a>
TASTY CHIP STEAK PRODUCTS LTD	10 SHORNCLIFFE RD ETOBICOKE ON M9B 3S3	298.7	<a href="#">236</a>
NEW ZEALAND LAMB PROCESSING PL	10 SHORNCLIFFE RD ETOBICOKE ON M9B 3S3	298.7	<a href="#">236</a>
Tasty Chip Steak Products Ltd.	10 Shorncliffe Rd Suite 202 Toronto ON M9B 3S3	298.7	<a href="#">236</a>
NEW ZEALAND LAMB	10 Shorncliffe Rd Etobicoke ON M9B 3S3	298.7	<a href="#">236</a>

## **SPL - Ontario Spills**

A search of the SPL database, dated 1988-May 2018 has found that there are 116 SPL site(s) within approximately 0.30 kilometers of the project property.

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
INTERLINK FREIGHT SYSTEMS	IN YARD ON PROPERTY TRANSPORT TRUCK (CARGO) TORONTO CITY ON	0.0	<a href="#">10</a>
CANADIAN PACIFIC EXPRESS & TRA	30 NEWBRIDGE RD. MOTOR VEHICLE (OPERATING FLUID) TORONTO CITY ON M8Z 2L7	0.0	<a href="#">11</a>
INTERLINK	30 NEWBRIDGE RD, ETOBICOKE CREEK BEHIND QUEENSWAY HOSP. 30 NEWBRIDGE ROAD TORONTO CITY ON M8Z 2L7	0.0	<a href="#">11</a>
INTERLINK	30 NEWBRIDGE ROAD TORONTO CITY ON M8Z 2L7	0.0	<a href="#">11</a>
CP EXPRESS & TRANSPORT	30 NEWBRIDGE ROAD ETOBICOKE TERMINAL 30 NEWBRIDGE ROAD TORONTO CITY ON M8Z 2L7	0.0	<a href="#">11</a>
INTERLINK	30 NEWBRIDGE 30 NEWBRIDGE ROAD TORONTO CITY ON M8Z 2L7	0.0	<a href="#">11</a>
INTERLINK FREIGHT SYSTEMS	30 NEWBRIDGE RD. TRANSPORT TRUCK (CARGO) TORONTO CITY ON M8Z 2L7	0.0	<a href="#">11</a>
INTERLINK FREIGHT LINES	TERMINAL AT 30 NEWBRIDGE AVE ETOB. TRANSPORT TRUCK (CARGO) TORONTO CITY ON M8Z 2L7	0.0	<a href="#">11</a>
CANADIAN PACIFIC EXPRESS & TRA	30 NEWBRIDGE ROAD ETOBICOKE TERMINAL 30 NEWBRIDGE ROAD TORONTO CITY ON M8Z 2L7	0.0	<a href="#">11</a>
CP EXPRESS & TRANSPORT	30 NEWBRIDGE TRANSPORT TRUCK (CARGO) TORONTO CITY ON M8Z 2L7	0.0	<a href="#">11</a>
CANADIAN PACIFIC EXPRESS & TRA	30 NEWBRIDGE RD. TRANSPORT TRUCK (CARGO) TORONTO CITY ON M8Z 2L7	0.0	<a href="#">11</a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
INTERLINK FREIGHT SYSTEMS	30 NEWBRIDGE RD. TRANSPORT TRUCK (CARGO) TORONTO CITY ON M8Z 2L7	0.0	<a href="#">11</a>
CANADIAN PACIFIC EXPRESS & TRA	30 NEWBRIDGE RD. TRANSPORT TRUCK (CARGO) TORONTO CITY ON M8Z 2L7	0.0	<a href="#">11</a>
CANADIAN PACIFIC EXPRESS & TRA	30 NEWBRIDGE ROAD ETOBICOKE TERMINAL 30 NEWBRIDGE ROAD TORONTO CITY ON M8Z 2L7	0.0	<a href="#">11</a>
CANADIAN PACIFIC EXPRESS & TRA	30 NEWBRIDGE TRANSPORT TRUCK (CARGO) TORONTO CITY ON M8Z 2L7	0.0	<a href="#">11</a>
INTERLINK	30 NEWBRIDGE ROAD TORONTO CITY ON M8Z 2L7	0.0	<a href="#">11</a>
INTERLINK	30 NEWBRIDGE ROAD TORONTO CITY ON M8Z 2L7	0.0	<a href="#">11</a>
INTERLINK FREIGHT LINES	TRUCK YARD AT 30 NEWBRIDGE RD, ETOB. TRANSPORT TRUCK (CARGO) TORONTO CITY ON M8Z 2L7	0.0	<a href="#">11</a>
INTERLINK	30 NEWBRIDGE ROAD TORONTO CITY ON M8Z 2L7	0.0	<a href="#">11</a>
STANCHEM	30 NEWBRIDGE RD ETOBICOKE DEPOT TORONTO CITY ON M8Z 2L7	0.0	<a href="#">11</a>
CANADIAN PACIFIC EXPRESS & TRA	30 NEWBRIDGE ETOBICOKE TERMINAL 30 NEWBRIDGE ROAD TORONTO CITY ON M8Z 2L7	0.0	<a href="#">11</a>
CANADIAN PACIFIC EXPRESS & TRA	30 NEWBRIDGE RD. ETOBICOKE TERMINAL 30 NEWBRIDGE ROAD TORONTO CITY ON M8Z 2L7	0.0	<a href="#">11</a>



<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
CANADIAN PACIFIC EXPRESS & TRA	30 NEWBRIDGE ROAD ETOBICOKE TERMINAL 30 NEWBRIDGE ROAD TORONTO CITY ON M8Z 2L7	0.0	<a href="#"><u>11</u></a>
CANADIAN PACIFIC EXPRESS & TRA	30 NEWBRIDGE ROAD ETOBICOKE TERMINAL 30 NEWBRIDGE ROAD TORONTO CITY ON M8Z 2L7	0.0	<a href="#"><u>11</u></a>
CANADIAN PACIFIC EXPRESS & TRA	30 NEWBRIDGE RD. ETOBICOKE TERMINAL 30 NEWBRIDGE ROAD TORONTO CITY ON M8Z 2L7	0.0	<a href="#"><u>11</u></a>
CANADIAN PACIFIC EXPRESS & TRA	30 NEWBRIDGE ETOBICOKE TERMINAL 30 NEWBRIDGE ROAD TORONTO CITY ON M8Z 2L7	0.0	<a href="#"><u>11</u></a>
CANADIAN PACIFIC EXPRESS & TRA	30 NEWBRIDGE ROAD ETOBICOKE TERMINAL 30 NEWBRIDGE ROAD TORONTO CITY ON M8Z 2L7	0.0	<a href="#"><u>11</u></a>
CP RAIL INTERMODAL OPERATIONS	36 North Queen St Toronto ON M8Z 2C4	0.0	<a href="#"><u>38</u></a>
Canadian Pacific Railway Company	36 North Queen St Toronto ON M8Z 2C4	0.0	<a href="#"><u>38</u></a>
CANADIAN PACIFIC RAILWAYS	36 NORTH QUEEN ST ETOBICOKE STATION 36 NORTH QUEEN STREET TORONTO CITY ON M8Z 2C4	0.0	<a href="#"><u>38</u></a>
Canadian Pacific Railway Company	36 North Queen St Toronto ON M8Z 2C4	0.0	<a href="#"><u>38</u></a>
Canadian Pacific Railway Company	36 North Queen St Toronto ON M8Z 2C4	0.0	<a href="#"><u>38</u></a>
Canadian Pacific Railway Company	36 North Queen Street OBICO STATION Toronto ON M8Z 2C4	0.0	<a href="#"><u>38</u></a>
CP RAIL INTERMODAL OPERATIONS	36 North Queen St Toronto ON M8Z 2C4	0.0	<a href="#"><u>38</u></a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
CANADIAN PACIFIC RAILWAYS	36 NORTH QUEEN ST. CPR. YARD ETOBICOKE STATION 36 NORTH QUEEN STREET TORONTO CITY ON M8Z 2C4	0.0	<a href="#"><u>38</u></a>
Canadian Pacific Railway Company	36 Queen St Toronto ON	0.0	<a href="#"><u>38</u></a>
CANADIAN PACIFIC RAILWAY	36 NORTH QUEEN, AT CPR OBICO YARD. STORAGE TANK TORONTO CITY ON	0.0	<a href="#"><u>38</u></a>
CANADIAN PACIFIC RAILWAYS	36 QUEEN ST. TRAIN TORONTO CITY ON	0.0	<a href="#"><u>38</u></a>
TRANSPORT TRUCK	C.P. YARD AT 36 NORTH QUEEN, ETOBICOKE MOTOR VEHICLE (OPERATING FLUID) TORONTO CITY ON	0.0	<a href="#"><u>38</u></a>
Canadian Pacific Railway Company	36 North Queen Street OBICO STATION Toronto ON M8Z 2C4	0.0	<a href="#"><u>38</u></a>
Canadian Pacific Railway Company	36 North Queen Street OBICO STATION Toronto ON M8Z 2C4	0.0	<a href="#"><u>38</u></a>
CANADIAN PACIFIC RAILWAYS	36 NORTH QUEEN STREET TORONTO CITY ON M8Z 2C4	0.0	<a href="#"><u>38</u></a>
CANADIAN PACIFIC RAILWAYS	36 NORTH QUEEN ST ETOBICOKE STATION 36 NORTH QUEEN STREET TORONTO CITY ON M8Z 2C4	0.0	<a href="#"><u>38</u></a>
Canadian Pacific Railway Company	36 North Queen St Toronto ON M8Z 2C4	0.0	<a href="#"><u>38</u></a>
CP RAIL INTERMODAL OPERATIONS	36 North Queen St. Toronto ON M8Z 2C4	0.0	<a href="#"><u>38</u></a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
CANADIAN PACIFIC RAILWAYS	ETOBICOKE STATION 36 NORTH QUEEN STREET TORONTO ON M8Z 2C4	0.0	<a href="#"><u>38</u></a>
Canadian Pacific Railway Company	36 North Queen Str. Toronto ON M8Z 2C4	0.0	<a href="#"><u>38</u></a>
Canadian Pacific Railway Company	36 North Queen Street OBICO STATION Toronto ON M8Z 2C4	0.0	<a href="#"><u>38</u></a>
Canadian Pacific Railway Company	36 North Queen St Toronto ON M8Z 2C4	0.0	<a href="#"><u>38</u></a>
PRIVATE RESIDENCE	36 NORTH QUEEN STREET FURNACE OIL TANK TORONTO ON M8Z 2C4	0.0	<a href="#"><u>38</u></a>
Canadian Pacific Railway Company	36 North Queen St., Etobicoke Toronto ON M8Z 2C4	0.0	<a href="#"><u>38</u></a>
Canadian Pacific Railway Company	36 North Queen St Toronto ON M8Z 2C4	0.0	<a href="#"><u>38</u></a>
CANADIAN PACIFIC RAILWAYS	36 NORTHQUEEN STREET ETOBICOKE STATION 36 NORTH QUEEN STREET TORONTO CITY ON M8Z 2C4	0.0	<a href="#"><u>38</u></a>
CP RAIL INTERMODAL OPERATIONS	36 North Queen St Toronto ON M8Z 2C4	0.0	<a href="#"><u>38</u></a>
CANADIAN PACIFIC RAILWAYS	OBICO INTERMODAL TERMINAL ETOBICOKE STATION 36 NORTH QUEEN STREET TORONTO CITY ON	0.7	<a href="#"><u>50</u></a>
CANADIAN PACIFIC RAILWAYS	OBICO YARD IN WEST TORONTO. TRAIN TORONTO CITY ON	0.7	<a href="#"><u>50</u></a>

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
CANADIAN PACIFIC RAILWAYS	OBICO YARD, MILEAGE 9.6, GALT SUBDIVISION TRAIN TORONTO ON	0.7	<a href="#">50</a>
CP EXPRESS & TRANSPORT	NORTH QUEEN STREET YARD TRANSPORT TRUCK (CARGO) TORONTO CITY ON	0.7	<a href="#">50</a>
CANADIAN PACIFIC RAILWAYS	NORTH QUEEN ETOBICOKE STATION 36 NORTH QUEEN STREET TORONTO CITY ON	0.7	<a href="#">50</a>
CANADIAN PACIFIC RAILWAYS	CAMPUS SUBDIVISION, OBICOE ON JOINT TRACKS. TRAIN TORONTO CITY ON	0.7	<a href="#">50</a>
STEED & EVANS LTD.	NORTH QUEEN & VANSKO MOTOR VEHICLE (OPERATING FLUID) TORONTO CITY ON	15.9	<a href="#">55</a>
Egg Solutions<UNOFFICIAL>	25 Newbridge Road EGG SOLUTIONS<UNOFFICIAL> Toronto ON M8Z 2L6	21.9	<a href="#">59</a>
Cargill Kitchen Solutions<UNOFFICIAL>	25 Newbridge Road, Etobicoke Toronto ON M8Z 2L6	21.9	<a href="#">59</a>
	20 Lockport Ave Toronto ON	45.3	<a href="#">71</a>
TRANSPORT TRUCK	58 NORTH QUEEN ST. MOTOR VEHICLE (OPERATING FLUID) TORONTO CITY ON M8Z 2C4	70.4	<a href="#">80</a>
	17 Newbridge Rd. Toronto ON M8Z 2L6	88.7	<a href="#">86</a>
ADP Direct Poultry Ltd.	34 Vansco Road Toronto ON	94.7	<a href="#">88</a>
ADP Direct Poultry Ltd.	34 Vansco Rd. Etobicoke Toronto ON	94.7	<a href="#">88</a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
	34 Vansco Toronto ON	97.8	<a href="#"><u>92</u></a>
ONTARIO HYDRO	LOCKPORT RD. OFF STORMCLIFF, WEST SIDE OF KIPLING YARD. TRANSFORMER TORONTO CITY ON	111.1	<a href="#"><u>100</u></a>
RHONE-POULENC CANADA INC.	35 NORTH QUEEN STREET TRANSPORT TRUCK (CARGO) TORONTO CITY ON	111.7	<a href="#"><u>101</u></a>
PROVOST BULK TRANSPORT	99 SHORNCLIFF ROAD. TANK TRUCK (CARGO) TORONTO CITY ON	181.3	<a href="#"><u>142</u></a>
WEST END TRUCKING	FUELING DEPOT, 39 SHORNCLIFFE ROAD, FORMER ETOBICOKE 39 SHORNCLIFF ROAD ETOBICOKE TORONTO CITY ON M8Z 5K2	182.1	<a href="#"><u>143</u></a>
WEST END TRUCKING	FUELING DEPOT, 39 SHORNCLIFFE ROAD, FORMER ETOBICOKE 39 SHORNCLIFF ROAD ETOBICOKE TORONTO CITY ON M8Z 5K2	182.1	<a href="#"><u>143</u></a>
SERVICE STATION	39 SHORNCLIFFE RD (N.O.S.) TORONTO CITY ON M8Z 5K2	182.1	<a href="#"><u>143</u></a>
WEST END TRUCKING	39 SHORNCLIFFE ROAD 39 SHORNCLIFF ROAD ETOBICOKE TORONTO ON M8Z 5K2	182.1	<a href="#"><u>143</u></a>
SERVICE STATION	39 SHORNCLIFFE RD (N.O.S.) TORONTO ON M8Z 5K2	182.1	<a href="#"><u>143</u></a>
SERVICE STATION	39 SHORNE CLIFFE RD (N.O.S.) TORONTO CITY ON	182.1	<a href="#"><u>143</u></a>
ESSO PETROLEUM CANADA	39 SHORNECLIFFE ROAD CARD LOCK STATION TORONTO CITY ON	182.1	<a href="#"><u>143</u></a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
SERVICE STATION	CARD-LOCK STATION AT 39 SHORNCLIFFE RD. (N.O.S.) TORONTO CITY ON M8Z 5K2	182.1	<a href="#">143</a>
TRANSPORT TRUCK	39 SHORNCLIFFE ROAD MOTOR VEHICLE (OPERATING FLUID) TORONTO CITY ON M8Z 5K2	182.1	<a href="#">143</a>
West End Truck Centre<UNOFFICIAL>	39 Shorncliffe Rd, Etobicoke Toronto ON	182.1	<a href="#">143</a>
	39 Shorn Cliff Rd. Toronto ON	182.1	<a href="#">143</a>
SERVICE STATION	39 SHORNCLIFFE RD. (N.O.S.) TORONTO CITY ON M8Z 5K2	182.1	<a href="#">143</a>
CAMERON COMPRESSORS	105 SHORNCLIFFE RD. TORONTO CITY ON M8Z 5K7	182.4	<a href="#">144</a>
ESSO PETROLEUM CANADA	30 SHORNCLIFF RD. CARD LOCK STATION TORONTO CITY ON	232.0	<a href="#">194</a>
Metro Waste Paper Recovery Inc.	66 Shorncliffe Rd. - Domtar Toronto ON M8Z 5K1	232.1	<a href="#">195</a>
Metro Waste Paper Recovery Inc.	North East corner of Shornecliff and Bramshot, Etobicoke<UNOFFICIAL> Toronto ON	232.1	<a href="#">195</a>
GLENGARRY TRANSPORT LTD.	90 SHORNCLIFF RD. GTL YARD TORONTO DEPOT 90 NORTH QUEEN STREET TORONTO CITY ON	272.2	<a href="#">215</a>
ONTARIO HYDRO	800 KIPLING TRANSFORMER TORONTO CITY ON	287.6	<a href="#">227</a>

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
Seawy Marine Transport	800 Kipling Ave. Etobicoke PUROLATOR COURIER GARAGE<UNOFFICIAL> Toronto ON	287.6	<a href="#">227</a>
ONTARIO HYDRO	800 KIPLING AVE., BUILDING KJ TORONTO CITY ON	287.6	<a href="#">227</a>
ONTARIO HYDRO	ONTARIO HYDRO, 800 KIPLING AVE. KIPLING COMPLEX 800 KIPLING AVENUE TORONTO CITY ON	287.6	<a href="#">227</a>
ONTARIO HYDRO SERVICES COMPANY	KIPLING COMPLEX 800 KIPLING AVENUE TORONTO CITY ON	287.6	<a href="#">227</a>
ONTARIO HYDRO	800 KIPLING AVE KIPLING COMPLEX 800 KIPLING AVENUE TORONTO CITY ON	287.6	<a href="#">227</a>
ONTARIO HYDRO	ONTARIO HYDRO WAREHOUSE YARD 800 KIPLING AVE MOTOR VEHICLE (OPERATING FLUID) TORONTO CITY ON	287.6	<a href="#">227</a>
ONTARIO HYDRO	800 KIPLING AVE KIPLING COMPLEX 800 KIPLING AVENUE TORONTO CITY ON	287.6	<a href="#">227</a>
ONTARIO HYDRO SERVICES COMPANY	KIPLING COMPLEX 800 KIPLING AVENUE TORONTO CITY ON	287.6	<a href="#">227</a>
ONTARIO HYDRO	800 KIPLING AVE. KIPLING COMPLEX 800 KIPLING AVENUE TORONTO CITY ON	287.6	<a href="#">227</a>
ONTARIO HYDRO	800 KIPLING AVE. TRANSFORMER TORONTO CITY ON	287.6	<a href="#">227</a>
Ontario Power Generation Inc.	800 Kipling Ave Building KT Toronto ON M8Z 5S4	287.6	<a href="#">227</a>
ONTARIO HYDRO	KIPLING COMPLEX 800 KIPLING AVENUE TORONTO CITY ON	287.6	<a href="#">227</a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
Purolator Courier Ltd.	800 Kipling Ave Toronto ON	287.6	<a href="#">227</a>
ONTARIO HYDRO	800 KIPLING AVE MOTOR VEHICLE (OPERATING FLUID) TORONTO CITY ON	287.6	<a href="#">227</a>
ONTARIO HYDRO SERVICES COMPANY	AT ONTARIO HYDRO AT 800 KIPLING AVE. TORONTO CITY ON	287.6	<a href="#">227</a>
1705686 Ontario Inc.	Unit 2 - 800 Kipling Ave Toronto ON	287.6	<a href="#">227</a>
	800 Kipling Avenue Toronto ON	287.6	<a href="#">227</a>
ONTARIO HYDRO	MANBY ST. STATION, OUTSIDE THE SHOP. TRANSFORMER TORONTO CITY ON	294.5	<a href="#">230</a>
ONTARIO HYDRO	MANBY STN. TRANSFORMER TORONTO CITY ON	294.5	<a href="#">230</a>
ONTARIO HYDRO	10 SHORNECLIFFE RD. TRANSFORMER TORONTO CITY ON	298.7	<a href="#">236</a>
ETOBICOLD STORAGE	10 SHORNCLIFFE ROAD, ETOBICOKE STORAGE ETOBICOKE PLANT, 10 SHORNCLIFFE RD. TORONTO CITY ON M9B 3S3	298.7	<a href="#">236</a>
LAKE SIMCOE ENTERPRISES	ROOF OF BLDG LAKE SIMCOE ENT TORONTO CITY ON	298.7	<a href="#">236</a>
Newco<UNOFFICIAL>	10 Shorncliffe Rd, Etobicoke Toronto ON	298.7	<a href="#">236</a>



<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
ETOBICOLD STORAGE	10 SHORNCLIFF RD ETOBICOKE PLANT, 10 SHORNCLIFFE RD. TORONTO CITY ON	298.7	<a href="#">236</a>
LAKE SIMCOE ENTERPRISES	10 SHORNCLIFFE TORONTO CITY ON M9B 3S3	298.7	<a href="#">236</a>
LAKE SIMCOE ENTERPRISES	10 SHORNCLIFFE RD. TORONTO CITY ON M9B 3S3	298.7	<a href="#">236</a>

### **TANK - Anderson's Storage Tanks**

A search of the TANK database, dated 1915-1953\* has found that there are 1 TANK site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Cherry Harry	14 Shorncliffe Rd Toronto ON	226.6	<a href="#">189</a>

### **VAR - TSSA Variances for Abandonment of Underground Storage Tanks**

A search of the VAR database, dated Feb 28, 2017 has found that there are 1 VAR site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
DBS MECHANICAL	12 VANSCO RD ETOBICOKE ON M8Z 5J4	273.1	<a href="#">217</a>

### **WDS - Waste Disposal Sites - MOE CA Inventory**

A search of the WDS database, dated Oct 2011-Jun 30, 2018 has found that there are 41 WDS site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Arizon Disposal Services Limited	67 Shorncliffe Rd Toronto ON M8Z 5K3	171.0	<a href="#">132</a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
Arizon Disposal Services Limited	67 Shorncliffe Road Toronto ON M8Z 5K3	171.0	<a href="#"><u>132</u></a>
Arizon Disposal Services Limited	67 Shorncliffe Rd Toronto ON M8Z 5K3	171.0	<a href="#"><u>132</u></a>
Arizon Disposal Services Limited	67 Shorncliffe Rd Toronto ON M8Z 5K3	171.0	<a href="#"><u>132</u></a>
Arizon Disposal Services Limited	67 Shorncliffe Rd Toronto ON M8Z 5K3	171.0	<a href="#"><u>132</u></a>
Arizon Disposal Services Limited	67 Shorncliffe Road 67 Shorncliffe Rd Toronto City ON M8Z 5K3	171.0	<a href="#"><u>132</u></a>
Danyle Group Inc.	51 Shorncliffe Rd Toronto ON	183.8	<a href="#"><u>146</u></a>
1595066 Ontario Limited operating as College Disposal	51 Shorncliffe Road Toronto ON M8Z 5K2	183.8	<a href="#"><u>146</u></a>
1595066 Ontario Limited	51 Shorncliffe Road Toronto ON M8Z 5K2	183.8	<a href="#"><u>146</u></a>
Danyle Group Inc.	51 Shorncliffe Rd Toronto ON M8Z 5K2	183.8	<a href="#"><u>146</u></a>
Best Waste Solutions Inc.	51 Shorncliffe Road Toronto ON M8Z 5K2	183.8	<a href="#"><u>146</u></a>
SUPER DISPOSAL SERVICES LTD.	66 SHORNCLIFFE ROAD ON M8Z 5K1	232.1	<a href="#"><u>195</u></a>
Cascades Recovery Inc.	66 Shorncliffe Road Etobicoke ON	232.1	<a href="#"><u>195</u></a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
Cascades Recovery Inc.	66 Shorncliffe Rd Toronto ON M8Z 5K1	232.1	<a href="#">195</a>
Metro Waste Paper Recovery Inc.	66 Shorncliffe Rd Toronto ON M8Z 5K1	232.1	<a href="#">195</a>
Cascades Recovery Inc.	66 Shorncliffe Rd Toronto ON M8Z 5K1	232.1	<a href="#">195</a>
Metro Waste Paper Recovery Inc.	66 Shorncliffe Rd. - Domtar Toronto ON M8Z 5K1	232.1	<a href="#">195</a>
Cascades Recovery Inc.	66 Shorncliffe Rd Toronto ON M8Z 5K1	232.1	<a href="#">195</a>
Metro Waste Paper Recovery Inc.	66 Shorncliffe Rd Toronto ON M8Z 5K1	232.1	<a href="#">195</a>
Global Waste Services Inc.	90 Shorncliffe Road, Lot 34 of Registered P 2104 Toronto ON	272.2	<a href="#">215</a>
King Recycling & Waste Disposal Inc.	90 Shorncliffe Road, Lot 33 of Registered P 2104 Toronto ON M8Z 5K5	272.2	<a href="#">215</a>
Global Waste Services Inc.	90 Shorncliffe Rd Lot 34 of Registered P 2104 Toronto ON M8Z 5K5	272.2	<a href="#">215</a>
King Recycling & Waste Disposal Inc.	90 Shorncliffe Road, Lot 34 of Registered P 2104 Toronto ON M8Z 5K5	272.2	<a href="#">215</a>
Terra-Green Recycling & Transfer Inc.	90 Shorncliffe Road, Lot 34 of Registered P 2104 Toronto ON M8Z 5K5	272.2	<a href="#">215</a>

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
Terra-Green Recycling & Transfer Inc.	86 Shorncliffe Road Lot 33 Toronto ON	272.4	<a href="#">216</a>
Terra-Green Recycling & Transfer Inc.	86 Shorncliffe Rd Lot 33 of Registered P 2104 Toronto ON M8Z 5K5	272.4	<a href="#">216</a>
Terra-Green Recycling & Transfer Inc.	86 Shorncliffe Rd Lot 33 of Registered P 2104 Toronto ON M8Z 5K5	272.4	<a href="#">216</a>
METALOGICS INC.	70 NORTH QUEEN ST ETOBICOKE ON M8Z 2C9	280.0	<a href="#">221</a>
ONTARIO HYDRO	800 KIPLING AVENEUE YORK ON	287.6	<a href="#">227</a>
Kinectrics Inc.	800 Kipling Ave Toronto ON M8Z 6C4	287.6	<a href="#">227</a>
Kinectrics Inc.	800 Kipling Avenue Toronto ON M8Z 6C4	287.6	<a href="#">227</a>
Kinectrics Inc.	800 Kipling Ave Building KT Toronto ON M8Z 6C4	287.6	<a href="#">227</a>
	800 KIPLING AVENEUE YORK ON	287.6	<a href="#">227</a>
Kinectrics Inc.	800 Kipling Ave Toronto ON M8Z 5G5	287.6	<a href="#">227</a>
Kinectrics Inc.	800 Kipling Avenue Toronto ON M8Z 6C4	287.6	<a href="#">227</a>
Hydro One Inc.	800 Kipling Avenue Toronto ON M8Z 2R7	287.6	<a href="#">227</a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Kinectrics Inc.	800 Kipling Avenue Toronto ON M8Z 6C4	287.6	<a href="#">227</a>
Kinectrics Inc.	800 Kipling Ave Suite 2 Toronto ON M8Z 6C4	287.6	<a href="#">227</a>
Kinectrics Inc.	800 Kipling Avenue Toronto ON M8Z 6C4	287.6	<a href="#">227</a>
Kinectrics Inc.	800 Kipling Ave Toronto ON M8Z 6C4	287.6	<a href="#">227</a>
Hydro One Inc.	800 Kipling Avenue Toronto ON M8Z 2R7	287.6	<a href="#">227</a>

### **WWIS - Water Well Information System**

A search of the WWIS database, dated Dec 31, 2017 has found that there are 102 WWIS site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	TORONTO ON <i>Well ID: 7261867</i>	0.0	<a href="#">2</a>
	TORONTO ON <i>Well ID: 7261863</i>	0.0	<a href="#">3</a>
	TORONTO ON <i>Well ID: 7261872</i>	0.0	<a href="#">5</a>
	TORONTO ON <i>Well ID: 7261858</i>	0.0	<a href="#">6</a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	TORONTO ON <i>Well ID: 7261862</i>	0.0	<a href="#"><u>7</u></a>
	TORONTO ON <i>Well ID: 7261844</i>	0.0	<a href="#"><u>8</u></a>
	TORONTO ON <i>Well ID: 7261868</i>	0.0	<a href="#"><u>9</u></a>
	TORONTO ON <i>Well ID: 7261861</i>	0.0	<a href="#"><u>13</u></a>
	TORONTO ON <i>Well ID: 7261859</i>	0.0	<a href="#"><u>15</u></a>
	TORONTO ON <i>Well ID: 7261860</i>	0.0	<a href="#"><u>16</u></a>
	TORONTO ON <i>Well ID: 7261871</i>	0.0	<a href="#"><u>17</u></a>
	ETOBICOKE ON <i>Well ID: 7128501</i>	0.0	<a href="#"><u>18</u></a>
	TORONTO ON <i>Well ID: 7261850</i>	0.0	<a href="#"><u>19</u></a>
	TORONTO ON <i>Well ID: 7261847</i>	0.0	<a href="#"><u>20</u></a>
	TORONTO ON <i>Well ID: 7261843</i>	0.0	<a href="#"><u>24</u></a>
	TORONTO ON	0.0	<a href="#"><u>25</u></a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	<i>Well ID: 7261866</i>		
	TORONTO ON	0.0	<a href="#"><u>28</u></a>
	<i>Well ID: 7261864</i>		
	TORONTO ON	0.0	<a href="#"><u>29</u></a>
	<i>Well ID: 7261865</i>		
	TORONTO ON	0.0	<a href="#"><u>31</u></a>
	<i>Well ID: 7261870</i>		
	TORONTO ON	0.0	<a href="#"><u>34</u></a>
	<i>Well ID: 7261869</i>		
	TORONTO ON	0.0	<a href="#"><u>35</u></a>
	<i>Well ID: 7261846</i>		
	TORONTO ON	0.0	<a href="#"><u>39</u></a>
	<i>Well ID: 7261842</i>		
	TORONTO ON	0.0	<a href="#"><u>40</u></a>
	<i>Well ID: 7261848</i>		
	TORONTO ON	0.0	<a href="#"><u>41</u></a>
	<i>Well ID: 7261845</i>		
	TORONTO ON	0.0	<a href="#"><u>44</u></a>
	<i>Well ID: 7261873</i>		
	TORONTO ON	0.0	<a href="#"><u>45</u></a>
	<i>Well ID: 7261874</i>		
	TORONTO ON	0.0	<a href="#"><u>46</u></a>
	<i>Well ID: 7261875</i>		

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	TORONTO ON <i>Well ID: 7261849</i>	11.8	<a href="#"><u>54</u></a>
	Toronto ON <i>Well ID: 7138414</i>	32.0	<a href="#"><u>62</u></a>
	ETOBICOKE ON <i>Well ID: 6929539</i>	38.1	<a href="#"><u>65</u></a>
	Toronto ON <i>Well ID: 7118949</i>	39.1	<a href="#"><u>67</u></a>
	Toronto ON <i>Well ID: 7117894</i>	50.3	<a href="#"><u>74</u></a>
	Toronto ON <i>Well ID: 7138413</i>	68.9	<a href="#"><u>78</u></a>
	TORONTO ON <i>Well ID: 7116427</i>	76.7	<a href="#"><u>83</u></a>
	ON <i>Well ID: 7214404</i>	85.7	<a href="#"><u>84</u></a>
	ETOBICOKE ON <i>Well ID: 7116718</i>	90.4	<a href="#"><u>87</u></a>
	Toronto ON <i>Well ID: 7117895</i>	100.4	<a href="#"><u>94</u></a>
	Toronto ON <i>Well ID: 7110120</i>	102.2	<a href="#"><u>96</u></a>
	TORONTO ON	115.7	<a href="#"><u>102</u></a>



<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	<i>Well ID: 7120237</i>		
	Toronto ON	118.2	<a href="#">104</a>
	<i>Well ID: 7110875</i>		
	Toronto ON	121.5	<a href="#">105</a>
	<i>Well ID: 7120724</i>		
	TORONTO ON	127.1	<a href="#">107</a>
	<i>Well ID: 6929023</i>		
	ETOBICOKE ON	132.1	<a href="#">109</a>
	<i>Well ID: 7281260</i>		
	Toronto ON	134.6	<a href="#">111</a>
	<i>Well ID: 7138411</i>		
	ETOBICOKE ON	137.2	<a href="#">113</a>
	<i>Well ID: 7281241</i>		
	Toronto ON	137.8	<a href="#">114</a>
	<i>Well ID: 7138412</i>		
	Toronto ON	138.1	<a href="#">115</a>
	<i>Well ID: 7284879</i>		
	Toronto ON	143.8	<a href="#">116</a>
	<i>Well ID: 7284878</i>		
	ON	159.1	<a href="#">121</a>
	<i>Well ID: 7258924</i>		
	ON	163.6	<a href="#">122</a>
	<i>Well ID: 7281245</i>		


<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON <i>Well ID: 7175397</i>	165.8	<a href="#">126</a>
	Toronto ON <i>Well ID: 7284880</i>	169.1	<a href="#">128</a>
	ETOBICOKE ON <i>Well ID: 7281247</i>	171.2	<a href="#">133</a>
	Toronto ON <i>Well ID: 7284882</i>	171.6	<a href="#">135</a>
	ON <i>Well ID: 7205389</i>	177.2	<a href="#">137</a>
	Toronto ON <i>Well ID: 7284881</i>	178.9	<a href="#">139</a>
	ETOBICOKE ON <i>Well ID: 7110522</i>	180.3	<a href="#">140</a>
	TORONTO ON <i>Well ID: 7217840</i>	181.1	<a href="#">141</a>
	TORONTO ON <i>Well ID: 7260413</i>	187.8	<a href="#">149</a>
	Toronto ON <i>Well ID: 7270322</i>	190.2	<a href="#">151</a>
	TORONTO ON <i>Well ID: 7260415</i>	191.2	<a href="#">154</a>
	TORONTO ON	192.3	<a href="#">155</a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	<i>Well ID: 7260412</i>		
	TORONTO ON	192.3	<a href="#">155</a>
	<i>Well ID: 7260463</i>		
	Toronto ON	192.8	<a href="#">156</a>
	<i>Well ID: 7284883</i>		
	ON	198.9	<a href="#">158</a>
	<i>Well ID: 7271394</i>		
	TORONTO ON	200.0	<a href="#">159</a>
	<i>Well ID: 7260464</i>		
	TORONTO ON	201.0	<a href="#">161</a>
	<i>Well ID: 7260416</i>		
	Toronto ON	201.1	<a href="#">162</a>
	<i>Well ID: 7276630</i>		
	ON	201.2	<a href="#">163</a>
	<i>Well ID: 7214405</i>		
	TORONTO ON	201.7	<a href="#">164</a>
	<i>Well ID: 7260414</i>		
	ON	201.8	<a href="#">165</a>
	<i>Well ID: 7260418</i>		
	ETOBICOKE ON	203.9	<a href="#">166</a>
	<i>Well ID: 7117449</i>		
	Toronto ON	204.1	<a href="#">167</a>
	<i>Well ID: 7270323</i>		

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	TORONTO ON <i>Well ID: 7261635</i>	208.7	<a href="#">171</a>
	TORONTO ON <i>Well ID: 7261636</i>	209.5	<a href="#">173</a>
	TORONTO ON <i>Well ID: 7217844</i>	210.0	<a href="#">174</a>
	Toronto ON <i>Well ID: 7274754</i>	210.4	<a href="#">175</a>
	ON <i>Well ID: 7270685</i>	211.1	<a href="#">176</a>
	Toronto ON <i>Well ID: 7270324</i>	214.2	<a href="#">178</a>
	TORONTO ON <i>Well ID: 7260226</i>	221.0	<a href="#">183</a>
	ON <i>Well ID: 7260196</i>	222.1	<a href="#">184</a>
	TORONTO ON <i>Well ID: 7217842</i>	223.0	<a href="#">185</a>
	ETOBICOKE ON <i>Well ID: 7281246</i>	225.7	<a href="#">186</a>
	TORONTO ON <i>Well ID: 7260461</i>	226.1	<a href="#">188</a>
	Toronto ON	231.4	<a href="#">193</a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	<i>Well ID: 7258513</i>		
	TORONTO ON	234.1	<a href="#">196</a>
	<i>Well ID: 7260462</i>		
	ETOBICOKE ON	234.5	<a href="#">197</a>
	<i>Well ID: 7235275</i>		
	TORONTO ON	241.2	<a href="#">198</a>
	<i>Well ID: 7260417</i>		
	Toronto ON	242.6	<a href="#">199</a>
	<i>Well ID: 7181529</i>		
	ON	252.2	<a href="#">202</a>
	<i>Well ID: 7274661</i>		
	ON	258.1	<a href="#">205</a>
	<i>Well ID: 7223054</i>		
	ETOBICOKE ON	266.2	<a href="#">209</a>
	<i>Well ID: 7281240</i>		
	ETOBICOKE ON	270.3	<a href="#">211</a>
	<i>Well ID: 7257895</i>		
	ETOBICOKE ON	271.2	<a href="#">212</a>
	<i>Well ID: 7039432</i>		
	TORONTO ON	271.9	<a href="#">214</a>
	<i>Well ID: 7217839</i>		
	ON	275.5	<a href="#">219</a>
	<i>Well ID: 7288448</i>		

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ETOBICOKE ON <i>Well ID: 7281257</i>	282.6	<a href="#">222</a>
	ETOBICOKE ON <i>Well ID: 7281259</i>	285.4	<a href="#">225</a>
	ON <i>Well ID: 7188819</i>	290.2	<a href="#">229</a>
	Toronto ON <i>Well ID: 7170911</i>	295.1	<a href="#">231</a>
	ETOBICOKE ON <i>Well ID: 7278893</i>	295.9	<a href="#">232</a>
	TORONTO ON <i>Well ID: 7217841</i>	298.2	<a href="#">235</a>



### Map : 0.3 Kilometer Radius

Order No: 20180716058  
Address: 30 Newbridge Road, Etobicoke, ON, M8Z 2L7



Project Property	Expressway	Industrial and Resource - Regions	National Park
Buffer Outline	Principal Highway	Main Line	Provincial or Territorial Park
Eris Sites with Higher Elevation	Secondary Highway	Sidetrack	Other Park
Eris Sites with Same Elevation	Major Road	Transit Line	Golf Course or Driving Range
Eris Sites with Lower Elevation	Local road	Abandoned Line	Park or Sports Field
Eris Sites with Unknown Elevation	Trail	Proposed Road	Other Recreation Area
	Proposed Road		
	Ferry Route/Ice Road		



# Aerial (2016)

Address: 30 Newbridge Road, Etobicoke, ON, M8Z 2L7


Source: ESRI World Imagery

Order No: 20180716058



© ERIS Information Limited Partnership





Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, © OpenStreetMap contributors, and the GIS User Community

# Topographic Map

Address: 30 Newbridge Road, Etobicoke, ON, M8Z 2L7

Source: ESRI World Topographic Map

Order No: 20180716058



© ERIS Information Limited Partnership

# Detail Report

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB		
<a href="#">1</a>	1 of 1	-/0.0	113.8 / 0.00	36 Queen St N Toronto ON M8Z2C4	EHS		
<table style="width: 100%; border: none;"> <tr> <td style="width: 50%; vertical-align: top;"> <b>Order ID:</b> 422087  <b>Order No:</b> 20150812108  <b>Customer ID:</b> 84007  <b>Company ID:</b> 50  <b>Status:</b> C  <b>Report Code:</b> 25CAN  <b>Report Type:</b> RSC Report - Quote  <b>Report Date:</b> 15-DEC-15  <b>Report Requested by:</b> Golder Associates Ltd.  <b>Nearest Intersection:</b>  <b>Previous Site Name:</b>  <b>Additional Info Ordered:</b> </td> <td style="width: 50%; vertical-align: top;"> <b>Date Received:</b> 12-AUG-15  <b>Lot/Building Size:</b>  <b>Municipality:</b>  <b>Client Prov/State:</b> ON  <b>Search Radius (km):</b> .3  <b>Large Radius:</b> .4  <b>X:</b> -79.537414  <b>Y:</b> 43.627144                 </td> </tr> </table>						<b>Order ID:</b> 422087 <b>Order No:</b> 20150812108 <b>Customer ID:</b> 84007 <b>Company ID:</b> 50 <b>Status:</b> C <b>Report Code:</b> 25CAN <b>Report Type:</b> RSC Report - Quote <b>Report Date:</b> 15-DEC-15 <b>Report Requested by:</b> Golder Associates Ltd. <b>Nearest Intersection:</b> <b>Previous Site Name:</b> <b>Additional Info Ordered:</b>	<b>Date Received:</b> 12-AUG-15 <b>Lot/Building Size:</b> <b>Municipality:</b> <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> .3 <b>Large Radius:</b> .4 <b>X:</b> -79.537414 <b>Y:</b> 43.627144
<b>Order ID:</b> 422087 <b>Order No:</b> 20150812108 <b>Customer ID:</b> 84007 <b>Company ID:</b> 50 <b>Status:</b> C <b>Report Code:</b> 25CAN <b>Report Type:</b> RSC Report - Quote <b>Report Date:</b> 15-DEC-15 <b>Report Requested by:</b> Golder Associates Ltd. <b>Nearest Intersection:</b> <b>Previous Site Name:</b> <b>Additional Info Ordered:</b>	<b>Date Received:</b> 12-AUG-15 <b>Lot/Building Size:</b> <b>Municipality:</b> <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> .3 <b>Large Radius:</b> .4 <b>X:</b> -79.537414 <b>Y:</b> 43.627144						
<a href="#">2</a>	1 of 1	-/0.0	113.8 / 0.00	TORONTO ON	WWIS		
<table style="width: 100%; border: none;"> <tr> <td style="width: 50%; vertical-align: top;"> <b>Well ID:</b> 7261867  <b>Construction Date:</b>  <b>Primary Water Use:</b> Monitoring and Test Hole  <b>Sec. Water Use:</b> 0  <b>Final Well Status:</b> Monitoring and Test Hole  <b>Water Type:</b>  <b>Casing Material:</b>  <b>Audit No:</b> Z213212  <b>Tag:</b> A183338  <b>Construction Method:</b>  <b>Elevation (m):</b>  <b>Elevation Reliability:</b>  <b>Depth to Bedrock:</b>  <b>Well Depth:</b>  <b>Overburden/Bedrock:</b>  <b>Pump Rate:</b>  <b>Static Water Level:</b>  <b>Flowing (Y/N):</b>  <b>Flow Rate:</b>  <b>Clear/Cloudy:</b> </td> <td style="width: 50%; vertical-align: top;"> <b>Data Entry Status:</b>  <b>Data Src:</b>  <b>Date Received:</b> 4/25/2016  <b>Selected Flag:</b> Yes  <b>Abandonment Rec:</b>  <b>Contractor:</b> 7241  <b>Form Version:</b> 7  <b>Owner:</b>  <b>Street Name:</b> 36 NORTH QUEEN ST  <b>County:</b> YORK  <b>Municipality:</b> ETOBICOKE BOROUGH  <b>Site Info:</b>  <b>Lot:</b>  <b>Concession:</b>  <b>Concession Name:</b>  <b>Easting NAD83:</b>  <b>Northing NAD83:</b>  <b>Zone:</b>  <b>UTM Reliability:</b> </td> </tr> </table>						<b>Well ID:</b> 7261867 <b>Construction Date:</b> <b>Primary Water Use:</b> Monitoring and Test Hole <b>Sec. Water Use:</b> 0 <b>Final Well Status:</b> Monitoring and Test Hole <b>Water Type:</b> <b>Casing Material:</b> <b>Audit No:</b> Z213212 <b>Tag:</b> A183338 <b>Construction Method:</b> <b>Elevation (m):</b> <b>Elevation Reliability:</b> <b>Depth to Bedrock:</b> <b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>	<b>Data Entry Status:</b> <b>Data Src:</b> <b>Date Received:</b> 4/25/2016 <b>Selected Flag:</b> Yes <b>Abandonment Rec:</b> <b>Contractor:</b> 7241 <b>Form Version:</b> 7 <b>Owner:</b> <b>Street Name:</b> 36 NORTH QUEEN ST <b>County:</b> YORK <b>Municipality:</b> ETOBICOKE BOROUGH <b>Site Info:</b> <b>Lot:</b> <b>Concession:</b> <b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>
<b>Well ID:</b> 7261867 <b>Construction Date:</b> <b>Primary Water Use:</b> Monitoring and Test Hole <b>Sec. Water Use:</b> 0 <b>Final Well Status:</b> Monitoring and Test Hole <b>Water Type:</b> <b>Casing Material:</b> <b>Audit No:</b> Z213212 <b>Tag:</b> A183338 <b>Construction Method:</b> <b>Elevation (m):</b> <b>Elevation Reliability:</b> <b>Depth to Bedrock:</b> <b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>	<b>Data Entry Status:</b> <b>Data Src:</b> <b>Date Received:</b> 4/25/2016 <b>Selected Flag:</b> Yes <b>Abandonment Rec:</b> <b>Contractor:</b> 7241 <b>Form Version:</b> 7 <b>Owner:</b> <b>Street Name:</b> 36 NORTH QUEEN ST <b>County:</b> YORK <b>Municipality:</b> ETOBICOKE BOROUGH <b>Site Info:</b> <b>Lot:</b> <b>Concession:</b> <b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>						
<b><u>Bore Hole Information</u></b>							
<table style="width: 100%; border: none;"> <tr> <td style="width: 50%; vertical-align: top;"> <b>Bore Hole ID:</b> 1005937340  <b>DP2BR:</b>  <b>Spatial Status:</b>  <b>Code OB:</b>  <b>Code OB Desc:</b>  <b>Open Hole:</b>  <b>Cluster Kind:</b>  <b>Date Completed:</b> 07-MAR-16  <b>Remarks:</b>  <b>Elevrc Desc:</b> </td> <td style="width: 50%; vertical-align: top;"> <b>Elevation:</b> 116.36  <b>Elevrc:</b>  <b>Zone:</b> 17  <b>East83:</b> 617973  <b>Org CS:</b> UTM83  <b>North83:</b> 4831421  <b>UTMRC:</b> 4  <b>UTMRC Desc:</b> margin of error : 30 m - 100 m  <b>Location Method:</b> wwr                 </td> </tr> </table>						<b>Bore Hole ID:</b> 1005937340 <b>DP2BR:</b> <b>Spatial Status:</b> <b>Code OB:</b> <b>Code OB Desc:</b> <b>Open Hole:</b> <b>Cluster Kind:</b> <b>Date Completed:</b> 07-MAR-16 <b>Remarks:</b> <b>Elevrc Desc:</b>	<b>Elevation:</b> 116.36 <b>Elevrc:</b> <b>Zone:</b> 17 <b>East83:</b> 617973 <b>Org CS:</b> UTM83 <b>North83:</b> 4831421 <b>UTMRC:</b> 4 <b>UTMRC Desc:</b> margin of error : 30 m - 100 m <b>Location Method:</b> wwr
<b>Bore Hole ID:</b> 1005937340 <b>DP2BR:</b> <b>Spatial Status:</b> <b>Code OB:</b> <b>Code OB Desc:</b> <b>Open Hole:</b> <b>Cluster Kind:</b> <b>Date Completed:</b> 07-MAR-16 <b>Remarks:</b> <b>Elevrc Desc:</b>	<b>Elevation:</b> 116.36 <b>Elevrc:</b> <b>Zone:</b> 17 <b>East83:</b> 617973 <b>Org CS:</b> UTM83 <b>North83:</b> 4831421 <b>UTMRC:</b> 4 <b>UTMRC Desc:</b> margin of error : 30 m - 100 m <b>Location Method:</b> wwr						

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Location Source Date:  
 Improvement Location Source:  
 Improvement Location Method:  
 Source Revision Comment:  
 Supplier Comment:

**Overburden and Bedrock**  
**Materials Interval**

Formation ID: 1006041610  
 Layer: 2  
 Color: 6  
 General Color: BROWN  
 Mat1: 06  
 Most Common Material: SILT  
 Mat2: 28  
 Other Materials: SAND  
 Mat3: 34  
 Other Materials: TILL  
 Formation Top Depth: 3  
 Formation End Depth: 10  
 Formation End Depth UOM: ft

Formation ID: 1006041611  
 Layer: 3  
 Color: 2  
 General Color: GREY  
 Mat1: 06  
 Most Common Material: SILT  
 Mat2: 28  
 Other Materials: SAND  
 Mat3: 34  
 Other Materials: TILL  
 Formation Top Depth: 10  
 Formation End Depth: 17  
 Formation End Depth UOM: ft

Formation ID: 1006041609  
 Layer: 1  
 Color: 6  
 General Color: BROWN  
 Mat1: 28  
 Most Common Material: SAND  
 Mat2: 11  
 Other Materials: GRAVEL  
 Mat3:  
 Other Materials:  
 Formation Top Depth: 0  
 Formation End Depth: 3  
 Formation End Depth UOM: ft

**Annular Space/Abandonment**  
**Sealing Record**

Plug ID: 1006041620  
 Layer: 2  
 Plug From: 6  
 Plug To: 0  
 Plug Depth UOM: ft

Plug ID: 1006041621  
 Layer: 3  
 Plug From:  
 Plug To:

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>	1006041619				
<b>Layer:</b>	1				
<b>Plug From:</b>	17				
<b>Plug To:</b>	6				
<b>Plug Depth UOM:</b>	ft				
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>	1006041618				
<b>Method Construction Code:</b>	D				
<b>Method Construction:</b>	Direct Push				
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>	1006041608				
<b>Casing No:</b>	0				
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>	1006041614				
<b>Layer:</b>	1				
<b>Material:</b>	5				
<b>Open Hole or Material:</b>	PLASTIC				
<b>Depth From:</b>	0				
<b>Depth To:</b>	7				
<b>Casing Diameter:</b>	2				
<b>Casing Diameter UOM:</b>	inch				
<b>Casing Depth UOM:</b>	ft				
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>	1006041615				
<b>Layer:</b>	1				
<b>Slot:</b>	.10				
<b>Screen Top Depth:</b>	7				
<b>Screen End Depth:</b>	17				
<b>Screen Material:</b>	5				
<b>Screen Depth UOM:</b>	ft				
<b>Screen Diameter UOM:</b>	inch				
<b>Screen Diameter:</b>	2.25				
<b><u>Water Details</u></b>					
<b>Water ID:</b>	1006041613				
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>	ft				
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>	1006041612				
<b>Diameter:</b>	8				
<b>Depth From:</b>	0				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth To:		17			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

[3](#)

1 of 1

-/0.0

114.8 / 1.00

TORONTO ON

WWIS

Well ID: 7261863  
 Construction Date:  
 Primary Water Use: Monitoring and Test Hole  
 Sec. Water Use: 0  
 Final Well Status: Monitoring and Test Hole  
 Water Type:  
 Casing Material:  
 Audit No: Z228229  
 Tag: A197701  
 Construction Method:  
 Elevation (m):  
 Elevation Reliability:  
 Depth to Bedrock:  
 Well Depth:  
 Overburden/Bedrock:  
 Pump Rate:  
 Static Water Level:  
 Flowing (Y/N):  
 Flow Rate:  
 Clear/Cloudy:

Data Entry Status:  
 Data Src:  
 Date Received: 4/25/2016  
 Selected Flag: Yes  
 Abandonment Rec:  
 Contractor: 7241  
 Form Version: 7  
 Owner:  
 Street Name: 36 NORTH QUEEN STREET  
 County: YORK  
 Municipality: ETOBICOKE BOROUGH  
 Site Info: WKQ-008733 A0-A025  
 Lot:  
 Concession:  
 Concession Name:  
 Easting NAD83:  
 Northing NAD83:  
 Zone:  
 UTM Reliability:

Bore Hole Information

Bore Hole ID: 1005937328  
 DP2BR:  
 Spatial Status:  
 Code OB:  
 Code OB Desc:  
 Open Hole:  
 Cluster Kind:  
 Date Completed: 03-MAR-16  
 Remarks:  
 Elevrc Desc:  
 Location Source Date:  
 Improvement Location Source:  
 Improvement Location Method:  
 Source Revision Comment:  
 Supplier Comment:

Elevation: 116.95  
 Elevrc:  
 Zone: 17  
 East83: 617929  
 Org CS: UTM83  
 North83: 4831590  
 UTMRC: 4  
 UTMRC Desc: margin of error : 30 m - 100 m  
 Location Method: wwr

Overburden and Bedrock

Materials Interval

Formation ID: 1006041553  
 Layer: 1  
 Color: 6  
 General Color: BROWN  
 Mat1: 28  
 Most Common Material: SAND  
 Mat2: 11  
 Other Materials: GRAVEL  
 Mat3:  
 Other Materials:  
 Formation Top Depth: 0  
 Formation End Depth: 2  
 Formation End Depth UOM: ft

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation ID:</b>		1006041554			
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		06			
<b>Most Common Material:</b>		SILT			
<b>Mat2:</b>		34			
<b>Other Materials:</b>		TILL			
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		2			
<b>Formation End Depth:</b>		10			
<b>Formation End Depth UOM:</b>		ft			
<b>Formation ID:</b>		1006041555			
<b>Layer:</b>		3			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		17			
<b>Most Common Material:</b>		SHALE			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		10			
<b>Formation End Depth:</b>		14			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1006041563			
<b>Layer:</b>		1			
<b>Plug From:</b>		14			
<b>Plug To:</b>		3			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1006041564			
<b>Layer:</b>		2			
<b>Plug From:</b>		3			
<b>Plug To:</b>		0			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1006041565			
<b>Layer:</b>		3			
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1006041562			
<b>Method Construction Code:</b>		D			
<b>Method Construction:</b>		Direct Push			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1006041552			
<b>Casing No:</b>		0			
<b>Comment:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Alt Name:

**Construction Record - Casing**

Casing ID: 1006041558  
 Layer: 1  
 Material: 5  
 Open Hole or Material: PLASTIC  
 Depth From: 0  
 Depth To: 4  
 Casing Diameter: 2  
 Casing Diameter UOM: inch  
 Casing Depth UOM: ft

**Construction Record - Screen**

Screen ID: 1006041559  
 Layer: 1  
 Slot: .10  
 Screen Top Depth: 4  
 Screen End Depth: 14  
 Screen Material: 5  
 Screen Depth UOM: ft  
 Screen Diameter UOM: inch  
 Screen Diameter: 2.25

**Water Details**

Water ID: 1006041557  
 Layer:  
 Kind Code:  
 Kind:  
 Water Found Depth:  
 Water Found Depth UOM: ft

**Hole Diameter**

Hole ID: 1006041556  
 Diameter: 8  
 Depth From: 0  
 Depth To: 14  
 Hole Depth UOM: ft  
 Hole Diameter UOM: inch

4      1 of 1      -/0.0      113.5/ -0.38      ON      **BORE**

<b>Borehole ID:</b>	641616	<b>Type:</b>	Borehole
<b>Use:</b>	Geotechnical/Geological Investigation	<b>Status::</b>	
<b>Drill Method::</b>	Power auger	<b>UTM Zone::</b>	17
<b>Easting::</b>	618125	<b>Northing::</b>	4831518
<b>Location Accuracy::</b>		<b>Orig. Ground Elev m::</b>	117
<b>Elev. Reliability</b>		<b>DEM Ground Elev m::</b>	115
<b>Note::</b>		<b>Primary Name::</b>	
<b>Total Depth m::</b>	8.2	<b>Concession::</b>	
<b>Township::</b>		<b>Municipality:</b>	
<b>Lot::</b>		<b>Static Water Level::</b>	.1
<b>Completion Date::</b>	DEC-1970	<b>Sec. Water Use::</b>	
<b>Primary Water Use::</b>	Not Used		

--Details--

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Stratum ID:</b> <b>Bottom Depth(m):</b>	218496738 6.1			<b>Top Depth(m):</b> <b>Stratum Desc:</b>	3.0 SILT,SAND,CLAY, GRAVEL. GREY, GLACIAL, VERY DENSE, AGE GLACIAL.
<b>Stratum ID:</b> <b>Bottom Depth(m):</b>	218496739 8.2			<b>Top Depth(m):</b> <b>Stratum Desc:</b>	6.1 SHALE. GREY, WEATHERED, SOFT, AGE ORDOVICIAN. 025 016 016 008
<b>Stratum ID:</b> <b>Bottom Depth(m):</b>	218496736 1.2			<b>Top Depth(m):</b> <b>Stratum Desc:</b>	0.0 FILL, SOIL, SAND, GRAVEL.
<b>Stratum ID:</b> <b>Bottom Depth(m):</b>	218496737 3.0			<b>Top Depth(m):</b> <b>Stratum Desc:</b>	1.2 SILT,SAND,CLAY, GRAVEL. BROWN, GLACIAL, VERY DENSE, AGE GLACIAL, WATER STABLE AT 383.6 FEET.

<u>5</u>	1 of 1	-/0.0	112.8 / -1.00	TORONTO ON	WWIS
<b>Well ID:</b>	7261872			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole			<b>Date Received:</b>	4/25/2016
<b>Sec. Water Use:</b>	0			<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Monitoring and Test Hole			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z204431			<b>Owner:</b>	
<b>Tag:</b>	A197706			<b>Street Name:</b>	36 NORTH QUEEN STREET
<b>Construction Method:</b>				<b>County:</b>	YORK
<b>Elevation (m):</b>				<b>Municipality:</b>	ETOBICOKE BOROUGH
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1005937355			<b>Elevation:</b>	115.99
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	17
<b>Code OB:</b>				<b>East83:</b>	618117
<b>Code OB Desc:</b>				<b>Org CS:</b>	UTM83
<b>Open Hole:</b>				<b>North83:</b>	4831412
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	09-MAR-16			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1006041684			
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		06			
<b>Most Common Material:</b>		SILT			
<b>Mat2:</b>		28			
<b>Other Materials:</b>		SAND			
<b>Mat3:</b>		34			
<b>Other Materials:</b>		TILL			
<b>Formation Top Depth:</b>		.5			
<b>Formation End Depth:</b>		5			
<b>Formation End Depth UOM:</b>		ft			
<b>Formation ID:</b>		1006041685			
<b>Layer:</b>		3			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		06			
<b>Most Common Material:</b>		SILT			
<b>Mat2:</b>		28			
<b>Other Materials:</b>		SAND			
<b>Mat3:</b>		34			
<b>Other Materials:</b>		TILL			
<b>Formation Top Depth:</b>		5			
<b>Formation End Depth:</b>		9			
<b>Formation End Depth UOM:</b>		ft			
<b>Formation ID:</b>		1006041683			
<b>Layer:</b>		1			
<b>Color:</b>		8			
<b>General Color:</b>		BLACK			
<b>Mat1:</b>		27			
<b>Most Common Material:</b>		OTHER			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		.5			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1006041693			
<b>Layer:</b>		1			
<b>Plug From:</b>		9			
<b>Plug To:</b>		3			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1006041695			
<b>Layer:</b>		3			
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1006041694			
<b>Layer:</b>		2			
<b>Plug From:</b>		3			
<b>Plug To:</b>		0			
<b>Plug Depth UOM:</b>		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1006041692			
<b>Method Construction Code:</b>		D			
<b>Method Construction:</b>		Direct Push			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1006041682			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1006041688			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		4			
<b>Casing Diameter:</b>		2			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1006041689			
<b>Layer:</b>		1			
<b>Slot:</b>		.10			
<b>Screen Top Depth:</b>		4			
<b>Screen End Depth:</b>		9			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		ft			
<b>Screen Diameter UOM:</b>		inch			
<b>Screen Diameter:</b>		2.25			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1006041687			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		ft			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1006041686			
<b>Diameter:</b>		8			
<b>Depth From:</b>		0			
<b>Depth To:</b>		9			
<b>Hole Depth UOM:</b>		ft			
<b>Hole Diameter UOM:</b>		inch			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Well ID:</b>	7261858			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole			<b>Date Received:</b>	4/25/2016
<b>Sec. Water Use:</b>	0			<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Monitoring and Test Hole			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z228241			<b>Owner:</b>	
<b>Tag:</b>	A195163			<b>Street Name:</b>	36 NORTH QUEEN STREET
<b>Construction Method:</b>				<b>County:</b>	YORK
<b>Elevation (m):</b>				<b>Municipality:</b>	ETOBICOKE BOROUGH
<b>Elevation Reliability:</b>				<b>Site Info:</b>	WKQ-008733 A0 A025
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

#### Bore Hole Information

<b>Bore Hole ID:</b>	1005937313	<b>Elevation:</b>	117.52
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	17
<b>Code OB:</b>		<b>East83:</b>	617827
<b>Code OB Desc:</b>		<b>Org CS:</b>	UTM83
<b>Open Hole:</b>		<b>North83:</b>	4831505
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	04-MAR-16	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

#### Overburden and Bedrock

##### Materials Interval

<b>Formation ID:</b>	1006041486
<b>Layer:</b>	1
<b>Color:</b>	6
<b>General Color:</b>	BROWN
<b>Mat1:</b>	28
<b>Most Common Material:</b>	SAND
<b>Mat2:</b>	11
<b>Other Materials:</b>	GRAVEL
<b>Mat3:</b>	73
<b>Other Materials:</b>	HARD
<b>Formation Top Depth:</b>	0
<b>Formation End Depth:</b>	1
<b>Formation End Depth UOM:</b>	ft
<b>Formation ID:</b>	1006041487
<b>Layer:</b>	2
<b>Color:</b>	6
<b>General Color:</b>	BROWN
<b>Mat1:</b>	28
<b>Most Common Material:</b>	SAND
<b>Mat2:</b>	06

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Other Materials:</i>		SILT			
<i>Mat3:</i>		73			
<i>Other Materials:</i>		HARD			
<i>Formation Top Depth:</i>		1			
<i>Formation End Depth:</i>		13			
<i>Formation End Depth UOM:</i>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<i>Plug ID:</i>		1006041497			
<i>Layer:</i>		3			
<i>Plug From:</i>		3			
<i>Plug To:</i>		13			
<i>Plug Depth UOM:</i>		ft			
<i>Plug ID:</i>		1006041495			
<i>Layer:</i>		1			
<i>Plug From:</i>		0			
<i>Plug To:</i>		.5			
<i>Plug Depth UOM:</i>		ft			
<i>Plug ID:</i>		1006041496			
<i>Layer:</i>		2			
<i>Plug From:</i>		.5			
<i>Plug To:</i>		3			
<i>Plug Depth UOM:</i>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<i>Method Construction ID:</i>		1006041494			
<i>Method Construction Code:</i>		D			
<i>Method Construction:</i>		Direct Push			
<i>Other Method Construction:</i>					
<b><u>Pipe Information</u></b>					
<i>Pipe ID:</i>		1006041485			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
<b><u>Construction Record - Casing</u></b>					
<i>Casing ID:</i>		1006041490			
<i>Layer:</i>		1			
<i>Material:</i>		5			
<i>Open Hole or Material:</i>		PLASTIC			
<i>Depth From:</i>		0			
<i>Depth To:</i>		3			
<i>Casing Diameter:</i>		2			
<i>Casing Diameter UOM:</i>		inch			
<i>Casing Depth UOM:</i>		ft			
<b><u>Construction Record - Screen</u></b>					
<i>Screen ID:</i>		1006041491			
<i>Layer:</i>		1			
<i>Slot:</i>		10			
<i>Screen Top Depth:</i>		3			
<i>Screen End Depth:</i>		13			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.25			
<b><u>Water Details</u></b>					
Water ID:		1006041489			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<b><u>Hole Diameter</u></b>					
Hole ID:		1006041488			
Diameter:		6			
Depth From:		0			
Depth To:		13			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

<u>7</u>	1 of 1	-0.0	115.8 / 2.00	TORONTO ON	WWIS
Well ID:	7261862			<b>Data Entry Status:</b>	
Construction Date:				<b>Data Src:</b>	
Primary Water Use:	Monitoring and Test Hole			<b>Date Received:</b>	4/25/2016
Sec. Water Use:	0			<b>Selected Flag:</b>	Yes
Final Well Status:	Monitoring and Test Hole			<b>Abandonment Rec:</b>	
Water Type:				<b>Contractor:</b>	7241
Casing Material:				<b>Form Version:</b>	7
Audit No:	Z228238			<b>Owner:</b>	
Tag:	A197699			<b>Street Name:</b>	36 NORTH QUEEN STREET
Construction Method:				<b>County:</b>	YORK
Elevation (m):				<b>Municipality:</b>	ETOBICOKE BOROUGH
Elevation Reliability:				<b>Site Info:</b>	WKQ-008733 A0-A025
Depth to Bedrock:				<b>Lot:</b>	
Well Depth:				<b>Concession:</b>	
Overburden/Bedrock:				<b>Concession Name:</b>	
Pump Rate:				<b>Easting NAD83:</b>	
Static Water Level:				<b>Northing NAD83:</b>	
Flowing (Y/N):				<b>Zone:</b>	
Flow Rate:				<b>UTM Reliability:</b>	
Clear/Cloudy:					

**Bore Hole Information**

Bore Hole ID:	1005937325			<b>Elevation:</b>	117.36
DP2BR:				<b>Elevrc:</b>	
Spatial Status:				<b>Zone:</b>	17
Code OB:				<b>East83:</b>	617877
Code OB Desc:				<b>Org CS:</b>	UTM83
Open Hole:				<b>North83:</b>	4831625
Cluster Kind:				<b>UTMRC:</b>	4
Date Completed:	23-MAR-16			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
Remarks:				<b>Location Method:</b>	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<i>Improvement Location Method:</i>					
<i>Source Revision Comment:</i>					
<i>Supplier Comment:</i>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1006041539			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		11			
<b>Other Materials:</b>		GRAVEL			
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		2			
<b>Formation End Depth UOM:</b>		ft			
<b>Formation ID:</b>		1006041540			
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		06			
<b>Most Common Material:</b>		SILT			
<b>Mat2:</b>		34			
<b>Other Materials:</b>		TILL			
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		2			
<b>Formation End Depth:</b>		10			
<b>Formation End Depth UOM:</b>		ft			
<b>Formation ID:</b>		1006041541			
<b>Layer:</b>		3			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		17			
<b>Most Common Material:</b>		SHALE			
<b>Mat2:</b>		92			
<b>Other Materials:</b>		WEATHERED			
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		10			
<b>Formation End Depth:</b>		12			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1006041550			
<b>Layer:</b>		2			
<b>Plug From:</b>		3			
<b>Plug To:</b>		0			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1006041551			
<b>Layer:</b>		3			
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>		ft			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>Plug ID:</b>		1006041549			
<b>Layer:</b>		1			
<b>Plug From:</b>		12			
<b>Plug To:</b>		3			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1006041548			
<b>Method Construction Code:</b>		D			
<b>Method Construction:</b>		Direct Push			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1006041538			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1006041544			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		4			
<b>Casing Diameter:</b>		2			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1006041545			
<b>Layer:</b>		1			
<b>Slot:</b>		.10			
<b>Screen Top Depth:</b>		4			
<b>Screen End Depth:</b>		12			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		ft			
<b>Screen Diameter UOM:</b>		inch			
<b>Screen Diameter:</b>		2.25			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1006041543			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		ft			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1006041542			
<b>Diameter:</b>		8			
<b>Depth From:</b>		0			
<b>Depth To:</b>		12			
<b>Hole Depth UOM:</b>		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Hole Diameter UOM:</b>		inch			
<u>8</u>	1 of 1	-/0.0	115.8 / 2.00	TORONTO ON	WWIS
<b>Well ID:</b>	7261844			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole			<b>Date Received:</b>	4/25/2016
<b>Sec. Water Use:</b>	0			<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Monitoring and Test Hole			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z228232			<b>Owner:</b>	
<b>Tag:</b>	A183342			<b>Street Name:</b>	36 NORTH QUEEN STREET
<b>Construction Method:</b>				<b>County:</b>	YORK
<b>Elevation (m):</b>				<b>Municipality:</b>	ETOBICOKE BOROUGH
<b>Elevation Reliability:</b>				<b>Site Info:</b>	WKQ-008733 A0-A025
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1005937271			<b>Elevation:</b>	117.55
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	17
<b>Code OB:</b>				<b>East83:</b>	617957
<b>Code OB Desc:</b>				<b>Org CS:</b>	UTM83
<b>Open Hole:</b>				<b>North83:</b>	4831669
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	11-MAR-16			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>	1006041238				
<b>Layer:</b>	1				
<b>Color:</b>	8				
<b>General Color:</b>	BLACK				
<b>Mat1:</b>	27				
<b>Most Common Material:</b>	OTHER				
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>	0				
<b>Formation End Depth:</b>	.25				
<b>Formation End Depth UOM:</b>	ft				
<b>Formation ID:</b>	1006041239				



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		11			
<b>Other Materials:</b>		GRAVEL			
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		.25			
<b>Formation End Depth:</b>		2			
<b>Formation End Depth UOM:</b>		ft			
<b>Formation ID:</b>		1006041240			
<b>Layer:</b>		3			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		06			
<b>Other Materials:</b>		SILT			
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		2			
<b>Formation End Depth:</b>		11			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1006041248			
<b>Layer:</b>		1			
<b>Plug From:</b>		11			
<b>Plug To:</b>		5			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1006041249			
<b>Layer:</b>		2			
<b>Plug From:</b>		5			
<b>Plug To:</b>		0			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1006041250			
<b>Layer:</b>		3			
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1006041247			
<b>Method Construction Code:</b>		D			
<b>Method Construction:</b>		Direct Push			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1006041237			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Construction Record - Casing</u></b>					
Casing ID:		1006041243			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		6			
Casing Diameter:		2			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<b><u>Construction Record - Screen</u></b>					
Screen ID:		1006041244			
Layer:		1			
Slot:		.10			
Screen Top Depth:		6			
Screen End Depth:		11			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.25			
<b><u>Water Details</u></b>					
Water ID:		1006041242			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<b><u>Hole Diameter</u></b>					
Hole ID:		1006041241			
Diameter:		8			
Depth From:		0			
Depth To:		11			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

9

1 of 1

-/0.0

113.8 / 0.00

TORONTO ON

WWIS

Well ID: 7261868  
 Construction Date:  
 Primary Water Use: Monitoring and Test Hole  
 Sec. Water Use: 0  
 Final Well Status: Monitoring and Test Hole  
 Water Type:  
 Casing Material:  
 Audit No: Z213211  
 Tag: A183440  
 Construction Method:  
 Elevation (m):  
 Elevation Reliability:  
 Depth to Bedrock:  
 Well Depth:  
 Overburden/Bedrock:

Data Entry Status:  
 Data Src:  
 Date Received: 4/25/2016  
 Selected Flag: Yes  
 Abandonment Rec:  
 Contractor: 7241  
 Form Version: 7  
 Owner:  
 Street Name: 36 NORTH QUEEN ST.  
 County: YORK  
 Municipality: ETOBICOKE BOROUGH  
 Site Info:  
 Lot:  
 Concession:  
 Concession Name:

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>				<b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>	
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>		1005937343		<b>Elevation:</b> 116.83	
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b> 17	
<b>Code OB:</b>				<b>East83:</b> 617947	
<b>Code OB Desc:</b>				<b>Org CS:</b> UTM83	
<b>Open Hole:</b>				<b>North83:</b> 4831333	
<b>Cluster Kind:</b>				<b>UTMRC:</b> 4	
<b>Date Completed:</b>		08-MAR-16		<b>UTMRC Desc:</b> margin of error : 30 m - 100 m	
<b>Remarks:</b>				<b>Location Method:</b> wwr	
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1006041625			
<b>Layer:</b>		3			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		06			
<b>Other Materials:</b>		SILT			
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		2			
<b>Formation End Depth:</b>		8			
<b>Formation End Depth UOM:</b>		ft			
<b>Formation ID:</b>		1006041624			
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		11			
<b>Other Materials:</b>		GRAVEL			
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		.25			
<b>Formation End Depth:</b>		2			
<b>Formation End Depth UOM:</b>		ft			
<b>Formation ID:</b>		1006041623			
<b>Layer:</b>		1			
<b>Color:</b>		8			
<b>General Color:</b>		BLACK			
<b>Mat1:</b>		27			
<b>Most Common Material:</b>		OTHER			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>			0		
<b>Formation End Depth:</b>			.25		
<b>Formation End Depth UOM:</b>			ft		
<b>Formation ID:</b>			1006041626		
<b>Layer:</b>			4		
<b>Color:</b>			2		
<b>General Color:</b>			GREY		
<b>Mat1:</b>			06		
<b>Most Common Material:</b>			SILT		
<b>Mat2:</b>			28		
<b>Other Materials:</b>			SAND		
<b>Mat3:</b>			34		
<b>Other Materials:</b>			TILL		
<b>Formation Top Depth:</b>			8		
<b>Formation End Depth:</b>			13		
<b>Formation End Depth UOM:</b>			ft		
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>			1006041636		
<b>Layer:</b>			3		
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>			ft		
<b>Plug ID:</b>			1006041634		
<b>Layer:</b>			1		
<b>Plug From:</b>			13		
<b>Plug To:</b>			2		
<b>Plug Depth UOM:</b>			ft		
<b>Plug ID:</b>			1006041635		
<b>Layer:</b>			2		
<b>Plug From:</b>			2		
<b>Plug To:</b>			0		
<b>Plug Depth UOM:</b>			ft		
<b><u>Method of Construction &amp; Well</u></b>					
<b><u>Use</u></b>					
<b>Method Construction ID:</b>			1006041633		
<b>Method Construction Code:</b>			D		
<b>Method Construction:</b>			Direct Push		
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>			1006041622		
<b>Casing No:</b>			0		
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>			1006041629		
<b>Layer:</b>			1		
<b>Material:</b>			5		
<b>Open Hole or Material:</b>			PLASTIC		
<b>Depth From:</b>			0		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth To:		3			
Casing Diameter:		2			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<b><u>Construction Record - Screen</u></b>					
Screen ID:		1006041630			
Layer:		1			
Slot:		.10			
Screen Top Depth:		3			
Screen End Depth:		13			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.25			
<b><u>Water Details</u></b>					
Water ID:		1006041628			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<b><u>Hole Diameter</u></b>					
Hole ID:		1006041627			
Diameter:		6			
Depth From:		0			
Depth To:		13			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

<a href="#">10</a>	1 of 1	-0.0	115.8 / 2.00	INTERLINK FREIGHT SYSTEMS IN YARD ON PROPERTY TRANSPORT TRUCK (CARGO) TORONTO CITY ON	SPL
--------------------	--------	------	--------------	--	-----

Ref No:	125384	Discharger Report:	
Site No:		Material Group:	
Incident Dt:	4/22/1996	Client Type:	
Year:		Sector Type:	
Incident Cause:	OTHER CONTAINER LEAK	Source Type:	
Incident Event:		Nearest Watercourse:	
Contaminant Code:		Site Name:	
Contaminant Name:		Site Address:	
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site County/District:	
Contaminant UN No 1:		Site Postal Code:	
Contaminant Qty:		Site Region:	
Environment Impact:	NOT ANTICIPATED	Site Municipality:	01106
Nature of Impact:		Site Lot:	
Receiving Medium:	LAND / WATER	Site Conc:	
Receiving Env:		Northing:	
Health/Env Conseq:		Easting:	
MOE Response:		Site Geo Ref Accu:	
Dt MOE Arvl on Scn:		Site Geo Ref Meth:	
MOE Reported Dt:	4/23/1996	Site Map Datum:	
Dt Document Closed:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>SAC Action Class:</b> <b>Incident Reason:</b> NEGLIGENCE (APPARENT) <b>Incident Summary:</b> INTERLINK:100L DIESEL SPILLED TO SHIPPING YARD,SOME TO C/B.					
<a href="#">11</a>	1 of 72	-/0.0	115.8 / 2.00	Edward Boczkowski 30 Newbridge Road Toronto ON	CA
<b>Certificate #:</b> 3734-6MRRDC <b>Application Year:</b> 2006 <b>Issue Date:</b> 3/17/2006 <b>Approval Type:</b> Waste Management Systems <b>Status:</b> Approved <b>Application Type:</b> <b>Client Name::</b> <b>Client Address::</b> <b>Client City::</b> <b>Client Postal Code::</b> <b>Project Description::</b> <b>Contaminants::</b> <b>Emission Control::</b>					
<a href="#">11</a>	2 of 72	-/0.0	115.8 / 2.00	Stajkowski Zbigniew 30 Newbridge Road Toronto ON	CA
<b>Certificate #:</b> 5669-6MRRVF <b>Application Year:</b> 2006 <b>Issue Date:</b> 3/17/2006 <b>Approval Type:</b> Waste Management Systems <b>Status:</b> Approved <b>Application Type:</b> <b>Client Name::</b> <b>Client Address::</b> <b>Client City::</b> <b>Client Postal Code::</b> <b>Project Description::</b> <b>Contaminants::</b> <b>Emission Control::</b>					
<a href="#">11</a>	3 of 72	-/0.0	115.8 / 2.00	Stajkowski Zbigniew 30 Newbridge Road Toronto ON L4N 8G9	ECA
<b>Approval No:</b> 5669-6MRRVF <b>Approval Date:</b> 2006-03-17 <b>Status:</b> Approved <b>Record Type:</b> ECA <b>Link Source:</b> IDS <b>Approval Type:</b> ECA-WASTE MANAGEMENT SYSTEMS <b>Project Type:</b> WASTE MANAGEMENT SYSTEMS <b>Address:</b> 30 Newbridge Road <b>Full Address:</b> <b>Full PDF Link:</b> <a href="https://www.accessenvironment.ene.gov.on.ca/instruments/5343-6MFP4A-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/5343-6MFP4A-14.pdf</a>					
<b>SWP Area Name:</b> Toronto <b>MOE District:</b> Toronto <b>City:</b> Toronto <b>Longitude:</b> -79.5389699999999 <b>Latitude:</b> 43.627644					
<a href="#">11</a>	4 of 72	-/0.0	115.8 / 2.00	Edward Boczkowski 30 Newbridge Road Toronto ON L7A 2S4	ECA

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Approval No:</b>	3734-6MRRDC			<b>SWP Area Name:</b> Toronto	
<b>Approval Date:</b>	2006-03-17			<b>MOE District:</b> Toronto	
<b>Status:</b>	Approved			<b>City:</b> Toronto	
<b>Record Type:</b>	ECA			<b>Longitude:</b> -79.5389699999999	
<b>Link Source:</b>	IDS			<b>Latitude:</b> 43.627644	
<b>Approval Type:</b>	ECA-WASTE MANAGEMENT SYSTEMS				
<b>Project Type:</b>	WASTE MANAGEMENT SYSTEMS				
<b>Address:</b>	30 Newbridge Road				
<b>Full Address:</b>					
<b>Full PDF Link:</b>	https://www.accessenvironment.ene.gov.on.ca/instruments/4383-6MFP7V-14.pdf				

<a href="#">11</a>	5 of 72	-/0.0	115.8 / 2.00	30 Newbridge Road Toronto (Etobicoke) ON M8Z 2L7	EHS
<b>Order ID:</b>	123594			<b>Date Received:</b> 1/2/2008	
<b>Order No:</b>	20080102013			<b>Lot/Building Size:</b>	
<b>Customer ID:</b>	59028			<b>Municipality:</b> Toronto	
<b>Company ID:</b>	189			<b>Client Prov/State:</b> AB	
<b>Status:</b>	C			<b>Search Radius (km):</b> 0.25	
<b>Report Code:</b>	4CAN			<b>Large Radius:</b> 2	
<b>Report Type:</b>	Custom Report			<b>X:</b> -79.538827	
<b>Report Date:</b>	1/8/2008			<b>Y:</b> 43.626557	
<b>Report Requested by:</b>	Dillon Consulting Limited				
<b>Nearest Intersection:</b>					
<b>Previous Site Name:</b>					
<b>Additional Info Ordered:</b>	Fire Insur. Maps And /or Site Plans; City Directory				

<a href="#">11</a>	6 of 72	-/0.0	115.8 / 2.00	C P EXPRESS & TRANSPORT LTD 30 NEWBRIDGE RD ETOBICOKE ON	EXP
<b>Instance No:</b>	10748767				
<b>Instance ID:</b>	36021				
<b>Instance Type:</b>	FS Piping				
<b>Description:</b>	FS Piping				
<b>Status:</b>	EXPIRED				
<b>TSSA Program Area:</b>					
<b>Maximum Hazard Rank:</b>					
<b>Facility Type:</b>					
<b>Expired Date:</b>					

<a href="#">11</a>	7 of 72	-/0.0	115.8 / 2.00	C P EXPRESS & TRANSPORT LTD 30 NEWBRIDGE RD ETOBICOKE ON	EXP
<b>Instance No:</b>	10748743				
<b>Instance ID:</b>	36672				
<b>Instance Type:</b>	FS Liquid Fuel Tank				
<b>Description:</b>	FS Liquid Fuel Tank				
<b>Status:</b>	EXPIRED				
<b>TSSA Program Area:</b>					
<b>Maximum Hazard Rank:</b>					
<b>Facility Type:</b>					
<b>Expired Date:</b>					

<a href="#">11</a>	8 of 72	-/0.0	115.8 / 2.00	C P EXPRESS & TRANSPORT LTD 30 NEWBRIDGE RD	EXP
--------------------	---------	-------	--------------	--	-----

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<i>ETOBICOKE ON M8Z 2L7</i>					
				<b>Instance No:</b> 10748776 <b>Instance ID:</b> <b>Instance Type:</b> FS Liquid Fuel Tank <b>Description:</b> <b>Status:</b> EXPIRED <b>TSSA Program Area:</b> <b>Maximum Hazard Rank:</b> <b>Facility Type:</b> <b>Expired Date:</b> 12/29/1990	
<a href="#">11</a>	9 of 72	-/0.0	115.8 / 2.00	<b>C P EXPRESS &amp; TRANSPORT LTD</b> <b>30 NEWBRIDGE RD</b> <b>ETOBICOKE ON</b>	<b>EXP</b>
				<b>Instance No:</b> 10748807 <b>Instance ID:</b> 34727 <b>Instance Type:</b> FS Piping <b>Description:</b> FS Piping <b>Status:</b> EXPIRED <b>TSSA Program Area:</b> <b>Maximum Hazard Rank:</b> <b>Facility Type:</b> <b>Expired Date:</b>	
<a href="#">11</a>	10 of 72	-/0.0	115.8 / 2.00	<b>INTERLINK FREIGHT SYSTEMS INC</b> <b>30 NEWBRIDGE RD</b> <b>ETOBICOKE ON</b>	<b>EXP</b>
				<b>Instance No:</b> 10180961 <b>Instance ID:</b> 13365 <b>Instance Type:</b> FS Facility <b>Description:</b> Fuels Safety Private Fuel Outlet - Self Serve <b>Status:</b> EXPIRED <b>TSSA Program Area:</b> <b>Maximum Hazard Rank:</b> <b>Facility Type:</b> <b>Expired Date:</b>	
<a href="#">11</a>	11 of 72	-/0.0	115.8 / 2.00	<b>C P EXPRESS &amp; TRANSPORT LTD</b> <b>30 NEWBRIDGE RD</b> <b>ETOBICOKE ON</b>	<b>EXP</b>
				<b>Instance No:</b> 10748752 <b>Instance ID:</b> 35856 <b>Instance Type:</b> FS Piping <b>Description:</b> FS Piping <b>Status:</b> EXPIRED <b>TSSA Program Area:</b> <b>Maximum Hazard Rank:</b> <b>Facility Type:</b> <b>Expired Date:</b>	
<a href="#">11</a>	12 of 72	-/0.0	115.8 / 2.00	<b>C P EXPRESS &amp; TRANSPORT LTD</b> <b>30 NEWBRIDGE RD</b> <b>ETOBICOKE ON</b>	<b>EXP</b>



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<p>Instance No: 9378556  Instance ID: 385534  Instance Type: FS Facility  Description: Fuels Safety Private Fuel Outlet - Self Serve  Status: EXPIRED  TSSA Program Area:  Maximum Hazard Rank:  Facility Type:  Expired Date:</p>					
<a href="#">11</a>	13 of 72	-/0.0	115.8 / 2.00	INTERLINK FREIGHT SYSTEMS INC 30 NEWBRIDGE RD ETOBICOKE ON	EXP
<p>Instance No: 11483016  Instance ID: 86985  Instance Type: FS Liquid Fuel Tank  Description: FS Liquid Fuel Tank  Status: EXPIRED  TSSA Program Area:  Maximum Hazard Rank:  Facility Type:  Expired Date:</p>					
<a href="#">11</a>	14 of 72	-/0.0	115.8 / 2.00	C P EXPRESS & TRANSPORT LTD 30 NEWBRIDGE RD ETOBICOKE ON	EXP
<p>Instance No: 10748785  Instance ID: 37198  Instance Type: FS Piping  Description: FS Piping  Status: EXPIRED  TSSA Program Area:  Maximum Hazard Rank:  Facility Type:  Expired Date:</p>					
<a href="#">11</a>	15 of 72	-/0.0	115.8 / 2.00	INTERLINK FREIGHT SYSTEMS INC 30 NEWBRIDGE RD ETOBICOKE ON	EXP
<p>Instance No: 11483036  Instance ID: 86488  Instance Type: FS Liquid Fuel Tank  Description: FS Liquid Fuel Tank  Status: EXPIRED  TSSA Program Area:  Maximum Hazard Rank:  Facility Type:  Expired Date:</p>					
<a href="#">11</a>	16 of 72	-/0.0	115.8 / 2.00	C P EXPRESS & TRANSPORT LTD 30 NEWBRIDGE RD ETOBICOKE ON	EXP
<p>Instance No: 9228778  Instance ID: 382989</p>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Instance Type:</b> <b>Description:</b> <b>Status:</b> <b>TSSA Program Area:</b> <b>Maximum Hazard Rank:</b> <b>Facility Type:</b> <b>Expired Date:</b>		FS Facility Fuels Safety Private Fuel Outlet - Self Serve EXPIRED			
<a href="#">11</a>	17 of 72	-/0.0	115.8 / 2.00	<b>C P EXPRESS &amp; TRANSPORT LTD 30 NEWBRIDGE RD ETOBICOKE ON M8Z 2L7</b>	<b>EXP</b>
<b>Instance No:</b> <b>Instance ID:</b> <b>Instance Type:</b> <b>Description:</b> <b>Status:</b> <b>TSSA Program Area:</b> <b>Maximum Hazard Rank:</b> <b>Facility Type:</b> <b>Expired Date:</b>		10748796 FS Liquid Fuel Tank EXPIRED 12/29/1990			
<a href="#">11</a>	18 of 72	-/0.0	115.8 / 2.00	<b>INTERLINK FREIGHT SYSTEMS INC 30 NEWBRIDGE RD ETOBICOKE ON</b>	<b>EXP</b>
<b>Instance No:</b> <b>Instance ID:</b> <b>Instance Type:</b> <b>Description:</b> <b>Status:</b> <b>TSSA Program Area:</b> <b>Maximum Hazard Rank:</b> <b>Facility Type:</b> <b>Expired Date:</b>		11482997 87149 FS Liquid Fuel Tank FS Liquid Fuel Tank EXPIRED			
<a href="#">11</a>	19 of 72	-/0.0	115.8 / 2.00	<b>C P EXPRESS &amp; TRANSPORT LTD 30 NEWBRIDGE RD ETOBICOKE ON M8Z 2L7</b>	<b>EXP</b>
<b>Instance No:</b> <b>Instance ID:</b> <b>Instance Type:</b> <b>Description:</b> <b>Status:</b> <b>TSSA Program Area:</b> <b>Maximum Hazard Rank:</b> <b>Facility Type:</b> <b>Expired Date:</b>		10748758 FS Liquid Fuel Tank EXPIRED 6/5/1990			
<a href="#">11</a>	20 of 72	-/0.0	115.8 / 2.00	<b>INTERLINK FREIGHT SYSTEMS INC 30 NEWBRIDGE RD ETOBICOKE ON M8Z 2L7</b>	<b>EXP</b>
<b>Instance No:</b> <b>Instance ID:</b> <b>Instance Type:</b> <b>Description:</b>		11482997 FS Liquid Fuel Tank Fuels Safety Private Fuel Outlet - Self Serve			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Status:</b>		EXPIRED			
<b>TSSA Program Area:</b>					
<b>Maximum Hazard Rank:</b>					
<b>Facility Type:</b>		FS Liquid Fuel Tank			
<b>Expired Date:</b>		3/13/1997			
<a href="#">11</a>	21 of 72	-0.0	115.8 / 2.00	<b>INTERLINK FREIGHT SYSTEMS INC 30 NEWBRIDGE RD ETOBICOKE ON M8Z 2L7</b>	<b>EXP</b>
<b>Instance No:</b>		11483036			
<b>Instance ID:</b>					
<b>Instance Type:</b>		FS Liquid Fuel Tank			
<b>Description:</b>		Fuels Safety Private Fuel Outlet - Self Serve			
<b>Status:</b>		EXPIRED			
<b>TSSA Program Area:</b>					
<b>Maximum Hazard Rank:</b>					
<b>Facility Type:</b>		FS Liquid Fuel Tank			
<b>Expired Date:</b>		3/13/1997			
<a href="#">11</a>	22 of 72	-0.0	115.8 / 2.00	<b>INTERLINK FREIGHT SYSTEMS INC 30 NEWBRIDGE RD ETOBICOKE ON M8Z 2L7</b>	<b>EXP</b>
<b>Instance No:</b>		11483016			
<b>Instance ID:</b>					
<b>Instance Type:</b>		FS Liquid Fuel Tank			
<b>Description:</b>		Fuels Safety Private Fuel Outlet - Self Serve			
<b>Status:</b>		EXPIRED			
<b>TSSA Program Area:</b>					
<b>Maximum Hazard Rank:</b>					
<b>Facility Type:</b>		FS Liquid Fuel Tank			
<b>Expired Date:</b>		3/13/1997			
<a href="#">11</a>	23 of 72	-0.0	115.8 / 2.00	<b>C P EXPRESS &amp; TRANSPORT LTD 30 NEWBRIDGE RD ETOBICOKE ON M8Z 2L7</b>	<b>EXP</b>
<b>Instance No:</b>		10748796			
<b>Instance ID:</b>					
<b>Instance Type:</b>		FS Liquid Fuel Tank			
<b>Description:</b>		Fuels Safety Private Fuel Outlet - Self Serve			
<b>Status:</b>		EXPIRED			
<b>TSSA Program Area:</b>					
<b>Maximum Hazard Rank:</b>					
<b>Facility Type:</b>		FS Liquid Fuel Tank			
<b>Expired Date:</b>		12/29/1990			
<a href="#">11</a>	24 of 72	-0.0	115.8 / 2.00	<b>C P EXPRESS &amp; TRANSPORT LTD 30 NEWBRIDGE RD ETOBICOKE ON M8Z 2L7</b>	<b>EXP</b>
<b>Instance No:</b>		10748776			
<b>Instance ID:</b>					
<b>Instance Type:</b>		FS Liquid Fuel Tank			
<b>Description:</b>		Fuels Safety Private Fuel Outlet - Self Serve			
<b>Status:</b>		EXPIRED			
<b>TSSA Program Area:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Maximum Hazard Rank:</b>					
<b>Facility Type:</b>		FS Liquid Fuel Tank			
<b>Expired Date:</b>		12/29/1990			
<a href="#">11</a>	25 of 72	-/0.0	115.8 / 2.00	C P EXPRESS & TRANSPORT LTD 30 NEWBRIDGE RD ETOBICOKE ON M8Z 2L7	EXP
<b>Instance No:</b>		10748743			
<b>Instance ID:</b>					
<b>Instance Type:</b>		FS Liquid Fuel Tank			
<b>Description:</b>		Fuels Safety Private Fuel Outlet - Self Serve			
<b>Status:</b>		EXPIRED			
<b>TSSA Program Area:</b>					
<b>Maximum Hazard Rank:</b>					
<b>Facility Type:</b>		FS Liquid Fuel Tank			
<b>Expired Date:</b>		6/5/1990			
<a href="#">11</a>	26 of 72	-/0.0	115.8 / 2.00	C P EXPRESS & TRANSPORT LTD 30 NEWBRIDGE RD ETOBICOKE ON M8Z 2L7	EXP
<b>Instance No:</b>		10748758			
<b>Instance ID:</b>					
<b>Instance Type:</b>		FS Liquid Fuel Tank			
<b>Description:</b>		Fuels Safety Private Fuel Outlet - Self Serve			
<b>Status:</b>		EXPIRED			
<b>TSSA Program Area:</b>					
<b>Maximum Hazard Rank:</b>					
<b>Facility Type:</b>		FS Liquid Fuel Tank			
<b>Expired Date:</b>		6/5/1990			
<a href="#">11</a>	27 of 72	-/0.0	115.8 / 2.00	Canadian Pacific Railway Company 30 Newbridge Rd. Toronto ON M8Z 2L7	GEN
<b>Generator No.:</b>		ON2674452		<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>		03,04		<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>		488210			
<b>SIC Description:</b>		Support Activities for Rail Transportation			
<a href="#">11</a>	28 of 72	-/0.0	115.8 / 2.00	INTERLINK FREIGHT SYSTEMS 30 NEWBRIDGE ROAD EAST ETOBICOKE ON M8Z 2L7	GEN
<b>Generator No.:</b>		ON1890800		<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>		95,96,97		<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>		4561			
<b>SIC Description:</b>		GEN. FREIGHT TRUCK.			

--Details--

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		263			
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			

<a href="#"><u>11</u></a>	29 of 72	-/0.0	115.8 / 2.00	Canadian Pacific Railway 30 New Bridge Etobicoke ON	GEN
<b>Generator No.:</b>	ON8476083			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2010			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	482113				
<b>SIC Description:</b>	Mainline Freight Rail Transportation				
<b>--Details--</b>					
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Code:</b>	253				
<b>Waste Description:</b>	EMULSIFIED OILS				
<b>Waste Code:</b>	331				
<b>Waste Description:</b>	WASTE COMPRESSED GASES				
<b>Waste Code:</b>	112				
<b>Waste Description:</b>	ACID WASTE - HEAVY METALS				
<b>Waste Code:</b>	263				
<b>Waste Description:</b>	ORGANIC LABORATORY CHEMICALS				
<b>Waste Code:</b>	121				
<b>Waste Description:</b>	ALKALINE WASTES - HEAVY METALS				
<b>Waste Code:</b>	251				
<b>Waste Description:</b>	OIL SKIMMINGS & SLUDGES				
<b>Waste Code:</b>	148				
<b>Waste Description:</b>	INORGANIC LABORATORY CHEMICALS				
<b>Waste Code:</b>	145				
<b>Waste Description:</b>	PAINT/PIGMENT/COATING RESIDUES				

<a href="#"><u>11</u></a>	30 of 72	-/0.0	115.8 / 2.00	CANADIAN PACIFIC RAILWAY 30 New Bridge Etobicoke ON	GEN
<b>Generator No.:</b>	ON8476083			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:	2009  482113			Choice of Contact: Co Admin: Phone No. Admin:  Mainline Freight Rail Transportation	
<b>--Details--</b>					
Waste Code: Waste Description:		112 ACID WASTE - HEAVY METALS			
Waste Code: Waste Description:		121 ALKALINE WASTES - HEAVY METALS			
Waste Code: Waste Description:		145 PAINT/PIGMENT/COATING RESIDUES			
Waste Code: Waste Description:		148 INORGANIC LABORATORY CHEMICALS			
Waste Code: Waste Description:		251 OIL SKIMMINGS & SLUDGES			
Waste Code: Waste Description:		252 WASTE OILS & LUBRICANTS			
Waste Code: Waste Description:		253 EMULSIFIED OILS			
Waste Code: Waste Description:		263 ORGANIC LABORATORY CHEMICALS			
Waste Code: Waste Description:		331 WASTE COMPRESSED GASES			
<a href="#">11</a>	31 of 72	-/0.0	115.8 / 2.00	CANADIAN PACIFIC RAILWAYS CANADIAN PACIFIC EXPRESS & TRANSPORT 30 NEWBRIDGE ROAD (GARAGE) ETOBICOKE ON M8Z 2L7	GEN
Generator No.:	ON0048103			PO Box No.:	
Status:				Country:	
Approval Years:	86,87,88,89,90			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No. Admin:	
SIC Code:	4561				
SIC Description:	GEN. FREIGHT TRUCK.				
<b>--Details--</b>					
Waste Code: Waste Description:		252 WASTE OILS & LUBRICANTS			
Waste Code: Waste Description:		251 OIL SKIMMINGS & SLUDGES			
<a href="#">11</a>	32 of 72	-/0.0	115.8 / 2.00	CANADIAN PACIFIC RAILWAY COMPANY 30 NEWBRIDGE ROAD ETOBICOKE ON M8Z 2L7	GEN
Generator No.:	ON0048103			PO Box No.:	
Status:				Country:	

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Approval Years:</b> <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> <b>SIC Description:</b>	98,99,00,01  4561			<b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No. Admin:</b>  GEN. FREIGHT TRUCK.	
<b>--Details--</b>					
<b>Waste Code:</b> <b>Waste Description:</b>		148		INORGANIC LABORATORY CHEMICALS	
<b>Waste Code:</b> <b>Waste Description:</b>		213		PETROLEUM DISTILLATES	
<b>Waste Code:</b> <b>Waste Description:</b>		221		LIGHT FUELS	
<b>Waste Code:</b> <b>Waste Description:</b>		251		OIL SKIMMINGS & SLUDGES	
<b>Waste Code:</b> <b>Waste Description:</b>		252		WASTE OILS & LUBRICANTS	
<b>Waste Code:</b> <b>Waste Description:</b>		263		ORGANIC LABORATORY CHEMICALS	
<b>11</b>	<b>33 of 72</b>	<b>-/0.0</b>	<b>115.8 / 2.00</b>	<b>Canadian Pacific Railway 30 New Bridge Etobicoke ON</b>	<b>GEN</b>
<b>Generator No.:</b> <b>Status:</b> <b>Approval Years:</b> <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> <b>SIC Description:</b>	ON8476083  2011  482113			<b>PO Box No.:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No. Admin:</b>  Mainline Freight Rail Transportation	
<b>--Details--</b>					
<b>Waste Code:</b> <b>Waste Description:</b>		112		ACID WASTE - HEAVY METALS	
<b>Waste Code:</b> <b>Waste Description:</b>		251		OIL SKIMMINGS & SLUDGES	
<b>Waste Code:</b> <b>Waste Description:</b>		263		ORGANIC LABORATORY CHEMICALS	
<b>Waste Code:</b> <b>Waste Description:</b>		331		WASTE COMPRESSED GASES	
<b>Waste Code:</b> <b>Waste Description:</b>		145		PAINT/PIGMENT/COATING RESIDUES	
<b>Waste Code:</b> <b>Waste Description:</b>		253		EMULSIFIED OILS	
<b>Waste Code:</b> <b>Waste Description:</b>		252		WASTE OILS & LUBRICANTS	
<b>Waste Code:</b> <b>Waste Description:</b>		121		ALKALINE WASTES - HEAVY METALS	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<a href="#">11</a>	34 of 72	-/0.0	115.8 / 2.00	Canadian Pacific Railway 30 New Bridge Etobicoke ON M8Z 2L7	GEN
<b>Generator No.:</b>	ON8476083			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2012			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	482113				
<b>SIC Description:</b>	Mainline Freight Rail Transportation				
<b>--Details--</b>					
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Code:</b>	251				
<b>Waste Description:</b>	OIL SKIMMINGS & SLUDGES				
<b>Waste Code:</b>	121				
<b>Waste Description:</b>	ALKALINE WASTES - HEAVY METALS				
<b>Waste Code:</b>	331				
<b>Waste Description:</b>	WASTE COMPRESSED GASES				
<b>Waste Code:</b>	145				
<b>Waste Description:</b>	PAINT/PIGMENT/COATING RESIDUES				
<b>Waste Code:</b>	148				
<b>Waste Description:</b>	INORGANIC LABORATORY CHEMICALS				
<b>Waste Code:</b>	112				
<b>Waste Description:</b>	ACID WASTE - HEAVY METALS				
<b>Waste Code:</b>	263				
<b>Waste Description:</b>	ORGANIC LABORATORY CHEMICALS				
<b>Waste Code:</b>	253				
<b>Waste Description:</b>	EMULSIFIED OILS				

<a href="#">11</a>	35 of 72	-/0.0	115.8 / 2.00	CP EXPRESS A(SEE & USE ON1890800) 08-097 30 NEWBRIDGE ROAD ETOBICOKE ON M8Z 2L7	GEN
<b>Generator No.:</b>	ON0048103			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	92,93,94,95,96,97			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	4561				
<b>SIC Description:</b>	GEN. FREIGHT TRUCK.				
<b>--Details--</b>					
<b>Waste Code:</b>	251				
<b>Waste Description:</b>	OIL SKIMMINGS & SLUDGES				
<b>Waste Code:</b>	263				



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			

<a href="#">11</a>	36 of 72	-/0.0	115.8 / 2.00	Canadian Pacific Railway 30 New Bridge Etobicoke ON M8Z 2L7	GEN
<b>Generator No.:</b>	ON8476083			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2014			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	Syl Arduini
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b>	(416)595-3114 Ext.
<b>SIC Code:</b>	482113				
<b>SIC Description:</b>	MAINLINE FREIGHT RAIL TRANSPORTATION				
<b>--Details--</b>					
<b>Waste Code:</b>	263				
<b>Waste Description:</b>	ORGANIC LABORATORY CHEMICALS				
<b>Waste Code:</b>	253				
<b>Waste Description:</b>	EMULSIFIED OILS				
<b>Waste Code:</b>	148				
<b>Waste Description:</b>	INORGANIC LABORATORY CHEMICALS				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Code:</b>	112				
<b>Waste Description:</b>	ACID WASTE - HEAVY METALS				
<b>Waste Code:</b>	251				
<b>Waste Description:</b>	OIL SKIMMINGS & SLUDGES				
<b>Waste Code:</b>	121				
<b>Waste Description:</b>	ALKALINE WASTES - HEAVY METALS				
<b>Waste Code:</b>	145				
<b>Waste Description:</b>	PAINT/PIGMENT/COATING RESIDUES				
<b>Waste Code:</b>	331				
<b>Waste Description:</b>	WASTE COMPRESSED GASES				

<a href="#">11</a>	37 of 72	-/0.0	115.8 / 2.00	Canadian Pacific Railway 30 New Bridge Etobicoke ON M8Z 2L7	GEN
<b>Generator No.:</b>	ON8476083			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2015			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	Syl Arduini
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b>	(416)595-3114 Ext.
<b>SIC Code:</b>	482113				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>SIC Description:</b>		MAINLINE FREIGHT RAIL TRANSPORTATION			
<b>--Details--</b>					
<b>Waste Code:</b>		253			
<b>Waste Description:</b>		EMULSIFIED OILS			
<b>Waste Code:</b>		112			
<b>Waste Description:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		121			
<b>Waste Description:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>		263			
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			

<b>11</b>	<b>38 of 72</b>	<b>-/0.0</b>	<b>115.8 / 2.00</b>	<b>Canadian Pacific Railway 30 New Bridge Etobicoke ON M8Z 2L7</b>	<b>GEN</b>
<b>Generator No.:</b>	ON8476083			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2016			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	Syl Arduini
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b>	(416)595-3114 Ext.
<b>SIC Code:</b>	482113				
<b>SIC Description:</b>	MAINLINE FREIGHT RAIL TRANSPORTATION				
<b>--Details--</b>					
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		263			
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		112			
<b>Waste Description:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>		121			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Description:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			
<b>Waste Code:</b>		253			
<b>Waste Description:</b>		EMULSIFIED OILS			
<a href="#">11</a>	39 of 72	-/0.0	115.8 / 2.00	VNV Logistics Express Ltd 30 Newbridge Rd ETOBICOKE ON M8Z2L7	GEN
<b>Generator No.:</b>		ON6204776		<b>PO Box No.:</b>	
<b>Status:</b>		Registered		<b>Country:</b> Canada	
<b>Approval Years:</b>		As of Dec 2017		<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<b>--Details--</b>					
<b>Waste Code:</b>		252 L			
<b>Waste Description:</b>		Waste crankcase oils and lubricants			
<a href="#">11</a>	40 of 72	-/0.0	115.8 / 2.00	3028241 CANADA LIMITED 30 NEWBRIDGE ROAD ETOBICOKE ON M8Z 2L7	GEN
<b>Generator No.:</b>		ON1890800		<b>PO Box No.:</b>	
<b>Status:</b>		94		<b>Country:</b>	
<b>Approval Years:</b>				<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>		4561			
<b>SIC Description:</b>		GEN. FREIGHT TRUCK.			
<b>--Details--</b>					
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		263			
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			
<a href="#">11</a>	41 of 72	-/0.0	115.8 / 2.00	INTERLINK FREIGHT (SEE & USE ON0048103) 30 NEWBRIDGE ROAD EAST ETOBICOKE ON M8Z 2L7	GEN
<b>Generator No.:</b>		ON1890800		<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Approval Years:</b> <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> <b>SIC Description:</b>	98,99  4561			<b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No. Admin:</b>  GEN. FREIGHT TRUCK.	
<b>--Details--</b>					
<b>Waste Code:</b> <b>Waste Description:</b>		251		OIL SKIMMINGS & SLUDGES	
<b>Waste Code:</b> <b>Waste Description:</b>		252		WASTE OILS & LUBRICANTS	
<b>Waste Code:</b> <b>Waste Description:</b>		263		ORGANIC LABORATORY CHEMICALS	
<b>Waste Code:</b> <b>Waste Description:</b>		213		PETROLEUM DISTILLATES	
<b>Waste Code:</b> <b>Waste Description:</b>		148		INORGANIC LABORATORY CHEMICALS	
<b>11</b>	<b>42 of 72</b>	<b>-/0.0</b>	<b>115.8 / 2.00</b>	<b>CANADIAN PACIFIC RAILWAY</b> <b>30 New Bridge</b> <b>Etobicoke ON M8Z 2L7</b>	<b>GEN</b>
<b>Generator No.:</b> <b>Status:</b> <b>Approval Years:</b> <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> <b>SIC Description:</b>	ON8476083  04,05,06,07,08  482113			<b>PO Box No.:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No. Admin:</b>  Mainline Freight Rail Transportation	
<b>--Details--</b>					
<b>Waste Code:</b> <b>Waste Description:</b>		112		ACID WASTE - HEAVY METALS	
<b>Waste Code:</b> <b>Waste Description:</b>		121		ALKALINE WASTES - HEAVY METALS	
<b>Waste Code:</b> <b>Waste Description:</b>		145		PAINT/PIGMENT/COATING RESIDUES	
<b>Waste Code:</b> <b>Waste Description:</b>		148		INORGANIC LABORATORY CHEMICALS	
<b>Waste Code:</b> <b>Waste Description:</b>		251		OIL SKIMMINGS & SLUDGES	
<b>Waste Code:</b> <b>Waste Description:</b>		252		WASTE OILS & LUBRICANTS	
<b>Waste Code:</b> <b>Waste Description:</b>		253		EMULSIFIED OILS	
<b>Waste Code:</b> <b>Waste Description:</b>		263		ORGANIC LABORATORY CHEMICALS	
<b>Waste Code:</b> <b>Waste Description:</b>		331		WASTE COMPRESSED GASES	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">11</a>	43 of 72	-/0.0	115.8 / 2.00	GVT. OF CAN. - NATIONAL DEFENSE CANADIAN FORCES SUPPLY DEPOT 30 NEWBRIDGE ROAD ETOBICOKE ON M8Z 2L7	GEN
<b>Generator No.:</b>	ON0046546			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	88,89,90,92,93,94			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	0000				
<b>SIC Description:</b>	*** NOT DEFINED ***				
<a href="#">11</a>	44 of 72	-/0.0	115.8 / 2.00	Canadian Pacific Railway 30 New Bridge Etobicoke ON	GEN
<b>Generator No.:</b>	ON8476083			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2013			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	482113				
<b>SIC Description:</b>	MAINLINE FREIGHT RAIL TRANSPORTATION				
<b>--Details--</b>					
<b>Waste Code:</b>	112				
<b>Waste Description:</b>	ACID WASTE - HEAVY METALS				
<b>Waste Code:</b>	121				
<b>Waste Description:</b>	ALKALINE WASTES - HEAVY METALS				
<b>Waste Code:</b>	263				
<b>Waste Description:</b>	ORGANIC LABORATORY CHEMICALS				
<b>Waste Code:</b>	148				
<b>Waste Description:</b>	INORGANIC LABORATORY CHEMICALS				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Code:</b>	253				
<b>Waste Description:</b>	EMULSIFIED OILS				
<b>Waste Code:</b>	251				
<b>Waste Description:</b>	OIL SKIMMINGS & SLUDGES				
<b>Waste Code:</b>	331				
<b>Waste Description:</b>	WASTE COMPRESSED GASES				
<b>Waste Code:</b>	145				
<b>Waste Description:</b>	PAINT/PIGMENT/COATING RESIDUES				
<a href="#">11</a>	45 of 72	-/0.0	115.8 / 2.00	C P EXPRESS & TRANSPORT LTD 30 NEWBRIDGE RD ETOBICOKE ON M8Z 2L7	PRT
<b>Location ID:</b>	4721				
<b>Type:</b>	private				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Expiry Date:</b> <b>Capacity (L):</b> 90920.00 <b>Licence #:</b> 0001006442					
<a href="#">11</a>	46 of 72	-/0.0	115.8 / 2.00	C P EXPRESS & TRANSPORT LTD 30 NEWBRIDGE RD ETOBICOKE ON M8Z 2L7	PRT
<b>Location ID:</b> 4721 <b>Type:</b> retail <b>Expiry Date:</b> <b>Capacity (L):</b> 90920 <b>Licence #:</b> 0001048313					
<a href="#">11</a>	47 of 72	-/0.0	115.8 / 2.00	CANADIAN PACIFIC EXPRESS & TRA 30 NEWBRIDGE RD. MOTOR VEHICLE (OPERATING FLUID) TORONTO CITY ON M8Z 2L7	SPL
<b>Ref No:</b> 109210 <b>Site No:</b> <b>Incident Dt:</b> // <b>Year:</b> <b>Incident Cause:</b> UNKNOWN <b>Incident Event:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Contaminant Qty:</b> <b>Environment Impact:</b> POSSIBLE <b>Nature of Impact:</b> Soil contamination <b>Receiving Medium:</b> LAND / WATER <b>Receiving Env:</b> <b>Health/Env Conseq:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 1/17/1995 <b>Dt Document Closed:</b> <b>SAC Action Class:</b> <b>Incident Reason:</b> UNKNOWN <b>Incident Summary:</b> C.P. EXPRESS & TRANSPORT-45 L DIESEL TO GRAVEL & STORM SEWER, CLEANING UP.					
<b>Discharger Report:</b> <b>Material Group:</b> <b>Client Type:</b> <b>Sector Type:</b> <b>Source Type:</b> <b>Nearest Watercourse:</b> <b>Site Name:</b> <b>Site Address:</b> <b>Site District Office:</b> <b>Site County/District:</b> <b>Site Postal Code:</b> <b>Site Region:</b> <b>Site Municipality:</b> 1106 <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> WORKS <b>Site Geo Ref Accu:</b> <b>Site Geo Ref Meth:</b> <b>Site Map Datum:</b>					
<a href="#">11</a>	48 of 72	-/0.0	115.8 / 2.00	INTERLINK 30 NEWBRIDGE RD, ETOBICOKE CREEK BEHIND QUEENSWAY HOSP. 30 NEWBRIDGE ROAD TORONTO CITY ON M8Z 2L7	SPL
<b>Ref No:</b> 141495 <b>Site No:</b> <b>Incident Dt:</b> 6/2/1997 <b>Year:</b> <b>Incident Cause:</b> UNKNOWN <b>Incident Event:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> <b>Contaminant Limit 1:</b>					
<b>Discharger Report:</b> <b>Material Group:</b> <b>Client Type:</b> <b>Sector Type:</b> <b>Source Type:</b> <b>Nearest Watercourse:</b> <b>Site Name:</b> <b>Site Address:</b> <b>Site District Office:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Contam Limit Freq 1:</b> <b>Contaminant UN No</b> 1: <b>Contaminant Qty:</b> <b>Environment Impact:</b> <b>Nature of Impact:</b> <b>Receiving Medium:</b> <b>Receiving Env:</b> <b>Health/Env Conseq:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> <b>Dt Document Closed:</b> <b>SAC Action Class:</b> <b>Incident Reason:</b> <b>Incident Summary:</b>	CONFIRMED Water course or lake WATER  6/2/1997  UNKNOWN INTERLINK FREIGHT SYST.- UNK QUANT DIESEL FUEL TO ETOBICOKE CREEK, BOOMED.			<b>Site County/District:</b> <b>Site Postal Code:</b>  <b>Site Region:</b> <b>Site Municipality:</b> <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> <b>Site Geo Ref Accu:</b> <b>Site Geo Ref Meth:</b> <b>Site Map Datum:</b>	01106  WORKS
<a href="#">11</a>	49 of 72	-/0.0	115.8 / 2.00	<b>INTERLINK</b> <b>30 NEWBRIDGE ROAD</b> <b>TORONTO CITY ON M8Z 2L7</b>	SPL
<b>Ref No:</b> <b>Site No:</b> <b>Incident Dt:</b> <b>Year:</b> <b>Incident Cause:</b> <b>Incident Event:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No</b> 1: <b>Contaminant Qty:</b> <b>Environment Impact:</b> <b>Nature of Impact:</b> <b>Receiving Medium:</b> <b>Receiving Env:</b> <b>Health/Env Conseq:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> <b>Dt Document Closed:</b> <b>SAC Action Class:</b> <b>Incident Reason:</b> <b>Incident Summary:</b>	119883 10/20/1995 OTHER CONTAINER LEAK  NOT ANTICIPATED LAND  10/20/1995  DAMAGE BY MOVING EQUIPMENT INTERLINK: 12 L NAPHTHA TO GROUND			<b>Discharger Report:</b> <b>Material Group:</b> <b>Client Type:</b> <b>Sector Type:</b> <b>Source Type:</b> <b>Nearest Watercourse:</b> <b>Site Name:</b> <b>Site Address:</b> <b>Site District Office:</b> <b>Site County/District:</b> <b>Site Postal Code:</b>  <b>Site Region:</b> <b>Site Municipality:</b> <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> <b>Site Geo Ref Accu:</b> <b>Site Geo Ref Meth:</b> <b>Site Map Datum:</b>	1106
<a href="#">11</a>	50 of 72	-/0.0	115.8 / 2.00	<b>CP EXPRESS &amp; TRANSPORT</b> <b>30 NEWBRIDGE ROAD ETOBICOKE TERMINAL</b> <b>30 NEWBRIDGE ROAD</b> <b>TORONTO CITY ON M8Z 2L7</b>	SPL
<b>Ref No:</b> <b>Site No:</b> <b>Incident Dt:</b> <b>Year:</b> <b>Incident Cause:</b> <b>Incident Event:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b>	98164 4/5/1994 OTHER CONTAINER LEAK			<b>Discharger Report:</b> <b>Material Group:</b> <b>Client Type:</b> <b>Sector Type:</b> <b>Source Type:</b> <b>Nearest Watercourse:</b> <b>Site Name:</b> <b>Site Address:</b> <b>Site District Office:</b> <b>Site County/District:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Contaminant UN No 1:</b> <b>Contaminant Qty:</b> <b>Environment Impact:</b> POSSIBLE <b>Nature of Impact:</b> Water course or lake <b>Receiving Medium:</b> LAND / WATER <b>Receiving Env:</b> <b>Health/Env Conseq:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 4/5/1994 <b>Dt Document Closed:</b> <b>SAC Action Class:</b> <b>Incident Reason:</b> ERROR <b>Incident Summary:</b> CP EXPRESS-205 L WATER BASED PAINT TO GROUND ANDSTORM SEWER,WORKS ENROUTE					
<a href="#">11</a>	51 of 72	-/0.0	115.8 / 2.00	<b>INTERLINK</b> <b>30 NEWBRIDGE 30 NEWBRIDGE ROAD</b> <b>TORONTO CITY ON M8Z 2L7</b>	SPL
<b>Ref No:</b> 141301 <b>Site No:</b> <b>Incident Dt:</b> 5/28/1997 <b>Year:</b> <b>Incident Cause:</b> CONTAINER OVERFLOW <b>Incident Event:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Contaminant Qty:</b> <b>Environment Impact:</b> NOT ANTICIPATED <b>Nature of Impact:</b> <b>Receiving Medium:</b> LAND <b>Receiving Env:</b> <b>Health/Env Conseq:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 5/28/1997 <b>Dt Document Closed:</b> <b>SAC Action Class:</b> <b>Incident Reason:</b> ERROR <b>Incident Summary:</b> INTERLINK - 2 L DIESEL, TO CONCRETE, CONTAINED CLEANED UP.					
<a href="#">11</a>	52 of 72	-/0.0	115.8 / 2.00	<b>INTERLINK FREIGHT SYSTEMS</b> <b>30 NEWBRIDGE RD. TRANSPORT TRUCK</b> <b>(CARGO)</b> <b>TORONTO CITY ON M8Z 2L7</b>	SPL
<b>Ref No:</b> 125235 <b>Site No:</b> <b>Incident Dt:</b> 4/19/1996 <b>Year:</b> <b>Incident Cause:</b> OTHER CONTAINER LEAK <b>Incident Event:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No</b>					



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
1:					
<b>Contaminant Qty:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>	POSSIBLE			<b>Site Municipality:</b>	01106
<b>Nature of Impact:</b>	Soil contamination			<b>Site Lot:</b>	
<b>Receiving Medium:</b>	LAND			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>Health/Env Conseq:</b>				<b>Easting:</b>	
<b>MOE Response:</b>				<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	4/19/1996			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>					
<b>SAC Action Class:</b>					
<b>Incident Reason:</b>	UNKNOWN				
<b>Incident Summary:</b>	INTERLINK FREIGHT SYSTEMS-3L WASTE TYPE 6(UN 9306)TO CONCRETE, CLEANED UP.				
<a href="#">11</a>	53 of 72	-/0.0	115.8 / 2.00	INTERLINK FREIGHT LINES TERMINAL AT 30 NEWBRIDGE AVE ETOB. TRANSPORT TRUCK (CARGO) TORONTO CITY ON M8Z 2L7	SPL
<b>Ref No:</b>	117702			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>	8/25/1995			<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	
<b>Incident Cause:</b>	OTHER CAUSE (N.O.S.)			<b>Source Type:</b>	
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>				<b>Site Name:</b>	
<b>Contaminant Name:</b>				<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No</b>				<b>Site Postal Code:</b>	
1:					
<b>Contaminant Qty:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>	NOT ANTICIPATED			<b>Site Municipality:</b>	1106
<b>Nature of Impact:</b>				<b>Site Lot:</b>	
<b>Receiving Medium:</b>	LAND			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>Health/Env Conseq:</b>				<b>Easting:</b>	
<b>MOE Response:</b>				<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	8/25/1995			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>					
<b>SAC Action Class:</b>					
<b>Incident Reason:</b>	DAMAGE BY MOVING EQUIPMENT				
<b>Incident Summary:</b>	INTERLINK:203L RETURN LINE DESCALER TO ASPHALT.CLEANED UP				
<a href="#">11</a>	54 of 72	-/0.0	115.8 / 2.00	CANADIAN PACIFIC EXPRESS & TRA 30 NEWBRIDGE ROAD ETOBICOKE TERMINAL 30 NEWBRIDGE ROAD TORONTO CITY ON M8Z 2L7	SPL
<b>Ref No:</b>	108654			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>	12/29/1994			<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	
<b>Incident Cause:</b>	COOLING SYSTEM LEAK			<b>Source Type:</b>	
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>				<b>Site Name:</b>	
<b>Contaminant Name:</b>				<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No</b>				<b>Site Postal Code:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
1:					
<b>Contaminant Qty:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>	POSSIBLE			<b>Site Municipality:</b>	1106
<b>Nature of Impact:</b>	Soil contamination			<b>Site Lot:</b>	
<b>Receiving Medium:</b>	LAND			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>Health/Env Conseq:</b>				<b>Easting:</b>	
<b>MOE Response:</b>				<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	12/30/1994			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>					
<b>SAC Action Class:</b>					
<b>Incident Reason:</b>	EQUIPMENT FAILURE				
<b>Incident Summary:</b>	C.P. EXPRESS-25 L NON-PCBTRANSFORMER OIL TO GRND, CLEANUP UNDERWAY.				

<a href="#">11</a>	55 of 72	-/0.0	115.8 / 2.00	<b>CP EXPRESS &amp; TRANSPORT 30 NEWBRIDGE TRANSPORT TRUCK (CARGO) TORONTO CITY ON M8Z 2L7</b>	<b>SPL</b>
<b>Ref No:</b>	103863			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>	8/11/1994			<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	
<b>Incident Cause:</b>	OTHER CONTAINER LEAK			<b>Source Type:</b>	
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>				<b>Site Name:</b>	
<b>Contaminant Name:</b>				<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Postal Code:</b>	
1:					
<b>Contaminant Qty:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>	NOT ANTICIPATED			<b>Site Municipality:</b>	1106
<b>Nature of Impact:</b>				<b>Site Lot:</b>	
<b>Receiving Medium:</b>	LAND			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>Health/Env Conseq:</b>				<b>Easting:</b>	
<b>MOE Response:</b>				<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	8/11/1994			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>					
<b>SAC Action Class:</b>					
<b>Incident Reason:</b>	DAMAGE BY MOVING EQUIPMENT				
<b>Incident Summary:</b>	CP EXPRESS & TRANSPRORT: 15-20 L SULPHURIC ACID TO GROUND FROM DRUM.				

<a href="#">11</a>	56 of 72	-/0.0	115.8 / 2.00	<b>CANADIAN PACIFIC EXPRESS &amp; TRA 30 NEWBRIDGE RD. TRANSPORT TRUCK (CARGO) TORONTO CITY ON M8Z 2L7</b>	<b>SPL</b>
<b>Ref No:</b>	107997			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>	12/6/1994			<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	
<b>Incident Cause:</b>	OTHER CONTAINER LEAK			<b>Source Type:</b>	
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>				<b>Site Name:</b>	
<b>Contaminant Name:</b>				<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Postal Code:</b>	



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Contaminant Qty:</b> <b>Environment Impact:</b> <b>Nature of Impact:</b> <b>Receiving Medium:</b> <b>Receiving Env:</b> <b>Health/Env Conseq:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> <b>Dt Document Closed:</b> <b>SAC Action Class:</b> <b>Incident Reason:</b> <b>Incident Summary:</b>	NOT ANTICIPATED  LAND  9/1/1994			<b>Site Region:</b> <b>Site Municipality:</b> <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> <b>Site Geo Ref Accu:</b> <b>Site Geo Ref Meth:</b> <b>Site Map Datum:</b>	1106
DAMAGE BY MOVING EQUIPMENT CP EXPRESS & TRANSPRORT: 1 L DIPHENYLMETHANE 4.4 DIISOCYANATE TO GROUND.					

<a href="#">11</a>	59 of 72	-/0.0	115.8 / 2.00	CANADIAN PACIFIC EXPRESS & TRA 30 NEWBRIDGE ROAD ETOBICOKE TERMINAL 30 NEWBRIDGE ROAD TORONTO CITY ON M8Z 2L7	SPL
<b>Ref No:</b> <b>Site No:</b> <b>Incident Dt:</b> <b>Year:</b> <b>Incident Cause:</b> <b>Incident Event:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Contaminant Qty:</b> <b>Environment Impact:</b> <b>Nature of Impact:</b> <b>Receiving Medium:</b> <b>Receiving Env:</b> <b>Health/Env Conseq:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> <b>Dt Document Closed:</b> <b>SAC Action Class:</b> <b>Incident Reason:</b> <b>Incident Summary:</b>	106735  10/26/1994  OTHER CONTAINER LEAK			<b>Discharger Report:</b> <b>Material Group:</b> <b>Client Type:</b> <b>Sector Type:</b> <b>Source Type:</b> <b>Nearest Watercourse:</b> <b>Site Name:</b> <b>Site Address:</b> <b>Site District Office:</b> <b>Site County/District:</b> <b>Site Postal Code:</b>  <b>Site Region:</b> <b>Site Municipality:</b> <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> <b>Site Geo Ref Accu:</b> <b>Site Geo Ref Meth:</b> <b>Site Map Datum:</b>	1106
UNKNOWN C.P.EXPRESS-0.25 LITER PAINT (UN 1263)TO GRND, CONTAINED,CLEANED-UP.					

<a href="#">11</a>	60 of 72	-/0.0	115.8 / 2.00	CANADIAN PACIFIC EXPRESS & TRA 30 NEWBRIDGE TRANSPORT TRUCK (CARGO) TORONTO CITY ON M8Z 2L7	SPL
<b>Ref No:</b> <b>Site No:</b> <b>Incident Dt:</b> <b>Year:</b> <b>Incident Cause:</b> <b>Incident Event:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Contaminant Qty:</b>	104781  9/2/1994  OTHER CONTAINER LEAK			<b>Discharger Report:</b> <b>Material Group:</b> <b>Client Type:</b> <b>Sector Type:</b> <b>Source Type:</b> <b>Nearest Watercourse:</b> <b>Site Name:</b> <b>Site Address:</b> <b>Site District Office:</b> <b>Site County/District:</b> <b>Site Postal Code:</b>  <b>Site Region:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Environment Impact:</b> <b>Nature of Impact:</b> <b>Receiving Medium:</b> <b>Receiving Env:</b> <b>Health/Env Conseq:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> <b>Dt Document Closed:</b> <b>SAC Action Class:</b> <b>Incident Reason:</b> <b>Incident Summary:</b>	NOT ANTICIPATED  LAND   9/2/1994  UNKNOWN CR EXPRESS-205 LITERS OF HYDRAULIC OIL TO GROUND, DRUM LEAK IN TRAILER.			<b>Site Municipality:</b> 1106 <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> <b>Site Geo Ref Accu:</b> <b>Site Geo Ref Meth:</b> <b>Site Map Datum:</b>	

<u>11</u>	61 of 72	-/0.0	115.8 / 2.00	<b>INTERLINK</b> <b>30 NEWBRIDGE ROAD</b> <b>TORONTO CITY ON M8Z 2L7</b>	<b>SPL</b>
<b>Ref No:</b> <b>Site No:</b> <b>Incident Dt:</b> <b>Year:</b> <b>Incident Cause:</b> <b>Incident Event:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No</b> <b>1:</b> <b>Contaminant Qty:</b> <b>Environment Impact:</b> <b>Nature of Impact:</b> <b>Receiving Medium:</b> <b>Receiving Env:</b> <b>Health/Env Conseq:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> <b>Dt Document Closed:</b> <b>SAC Action Class:</b> <b>Incident Reason:</b> <b>Incident Summary:</b>	115001  6/27/1995  BLADDER FAILURE             NOT ANTICIPATED  LAND   6/27/1995  DAMAGE BY MOVING EQUIPMENT INTERLINK-5 L U.N. 1760 TO INSIDE OF TRAILER AND GROUND,CLEANED-UP.			<b>Discharger Report:</b> <b>Material Group:</b> <b>Client Type:</b> <b>Sector Type:</b> <b>Source Type:</b> <b>Nearest Watercourse:</b> <b>Site Name:</b> <b>Site Address:</b> <b>Site District Office:</b> <b>Site County/District:</b> <b>Site Postal Code:</b>  <b>Site Region:</b> <b>Site Municipality:</b> 1106 <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> <b>Site Geo Ref Accu:</b> <b>Site Geo Ref Meth:</b> <b>Site Map Datum:</b>	

<u>11</u>	62 of 72	-/0.0	115.8 / 2.00	<b>INTERLINK</b> <b>30 NEWBRIDGE ROAD</b> <b>TORONTO CITY ON M8Z 2L7</b>	<b>SPL</b>
<b>Ref No:</b> <b>Site No:</b> <b>Incident Dt:</b> <b>Year:</b> <b>Incident Cause:</b> <b>Incident Event:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No</b> <b>1:</b> <b>Contaminant Qty:</b> <b>Environment Impact:</b> <b>Nature of Impact:</b>	118205  9/6/1995  OTHER CONTAINER LEAK             NOT ANTICIPATED			<b>Discharger Report:</b> <b>Material Group:</b> <b>Client Type:</b> <b>Sector Type:</b> <b>Source Type:</b> <b>Nearest Watercourse:</b> <b>Site Name:</b> <b>Site Address:</b> <b>Site District Office:</b> <b>Site County/District:</b> <b>Site Postal Code:</b>  <b>Site Region:</b> <b>Site Municipality:</b> 1106 <b>Site Lot:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Receiving Medium:</b> <b>Receiving Env:</b> <b>Health/Env Conseq:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> <b>Dt Document Closed:</b> <b>SAC Action Class:</b> <b>Incident Reason:</b> <b>Incident Summary:</b>	LAND     9/7/1995  UNKNOWN			<b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> <b>Site Geo Ref Accu:</b> <b>Site Geo Ref Meth:</b> <b>Site Map Datum:</b>  INTERLINK- 10 L UN2796 TO INSIDE OF TRAILER AND GROUND,CLEANED-UP.	

<a href="#">11</a>	63 of 72	-/0.0	115.8 / 2.00	<b>INTERLINK FREIGHT LINES</b> <b>TRUCK YARD AT 30 NEWBRIDGE RD, ETOB.</b> <b>TRANSPORT TRUCK (CARGO)</b> <b>TORONTO CITY ON M8Z 2L7</b>	SPL
<b>Ref No:</b> <b>Site No:</b> <b>Incident Dt:</b> <b>Year:</b> <b>Incident Cause:</b> <b>Incident Event:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Contaminant Qty:</b> <b>Environment Impact:</b> <b>Nature of Impact:</b> <b>Receiving Medium:</b> <b>Receiving Env:</b> <b>Health/Env Conseq:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> <b>Dt Document Closed:</b> <b>SAC Action Class:</b> <b>Incident Reason:</b> <b>Incident Summary:</b>	123834  2/21/1996  OTHER CONTAINER LEAK  NOT ANTICIPATED  LAND  2/21/1996  ERROR			<b>Discharger Report:</b> <b>Material Group:</b> <b>Client Type:</b> <b>Sector Type:</b> <b>Source Type:</b> <b>Nearest Watercourse:</b> <b>Site Name:</b> <b>Site Address:</b> <b>Site District Office:</b> <b>Site County/District:</b> <b>Site Postal Code:</b>  <b>Site Region:</b> <b>Site Municipality:</b> 01106 <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> <b>Site Geo Ref Accu:</b> <b>Site Geo Ref Meth:</b> <b>Site Map Datum:</b>  INTERLINK TRANSPORT: 2L FOOD COLOURING TO GROUND. CLEANED UP.	

<a href="#">11</a>	64 of 72	-/0.0	115.8 / 2.00	<b>INTERLINK</b> <b>30 NEWBRIDGE ROAD</b> <b>TORONTO CITY ON M8Z 2L7</b>	SPL
<b>Ref No:</b> <b>Site No:</b> <b>Incident Dt:</b> <b>Year:</b> <b>Incident Cause:</b> <b>Incident Event:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Contaminant Qty:</b> <b>Environment Impact:</b> <b>Nature of Impact:</b> <b>Receiving Medium:</b>	118206  9/6/1995  OTHER CONTAINER LEAK  NOT ANTICIPATED  LAND			<b>Discharger Report:</b> <b>Material Group:</b> <b>Client Type:</b> <b>Sector Type:</b> <b>Source Type:</b> <b>Nearest Watercourse:</b> <b>Site Name:</b> <b>Site Address:</b> <b>Site District Office:</b> <b>Site County/District:</b> <b>Site Postal Code:</b>  <b>Site Region:</b> <b>Site Municipality:</b> 1106 <b>Site Lot:</b> <b>Site Conc:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Receiving Env:</b> <b>Health/Env Conseq:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 9/7/1995 <b>Dt Document Closed:</b> <b>SAC Action Class:</b> <b>Incident Reason:</b> <b>Incident Summary:</b>		DAMAGE BY MOVING EQUIPMENT INTERLINK- 203 L UN1814 TO INSIDE OF ASPHALT AREA: NO SEWERS: CLEANED-UP		<b>Northing:</b> <b>Easting:</b> <b>Site Geo Ref Accu:</b> <b>Site Geo Ref Meth:</b> <b>Site Map Datum:</b>	

<a href="#">11</a>	65 of 72	-/0.0	115.8 / 2.00	<b>STANCHEM</b> <b>30 NEWBRIDGE RD ETOBICOKE DEPOT</b> <b>TORONTO CITY ON M8Z 2L7</b>	<b>SPL</b>
<b>Ref No:</b> 30038 <b>Site No:</b> <b>Incident Dt:</b> 1/18/1990 <b>Year:</b> <b>Incident Cause:</b> OTHER CONTAINER LEAK <b>Incident Event:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Contaminant Qty:</b> <b>Environment Impact:</b> <b>Nature of Impact:</b> <b>Receiving Medium:</b> LAND <b>Receiving Env:</b> <b>Health/Env Conseq:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 1/18/1990 <b>Dt Document Closed:</b> <b>SAC Action Class:</b> <b>Incident Reason:</b> <b>Incident Summary:</b>		UNKNOWN STANCHEM -SHIPPING HYDRO-CHLORIC ACID (CP EXPRESS)23L TO GROUND.		<b>Discharger Report:</b> <b>Material Group:</b> <b>Client Type:</b> <b>Sector Type:</b> <b>Source Type:</b> <b>Nearest Watercourse:</b> <b>Site Name:</b> <b>Site Address:</b> <b>Site District Office:</b> <b>Site County/District:</b> <b>Site Postal Code:</b>  <b>Site Region:</b> <b>Site Municipality:</b> 01106 <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> CANUTEC <b>Site Geo Ref Accu:</b> <b>Site Geo Ref Meth:</b> <b>Site Map Datum:</b>	

<a href="#">11</a>	66 of 72	-/0.0	115.8 / 2.00	<b>CANADIAN PACIFIC EXPRESS &amp; TRA</b> <b>30 NEWBRIDGE ETOBICOKE TERMINAL 30</b> <b>NEWBRIDGE ROAD</b> <b>TORONTO CITY ON M8Z 2L7</b>	<b>SPL</b>
<b>Ref No:</b> 109737 <b>Site No:</b> <b>Incident Dt:</b> 2/2/1995 <b>Year:</b> <b>Incident Cause:</b> OTHER CONTAINER LEAK <b>Incident Event:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Contaminant Qty:</b> <b>Environment Impact:</b> NOT ANTICIPATED <b>Nature of Impact:</b> <b>Receiving Medium:</b> LAND <b>Receiving Env:</b>		UNKNOWN STANCHEM -SHIPPING HYDRO-CHLORIC ACID (CP EXPRESS)23L TO GROUND.		<b>Discharger Report:</b> <b>Material Group:</b> <b>Client Type:</b> <b>Sector Type:</b> <b>Source Type:</b> <b>Nearest Watercourse:</b> <b>Site Name:</b> <b>Site Address:</b> <b>Site District Office:</b> <b>Site County/District:</b> <b>Site Postal Code:</b>  <b>Site Region:</b> <b>Site Municipality:</b> 1106 <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Health/Env Conseq:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 2/2/1995 <b>Dt Document Closed:</b> <b>SAC Action Class:</b> <b>Incident Reason:</b> UNKNOWN <b>Incident Summary:</b> CP EXPRESS- 25 L RESIN ADHESIVE TO ASPHALT FROM LEAKING TOTE IN TRAILER					
<a href="#">11</a>	67 of 72	-/0.0	115.8 / 2.00	CANADIAN PACIFIC EXPRESS & TRA 30 NEWBRIDGE RD. ETOBICOKE TERMINAL 30 NEWBRIDGE ROAD TORONTO CITY ON M8Z 2L7	SPL
<b>Ref No:</b> 89966 <b>Site No:</b> <b>Incident Dt:</b> 8/17/1993 <b>Year:</b> <b>Incident Cause:</b> OTHER CONTAINER LEAK <b>Incident Event:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Contaminant Qty:</b> <b>Environment Impact:</b> NOT ANTICIPATED <b>Nature of Impact:</b> <b>Receiving Medium:</b> LAND <b>Receiving Env:</b> <b>Health/Env Conseq:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 8/18/1993 <b>Dt Document Closed:</b> <b>SAC Action Class:</b> <b>Incident Reason:</b> UNKNOWN <b>Incident Summary:</b> CP EXPRESS & TRANSPORT: 90L PLASTICIZER LEAK FROMBARREL TO LOT					
<a href="#">11</a>	68 of 72	-/0.0	115.8 / 2.00	CANADIAN PACIFIC EXPRESS & TRA 30 NEWBRIDGE ROAD ETOBICOKE TERMINAL 30 NEWBRIDGE ROAD TORONTO CITY ON M8Z 2L7	SPL
<b>Ref No:</b> 13663 <b>Site No:</b> <b>Incident Dt:</b> 1/12/1989 <b>Year:</b> <b>Incident Cause:</b> WASTEWATER DISCHARGE TO WATERCOURSE <b>Incident Event:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Contaminant Qty:</b> <b>Environment Impact:</b> <b>Nature of Impact:</b> <b>Receiving Medium:</b> LAND					



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Receiving Env:</b> <b>Health/Env Conseq:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 1/12/1989 <b>Dt Document Closed:</b> <b>SAC Action Class:</b> <b>Incident Reason:</b> OTHER <b>Incident Summary:</b> TERMINAL					
<b>Northing:</b> <b>Easting:</b> <b>Site Geo Ref Accu:</b> <b>Site Geo Ref Meth:</b> <b>Site Map Datum:</b>					
<a href="#">11</a>	69 of 72	-/0.0	115.8 / 2.00	CANADIAN PACIFIC EXPRESS & TRA 30 NEWBRIDGE ROAD ETOBICOKE TERMINAL 30 NEWBRIDGE ROAD TORONTO CITY ON M8Z 2L7	SPL
<b>Ref No:</b> 69856 <b>Site No:</b> <b>Incident Dt:</b> 4/29/1992 <b>Year:</b> <b>Incident Cause:</b> OTHER CONTAINER LEAK <b>Incident Event:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Contaminant Qty:</b> <b>Environment Impact:</b> NOT ANTICIPATED <b>Nature of Impact:</b> <b>Receiving Medium:</b> LAND / AIR <b>Receiving Env:</b> <b>Health/Env Conseq:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 4/29/1992 <b>Dt Document Closed:</b> <b>SAC Action Class:</b> <b>Incident Reason:</b> ERROR <b>Incident Summary:</b> CP EXPRESS-4L TRICHLORO- ETHANE & SOLVOPLAST SPILLFROM CARTONS INTO YARD.					
<b>Discharger Report:</b> <b>Material Group:</b> <b>Client Type:</b> <b>Sector Type:</b> <b>Source Type:</b> <b>Nearest Watercourse:</b> <b>Site Name:</b> <b>Site Address:</b> <b>Site District Office:</b> <b>Site County/District:</b> <b>Site Postal Code:</b> <b>Site Region:</b> <b>Site Municipality:</b> 01106 <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> CANUTEC <b>Site Geo Ref Accu:</b> <b>Site Geo Ref Meth:</b> <b>Site Map Datum:</b>					
<a href="#">11</a>	70 of 72	-/0.0	115.8 / 2.00	CANADIAN PACIFIC EXPRESS & TRA 30 NEWBRIDGE RD. ETOBICOKE TERMINAL 30 NEWBRIDGE ROAD TORONTO CITY ON M8Z 2L7	SPL
<b>Ref No:</b> 94196 <b>Site No:</b> <b>Incident Dt:</b> 12/5/1993 <b>Year:</b> <b>Incident Cause:</b> PIPE/HOSE LEAK <b>Incident Event:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Contaminant Qty:</b> <b>Environment Impact:</b> CONFIRMED <b>Nature of Impact:</b> Soil contamination <b>Receiving Medium:</b> LAND					
<b>Discharger Report:</b> <b>Material Group:</b> <b>Client Type:</b> <b>Sector Type:</b> <b>Source Type:</b> <b>Nearest Watercourse:</b> <b>Site Name:</b> <b>Site Address:</b> <b>Site District Office:</b> <b>Site County/District:</b> <b>Site Postal Code:</b> <b>Site Region:</b> <b>Site Municipality:</b> 01106 <b>Site Lot:</b> <b>Site Conc:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Receiving Env:</b> <b>Health/Env Conseq:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 12/6/1993 <b>Dt Document Closed:</b> <b>SAC Action Class:</b> <b>Incident Reason:</b> <b>Incident Summary:</b> UNKNOWN CP EXPRESS & TRANSPORT - 40L DIESEL ONTO GROUND. CLEANED UP.				<b>Northing:</b> <b>Easting:</b> <b>Site Geo Ref Accu:</b> <b>Site Geo Ref Meth:</b> <b>Site Map Datum:</b>	
<a href="#">11</a>	71 of 72	-/0.0	115.8 / 2.00	CANADIAN PACIFIC EXPRESS & TRA 30 NEWBRIDGE ETOBICOKE TERMINAL 30 NEWBRIDGE ROAD TORONTO CITY ON M8Z 2L7	SPL
<b>Ref No:</b> 94403 <b>Site No:</b> <b>Incident Dt:</b> 12/12/1993 <b>Year:</b> <b>Incident Cause:</b> OTHER CONTAINER LEAK <b>Incident Event:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Contaminant Qty:</b> <b>Environment Impact:</b> NOT ANTICIPATED <b>Nature of Impact:</b> <b>Receiving Medium:</b> LAND <b>Receiving Env:</b> <b>Health/Env Conseq:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 12/13/1993 <b>Dt Document Closed:</b> <b>SAC Action Class:</b> <b>Incident Reason:</b> <b>Incident Summary:</b> UNKNOWN CP EXPRESS - 4 L OF ETHYLENE GLYCOL TO PARKING LOT				<b>Discharger Report:</b> <b>Material Group:</b> <b>Client Type:</b> <b>Sector Type:</b> <b>Source Type:</b> <b>Nearest Watercourse:</b> <b>Site Name:</b> <b>Site Address:</b> <b>Site District Office:</b> <b>Site County/District:</b> <b>Site Postal Code:</b>  <b>Site Region:</b> <b>Site Municipality:</b> 01106 <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> <b>Site Geo Ref Accu:</b> <b>Site Geo Ref Meth:</b> <b>Site Map Datum:</b>	
<a href="#">11</a>	72 of 72	-/0.0	115.8 / 2.00	CANADIAN PACIFIC EXPRESS & TRA 30 NEWBRIDGE ROAD ETOBICOKE TERMINAL 30 NEWBRIDGE ROAD TORONTO CITY ON M8Z 2L7	SPL
<b>Ref No:</b> 1056 <b>Site No:</b> <b>Incident Dt:</b> 3/8/1988 <b>Year:</b> <b>Incident Cause:</b> OTHER CONTAINER LEAK <b>Incident Event:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Contaminant Qty:</b> <b>Environment Impact:</b> <b>Nature of Impact:</b> <b>Receiving Medium:</b> LAND				<b>Discharger Report:</b> <b>Material Group:</b> <b>Client Type:</b> <b>Sector Type:</b> <b>Source Type:</b> <b>Nearest Watercourse:</b> <b>Site Name:</b> <b>Site Address:</b> <b>Site District Office:</b> <b>Site County/District:</b> <b>Site Postal Code:</b>  <b>Site Region:</b> <b>Site Municipality:</b> 1106 <b>Site Lot:</b> <b>Site Conc:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Receiving Env: Health/Env Conseq: MOE Response: Dt MOE Arvl on Scn: MOE Reported Dt: Dt Document Closed: SAC Action Class: Incident Reason: Incident Summary:	3/8/1988			Northing: Easting: Site Geo Ref Accu: Site Geo Ref Meth: Site Map Datum:  DAMAGE BY MOVING EQUIPMENT CP EXPRESS - 150 LTR. XYLENE TO TRAILER AND PAVEMENT.	

<a href="#">12</a>	1 of 1	-/0.0	113.8 / 0.00	ON	BORE
Borehole ID:	641450	Type:	Borehole		
Use:	Geotechnical/Geological Investigation	Status::			
Drill Method::	Digging	UTM Zone::	17		
Easting::	617930	Northing::	4831328		
Location Accuracy::		Orig. Ground Elev m::	111		
Elev. Reliability Note::		DEM Ground Elev m::	117		
Total Depth m::	3	Primary Name::			
Township::		Concession::			
Lot::		Municipality:			
Completion Date::	MAR-1970	Static Water Level::	-999.9		
Primary Water Use::	Not Used	Sec. Water Use::			
<b>--Details--</b>					
Stratum ID:	218496143	Top Depth(m):	0.0		
Bottom Depth(m):	0.1	Stratum Desc:	ASPHALT.		
Stratum ID:	218496144	Top Depth(m):	0.1		
Bottom Depth(m):	0.3	Stratum Desc:	FILL,STONES. DENSE.		
Stratum ID:	218496145	Top Depth(m):	0.3		
Bottom Depth(m):	0.6	Stratum Desc:	FILL,SAND,GRAVEL, SILT. BROWN,DENSE.		
Stratum ID:	218496146	Top Depth(m):	0.6		
Bottom Depth(m):	1.5	Stratum Desc:	FILL,SAND,GRAVEL. BROWN,COMPACT.		
Stratum ID:	218496147	Top Depth(m):	1.5		
Bottom Depth(m):	1.7	Stratum Desc:	SOIL,SILT,SAND, ORGANIC. BLACK.		
Stratum ID:	218496148	Top Depth(m):	1.7		
Bottom Depth(m):	2.6	Stratum Desc:	SAND,SILT,GRAVEL. BROWN,BEACH,DENSE,AGE GLACIAL.		
Stratum ID:	218496149	Top Depth(m):	2.6		
Bottom Depth(m):	3.0	Stratum Desc:	TILL,SILT(41), SAND(50). GREY,GLACIAL,DENSE, AGE GLACIAL. 006		

<a href="#">13</a>	1 of 1	-/0.0	115.8 / 2.00	TORONTO ON	WWIS
Well ID:	7261861	Data Entry Status:			
Construction Date:		Data Src:			
Primary Water Use:	Monitoring and Test Hole	Date Received:	4/25/2016		
Sec. Water Use:	0	Selected Flag:	Yes		
Final Well Status:	Monitoring and Test Hole	Abandonment Rec:			
Water Type:		Contractor:	7241		
Casing Material:		Form Version:	7		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Audit No:</b>	Z228237			<b>Owner:</b>	
<b>Tag:</b>	A197698			<b>Street Name:</b>	36 NORTH QUEEN STREET
<b>Construction Method:</b>				<b>County:</b>	YORK
<b>Elevation (m):</b>				<b>Municipality:</b>	ETOBICOKE BOROUGH
<b>Elevation Reliability:</b>				<b>Site Info:</b>	WKQ-008733 A0-A025
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**Bore Hole Information**

<b>Bore Hole ID:</b>	1005937322	<b>Elevation:</b>	117.62
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	17
<b>Code OB:</b>		<b>East83:</b>	617898
<b>Code OB Desc:</b>		<b>Org CS:</b>	UTM83
<b>Open Hole:</b>		<b>North83:</b>	4831661
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	03-MAR-16	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	1006041525
<b>Layer:</b>	1
<b>Color:</b>	6
<b>General Color:</b>	BROWN
<b>Mat1:</b>	28
<b>Most Common Material:</b>	SAND
<b>Mat2:</b>	11
<b>Other Materials:</b>	GRAVEL
<b>Mat3:</b>	
<b>Other Materials:</b>	
<b>Formation Top Depth:</b>	0
<b>Formation End Depth:</b>	3
<b>Formation End Depth UOM:</b>	ft
<b>Formation ID:</b>	1006041527
<b>Layer:</b>	3
<b>Color:</b>	2
<b>General Color:</b>	GREY
<b>Mat1:</b>	17
<b>Most Common Material:</b>	SHALE
<b>Mat2:</b>	
<b>Other Materials:</b>	
<b>Mat3:</b>	92
<b>Other Materials:</b>	WEATHERED
<b>Formation Top Depth:</b>	12
<b>Formation End Depth:</b>	14
<b>Formation End Depth UOM:</b>	ft

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation ID:</b>		1006041526			
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		34			
<b>Most Common Material:</b>		TILL			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		3			
<b>Formation End Depth:</b>		12			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1006041535			
<b>Layer:</b>		1			
<b>Plug From:</b>		14			
<b>Plug To:</b>		3			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1006041537			
<b>Layer:</b>		3			
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1006041536			
<b>Layer:</b>		2			
<b>Plug From:</b>		3			
<b>Plug To:</b>		0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1006041534			
<b>Method Construction Code:</b>		D			
<b>Method Construction:</b>		Direct Push			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1006041524			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1006041530			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		4			
<b>Casing Diameter:</b>		2			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Construction Record - Screen</u></b>					
Screen ID:			1006041531		
Layer:			1		
Slot:			.10		
Screen Top Depth:			4		
Screen End Depth:			14		
Screen Material:			5		
Screen Depth UOM:			ft		
Screen Diameter UOM:			inch		
Screen Diameter:			2.25		
<b><u>Water Details</u></b>					
Water ID:			1006041529		
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:			ft		
<b><u>Hole Diameter</u></b>					
Hole ID:			1006041528		
Diameter:			8		
Depth From:			0		
Depth To:			14		
Hole Depth UOM:			ft		
Hole Diameter UOM:			inch		

**14**      1 of 1      -/0.0      114.8 / 1.00      ON      **BORE**

<b>Borehole ID:</b>	641617	<b>Type:</b>	Borehole
<b>Use:</b>	Geotechnical/Geological Investigation	<b>Status::</b>	
<b>Drill Method::</b>	Power auger	<b>UTM Zone::</b>	17
<b>Easting::</b>	618065	<b>Northing::</b>	4831673
<b>Location Accuracy::</b>		<b>Orig. Ground Elev m::</b>	118
<b>Elev. Reliability</b>		<b>DEM Ground Elev m::</b>	117
<b>Note::</b>		<b>Primary Name::</b>	
<b>Total Depth m::</b>	9.2	<b>Concession::</b>	
<b>Township::</b>		<b>Municipality:</b>	
<b>Lot::</b>		<b>Static Water Level::</b>	.9
<b>Completion Date::</b>	DEC-1970	<b>Sec. Water Use::</b>	
<b>Primary Water Use::</b>	Not Used		
<b>--Details--</b>			
<b>Stratum ID:</b>	218496740	<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	0.5	<b>Stratum Desc:</b>	SOIL,ORGANIC. BLACK,ORGANIC,AGE QUATERNARY.
<b>Stratum ID:</b>	218496741	<b>Top Depth(m):</b>	0.5
<b>Bottom Depth(m):</b>	1.8	<b>Stratum Desc:</b>	SILT,SAND,CLAY. BROWN,GLACIAL,VERY DENSE, AGE GLACIAL.
<b>Stratum ID:</b>	218496742	<b>Top Depth(m):</b>	1.8
<b>Bottom Depth(m):</b>	5.5	<b>Stratum Desc:</b>	SILT,SAND,GRAVEL. GREY,GLACIAL,VERY DENSE, LAYERED,AGE GLACIAL, WATER STABLE AT 384.0 FEET.
<b>Stratum ID:</b>	218496743	<b>Top Depth(m):</b>	5.5
<b>Bottom Depth(m):</b>	9.2	<b>Stratum Desc:</b>	SAND,SILT,SHALE. GREY,FLUVIO-GLACIAL, VERY DENSE,AGE GLACIAL.

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
					00015120000601200018030000005

<a href="#">15</a>	1 of 1	-/0.0	115.8 / 2.00	TORONTO ON	WWIS
<b>Well ID:</b>	7261859			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole			<b>Date Received:</b>	4/25/2016
<b>Sec. Water Use:</b>	0			<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Monitoring and Test Hole			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z228242			<b>Owner:</b>	
<b>Tag:</b>	A195164			<b>Street Name:</b>	36 NORTH QUEEN STREET
<b>Construction Method:</b>				<b>County:</b>	YORK
<b>Elevation (m):</b>				<b>Municipality:</b>	ETOBICOKE BOROUGH
<b>Elevation Reliability:</b>				<b>Site Info:</b>	WKQ-008733 A0-A025
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**Bore Hole Information**

<b>Bore Hole ID:</b>	1005937316	<b>Elevation:</b>	117.54
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	17
<b>Code OB:</b>		<b>East83:</b>	617805
<b>Code OB Desc:</b>		<b>Org CS:</b>	UTM83
<b>Open Hole:</b>		<b>North83:</b>	4831467
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	03-MAR-16	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	1006041500
<b>Layer:</b>	2
<b>Color:</b>	6
<b>General Color:</b>	BROWN
<b>Mat1:</b>	06
<b>Most Common Material:</b>	SILT
<b>Mat2:</b>	28
<b>Other Materials:</b>	SAND
<b>Mat3:</b>	66
<b>Other Materials:</b>	DENSE
<b>Formation Top Depth:</b>	1
<b>Formation End Depth:</b>	13
<b>Formation End Depth UOM:</b>	ft

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation ID:</b>		1006041499			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		11			
<b>Other Materials:</b>		GRAVEL			
<b>Mat3:</b>		77			
<b>Other Materials:</b>		LOOSE			
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		1			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1006041508			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		.5			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1006041509			
<b>Layer:</b>		2			
<b>Plug From:</b>		.5			
<b>Plug To:</b>		3			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1006041510			
<b>Layer:</b>		3			
<b>Plug From:</b>		3			
<b>Plug To:</b>		13			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1006041507			
<b>Method Construction Code:</b>		D			
<b>Method Construction:</b>		Direct Push			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1006041498			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1006041503			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		3			
<b>Casing Diameter:</b>		2			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

**Construction Record - Screen**

Screen ID: 1006041504  
 Layer: 1  
 Slot: 10  
 Screen Top Depth: 3  
 Screen End Depth: 13  
 Screen Material: 5  
 Screen Depth UOM: ft  
 Screen Diameter UOM: inch  
 Screen Diameter: 2.25

**Water Details**

Water ID: 1006041502  
 Layer:  
 Kind Code:  
 Kind:  
 Water Found Depth:  
 Water Found Depth UOM: ft

**Hole Diameter**

Hole ID: 1006041501  
 Diameter: 6  
 Depth From: 0  
 Depth To: 13  
 Hole Depth UOM: ft  
 Hole Diameter UOM: inch

16      1 of 1      -/0.0      115.8 / 2.00      TORONTO ON      WWIS

Well ID: 7261860  
 Construction Date:  
 Primary Water Use: Monitoring and Test Hole  
 Sec. Water Use: 0  
 Final Well Status: Monitoring and Test Hole  
 Water Type:  
 Casing Material:  
 Audit No: Z228243  
 Tag: A195164  
 Construction Method:  
 Elevation (m):  
 Elevation Reliability:  
 Depth to Bedrock:  
 Well Depth:  
 Overburden/Bedrock:  
 Pump Rate:  
 Static Water Level:  
 Flowing (Y/N):  
 Flow Rate:  
 Clear/Cloudy:

Data Entry Status:  
 Data Src:  
 Date Received: 4/25/2016  
 Selected Flag: Yes  
 Abandonment Rec:  
 Contractor: 7241  
 Form Version: 7  
 Owner:  
 Street Name: 36 NORTH QUEEN STREET  
 County: YORK  
 Municipality: ETOBICOKE BOROUGH  
 Site Info: WKQ-008733 A0-A025  
 Lot:  
 Concession:  
 Concession Name:  
 Easting NAD83:  
 Northing NAD83:  
 Zone:  
 UTM Reliability:

**Bore Hole Information**

Bore Hole ID: 1005937319      Elevation: 117.38  
 DP2BR:      Elevrc:  
 Spatial Status:      Zone: 17  
 Code OB:      East83: 617831  
 Code OB Desc:      Org CS: UTM83

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Open Hole:</b>				<b>North83:</b>	4831392
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	03-MAR-16			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1006041513			
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		06			
<b>Other Materials:</b>		SILT			
<b>Mat3:</b>		66			
<b>Other Materials:</b>		DENSE			
<b>Formation Top Depth:</b>		1			
<b>Formation End Depth:</b>		8			
<b>Formation End Depth UOM:</b>		ft			
<b>Formation ID:</b>		1006041512			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		11			
<b>Other Materials:</b>		GRAVEL			
<b>Mat3:</b>		66			
<b>Other Materials:</b>		DENSE			
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		1			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1006041521			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		.5			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1006041523			
<b>Layer:</b>		3			
<b>Plug From:</b>		3			
<b>Plug To:</b>		8			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1006041522			
<b>Layer:</b>		2			
<b>Plug From:</b>		.5			
<b>Plug To:</b>		3			
<b>Plug Depth UOM:</b>		ft			

**Method of Construction & Well Use**

Method Construction ID: 1006041520  
 Method Construction Code: D  
 Method Construction: Direct Push  
 Other Method Construction:

**Pipe Information**

Pipe ID: 1006041511  
 Casing No: 0  
 Comment:  
 Alt Name:

**Construction Record - Casing**

Casing ID: 1006041516  
 Layer: 1  
 Material: 5  
 Open Hole or Material: PLASTIC  
 Depth From: 0  
 Depth To: 3  
 Casing Diameter: 2  
 Casing Diameter UOM: inch  
 Casing Depth UOM: ft

**Construction Record - Screen**

Screen ID: 1006041517  
 Layer: 1  
 Slot: 10  
 Screen Top Depth: 3  
 Screen End Depth: 8  
 Screen Material: 5  
 Screen Depth UOM: ft  
 Screen Diameter UOM: inch  
 Screen Diameter: 2.25

**Water Details**

Water ID: 1006041515  
 Layer:  
 Kind Code:  
 Kind:  
 Water Found Depth:  
 Water Found Depth UOM: ft

**Hole Diameter**

Hole ID: 1006041514  
 Diameter: 6  
 Depth From: 0  
 Depth To: 8  
 Hole Depth UOM: ft  
 Hole Diameter UOM: inch

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole			<b>Date Received:</b>	4/25/2016
<b>Sec. Water Use:</b>	0			<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Monitoring and Test Hole			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z228230			<b>Owner:</b>	
<b>Tag:</b>	A197702			<b>Street Name:</b>	36 NORTH QUEEN STREET
<b>Construction Method:</b>				<b>County:</b>	YORK
<b>Elevation (m):</b>				<b>Municipality:</b>	ETOBICOKE BOROUGH
<b>Elevation Reliability:</b>				<b>Site Info:</b>	WKQ-008733 A0-A025
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

### Bore Hole Information

<b>Bore Hole ID:</b>	1005937352	<b>Elevation:</b>	115.97
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	17
<b>Code OB:</b>		<b>East83:</b>	618030
<b>Code OB Desc:</b>		<b>Org CS:</b>	UTM83
<b>Open Hole:</b>		<b>North83:</b>	4831304
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	09-MAR-16	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

### Overburden and Bedrock

#### Materials Interval

<b>Formation ID:</b>	1006041670
<b>Layer:</b>	3
<b>Color:</b>	6
<b>General Color:</b>	BROWN
<b>Mat1:</b>	06
<b>Most Common Material:</b>	SILT
<b>Mat2:</b>	28
<b>Other Materials:</b>	SAND
<b>Mat3:</b>	34
<b>Other Materials:</b>	TILL
<b>Formation Top Depth:</b>	1.5
<b>Formation End Depth:</b>	9
<b>Formation End Depth UOM:</b>	ft
<b>Formation ID:</b>	1006041671
<b>Layer:</b>	4
<b>Color:</b>	2
<b>General Color:</b>	GREY
<b>Mat1:</b>	06
<b>Most Common Material:</b>	SILT
<b>Mat2:</b>	28
<b>Other Materials:</b>	SAND

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Mat3:</b>		34			
<b>Other Materials:</b>		TILL			
<b>Formation Top Depth:</b>		9			
<b>Formation End Depth:</b>		10			
<b>Formation End Depth UOM:</b>		ft			
<b>Formation ID:</b>		1006041668			
<b>Layer:</b>		1			
<b>Color:</b>		8			
<b>General Color:</b>		BLACK			
<b>Mat1:</b>		27			
<b>Most Common Material:</b>		OTHER			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		.25			
<b>Formation End Depth UOM:</b>		ft			
<b>Formation ID:</b>		1006041669			
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		11			
<b>Other Materials:</b>		GRAVEL			
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		.25			
<b>Formation End Depth:</b>		1.5			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1006041679			
<b>Layer:</b>		1			
<b>Plug From:</b>		10			
<b>Plug To:</b>		2			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1006041680			
<b>Layer:</b>		2			
<b>Plug From:</b>		2			
<b>Plug To:</b>		0			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1006041681			
<b>Layer:</b>		3			
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1006041678			
<b>Method Construction Code:</b>		D			
<b>Method Construction:</b>		Direct Push			
<b>Other Method Construction:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

**Pipe Information**

**Pipe ID:** 1006041667  
**Casing No:** 0  
**Comment:**  
**Alt Name:**

**Construction Record - Casing**

**Casing ID:** 1006041674  
**Layer:** 1  
**Material:** 5  
**Open Hole or Material:** PLASTIC  
**Depth From:** 0  
**Depth To:** 3  
**Casing Diameter:** 2  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Construction Record - Screen**

**Screen ID:** 1006041675  
**Layer:** 1  
**Slot:** .10  
**Screen Top Depth:** 3  
**Screen End Depth:** 10  
**Screen Material:** 5  
**Screen Depth UOM:** ft  
**Screen Diameter UOM:** inch  
**Screen Diameter:** 2.25

**Water Details**

**Water ID:** 1006041673  
**Layer:**  
**Kind Code:**  
**Kind:**  
**Water Found Depth:**  
**Water Found Depth UOM:** ft

**Hole Diameter**

**Hole ID:** 1006041672  
**Diameter:** 8  
**Depth From:** 0  
**Depth To:** 10  
**Hole Depth UOM:** ft  
**Hole Diameter UOM:** inch

[18](#)      1 of 1      -/0.0      111.8 / -2.00      **ETOBICOKE ON**      **WWIS**

<b>Well ID:</b> 7128501 <b>Construction Date:</b> <b>Primary Water Use:</b> Monitoring <b>Sec. Water Use:</b> <b>Final Well Status:</b> Test Hole <b>Water Type:</b> <b>Casing Material:</b> <b>Audit No:</b> M04649 <b>Tag:</b> A085342	<b>Data Entry Status:</b> <b>Data Src:</b> <b>Date Received:</b> 8/31/2009 <b>Selected Flag:</b> Yes <b>Abandonment Rec:</b> <b>Contractor:</b> 6607 <b>Form Version:</b> 5 <b>Owner:</b> <b>Street Name:</b> 36 NORTH QUEEN ST.
--	--

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Construction Method:</b>				<b>County:</b>	YORK
<b>Elevation (m):</b>				<b>Municipality:</b>	ETOBICOKE BOROUGH
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1002818251			<b>Elevation:</b>	117.93
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	17
<b>Code OB:</b>				<b>East83:</b>	618059
<b>Code OB Desc:</b>				<b>Org CS:</b>	UTM83
<b>Open Hole:</b>				<b>North83:</b>	4831789
<b>Cluster Kind:</b>	This is a record from cluster log sheet			<b>UTMRC:</b>	3
<b>Date Completed:</b>	01-JUN-09			<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>	1002818255				
<b>Layer:</b>					
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>					
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>	1002818254				
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>	BORING				
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>	1002818256				
<b>Casing No:</b>	0				
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>	1002818258				
<b>Layer:</b>					
<b>Material:</b>	5				
<b>Open Hole or Material:</b>	PLASTIC				
<b>Depth From:</b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Depth To:</b>		1.52			
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>					
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1002818257			
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>		1.52			
<b>Screen End Depth:</b>		4.57			
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>					
<b>Screen Diameter:</b>					
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		1002818259			
<b>Pump Set At:</b>					
<b>Static Level:</b>					
<b>Final Level After Pumping:</b>					
<b>Recommended Pump Depth:</b>					
<b>Pumping Rate:</b>					
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>					
<b>Levels UOM:</b>					
<b>Rate UOM:</b>					
<b>Water State After Test Code:</b>					
<b>Water State After Test:</b>					
<b>Pumping Test Method:</b>					
<b>Pumping Duration HR:</b>					
<b>Pumping Duration MIN:</b>					
<b>Flowing:</b>					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1002818253			
<b>Diameter:</b>		21			
<b>Depth From:</b>					
<b>Depth To:</b>		4.57			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1002818233		<b>Elevation:</b>	116.48	
<b>DP2BR:</b>			<b>Elevrc:</b>		
<b>Spatial Status:</b>			<b>Zone:</b>	17	
<b>Code OB:</b>			<b>East83:</b>	618041	
<b>Code OB Desc:</b>			<b>Org CS:</b>	UTM83	
<b>Open Hole:</b>			<b>North83:</b>	4831569	
<b>Cluster Kind:</b>	This is a record from cluster log sheet		<b>UTMRC:</b>	3	
<b>Date Completed:</b>	29-MAY-09		<b>UTMRC Desc:</b>	margin of error : 10 - 30 m	
<b>Remarks:</b>			<b>Location Method:</b>	wwr	
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1002818237			
<b>Layer:</b>					
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>					
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1002818236			
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>		BORING			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1002818238			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1002818240			
<b>Layer:</b>					
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>					
<b>Depth To:</b>		2.29			
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>					
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1002818239			
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>		2.29			
<b>Screen End Depth:</b>		3.81			
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>					
<b>Screen Diameter:</b>					
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		1002818241			
<b>Pump Set At:</b>					
<b>Static Level:</b>					
<b>Final Level After Pumping:</b>					
<b>Recommended Pump Depth:</b>					
<b>Pumping Rate:</b>					
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>					
<b>Levels UOM:</b>					
<b>Rate UOM:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Water State After Test Code:</b>					
<b>Water State After Test:</b>					
<b>Pumping Test Method:</b>					
<b>Pumping Duration HR:</b>					
<b>Pumping Duration MIN:</b>					
<b>Flowing:</b>					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1002818235			
<b>Diameter:</b>		21			
<b>Depth From:</b>					
<b>Depth To:</b>		3.81			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1002818242			<b>Elevation:</b>	118.45
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	17
<b>Code OB:</b>				<b>East83:</b>	618018
<b>Code OB Desc:</b>				<b>Org CS:</b>	UTM83
<b>Open Hole:</b>				<b>North83:</b>	4831915
<b>Cluster Kind:</b>	This is a record from cluster log sheet			<b>UTMRC:</b>	3
<b>Date Completed:</b>	01-JUN-09			<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>	1002818246				
<b>Layer:</b>					
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>					
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>	1002818245				
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>	BORING				
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>	1002818247				
<b>Casing No:</b>	0				
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>	1002818249				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Layer:</b>					
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>					
<b>Depth To:</b>		.91			
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>					
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1002818248			
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>		.91			
<b>Screen End Depth:</b>		3.04			
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>					
<b>Screen Diameter:</b>					
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		1002818250			
<b>Pump Set At:</b>					
<b>Static Level:</b>					
<b>Final Level After Pumping:</b>					
<b>Recommended Pump Depth:</b>					
<b>Pumping Rate:</b>					
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>					
<b>Levels UOM:</b>					
<b>Rate UOM:</b>					
<b>Water State After Test Code:</b>					
<b>Water State After Test:</b>					
<b>Pumping Test Method:</b>					
<b>Pumping Duration HR:</b>					
<b>Pumping Duration MIN:</b>					
<b>Flowing:</b>					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1002818244			
<b>Diameter:</b>		21			
<b>Depth From:</b>					
<b>Depth To:</b>		3.04			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1002697204			<b>Elevation:</b>	115.85
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	17
<b>Code OB:</b>				<b>East83:</b>	617958
<b>Code OB Desc:</b>				<b>Org CS:</b>	UTM83
<b>Open Hole:</b>	N			<b>North83:</b>	4831213
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	27-MAY-09			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1002818271			
<b>Layer:</b>		2			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		06			
<b>Most Common Material:</b>		SILT			
<b>Mat2:</b>		28			
<b>Other Materials:</b>		SAND			
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		1.37			
<b>Formation End Depth:</b>		5.18			
<b>Formation End Depth UOM:</b>		m			
<b>Formation ID:</b>		1002818270			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		11			
<b>Other Materials:</b>		GRAVEL			
<b>Mat3:</b>		01			
<b>Other Materials:</b>		FILL			
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		1.37			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1002818273			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		.3			
<b>Plug Depth UOM:</b>		m			
<b>Plug ID:</b>		1002818274			
<b>Layer:</b>		2			
<b>Plug From:</b>		.3			
<b>Plug To:</b>		1.52			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well</u></b>					
<b><u>Use</u></b>					
<b>Method Construction ID:</b>		1002818278			
<b>Method Construction Code:</b>		6			
<b>Method Construction:</b>		Boring			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1002818269			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing No:		0			
Comment:					
Alt Name:					
<b><u>Construction Record - Casing</u></b>					
Casing ID:		1002818275			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		5.02			
Casing Diameter:		5.1			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<b><u>Construction Record - Screen</u></b>					
Screen ID:		1002818276			
Layer:		1			
Slot:		20			
Screen Top Depth:					
Screen End Depth:					
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.4			
<b><u>Hole Diameter</u></b>					
Hole ID:		1002818272			
Diameter:		21			
Depth From:		0			
Depth To:		5.03			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<b><u>Bore Hole Information</u></b>					
Bore Hole ID:	1002818215			Elevation:	118.05
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	617901
Code OB Desc:				Org CS:	UTM83
Open Hole:				North83:	4831723
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	28-MAY-09			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
Plug ID:		1002818219			
Layer:					
Plug From:					
Plug To:					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Plug Depth UOM:</b>					
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1002818218			
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>		BORING			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1002818220			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1002818222			
<b>Layer:</b>					
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>					
<b>Depth To:</b>		1.68			
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>					
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1002818221			
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>		1.68			
<b>Screen End Depth:</b>		3.2			
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>					
<b>Screen Diameter:</b>					
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		1002818223			
<b>Pump Set At:</b>					
<b>Static Level:</b>					
<b>Final Level After Pumping:</b>					
<b>Recommended Pump Depth:</b>					
<b>Pumping Rate:</b>					
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>					
<b>Levels UOM:</b>					
<b>Rate UOM:</b>					
<b>Water State After Test Code:</b>					
<b>Water State After Test:</b>					
<b>Pumping Test Method:</b>					
<b>Pumping Duration HR:</b>					
<b>Pumping Duration MIN:</b>					
<b>Flowing:</b>					
<b><u>Hole Diameter</u></b>					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Hole ID:</i>		1002818217			
<i>Diameter:</i>		21			
<i>Depth From:</i>					
<i>Depth To:</i>		3.2			
<i>Hole Depth UOM:</i>		m			
<i>Hole Diameter UOM:</i>		cm			
<b><u>Bore Hole Information</u></b>					
<i>Bore Hole ID:</i>	1002818206			<i>Elevation:</i>	116.02
<i>DP2BR:</i>				<i>Elevrc:</i>	
<i>Spatial Status:</i>				<i>Zone:</i>	17
<i>Code OB:</i>				<i>East83:</i>	618032
<i>Code OB Desc:</i>				<i>Org CS:</i>	UTM83
<i>Open Hole:</i>				<i>North83:</i>	4831285
<i>Cluster Kind:</i>	This is a record from cluster log sheet			<i>UTMRC:</i>	3
<i>Date Completed:</i>	27-MAY-09			<i>UTMRC Desc:</i>	margin of error : 10 - 30 m
<i>Remarks:</i>				<i>Location Method:</i>	wwr
<i>Elevrc Desc:</i>					
<i>Location Source Date:</i>					
<i>Improvement Location Source:</i>					
<i>Improvement Location Method:</i>					
<i>Source Revision Comment:</i>					
<i>Supplier Comment:</i>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<i>Plug ID:</i>		1002818210			
<i>Layer:</i>					
<i>Plug From:</i>					
<i>Plug To:</i>					
<i>Plug Depth UOM:</i>					
<b><u>Method of Construction &amp; Well Use</u></b>					
<i>Method Construction ID:</i>		1002818209			
<i>Method Construction Code:</i>					
<i>Method Construction:</i>					
<i>Other Method Construction:</i>		BORING			
<b><u>Pipe Information</u></b>					
<i>Pipe ID:</i>		1002818211			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
<b><u>Construction Record - Casing</u></b>					
<i>Casing ID:</i>		1002818213			
<i>Layer:</i>					
<i>Material:</i>		5			
<i>Open Hole or Material:</i>		PLASTIC			
<i>Depth From:</i>					
<i>Depth To:</i>		2.16			
<i>Casing Diameter:</i>					
<i>Casing Diameter UOM:</i>					
<i>Casing Depth UOM:</i>		m			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
----------------	--------------------------	--------------------------------	----------------------	-------------	-----------

**Construction Record - Screen**

Screen ID: 1002818212  
 Layer:  
 Slot:  
 Screen Top Depth: 2.16  
 Screen End Depth: 5.18  
 Screen Material:  
 Screen Depth UOM: m  
 Screen Diameter UOM:  
 Screen Diameter:

**Results of Well Yield Testing**

Pump Test ID: 1002818214  
 Pump Set At:  
 Static Level:  
 Final Level After Pumping:  
 Recommended Pump Depth:  
 Pumping Rate:  
 Flowing Rate:  
 Recommended Pump Rate:  
 Levels UOM:  
 Rate UOM:  
 Water State After Test Code:  
 Water State After Test:  
 Pumping Test Method:  
 Pumping Duration HR:  
 Pumping Duration MIN:  
 Flowing:

**Hole Diameter**

Hole ID: 1002818208  
 Diameter: 21  
 Depth From:  
 Depth To: 5.18  
 Hole Depth UOM: m  
 Hole Diameter UOM: cm

**Bore Hole Information**

Bore Hole ID:	1002818224	Elevation:	119.45
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	617870
Code OB Desc:		Org CS:	UTM83
Open Hole:		North83:	4831886
Cluster Kind:	This is a record from cluster log sheet	UTMRC:	3
Date Completed:	28-MAY-09	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Annular Space/Abandonment Sealing Record**

Plug ID: 1002818228



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Layer:</b>					
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>					
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b> 1002818227					
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b> BORING					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b> 1002818229					
<b>Casing No:</b> 0					
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b> 1002818231					
<b>Layer:</b>					
<b>Material:</b> 5					
<b>Open Hole or Material:</b> PLASTIC					
<b>Depth From:</b>					
<b>Depth To:</b> 2.13					
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>					
<b>Casing Depth UOM:</b> m					
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b> 1002818230					
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b> 2.13					
<b>Screen End Depth:</b> 5.18					
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b> m					
<b>Screen Diameter UOM:</b>					
<b>Screen Diameter:</b>					
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b> 1002818232					
<b>Pump Set At:</b>					
<b>Static Level:</b>					
<b>Final Level After Pumping:</b>					
<b>Recommended Pump Depth:</b>					
<b>Pumping Rate:</b>					
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>					
<b>Levels UOM:</b>					
<b>Rate UOM:</b>					
<b>Water State After Test Code:</b>					
<b>Water State After Test:</b>					
<b>Pumping Test Method:</b>					
<b>Pumping Duration HR:</b>					
<b>Pumping Duration MIN:</b>					
<b>Flowing:</b>					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b><u>Hole Diameter</u></b>					
<i>Hole ID:</i>		1002818226			
<i>Diameter:</i>		21			
<i>Depth From:</i>					
<i>Depth To:</i>		5.18			
<i>Hole Depth UOM:</i>		m			
<i>Hole Diameter UOM:</i>		cm			
<b><u>Bore Hole Information</u></b>					
<i>Bore Hole ID:</i>	1002818260			<i>Elevation:</i>	115.93
<i>DP2BR:</i>				<i>Elevrc:</i>	
<i>Spatial Status:</i>				<i>Zone:</i>	17
<i>Code OB:</i>				<i>East83:</i>	618178
<i>Code OB Desc:</i>				<i>Org CS:</i>	UTM83
<i>Open Hole:</i>				<i>North83:</i>	4831407
<i>Cluster Kind:</i>	This is a record from cluster log sheet			<i>UTMRC:</i>	3
<i>Date Completed:</i>	01-JUN-09			<i>UTMRC Desc:</i>	margin of error : 10 - 30 m
<i>Remarks:</i>				<i>Location Method:</i>	wwr
<i>Elevrc Desc:</i>					
<i>Location Source Date:</i>					
<i>Improvement Location Source:</i>					
<i>Improvement Location Method:</i>					
<i>Source Revision Comment:</i>					
<i>Supplier Comment:</i>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<i>Plug ID:</i>		1002818264			
<i>Layer:</i>					
<i>Plug From:</i>					
<i>Plug To:</i>					
<i>Plug Depth UOM:</i>					
<b><u>Method of Construction &amp; Well Use</u></b>					
<i>Method Construction ID:</i>		1002818263			
<i>Method Construction Code:</i>					
<i>Method Construction:</i>					
<i>Other Method Construction:</i>		BORING			
<b><u>Pipe Information</u></b>					
<i>Pipe ID:</i>		1002818265			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
<b><u>Construction Record - Casing</u></b>					
<i>Casing ID:</i>		1002818267			
<i>Layer:</i>					
<i>Material:</i>		5			
<i>Open Hole or Material:</i>		PLASTIC			
<i>Depth From:</i>					
<i>Depth To:</i>		.76			
<i>Casing Diameter:</i>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Casing Diameter UOM:</b>					
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1002818266			
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>		.76			
<b>Screen End Depth:</b>		2.29			
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>					
<b>Screen Diameter:</b>					
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		1002818268			
<b>Pump Set At:</b>					
<b>Static Level:</b>					
<b>Final Level After Pumping:</b>					
<b>Recommended Pump Depth:</b>					
<b>Pumping Rate:</b>					
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>					
<b>Levels UOM:</b>					
<b>Rate UOM:</b>					
<b>Water State After Test Code:</b>					
<b>Water State After Test:</b>					
<b>Pumping Test Method:</b>					
<b>Pumping Duration HR:</b>					
<b>Pumping Duration MIN:</b>					
<b>Flowing:</b>					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1002818262			
<b>Diameter:</b>		21			
<b>Depth From:</b>					
<b>Depth To:</b>		2.29			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			

19      1 of 1      -/0.0      111.8/ -2.00      TORONTO ON      WWIS

<b>Well ID:</b>	7261850	<b>Data Entry Status:</b>	
<b>Construction Date:</b>		<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole	<b>Date Received:</b>	4/25/2016
<b>Sec. Water Use:</b>	0	<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Monitoring and Test Hole	<b>Abandonment Rec:</b>	
<b>Water Type:</b>		<b>Contractor:</b>	7241
<b>Casing Material:</b>		<b>Form Version:</b>	7
<b>Audit No:</b>	Z229439	<b>Owner:</b>	
<b>Tag:</b>	A195807	<b>Street Name:</b>	36 NORTH QUEEN STREET
<b>Construction Method:</b>		<b>County:</b>	YORK
<b>Elevation (m):</b>		<b>Municipality:</b>	ETOBICOKE BOROUGH
<b>Elevation Reliability:</b>		<b>Site Info:</b>	WKQ-008783 A0-A02
<b>Depth to Bedrock:</b>		<b>Lot:</b>	
<b>Well Depth:</b>		<b>Concession:</b>	
<b>Overburden/Bedrock:</b>		<b>Concession Name:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>				<b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>	
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b> 1005937289 <b>DP2BR:</b> <b>Spatial Status:</b> <b>Code OB:</b> <b>Code OB Desc:</b> <b>Open Hole:</b> <b>Cluster Kind:</b> <b>Date Completed:</b> 30-MAR-16 <b>Remarks:</b> <b>Elevrc Desc:</b> <b>Location Source Date:</b> <b>Improvement Location Source:</b> <b>Improvement Location Method:</b> <b>Source Revision Comment:</b> <b>Supplier Comment:</b>				<b>Elevation:</b> 116.05 <b>Elevrc:</b> <b>Zone:</b> 17 <b>East83:</b> 618128 <b>Org CS:</b> UTM83 <b>North83:</b> 4831343 <b>UTMRC:</b> 4 <b>UTMRC Desc:</b> margin of error : 30 m - 100 m <b>Location Method:</b> wwr	
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b> 1006041372 <b>Layer:</b> 1 <b>Color:</b> 6 <b>General Color:</b> BROWN <b>Mat1:</b> 01 <b>Most Common Material:</b> FILL <b>Mat2:</b> <b>Other Materials:</b> <b>Mat3:</b> 77 <b>Other Materials:</b> LOOSE <b>Formation Top Depth:</b> 0 <b>Formation End Depth:</b> 1 <b>Formation End Depth UOM:</b> ft					
<b>Formation ID:</b> 1006041373 <b>Layer:</b> 2 <b>Color:</b> 2 <b>General Color:</b> GREY <b>Mat1:</b> 27 <b>Most Common Material:</b> OTHER <b>Mat2:</b> <b>Other Materials:</b> <b>Mat3:</b> 73 <b>Other Materials:</b> HARD <b>Formation Top Depth:</b> 1 <b>Formation End Depth:</b> 6 <b>Formation End Depth UOM:</b> ft					
<b>Formation ID:</b> 1006041374 <b>Layer:</b> 3 <b>Color:</b> 6 <b>General Color:</b> BROWN <b>Mat1:</b> 28 <b>Most Common Material:</b> SAND <b>Mat2:</b> 06 <b>Other Materials:</b> SILT <b>Mat3:</b> 66					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Other Materials:</b>		DENSE			
<b>Formation Top Depth:</b>		6			
<b>Formation End Depth:</b>		10			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1006041384			
<b>Layer:</b>		3			
<b>Plug From:</b>		2.5			
<b>Plug To:</b>		10			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1006041383			
<b>Layer:</b>		2			
<b>Plug From:</b>		.5			
<b>Plug To:</b>		2.5			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1006041382			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		.5			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1006041381			
<b>Method Construction Code:</b>		D			
<b>Method Construction:</b>		Direct Push			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1006041371			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1006041377			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		2.5			
<b>Casing Diameter:</b>		2			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1006041378			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		2.5			
<b>Screen End Depth:</b>		10			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Diameter UOM:		inch			
Screen Diameter:		2.25			
<b><u>Water Details</u></b>					
Water ID:		1006041376			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<b><u>Hole Diameter</u></b>					
Hole ID:		1006041375			
Diameter:		6			
Depth From:		0			
Depth To:		10			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

<a href="#">20</a>	1 of 1	-/0.0	111.8 / -2.00	TORONTO ON	WWIS
<b>Well ID:</b>	7261847			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole			<b>Date Received:</b>	4/25/2016
<b>Sec. Water Use:</b>	0			<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Monitoring and Test Hole			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z228357			<b>Owner:</b>	
<b>Tag:</b>	A200857			<b>Street Name:</b>	36 NORTH QUEEN STREET
<b>Construction Method:</b>				<b>County:</b>	YORK
<b>Elevation (m):</b>				<b>Municipality:</b>	ETOBICOKE BOROUGH
<b>Elevation Reliability:</b>				<b>Site Info:</b>	WKQ-008761 A0-A0
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**Bore Hole Information**

<b>Bore Hole ID:</b>	1005937280	<b>Elevation:</b>	115.86
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	17
<b>Code OB:</b>		<b>East83:</b>	618181
<b>Code OB Desc:</b>		<b>Org CS:</b>	UTM83
<b>Open Hole:</b>		<b>North83:</b>	4831397
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	16-MAR-16	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Supplier Comment:

**Overburden and Bedrock  
Materials Interval**

Formation ID: 1006041328  
 Layer: 3  
 Color: 6  
 General Color: BROWN  
 Mat1: 06  
 Most Common Material: SILT  
 Mat2: 28  
 Other Materials: SAND  
 Mat3:  
 Other Materials:  
 Formation Top Depth: 2  
 Formation End Depth: 6  
 Formation End Depth UOM: ft

Formation ID: 1006041326  
 Layer: 1  
 Color: 8  
 General Color: BLACK  
 Mat1: 27  
 Most Common Material: OTHER  
 Mat2:  
 Other Materials:  
 Mat3:  
 Other Materials:  
 Formation Top Depth: 0  
 Formation End Depth: .25  
 Formation End Depth UOM: ft

Formation ID: 1006041327  
 Layer: 2  
 Color: 6  
 General Color: BROWN  
 Mat1: 28  
 Most Common Material: SAND  
 Mat2: 11  
 Other Materials: GRAVEL  
 Mat3:  
 Other Materials:  
 Formation Top Depth: .25  
 Formation End Depth: 2  
 Formation End Depth UOM: ft

Formation ID: 1006041329  
 Layer: 4  
 Color: 2  
 General Color: GREY  
 Mat1: 06  
 Most Common Material: SILT  
 Mat2: 28  
 Other Materials: SAND  
 Mat3:  
 Other Materials:  
 Formation Top Depth: 6  
 Formation End Depth: 9  
 Formation End Depth UOM: ft

**Annular Space/Abandonment  
Sealing Record**

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Plug ID:</i>		1006041339			
<i>Layer:</i>	3				
<i>Plug From:</i>					
<i>Plug To:</i>					
<i>Plug Depth UOM:</i>	ft				
<i>Plug ID:</i>		1006041338			
<i>Layer:</i>	2				
<i>Plug From:</i>	3				
<i>Plug To:</i>	0				
<i>Plug Depth UOM:</i>	ft				
<i>Plug ID:</i>		1006041337			
<i>Layer:</i>	1				
<i>Plug From:</i>	9				
<i>Plug To:</i>	3				
<i>Plug Depth UOM:</i>	ft				
<b><u>Method of Construction &amp; Well Use</u></b>					
<i>Method Construction ID:</i>		1006041336			
<i>Method Construction Code:</i>	D				
<i>Method Construction:</i>	Direct Push				
<i>Other Method Construction:</i>					
<b><u>Pipe Information</u></b>					
<i>Pipe ID:</i>		1006041325			
<i>Casing No:</i>	0				
<i>Comment:</i>					
<i>Alt Name:</i>					
<b><u>Construction Record - Casing</u></b>					
<i>Casing ID:</i>		1006041332			
<i>Layer:</i>	1				
<i>Material:</i>	5				
<i>Open Hole or Material:</i>	PLASTIC				
<i>Depth From:</i>	0				
<i>Depth To:</i>	4				
<i>Casing Diameter:</i>	2				
<i>Casing Diameter UOM:</i>	inch				
<i>Casing Depth UOM:</i>	ft				
<b><u>Construction Record - Screen</u></b>					
<i>Screen ID:</i>		1006041333			
<i>Layer:</i>	1				
<i>Slot:</i>	.10				
<i>Screen Top Depth:</i>	4				
<i>Screen End Depth:</i>	9				
<i>Screen Material:</i>	5				
<i>Screen Depth UOM:</i>	ft				
<i>Screen Diameter UOM:</i>	inch				
<i>Screen Diameter:</i>	2.25				
<b><u>Water Details</u></b>					
<i>Water ID:</i>		1006041331			
<i>Layer:</i>					
<i>Kind Code:</i>					



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b> ft					
<b>Hole Diameter</b>					
<b>Hole ID:</b> 1006041330					
<b>Diameter:</b> 6					
<b>Depth From:</b> 0					
<b>Depth To:</b> 9					
<b>Hole Depth UOM:</b> ft					
<b>Hole Diameter UOM:</b> inch					
<a href="#">21</a>	1 of 1	-/0.0	113.7 / -0.13	ON	BORE
<b>Borehole ID:</b> 641452					
<b>Use:</b> Geotechnical/Geological Investigation					
<b>Drill Method::</b> Power auger					
<b>Easting::</b> 617955					
<b>Location Accuracy::</b>					
<b>Elev. Reliability</b>					
<b>Note::</b>					
<b>Total Depth m::</b> 1.5					
<b>Township::</b>					
<b>Lot::</b>					
<b>Completion Date::</b> MAR-1970					
<b>Primary Water Use::</b> Not Used					
<b>Type:</b> Borehole					
<b>Status::</b>					
<b>UTM Zone::</b> 17					
<b>Northing::</b> 4831288					
<b>Orig. Ground Elev m::</b> 110					
<b>DEM Ground Elev m::</b> 116					
<b>Primary Name::</b>					
<b>Concession::</b>					
<b>Municipality:</b>					
<b>Static Water Level::</b> -999.9					
<b>Sec. Water Use::</b>					
<b>--Details--</b>					
<b>Stratum ID:</b> 218496154					
<b>Bottom Depth(m):</b> 0.2					
<b>Top Depth(m):</b> 0.0					
<b>Stratum Desc:</b> FILL,STONES. DENSE.					
<b>Stratum ID:</b> 218496155					
<b>Bottom Depth(m):</b> 1.2					
<b>Top Depth(m):</b> 0.2					
<b>Stratum Desc:</b> FILL,SAND,GRAVEL, SILT. BROWN,COMPACT.					
<b>Stratum ID:</b> 218496156					
<b>Bottom Depth(m):</b> 1.5					
<b>Top Depth(m):</b> 1.2					
<b>Stratum Desc:</b> SAND. BROWN,BEACH,DENSE,AGE GLACIAL.BROWN,G					
<a href="#">22</a>	1 of 1	-/0.0	111.8 / -2.00	ON	BORE
<b>Borehole ID:</b> 641609					
<b>Use:</b> Geotechnical/Geological Investigation					
<b>Drill Method::</b> Power auger					
<b>Easting::</b> 618165					
<b>Location Accuracy::</b>					
<b>Elev. Reliability</b>					
<b>Note::</b>					
<b>Total Depth m::</b> 7.9					
<b>Township::</b>					
<b>Lot::</b>					
<b>Completion Date::</b> DEC-1970					
<b>Primary Water Use::</b> Not Used					
<b>Type:</b> Borehole					
<b>Status::</b>					
<b>UTM Zone::</b> 17					
<b>Northing::</b> 4831348					
<b>Orig. Ground Elev m::</b> 116					
<b>DEM Ground Elev m::</b> 115					
<b>Primary Name::</b>					
<b>Concession::</b>					
<b>Municipality:</b>					
<b>Static Water Level::</b> .8					
<b>Sec. Water Use::</b>					
<b>--Details--</b>					
<b>Stratum ID:</b> 218496702					
<b>Bottom Depth(m):</b> 0.6					
<b>Top Depth(m):</b> 0.0					
<b>Stratum Desc:</b> SOIL. SURFACE,AGE QUATERNARY.					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Stratum ID:</b> <b>Bottom Depth(m):</b>	218496703 2.1			<b>Top Depth(m):</b> <b>Stratum Desc:</b>	0.6 SAND. BROWN, GLACIAL, DENSE, AGE GLACIAL.
<b>Stratum ID:</b> <b>Bottom Depth(m):</b>	218496704 4.0			<b>Top Depth(m):</b> <b>Stratum Desc:</b>	2.1 SILT, SAND, GRAVEL. GREY, GLACIAL, VERY DENSE, AGE GLACIAL, WATER STABLE AT 378.4 FEET.
<b>Stratum ID:</b> <b>Bottom Depth(m):</b>	218496705 5.2			<b>Top Depth(m):</b> <b>Stratum Desc:</b>	4.0 SAND, GRAVEL. GREY, GLACIAL, VERY DENSE, AGE GLACIAL.
<b>Stratum ID:</b> <b>Bottom Depth(m):</b>	218496706 6.7			<b>Top Depth(m):</b> <b>Stratum Desc:</b>	5.2 SAND, SILT, GRAVEL. GREY, GLACIAL, VERY DENSE, AGE GLACIAL.
<b>Stratum ID:</b> <b>Bottom Depth(m):</b>	218496707 7.9			<b>Top Depth(m):</b> <b>Stratum Desc:</b>	6.7 SHALE. WEATHERED, AGE ORDOVICIAN. 013 020 008 012 0

23 1 of 1 -/0.0 113.8 / 0.00 ON BORE

<b>Borehole ID:</b>	641451	<b>Type:</b>	Borehole
<b>Use:</b>	Geotechnical/Geological Investigation	<b>Status::</b>	
<b>Drill Method::</b>	Digging	<b>UTM Zone::</b>	17
<b>Easting::</b>	617915	<b>Northing::</b>	4831278
<b>Location Accuracy::</b>		<b>Orig. Ground Elev m::</b>	111
<b>Elev. Reliability Note::</b>		<b>DEM Ground Elev m::</b>	117
<b>Total Depth m::</b>	2	<b>Primary Name::</b>	
<b>Township::</b>		<b>Concession::</b>	
<b>Lot::</b>		<b>Municipality:</b>	
<b>Completion Date::</b>	MAR-1970	<b>Static Water Level::</b>	-999.9
<b>Primary Water Use::</b>	Not Used	<b>Sec. Water Use::</b>	

--Details--

<b>Stratum ID:</b> <b>Bottom Depth(m):</b>	218496150 0.2	<b>Top Depth(m):</b> <b>Stratum Desc:</b>	0.0 FILL, STONES. DENSE.
<b>Stratum ID:</b> <b>Bottom Depth(m):</b>	218496151 1.5	<b>Top Depth(m):</b> <b>Stratum Desc:</b>	0.2 FILL, SAND, GRAVEL, SILT. DENSE.
<b>Stratum ID:</b> <b>Bottom Depth(m):</b>	218496152 1.8	<b>Top Depth(m):</b> <b>Stratum Desc:</b>	1.5 SOIL, SILT, SAND. BLACK.
<b>Stratum ID:</b> <b>Bottom Depth(m):</b>	218496153 2.0	<b>Top Depth(m):</b> <b>Stratum Desc:</b>	1.8 TILL, SILT, SAND, GRAVEL. BROWN, GREY, GLACIAL, DENSE, AGE GLACIAL. LT, G

24 1 of 1 -/0.0 115.8 / 2.00 TORONTO ON WWIS

<b>Well ID:</b>	7261843	<b>Data Entry Status:</b>	
<b>Construction Date:</b>		<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole	<b>Date Received:</b>	4/25/2016
<b>Sec. Water Use:</b>	0	<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Monitoring and Test Hole	<b>Abandonment Rec:</b>	
<b>Water Type:</b>		<b>Contractor:</b>	7241
<b>Casing Material:</b>		<b>Form Version:</b>	7

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Audit No:</b>	Z228231			<b>Owner:</b>	
<b>Tag:</b>	A197703			<b>Street Name:</b>	36 NORTH QUEEN STREET
<b>Construction Method:</b>				<b>County:</b>	YORK
<b>Elevation (m):</b>				<b>Municipality:</b>	ETOBICOKE BOROUGH
<b>Elevation Reliability:</b>				<b>Site Info:</b>	WKQ-008733 A0-A025
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**Bore Hole Information**

<b>Bore Hole ID:</b>	1005937268	<b>Elevation:</b>	118.01
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	17
<b>Code OB:</b>		<b>East83:</b>	618014
<b>Code OB Desc:</b>		<b>Org CS:</b>	UTM83
<b>Open Hole:</b>		<b>North83:</b>	4831737
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	11-MAR-16	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	1006041224
<b>Layer:</b>	2
<b>Color:</b>	6
<b>General Color:</b>	BROWN
<b>Mat1:</b>	28
<b>Most Common Material:</b>	SAND
<b>Mat2:</b>	11
<b>Other Materials:</b>	GRAVEL
<b>Mat3:</b>	
<b>Other Materials:</b>	
<b>Formation Top Depth:</b>	.25
<b>Formation End Depth:</b>	2
<b>Formation End Depth UOM:</b>	ft
<b>Formation ID:</b>	1006041223
<b>Layer:</b>	1
<b>Color:</b>	8
<b>General Color:</b>	BLACK
<b>Mat1:</b>	27
<b>Most Common Material:</b>	OTHER
<b>Mat2:</b>	
<b>Other Materials:</b>	
<b>Mat3:</b>	
<b>Other Materials:</b>	
<b>Formation Top Depth:</b>	0
<b>Formation End Depth:</b>	.25
<b>Formation End Depth UOM:</b>	ft

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation ID:</b>		1006041225			
<b>Layer:</b>		3			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		06			
<b>Most Common Material:</b>		SILT			
<b>Mat2:</b>		28			
<b>Other Materials:</b>		SAND			
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		2			
<b>Formation End Depth:</b>		10			
<b>Formation End Depth UOM:</b>		ft			
<b>Formation ID:</b>		1006041226			
<b>Layer:</b>		4			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		06			
<b>Most Common Material:</b>		SILT			
<b>Mat2:</b>		28			
<b>Other Materials:</b>		SAND			
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		10			
<b>Formation End Depth:</b>		13			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1006041235			
<b>Layer:</b>		2			
<b>Plug From:</b>		2			
<b>Plug To:</b>		0			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1006041236			
<b>Layer:</b>		3			
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1006041234			
<b>Layer:</b>		1			
<b>Plug From:</b>		13			
<b>Plug To:</b>		2			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1006041233			
<b>Method Construction Code:</b>		D			
<b>Method Construction:</b>		Direct Push			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1006041222			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Construction Record - Casing**

**Casing ID:** 1006041229  
**Layer:** 1  
**Material:** 5  
**Open Hole or Material:** PLASTIC  
**Depth From:** 0  
**Depth To:** 3  
**Casing Diameter:** 2  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Construction Record - Screen**

**Screen ID:** 1006041230  
**Layer:** 1  
**Slot:** .10  
**Screen Top Depth:** 3  
**Screen End Depth:** 13  
**Screen Material:** 5  
**Screen Depth UOM:** ft  
**Screen Diameter UOM:** inch  
**Screen Diameter:** 2.25

**Water Details**

**Water ID:** 1006041228  
**Layer:**  
**Kind Code:**  
**Kind:**  
**Water Found Depth:**  
**Water Found Depth UOM:** ft

**Hole Diameter**

**Hole ID:** 1006041227  
**Diameter:** 8  
**Depth From:** 0  
**Depth To:** 13  
**Hole Depth UOM:** ft  
**Hole Diameter UOM:** inch

[25](#)      1 of 1      -/0.0      116.9/ 3.04      TORONTO ON      [WWIS](#)

**Well ID:** 7261866  
**Construction Date:**  
**Primary Water Use:** Monitoring  
**Sec. Water Use:** Monitoring  
**Final Well Status:** Monitoring and Test Hole  
**Water Type:**  
**Casing Material:**  
**Audit No:** Z213213  
**Tag:** A183471  
**Construction Method:**  
**Elevation (m):**  
**Elevation Reliability:**  
**Depth to Bedrock:**  
**Well Depth:**

**Data Entry Status:**  
**Data Src:**  
**Date Received:** 4/25/2016  
**Selected Flag:** Yes  
**Abandonment Rec:**  
**Contractor:** 7241  
**Form Version:** 7  
**Owner:**  
**Street Name:** 36 NORTH QUEEN ST  
**County:** YORK  
**Municipality:** ETOBICOKE BOROUGH  
**Site Info:**  
**Lot:**  
**Concession:**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>				<b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>	
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b> 1005937337 <b>DP2BR:</b> <b>Spatial Status:</b> <b>Code OB:</b> <b>Code OB Desc:</b> <b>Open Hole:</b> <b>Cluster Kind:</b> <b>Date Completed:</b> 07-MAR-16 <b>Remarks:</b> <b>Elevrc Desc:</b> <b>Location Source Date:</b> <b>Improvement Location Source:</b> <b>Improvement Location Method:</b> <b>Source Revision Comment:</b> <b>Supplier Comment:</b>				<b>Elevation:</b> 117.88 <b>Elevrc:</b> <b>Zone:</b> 17 <b>East83:</b> 617857 <b>Org CS:</b> UTM83 <b>North83:</b> 4831707 <b>UTMRC:</b> 4 <b>UTMRC Desc:</b> margin of error : 30 m - 100 m <b>Location Method:</b> wwr	
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b> 1006041597 <b>Layer:</b> 4 <b>Color:</b> 2 <b>General Color:</b> GREY <b>Mat1:</b> 06 <b>Most Common Material:</b> SILT <b>Mat2:</b> 28 <b>Other Materials:</b> SAND <b>Mat3:</b> 34 <b>Other Materials:</b> TILL <b>Formation Top Depth:</b> 9.5 <b>Formation End Depth:</b> 12 <b>Formation End Depth UOM:</b> ft					
<b>Formation ID:</b> 1006041594 <b>Layer:</b> 1 <b>Color:</b> 8 <b>General Color:</b> BLACK <b>Mat1:</b> 27 <b>Most Common Material:</b> OTHER <b>Mat2:</b> <b>Other Materials:</b> <b>Mat3:</b> <b>Other Materials:</b> <b>Formation Top Depth:</b> 0 <b>Formation End Depth:</b> .25 <b>Formation End Depth UOM:</b> ft					
<b>Formation ID:</b> 1006041595 <b>Layer:</b> 2 <b>Color:</b> 6 <b>General Color:</b> BROWN <b>Mat1:</b> 28 <b>Most Common Material:</b> SAND <b>Mat2:</b> 11 <b>Other Materials:</b> GRAVEL					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		.25			
<b>Formation End Depth:</b>		2			
<b>Formation End Depth UOM:</b>		ft			
<b>Formation ID:</b>		1006041596			
<b>Layer:</b>		3			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		06			
<b>Most Common Material:</b>		SILT			
<b>Mat2:</b>		28			
<b>Other Materials:</b>		SAND			
<b>Mat3:</b>		34			
<b>Other Materials:</b>		TILL			
<b>Formation Top Depth:</b>		2			
<b>Formation End Depth:</b>		9.5			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1006041607			
<b>Layer:</b>		3			
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1006041606			
<b>Layer:</b>		2			
<b>Plug From:</b>		3			
<b>Plug To:</b>		0			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1006041605			
<b>Layer:</b>		1			
<b>Plug From:</b>		12			
<b>Plug To:</b>		3			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well</u></b>					
<b><u>Use</u></b>					
<b>Method Construction ID:</b>		1006041604			
<b>Method Construction Code:</b>		D			
<b>Method Construction:</b>		Direct Push			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1006041593			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1006041600			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth From:		0			
Depth To:		4			
Casing Diameter:		2			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<b><u>Construction Record - Screen</u></b>					
Screen ID:		1006041601			
Layer:		1			
Slot:		.10			
Screen Top Depth:		4			
Screen End Depth:		12			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.25			
<b><u>Water Details</u></b>					
Water ID:		1006041599			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<b><u>Hole Diameter</u></b>					
Hole ID:		1006041598			
Diameter:		6			
Depth From:		0			
Depth To:		12			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

[26](#)      1 of 1      -/0.0      112.8 / -1.00      ON      BORE

<b>Borehole ID:</b>	639497	<b>Type:</b>	Borehole
<b>Use:</b>	Geotechnical/Geological Investigation	<b>Status::</b>	
<b>Drill Method::</b>	Digging	<b>UTM Zone::</b>	17
<b>Easting::</b>	617975	<b>Northing::</b>	4831248
<b>Location Accuracy::</b>		<b>Orig. Ground Elev m::</b>	110
<b>Elev. Reliability</b>		<b>DEM Ground Elev m::</b>	116
<b>Note::</b>		<b>Primary Name::</b>	
<b>Total Depth m::</b>	1.7	<b>Concession::</b>	
<b>Township::</b>		<b>Municipality:</b>	
<b>Lot::</b>		<b>Static Water Level::</b>	-999.9
<b>Completion Date::</b>	MAR-1970	<b>Sec. Water Use::</b>	
<b>Primary Water Use::</b>	Not Used		

**--Details--**

<b>Stratum ID:</b>	218488531	<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	0.8	<b>Stratum Desc:</b>	FILL,STONES,SAND. COMPACT.
<b>Stratum ID:</b>	218488532	<b>Top Depth(m):</b>	0.8
<b>Bottom Depth(m):</b>	1.5	<b>Stratum Desc:</b>	SAND-FINE,GRAVEL. BROWN,BEACH,COMPACT, AGE GLACIAL.
<b>Stratum ID:</b>	218488533	<b>Top Depth(m):</b>	1.5
<b>Bottom Depth(m):</b>	1.7	<b>Stratum Desc:</b>	TILL,SILT,SAND, GRAVEL.



<a href="#">27</a>	1 of 1	-/0.0	116.9 / 3.07	30 Lockport Ave Toronto ON M8Z 2R7	EHS
--------------------	--------	-------	--------------	---------------------------------------	-----

**Order ID:** 177407  
**Order No:** 20100902001  
**Customer ID:** 59507  
**Company ID:** 50  
**Status:** C  
**Report Code:** 4CAN  
**Report Type:** Custom Report  
**Report Date:** 10/27/2010  
**Report Requested by:** Golder Associates Ltd.  
**Nearest Intersection:**  
**Previous Site Name:**  
**Additional Info Ordered:**

**Date Received:** 9/2/2010  
**Lot/Building Size:**  
**Municipality:**  
**Client Prov/State:** ON  
**Search Radius (km):** 0.25  
**Large Radius:** 0.25  
**X:** -79.53994  
**Y:** 43.628567

<a href="#">28</a>	1 of 1	-/0.0	116.8 / 2.96	TORONTO ON	WWIS
--------------------	--------	-------	--------------	------------	------

**Well ID:** 7261864  
**Construction Date:**  
**Primary Water Use:** Monitoring and Test Hole  
**Sec. Water Use:** 0  
**Final Well Status:** Monitoring and Test Hole  
**Water Type:**  
**Casing Material:**  
**Audit No:** Z228236  
**Tag:** A197700  
**Construction Method:**  
**Elevation (m):**  
**Elevation Reliability:**  
**Depth to Bedrock:**  
**Well Depth:**  
**Overburden/Bedrock:**  
**Pump Rate:**  
**Static Water Level:**  
**Flowing (Y/N):**  
**Flow Rate:**  
**Clear/Cloudy:**

**Data Entry Status:**  
**Data Src:**  
**Date Received:** 4/25/2016  
**Selected Flag:** Yes  
**Abandonment Rec:**  
**Contractor:** 7241  
**Form Version:** 7  
**Owner:**  
**Street Name:** 36 NORTH QUEEN STREET  
**County:** YORK  
**Municipality:** ETOBICOKE BOROUGH  
**Site Info:** WKQ-008733 A0-A025  
**Lot:**  
**Concession:**  
**Concession Name:**  
**Easting NAD83:**  
**Northing NAD83:**  
**Zone:**  
**UTM Reliability:**

**Bore Hole Information**

<b>Bore Hole ID:</b> 1005937331 <b>DP2BR:</b> <b>Spatial Status:</b> <b>Code OB:</b> <b>Code OB Desc:</b> <b>Open Hole:</b> <b>Cluster Kind:</b> <b>Date Completed:</b> 03-MAR-16 <b>Remarks:</b> <b>Elevrc Desc:</b> <b>Location Source Date:</b> <b>Improvement Location Source:</b> <b>Improvement Location Method:</b> <b>Source Revision Comment:</b> <b>Supplier Comment:</b>	<b>Elevation:</b> 117.98 <b>Elevrc:</b> <b>Zone:</b> 17 <b>East83:</b> 617864 <b>Org CS:</b> UTM83 <b>North83:</b> 4831729 <b>UTMRC:</b> 4 <b>UTMRC Desc:</b> margin of error : 30 m - 100 m <b>Location Method:</b> wwr
---	--

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1006041568			
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		06			
<b>Most Common Material:</b>		SILT			
<b>Mat2:</b>		28			
<b>Other Materials:</b>		SAND			
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		2			
<b>Formation End Depth:</b>		14			
<b>Formation End Depth UOM:</b>		ft			
<b>Formation ID:</b>		1006041567			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		11			
<b>Other Materials:</b>		GRAVEL			
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		2			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1006041576			
<b>Layer:</b>		1			
<b>Plug From:</b>		14			
<b>Plug To:</b>		3			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1006041577			
<b>Layer:</b>		2			
<b>Plug From:</b>		3			
<b>Plug To:</b>		0			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1006041578			
<b>Layer:</b>		3			
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1006041575			
<b>Method Construction Code:</b>		D			
<b>Method Construction:</b>		Direct Push			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pipe ID:		1006041566			
Casing No:		0			
Comment:					
Alt Name:					
<b><u>Construction Record - Casing</u></b>					
Casing ID:		1006041571			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		4			
Casing Diameter:		2			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<b><u>Construction Record - Screen</u></b>					
Screen ID:		1006041572			
Layer:		1			
Slot:		.10			
Screen Top Depth:		4			
Screen End Depth:		14			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.25			
<b><u>Water Details</u></b>					
Water ID:		1006041570			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<b><u>Hole Diameter</u></b>					
Hole ID:		1006041569			
Diameter:		8			
Depth From:		0			
Depth To:		14			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

[29](#)

1 of 1

-/0.0

116.8 / 2.96

TORONTO ON

WWIS

Well ID: 7261865  
Construction Date:  
Primary Water Use: Monitoring and Test Hole  
Sec. Water Use: 0  
Final Well Status: Monitoring and Test Hole  
Water Type:  
Casing Material:  
Audit No: Z213207  
Tag: A183473  
Construction Method:

Data Entry Status:  
Data Src:  
Date Received: 4/25/2016  
Selected Flag: Yes  
Abandonment Rec:  
Contractor: 7241  
Form Version: 7  
Owner:  
Street Name: 36 NORTH QUEEN ST  
County: YORK

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Elevation (m):</b> <b>Elevation Reliability:</b> <b>Depth to Bedrock:</b> <b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>				<b>Municipality:</b> <b>Site Info:</b> <b>Lot:</b> <b>Concession:</b> <b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>	ETOBICOKE BOROUGH

**Bore Hole Information**

<b>Bore Hole ID:</b>	1005937334	<b>Elevation:</b>	117.99
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	17
<b>Code OB:</b>		<b>East83:</b>	617861
<b>Code OB Desc:</b>		<b>Org CS:</b>	UTM83
<b>Open Hole:</b>		<b>North83:</b>	4831730
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	07-MAR-16	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	1006041581
<b>Layer:</b>	2
<b>Color:</b>	6
<b>General Color:</b>	BROWN
<b>Mat1:</b>	28
<b>Most Common Material:</b>	SAND
<b>Mat2:</b>	11
<b>Other Materials:</b>	GRAVEL
<b>Mat3:</b>	
<b>Other Materials:</b>	
<b>Formation Top Depth:</b>	.5
<b>Formation End Depth:</b>	2
<b>Formation End Depth UOM:</b>	ft
<b>Formation ID:</b>	1006041582
<b>Layer:</b>	3
<b>Color:</b>	6
<b>General Color:</b>	BROWN
<b>Mat1:</b>	06
<b>Most Common Material:</b>	SILT
<b>Mat2:</b>	28
<b>Other Materials:</b>	SAND
<b>Mat3:</b>	34
<b>Other Materials:</b>	TILL
<b>Formation Top Depth:</b>	2
<b>Formation End Depth:</b>	10
<b>Formation End Depth UOM:</b>	ft
<b>Formation ID:</b>	1006041580
<b>Layer:</b>	1
<b>Color:</b>	2
<b>General Color:</b>	GREY

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Mat1:</b>		27			
<b>Most Common Material:</b>		OTHER			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		.5			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1006041592			
<b>Layer:</b>		3			
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1006041590			
<b>Layer:</b>		1			
<b>Plug From:</b>		10			
<b>Plug To:</b>		2			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1006041591			
<b>Layer:</b>		2			
<b>Plug From:</b>		2			
<b>Plug To:</b>		0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1006041589			
<b>Method Construction Code:</b>		D			
<b>Method Construction:</b>		Direct Push			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1006041579			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1006041585			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		3			
<b>Casing Diameter:</b>		2			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1006041586			
<b>Layer:</b>		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Slot:		.10			
Screen Top Depth:		3			
Screen End Depth:		10			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.25			
<b><u>Water Details</u></b>					
Water ID:		1006041584			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<b><u>Hole Diameter</u></b>					
Hole ID:		1006041583			
Diameter:		8			
Depth From:		0			
Depth To:		10			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

<u>30</u>	1 of 1	-/0.0	113.8 / -0.09	ON	BORE
<b>Borehole ID:</b>	641453			<b>Type:</b>	Borehole
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Status::</b>	
<b>Drill Method::</b>	Digging			<b>UTM Zone::</b>	17
<b>Easting::</b>	617935			<b>Northing::</b>	4831238
<b>Location Accuracy::</b>				<b>Orig. Ground Elev m::</b>	110
<b>Elev. Reliability</b>				<b>DEM Ground Elev m::</b>	116
<b>Note::</b>				<b>Primary Name::</b>	
<b>Total Depth m::</b>	1.4			<b>Concession::</b>	
<b>Township::</b>				<b>Municipality:</b>	
<b>Lot::</b>				<b>Static Water Level::</b>	-999.9
<b>Completion Date::</b>	MAR-1970			<b>Sec. Water Use::</b>	
<b>Primary Water Use::</b>	Not Used				
<b>--Details--</b>					
<b>Stratum ID:</b>	218496157			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	0.1			<b>Stratum Desc:</b>	ASPHALT.
<b>Stratum ID:</b>	218496158			<b>Top Depth(m):</b>	0.1
<b>Bottom Depth(m):</b>	0.2			<b>Stratum Desc:</b>	FILL,SILT,CLAY, GRAVEL. GREY.
<b>Stratum ID:</b>	218496159			<b>Top Depth(m):</b>	0.2
<b>Bottom Depth(m):</b>	0.6			<b>Stratum Desc:</b>	FILL,SAND,GRAVEL. BROWN,DENSE.
<b>Stratum ID:</b>	218496160			<b>Top Depth(m):</b>	0.6
<b>Bottom Depth(m):</b>	1.2			<b>Stratum Desc:</b>	SAND,SILT,GRAVEL. BROWN,BEACH,COMPACT, AGE GLACIAL.
<b>Stratum ID:</b>	218496161			<b>Top Depth(m):</b>	1.2
<b>Bottom Depth(m):</b>	1.4			<b>Stratum Desc:</b>	TILL,SILT,SAND, GRAVEL. GREY,GLACIAL,VERY DENSE, AGE GLACIAL.

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">31</a>	1 of 1	-/0.0	110.8 / -3.00	TORONTO ON	WWIS
<b>Well ID:</b>		7261870		<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>		Monitoring and Test Hole		<b>Date Received:</b> 4/25/2016	
<b>Sec. Water Use:</b>		0		<b>Selected Flag:</b> Yes	
<b>Final Well Status:</b>		Monitoring and Test Hole		<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b> 7241	
<b>Casing Material:</b>				<b>Form Version:</b> 7	
<b>Audit No:</b>		Z213209		<b>Owner:</b>	
<b>Tag:</b>		A201116		<b>Street Name:</b> 36 NORTH QUEEN ST	
<b>Construction Method:</b>				<b>County:</b> YORK	
<b>Elevation (m):</b>				<b>Municipality:</b> ETOBICOKE BOROUGH	
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>		1005937349		<b>Elevation:</b> 114.31	
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b> 17	
<b>Code OB:</b>				<b>East83:</b> 618212	
<b>Code OB Desc:</b>				<b>Org CS:</b> UTM83	
<b>Open Hole:</b>				<b>North83:</b> 4831309	
<b>Cluster Kind:</b>				<b>UTMRC:</b> 4	
<b>Date Completed:</b>		08-MAR-16		<b>UTMRC Desc:</b> margin of error : 30 m - 100 m	
<b>Remarks:</b>				<b>Location Method:</b> wwr	
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1006041654			
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		11			
<b>Other Materials:</b>		GRAVEL			
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		.25			
<b>Formation End Depth:</b>		2			
<b>Formation End Depth UOM:</b>		ft			
<b>Formation ID:</b>		1006041656			
<b>Layer:</b>		4			
<b>Color:</b>		6			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		06			
<b>Other Materials:</b>		SILT			
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		10			
<b>Formation End Depth:</b>		17			
<b>Formation End Depth UOM:</b>		ft			
<b>Formation ID:</b>		1006041655			
<b>Layer:</b>		3			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		06			
<b>Other Materials:</b>		SILT			
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		2			
<b>Formation End Depth:</b>		10			
<b>Formation End Depth UOM:</b>		ft			
<b>Formation ID:</b>		1006041653			
<b>Layer:</b>		1			
<b>Color:</b>		8			
<b>General Color:</b>		BLACK			
<b>Mat1:</b>		27			
<b>Most Common Material:</b>		OTHER			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		.25			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1006041664			
<b>Layer:</b>		1			
<b>Plug From:</b>		17			
<b>Plug To:</b>		6			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1006041665			
<b>Layer:</b>		2			
<b>Plug From:</b>		6			
<b>Plug To:</b>		0			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1006041666			
<b>Layer:</b>		3			
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well</u></b>					
<b><u>Use</u></b>					
<b>Method Construction ID:</b>		1006041663			



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Method Construction Code:</b>		D			
<b>Method Construction:</b>		Direct Push			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1006041652			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1006041659			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		7			
<b>Casing Diameter:</b>		2			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1006041660			
<b>Layer:</b>		1			
<b>Slot:</b>		.10			
<b>Screen Top Depth:</b>		7			
<b>Screen End Depth:</b>		17			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		ft			
<b>Screen Diameter UOM:</b>		inch			
<b>Screen Diameter:</b>		2.25			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1006041658			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		ft			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1006041657			
<b>Diameter:</b>		8			
<b>Depth From:</b>		0			
<b>Depth To:</b>		17			
<b>Hole Depth UOM:</b>		ft			
<b>Hole Diameter UOM:</b>		inch			

[32](#)

1 of 1

-/0.0

111.8 / -2.00

ON

BORE

<b>Borehole ID:</b>	654860	<b>Type:</b>	Borehole
<b>Use:</b>	Geotechnical/Geological Investigation	<b>Status:</b>	
<b>Drill Method::</b>	Power auger	<b>UTM Zone::</b>	17
<b>Easting::</b>	618045	<b>Northing::</b>	4831208
<b>Location Accuracy::</b>		<b>Orig. Ground Elev m::</b>	108

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Elev. Reliability Note::</b>				<b>DEM Ground Elev m::</b> 116	
<b>Total Depth m::</b>	1.5			<b>Primary Name::</b>	
<b>Township::</b>				<b>Concession::</b>	
<b>Lot::</b>				<b>Municipality:</b>	
<b>Completion Date::</b>	NOV-1969			<b>Static Water Level::</b>	.2
<b>Primary Water Use::</b>	Not Used			<b>Sec. Water Use::</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>	218544871			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	0.5			<b>Stratum Desc:</b>	FILL,SAND,GRAVEL, SILT. BROWN,BEACH,AGE POST-GLACIAL.
<b>Stratum ID:</b>	218544872			<b>Top Depth(m):</b>	0.5
<b>Bottom Depth(m):</b>	1.5			<b>Stratum Desc:</b>	SAND-MEDIUM TO COARSE,SILT. BROWN,BEACH,AGE POST-GLACIAL, WATER STABLE AT 356.5 FEET.00005
<b>33</b>	1 of 1	-0.0	111.8 / -2.00	ON	<b>BORE</b>
<b>Borehole ID:</b>	654859			<b>Type:</b>	Borehole
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Status::</b>	
<b>Drill Method::</b>	Power auger			<b>UTM Zone::</b>	17
<b>Easting::</b>	618095			<b>Northing::</b>	4831218
<b>Location Accuracy::</b>				<b>Orig. Ground Elev m::</b>	108
<b>Elev. Reliability Note::</b>				<b>DEM Ground Elev m::</b>	115
<b>Total Depth m::</b>	1.5			<b>Primary Name::</b>	
<b>Township::</b>				<b>Concession::</b>	
<b>Lot::</b>				<b>Municipality:</b>	
<b>Completion Date::</b>	NOV-1969			<b>Static Water Level::</b>	-999.9
<b>Primary Water Use::</b>	Not Used			<b>Sec. Water Use::</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>	218544869			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	0.5			<b>Stratum Desc:</b>	FILL,GRAVEL,SAND, SILT. BROWN.
<b>Stratum ID:</b>	218544870			<b>Top Depth(m):</b>	0.5
<b>Bottom Depth(m):</b>	1.5			<b>Stratum Desc:</b>	SAND-MEDIUM,SILT. SAND-
<b>34</b>	1 of 1	-0.0	110.8 / -3.00	TORONTO ON	<b>WWIS</b>
<b>Well ID:</b>	7261869			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole			<b>Date Received:</b>	4/25/2016
<b>Sec. Water Use:</b>	0			<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Monitoring and Test Hole			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z213210			<b>Owner:</b>	
<b>Tag:</b>	A183256			<b>Street Name:</b>	36 NORTH QUEEN ST
<b>Construction Method:</b>				<b>County:</b>	YORK
<b>Elevation (m):</b>				<b>Municipality:</b>	ETOBICOKE BOROUGH
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>				<b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>	
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>		1005937346		<b>Elevation:</b> 114.53	
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b> 17	
<b>Code OB:</b>				<b>East83:</b> 618234	
<b>Code OB Desc:</b>				<b>Org CS:</b> UTM83	
<b>Open Hole:</b>				<b>North83:</b> 4831314	
<b>Cluster Kind:</b>				<b>UTMRC:</b> 4	
<b>Date Completed:</b>		08-MAR-16		<b>UTMRC Desc:</b> margin of error : 30 m - 100 m	
<b>Remarks:</b>				<b>Location Method:</b> wwr	
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1006041640			
<b>Layer:</b>		3			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		06			
<b>Other Materials:</b>		SILT			
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		2			
<b>Formation End Depth:</b>		10			
<b>Formation End Depth UOM:</b>		ft			
<b>Formation ID:</b>		1006041639			
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		11			
<b>Other Materials:</b>		GRAVEL			
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		.25			
<b>Formation End Depth:</b>		2			
<b>Formation End Depth UOM:</b>		ft			
<b>Formation ID:</b>		1006041641			
<b>Layer:</b>		4			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		06			
<b>Other Materials:</b>		SILT			
<b>Mat3:</b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		10			
<b>Formation End Depth:</b>		17			
<b>Formation End Depth UOM:</b>		ft			
<b>Formation ID:</b>		1006041638			
<b>Layer:</b>		1			
<b>Color:</b>		8			
<b>General Color:</b>		BLACK			
<b>Mat1:</b>		27			
<b>Most Common Material:</b>		OTHER			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		.25			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1006041649			
<b>Layer:</b>		1			
<b>Plug From:</b>		17			
<b>Plug To:</b>		6			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1006041651			
<b>Layer:</b>		3			
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1006041650			
<b>Layer:</b>		2			
<b>Plug From:</b>		6			
<b>Plug To:</b>		0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well</u></b>					
<b><u>Use</u></b>					
<b>Method Construction ID:</b>		1006041648			
<b>Method Construction Code:</b>		D			
<b>Method Construction:</b>		Direct Push			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1006041637			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1006041644			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth To:		7			
Casing Diameter:		2			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<b><u>Construction Record - Screen</u></b>					
Screen ID:		1006041645			
Layer:		1			
Slot:		.10			
Screen Top Depth:		7			
Screen End Depth:		17			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.25			
<b><u>Water Details</u></b>					
Water ID:		1006041643			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<b><u>Hole Diameter</u></b>					
Hole ID:		1006041642			
Diameter:		8			
Depth From:		0			
Depth To:		17			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

[35](#)      1 of 1      -/0.0      110.8 / -3.00      TORONTO ON      WWIS

<b>Well ID:</b>	7261846	<b>Data Entry Status:</b>	
<b>Construction Date:</b>		<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole	<b>Date Received:</b>	4/25/2016
<b>Sec. Water Use:</b>	0	<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Monitoring and Test Hole	<b>Abandonment Rec:</b>	
<b>Water Type:</b>		<b>Contractor:</b>	7241
<b>Casing Material:</b>		<b>Form Version:</b>	7
<b>Audit No:</b>	Z228355	<b>Owner:</b>	
<b>Tag:</b>	A201071	<b>Street Name:</b>	36 NORTH QUEEN STREET
<b>Construction Method:</b>		<b>County:</b>	YORK
<b>Elevation (m):</b>		<b>Municipality:</b>	ETOBICOKE BOROUGH
<b>Elevation Reliability:</b>		<b>Site Info:</b>	WKQ-008761 A0-A0
<b>Depth to Bedrock:</b>		<b>Lot:</b>	
<b>Well Depth:</b>		<b>Concession:</b>	
<b>Overburden/Bedrock:</b>		<b>Concession Name:</b>	
<b>Pump Rate:</b>		<b>Easting NAD83:</b>	
<b>Static Water Level:</b>		<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>		<b>Zone:</b>	
<b>Flow Rate:</b>		<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>			

**Bore Hole Information**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Bore Hole ID:</b>	1005937277			<b>Elevation:</b>	113.97
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	17
<b>Code OB:</b>				<b>East83:</b>	618154
<b>Code OB Desc:</b>				<b>Org CS:</b>	UTM83
<b>Open Hole:</b>				<b>North83:</b>	4831226
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	16-MAR-16			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					

**Overburden and Bedrock**  
**Materials Interval**

**Formation ID:** 1006041300  
**Layer:** 2  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 28  
**Most Common Material:** SAND  
**Mat2:** 11  
**Other Materials:** GRAVEL  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** .25  
**Formation End Depth:** 2  
**Formation End Depth UOM:** ft

**Formation ID:** 1006041301  
**Layer:** 3  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 06  
**Most Common Material:** SILT  
**Mat2:** 28  
**Other Materials:** SAND  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 2  
**Formation End Depth:** 9  
**Formation End Depth UOM:** ft

**Formation ID:** 1006041302  
**Layer:** 4  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 06  
**Most Common Material:** SILT  
**Mat2:** 28  
**Other Materials:** SAND  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 9  
**Formation End Depth:** 12  
**Formation End Depth UOM:** ft

**Formation ID:** 1006041299  
**Layer:** 1  
**Color:** 8

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>General Color:</b>		BLACK			
<b>Mat1:</b>		27			
<b>Most Common Material:</b>		OTHER			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		.25			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1006041310			
<b>Layer:</b>		1			
<b>Plug From:</b>		12			
<b>Plug To:</b>		6			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1006041311			
<b>Layer:</b>		2			
<b>Plug From:</b>		6			
<b>Plug To:</b>		0			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1006041312			
<b>Layer:</b>		3			
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1006041309			
<b>Method Construction Code:</b>		D			
<b>Method Construction:</b>		Direct Push			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1006041298			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1006041305			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		4			
<b>Casing Diameter:</b>		2			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1006041306			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:	1				
Slot:	.10				
Screen Top Depth:	7				
Screen End Depth:	12				
Screen Material:	5				
Screen Depth UOM:	ft				
Screen Diameter UOM:	inch				
Screen Diameter:	2.25				
<b><u>Water Details</u></b>					
Water ID:	1006041304				
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:	ft				
<b><u>Hole Diameter</u></b>					
Hole ID:	1006041303				
Diameter:	8				
Depth From:	0				
Depth To:	12				
Hole Depth UOM:	ft				
Hole Diameter UOM:	inch				

<a href="#">36</a>	1 of 1	-/0.0	111.8 / -2.00	ON	BORE
<b>Borehole ID:</b>	654858			<b>Type:</b>	Borehole
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Status::</b>	
<b>Drill Method::</b>	Power auger			<b>UTM Zone::</b>	17
<b>Easting::</b>	618060			<b>Northing::</b>	4831183
<b>Location Accuracy::</b>				<b>Orig. Ground Elev m::</b>	108
<b>Elev. Reliability Note::</b>				<b>DEM Ground Elev m::</b>	116
<b>Total Depth m::</b>	1.7			<b>Primary Name::</b>	
<b>Township::</b>				<b>Concession::</b>	
<b>Lot::</b>				<b>Municipality:</b>	
<b>Completion Date::</b>	NOV-1969			<b>Static Water Level::</b>	-999.9
<b>Primary Water Use::</b>	Not Used			<b>Sec. Water Use::</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>	218544865			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	0.3			<b>Stratum Desc:</b>	SAND,GRAVEL,SILT. BROWN.
<b>Stratum ID:</b>	218544866			<b>Top Depth(m):</b>	0.3
<b>Bottom Depth(m):</b>	0.5			<b>Stratum Desc:</b>	GRAVEL.
<b>Stratum ID:</b>	218544867			<b>Top Depth(m):</b>	0.5
<b>Bottom Depth(m):</b>	0.6			<b>Stratum Desc:</b>	SAND,SILT. BLACK.
<b>Stratum ID:</b>	218544868			<b>Top Depth(m):</b>	0.6
<b>Bottom Depth(m):</b>	1.7			<b>Stratum Desc:</b>	SAND-MEDIUM,SILT. BROWN. L. T

<a href="#">37</a>	1 of 1	-/0.0	116.8 / 3.00	ON	BORE
<b>Borehole ID:</b>	641447			<b>Type:</b>	Borehole



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Status::</b>	
<b>Drill Method::</b>	Power auger			<b>UTM Zone::</b>	17
<b>Easting::</b>	618010			<b>Northing::</b>	4831828
<b>Location Accuracy::</b>				<b>Orig. Ground Elev m::</b>	118
<b>Elev. Reliability</b>				<b>DEM Ground Elev m::</b>	118
<b>Note::</b>					
<b>Total Depth m::</b>	10.8			<b>Primary Name::</b>	
<b>Township::</b>				<b>Concession::</b>	
<b>Lot::</b>				<b>Municipality:</b>	
<b>Completion Date::</b>	DEC-1970			<b>Static Water Level::</b>	1
<b>Primary Water Use::</b>	Not Used			<b>Sec. Water Use::</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>	218496130			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	0.9			<b>Stratum Desc:</b>	STONES,SAND,SOIL. SURFACE.
<b>Stratum ID:</b>	218496131			<b>Top Depth(m):</b>	0.9
<b>Bottom Depth(m):</b>	2.7			<b>Stratum Desc:</b>	SILT,SAND,CLAY. BROWN,GLACIAL,VERY DENSE, AGE GLACIAL.
<b>Stratum ID:</b>	218496132			<b>Top Depth(m):</b>	2.7
<b>Bottom Depth(m):</b>	5.5			<b>Stratum Desc:</b>	SILT,SAND,CLAY. GREY,GLACIAL,VERY DENSE, AGE GLACIAL, WATER STABLE AT 386.7 FEET.
<b>Stratum ID:</b>	218496133			<b>Top Depth(m):</b>	5.5
<b>Bottom Depth(m):</b>	10.1			<b>Stratum Desc:</b>	SAND,SILT. GREY,GLACIAL,VERY DENSE, LAYERED,AGE GLACIAL.
<b>Stratum ID:</b>	218496134			<b>Top Depth(m):</b>	10.1
<b>Bottom Depth(m):</b>	10.8			<b>Stratum Desc:</b>	BEDROCK,SHALE. MARINE,AGE ORDOVICIAN. 012 016 016 00030090000901000

<a href="#">38</a>	1 of 48	-/0.0	110.8 / -3.00	36 North Queen Street Etobicoke ON M8Z 2C4	EHS
<b>Order ID:</b>	45078			<b>Date Received:</b>	8/24/04
<b>Order No:</b>	20040824006			<b>Lot/Building Size:</b>	
<b>Customer ID:</b>	32102			<b>Municipality:</b>	Etobicoke
<b>Company ID:</b>	374			<b>Client Prov/State:</b>	QC
<b>Status:</b>	C			<b>Search Radius (km):</b>	0.25
<b>Report Code:</b>	4CAN			<b>Large Radius:</b>	2
<b>Report Type:</b>	Custom Report			<b>X:</b>	-79.53694
<b>Report Date:</b>	9/10/04			<b>Y:</b>	43.624383
<b>Report Requested by:</b>	Joe Deom Associates				
<b>Nearest Intersection:</b>	North Queen street / Mansco road				
<b>Previous Site Name:</b>					
<b>Additional Info Ordered:</b>					

<a href="#">38</a>	2 of 48	-/0.0	110.8 / -3.00	CP RAIL 36 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	FST
<b>Instance No:</b>	10749075				
<b>Cont Name:</b>					
<b>Instance Type:</b>	FS Liquid Fuel Tank				
<b>Fuel Type:</b>	Diesel				
<b>Status:</b>	Active				
<b>Capacity:</b>	9000				
<b>Tank Material:</b>	Steel				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Corrosion Protection:</b>		Impressed Current			
<b>Tank Type:</b>		Single Wall UST			
<b>Install Year:</b>		1977			
<b>Parent Facility Type:</b>		Fuels Safety Private Fuel Outlet - Self Serve			
<b>Facility Type:</b>		FS Liquid Fuel Tank			
<a href="#">38</a>	3 of 48	-/0.0	110.8 / -3.00	CP RAIL 36 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	FST
<b>Instance No:</b>		10749092			
<b>Cont Name:</b>					
<b>Instance Type:</b>		FS Liquid Fuel Tank			
<b>Fuel Type:</b>		Gasoline			
<b>Status:</b>		Active			
<b>Capacity:</b>		9000			
<b>Tank Material:</b>		Steel			
<b>Corrosion Protection:</b>		Impressed Current			
<b>Tank Type:</b>		Single Wall UST			
<b>Install Year:</b>		1977			
<b>Parent Facility Type:</b>		Fuels Safety Private Fuel Outlet - Self Serve			
<b>Facility Type:</b>		FS Liquid Fuel Tank			
<a href="#">38</a>	4 of 48	-/0.0	110.8 / -3.00	CP RAIL 36 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	FST
<b>Instance No:</b>		10749110			
<b>Cont Name:</b>					
<b>Instance Type:</b>		FS Liquid Fuel Tank			
<b>Fuel Type:</b>		Gasoline			
<b>Status:</b>		Active			
<b>Capacity:</b>		4450			
<b>Tank Material:</b>		Steel			
<b>Corrosion Protection:</b>		Impressed Current			
<b>Tank Type:</b>		Single Wall UST			
<b>Install Year:</b>		1971			
<b>Parent Facility Type:</b>		Fuels Safety Private Fuel Outlet - Self Serve			
<b>Facility Type:</b>		FS Liquid Fuel Tank			
<a href="#">38</a>	5 of 48	-/0.0	110.8 / -3.00	CP RAIL 36 NORTH QUEEN ST OBICO INTERMO ETOBICOKE ON M8Z 2C4	FSTH
<b>License Issue Date:</b>		6/28/1991			
<b>Tank Status:</b>		Licensed			
<b>Tank Status As Of:</b>		August 2007			
<b>Operation Type:</b>		Private Fuel Outlet			
<b>Facility Type:</b>		Gasoline Station - Self Serve			
<b>--Details--</b>					
<b>Status:</b>		Active			
<b>Year of Installation:</b>		1977			
<b>Corrosion Protection:</b>					
<b>Capacity:</b>		9000			
<b>Tank Fuel Type:</b>		Liquid Fuel Single Wall UST - Diesel			
<b>Status:</b>		Active			
<b>Year of Installation:</b>		1977			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Corrosion Protection:</b> <b>Capacity:</b> 9000 <b>Tank Fuel Type:</b> Liquid Fuel Single Wall UST - Gasoline  <b>Status:</b> Active <b>Year of Installation:</b> 1971 <b>Corrosion Protection:</b> <b>Capacity:</b> 4450 <b>Tank Fuel Type:</b> Liquid Fuel Single Wall UST - Gasoline					
<a href="#">38</a>	6 of 48	-/0.0	110.8 / -3.00	CP RAIL 36 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	FSTH
<b>License Issue Date:</b> 6/28/1991 <b>Tank Status:</b> Licensed <b>Tank Status As Of:</b> December 2008 <b>Operation Type:</b> Private Fuel Outlet <b>Facility Type:</b> Gasoline Station - Self Serve  <b>--Details--</b> <b>Status:</b> Active <b>Year of Installation:</b> 1977 <b>Corrosion Protection:</b> <b>Capacity:</b> 9000 <b>Tank Fuel Type:</b> Liquid Fuel Single Wall UST - Diesel  <b>Status:</b> Active <b>Year of Installation:</b> 1977 <b>Corrosion Protection:</b> <b>Capacity:</b> 9000 <b>Tank Fuel Type:</b> Liquid Fuel Single Wall UST - Gasoline  <b>Status:</b> Active <b>Year of Installation:</b> 1971 <b>Corrosion Protection:</b> <b>Capacity:</b> 4450 <b>Tank Fuel Type:</b> Liquid Fuel Single Wall UST - Gasoline					
<a href="#">38</a>	7 of 48	-/0.0	110.8 / -3.00	CANADIAN PACIFIC RAILWAY COMPANY 36 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	GEN
<b>Generator No.:</b> ON0048108 <b>Status:</b> <b>Approval Years:</b> 2011 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> 482113 <b>SIC Description:</b> Mainline Freight Rail Transportation  <b>PO Box No.:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No. Admin:</b>  <b>--Details--</b> <b>Waste Code:</b> 221 <b>Waste Description:</b> LIGHT FUELS  <b>Waste Code:</b> 331 <b>Waste Description:</b> WASTE COMPRESSED GASES  <b>Waste Code:</b> 122 <b>Waste Description:</b> ALKALINE WASTES - OTHER METALS					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		121			
<b>Waste Description:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Code:</b>		113			
<b>Waste Description:</b>		ACID WASTE - OTHER METALS			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		267			
<b>Waste Description:</b>		ORGANIC ACIDS			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		112			
<b>Waste Description:</b>		ACID WASTE - HEAVY METALS			

<a href="#">38</a>	8 of 48	-/0.0	110.8 / -3.00	<b>CANADIAN PACIFIC RAILWAY COMPANY 36 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4</b>	<b>GEN</b>
<b>Generator No.:</b>	ON0048108			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2010			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	482113				
<b>SIC Description:</b>	Mainline Freight Rail Transportation				
<b>--Details--</b>					
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		113			
<b>Waste Description:</b>		ACID WASTE - OTHER METALS			
<b>Waste Code:</b>		267			
<b>Waste Description:</b>		ORGANIC ACIDS			
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		122			
<b>Waste Description:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		112			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Description:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Code:</b>		121			
<b>Waste Description:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			

<a href="#">38</a>	9 of 48	-/0.0	110.8 / -3.00	<b>CP RAIL INTERMODAL SERVICES 36 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4</b>	<b>GEN</b>
<b>Generator No.:</b>	ON0048108			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	96,97			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	4531				
<b>SIC Description:</b>	RAILWAY TRANS. IND.				
<b>--Details--</b>					
<b>Waste Code:</b>		113			
<b>Waste Description:</b>		ACID WASTE - OTHER METALS			
<b>Waste Code:</b>		121			
<b>Waste Description:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Code:</b>		267			
<b>Waste Description:</b>		ORGANIC ACIDS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			

<a href="#">38</a>	10 of 48	-/0.0	110.8 / -3.00	<b>CANADIAN PACIFIC RAILWAY COMPANY 36 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4</b>	<b>GEN</b>
<b>Generator No.:</b>	ON0048108			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2016			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	482113				
<b>SIC Description:</b>	MAINLINE FREIGHT RAIL TRANSPORTATION				
<b>--Details--</b>					
<b>Waste Code:</b>		267			
<b>Waste Description:</b>		ORGANIC ACIDS			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Code:</b>		122			
<b>Waste Description:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			
<b>Waste Code:</b>		112			
<b>Waste Description:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Code:</b>		113			
<b>Waste Description:</b>		ACID WASTE - OTHER METALS			
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		121			
<b>Waste Description:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>		146			
<b>Waste Description:</b>		OTHER SPECIFIED INORGANICS			
<b>38</b>	<b>11 of 48</b>	<b>-/0.0</b>	<b>110.8 / -3.00</b>	<b>CANADIAN PACIFIC RAILWAYS 08-248 (INTERMODAL SERVICE) 36 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4</b>	<b>GEN</b>
<b>Generator No.:</b>	ON0048108			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	94,95			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	4531				
<b>SIC Description:</b>	RAILWAY TRANS. IND.				
<b>--Details--</b>					
<b>Waste Code:</b>		113			
<b>Waste Description:</b>		ACID WASTE - OTHER METALS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		267			
<b>Waste Description:</b>		ORGANIC ACIDS			
<b>38</b>	<b>12 of 48</b>	<b>-/0.0</b>	<b>110.8 / -3.00</b>	<b>CANADIAN PACIFIC RAILWAY COMPANY 36 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4</b>	<b>GEN</b>
<b>Generator No.:</b>	ON0048108			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2015			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	482113				
<b>SIC Description:</b>	MAINLINE FREIGHT RAIL TRANSPORTATION				
<b>--Details--</b>					
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		122			
<b>Waste Description:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>		113			
<b>Waste Description:</b>		ACID WASTE - OTHER METALS			
<b>Waste Code:</b>		146			
<b>Waste Description:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Code:</b>		112			
<b>Waste Description:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		121			
<b>Waste Description:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		267			
<b>Waste Description:</b>		ORGANIC ACIDS			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">38</a>	13 of 48	-0.0	110.8 / -3.00	CANADIAN PACIFIC RAILWAY COMPANY 36 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	GEN
<b>Generator No.:</b>	ON0048108			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2014			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	482113				
<b>SIC Description:</b>	MAINLINE FREIGHT RAIL TRANSPORTATION				
<b>--Details--</b>					
<b>Waste Code:</b>	113				
<b>Waste Description:</b>	ACID WASTE - OTHER METALS				
<b>Waste Code:</b>	251				
<b>Waste Description:</b>	OIL SKIMMINGS & SLUDGES				
<b>Waste Code:</b>	221				
<b>Waste Description:</b>	LIGHT FUELS				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Code:</b>	148				
<b>Waste Description:</b>	INORGANIC LABORATORY CHEMICALS				
<b>Waste Code:</b>	122				
<b>Waste Description:</b>	ALKALINE WASTES - OTHER METALS				
<b>Waste Code:</b>	267				
<b>Waste Description:</b>	ORGANIC ACIDS				
<b>Waste Code:</b>	112				
<b>Waste Description:</b>	ACID WASTE - HEAVY METALS				
<b>Waste Code:</b>	121				
<b>Waste Description:</b>	ALKALINE WASTES - HEAVY METALS				
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<b>Waste Code:</b>	145				
<b>Waste Description:</b>	PAINT/PIGMENT/COATING RESIDUES				
<b>Waste Code:</b>	212				
<b>Waste Description:</b>	ALIPHATIC SOLVENTS				
<b>Waste Code:</b>	331				
<b>Waste Description:</b>	WASTE COMPRESSED GASES				

<a href="#">38</a>	14 of 48	-0.0	110.8 / -3.00	CANADIAN PACIFIC RAILWAY COMPANY 36 NORTH QUEEN STREET ETOBICOKE ON	GEN
<b>Generator No.:</b>	ON0048108			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2013			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	482113				
<b>SIC Description:</b>	MAINLINE FREIGHT RAIL TRANSPORTATION				



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**--Details--**

<b>Waste Code:</b>	331
<b>Waste Description:</b>	WASTE COMPRESSED GASES
<b>Waste Code:</b>	148
<b>Waste Description:</b>	INORGANIC LABORATORY CHEMICALS
<b>Waste Code:</b>	213
<b>Waste Description:</b>	PETROLEUM DISTILLATES
<b>Waste Code:</b>	251
<b>Waste Description:</b>	OIL SKIMMINGS & SLUDGES
<b>Waste Code:</b>	113
<b>Waste Description:</b>	ACID WASTE - OTHER METALS
<b>Waste Code:</b>	145
<b>Waste Description:</b>	PAINT/PIGMENT/COATING RESIDUES
<b>Waste Code:</b>	221
<b>Waste Description:</b>	LIGHT FUELS
<b>Waste Code:</b>	212
<b>Waste Description:</b>	ALIPHATIC SOLVENTS
<b>Waste Code:</b>	121
<b>Waste Description:</b>	ALKALINE WASTES - HEAVY METALS
<b>Waste Code:</b>	267
<b>Waste Description:</b>	ORGANIC ACIDS
<b>Waste Code:</b>	252
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS
<b>Waste Code:</b>	122
<b>Waste Description:</b>	ALKALINE WASTES - OTHER METALS
<b>Waste Code:</b>	112
<b>Waste Description:</b>	ACID WASTE - HEAVY METALS

**38**      15 of 48      -/0.0      110.8 / -3.00      **Transport TFI 12 L.P.  
36 North Queen St  
Etobicoke ON M8Z2C4**      **GEN**

<b>Generator No.:</b>	ON8664669	<b>PO Box No.:</b>	
<b>Status:</b>	Registered	<b>Country:</b>	Canada
<b>Approval Years:</b>	As of Dec 2017	<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>		<b>Co Admin:</b>	
<b>MHSW Facility:</b>		<b>Phone No. Admin:</b>	
<b>SIC Code:</b>			
<b>SIC Description:</b>			

**--Details--**

<b>Waste Code:</b>	252 L
<b>Waste Description:</b>	Waste crankcase oils and lubricants

**38**      16 of 48      -/0.0      110.8 / -3.00      **CANADIAN PACIFIC RAILWAY  
36 NORTH QUEEN STREET  
ETOBICOKE ON M8Z 2C4**      **GEN**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Generator No.:</b>	ON0048108			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	98			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	4531				
<b>SIC Description:</b>		RAILWAY TRANS. IND.			
<b>--Details--</b>					
<b>Waste Code:</b>		113			
<b>Waste Description:</b>		ACID WASTE - OTHER METALS			
<b>Waste Code:</b>		121			
<b>Waste Description:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		267			
<b>Waste Description:</b>		ORGANIC ACIDS			

<a href="#">38</a>	17 of 48	-/0.0	110.8 / -3.00	<b>CANADIAN PACIFIC RAILWAY COMPANY 36 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4</b>	<b>GEN</b>
<b>Generator No.:</b>	ON0048108			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	99,00,01,02,03,04,05,06,07,08			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	4531				
<b>SIC Description:</b>		RAILWAY TRANS. IND.			
<b>--Details--</b>					
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		112			
<b>Waste Description:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Code:</b>		113			
<b>Waste Description:</b>		ACID WASTE - OTHER METALS			
<b>Waste Code:</b>		121			
<b>Waste Description:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Code:</b>		122			
<b>Waste Description:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		267			
<b>Waste Description:</b>		ORGANIC ACIDS			

<a href="#">38</a>	18 of 48	-/0.0	110.8 / -3.00	CANADIAN PACIFIC RAILWAYS (INTERMODAL SERVICE) 36 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	GEN
<b>Generator No.:</b>	ON0048108			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	86,87,88,89,90			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	4531				
<b>SIC Description:</b>	RAILWAY TRANS. IND.				
<b>--Details--</b>					
<b>Waste Code:</b>		113			
<b>Waste Description:</b>		ACID WASTE - OTHER METALS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		267			
<b>Waste Description:</b>		ORGANIC ACIDS			

<a href="#">38</a>	19 of 48	-/0.0	110.8 / -3.00	CANADIAN PACIFIC RAILWAY COMPANY 36 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	GEN
<b>Generator No.:</b>	ON0048108			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2012			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	482113				
<b>SIC Description:</b>	Mainline Freight Rail Transportation				
<b>--Details--</b>					
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		121			
<b>Waste Description:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Code:</b>		113			
<b>Waste Description:</b>		ACID WASTE - OTHER METALS			
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		267			
<b>Waste Description:</b>		ORGANIC ACIDS			
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		122			
<b>Waste Description:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		112			
<b>Waste Description:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			

<b>38</b>	<b>20 of 48</b>	<b>-/0.0</b>	<b>110.8 / -3.00</b>	<b>CANADIAN PACIFIC RAILWAY COMPANY 36 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4</b>	<b>GEN</b>
<b>Generator No.:</b>	ON0048108			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2009			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	482113				
<b>SIC Description:</b>	Mainline Freight Rail Transportation				
<b>--Details--</b>					
<b>Waste Code:</b>	112				
<b>Waste Description:</b>	ACID WASTE - HEAVY METALS				
<b>Waste Code:</b>	113				
<b>Waste Description:</b>	ACID WASTE - OTHER METALS				
<b>Waste Code:</b>	121				
<b>Waste Description:</b>	ALKALINE WASTES - HEAVY METALS				
<b>Waste Code:</b>	122				
<b>Waste Description:</b>	ALKALINE WASTES - OTHER METALS				
<b>Waste Code:</b>	148				
<b>Waste Description:</b>	INORGANIC LABORATORY CHEMICALS				
<b>Waste Code:</b>	212				
<b>Waste Description:</b>	ALIPHATIC SOLVENTS				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		267			
<b>Waste Description:</b>		ORGANIC ACIDS			
<a href="#">38</a>	21 of 48	-/0.0	110.8 / -3.00	<b>CP RAIL 36 NORTH QUEEN ST OBICO INTERMO ETOBICOKE ON M8Z 2C4</b>	<b>PRT</b>
<b>Location ID:</b>		4729			
<b>Type:</b>		private			
<b>Expiry Date:</b>					
<b>Capacity (L):</b>		22450.00			
<b>Licence #:</b>		0001058845			
<a href="#">38</a>	22 of 48	-/0.0	110.8 / -3.00	<b>CANADIAN PACIFIC RAILWAYS 36 NORTH QUEEN ST ETOBICOKE STATION 36 NORTH QUEEN STREET TORONTO CITY ON M8Z 2C4</b>	<b>SPL</b>
<b>Ref No:</b>		210328		<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>		8/30/2001		<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	
<b>Incident Cause:</b>		WASTEWATER DISCHARGE TO WATERCOURSE		<b>Source Type:</b>	
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>				<b>Site Name:</b>	
<b>Contaminant Name:</b>				<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>		Not Anticipated		<b>Site Municipality:</b>	01106
<b>Nature of Impact:</b>		Soil contamination		<b>Site Lot:</b>	
<b>Receiving Medium:</b>		Land		<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>Health/Env Conseq:</b>				<b>Easting:</b>	WORKS
<b>MOE Response:</b>				<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>		8/30/2001		<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>					
<b>SAC Action Class:</b>					
<b>Incident Reason:</b>		NEGLIGENCE (APPARENT)			
<b>Incident Summary:</b>		CP RAIL-UNKNOWN AMOUNT OF OIL/WATER TO GROUND & CATCH BASIN. CLEANED.			
<a href="#">38</a>	23 of 48	-/0.0	110.8 / -3.00	<b>Canadian Pacific Railway Company 36 North Queen St</b>	<b>SPL</b>

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Toronto ON M8Z 2C4</b>					
<b>Ref No:</b>	5035-7TPFGD			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>				<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	Train
<b>Incident Cause:</b>	Tank (Above Ground) Leak			<b>Source Type:</b>	
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>				<b>Site Name:</b>	Obico Station
<b>Contaminant Name:</b>	DIESEL FUEL			<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>	100 L			<b>Site Region:</b>	
<b>Environment Impact:</b>	Possible			<b>Site Municipality:</b>	Toronto
<b>Nature of Impact:</b>				<b>Site Lot:</b>	
<b>Receiving Medium:</b>				<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	NA
<b>Health/Env Conseq:</b>				<b>Easting:</b>	NA
<b>MOE Response:</b>				<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	7/6/2009			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>					
<b>SAC Action Class:</b>	Derailment / Railway Spills				
<b>Incident Reason:</b>	Unknown - Reason not determined				
<b>Incident Summary:</b>	CPR: 50-100 L dsl from reefer tank on rail car				

<a href="#">38</a>	24 of 48	-/0.0	110.8 / -3.00	<b>Canadian Pacific Railway Company</b> 36 North Queen St Toronto ON M8Z 2C4	<b>SPL</b>
--------------------	----------	-------	---------------	--	------------

<b>Ref No:</b>	0737-8F8K2A			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>	3/23/2011			<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	
<b>Incident Cause:</b>				<b>Source Type:</b>	
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>	15			<b>Site Name:</b>	Obico Station
<b>Contaminant Name:</b>	HYDRAULIC OIL			<b>Site Address:</b>	36 North Queen St
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>	50 L			<b>Site Region:</b>	
<b>Environment Impact:</b>	Not Anticipated			<b>Site Municipality:</b>	Toronto
<b>Nature of Impact:</b>				<b>Site Lot:</b>	
<b>Receiving Medium:</b>				<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	NA
<b>Health/Env Conseq:</b>				<b>Easting:</b>	NA
<b>MOE Response:</b>	No Field Response			<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	3/23/2011			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>	7/23/2011				
<b>SAC Action Class:</b>	Land Spills				
<b>Incident Reason:</b>					
<b>Incident Summary:</b>	CPRail/Obico yard: hydraulic oil to ground.cleaned.				

<a href="#">38</a>	25 of 48	-/0.0	110.8 / -3.00	<b>Canadian Pacific Railway Company</b> 36 North Queen Street OBICO STATION Toronto ON M8Z 2C4	<b>SPL</b>
--------------------	----------	-------	---------------	--	------------

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
				<b>Discharger Report:</b> <b>Material Group:</b> Oils <b>Client Type:</b> <b>Sector Type:</b> Other <b>Source Type:</b> <b>Nearest Watercourse:</b> <b>Site Name:</b> 36 NORTH QUEEN STREET <b>Site Address:</b> 36 NORTH QUEEN STREET <b>Site District Office:</b> Toronto - District <b>Site County/District:</b> <b>Site Postal Code:</b>  <b>Site Region:</b> <b>Site Municipality:</b> Toronto <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> NA <b>Easting:</b> NA <b>Site Geo Ref Accu:</b> <b>Site Geo Ref Meth:</b> <b>Site Map Datum:</b>	
	5282-6LSMT9				
<b>Ref No:</b>					
<b>Site No:</b>					
<b>Incident Dt:</b>	2/7/2006				
<b>Year:</b>					
<b>Incident Cause:</b>	Unknown				
<b>Incident Event:</b>					
<b>Contaminant Code:</b>	12				
<b>Contaminant Name:</b>	STOVE OIL (CLEAR OR DYED)				
<b>Contaminant Limit 1:</b>					
<b>Contam Limit Freq 1:</b>					
<b>Contaminant UN No 1:</b>					
<b>Contaminant Qty:</b>	100 L				
<b>Environment Impact:</b>	Possible				
<b>Nature of Impact:</b>	Soil Contamination				
<b>Receiving Medium:</b>	Land				
<b>Receiving Env:</b>					
<b>Health/Env Conseq:</b>					
<b>MOE Response:</b>					
<b>Dt MOE Arvl on Scn:</b>					
<b>MOE Reported Dt:</b>	2/7/2006				
<b>Dt Document Closed:</b>					
<b>SAC Action Class:</b>					
<b>Incident Reason:</b>					
<b>Incident Summary:</b>		CP Rail: 50-100 L stove oil to ground			
<b>38</b>	<b>26 of 48</b>	<b>-/0.0</b>	<b>110.8 / -3.00</b>	<b>CP RAIL INTERMODAL OPERATIONS 36 North Queen St Toronto ON M8Z 2C4</b>	<b>SPL</b>
<b>Ref No:</b>	0018-8K5VAK				
<b>Site No:</b>					
<b>Incident Dt:</b>	7/26/2011				
<b>Year:</b>					
<b>Incident Cause:</b>	Unknown				
<b>Incident Event:</b>					
<b>Contaminant Code:</b>	15				
<b>Contaminant Name:</b>	HYDRAULIC OIL				
<b>Contaminant Limit 1:</b>					
<b>Contam Limit Freq 1:</b>					
<b>Contaminant UN No 1:</b>					
<b>Contaminant Qty:</b>	10 L				
<b>Environment Impact:</b>	Confirmed				
<b>Nature of Impact:</b>	Soil Contamination				
<b>Receiving Medium:</b>					
<b>Receiving Env:</b>					
<b>Health/Env Conseq:</b>					
<b>MOE Response:</b>	No Field Response				
<b>Dt MOE Arvl on Scn:</b>					
<b>MOE Reported Dt:</b>	7/26/2011				
<b>Dt Document Closed:</b>	8/26/2011				
<b>SAC Action Class:</b>		Land Spills			
<b>Incident Reason:</b>					
<b>Incident Summary:</b>		Obico Station, CP Rail: hydraulic oil to grvl, ctd, cld, 10L			
<b>38</b>	<b>27 of 48</b>	<b>-/0.0</b>	<b>110.8 / -3.00</b>	<b>CANADIAN PACIFIC RAILWAYS 36 NORTH QUEEN ST. CPR. YARD ETOBICOKE STATION 36 NORTH QUEEN STREET TORONTO CITY ON M8Z 2C4</b>	<b>SPL</b>
<b>Ref No:</b>	144141			<b>Discharger Report:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB	
				<b>Site No:</b> <b>Incident Dt:</b> 7/25/1997 <b>Year:</b> <b>Incident Cause:</b> OTHER CONTAINER LEAK <b>Incident Event:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Contaminant Qty:</b> <b>Environment Impact:</b> POSSIBLE <b>Nature of Impact:</b> Soil contamination <b>Receiving Medium:</b> LAND <b>Receiving Env:</b> <b>Health/Env Conseq:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 7/25/1997 <b>Dt Document Closed:</b> <b>SAC Action Class:</b> <b>Incident Reason:</b> UNKNOWN <b>Incident Summary:</b> C.P.RAIL-UNK VOL OF DIESEL FUEL TO GROUND.		
				<b>Material Group:</b> <b>Client Type:</b> <b>Sector Type:</b> <b>Source Type:</b> <b>Nearest Watercourse:</b> <b>Site Name:</b> <b>Site Address:</b> <b>Site District Office:</b> <b>Site County/District:</b> <b>Site Postal Code:</b>  <b>Site Region:</b> <b>Site Municipality:</b> 01106 <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> WORKS, EPS. <b>Site Geo Ref Accu:</b> <b>Site Geo Ref Meth:</b> <b>Site Map Datum:</b>		

[38](#)      28 of 48      -/0.0      110.8 / -3.00      **Canadian Pacific Railway Company**  
**36 Queen St**  
**Toronto ON**      **SPL**

<b>Ref No:</b> 8527-5RXPVA <b>Site No:</b> <b>Incident Dt:</b> 10/2/2003 <b>Year:</b> <b>Incident Cause:</b> Valve / Fitting Leak Or Failure <b>Incident Event:</b> <b>Contaminant Code:</b> 27 <b>Contaminant Name:</b> THIOGLYCOL <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Contaminant Qty:</b> other - see incident description <b>Environment Impact:</b> Possible <b>Nature of Impact:</b> Human Health/Safety; Soil Contamination <b>Receiving Medium:</b> Land <b>Receiving Env:</b> <b>Health/Env Conseq:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 10/2/2003 <b>Dt Document Closed:</b> <b>SAC Action Class:</b> Railway Spill or Derailment <b>Incident Reason:</b> Unknown - Reason not determined <b>Incident Summary:</b> CP Rail - Thioglycol Leak	<b>Discharger Report:</b> <b>Material Group:</b> Chemical <b>Client Type:</b> Other <b>Sector Type:</b> <b>Source Type:</b> <b>Nearest Watercourse:</b> <b>Site Name:</b> OBICO YARD<UNOFFICIAL> <b>Site Address:</b> <b>Site District Office:</b> Toronto <b>Site County/District:</b> <b>Site Postal Code:</b>  <b>Site Region:</b> Central <b>Site Municipality:</b> Toronto <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> <b>Site Geo Ref Accu:</b> <b>Site Geo Ref Meth:</b> <b>Site Map Datum:</b>
---	--

[38](#)      29 of 48      -/0.0      110.8 / -3.00      **CANADIAN PACIFIC RAILWAY**  
**36 NORTH QUEEN, AT CPR OBICO YARD.**  
**STORAGE TANK**  
**TORONTO CITY ON**      **SPL**

<b>Ref No:</b> 224088 <b>Site No:</b>	<b>Discharger Report:</b> <b>Material Group:</b>
--	---



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Incident Dt:</b> <b>Year:</b> <b>Incident Cause:</b> <b>Incident Event:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Contaminant Qty:</b> <b>Environment Impact:</b> <b>Nature of Impact:</b> <b>Receiving Medium:</b> <b>Receiving Env:</b> <b>Health/Env Conseq:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> <b>Dt Document Closed:</b> <b>SAC Action Class:</b> <b>Incident Reason:</b> <b>Incident Summary:</b>	4/16/2002  PIPE/HOSE LEAK        POSSIBLE Soil contamination LAND      4/16/2002    EQUIPMENT FAILURE CANADIAN PACIFIC RAILWAY-150 L DIESEL TO YARD/AS- PHALT, CLEANED UP.			<b>Client Type:</b> <b>Sector Type:</b> <b>Source Type:</b> <b>Nearest Watercourse:</b> <b>Site Name:</b> <b>Site Address:</b> <b>Site District Office:</b> <b>Site County/District:</b> <b>Site Postal Code:</b>  <b>Site Region:</b> <b>Site Municipality:</b> 01106 <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> <b>Site Geo Ref Accu:</b> <b>Site Geo Ref Meth:</b> <b>Site Map Datum:</b>	

<a href="#">38</a>	30 of 48	-/0.0	110.8 / -3.00	<b>CANADIAN PACIFIC RAILWAYS</b> <b>36 QUEEN ST. TRAIN</b> <b>TORONTO CITY ON</b>	<b>SPL</b>
<b>Ref No:</b> <b>Site No:</b> <b>Incident Dt:</b> <b>Year:</b> <b>Incident Cause:</b> <b>Incident Event:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Contaminant Qty:</b> <b>Environment Impact:</b> <b>Nature of Impact:</b> <b>Receiving Medium:</b> <b>Receiving Env:</b> <b>Health/Env Conseq:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> <b>Dt Document Closed:</b> <b>SAC Action Class:</b> <b>Incident Reason:</b> <b>Incident Summary:</b>	56376  8/30/1991  PIPE/HOSE LEAK        CONFIRMED Soil contamination LAND      8/30/1991    DAMAGE BY MOVING EQUIPMENT CP-RAIL -100 L. DIESEL FUEL TO RAILWAY-BED FROM ABOVE-GROUND STORAGE TK.			<b>Discharger Report:</b> <b>Material Group:</b> <b>Client Type:</b> <b>Sector Type:</b> <b>Source Type:</b> <b>Nearest Watercourse:</b> <b>Site Name:</b> <b>Site Address:</b> <b>Site District Office:</b> <b>Site County/District:</b> <b>Site Postal Code:</b>  <b>Site Region:</b> <b>Site Municipality:</b> 01106 <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> F.D., WORKS DEPT. <b>Site Geo Ref Accu:</b> <b>Site Geo Ref Meth:</b> <b>Site Map Datum:</b>	

<a href="#">38</a>	31 of 48	-/0.0	110.8 / -3.00	<b>TRANSPORT TRUCK</b> <b>C.P. YARD AT 36 NORTH QUEEN, ETOBICOKE</b> <b>MOTOR VEHICLE (OPERATING FLUID)</b> <b>TORONTO CITY ON</b>	<b>SPL</b>
<b>Ref No:</b> <b>Site No:</b> <b>Incident Dt:</b>	156408  6/2/1998			<b>Discharger Report:</b> <b>Material Group:</b> <b>Client Type:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Year:</b>				<b>Sector Type:</b>	
<b>Incident Cause:</b>	OTHER TRANSPORTATION ACCIDENT			<b>Source Type:</b>	
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>				<b>Site Name:</b>	
<b>Contaminant Name:</b>				<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>	NOT ANTICIPATED			<b>Site Municipality:</b>	01106
<b>Nature of Impact:</b>	Other			<b>Site Lot:</b>	
<b>Receiving Medium:</b>	LAND			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>Health/Env Conseq:</b>				<b>Easting:</b>	
<b>MOE Response:</b>				<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	6/3/1998			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>					
<b>SAC Action Class:</b>					
<b>Incident Reason:</b>	ERROR				
<b>Incident Summary:</b>	MELBURNE TRUCKING: 563 L DIESEL & 45 GAL GLYCOL TOPARKING LOT,CLEANED UP.				

<a href="#">38</a>	32 of 48	-/0.0	110.8 / -3.00	<b>Canadian Pacific Railway Company 36 North Queen Street OBICO STATION Toronto ON M8Z 2C4</b>	<b>SPL</b>
<b>Ref No:</b>	4476-6L5Q9B			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	Oils
<b>Incident Dt:</b>	1/17/2006			<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	Other
<b>Incident Cause:</b>	Other Discharges			<b>Source Type:</b>	
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>	15			<b>Site Name:</b>	36 NORTH QUEEN STREET
<b>Contaminant Name:</b>	HYDRAULIC OIL			<b>Site Address:</b>	36 NORTH QUEEN STREET
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	Toronto - District
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>	400 L			<b>Site Region:</b>	
<b>Environment Impact:</b>	Not Anticipated			<b>Site Municipality:</b>	Toronto
<b>Nature of Impact:</b>				<b>Site Lot:</b>	
<b>Receiving Medium:</b>	Land			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	NA
<b>Health/Env Conseq:</b>				<b>Easting:</b>	NA
<b>MOE Response:</b>				<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	1/17/2006			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>					
<b>SAC Action Class:</b>					
<b>Incident Reason:</b>	Equipment Failure				
<b>Incident Summary:</b>	CPR - 400 L Hydraulic Oil Spill to Asphalt				

<a href="#">38</a>	33 of 48	-/0.0	110.8 / -3.00	<b>Canadian Pacific Railway Company 36 North Queen Street OBICO STATION Toronto ON M8Z 2C4</b>	<b>SPL</b>
<b>Ref No:</b>	8840-6MMMML2			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	Chemicals
<b>Incident Dt:</b>	3/6/2006			<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	Train
<b>Incident Cause:</b>	Valve / Fitting Leak Or Failure			<b>Source Type:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>	24			<b>Site Name:</b>	36 NORTH QUEEN STREET
<b>Contaminant Name:</b>	ETHYLENE GLYCOL (ANTIFREEZE)			<b>Site Address:</b>	36 NORTH QUEEN STREET
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	Toronto - District
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>	5 L			<b>Site Region:</b>	
<b>Environment Impact:</b>	Possible			<b>Site Municipality:</b>	Toronto
<b>Nature of Impact:</b>	Human Health/Safety; Other Impact(s)			<b>Site Lot:</b>	
<b>Receiving Medium:</b>	Water			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	NA
<b>Health/Env Conseq:</b>				<b>Easting:</b>	NA
<b>MOE Response:</b>				<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	3/6/2006			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>					
<b>SAC Action Class:</b>					
<b>Incident Reason:</b>		Unknown - Reason not determined			
<b>Incident Summary:</b>		CP: 1-5 L of antifreeze to CB, cleaning.			

<a href="#">38</a>	34 of 48	-/0.0	110.8 / -3.00	CANADIAN PACIFIC RAILWAYS 36 NORTH QUEEN STREET TORONTO CITY ON M8Z 2C4	SPL
<b>Ref No:</b>	69942			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>	5/1/1992			<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	
<b>Incident Cause:</b>	ABOVE-GROUND TANK LEAK			<b>Source Type:</b>	
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>				<b>Site Name:</b>	
<b>Contaminant Name:</b>				<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>	POSSIBLE			<b>Site Municipality:</b>	01106
<b>Nature of Impact:</b>	Soil contamination			<b>Site Lot:</b>	
<b>Receiving Medium:</b>	LAND			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>Health/Env Conseq:</b>				<b>Easting:</b>	
<b>MOE Response:</b>				<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	5/1/1992			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>					
<b>SAC Action Class:</b>					
<b>Incident Reason:</b>		DAMAGE BY MOVING EQUIPMENT			
<b>Incident Summary:</b>		CP-RAIL: 270L DIESEL FUEL TO GRND & SEWER WHILE MOVING STORAGE TANK.			

<a href="#">38</a>	35 of 48	-/0.0	110.8 / -3.00	CANADIAN PACIFIC RAILWAYS 36 NORTH QUEEN ST ETOBICOKE STATION 36 NORTH QUEEN STREET TORONTO CITY ON M8Z 2C4	SPL
<b>Ref No:</b>	109722			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>	1/26/1995			<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	
<b>Incident Cause:</b>	PIPE/HOSE LEAK			<b>Source Type:</b>	
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Contaminant Code:</b> <b>Contaminant Name:</b> <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Contaminant Qty:</b> <b>Environment Impact:</b> NOT ANTICIPATED <b>Nature of Impact:</b> Soil contamination <b>Receiving Medium:</b> LAND <b>Receiving Env:</b> <b>Health/Env Conseq:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 2/2/1995 <b>Dt Document Closed:</b> <b>SAC Action Class:</b> <b>Incident Reason:</b> EQUIPMENT FAILURE <b>Incident Summary:</b> CP RAIL-100 L DIESEL TO ASPHALT,CLEANED UP,FROM BROKEN PUMP NOZZLE.				<b>Site Name:</b> <b>Site Address:</b> <b>Site District Office:</b> <b>Site County/District:</b> <b>Site Postal Code:</b>  <b>Site Region:</b> <b>Site Municipality:</b> 1106 <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> EPS <b>Site Geo Ref Accu:</b> <b>Site Geo Ref Meth:</b> <b>Site Map Datum:</b>	

<a href="#">38</a>	36 of 48	-/0.0	110.8 / -3.00	<b>Canadian Pacific Railway Company</b> <b>36 North Queen St</b> <b>Toronto ON M8Z 2C4</b>	<b>SPL</b>
<b>Ref No:</b> 2784-8JW4H2 <b>Site No:</b> <b>Incident Dt:</b> 7/18/2011 <b>Year:</b> <b>Incident Cause:</b> Other Discharges <b>Incident Event:</b> <b>Contaminant Code:</b> 15 <b>Contaminant Name:</b> HYDRAULIC OIL <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Contaminant Qty:</b> 0 other - see incident description <b>Environment Impact:</b> Possible <b>Nature of Impact:</b> Soil Contamination <b>Receiving Medium:</b> <b>Receiving Env:</b> <b>Health/Env Conseq:</b> <b>MOE Response:</b> No Field Response <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 7/18/2011 <b>Dt Document Closed:</b> 7/27/2011 <b>SAC Action Class:</b> Primary Assessment of Spills <b>Incident Reason:</b> Other - Reason not otherwise defined <b>Incident Summary:</b> CPR Obico - 50-100L hyd oil to grnd, cb				<b>Discharger Report:</b> <b>Material Group:</b> <b>Client Type:</b> <b>Sector Type:</b> Other <b>Source Type:</b> <b>Nearest Watercourse:</b> <b>Site Name:</b> Obico Station <b>Site Address:</b> 36 North Queen St <b>Site District Office:</b> <b>Site County/District:</b> <b>Site Postal Code:</b>  <b>Site Region:</b> <b>Site Municipality:</b> Toronto <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> NA <b>Easting:</b> NA <b>Site Geo Ref Accu:</b> <b>Site Geo Ref Meth:</b> <b>Site Map Datum:</b>	

<a href="#">38</a>	37 of 48	-/0.0	110.8 / -3.00	<b>CP RAIL INTERMODAL OPERATIONS</b> <b>36 North Queen St.</b> <b>Toronto ON M8Z 2C4</b>	<b>SPL</b>
<b>Ref No:</b> 4632-8GK65E <b>Site No:</b> <b>Incident Dt:</b> 5/4/2011 <b>Year:</b> <b>Incident Cause:</b> <b>Incident Event:</b> <b>Contaminant Code:</b> 24 <b>Contaminant Name:</b> ETHYLENE GLYCOL (ANTIFREEZE)				<b>Discharger Report:</b> <b>Material Group:</b> <b>Client Type:</b> <b>Sector Type:</b> <b>Source Type:</b> <b>Nearest Watercourse:</b> <b>Site Name:</b> CP Rail - Obico Yard<UNOFFICIAL> <b>Site Address:</b> 36 North Queen St.	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b>				<b>Site District Office:</b> <b>Site County/District:</b> <b>Site Postal Code:</b>	
<b>Contaminant Qty:</b> <b>Environment Impact:</b> <b>Nature of Impact:</b> <b>Receiving Medium:</b> <b>Receiving Env:</b> <b>Health/Env Conseq:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> <b>Dt Document Closed:</b> <b>SAC Action Class:</b> <b>Incident Reason:</b> <b>Incident Summary:</b>	20 L Not Anticipated  No Field Response 5/4/2011 7/23/2011 Land Spills Equipment Failure CP Rail - 20 L antifreeze to paved ground, cntd			<b>Site Region:</b> <b>Site Municipality:</b> <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> <b>Site Geo Ref Accu:</b> <b>Site Geo Ref Meth:</b> <b>Site Map Datum:</b>	Toronto
<a href="#">38</a>	38 of 48	-0.0	110.8 / -3.00	<b>CANADIAN PACIFIC RAILWAYS</b> <b>ETOBICOKE STATION 36 NORTH QUEEN STREET</b> <b>TORONTO ON M8Z 2C4</b>	<b>SPL</b>
<b>Ref No:</b> <b>Site No:</b> <b>Incident Dt:</b> <b>Year:</b> <b>Incident Cause:</b> <b>Incident Event:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b>	188926 10/20/2000 OTHER CAUSE (N.O.S.)			<b>Discharger Report:</b> <b>Material Group:</b> <b>Client Type:</b> <b>Sector Type:</b> <b>Source Type:</b> <b>Nearest Watercourse:</b> <b>Site Name:</b> <b>Site Address:</b> <b>Site District Office:</b> <b>Site County/District:</b> <b>Site Postal Code:</b>	
<b>Contaminant Qty:</b> <b>Environment Impact:</b> <b>Nature of Impact:</b> <b>Receiving Medium:</b> <b>Receiving Env:</b> <b>Health/Env Conseq:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> <b>Dt Document Closed:</b> <b>SAC Action Class:</b> <b>Incident Reason:</b> <b>Incident Summary:</b>	NOT ANTICIPATED Water course or lake LAND  10/20/2000 FIRE/EXPLOSION CP RAIL:230 L DIESEL/180 L HYDRAULIC OIL BURNED/ SPILLED,FD/WORKS,CLEANED.			<b>Site Region:</b> <b>Site Municipality:</b> <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> <b>Site Geo Ref Accu:</b> <b>Site Geo Ref Meth:</b> <b>Site Map Datum:</b>	1106 FD & WORKS
<a href="#">38</a>	39 of 48	-0.0	110.8 / -3.00	<b>Canadian Pacific Railway Company</b> <b>36 North Queen Str.</b> <b>Toronto ON M8Z 2C4</b>	<b>SPL</b>
<b>Ref No:</b> <b>Site No:</b> <b>Incident Dt:</b> <b>Year:</b> <b>Incident Cause:</b> <b>Incident Event:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> <b>Contaminant Limit 1:</b>	6535-5YW4S9 5/11/2004 Other Discharges 13 PETROLEUM DISTILLATES (N.O.S.)			<b>Discharger Report:</b> <b>Material Group:</b> <b>Client Type:</b> <b>Sector Type:</b> <b>Source Type:</b> <b>Nearest Watercourse:</b> <b>Site Name:</b> <b>Site Address:</b> <b>Site District Office:</b>	Oil Other CP RAIL YARD - ETOBICOKE<UNOFFICIAL> Toronto

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Contam Limit Freq 1:</b> <b>Contaminant UN No</b> <b>1:</b> <b>Contaminant Qty:</b> <b>Environment Impact:</b> Possible <b>Nature of Impact:</b> Soil Contamination; Surface Water Pollution <b>Receiving Medium:</b> Land & Water <b>Receiving Env:</b> <b>Health/Env Conseq:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 5/11/2004 <b>Dt Document Closed:</b> <b>SAC Action Class:</b> Spill to Land <b>Incident Reason:</b> Fire/Explosion - Resulting from fires/explosions (Not occurrences which cause a fire or explosion) <b>Incident Summary:</b> CP Rail Yard - Top Lift Machine - Fire				<b>Site County/District:</b> <b>Site Postal Code:</b>  <b>Site Region:</b> Central <b>Site Municipality:</b> Toronto <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> <b>Site Geo Ref Accu:</b> <b>Site Geo Ref Meth:</b> <b>Site Map Datum:</b>	
<a href="#">38</a>	40 of 48	-/0.0	110.8 / -3.00	<b>Canadian Pacific Railway Company</b> <b>36 North Queen Street OBICO STATION</b> <b>Toronto ON M8Z 2C4</b>	SPL
<b>Ref No:</b> 7705-6MMS8X <b>Site No:</b> <b>Incident Dt:</b> 3/4/2006 <b>Year:</b> <b>Incident Cause:</b> Unknown <b>Incident Event:</b> <b>Contaminant Code:</b> 13 <b>Contaminant Name:</b> DIESEL FUEL <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No</b> <b>1:</b> <b>Contaminant Qty:</b> Not Specified Not Specified <b>Environment Impact:</b> Possible <b>Nature of Impact:</b> Other Impact(s); Soil Contamination <b>Receiving Medium:</b> Land <b>Receiving Env:</b> <b>Health/Env Conseq:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 3/6/2006 <b>Dt Document Closed:</b> <b>SAC Action Class:</b> <b>Incident Reason:</b> Unknown - Reason not determined <b>Incident Summary:</b> CP: Diesel to yard(Unknown Vol.)				<b>Discharger Report:</b> <b>Material Group:</b> Oils <b>Client Type:</b> <b>Sector Type:</b> Unknown <b>Source Type:</b> <b>Nearest Watercourse:</b> <b>Site Name:</b> 36 NORTH QUEEN STREET <b>Site Address:</b> 36 NORTH QUEEN STREET <b>Site District Office:</b> Toronto - District <b>Site County/District:</b> <b>Site Postal Code:</b>  <b>Site Region:</b> <b>Site Municipality:</b> Toronto <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> NA <b>Easting:</b> NA <b>Site Geo Ref Accu:</b> <b>Site Geo Ref Meth:</b> <b>Site Map Datum:</b>	
<a href="#">38</a>	41 of 48	-/0.0	110.8 / -3.00	<b>Canadian Pacific Railway Company</b> <b>36 North Queen St</b> <b>Toronto ON M8Z 2C4</b>	SPL
<b>Ref No:</b> 7042-7GJKW5 <b>Site No:</b> <b>Incident Dt:</b> <b>Year:</b> <b>Incident Cause:</b> Unknown <b>Incident Event:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No</b>				<b>Discharger Report:</b> <b>Material Group:</b> <b>Client Type:</b> <b>Sector Type:</b> Other <b>Source Type:</b> <b>Nearest Watercourse:</b> <b>Site Name:</b> Obico Station <b>Site Address:</b> <b>Site District Office:</b> Toronto - District <b>Site County/District:</b> <b>Site Postal Code:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
1:					
<b>Contaminant Qty:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>	Not Anticipated			<b>Site Municipality:</b>	Toronto
<b>Nature of Impact:</b>	Soil Contamination			<b>Site Lot:</b>	
<b>Receiving Medium:</b>				<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	NA
<b>Health/Env Conseq:</b>				<b>Easting:</b>	NA
<b>MOE Response:</b>	No Field Response			<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	7/14/2008			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>					
<b>SAC Action Class:</b>	Notifications				
<b>Incident Reason:</b>					
<b>Incident Summary:</b>	Canutec - leaking rail car. 2 L to ground				
<b>38</b>	<b>42 of 48</b>	<b>-/0.0</b>	<b>110.8 / -3.00</b>	<b>PRIVATE RESIDENCE 36 NORTH QUEEN STREET FURNACE OIL TANK TORONTO ON M8Z 2C4</b>	<b>SPL</b>
<b>Ref No:</b>	188927			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>	10/6/2000			<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	
<b>Incident Cause:</b>	OTHER CAUSE (N.O.S.)			<b>Source Type:</b>	
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>				<b>Site Name:</b>	
<b>Contaminant Name:</b>				<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Postal Code:</b>	
1:					
<b>Contaminant Qty:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>	POSSIBLE			<b>Site Municipality:</b>	1106
<b>Nature of Impact:</b>	Soil contamination			<b>Site Lot:</b>	
<b>Receiving Medium:</b>	LAND			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>Health/Env Conseq:</b>				<b>Easting:</b>	
<b>MOE Response:</b>				<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	10/20/2000			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>					
<b>SAC Action Class:</b>					
<b>Incident Reason:</b>	OTHER				
<b>Incident Summary:</b>	PRIVATE RESIDENCE:SPILL OF UNKNOWN AMOUNT OF FUEL OIL DURING DELIVERY				
<b>38</b>	<b>43 of 48</b>	<b>-/0.0</b>	<b>110.8 / -3.00</b>	<b>Canadian Pacific Railway Company 36 North Queen St., Etobicoke Toronto ON M8Z 2C4</b>	<b>SPL</b>
<b>Ref No:</b>	0361-5MHSRP			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	Oil
<b>Incident Dt:</b>	5/13/2003			<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	
<b>Incident Cause:</b>				<b>Source Type:</b>	
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>	15			<b>Site Name:</b>	CP RAIL, OBICO MOTOR FACILITY<UNOFFICIAL>
<b>Contaminant Name:</b>	HYDRAULIC OIL			<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	Toronto
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Postal Code:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Contaminant Qty:</b> 100 L <b>Environment Impact:</b> Possible <b>Nature of Impact:</b> <b>Receiving Medium:</b> Land <b>Receiving Env:</b> <b>Health/Env Conseq:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 5/13/2003 <b>Dt Document Closed:</b> <b>SAC Action Class:</b> Spills <b>Incident Reason:</b> <b>Incident Summary:</b> CP Rail - Spill of 100 litres hydraulic oil.				<b>Site Region:</b> Central <b>Site Municipality:</b> Toronto <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> <b>Site Geo Ref Accu:</b> <b>Site Geo Ref Meth:</b> <b>Site Map Datum:</b>	

<a href="#">38</a>	44 of 48	-/0.0	110.8 / -3.00	<b>Canadian Pacific Railway Company</b> <b>36 North Queen St</b> <b>Toronto ON M8Z 2C4</b>	<b>SPL</b>
<b>Ref No:</b> 2082-73WVR8 <b>Site No:</b> <b>Incident Dt:</b> <b>Year:</b> <b>Incident Cause:</b> Pipe Or Hose Leak <b>Incident Event:</b> <b>Contaminant Code:</b> 15 <b>Contaminant Name:</b> HYDRAULIC OIL <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Contaminant Qty:</b> 600 L <b>Environment Impact:</b> Not Anticipated <b>Nature of Impact:</b> Soil Contamination <b>Receiving Medium:</b> Land <b>Receiving Env:</b> <b>Health/Env Conseq:</b> <b>MOE Response:</b> No Field Response <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 6/6/2007 <b>Dt Document Closed:</b> <b>SAC Action Class:</b> <b>Incident Reason:</b> Equipment Failure - Malfunction of system components <b>Incident Summary:</b> CPR-600 L Hydraulic oil to pavement,contained.				<b>Discharger Report:</b> <b>Material Group:</b> Oil <b>Client Type:</b> <b>Sector Type:</b> Other <b>Source Type:</b> <b>Nearest Watercourse:</b> <b>Site Name:</b> Obico Station <b>Site Address:</b> <b>Site District Office:</b> <b>Site County/District:</b> <b>Site Postal Code:</b> <b>Site Region:</b> <b>Site Municipality:</b> Toronto <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> NA <b>Easting:</b> NA <b>Site Geo Ref Accu:</b> <b>Site Geo Ref Meth:</b> <b>Site Map Datum:</b>	

<a href="#">38</a>	45 of 48	-/0.0	110.8 / -3.00	<b>CANADIAN PACIFIC RAILWAYS</b> <b>36 NORTHQUEEN STREET ETOBICOKE</b> <b>STATION 36 NORTH QUEEN STREET</b> <b>TORONTO CITY ON M8Z 2C4</b>	<b>SPL</b>
<b>Ref No:</b> 103083 <b>Site No:</b> <b>Incident Dt:</b> 7/22/1994 <b>Year:</b> <b>Incident Cause:</b> PIPE/HOSE LEAK <b>Incident Event:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Contaminant Qty:</b>				<b>Discharger Report:</b> <b>Material Group:</b> <b>Client Type:</b> <b>Sector Type:</b> <b>Source Type:</b> <b>Nearest Watercourse:</b> <b>Site Name:</b> <b>Site Address:</b> <b>Site District Office:</b> <b>Site County/District:</b> <b>Site Postal Code:</b> <b>Site Region:</b>	



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Environment Impact:</b> <b>Nature of Impact:</b> <b>Receiving Medium:</b> <b>Receiving Env:</b> <b>Health/Env Conseq:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> <b>Dt Document Closed:</b> <b>SAC Action Class:</b> <b>Incident Reason:</b> <b>Incident Summary:</b>	NOT ANTICIPATED LAND 7/22/1994			<b>Site Municipality:</b> 1106 <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> <b>Site Geo Ref Accu:</b> <b>Site Geo Ref Meth:</b> <b>Site Map Datum:</b> UNKNOWN C.P.RAIL-51 L DIESEL FUEL TO ASPHALT LOT, HOSE BROKE OFF PUMP, CLEANUP ONGOING.	

<a href="#">38</a>	46 of 48	-0.0	110.8 / -3.00	<b>CP RAIL INTERMODAL OPERATIONS</b> 36 North Queen St Toronto ON M8Z 2C4	<b>SPL</b>
<b>Ref No:</b> <b>Site No:</b> <b>Incident Dt:</b> <b>Year:</b> <b>Incident Cause:</b> <b>Incident Event:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Contaminant Qty:</b> <b>Environment Impact:</b> <b>Nature of Impact:</b> <b>Receiving Medium:</b> <b>Receiving Env:</b> <b>Health/Env Conseq:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> <b>Dt Document Closed:</b> <b>SAC Action Class:</b> <b>Incident Reason:</b> <b>Incident Summary:</b>	1142-86YN5N Process Upset 15 HYDRAULIC OIL 50 L Soil Contamination No Field Response 7/2/2010 10/22/2010 Land Spills Spill Hydraulic Fluid to pavement, 50 L, CP Rail, Cleaning			<b>Discharger Report:</b> <b>Material Group:</b> <b>Client Type:</b> <b>Sector Type:</b> Train <b>Source Type:</b> <b>Nearest Watercourse:</b> <b>Site Name:</b> Obico Station <b>Site Address:</b> <b>Site District Office:</b> <b>Site County/District:</b> <b>Site Postal Code:</b> <b>Site Region:</b> <b>Site Municipality:</b> <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> NA <b>Easting:</b> NA <b>Site Geo Ref Accu:</b> <b>Site Geo Ref Meth:</b> <b>Site Map Datum:</b>	

<a href="#">38</a>	47 of 48	-0.0	110.8 / -3.00	<b>CP RAIL INTERMODAL OPERATIONS</b> 36 North Queen St Toronto ON M8Z 2C4	<b>SPL</b>
<b>Ref No:</b> <b>Site No:</b> <b>Incident Dt:</b> <b>Year:</b> <b>Incident Cause:</b> <b>Incident Event:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Contaminant Qty:</b> <b>Environment Impact:</b> <b>Nature of Impact:</b>	5843-8FQR35 4/8/2011 Other Discharges 15 HYDRAULIC OIL 125 L Not Anticipated Other Impact(s)			<b>Discharger Report:</b> <b>Material Group:</b> <b>Client Type:</b> <b>Sector Type:</b> Other <b>Source Type:</b> <b>Nearest Watercourse:</b> <b>Site Name:</b> Obico Station <b>Site Address:</b> 36 North Queen St <b>Site District Office:</b> <b>Site County/District:</b> <b>Site Postal Code:</b> <b>Site Region:</b> <b>Site Municipality:</b> Toronto <b>Site Lot:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Receiving Medium:</b> <b>Receiving Env:</b> <b>Health/Env Conseq:</b> <b>MOE Response:</b> No Field Response <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 4/8/2011 <b>Dt Document Closed:</b> 7/23/2011 <b>SAC Action Class:</b> Land Spills <b>Incident Reason:</b> Spill <b>Incident Summary:</b> CP Rail: 125 L of hydraulic to grnd, cld				<b>Site Conc:</b> <b>Northing:</b> NA <b>Easting:</b> NA <b>Site Geo Ref Accu:</b> <b>Site Geo Ref Meth:</b> <b>Site Map Datum:</b>	

<a href="#">38</a>	48 of 48	-/0.0	110.8 / -3.00	Canadian Pacific Railway Company 36 North Queen St Toronto ON M8Z 2C4	SPL
<b>Ref No:</b> 1500-86MHBL <b>Site No:</b> <b>Incident Dt:</b> <b>Year:</b> <b>Incident Cause:</b> Other Discharges <b>Incident Event:</b> <b>Contaminant Code:</b> 15 <b>Contaminant Name:</b> HYDRAULIC OIL <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Contaminant Qty:</b> 50 L <b>Environment Impact:</b> Confirmed <b>Nature of Impact:</b> Other Impact(s) <b>Receiving Medium:</b> <b>Receiving Env:</b> <b>Health/Env Conseq:</b> <b>MOE Response:</b> No Field Response <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 6/21/2010 <b>Dt Document Closed:</b> <b>SAC Action Class:</b> Land Spills <b>Incident Reason:</b> Spill <b>Incident Summary:</b> CP Rail: 50L Hydraulic Oil to Asphalt PL, Cln				<b>Discharger Report:</b> <b>Material Group:</b> <b>Client Type:</b> <b>Sector Type:</b> Other <b>Source Type:</b> <b>Nearest Watercourse:</b> <b>Site Name:</b> Obico Station <b>Site Address:</b> <b>Site District Office:</b> <b>Site County/District:</b> <b>Site Postal Code:</b> <b>Site Region:</b> <b>Site Municipality:</b> <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> NA <b>Easting:</b> NA <b>Site Geo Ref Accu:</b> <b>Site Geo Ref Meth:</b> <b>Site Map Datum:</b>	

<a href="#">39</a>	1 of 1	-/0.0	116.8 / 3.00	TORONTO ON	WWIS
<b>Well ID:</b> 7261842 <b>Construction Date:</b> <b>Primary Water Use:</b> Monitoring and Test Hole <b>Sec. Water Use:</b> 0 <b>Final Well Status:</b> Monitoring and Test Hole <b>Water Type:</b> <b>Casing Material:</b> <b>Audit No:</b> Z213198 <b>Tag:</b> A197707 <b>Construction Method:</b> <b>Elevation (m):</b> <b>Elevation Reliability:</b> <b>Depth to Bedrock:</b> <b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b>				<b>Data Entry Status:</b> <b>Data Src:</b> <b>Date Received:</b> 4/25/2016 <b>Selected Flag:</b> Yes <b>Abandonment Rec:</b> <b>Contractor:</b> 7241 <b>Form Version:</b> 7 <b>Owner:</b> <b>Street Name:</b> 36 NORTH QUEEN ST <b>County:</b> YORK <b>Municipality:</b> ETOBICOKE BOROUGH <b>Site Info:</b> <b>Lot:</b> <b>Concession:</b> <b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Flowing (Y/N): Flow Rate: Clear/Cloudy:				Zone: UTM Reliability:	
<b><u>Bore Hole Information</u></b>					
Bore Hole ID:		1005937265		Elevation: 118.22	
DP2BR:				Elevrc:	
Spatial Status:				Zone: 17	
Code OB:				East83: 618034	
Code OB Desc:				Org CS: UTM83	
Open Hole:				North83: 4831845	
Cluster Kind:				UTMRC: 4	
Date Completed:		10-MAR-16		UTMRC Desc: margin of error : 30 m - 100 m	
Remarks:				Location Method: wwr	
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
Formation ID:		1006041194			
Layer:		1			
Color:		8			
General Color:		BLACK			
Mat1:		27			
Most Common Material:		OTHER			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		.25			
Formation End Depth UOM:		ft			
Formation ID:		1006041196			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		28			
Other Materials:		SAND			
Mat3:		34			
Other Materials:		TILL			
Formation Top Depth:		2			
Formation End Depth:		10			
Formation End Depth UOM:		ft			
Formation ID:		1006041195			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		11			
Other Materials:		GRAVEL			
Mat3:					
Other Materials:					
Formation Top Depth:		.25			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation End Depth:</b>	2				
<b>Formation End Depth UOM:</b>	ft				
<b>Formation ID:</b>	1006041197				
<b>Layer:</b>	4				
<b>Color:</b>	6				
<b>General Color:</b>	BROWN				
<b>Mat1:</b>	28				
<b>Most Common Material:</b>	SAND				
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>	10				
<b>Formation End Depth:</b>	15				
<b>Formation End Depth UOM:</b>	ft				
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>	1006041207				
<b>Layer:</b>	3				
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>	ft				
<b>Plug ID:</b>	1006041206				
<b>Layer:</b>	2				
<b>Plug From:</b>	4				
<b>Plug To:</b>	0				
<b>Plug Depth UOM:</b>	ft				
<b>Plug ID:</b>	1006041205				
<b>Layer:</b>	1				
<b>Plug From:</b>	15				
<b>Plug To:</b>	4				
<b>Plug Depth UOM:</b>	ft				
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>	1006041204				
<b>Method Construction Code:</b>	D				
<b>Method Construction:</b>	Direct Push				
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>	1006041193				
<b>Casing No:</b>	0				
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>	1006041200				
<b>Layer:</b>	1				
<b>Material:</b>	5				
<b>Open Hole or Material:</b>	PLASTIC				
<b>Depth From:</b>	0				
<b>Depth To:</b>	5				
<b>Casing Diameter:</b>	2				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1006041201			
<b>Layer:</b>		1			
<b>Slot:</b>		.10			
<b>Screen Top Depth:</b>		5			
<b>Screen End Depth:</b>		15			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		ft			
<b>Screen Diameter UOM:</b>		inch			
<b>Screen Diameter:</b>		2.25			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1006041199			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		ft			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1006041198			
<b>Diameter:</b>		8			
<b>Depth From:</b>		0			
<b>Depth To:</b>		15			
<b>Hole Depth UOM:</b>		ft			
<b>Hole Diameter UOM:</b>		inch			

40

1 of 1

-0.0

112.8 / -1.00

TORONTO ON

WWIS

**Well ID:** 7261848  
**Construction Date:**  
**Primary Water Use:** Monitoring and Test Hole  
**Sec. Water Use:** 0  
**Final Well Status:** Monitoring and Test Hole  
**Water Type:**  
**Casing Material:**  
**Audit No:** Z229440  
**Tag:** A198017  
**Construction Method:**  
**Elevation (m):**  
**Elevation Reliability:**  
**Depth to Bedrock:**  
**Well Depth:**  
**Overburden/Bedrock:**  
**Pump Rate:**  
**Static Water Level:**  
**Flowing (Y/N):**  
**Flow Rate:**  
**Clear/Cloudy:**

**Data Entry Status:**  
**Data Src:**  
**Date Received:** 4/25/2016  
**Selected Flag:** Yes  
**Abandonment Rec:**  
**Contractor:** 7241  
**Form Version:** 7  
**Owner:**  
**Street Name:** 36 NORTH QUEEN STREET  
**County:** YORK  
**Municipality:** ETOBICOKE BOROUGH  
**Site Info:** WKQ-008783 A0-A02  
**Lot:**  
**Concession:**  
**Concession Name:**  
**Easting NAD83:**  
**Northing NAD83:**  
**Zone:**  
**UTM Reliability:**

**Bore Hole Information****Bore Hole ID:** 1005937283**Elevation:** 115.48

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	17
<b>Code OB:</b>				<b>East83:</b>	617974
<b>Code OB Desc:</b>				<b>Org CS:</b>	UTM83
<b>Open Hole:</b>				<b>North83:</b>	4831143
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	30-MAR-16			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 1006041342  
**Layer:** 2  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 06  
**Most Common Material:** SILT  
**Mat2:** 05  
**Other Materials:** CLAY  
**Mat3:** 66  
**Other Materials:** DENSE  
**Formation Top Depth:** 4  
**Formation End Depth:** 11  
**Formation End Depth UOM:** ft

**Formation ID:** 1006041341  
**Layer:** 1  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 28  
**Most Common Material:** SAND  
**Mat2:** 06  
**Other Materials:** SILT  
**Mat3:** 66  
**Other Materials:** DENSE  
**Formation Top Depth:** 0  
**Formation End Depth:** 4  
**Formation End Depth UOM:** ft

**Formation ID:** 1006041345  
**Layer:** 5  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 17  
**Most Common Material:** SHALE  
**Mat2:**  
**Other Materials:**  
**Mat3:** 73  
**Other Materials:** HARD  
**Formation Top Depth:** 20  
**Formation End Depth:** 35  
**Formation End Depth UOM:** ft

**Formation ID:** 1006041344  
**Layer:** 4  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 17

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Most Common Material:</b>		SHALE			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>	66				
<b>Other Materials:</b>		DENSE			
<b>Formation Top Depth:</b>		17			
<b>Formation End Depth:</b>		20			
<b>Formation End Depth UOM:</b>		ft			
<b>Formation ID:</b>		1006041343			
<b>Layer:</b>		3			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		05			
<b>Most Common Material:</b>		CLAY			
<b>Mat2:</b>		06			
<b>Other Materials:</b>		SILT			
<b>Mat3:</b>		66			
<b>Other Materials:</b>		DENSE			
<b>Formation Top Depth:</b>		11			
<b>Formation End Depth:</b>		17			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1006041355			
<b>Layer:</b>		3			
<b>Plug From:</b>		24			
<b>Plug To:</b>		35			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1006041354			
<b>Layer:</b>		2			
<b>Plug From:</b>		.5			
<b>Plug To:</b>		24			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1006041353			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		.5			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well</u></b>					
<b><u>Use</u></b>					
<b>Method Construction ID:</b>		1006041352			
<b>Method Construction Code:</b>		D			
<b>Method Construction:</b>		Direct Push			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1006041340			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1006041348			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		25			
Casing Diameter:		2			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<b><u>Construction Record - Screen</u></b>					
Screen ID:		1006041349			
Layer:		1			
Slot:		10			
Screen Top Depth:		25			
Screen End Depth:		35			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.25			
<b><u>Water Details</u></b>					
Water ID:		1006041347			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<b><u>Hole Diameter</u></b>					
Hole ID:		1006041346			
Diameter:		3.75			
Depth From:		0			
Depth To:		35			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

<a href="#">41</a>	1 of 1	-/0.0	110.7 / -3.16	TORONTO ON	WWIS
<hr/>					
Well ID:	7261845			<b>Data Entry Status:</b>	
Construction Date:				<b>Data Src:</b>	
Primary Water Use:	Monitoring and Test Hole			<b>Date Received:</b>	4/25/2016
Sec. Water Use:	0			<b>Selected Flag:</b>	Yes
Final Well Status:	Monitoring and Test Hole			<b>Abandonment Rec:</b>	
Water Type:				<b>Contractor:</b>	7241
Casing Material:				<b>Form Version:</b>	7
Audit No:	Z228358			<b>Owner:</b>	
Tag:	A183470			<b>Street Name:</b>	36 NORTH QUEEN STREET
Construction Method:				<b>County:</b>	YORK
Elevation (m):				<b>Municipality:</b>	ETOBICOKE BOROUGH
Elevation Reliability:				<b>Site Info:</b>	WKQ-008761 A0-A0
Depth to Bedrock:				<b>Lot:</b>	
Well Depth:				<b>Concession:</b>	
Overburden/Bedrock:				<b>Concession Name:</b>	
Pump Rate:				<b>Easting NAD83:</b>	
Static Water Level:				<b>Northing NAD83:</b>	
Flowing (Y/N):				<b>Zone:</b>	
Flow Rate:				<b>UTM Reliability:</b>	



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Clear/Cloudy:

**Bore Hole Information**

<b>Bore Hole ID:</b>	1005937274	<b>Elevation:</b>	112.88
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	17
<b>Code OB:</b>		<b>East83:</b>	618250
<b>Code OB Desc:</b>		<b>Org CS:</b>	UTM83
<b>Open Hole:</b>		<b>North83:</b>	4831233
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	16-MAR-16	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	1006041271
<b>Layer:</b>	3
<b>Color:</b>	6
<b>General Color:</b>	BROWN
<b>Mat1:</b>	06
<b>Most Common Material:</b>	SILT
<b>Mat2:</b>	28
<b>Other Materials:</b>	SAND
<b>Mat3:</b>	
<b>Other Materials:</b>	
<b>Formation Top Depth:</b>	2
<b>Formation End Depth:</b>	9
<b>Formation End Depth UOM:</b>	ft

<b>Formation ID:</b>	1006041270
<b>Layer:</b>	2
<b>Color:</b>	6
<b>General Color:</b>	BROWN
<b>Mat1:</b>	28
<b>Most Common Material:</b>	SAND
<b>Mat2:</b>	11
<b>Other Materials:</b>	GRAVEL
<b>Mat3:</b>	
<b>Other Materials:</b>	
<b>Formation Top Depth:</b>	.25
<b>Formation End Depth:</b>	2
<b>Formation End Depth UOM:</b>	ft

<b>Formation ID:</b>	1006041269
<b>Layer:</b>	1
<b>Color:</b>	8
<b>General Color:</b>	BLACK
<b>Mat1:</b>	27
<b>Most Common Material:</b>	OTHER
<b>Mat2:</b>	
<b>Other Materials:</b>	
<b>Mat3:</b>	
<b>Other Materials:</b>	
<b>Formation Top Depth:</b>	0
<b>Formation End Depth:</b>	.25
<b>Formation End Depth UOM:</b>	ft

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation ID:</b>		1006041272			
<b>Layer:</b>		4			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		06			
<b>Most Common Material:</b>		SILT			
<b>Mat2:</b>		28			
<b>Other Materials:</b>		SAND			
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		9			
<b>Formation End Depth:</b>		15			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1006041281			
<b>Layer:</b>		2			
<b>Plug From:</b>		8			
<b>Plug To:</b>		0			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1006041280			
<b>Layer:</b>		1			
<b>Plug From:</b>		15			
<b>Plug To:</b>		8			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1006041282			
<b>Layer:</b>		3			
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1006041279			
<b>Method Construction Code:</b>		D			
<b>Method Construction:</b>		Direct Push			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1006041268			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1006041275			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		10			
<b>Casing Diameter:</b>		2			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

**Construction Record - Screen**

Screen ID: 1006041276  
 Layer: 1  
 Slot: .10  
 Screen Top Depth: 10  
 Screen End Depth: 15  
 Screen Material: 5  
 Screen Depth UOM: ft  
 Screen Diameter UOM: inch  
 Screen Diameter: 2.25

**Water Details**

Water ID: 1006041274  
 Layer:  
 Kind Code:  
 Kind:  
 Water Found Depth:  
 Water Found Depth UOM: ft

**Hole Diameter**

Hole ID: 1006041273  
 Diameter: 8  
 Depth From: 0  
 Depth To: 15  
 Hole Depth UOM: ft  
 Hole Diameter UOM: inch

42      1 of 1      -/0.0      110.1/ -3.72      ON      BORE

<b>Borehole ID:</b>	641607	<b>Type:</b>	Borehole
<b>Use:</b>	Geotechnical/Geological Investigation	<b>Status::</b>	
<b>Drill Method::</b>	Power auger	<b>UTM Zone::</b>	17
<b>Easting::</b>	618225	<b>Northing::</b>	4831178
<b>Location Accuracy::</b>		<b>Orig. Ground Elev m::</b>	115
<b>Elev. Reliability</b>		<b>DEM Ground Elev m::</b>	113
<b>Note::</b>		<b>Primary Name::</b>	
<b>Total Depth m::</b>	11.1	<b>Concession::</b>	
<b>Township::</b>		<b>Municipality:</b>	
<b>Lot::</b>		<b>Static Water Level::</b>	.9
<b>Completion Date::</b>	DEC-1970	<b>Sec. Water Use::</b>	
<b>Primary Water Use::</b>	Not Used		

**--Details--**

<b>Stratum ID:</b>	218496694	<b>Top Depth(m):</b>	3.0
<b>Bottom Depth(m):</b>	6.4	<b>Stratum Desc:</b>	SAND, GRAVEL. GREY, GLACIAL, VERY DENSE, AGE GLACIAL.
<b>Stratum ID:</b>	218496695	<b>Top Depth(m):</b>	6.4
<b>Bottom Depth(m):</b>	8.5	<b>Stratum Desc:</b>	SAND, SHALE. GREY, FLUVIO-GLACIAL, VERY DENSE, AGE GLACIAL.
<b>Stratum ID:</b>	218496696	<b>Top Depth(m):</b>	8.5
<b>Bottom Depth(m):</b>	11.1	<b>Stratum Desc:</b>	BEDROCK, SHALE. GREY, MARINE, AGE ORDOVICIAN.      015      015      015 000000220006
<b>Stratum ID:</b>	218496692	<b>Top Depth(m):</b>	0.0

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Bottom Depth(m):</b>	2.0			<b>Stratum Desc:</b>	SAND,SILT,GRAVEL. BROWN,GLACIAL,COMPACT, AGE GLACIAL.
<b>Stratum ID:</b>	218496693			<b>Top Depth(m):</b>	2.0
<b>Bottom Depth(m):</b>	3.0			<b>Stratum Desc:</b>	SILT,SAND. GREY,GLACIAL,VERY DENSE, AGE GLACIAL, WATER STABLE AT 375.2 FEET.

<u>43</u>	1 of 1	-/0.0	110.9/ -2.97	ON	BORE
<b>Borehole ID:</b>	654861			<b>Type:</b>	Borehole
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Status::</b>	
<b>Drill Method::</b>	Power auger			<b>UTM Zone::</b>	17
<b>Easting::</b>	618075			<b>Northing::</b>	4831103
<b>Location Accuracy::</b>				<b>Orig. Ground Elev m::</b>	108
<b>Elev. Reliability</b>				<b>DEM Ground Elev m::</b>	114
<b>Note::</b>				<b>Primary Name::</b>	
<b>Total Depth m::</b>	1.5			<b>Concession::</b>	
<b>Township::</b>				<b>Municipality:</b>	
<b>Lot::</b>				<b>Static Water Level::</b>	.2
<b>Completion Date::</b>	NOV-1969			<b>Sec. Water Use::</b>	
<b>Primary Water Use::</b>	Not Used				
<b>--Details--</b>					
<b>Stratum ID:</b>	218544873			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	0.1			<b>Stratum Desc:</b>	FILL,SILT,CLAY.
<b>Stratum ID:</b>	218544874			<b>Top Depth(m):</b>	0.1
<b>Bottom Depth(m):</b>	0.5			<b>Stratum Desc:</b>	FILL,SAND,GRAVEL, SILT. BROWN.
<b>Stratum ID:</b>	218544875			<b>Top Depth(m):</b>	0.5
<b>Bottom Depth(m):</b>	1.5			<b>Stratum Desc:</b>	SAND-MEDIUM,SILT. BROWN, WATER STABLE AT 356.5 FEET.00004, WATER STABLE AT

<u>44</u>	1 of 1	-/0.0	119.1/ 5.27	TORONTO ON	WWIS
<b>Well ID:</b>	7261873			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole			<b>Date Received:</b>	4/25/2016
<b>Sec. Water Use:</b>	0			<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Monitoring and Test Hole			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z213208			<b>Owner:</b>	
<b>Tag:</b>	A197705			<b>Street Name:</b>	36 NORTH QUEEN ST
<b>Construction Method:</b>				<b>County:</b>	YORK
<b>Elevation (m):</b>				<b>Municipality:</b>	ETOBICOKE BOROUGH
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1005937358			<b>Elevation:</b>	119.56
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	17
<b>Code OB:</b>				<b>East83:</b>	617860
<b>Code OB Desc:</b>				<b>Org CS:</b>	UTM83
<b>Open Hole:</b>				<b>North83:</b>	4831886
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	20-MAR-16			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>	1006041697				
<b>Layer:</b>	1				
<b>Color:</b>	8				
<b>General Color:</b>	BLACK				
<b>Mat1:</b>	27				
<b>Most Common Material:</b>	OTHER				
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>	0				
<b>Formation End Depth:</b>	.25				
<b>Formation End Depth UOM:</b>	ft				
<b>Formation ID:</b>	1006041700				
<b>Layer:</b>	4				
<b>Color:</b>	2				
<b>General Color:</b>	GREY				
<b>Mat1:</b>	06				
<b>Most Common Material:</b>	SILT				
<b>Mat2:</b>	28				
<b>Other Materials:</b>	SAND				
<b>Mat3:</b>	34				
<b>Other Materials:</b>	TILL				
<b>Formation Top Depth:</b>	7				
<b>Formation End Depth:</b>	9				
<b>Formation End Depth UOM:</b>	ft				
<b>Formation ID:</b>	1006041698				
<b>Layer:</b>	2				
<b>Color:</b>	6				
<b>General Color:</b>	BROWN				
<b>Mat1:</b>	28				
<b>Most Common Material:</b>	SAND				
<b>Mat2:</b>	11				
<b>Other Materials:</b>	GRAVEL				
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>	.25				
<b>Formation End Depth:</b>	2				
<b>Formation End Depth UOM:</b>	ft				
<b>Formation ID:</b>	1006041699				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Layer:</b>	3				
<b>Color:</b>	6				
<b>General Color:</b>	BROWN				
<b>Mat1:</b>	06				
<b>Most Common Material:</b>	SILT				
<b>Mat2:</b>	28				
<b>Other Materials:</b>	SAND				
<b>Mat3:</b>	34				
<b>Other Materials:</b>	TILL				
<b>Formation Top Depth:</b>	2				
<b>Formation End Depth:</b>	7				
<b>Formation End Depth UOM:</b>	ft				
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>	1006041709				
<b>Layer:</b>	2				
<b>Plug From:</b>	3				
<b>Plug To:</b>	0				
<b>Plug Depth UOM:</b>	ft				
<b>Plug ID:</b>	1006041710				
<b>Layer:</b>	3				
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>	ft				
<b>Plug ID:</b>	1006041708				
<b>Layer:</b>	1				
<b>Plug From:</b>	9				
<b>Plug To:</b>	3				
<b>Plug Depth UOM:</b>	ft				
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>	1006041707				
<b>Method Construction Code:</b>	D				
<b>Method Construction:</b>	Direct Push				
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>	1006041696				
<b>Casing No:</b>	0				
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>	1006041703				
<b>Layer:</b>	1				
<b>Material:</b>	5				
<b>Open Hole or Material:</b>	PLASTIC				
<b>Depth From:</b>	0				
<b>Depth To:</b>	4				
<b>Casing Diameter:</b>	2				
<b>Casing Diameter UOM:</b>	inch				
<b>Casing Depth UOM:</b>	ft				
<b><u>Construction Record - Screen</u></b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen ID:		1006041704			
Layer:		1			
Slot:		.10			
Screen Top Depth:		4			
Screen End Depth:		9			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.25			

**Water Details**

Water ID:	1006041702
Layer:	
Kind Code:	
Kind:	
Water Found Depth:	
Water Found Depth UOM:	ft

**Hole Diameter**

Hole ID:	1006041701
Diameter:	6
Depth From:	0
Depth To:	9
Hole Depth UOM:	ft
Hole Diameter UOM:	inch

45

1 of 1

-/0.0

118.8 / 5.00

TORONTO ON

WWIS

Well ID:	7261874
Construction Date:	
Primary Water Use:	Monitoring and Test Hole
Sec. Water Use:	0
Final Well Status:	Test Hole
Water Type:	
Casing Material:	
Audit No:	Z204670
Tag:	A183491
Construction Method:	
Elevation (m):	
Elevation Reliability:	
Depth to Bedrock:	
Well Depth:	
Overburden/Bedrock:	
Pump Rate:	
Static Water Level:	
Flowing (Y/N):	
Flow Rate:	
Clear/Cloudy:	

Data Entry Status:	
Data Src:	
Date Received:	4/25/2016
Selected Flag:	Yes
Abandonment Rec:	
Contractor:	7241
Form Version:	7
Owner:	
Street Name:	36 NORTH QUEEN ST
County:	YORK
Municipality:	ETOBICOKE BOROUGH
Site Info:	
Lot:	
Concession:	
Concession Name:	
Easting NAD83:	
Northing NAD83:	
Zone:	
UTM Reliability:	

**Bore Hole Information**

Bore Hole ID:	1005937361	Elevation:	119.52
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	617870
Code OB Desc:		Org CS:	UTM83
Open Hole:		North83:	4831902

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	10-MAR-16			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1006041712			
<b>Layer:</b>		1			
<b>Color:</b>		8			
<b>General Color:</b>		BLACK			
<b>Mat1:</b>		27			
<b>Most Common Material:</b>		OTHER			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		.25			
<b>Formation End Depth UOM:</b>		ft			
<b>Formation ID:</b>		1006041713			
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		11			
<b>Other Materials:</b>		GRAVEL			
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		.25			
<b>Formation End Depth:</b>		2			
<b>Formation End Depth UOM:</b>		ft			
<b>Formation ID:</b>		1006041714			
<b>Layer:</b>		3			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		06			
<b>Most Common Material:</b>		SILT			
<b>Mat2:</b>		28			
<b>Other Materials:</b>		SAND			
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		2			
<b>Formation End Depth:</b>		7			
<b>Formation End Depth UOM:</b>		ft			
<b>Formation ID:</b>		1006041715			
<b>Layer:</b>		4			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		06			
<b>Most Common Material:</b>		SILT			
<b>Mat2:</b>		28			
<b>Other Materials:</b>		SAND			
<b>Mat3:</b>					
<b>Other Materials:</b>					



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation Top Depth:</b>	7				
<b>Formation End Depth:</b>	10				
<b>Formation End Depth UOM:</b>	ft				
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>	1006041721				
<b>Layer:</b>	1				
<b>Plug From:</b>	10				
<b>Plug To:</b>	2				
<b>Plug Depth UOM:</b>	ft				
<b>Plug ID:</b>	1006043379				
<b>Layer:</b>	3				
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>	ft				
<b>Plug ID:</b>	1006043378				
<b>Layer:</b>	2				
<b>Plug From:</b>	2				
<b>Plug To:</b>	0				
<b>Plug Depth UOM:</b>	ft				
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>	1006041720				
<b>Method Construction Code:</b>	D				
<b>Method Construction:</b>	Direct Push				
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>	1006041711				
<b>Casing No:</b>	0				
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>	1006041718				
<b>Layer:</b>	1				
<b>Material:</b>	5				
<b>Open Hole or Material:</b>	PLASTIC				
<b>Depth From:</b>	0				
<b>Depth To:</b>	3				
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>	inch				
<b>Casing Depth UOM:</b>	ft				
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>	1006041719				
<b>Layer:</b>	1				
<b>Slot:</b>	.10				
<b>Screen Top Depth:</b>	3				
<b>Screen End Depth:</b>	10				
<b>Screen Material:</b>	5				
<b>Screen Depth UOM:</b>	ft				
<b>Screen Diameter UOM:</b>	inch				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Screen Diameter:

Water Details

Water ID: 1006041717  
 Layer:  
 Kind Code:  
 Kind:  
 Water Found Depth:  
 Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1006041716  
 Diameter: 6  
 Depth From: 0  
 Depth To: 10  
 Hole Depth UOM: ft  
 Hole Diameter UOM: inch

46      1 of 1      -/0.0      118.8 / 5.00      TORONTO ON      WWIS

Well ID: 7261875  
 Construction Date:  
 Primary Water Use: Monitoring and Test Hole  
 Sec. Water Use: 0  
 Final Well Status: Monitoring and Test Hole  
 Water Type:  
 Casing Material:  
 Audit No: Z213196  
 Tag: A200864  
 Construction Method:  
 Elevation (m):  
 Elevation Reliability:  
 Depth to Bedrock:  
 Well Depth:  
 Overburden/Bedrock:  
 Pump Rate:  
 Static Water Level:  
 Flowing (Y/N):  
 Flow Rate:  
 Clear/Cloudy:

Data Entry Status:  
 Data Src:  
 Date Received: 4/25/2016  
 Selected Flag: Yes  
 Abandonment Rec:  
 Contractor: 7241  
 Form Version: 7  
 Owner:  
 Street Name: 36 NORTH QUEEN ST  
 County: YORK  
 Municipality: ETOBICOKE BOROUGH  
 Site Info:  
 Lot:  
 Concession:  
 Concession Name:  
 Easting NAD83:  
 Northing NAD83:  
 Zone:  
 UTM Reliability:

Bore Hole Information

Bore Hole ID: 1005937364  
 DP2BR:  
 Spatial Status:  
 Code OB:  
 Code OB Desc:  
 Open Hole:  
 Cluster Kind:  
 Date Completed: 10-MAR-16  
 Remarks:  
 Elevrc Desc:  
 Location Source Date:  
 Improvement Location Source:  
 Improvement Location Method:  
 Source Revision Comment:  
 Supplier Comment:

Elevation: 119.4  
 Elevrc:  
 Zone: 17  
 East83: 617885  
 Org CS: UTM83  
 North83: 4831907  
 UTMRC: 4  
 UTMRC Desc: margin of error : 30 m - 100 m  
 Location Method: wwr

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Overburden and Bedrock  
Materials Interval

Formation ID: 1006041723  
 Layer: 1  
 Color: 8  
 General Color: BLACK  
 Mat1: 27  
 Most Common Material: OTHER  
 Mat2:  
 Other Materials:  
 Mat3:  
 Other Materials:  
 Formation Top Depth: 0  
 Formation End Depth: .25  
 Formation End Depth UOM: ft

Formation ID: 1006041726  
 Layer: 4  
 Color: 2  
 General Color: GREY  
 Mat1: 06  
 Most Common Material: SILT  
 Mat2: 28  
 Other Materials: SAND  
 Mat3:  
 Other Materials:  
 Formation Top Depth: 9  
 Formation End Depth: 15  
 Formation End Depth UOM: ft

Formation ID: 1006041724  
 Layer: 2  
 Color: 6  
 General Color: BROWN  
 Mat1: 28  
 Most Common Material: SAND  
 Mat2: 11  
 Other Materials: GRAVEL  
 Mat3:  
 Other Materials:  
 Formation Top Depth: .25  
 Formation End Depth: 2  
 Formation End Depth UOM: ft

Formation ID: 1006041725  
 Layer: 3  
 Color: 6  
 General Color: BROWN  
 Mat1: 06  
 Most Common Material: SILT  
 Mat2: 28  
 Other Materials: SAND  
 Mat3:  
 Other Materials:  
 Formation Top Depth: 2  
 Formation End Depth: 9  
 Formation End Depth UOM: ft

Annular Space/Abandonment  
Sealing Record

Plug ID: 1006041736

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Layer:</i>		3			
<i>Plug From:</i>					
<i>Plug To:</i>					
<i>Plug Depth UOM:</i>		ft			
<i>Plug ID:</i>		1006041735			
<i>Layer:</i>		2			
<i>Plug From:</i>		4			
<i>Plug To:</i>		0			
<i>Plug Depth UOM:</i>		ft			
<i>Plug ID:</i>		1006041734			
<i>Layer:</i>		1			
<i>Plug From:</i>		15			
<i>Plug To:</i>		4			
<i>Plug Depth UOM:</i>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<i>Method Construction ID:</i>		1006041733			
<i>Method Construction Code:</i>		D			
<i>Method Construction:</i>		Direct Push			
<i>Other Method Construction:</i>					
<b><u>Pipe Information</u></b>					
<i>Pipe ID:</i>		1006041722			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
<b><u>Construction Record - Casing</u></b>					
<i>Casing ID:</i>		1006041729			
<i>Layer:</i>		1			
<i>Material:</i>		5			
<i>Open Hole or Material:</i>		PLASTIC			
<i>Depth From:</i>		0			
<i>Depth To:</i>		5			
<i>Casing Diameter:</i>		2			
<i>Casing Diameter UOM:</i>		inch			
<i>Casing Depth UOM:</i>		ft			
<b><u>Construction Record - Screen</u></b>					
<i>Screen ID:</i>		1006041730			
<i>Layer:</i>		1			
<i>Slot:</i>		.10			
<i>Screen Top Depth:</i>		5			
<i>Screen End Depth:</i>		15			
<i>Screen Material:</i>		5			
<i>Screen Depth UOM:</i>		ft			
<i>Screen Diameter UOM:</i>		inch			
<i>Screen Diameter:</i>		2.25			
<b><u>Water Details</u></b>					
<i>Water ID:</i>		1006041728			
<i>Layer:</i>					
<i>Kind Code:</i>					
<i>Kind:</i>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		ft			
<b>Hole Diameter</b>					
<b>Hole ID:</b>		1006041727			
<b>Diameter:</b>		6			
<b>Depth From:</b>		0			
<b>Depth To:</b>		15			
<b>Hole Depth UOM:</b>		ft			
<b>Hole Diameter UOM:</b>		inch			

<a href="#">47</a>	1 of 1	-/0.0	118.2 / 4.40	ON	BORE
<b>Borehole ID:</b>		632745		<b>Type:</b> Borehole	
<b>Use:</b>		Geotechnical/Geological Investigation		<b>Status::</b>	
<b>Drill Method::</b>		Power auger		<b>UTM Zone::</b> 17	
<b>Easting::</b>		617925		<b>Northing::</b> 4831923	
<b>Location Accuracy::</b>				<b>Orig. Ground Elev m::</b> 121	
<b>Elev. Reliability</b>				<b>DEM Ground Elev m::</b> 119	
<b>Note::</b>				<b>Primary Name::</b>	
<b>Total Depth m::</b>		7.6		<b>Concession::</b>	
<b>Township::</b>				<b>Municipality:</b>	
<b>Lot::</b>				<b>Static Water Level::</b> .8	
<b>Completion Date::</b>		JUL-1965		<b>Sec. Water Use::</b>	
<b>Primary Water Use::</b>		Not Used			
<b>--Details--</b>					
<b>Stratum ID:</b>		218463800		<b>Top Depth(m):</b> 0.0	
<b>Bottom Depth(m):</b>		0.9		<b>Stratum Desc:</b> SILT,ORGANIC. GREEN,AGE POST-GLACIAL.	
<b>Stratum ID:</b>		218463801		<b>Top Depth(m):</b> 0.9	
<b>Bottom Depth(m):</b>		1.6		<b>Stratum Desc:</b> SILT,SAND. BROWN,LACUSTRINE,LOOSE, AGE GLACIAL, WATER STABLE AT 397.5 FEET.	
<b>Stratum ID:</b>		218463802		<b>Top Depth(m):</b> 1.6	
<b>Bottom Depth(m):</b>		2.7		<b>Stratum Desc:</b> SILT,SAND. BROWN,LACUSTRINE,DENSE, LAYERED,AGE GLACIAL.	
<b>Stratum ID:</b>		218463803		<b>Top Depth(m):</b> 2.7	
<b>Bottom Depth(m):</b>		4.6		<b>Stratum Desc:</b> SILT,SAND,GRAVEL. BROWN,LACUSTRINE,DENSE, AGE GLACIAL.	
<b>Stratum ID:</b>		218463804		<b>Top Depth(m):</b> 4.6	
<b>Bottom Depth(m):</b>		7.6		<b>Stratum Desc:</b> SILT,SAND. GREY,LACUSTRINE,VERY DENSE, AGE GLACIAL. 0003000400053018000901000009AGE GLACIAL	

<a href="#">48</a>	1 of 2	-/0.0	117.8 / 4.00	ON	BORE
<b>Borehole ID:</b>		632746		<b>Type:</b> Borehole	
<b>Use:</b>		Geotechnical/Geological Investigation		<b>Status::</b>	
<b>Drill Method::</b>		Power auger		<b>UTM Zone::</b> 17	
<b>Easting::</b>		617945		<b>Northing::</b> 4831933	
<b>Location Accuracy::</b>				<b>Orig. Ground Elev m::</b> 121	
<b>Elev. Reliability</b>				<b>DEM Ground Elev m::</b> 118	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Note::</b>					
Total Depth m::	67.2			Primary Name::	
Township::				Concession::	
Lot::				Municipality:	
Completion Date::	JUL-1965			Static Water Level::	.6
Primary Water Use::	Not Used			Sec. Water Use::	
<b>--Details--</b>					
Stratum ID:	218463805			Top Depth(m):	0.0
Bottom Depth(m):	0.9			Stratum Desc:	FILL,ORGANIC,SILT, GRAVEL. BLACK.
Stratum ID:	218463806			Top Depth(m):	0.9
Bottom Depth(m):	1.5			Stratum Desc:	SILT,SAND-MEDIUM, ORGANIC. BROWN,AGE GLACIAL, WATER STABLE AT 398.0 FEET.
Stratum ID:	218463807			Top Depth(m):	1.5
Bottom Depth(m):	2.7			Stratum Desc:	SILT,SAND. GREY,BROWN,LACUSTRINE,DENSE, AGE GLACIAL.
Stratum ID:	218463808			Top Depth(m):	2.7
Bottom Depth(m):	4.6			Stratum Desc:	SILT,SAND,GRAVEL. GREY,LACUSTRINE,VERY DENSE, AGE GLACIAL.
Stratum ID:	218463809			Top Depth(m):	4.6
Bottom Depth(m):	4.8			Stratum Desc:	SAND,GRAVEL. GREY,LACUSTRINE,AGE GLACIAL.
Stratum ID:	218463810			Top Depth(m):	4.8
Bottom Depth(m):	5.8			Stratum Desc:	SILT,SAND-MEDIUM, GRAVEL. GREY,BROWN,LACUSTRINE, AGE GLACIAL.
Stratum ID:	218463811			Top Depth(m):	5.8
Bottom Depth(m):	67.2			Stratum Desc:	SILT,SAND. GREY,LACUSTRINE,AGE GLACIAL. 00030005000500230009005000007
<b>48</b>	<b>2 of 2</b>	<b>-/0.0</b>	<b>117.8 / 4.00</b>	<b>ON</b>	<b>BORE</b>
Borehole ID:	632739			Type:	Borehole
Use:	Geotechnical/Geological Investigation			Status::	
Drill Method::	Power auger			UTM Zone::	17
Easting::	617945			Northing::	4831933
Location Accuracy::				Orig. Ground Elev m::	121
Elev. Reliability				DEM Ground Elev m::	118
Note::				Primary Name::	
Total Depth m::	6			Concession::	
Township::				Municipality:	
Completion Date::	JUL-1965			Static Water Level::	.6
Primary Water Use::	Not Used			Sec. Water Use::	
<b>--Details--</b>					
Stratum ID:	218463774			Top Depth(m):	4.8
Bottom Depth(m):	5.8			Stratum Desc:	SAND-MEDIUM,SILT. BROWN,LACUSTRINE,VERY DENSE, AGE GLACIAL.
Stratum ID:	218463775			Top Depth(m):	5.8
Bottom Depth(m):	6.0			Stratum Desc:	SAND-MEDIUM,SILT. GREY,LACUSTRINE,AGE GLACIAL.

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Stratum ID:</b> <b>Bottom Depth(m):</b>	218463776 6.0			<b>Top Depth(m):</b> <b>Stratum Desc:</b>	6.0 SILT,SAND. AGE GLACIAL. 000300050005004500006
<b>Stratum ID:</b> <b>Bottom Depth(m):</b>	218463769 0.9			<b>Top Depth(m):</b> <b>Stratum Desc:</b>	0.0 ORGANIC. BROWN,AGE POST-GLACIAL.
<b>Stratum ID:</b> <b>Bottom Depth(m):</b>	218463770 1.5			<b>Top Depth(m):</b> <b>Stratum Desc:</b>	0.9 SILT,SAND,GRAVEL. RUST,AGE GLACIAL, WATER STABLE AT 398.1 FEET.
<b>Stratum ID:</b> <b>Bottom Depth(m):</b>	218463771 2.7			<b>Top Depth(m):</b> <b>Stratum Desc:</b>	1.5 SAND,SILT,GRAVEL. LACUSTRINE,AGE GLACIAL.
<b>Stratum ID:</b> <b>Bottom Depth(m):</b>	218463772 4.6			<b>Top Depth(m):</b> <b>Stratum Desc:</b>	2.7 SILT,SAND-MEDIUM, SAND-FINE. LACUSTRINE,AGE GLACIAL.
<b>Stratum ID:</b> <b>Bottom Depth(m):</b>	218463773 4.8			<b>Top Depth(m):</b> <b>Stratum Desc:</b>	4.6 SAND,GRAVEL. BROWN,LACUSTRINE,AGE GLACIAL.

49

1 of 2

-0.0

117.8 / 4.00

ON

BORE

**Borehole ID:** 632744  
**Use:** Geotechnical/Geological Investigation  
**Drill Method::** Power auger  
**Easting::** 617965  
**Location Accuracy::**  
**Elev. Reliability**  
**Note::**  
**Total Depth m::** 7.9  
**Township::**  
**Lot::**  
**Completion Date::** JUL-1965  
**Primary Water Use::** Not Used

**Type:** Borehole  
**Status::**  
**UTM Zone::** 17  
**Northing::** 4831943  
**Orig. Ground Elev m::** 121  
**DEM Ground Elev m::** 118

**Primary Name::**  
**Concession::**  
**Municipality:**  
**Static Water Level::** .6  
**Sec. Water Use::**

**--Details--**

<b>Stratum ID:</b> <b>Bottom Depth(m):</b>	218463793 0.9			<b>Top Depth(m):</b> <b>Stratum Desc:</b>	0.0 FILL,ORGANIC,SAND. BROWN.
<b>Stratum ID:</b> <b>Bottom Depth(m):</b>	218463794 1.5			<b>Top Depth(m):</b> <b>Stratum Desc:</b>	0.9 FILL,SILT,SAND. BLACK,OXIDIZED, WATER STABLE AT 398.1 FEET.
<b>Stratum ID:</b> <b>Bottom Depth(m):</b>	218463795 2.7			<b>Top Depth(m):</b> <b>Stratum Desc:</b>	1.5 SILT,SAND,CLAY, GRAVEL. BROWN,LACUSTRINE,LAYERED, AGE GLACIAL.
<b>Stratum ID:</b> <b>Bottom Depth(m):</b>	218463796 4.4			<b>Top Depth(m):</b> <b>Stratum Desc:</b>	2.7 SILT,SAND-MEDIUM. BROWN,LACUSTRINE,LAYERED, AGE GLACIAL.
<b>Stratum ID:</b> <b>Bottom Depth(m):</b>	218463797 5.8			<b>Top Depth(m):</b> <b>Stratum Desc:</b>	4.4 SILT,SAND,GRAVEL. GREY,LACUSTRINE,LAYERED, AGE GLACIAL.
<b>Stratum ID:</b>	218463798			<b>Top Depth(m):</b>	5.8

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Bottom Depth(m):</b>	6.0			<b>Stratum Desc:</b>	SAND-FINE TO MEDIUM, GRAVEL. BROWN, LACUSTRINE, AGE GLACIAL.
<b>Stratum ID:</b>	218463799			<b>Top Depth(m):</b>	6.0
<b>Bottom Depth(m):</b>	7.9			<b>Stratum Desc:</b>	SAND, SILT, GRAVEL, SHALE. GREY, LACUSTRINE, DENSE, AGE GLACIAL. 000300060005003000090040001450400019

<u>49</u>	2 of 2	-/0.0	117.8 / 4.00	ON	BORE
<b>Borehole ID:</b>	632743			<b>Type:</b>	Borehole
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Status::</b>	
<b>Drill Method::</b>	Power auger			<b>UTM Zone::</b>	17
<b>Easting::</b>	617965			<b>Northing::</b>	4831943
<b>Location Accuracy::</b>				<b>Orig. Ground Elev m::</b>	121
<b>Elev. Reliability</b>				<b>DEM Ground Elev m::</b>	118
<b>Note::</b>				<b>Primary Name::</b>	
<b>Total Depth m::</b>	7.6			<b>Concession::</b>	
<b>Township::</b>				<b>Municipality:</b>	
<b>Lot::</b>				<b>Static Water Level::</b>	-999.9
<b>Completion Date::</b>	JUL-1965			<b>Sec. Water Use::</b>	
<b>Primary Water Use::</b>	Not Used				
<b>--Details--</b>					
<b>Stratum ID:</b>	218463791			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	2.9			<b>Stratum Desc:</b>	SILT, SAND-MEDIUM. BROWN, LACUSTRINE, VERY DENSE, AGE GLACIAL.
<b>Stratum ID:</b>	218463792			<b>Top Depth(m):</b>	2.9
<b>Bottom Depth(m):</b>	7.6			<b>Stratum Desc:</b>	SILT, SAND-FINE TO MEDIUM. GREY, LACUSTRINE, VERY DENSE, AGE GLACIAL. 00095100

<u>50</u>	1 of 6	SSE/0.7	109.8 / -4.00	CANADIAN PACIFIC RAILWAYS OBICO INTERMODAL TERMINAL ETOBICOKE STATION 36 NORTH QUEEN STREET TORONTO CITY ON	SPL
<b>Ref No:</b>	198498			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>	4/16/2001			<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	
<b>Incident Cause:</b>	UNKNOWN			<b>Source Type:</b>	
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>				<b>Site Name:</b>	
<b>Contaminant Name:</b>				<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>	Possible			<b>Site Municipality:</b>	01106
<b>Nature of Impact:</b>	Air Pollution			<b>Site Lot:</b>	
<b>Receiving Medium:</b>	Land			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>Health/Env Conseq:</b>				<b>Easting:</b>	
<b>MOE Response:</b>				<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	4/17/2001			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>					
<b>SAC Action Class:</b>					



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Incident Reason:</b>		UNKNOWN			
<b>Incident Summary:</b>		CPR CAR WITH CONTAINER PAINT SPILLED TO LAND CLEANED UP PHILIPS			
<a href="#">50</a>	2 of 6	SSE/0.7	109.8 / -4.00	CANADIAN PACIFIC RAILWAYS OBICO YARD IN WEST TORONTO. TRAIN TORONTO CITY ON	SPL
<b>Ref No:</b>	225178			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>	5/11/2002			<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	
<b>Incident Cause:</b>	OTHER CONTAINER LEAK			<b>Source Type:</b>	
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>				<b>Site Name:</b>	
<b>Contaminant Name:</b>				<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>	NOT ANTICIPATED			<b>Site Municipality:</b>	01106
<b>Nature of Impact:</b>	Other			<b>Site Lot:</b>	
<b>Receiving Medium:</b>	LAND			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>Health/Env Conseq:</b>				<b>Easting:</b>	
<b>MOE Response:</b>				<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	5/11/2002			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>					
<b>SAC Action Class:</b>					
<b>Incident Reason:</b>	EQUIPMENT FAILURE				
<b>Incident Summary:</b>	C.P.RAIL- 15 L OF SODIUM HYDROXIDE TO GROUND FROM PARKED RAIL CONTAINER.				
<a href="#">50</a>	3 of 6	SSE/0.7	109.8 / -4.00	CANADIAN PACIFIC RAILWAYS OBICO YARD, MILEAGE 9.6, GALT SUBDIVISION TRAIN TORONTO ON	SPL
<b>Ref No:</b>	182061			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>	6/12/2000			<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	
<b>Incident Cause:</b>	OTHER CONTAINER LEAK			<b>Source Type:</b>	
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>				<b>Site Name:</b>	
<b>Contaminant Name:</b>				<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>	POSSIBLE			<b>Site Municipality:</b>	1106
<b>Nature of Impact:</b>	Soil contamination			<b>Site Lot:</b>	
<b>Receiving Medium:</b>	LAND			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>Health/Env Conseq:</b>				<b>Easting:</b>	
<b>MOE Response:</b>				<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	6/12/2000			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>					
<b>SAC Action Class:</b>					
<b>Incident Reason:</b>	UNKNOWN				
<b>Incident Summary:</b>	CPR: SPILL OF UNK VOLUME RED GRAPE JUICE TO TRACKS FROM BUFFALO TO TORONTO.				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">50</a>	4 of 6	SSE/0.7	109.8 / -4.00	CP EXPRESS & TRANSPORT NORTH QUEEN STREET YARD TRANSPORT TRUCK (CARGO) TORONTO CITY ON	SPL
<b>Ref No:</b>	110486			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>	3/2/1995			<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	
<b>Incident Cause:</b>	OTHER TRANSPORTATION ACCIDENT			<b>Source Type:</b>	
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>				<b>Site Name:</b>	
<b>Contaminant Name:</b>				<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>	NOT ANTICIPATED			<b>Site Municipality:</b>	1106
<b>Nature of Impact:</b>				<b>Site Lot:</b>	
<b>Receiving Medium:</b>	LAND			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>Health/Env Conseq:</b>				<b>Easting:</b>	
<b>MOE Response:</b>				<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	3/2/1995			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>					
<b>SAC Action Class:</b>					
<b>Incident Reason:</b>	ADVERSE ROAD CONDITION				
<b>Incident Summary:</b>	CP RAIL:100L DIESEL FUEL TO GROUND. CLEAN UP ON-GOING				
<a href="#">50</a>	5 of 6	SSE/0.7	109.8 / -4.00	CANADIAN PACIFIC RAILWAYS NORTH QUEEN ETOBICOKE STATION 36 NORTH QUEEN STREET TORONTO CITY ON	SPL
<b>Ref No:</b>	97690			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>	3/23/1994			<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	
<b>Incident Cause:</b>	UNKNOWN			<b>Source Type:</b>	
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>				<b>Site Name:</b>	
<b>Contaminant Name:</b>				<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>	POSSIBLE			<b>Site Municipality:</b>	1106
<b>Nature of Impact:</b>	Soil contamination			<b>Site Lot:</b>	
<b>Receiving Medium:</b>	LAND			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>Health/Env Conseq:</b>				<b>Easting:</b>	
<b>MOE Response:</b>				<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	3/23/1994			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>					
<b>SAC Action Class:</b>					
<b>Incident Reason:</b>	UNKNOWN				
<b>Incident Summary:</b>	CP RAIL - SMALL AMOUNT OF POISONOUS LIQUID ONTO GROUND				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">50</a>	6 of 6	SSE/0.7	109.8 / -4.00	CANADIAN PACIFIC RAILWAYS CAMPUS SUBDIVISION, OBICOE ON JOINT TRACKS. TRAIN TORONTO CITY ON	SPL
<b>Ref No:</b>	89152			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>	7/30/1993			<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	
<b>Incident Cause:</b>	PIPE/HOSE LEAK			<b>Source Type:</b>	
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>				<b>Site Name:</b>	
<b>Contaminant Name:</b>				<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>	CONFIRMED			<b>Site Municipality:</b>	01106
<b>Nature of Impact:</b>	Soil contamination			<b>Site Lot:</b>	
<b>Receiving Medium:</b>	LAND			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>Health/Env Conseq:</b>				<b>Easting:</b>	
<b>MOE Response:</b>				<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	7/30/1993			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>					
<b>SAC Action Class:</b>					
<b>Incident Reason:</b>	ERROR				
<b>Incident Summary:</b>	CANADIAN PACIFIC-LOCOMOT-IVE LEAK OF 340 L OF LUBEOIL TO RAILTRACKS.				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">51</a>	1 of 1	SSE/5.7	110.8 / -3.00	ON	BORE
<b>Borehole ID:</b>	654862			<b>Type:</b>	Borehole
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Status:</b>	
<b>Drill Method::</b>	Power auger			<b>UTM Zone::</b>	17
<b>Easting::</b>	618140			<b>Northing::</b>	4831118
<b>Location Accuracy::</b>				<b>Orig. Ground Elev m::</b>	108
<b>Elev. Reliability Note::</b>				<b>DEM Ground Elev m::</b>	114
<b>Total Depth m::</b>	1.5			<b>Primary Name::</b>	
<b>Township::</b>				<b>Concession::</b>	
<b>Lot::</b>				<b>Municipality:</b>	
<b>Completion Date::</b>	NOV-1969			<b>Static Water Level::</b>	.2
<b>Primary Water Use::</b>	Not Used			<b>Sec. Water Use::</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>	218544876			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	0.0			<b>Stratum Desc:</b>	SOIL.
<b>Stratum ID:</b>	218544877			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	0.1			<b>Stratum Desc:</b>	FILL,SILT,CLAY.
<b>Stratum ID:</b>	218544878			<b>Top Depth(m):</b>	0.1
<b>Bottom Depth(m):</b>	0.5			<b>Stratum Desc:</b>	FILL,SAND,GRAVEL, SILT. BROWN.
<b>Stratum ID:</b>	218544879			<b>Top Depth(m):</b>	0.5
<b>Bottom Depth(m):</b>	0.7			<b>Stratum Desc:</b>	SOIL,SAND. WATER STABLE AT 356.5 FEET.
<b>Stratum ID:</b>	218544880			<b>Top Depth(m):</b>	0.7
<b>Bottom Depth(m):</b>	1.5			<b>Stratum Desc:</b>	SAND-MEDIUM,SILT. BROWN. 00004

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">52</a>	1 of 1	SE/7.6	110.7 / -3.18	ON	BORE
<b>Borehole ID:</b>	641619			<b>Type:</b>	Borehole
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Status::</b>	
<b>Drill Method::</b>	Power auger			<b>UTM Zone::</b>	17
<b>Easting::</b>	618275			<b>Northing::</b>	4831243
<b>Location Accuracy::</b>				<b>Orig. Ground Elev m::</b>	112
<b>Elev. Reliability Note::</b>				<b>DEM Ground Elev m::</b>	112
<b>Total Depth m::</b>	4.7			<b>Primary Name::</b>	
<b>Township::</b>				<b>Concession::</b>	
<b>Lot::</b>				<b>Municipality:</b>	
<b>Completion Date::</b>	APR-1969			<b>Static Water Level::</b>	.5
<b>Primary Water Use::</b>	Not Used			<b>Sec. Water Use::</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>	218496748			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	0.2			<b>Stratum Desc:</b>	ASPHALT.
<b>Stratum ID:</b>	218496749			<b>Top Depth(m):</b>	0.2
<b>Bottom Depth(m):</b>	0.5			<b>Stratum Desc:</b>	FILL,SILT,SAND,CLAY.BLACK,COMPACT.
<b>Stratum ID:</b>	218496750			<b>Top Depth(m):</b>	0.5
<b>Bottom Depth(m):</b>	1.7			<b>Stratum Desc:</b>	FILL,SAND,SILT, GRAVEL. BROWN,COMPACT, WATER STABLE AT 368.5 FEET.
<b>Stratum ID:</b>	218496751			<b>Top Depth(m):</b>	1.7
<b>Bottom Depth(m):</b>	2.1			<b>Stratum Desc:</b>	FILL,SILT,CLAY, GRAVEL. GREY,STIFF.
<b>Stratum ID:</b>	218496752			<b>Top Depth(m):</b>	2.1
<b>Bottom Depth(m):</b>	4.6			<b>Stratum Desc:</b>	SAND,SILT,GRAVEL. GREY,GLACIAL,DENSE, AGE GLACIAL.
<b>Stratum ID:</b>	218496753			<b>Top Depth(m):</b>	4.6
<b>Bottom Depth(m):</b>	4.7			<b>Stratum Desc:</b>	BEDROCK,SHALE. GREY,WEATHERED,AGE ORDOVICIAN. 006 009 015 0000502600
<a href="#">53</a>	1 of 7	S/10.7	112.8 / -1.00	ATLAS INDUSTRIAL RECYCLING LTD 46 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	AUWR
<b>Headcode:</b>	01169400				
<b>Headcode Desc:</b>	SCRAP METALS				
<b>Phone:</b>					
<b>List Name:</b>					
<b>Description:</b>					
<a href="#">53</a>	2 of 7	S/10.7	112.8 / -1.00	E.Valente Holdings Ltd 46 North Queen St. Bldg. 2 Toronto ON	GEN
<b>Generator No.:</b>	ON6437024			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2013			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	531310				
<b>SIC Description:</b>	REAL ESTATE PROPERTY MANAGERS				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>--Details--</b>					
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<a href="#">53</a>	3 of 7	S/10.7	112.8 / -1.00	J.F. LARSEN LTD. 46 NORTH QUEEN ST. ETOBICOKE ON M8Z 2C4	22-552 GEN
<b>Generator No.:</b>		ON1700200		<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>		92,93,94,95,96,97,98		<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>		0169			
<b>SIC Description:</b>		OTHER HORT. SPEC.			
<b>--Details--</b>					
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<a href="#">53</a>	4 of 7	S/10.7	112.8 / -1.00	J.F. LARSEN LIMITED 46 NORTH QUEEN STREET ETOBICOKE ON M8E 2C4	GEN
<b>Generator No.:</b>		ON1700200		<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>		99,00,01		<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>		0169			
<b>SIC Description:</b>		OTHER HORT. SPEC.			
<b>--Details--</b>					
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<a href="#">53</a>	5 of 7	S/10.7	112.8 / -1.00	CLINTAR GROUNDSKEEPING SERVICE 46 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	PES
<b>Licence No:</b>				<b>Operator Box:</b>	
<b>Detail Licence No:</b>				<b>Operator Class:</b>	
<b>Licence Type Code:</b>				<b>Operator No:</b>	
<b>Licence Type:</b>		Operator		<b>Operator Type:</b>	
<b>Licence Class:</b>				<b>Operator Lot:</b>	
<b>Licence Control:</b>				<b>Oper Concession:</b>	
<b>Trade Name:</b>				<b>Operator Region:</b>	
<b>Post Office Box:</b>				<b>Operator District:</b>	
<b>Lot:</b>				<b>Operator County:</b>	
<b>Concession:</b>				<b>Oper Phone Area Cd:</b>	
<b>Region:</b>				<b>Ext:</b>	
<b>District:</b>				<b>Oper Phone No:</b>	
<b>County:</b>				<b>Proponent Ext:</b>	
<a href="#">53</a>	6 of 7	S/10.7	112.8 / -1.00	J.F. LARSEN LIMITED 46 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	PES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Licence No:</b> <b>Detail Licence No:</b> <b>Licence Type Code:</b> <b>Licence Type:</b> Operator <b>Licence Class:</b> <b>Licence Control:</b> <b>Trade Name:</b> <b>Post Office Box:</b> <b>Lot:</b> <b>Concession:</b> <b>Region:</b> <b>District:</b> <b>County:</b>				<b>Operator Box:</b> <b>Operator Class:</b> <b>Operator No:</b> <b>Operator Type:</b> <b>Operator Lot:</b> <b>Oper Concession:</b> <b>Operator Region:</b> <b>Operator District:</b> <b>Operator County:</b> <b>Oper Phone Area Cd:</b> <b>Ext:</b> <b>Oper Phone No:</b> <b>Proponent Ext:</b>	
<a href="#">53</a>	7 of 7	S/10.7	112.8 / -1.00	Two Star Design 46 North Queen St Etobicoke ON M8Z 2C4	SC7
<b>Established:</b> 01-JUN-71 <b>Plant Size (ft²):</b> 1000 <b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>		All Other Non-Metallic Mineral Product Manufacturing			
<b>SIC/NAICS Code:</b>		327990			
<b>Description:</b>		Other Concrete Product Manufacturing			
<b>SIC/NAICS Code:</b>		327390			
<a href="#">54</a>	1 of 1	N/11.8	117.8 / 4.00	TORONTO ON	WWIS
<b>Well ID:</b> 7261849 <b>Construction Date:</b> <b>Primary Water Use:</b> Monitoring and Test Hole <b>Sec. Water Use:</b> 0 <b>Final Well Status:</b> Monitoring and Test Hole <b>Water Type:</b> <b>Casing Material:</b> <b>Audit No:</b> Z229441 <b>Tag:</b> A195074 <b>Construction Method:</b> <b>Elevation (m):</b> <b>Elevation Reliability:</b> <b>Depth to Bedrock:</b> <b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>				<b>Data Entry Status:</b> <b>Data Src:</b> <b>Date Received:</b> 4/25/2016 <b>Selected Flag:</b> Yes <b>Abandonment Rec:</b> <b>Contractor:</b> 7241 <b>Form Version:</b> 7 <b>Owner:</b> <b>Street Name:</b> 36 NORTH QUEEN STREET <b>County:</b> YORK <b>Municipality:</b> ETOBICOKE BOROUGH <b>Site Info:</b> WKQ-008783 A0-A02 <b>Lot:</b> <b>Concession:</b> <b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>	
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b> 1005937286				<b>Elevation:</b> 118.69	
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b> 17	
<b>Code OB:</b>				<b>East83:</b> 617993	
<b>Code OB Desc:</b>				<b>Org CS:</b> UTM83	

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Open Hole:</b>				<b>North83:</b>	4831967
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	30-MAR-16			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1006041359			
<b>Layer:</b>		3			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		06			
<b>Most Common Material:</b>		SILT			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>		66			
<b>Other Materials:</b>			DENSE		
<b>Formation Top Depth:</b>		12			
<b>Formation End Depth:</b>		30			
<b>Formation End Depth UOM:</b>		ft			
<b>Formation ID:</b>		1006041360			
<b>Layer:</b>		4			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		17			
<b>Most Common Material:</b>		SHALE			
<b>Mat2:</b>		92			
<b>Other Materials:</b>			WEATHERED		
<b>Mat3:</b>		73			
<b>Other Materials:</b>			HARD		
<b>Formation Top Depth:</b>		30			
<b>Formation End Depth:</b>		38			
<b>Formation End Depth UOM:</b>		ft			
<b>Formation ID:</b>		1006041358			
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		06			
<b>Most Common Material:</b>		SILT			
<b>Mat2:</b>		28			
<b>Other Materials:</b>			SAND		
<b>Mat3:</b>		66			
<b>Other Materials:</b>			DENSE		
<b>Formation Top Depth:</b>		6			
<b>Formation End Depth:</b>		12			
<b>Formation End Depth UOM:</b>		ft			
<b>Formation ID:</b>		1006041357			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		06			
<b>Other Materials:</b>			SILT		
<b>Mat3:</b>		77			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Other Materials:</b>		LOOSE			
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		6			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1006041368			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		.5			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1006041369			
<b>Layer:</b>		2			
<b>Plug From:</b>		.5			
<b>Plug To:</b>		32			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1006041370			
<b>Layer:</b>		3			
<b>Plug From:</b>		32			
<b>Plug To:</b>		38			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1006041367			
<b>Method Construction Code:</b>		D			
<b>Method Construction:</b>		Direct Push			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1006041356			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1006041363			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		33			
<b>Casing Diameter:</b>		2			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1006041364			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		33			
<b>Screen End Depth:</b>		38			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		ft			



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Screen Diameter UOM:</b>		inch			
<b>Screen Diameter:</b>		2.25			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1006041362			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		ft			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1006041361			
<b>Diameter:</b>		3.75			
<b>Depth From:</b>		0			
<b>Depth To:</b>		38			
<b>Hole Depth UOM:</b>		ft			
<b>Hole Diameter UOM:</b>		inch			

<a href="#">55</a>	1 of 1	SSE/15.9	110.8 / -3.00	STEED & EVANS LTD. NORTH QUEEN & VANSKO MOTOR VEHICLE (OPERATING FLUID) TORONTO CITY ON	SPL
<b>Ref No:</b>		81894		<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>		2/16/1993		<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	
<b>Incident Cause:</b>		OTHER TRANSPORTATION ACCIDENT		<b>Source Type:</b>	
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>				<b>Site Name:</b>	
<b>Contaminant Name:</b>				<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>		POSSIBLE		<b>Site Municipality:</b> 01106	
<b>Nature of Impact:</b>		Water course or lake		<b>Site Lot:</b>	
<b>Receiving Medium:</b>		LAND / WATER		<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>Health/Env Conseq:</b>				<b>Easting:</b>	
<b>MOE Response:</b>				<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>		2/16/1993		<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>					
<b>SAC Action Class:</b>					
<b>Incident Reason:</b>		ERROR			
<b>Incident Summary:</b>		STEED AND EVANS LIMITED -450L DIESEL FUEL TO ROAD & STORM SEWER.			

<a href="#">56</a>	1 of 13	WSW/16.2	116.1 / 2.27	North Star Landscaping Inc. 24 Newbridge Rd Etobicoke Toronto ON M8Z 2L7	CA
<b>Certificate #:</b>		1307-8G3HLZ			
<b>Application Year:</b>		2011			
<b>Issue Date:</b>		4/21/2011			
<b>Approval Type:</b>		Waste Management Systems			
<b>Status:</b>		Approved			
<b>Application Type:</b>					
<b>Client Name::</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Client Address::</b> <b>Client City::</b> <b>Client Postal Code::</b> <b>Project Description::</b> <b>Contaminants::</b> <b>Emission Control::</b>					
<a href="#">56</a>	2 of 13	WSW/16.2	116.1 / 2.27	North Star Landscaping Inc. 24 Newbridge Rd Etobicoke Toronto ON M8Z 2L7	ECA
<b>Approval No:</b> 1307-8G3HLZ <b>Approval Date:</b> 2011-04-21 <b>Status:</b> Approved <b>Record Type:</b> ECA <b>Link Source:</b> IDS <b>Approval Type:</b> ECA-WASTE MANAGEMENT SYSTEMS <b>Project Type:</b> WASTE MANAGEMENT SYSTEMS <b>Address:</b> 24 Newbridge Rd Etobicoke <b>Full Address:</b> <b>Full PDF Link:</b> <a href="https://www.accessenvironment.ene.gov.on.ca/instruments/1789-8EKU3R-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/1789-8EKU3R-14.pdf</a>					
<b>SWP Area Name:</b> Toronto <b>MOE District:</b> Toronto <b>City:</b> Toronto <b>Longitude:</b> -79.54008 <b>Latitude:</b> 43.626984					
<a href="#">56</a>	3 of 13	WSW/16.2	116.1 / 2.27	North Star Landscaping Inc. 24 Newbridge Road Etobicoke ON M8Z 2L7	GEN
<b>Generator No.:</b> ON8595976 <b>Status:</b> <b>Approval Years:</b> 2014 <b>Contam. Facility:</b> No <b>MHSW Facility:</b> No <b>SIC Code:</b> 561730 <b>SIC Description:</b> LANDSCAPING SERVICES					
<b>PO Box No.:</b> <b>Country:</b> Canada <b>Choice of Contact:</b> CO_OFFICIAL <b>Co Admin:</b> Donna L. Kwiatkowski <b>Phone No. Admin:</b> 416-239-0227 Ext.					
<b>--Details--</b> <b>Waste Code:</b> 251 <b>Waste Description:</b> OIL SKIMMINGS & SLUDGES					
<a href="#">56</a>	4 of 13	WSW/16.2	116.1 / 2.27	North Star Landscaping Inc. 24 Newbridge Road Etobicoke ON M8Z 2L7	GEN
<b>Generator No.:</b> ON8595976 <b>Status:</b> <b>Approval Years:</b> 2015 <b>Contam. Facility:</b> No <b>MHSW Facility:</b> No <b>SIC Code:</b> 561730 <b>SIC Description:</b> LANDSCAPING SERVICES					
<b>PO Box No.:</b> <b>Country:</b> Canada <b>Choice of Contact:</b> CO_OFFICIAL <b>Co Admin:</b> Donna L. Kwiatkowski <b>Phone No. Admin:</b> 416-239-0227 Ext.					
<b>--Details--</b> <b>Waste Code:</b> 251 <b>Waste Description:</b> OIL SKIMMINGS & SLUDGES					
<a href="#">56</a>	5 of 13	WSW/16.2	116.1 / 2.27	North Star Landscaping Inc. 24 Newbridge Road Etobicoke ON M8Z 2L7	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<p><b>Generator No.:</b> ON8595976  <b>Status:</b> Registered  <b>Approval Years:</b> As of Dec 2017  <b>Contam. Facility:</b>  <b>MHSW Facility:</b>  <b>SIC Code:</b>  <b>SIC Description:</b></p> <p><b>PO Box No.:</b>  <b>Country:</b> Canada  <b>Choice of Contact:</b>  <b>Co Admin:</b>  <b>Phone No. Admin:</b></p>					
<b>--Details--</b>					
<p><b>Waste Code:</b> 251 L  <b>Waste Description:</b> Waste oils/sludges (petroleum based)</p>					
<a href="#">56</a>	6 of 13	WSW/16.2	116.1 / 2.27	North Star Landscaping Inc. 24 Newbridge Road Etobicoke ON M8Z 2L7	GEN
<p><b>Generator No.:</b> ON8595976  <b>Status:</b>  <b>Approval Years:</b> 2016  <b>Contam. Facility:</b> No  <b>MHSW Facility:</b> No  <b>SIC Code:</b> 561730  <b>SIC Description:</b> LANDSCAPING SERVICES</p> <p><b>PO Box No.:</b>  <b>Country:</b> Canada  <b>Choice of Contact:</b> CO_OFFICIAL  <b>Co Admin:</b> Donna L. Kwiatkowski  <b>Phone No. Admin:</b> 416-239-0227 Ext.</p>					
<b>--Details--</b>					
<p><b>Waste Code:</b> 251  <b>Waste Description:</b> OIL SKIMMINGS &amp; SLUDGES</p>					
<a href="#">56</a>	7 of 13	WSW/16.2	116.1 / 2.27	North Star Landscaping Inc. 24 Newbridge Road Etobicoke ON M8Z 2L7	GEN
<p><b>Generator No.:</b> ON8595976  <b>Status:</b>  <b>Approval Years:</b> 2009  <b>Contam. Facility:</b>  <b>MHSW Facility:</b>  <b>SIC Code:</b> 561730  <b>SIC Description:</b> Landscaping Services</p> <p><b>PO Box No.:</b>  <b>Country:</b>  <b>Choice of Contact:</b>  <b>Co Admin:</b>  <b>Phone No. Admin:</b></p>					
<b>--Details--</b>					
<p><b>Waste Code:</b> 251  <b>Waste Description:</b> OIL SKIMMINGS &amp; SLUDGES</p>					
<a href="#">56</a>	8 of 13	WSW/16.2	116.1 / 2.27	North Star Landscaping Inc. 24 Newbridge Road Etobicoke ON M8Z 2L7	GEN
<p><b>Generator No.:</b> ON8595976  <b>Status:</b>  <b>Approval Years:</b> 2011  <b>Contam. Facility:</b>  <b>MHSW Facility:</b>  <b>SIC Code:</b> 561730  <b>SIC Description:</b> Landscaping Services</p> <p><b>PO Box No.:</b>  <b>Country:</b>  <b>Choice of Contact:</b>  <b>Co Admin:</b>  <b>Phone No. Admin:</b></p>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>--Details--</b>					
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<a href="#">56</a>	9 of 13	WSW/16.2	116.1 / 2.27	North Star Landscaping Inc. 24 Newbridge Road Etobicoke ON M8Z 2L7	GEN
<b>Generator No.:</b>		ON8595976		<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>		2012		<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>		561730			
<b>SIC Description:</b>		Landscaping Services			
<b>--Details--</b>					
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<a href="#">56</a>	10 of 13	WSW/16.2	116.1 / 2.27	North Star Landscaping Inc. 24 Newbridge Road Etobicoke ON M8Z 2L7	GEN
<b>Generator No.:</b>		ON8595976		<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>		2010		<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>		561730			
<b>SIC Description:</b>		Landscaping Services			
<b>--Details--</b>					
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<a href="#">56</a>	11 of 13	WSW/16.2	116.1 / 2.27	North Star Landscaping Inc. 24 Newbridge Road Etobicoke ON M8Z 2L7	GEN
<b>Generator No.:</b>		ON8595976		<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>		03,04,05,06,07,08		<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>		561730			
<b>SIC Description:</b>		Landscaping Services			
<b>--Details--</b>					
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<a href="#">56</a>	12 of 13	WSW/16.2	116.1 / 2.27	North Star Landscaping Inc. 24 Newbridge Road Etobicoke ON	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Generator No.:</b>	ON8595976			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2013			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	561730				
<b>SIC Description:</b>	LANDSCAPING SERVICES				
<b>--Details--</b>					
<b>Waste Code:</b>	251				
<b>Waste Description:</b>	OIL SKIMMINGS & SLUDGES				
<a href="#">56</a>	13 of 13	WSW/16.2	116.1 / 2.27	<b>MIMICO CONSTRUCTION CO.LTD. 27-606 CADCAN BATTERY CORP. 24 NEWBRIDGE ROAD ETOBICOKE ON M8Z 2L7</b>	<b>GEN</b>
<b>Generator No.:</b>	ON1654900			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	92,93,94,95,96,97,98			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	4122				
<b>SIC Description:</b>	WATERWORKS & SEWAGE				
<b>--Details--</b>					
<b>Waste Code:</b>	121				
<b>Waste Description:</b>	ALKALINE WASTES - HEAVY METALS				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<a href="#">57</a>	1 of 13	NW/17.9	118.2 / 4.33	<b>Hydro One Networks Inc. 30 Lockport Avenue Toronto M8Z 2R7 CITY OF TORONTO ON</b>	<b>EBR</b>
<b>Company Name:</b>	Hydro One Networks Inc.				
<b>EBR Registry No.:</b>	012-6300				
<b>Ministry Ref. No.:</b>	6320-A3VKKC				
<b>Notice Type:</b>	Instrument Decision				
<b>Notice Date:</b>	December 07, 2016				
<b>Proposal Date:</b>	January 05, 2016				
<b>Year:</b>	2016				
<b>Proponent Address:</b>	483 Bay Street, Toronto Ontario, Canada M5G 2P5				
<b>Instrument Type:</b>	(EPA Part II.1-air) - Environmental Compliance Approval (project type: air)				
<b>Location Other:</b>					
<b>Location:</b>					
	30 Lockport Avenue Toronto M8Z 2R7 CITY OF TORONTO				
<a href="#">57</a>	2 of 13	NW/17.9	118.2 / 4.33	<b>Hydro One Networks Inc. 30 Lockport Ave Lot 7, Concession 4 Toronto ON M5G 2P5</b>	<b>ECA</b>
<b>Approval No.:</b>	4920-66LT9V			<b>SWP Area Name:</b>	Toronto
<b>Approval Date:</b>	2004-11-12			<b>MOE District:</b>	Toronto

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Status:</b> Revoked and/or Replaced <b>Record Type:</b> ECA <b>Link Source:</b> IDS <b>Approval Type:</b> ECA-AIR <b>Project Type:</b> AIR <b>Address:</b> 30 Lockport Ave Lot 7, Concession 4 <b>Full Address:</b> <b>Full PDF Link:</b> <a href="https://www.accessenvironment.ene.gov.on.ca/instruments/7625-5XRK3W-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/7625-5XRK3W-14.pdf</a>					
<a href="#">57</a>	3 of 13	NW/17.9	118.2 / 4.33	<b>Hydro One Networks Inc.</b> 30 Lockport Ave Lot 7, Concession 4 Toronto ON M5G 2P5	ECA
<b>Approval No:</b> 3668-AFZRAS <b>Approval Date:</b> 2016-11-28 <b>Status:</b> Approved <b>Record Type:</b> ECA <b>Link Source:</b> IDS <b>Approval Type:</b> ECA-AIR <b>Project Type:</b> AIR <b>Address:</b> 30 Lockport Ave Lot 7, Concession 4 <b>Full Address:</b> <b>Full PDF Link:</b> <a href="https://www.accessenvironment.ene.gov.on.ca/instruments/6320-A3VKKC-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/6320-A3VKKC-14.pdf</a>					
<a href="#">57</a>	4 of 13	NW/17.9	118.2 / 4.33	<b>HYDRO ONE NETWORKS INC.</b> INVESTMENT RECOVERY 30 LOCKPORT AVENUE ETOBICOKE ON M8Z 2R7	GEN
<b>Generator No.:</b> ON2044401 <b>Status:</b> <b>Approval Years:</b> 02,03,04,05,06,07,08 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> <b>SIC Description:</b>					
<b>--Details--</b>					
<b>Waste Code:</b> 243					
<b>Waste Description:</b> PCB'S					
<b>Waste Code:</b> 243					
<b>Waste Description:</b> PCB'S					
<b>Waste Code:</b> 266					
<b>Waste Description:</b> PHENOLIC WASTES					
<b>Waste Code:</b> 112					
<b>Waste Description:</b> ACID WASTE - HEAVY METALS					
<b>Waste Code:</b> 121					
<b>Waste Description:</b> ALKALINE WASTES - HEAVY METALS					
<b>Waste Code:</b> 212					
<b>Waste Description:</b> ALIPHATIC SOLVENTS					
<b>Waste Code:</b> 221					
<b>Waste Description:</b> LIGHT FUELS					
<b>Waste Code:</b> 241					
<b>Waste Description:</b> HALOGENATED SOLVENTS					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		263			
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>		146			
<b>Waste Description:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		122			
<b>Waste Description:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		269			
<b>Waste Description:</b>		NON-HALOGENATED PESTICIDES			

<a href="#">57</a>	5 of 13	NW/17.9	118.2 / 4.33	HYDRO ONE NETWORKS INC. Investment Recovery 30 LOCKPORT AVENUE ETOBICOKE ON	GEN
<b>Generator No.:</b>	ON2044401			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2013			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	221122				
<b>SIC Description:</b>	ELECTRIC POWER DISTRIBUTION				
<b>--Details--</b>					
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		263			
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		112			
<b>Waste Description:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Code:</b>		251			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		241			
<b>Waste Description:</b>		HALOGENATED SOLVENTS			
<b>Waste Code:</b>		269			
<b>Waste Description:</b>		NON-HALOGENATED PESTICIDES			
<b>Waste Code:</b>		122			
<b>Waste Description:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Code:</b>		266			
<b>Waste Description:</b>		PHENOLIC WASTES			
<b>Waste Code:</b>		243			
<b>Waste Description:</b>		PCBS			
<b>Waste Code:</b>		146			
<b>Waste Description:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Code:</b>		121			
<b>Waste Description:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			

<b>57</b>	<b>6 of 13</b>	<b>NW/17.9</b>	<b>118.2 / 4.33</b>	<b>HYDRO ONE NETWORKS INC. Investment Recovery 30 LOCKPORT AVENUE ETOBICOKE ON M8Z 2R7</b>	<b>GEN</b>
<b>Generator No.:</b>	ON2044401			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2012			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	221122				
<b>SIC Description:</b>	Electric Power Distribution				
<b>--Details--</b>					
<b>Waste Code:</b>	112				
<b>Waste Description:</b>	ACID WASTE - HEAVY METALS				
<b>Waste Code:</b>	145				
<b>Waste Description:</b>	PAINT/PIGMENT/COATING RESIDUES				
<b>Waste Code:</b>	263				
<b>Waste Description:</b>	ORGANIC LABORATORY CHEMICALS				
<b>Waste Code:</b>	148				
<b>Waste Description:</b>	INORGANIC LABORATORY CHEMICALS				
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<b>Waste Code:</b>	269				
<b>Waste Description:</b>	NON-HALOGENATED PESTICIDES				



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Code:</b>		241			
<b>Waste Description:</b>		HALOGENATED SOLVENTS			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		243			
<b>Waste Description:</b>		PCBS			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		121			
<b>Waste Description:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Code:</b>		266			
<b>Waste Description:</b>		PHENOLIC WASTES			
<b>Waste Code:</b>		146			
<b>Waste Description:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			
<b>Waste Code:</b>		122			
<b>Waste Description:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			

<b>57</b>	<b>7 of 13</b>	<b>NW/17.9</b>	<b>118.2 / 4.33</b>	<b>HYDRO ONE NETWORKS INC. Investment Recovery 30 LOCKPORT AVENUE ETOBICOKE ON M8Z 2R7</b>	<b>GEN</b>
<b>Generator No.:</b>	ON2044401			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2010			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	221122				
<b>SIC Description:</b>	Electric Power Distribution				
<b>--Details--</b>					
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Code:</b>	269				
<b>Waste Description:</b>	NON-HALOGENATED PESTICIDES				
<b>Waste Code:</b>	122				
<b>Waste Description:</b>	ALKALINE WASTES - OTHER METALS				
<b>Waste Code:</b>	331				
<b>Waste Description:</b>	WASTE COMPRESSED GASES				
<b>Waste Code:</b>	221				
<b>Waste Description:</b>	LIGHT FUELS				
<b>Waste Code:</b>	145				
<b>Waste Description:</b>	PAINT/PIGMENT/COATING RESIDUES				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		263			
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		112			
<b>Waste Description:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Code:</b>		266			
<b>Waste Description:</b>		PHENOLIC WASTES			
<b>Waste Code:</b>		121			
<b>Waste Description:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		241			
<b>Waste Description:</b>		HALOGENATED SOLVENTS			
<b>Waste Code:</b>		146			
<b>Waste Description:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Code:</b>		243			
<b>Waste Description:</b>		PCBS			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			

<b>57</b>	<b>8 of 13</b>	<b>NW/17.9</b>	<b>118.2 / 4.33</b>	<b>HYDRO ONE NETWORKS INC. Investment Recovery 30 LOCKPORT AVENUE ETOBICOKE ON M8Z 2R7</b>	<b>GEN</b>
<b>Generator No.:</b>	ON2044401			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2009			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	221122				
<b>SIC Description:</b>	Electric Power Distribution				
<b>--Details--</b>					
<b>Waste Code:</b>		112			
<b>Waste Description:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Code:</b>		121			
<b>Waste Description:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Code:</b>		122			
<b>Waste Description:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>		146			
<b>Waste Description:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Code:</b>		148			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		241			
<b>Waste Description:</b>		HALOGENATED SOLVENTS			
<b>Waste Code:</b>		243			
<b>Waste Description:</b>		PCBS			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		263			
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		266			
<b>Waste Description:</b>		PHENOLIC WASTES			
<b>Waste Code:</b>		269			
<b>Waste Description:</b>		NON-HALOGENATED PESTICIDES			
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			
<a href="#"><u>57</u></a>	9 of 13	NW/17.9	118.2 / 4.33	<b>HYDRO ONE NETWORKS INC.</b> Investment Recovery 30 LOCKPORT AVENUE ETOBICOKE ON M8Z 2R7	GEN
<b>Generator No.:</b>	ON2044401			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2011			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	221122				
<b>SIC Description:</b>	Electric Power Distribution				
<b>--Details--</b>					
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		122			
<b>Waste Description:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Code:</b>		146			
<b>Waste Description:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Code:</b>		241			
<b>Waste Description:</b>		HALOGENATED SOLVENTS			
<b>Waste Code:</b>		243			
<b>Waste Description:</b>		PCBS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			
<b>Waste Code:</b>		266			
<b>Waste Description:</b>		PHENOLIC WASTES			
<b>Waste Code:</b>		269			
<b>Waste Description:</b>		NON-HALOGENATED PESTICIDES			
<b>Waste Code:</b>		112			
<b>Waste Description:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Code:</b>		263			
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		121			
<b>Waste Description:</b>		ALKALINE WASTES - HEAVY METALS			

<a href="#">57</a>	10 of 13	NW/17.9	118.2 / 4.33	<b>HYDRO ONE NETWORKS INC.</b> Investment Recovery 30 LOCKPORT AVENUE ETOBICOKE ON M8Z 2R7	GEN
<b>Generator No.:</b>	ON2044401			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2016			<b>Choice of Contact:</b>	CO_ADMIN
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	Mike Harvey
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b>	866-782-4489 Ext.
<b>SIC Code:</b>	221122				
<b>SIC Description:</b>	ELECTRIC POWER DISTRIBUTION				
<b>--Details--</b>					
<b>Waste Code:</b>	212				
<b>Waste Description:</b>	ALIPHATIC SOLVENTS				
<b>Waste Code:</b>	269				
<b>Waste Description:</b>	NON-HALOGENATED PESTICIDES				
<b>Waste Code:</b>	263				
<b>Waste Description:</b>	ORGANIC LABORATORY CHEMICALS				
<b>Waste Code:</b>	122				
<b>Waste Description:</b>	ALKALINE WASTES - OTHER METALS				
<b>Waste Code:</b>	145				
<b>Waste Description:</b>	PAINT/PIGMENT/COATING RESIDUES				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		146			
<b>Waste Description:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Code:</b>		112			
<b>Waste Description:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		241			
<b>Waste Description:</b>		HALOGENATED SOLVENTS			
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			
<b>Waste Code:</b>		121			
<b>Waste Description:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Code:</b>		243			
<b>Waste Description:</b>		PCBS			
<b>Waste Code:</b>		266			
<b>Waste Description:</b>		PHENOLIC WASTES			

<b>57</b>	<b>11 of 13</b>	<b>NW/17.9</b>	<b>118.2 / 4.33</b>	<b>HYDRO ONE NETWORKS INC. Investment Recovery 30 LOCKPORT AVENUE ETOBICOKE ON M8Z 2R7</b>	<b>GEN</b>
<b>Generator No.:</b>	ON2044401			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2014			<b>Choice of Contact:</b>	CO_ADMIN
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	Mike Harvey
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b>	866-782-4489 Ext.
<b>SIC Code:</b>	221122				
<b>SIC Description:</b>	ELECTRIC POWER DISTRIBUTION				
<b>--Details--</b>					
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<b>Waste Code:</b>	145				
<b>Waste Description:</b>	PAINT/PIGMENT/COATING RESIDUES				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Code:</b>	269				
<b>Waste Description:</b>	NON-HALOGENATED PESTICIDES				
<b>Waste Code:</b>	251				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		243			
<b>Waste Description:</b>		PCBS			
<b>Waste Code:</b>		146			
<b>Waste Description:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Code:</b>		122			
<b>Waste Description:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		263			
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		121			
<b>Waste Description:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Code:</b>		241			
<b>Waste Description:</b>		HALOGENATED SOLVENTS			
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		266			
<b>Waste Description:</b>		PHENOLIC WASTES			
<b>Waste Code:</b>		112			
<b>Waste Description:</b>		ACID WASTE - HEAVY METALS			

<b>57</b>	<b>12 of 13</b>	<b>NW/17.9</b>	<b>118.2 / 4.33</b>	<b>HYDRO ONE NETWORKS INC. Investment Recovery 30 LOCKPORT AVENUE ETOBICOKE ON M8Z 2R7</b>	<b>GEN</b>
<b>Generator No.:</b>	ON2044401			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2015			<b>Choice of Contact:</b>	CO_ADMIN
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	Mike Harvey
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b>	866-782-4489 Ext.
<b>SIC Code:</b>	221122				
<b>SIC Description:</b>	ELECTRIC POWER DISTRIBUTION				
<b>--Details--</b>					
<b>Waste Code:</b>	122				
<b>Waste Description:</b>	ALKALINE WASTES - OTHER METALS				
<b>Waste Code:</b>	241				
<b>Waste Description:</b>	HALOGENATED SOLVENTS				
<b>Waste Code:</b>	263				
<b>Waste Description:</b>	ORGANIC LABORATORY CHEMICALS				
<b>Waste Code:</b>	148				
<b>Waste Description:</b>	INORGANIC LABORATORY CHEMICALS				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Code:</b>		243			
<b>Waste Description:</b>		PCBS			
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		269			
<b>Waste Description:</b>		NON-HALOGENATED PESTICIDES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		112			
<b>Waste Description:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Code:</b>		121			
<b>Waste Description:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Code:</b>		266			
<b>Waste Description:</b>		PHENOLIC WASTES			
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>		146			
<b>Waste Description:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			

[57](#)

13 of 13

NW/17.9

118.2 / 4.33

**HYDRO ONE NETWORKS INC.**  
**Investment Recovery 30 LOCKPORT AVENUE**  
**ETOBICOKE ON M8Z 2R7**

GEN

**Generator No.:** ON2044401  
**Status:** Registered  
**Approval Years:** As of Dec 2017  
**Contam. Facility:**  
**MHSW Facility:**  
**SIC Code:**  
**SIC Description:**

**PO Box No.:**  
**Country:** Canada  
**Choice of Contact:**  
**Co Admin:**  
**Phone No. Admin:**

**--Details--**

**Waste Code:** 213 I  
**Waste Description:** Petroleum distillates

**Waste Code:** 221 I  
**Waste Description:** Light fuels

**Waste Code:** 146 T  
**Waste Description:** Other specified inorganic sludges, slurries or solids

**Waste Code:** 148 B  
**Waste Description:** Misc. wastes and inorganic chemicals

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Code:</b> 146 L <b>Waste Description:</b> Other specified inorganic sludges, slurries or solids					
<b>Waste Code:</b> 145 I <b>Waste Description:</b> Wastes from the use of pigments, coatings and paints					
<b>Waste Code:</b> 269 T <b>Waste Description:</b> Organic non-halogenated pesticide and herbicide wastes					
<b>Waste Code:</b> 252 L <b>Waste Description:</b> Waste crankcase oils and lubricants					
<b>Waste Code:</b> 251 T <b>Waste Description:</b> Waste oils/sludges (petroleum based)					
<b>Waste Code:</b> 331 I <b>Waste Description:</b> Waste compressed gases including cylinders					
<b>Waste Code:</b> 243 D <b>Waste Description:</b> PCB					
<b>Waste Code:</b> 251 L <b>Waste Description:</b> Waste oils/sludges (petroleum based)					
<a href="#">58</a>	1 of 7	WNW/21.8	116.9 / 3.03	INLAND TRACKED EQUIPMENT 25 LOCKPORT AVENUE TORONTO ON M8Z 5K7	GEN
<b>Generator No.:</b> ON0445701 <b>Status:</b> <b>Approval Years:</b> 99,00,01 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> 5721 <b>SIC Description:</b> CONSTR./FOREST. MACH.					
<b>PO Box No.:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No. Admin:</b>					
<b>--Details--</b> <b>Waste Code:</b> 252 <b>Waste Description:</b> WASTE OILS & LUBRICANTS					
<a href="#">58</a>	2 of 7	WNW/21.8	116.9 / 3.03	INLAND TRACKED EQUIPMENT 25 LOCKPORT AVE. TORONTO ON M8Z 2R6	21-264 GEN
<b>Generator No.:</b> ON0445701 <b>Status:</b> <b>Approval Years:</b> 94,95,96 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> 5721 <b>SIC Description:</b> CONSTR./FOREST. MACH					
<b>PO Box No.:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No. Admin:</b>					
<b>--Details--</b> <b>Waste Code:</b> 252 <b>Waste Description:</b> WASTE OILS & LUBRICANTS					
<a href="#">58</a>	3 of 7	WNW/21.8	116.9 / 3.03	INLAND TRACKED EQUIPMENT 25 LOCKPORT AVE.	GEN



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>TORONTO ON M8Z 2R6</b>					
<b>Generator No.:</b>	ON0445701			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	92,93,97,98			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	5721				
<b>SIC Description:</b>		CONSTR./FOREST. MACH			
<b>--Details--</b>					
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<a href="#"><u>58</u></a>	4 of 7	WNW/21.8	116.9 / 3.03	<b>INLAND TRACKED EQUIPMENT 25 LOCKPORT AVE. TORONTO ON M8Z 2R6</b>	<b>GEN</b>
<b>Generator No.:</b>	ON0445701			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	86,87,88,89,90			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	3231				
<b>SIC Description:</b>		MOTOR VEHICLE IND.			
<b>--Details--</b>					
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<a href="#"><u>58</u></a>	5 of 7	WNW/21.8	116.9 / 3.03	<b>ALTON TRUCK INDUSTRIES 25 LOCKPORT ROAD 55 SHORNCLIFFE ROAD (SITE) TORONTO ON M8Z 2R6</b>	<b>GEN</b>
<b>Generator No.:</b>	ON0296900			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	86,87,88,89,90,92,93,94			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	0000				
<b>SIC Description:</b>		*** NOT DEFINED ***			
<a href="#"><u>58</u></a>	6 of 7	WNW/21.8	116.9 / 3.03	<b>Inland Tracked Equipment 25 Lockport Ave Toronto ON M8Z 2R6</b>	<b>SCT</b>
<b>Established:</b>		01-AUG-58			
<b>Plant Size (ft²):</b>		10000			
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>		Construction Machinery Manufacturing			
<b>SIC/NAICS Code:</b>		333120			
<b>Description:</b>		All Other General-Purpose Machinery Manufacturing			
<b>SIC/NAICS Code:</b>		333990			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Description:</b>		Agricultural Implement Manufacturing			
<b>SIC/NAICS Code:</b>		333110			
<b>Description:</b>		Industrial Machinery, Equipment and Supplies Wholesaler-Distributors			
<b>SIC/NAICS Code:</b>		417230			
<b>Description:</b>		New and Used Automobile and Light-Duty Truck Wholesaler-Distributors			
<b>SIC/NAICS Code:</b>		415110			
<b>Description:</b>		Other Transportation Equipment Manufacturing			
<b>SIC/NAICS Code:</b>		336990			
<b>Description:</b>		Recreational and Other Motor Vehicles Wholesaler-Distributors			
<b>SIC/NAICS Code:</b>		415190			
<b>Description:</b>		Material Handling Equipment Manufacturing			
<b>SIC/NAICS Code:</b>		333920			
<b>Description:</b>		Farm, Lawn and Garden Machinery and Equipment Wholesaler-Distributors			
<b>SIC/NAICS Code:</b>		417110			
<b>Description:</b>		Industrial Machinery, Equipment and Supplies Wholesaler-Distributors			
<b>SIC/NAICS Code:</b>		417230			
<b>Description:</b>		Construction and Forestry Machinery, Equipment and Supplies Wholesaler-Distributors			
<b>SIC/NAICS Code:</b>		417210			
<a href="#">58</a>	7 of 7	<b>WNW/21.8</b>	<b>116.9 / 3.03</b>	<b>Acheson Bros. Ltd. 25 Lockport Ave Toronto ON M8Z 2R6</b>	<b>SCT</b>
<b>Established:</b>		01-OCT-58			
<b>Plant Size (ft²):</b>		12000			
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>		Construction, Transportation, Mining, and Forestry Machinery and Equipment Rental and Leasing			
<b>SIC/NAICS Code:</b>		532410			
<a href="#">59</a>	1 of 30	<b>WSW/21.9</b>	<b>115.8 / 2.00</b>	<b>25 Newbridge Road Toronto ON M8Z 2L6</b>	<b>CA</b>
<b>Certificate #:</b>		3610-4QHMRA			
<b>Application Year:</b>		01			
<b>Issue Date:</b>		4/20/01			
<b>Approval Type:</b>		Industrial air			
<b>Status:</b>		Revoked and/or Replaced			
<b>Application Type:</b>		New Certificate of Approval			
<b>Client Name::</b>		Global Egg Corporation			
<b>Client Address::</b>		25 Newbridge Road			
<b>Client City::</b>		Toronto			
<b>Client Postal Code::</b>		M8Z 2L6			
<b>Project Description::</b>		Addition to Egg Plant to increase production			
<b>Contaminants::</b>					
<b>Emission Control::</b>					
<a href="#">59</a>	2 of 30	<b>WSW/21.9</b>	<b>115.8 / 2.00</b>	<b>25 Newbridge Road Toronto ON M8Z 2L6</b>	<b>CA</b>

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>Certificate #:</b> <b>Application Year:</b> <b>Issue Date:</b> <b>Approval Type:</b> <b>Status:</b> <b>Application Type:</b> <b>Client Name::</b> <b>Client Address::</b> <b>Client City::</b> <b>Client Postal Code::</b> <b>Project Description::</b>  <b>Contaminants::</b> <b>Emission Control::</b>		0400-4VWJUJ 01 4/20/01 Industrial air Approved Amended CofA Global Egg Corporation 25 Newbridge Road Toronto M8Z 2L6 This application is for the addition of a cooker fueled by natural gas used for cooking liquid eggs. This oven will discharge to atmosphere through an outdoor stack.			
<a href="#">59</a>	3 of 30	WSW/21.9	115.8 / 2.00	<b>Cargill Limited</b> 25 Newbridge Rd Toronto ON M8Z 2L6	CA
<b>Certificate #:</b> <b>Application Year:</b> <b>Issue Date:</b> <b>Approval Type:</b> <b>Status:</b> <b>Application Type:</b> <b>Client Name::</b> <b>Client Address::</b> <b>Client City::</b> <b>Client Postal Code::</b> <b>Project Description::</b> <b>Contaminants::</b> <b>Emission Control::</b>		1556-7B3NUL 2008 1/31/2008 Air Approved			
<a href="#">59</a>	4 of 30	WSW/21.9	115.8 / 2.00	<b>Global Egg Corporation</b> 25 Newbridge Road Toronto Ontario Toronto ON	EBR
<b>Company Name:</b> <b>EBR Registry No.:</b> <b>Ministry Ref. No.:</b> <b>Notice Type:</b> <b>Notice Date:</b> <b>Proposal Date:</b> <b>Year:</b> <b>Proponent Address:</b> <b>Instrument Type:</b> <b>Location Other:</b>  <b>Location:</b>  25 Newbridge Road Toronto Ontario Toronto		Global Egg Corporation IA01E0362 3808-4UTRW2 Instrument Decision November 23, 2001 March 15, 2001 2001 25 Newbridge Road, Toronto Ontario, M8Z 2L6 (EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)			
<a href="#">59</a>	5 of 30	WSW/21.9	115.8 / 2.00	<b>Cargill Egg Products</b> 25 Newbridge Road Toronto Municipality Of Metropolitan Toronto CITY OF TORONTO ON	EBR
<b>Company Name:</b> <b>EBR Registry No.:</b> <b>Ministry Ref. No.:</b>		Cargill Egg Products 010-0220 7061-6ZCNFP			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Notice Type:</b> <b>Notice Date:</b> <b>Proposal Date:</b> <b>Year:</b> <b>Proponent Address:</b> <b>Instrument Type:</b> <b>Location Other:</b>		Instrument Decision July 11, 2008 March 30, 2007 2007 25 Newbridge Road , 300, Etobicoke Ontario, Canada M8Z 2L6 (EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)			
<b>Location:</b> 25 Newbridge Road Toronto Municipality Of Metropolitan Toronto CITY OF TORONTO					
<a href="#">59</a>	6 of 30	WSW/21.9	115.8 / 2.00	<b>Cargill Limited</b> 25 Newbridge Road Toronto, Municipality Of Metropolitan Toronto CITY OF TORONTO ON	EBR
<b>Company Name:</b> <b>EBR Registry No.:</b> <b>Ministry Ref. No.:</b> <b>Notice Type:</b> <b>Notice Date:</b> <b>Proposal Date:</b> <b>Year:</b> <b>Proponent Address:</b> <b>Instrument Type:</b> <b>Location Other:</b>		Cargill Limited 011-9343 2511-96VP7E Instrument Decision February 07, 2014 June 07, 2013 2013 25 Newbridge Road, Toronto Ontario, Canada M8Z 2L6 (EPA Part II.1-air) - Environmental Compliance Approval (project type: air)			
<b>Location:</b> 25 Newbridge Road Toronto, Municipality Of Metropolitan Toronto CITY OF TORONTO					
<a href="#">59</a>	7 of 30	WSW/21.9	115.8 / 2.00	<b>Global Egg Corporation</b> 25 Newbridge Road Toronto ON M8Z 2L6	ECA
<b>Approval No:</b> <b>Approval Date:</b> <b>Status:</b> <b>Record Type:</b> <b>Link Source:</b> <b>Approval Type:</b> <b>Project Type:</b> <b>Address:</b> <b>Full Address:</b> <b>Full PDF Link:</b>		0400-4VWJUJ 2001-04-20 Revoked and/or Replaced ECA IDS ECA-AIR AIR 25 Newbridge Road https://www.accessenvironment.ene.gov.on.ca/instruments/3808-4UTRW2-14.pdf		<b>SWP Area Name:</b> <b>MOE District:</b> <b>City:</b> <b>Longitude:</b> <b>Latitude:</b>	Toronto Toronto Toronto -79.54203 43.626038
<a href="#">59</a>	8 of 30	WSW/21.9	115.8 / 2.00	<b>Cargill Limited</b> 25 Newbridge Rd Toronto ON M8Z 2L6	ECA
<b>Approval No:</b> <b>Approval Date:</b> <b>Status:</b> <b>Record Type:</b> <b>Link Source:</b> <b>Approval Type:</b> <b>Project Type:</b> <b>Address:</b>		8813-9FJLDK 2014-01-30 Approved ECA IDS ECA-AIR AIR 25 Newbridge Rd		<b>SWP Area Name:</b> <b>MOE District:</b> <b>City:</b> <b>Longitude:</b> <b>Latitude:</b>	Toronto Toronto Toronto -79.54203 43.626038

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Full Address:</b>					
<b>Full PDF Link:</b> <a href="https://www.accessenvironment.ene.gov.on.ca/instruments/2511-96VP7E-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/2511-96VP7E-14.pdf</a>					
<a href="#">59</a>	9 of 30	WSW/21.9	115.8 / 2.00	<b>Cargill Limited</b> 25 Newbridge Rd Toronto ON M8Z 2L6	ECA
<b>Approval No:</b>		1556-7B3NUL		<b>SWP Area Name:</b> Toronto	
<b>Approval Date:</b>		2008-01-31		<b>MOE District:</b> Toronto	
<b>Status:</b>		Revoked and/or Replaced		<b>City:</b> Toronto	
<b>Record Type:</b>		ECA		<b>Longitude:</b> -79.54203	
<b>Link Source:</b>		IDS		<b>Latitude:</b> 43.626038	
<b>Approval Type:</b>		ECA-AIR			
<b>Project Type:</b>		AIR			
<b>Address:</b>		25 Newbridge Rd			
<b>Full Address:</b>					
<b>Full PDF Link:</b> <a href="https://www.accessenvironment.ene.gov.on.ca/instruments/7061-6ZCNFP-13.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/7061-6ZCNFP-13.pdf</a>					
<a href="#">59</a>	10 of 30	WSW/21.9	115.8 / 2.00	<b>Global Egg Corporation</b> 25 Newbridge Road Toronto ON M8Z 2L6	ECA
<b>Approval No:</b>		3610-4QHMRA		<b>SWP Area Name:</b> Toronto	
<b>Approval Date:</b>		2001-04-20		<b>MOE District:</b> Toronto	
<b>Status:</b>		Revoked and/or Replaced		<b>City:</b> Toronto	
<b>Record Type:</b>		ECA		<b>Longitude:</b> -79.54203	
<b>Link Source:</b>		IDS		<b>Latitude:</b> 43.626038	
<b>Approval Type:</b>		ECA-AIR			
<b>Project Type:</b>		AIR			
<b>Address:</b>		25 Newbridge Road			
<b>Full Address:</b>					
<b>Full PDF Link:</b> <a href="https://www.accessenvironment.ene.gov.on.ca/instruments/3271-4PKNTN-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/3271-4PKNTN-14.pdf</a>					
<a href="#">59</a>	11 of 30	WSW/21.9	115.8 / 2.00	<b>25 Newbridge Road</b> Etobicoke ON	EHS
<b>Order ID:</b>		475724		<b>Date Received:</b> 30-AUG-16	
<b>Order No:</b>		20160830131		<b>Lot/Building Size:</b>	
<b>Customer ID:</b>		141030		<b>Municipality:</b>	
<b>Company ID:</b>		87129		<b>Client Prov/State:</b> ON	
<b>Status:</b>		C		<b>Search Radius (km):</b> .25	
<b>Report Code:</b>		3CAN		<b>Large Radius:</b> .35	
<b>Report Type:</b>		Standard Report		<b>X:</b> -79.539911	
<b>Report Date:</b>		01-SEP-16		<b>Y:</b> 43.626258	
<b>Report Requested by:</b>		Ramboll Environ Canada Inc			
<b>Nearest Intersection:</b>					
<b>Previous Site Name:</b>					
<b>Additional Info Ordered:</b>					
<a href="#">59</a>	12 of 30	WSW/21.9	115.8 / 2.00	<b>Cargill Kitchen Solutions, div. of Cargill Limited</b> 25 Newbridge Rd., Etobicoke ON M8Z 2L6	GEN
<b>Generator No.:</b>		ON7927653		<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>		2010		<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>		311410, 311990			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>SIC Description:</b>		Frozen Food Manufacturing, All Other Food Manufacturing			
<b>--Details--</b>					
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		262			
<b>Waste Description:</b>		DETERGENTS/SOAPS			
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		263			
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			
<a href="#">59</a>	13 of 30	WSW/21.9	115.8 / 2.00	<b>Cargill Kitchen Solutions, div. of Cargill Limited 25 Newbridge Rd., Etobicoke ON M8Z 2L6</b>	<b>GEN</b>
<b>Generator No.:</b>	ON7927653			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	07,08			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	311410 311990				
<b>SIC Description:</b>		Frozen Food Manufacturing, All Other Food Manufacturing			
<b>--Details--</b>					
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		262			
<b>Waste Description:</b>		DETERGENTS/SOAPS			
<b>Waste Code:</b>		263			
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			
<a href="#">59</a>	14 of 30	WSW/21.9	115.8 / 2.00	<b>Cargill Kitchen Solutions, div. of Cargill Limited 25 Newbridge Rd., Etobicoke ON M8Z 2L6</b>	<b>GEN</b>
<b>Generator No.:</b>	ON7927653			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2009			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	311410, 311990				
<b>SIC Description:</b>		Frozen Food Manufacturing, All Other Food Manufacturing			
<b>--Details--</b>					
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		262			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Description:</b>		DETERGENTS/SOAPS			
<b>Waste Code:</b>		263			
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			
<a href="#">59</a>	15 of 30	WSW/21.9	115.8 / 2.00	Cargill Kitchen Solutions, div. of Cargill Limited 25 Newbridge Rd., Etobicoke ON M8Z 2L6	GEN
<b>Generator No.:</b>		ON7927653		<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>		2011		<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>		311410, 311990			
<b>SIC Description:</b>		Frozen Food Manufacturing, All Other Food Manufacturing			
<b>--Details--</b>					
<b>Waste Code:</b>		263			
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		262			
<b>Waste Description:</b>		DETERGENTS/SOAPS			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<a href="#">59</a>	16 of 30	WSW/21.9	115.8 / 2.00	Cargill Egg Products, division of Cargill Limited 25 Newbridge Rd., Etobicoke ON M8Z 2L6	GEN
<b>Generator No.:</b>		ON7927653		<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>		06		<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>		311410 311990			
<b>SIC Description:</b>		Frozen Food Manufacturing, All Other Food Manufacturing			
<b>--Details--</b>					
<b>Waste Code:</b>		262			
<b>Waste Description:</b>		DETERGENTS/SOAPS			
<b>Waste Code:</b>		263			
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<a href="#">59</a>	17 of 30	WSW/21.9	115.8 / 2.00	Cargill Kitchen Solutions, div. of Cargill Limited 25 Newbridge Rd., Etobicoke ON M8Z 2L6	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Generator No.:</b>	ON7927653			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2012			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	311410, 311990				
<b>SIC Description:</b>	Frozen Food Manufacturing, All Other Food Manufacturing				
<b>--Details--</b>					
<b>Waste Code:</b>	212				
<b>Waste Description:</b>	ALIPHATIC SOLVENTS				
<b>Waste Code:</b>	263				
<b>Waste Description:</b>	ORGANIC LABORATORY CHEMICALS				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Code:</b>	262				
<b>Waste Description:</b>	DETERGENTS/SOAPS				
<b>59</b>	<b>18 of 30</b>	<b>WSW/21.9</b>	<b>115.8 / 2.00</b>	<b>Global Egg Corporation 25 Newbridge Rd. Etobicoke ON M8Z 2L6</b>	<b>GEN</b>
<b>Generator No.:</b>	ON7927653			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2016			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	Noelle Foote
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b>	416-231-2309 Ext.222
<b>SIC Code:</b>	311410, 311990				
<b>SIC Description:</b>	FROZEN FOOD MANUFACTURING, ALL OTHER FOOD MANUFACTURING				
<b>--Details--</b>					
<b>Waste Code:</b>	262				
<b>Waste Description:</b>	DETERGENTS/SOAPS				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Code:</b>	263				
<b>Waste Description:</b>	ORGANIC LABORATORY CHEMICALS				
<b>Waste Code:</b>	212				
<b>Waste Description:</b>	ALIPHATIC SOLVENTS				
<b>59</b>	<b>19 of 30</b>	<b>WSW/21.9</b>	<b>115.8 / 2.00</b>	<b>DOR-SEAL LIMITED (OUT OF BUS) 25 NEWBRIDGE ROAD TORONTO ON M8Z 2L6</b>	<b>GEN</b>
<b>Generator No.:</b>	ON0480900			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	86,87,88,89			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	3031				
<b>SIC Description:</b>	METAL DOOR & WINDOW				
<b>--Details--</b>					
<b>Waste Code:</b>	212				



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		232			
<b>Waste Description:</b>		POLYMERIC RESINS			
<b>Waste Code:</b>		241			
<b>Waste Description:</b>		HALOGENATED SOLVENTS			
<a href="#">59</a>	20 of 30	WSW/21.9	115.8 / 2.00	<b>DOR-SEAL LIMITED (OUT OF BUS) 25 NEWBRIDGE ROAD TORONTO ON M8Z 2L6</b>	13-114 <b>GEN</b>
<b>Generator No.:</b>		ON0480900		<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>		92,93,94,95,96,97,98		<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>		3031			
<b>SIC Description:</b>		METAL DOOR & WINDOW			
<a href="#">59</a>	21 of 30	WSW/21.9	115.8 / 2.00	<b>Cargill Kitchen Solutions, div. of Cargill Limited 25 Newbridge Rd., Etobicoke ON M8Z 2L6</b>	<b>GEN</b>
<b>Generator No.:</b>		ON7927653		<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b> Canada	
<b>Approval Years:</b>		2014		<b>Choice of Contact:</b> CO_ADMIN	
<b>Contam. Facility:</b>		No		<b>Co Admin:</b> Kathy E. KEM Martorino	
<b>MHSW Facility:</b>		No		<b>Phone No. Admin:</b> 416-236-3447 Ext.246	
<b>SIC Code:</b>		311410, 311990			
<b>SIC Description:</b>		FROZEN FOOD MANUFACTURING, ALL OTHER FOOD MANUFACTURING			
<b>--Details--</b>					
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		263			
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		262			
<b>Waste Description:</b>		DETERGENTS/SOAPS			
<a href="#">59</a>	22 of 30	WSW/21.9	115.8 / 2.00	<b>Global Egg Corporation Newbridge 25 Newbridge Rd. Etobicoke ON M8Z 2L6</b>	<b>GEN</b>
<b>Generator No.:</b>		ON7927653		<b>PO Box No.:</b>	
<b>Status:</b>		Registered		<b>Country:</b> Canada	
<b>Approval Years:</b>		As of Dec 2017		<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<b>--Details--</b>					
<b>Waste Code:</b>		252 L			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Description:</b>		Waste crankcase oils and lubricants			
<a href="#">59</a>	23 of 30	WSW/21.9	115.8 / 2.00	<b>Cargill Kitchen Solutions, div. of Cargill Limited 25 Newbridge Rd., Etobicoke ON M8Z 2L6</b>	<b>GEN</b>
<b>Generator No.:</b>	ON7927653			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2015			<b>Choice of Contact:</b>	CO_ADMIN
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	Kathy E. KEM Martorino
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b>	416-236-3447 Ext.246
<b>SIC Code:</b>	311410, 311990				
<b>SIC Description:</b>	FROZEN FOOD MANUFACTURING, ALL OTHER FOOD MANUFACTURING				
<b>--Details--</b>					
<b>Waste Code:</b>	262				
<b>Waste Description:</b>	DETERGENTS/SOAPS				
<b>Waste Code:</b>	212				
<b>Waste Description:</b>	ALIPHATIC SOLVENTS				
<b>Waste Code:</b>	263				
<b>Waste Description:</b>	ORGANIC LABORATORY CHEMICALS				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<a href="#">59</a>	24 of 30	WSW/21.9	115.8 / 2.00	<b>Cargill Kitchen Solutions, div. of Cargill Limited 25 Newbridge Rd., Etobicoke ON</b>	<b>GEN</b>
<b>Generator No.:</b>	ON7927653			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2013			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	311410, 311990				
<b>SIC Description:</b>	FROZEN FOOD MANUFACTURING, ALL OTHER FOOD MANUFACTURING				
<b>--Details--</b>					
<b>Waste Code:</b>	262				
<b>Waste Description:</b>	DETERGENTS/SOAPS				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Code:</b>	263				
<b>Waste Description:</b>	ORGANIC LABORATORY CHEMICALS				
<b>Waste Code:</b>	212				
<b>Waste Description:</b>	ALIPHATIC SOLVENTS				
<a href="#">59</a>	25 of 30	WSW/21.9	115.8 / 2.00	<b>Cargill Kitchen Solutions, a division of Cargill Limited 25 Newbridge Road Etobicoke ON M8Z 2L6</b>	<b>NPRI</b>
<b>NPRI ID:</b>	8800000055			<b>Org ID:</b>	
<b>Other ID:</b>	*			<b>Submit Date:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>No Other ID:</b>				<b>Last Modified:</b>	
<b>Track ID:</b>				<b>Contact ID:</b>	
<b>Report ID:</b>				<b>Cont Type:</b>	
<b>Report Type:</b>				<b>Contact Title:</b>	
<b>Rpt Type ID:</b>				<b>Cont First Name:</b>	
<b>Report Year:</b>	2009			<b>Cont Last Name:</b>	
<b>Not-Current Rpt?:</b>				<b>Contact Position:</b>	
<b>Yr of Last Filed Rpt:</b>				<b>Contact Fax:</b>	
<b>Fac ID:</b>				<b>Contact Ph.:</b>	
<b>Fac Name:</b>	Cargill Kitchen Solutions			<b>Cont Area Code:</b>	
<b>Fac Address1:</b>				<b>Contact Tel.:</b>	
<b>Fac Address2:</b>				<b>Contact Ext.:</b>	
<b>Fac Postal Zip:</b>				<b>Cont Fax Area Cde:</b>	
<b>Facility Lat:</b>				<b>Contact Fax:</b>	
<b>Facility Long:</b>				<b>Contact Email:</b>	
<b>DLS (Last Filed Rpt):</b>				<b>Latitude:</b>	
<b>Facility DLS:</b>				<b>Longitude:</b>	
<b>Datum:</b>				<b>UTM Zone:</b>	
<b>Facility Cmnts:</b>	No			<b>UTM Northing:</b>	
<b>URL:</b>	www.cargill.com			<b>UTM Easting:</b>	
<b>No of Empl.:</b>	0			<b>Waste Streams:</b>	No
<b>Parent Co.:</b>	*			<b>No Streams:</b>	No
<b>No Parent Co.:</b>				<b>Waste Off Sites:</b>	No
<b>Pollut Prev Cmnts:</b>	No			<b>No Off Sites:</b>	No
<b>Stacks:</b>	No			<b>Shutdown:</b>	No
<b>No of Stacks:</b>				<b>No of Shutdown:</b>	
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>					
<b>NAICS 2 Description:</b>					
<b>NAICS Code (4 digit):</b>					
<b>NAICS 4 Description:</b>					
<b>NAICS Code (6 digit):</b>					
<b>NAICS 6 Description:</b>					

<a href="#">59</a>	26 of 30	WSW/21.9	115.8 / 2.00	<b>Cargill Kitchen Solutions, A Division of Cargill Ltd. 25 NEWBRIDGE ROAD NOT AVAILABLE ETOBICOKE ON M8Z2L6</b>	<b>NPRI</b>
<b>NPRI ID:</b>	27696			<b>Org ID:</b>	105652
<b>Other ID:</b>				<b>Submit Date:</b>	5/19/2016
<b>No Other ID:</b>				<b>Last Modified:</b>	11/18/2016 8:28:05 AM
<b>Track ID:</b>	138366			<b>Contact ID:</b>	
<b>Report ID:</b>	72227			<b>Cont Type:</b>	
<b>Report Type:</b>	NPRI			<b>Contact Title:</b>	
<b>Rpt Type ID:</b>	1			<b>Cont First Name:</b>	
<b>Report Year:</b>	2015			<b>Cont Last Name:</b>	
<b>Not-Current Rpt?:</b>	No			<b>Contact Position:</b>	
<b>Yr of Last Filed Rpt:</b>	2014			<b>Contact Fax:</b>	
<b>Fac ID:</b>	224089			<b>Contact Ph.:</b>	
<b>Fac Name:</b>	CARGILL KITCHEN SOLUTIONS			<b>Cont Area Code:</b>	
<b>Fac Address1:</b>	25 NEWBRIDGE ROAD			<b>Contact Tel.:</b>	
<b>Fac Address2:</b>	NOT AVAILABLE			<b>Contact Ext.:</b>	
<b>Fac Postal Zip:</b>	M8Z2L6			<b>Cont Fax Area Cde:</b>	
<b>Facility Lat:</b>	43.62643			<b>Contact Fax:</b>	
<b>Facility Long:</b>	-79.53993			<b>Contact Email:</b>	
<b>DLS (Last Filed Rpt):</b>				<b>Latitude:</b>	43.626188
<b>Facility DLS:</b>				<b>Longitude:</b>	-79.540177
<b>Datum:</b>	1983			<b>UTM Zone:</b>	
<b>Facility Cmnts:</b>				<b>UTM Northing:</b>	
<b>URL:</b>				<b>UTM Easting:</b>	
<b>No of Empl.:</b>	49			<b>Waste Streams:</b>	

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Parent Co.:</b>				<b>No Streams:</b>	
<b>No Parent Co.:</b>				<b>Waste Off Sites:</b>	
<b>Pollut Prev Cmnts:</b>				<b>No Off Sites:</b>	
<b>Stacks:</b>				<b>Shutdown:</b>	
<b>No of Stacks:</b>				<b>No of Shutdown:</b>	
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>		31			
<b>NAICS 2 Description:</b>		Manufacturing			
<b>NAICS Code (4 digit):</b>		3119			
<b>NAICS 4 Description:</b>		Other food manufacturing			
<b>NAICS Code (6 digit):</b>		311990			
<b>NAICS 6 Description:</b>		All other food manufacturing			
<b><u>Substance Release Report</u></b>					
<b>Category Type ID:</b>		3			
<b>Category Type Desc:</b>		Fugitive			
<b>Category Type Desc (fr):</b>		Émissions fugitives			
<b>Grouping:</b>		Total Air			
<b>Trans Code:</b>		VOCs			
<b>Chem:</b>					
<b>Chem (fr):</b>					
<b>Quantity:</b>		.158			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		O			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			
<b>Category Type ID:</b>		1			
<b>Category Type Desc:</b>		Stack / Point			
<b>Category Type Desc (fr):</b>		Rejets de cheminée ou ponctuels			
<b>Grouping:</b>		Total Air			
<b>Trans Code:</b>		ASta			
<b>Chem:</b>					
<b>Chem (fr):</b>					
<b>Quantity:</b>		.075			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		E2			
<b>Basis of Estimate Desc:</b>		E2- Published Emission Factors - In use from 2003 and onward			
<b>Category Type ID:</b>		1			
<b>Category Type Desc:</b>		Stack / Point			
<b>Category Type Desc (fr):</b>		Rejets de cheminée ou ponctuels			
<b>Grouping:</b>		Total Air			
<b>Trans Code:</b>		ASta			
<b>Chem:</b>					
<b>Chem (fr):</b>					
<b>Quantity:</b>		.075			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		E2			
<b>Basis of Estimate Desc:</b>		E2- Published Emission Factors - In use from 2003 and onward			
<b>Category Type ID:</b>		3			
<b>Category Type Desc:</b>		Fugitive			
<b>Category Type Desc (fr):</b>		Émissions fugitives			
<b>Grouping:</b>		Total Air			
<b>Trans Code:</b>		VOCs			
<b>Chem:</b>					
<b>Chem (fr):</b>					
<b>Quantity:</b>		.0014			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		O			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">59</a>	27 of 30	WSW/21.9	115.8 / 2.00	CARGILL KITCHEN SOLUTIONS, A DIVISION OF CARGILL LTD. 25 NEWBRIDGE ROAD NOT AVAILABLE ETOBICOKE ON M8Z2L6	NPRI
<b>NPRI ID:</b> 27696 <b>Other ID:</b> <b>No Other ID:</b> <b>Track ID:</b> 123057 <b>Report ID:</b> 41407 <b>Report Type:</b> NPRI <b>Rpt Type ID:</b> 1 <b>Report Year:</b> 2013 <b>Not-Current Rpt?:</b> No <b>Yr of Last Filed Rpt:</b> 2014 <b>Fac ID:</b> 224089 <b>Fac Name:</b> CARGILL KITCHEN SOLUTIONS <b>Fac Address1:</b> 25 NEWBRIDGE ROAD <b>Fac Address2:</b> NOT AVAILABLE <b>Fac Postal Zip:</b> M8Z2L6 <b>Facility Lat:</b> 43.62643 <b>Facility Long:</b> -79.53993 <b>DLS (Last Filed Rpt):</b> <b>Facility DLS:</b> <b>Datum:</b> 1983 <b>Facility Cmnts:</b> <b>URL:</b> www.cargill.ca <b>No of Empl.:</b> 52 <b>Parent Co.:</b> <b>No Parent Co.:</b> <b>Pollut Prev Cmnts:</b> <b>Stacks:</b> <b>No of Stacks:</b> <b>Canadian SIC Code (2 digit):</b> <b>Canadian SIC Code:</b> <b>SIC Code Description:</b> <b>American SIC Code:</b> <b>NAICS Code (2 digit):</b> 31 <b>NAICS 2 Description:</b> Manufacturing <b>NAICS Code (4 digit):</b> 3119 <b>NAICS 4 Description:</b> Other food manufacturing <b>NAICS Code (6 digit):</b> 311990 <b>NAICS 6 Description:</b> All other food manufacturing		<b>Org ID:</b> 102021 <b>Submit Date:</b> 6/13/2014 <b>Last Modified:</b> 5/29/2015 3:28:24 PM <b>Contact ID:</b> <b>Cont Type:</b> <b>Contact Title:</b> <b>Cont First Name:</b> <b>Cont Last Name:</b> <b>Contact Position:</b> <b>Contact Fax:</b> <b>Contact Ph.:</b> <b>Cont Area Code:</b> <b>Contact Tel.:</b> <b>Contact Ext.:</b> <b>Cont Fax Area Cde:</b> <b>Contact Fax:</b> <b>Contact Email:</b> <b>Latitude:</b> 43.626188 <b>Longitude:</b> -79.540177 <b>UTM Zone:</b> <b>UTM Northing:</b> <b>UTM Easting:</b> <b>Waste Streams:</b> <b>No Streams:</b> <b>Waste Off Sites:</b> <b>No Off Sites:</b> <b>Shutdown:</b> <b>No of Shutdown:</b>			
<b><u>Substance Release Report</u></b>					
<b>Category Type ID:</b> 1 <b>Category Type Desc:</b> Stack / Point <b>Category Type Desc (fr):</b> Rejets de cheminée ou ponctuels <b>Grouping:</b> Total Air <b>Trans Code:</b> AStA <b>Chem:</b> PM2.5 - Particulate Matter <= 2.5 Microns <b>Chem (fr):</b> PM2,5 - Matière particulaire <= 2,5 microns <b>Quantity:</b> .066 <b>Unit:</b> tonnes <b>Basis of Estimate Cd:</b> E2 <b>Basis of Estimate Desc:</b> E2- Published Emission Factors - In use from 2003 and onward					
<b>Category Type ID:</b> 1 <b>Category Type Desc:</b> Stack / Point <b>Category Type Desc (fr):</b> Rejets de cheminée ou ponctuels <b>Grouping:</b> Total Air <b>Trans Code:</b> AStA					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Chem:</b>		PM10 - Particulate Matter <= 10 Microns			
<b>Chem (fr):</b>		PM10 - Matière particulaire <= 10 microns			
<b>Quantity:</b>		.065			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		E2			
<b>Basis of Estimate Desc:</b>		E2- Published Emission Factors - In use from 2003 and onward			
<b>Category Type ID:</b>		3			
<b>Category Type Desc:</b>		Fugitive			
<b>Category Type Desc (fr):</b>		Émissions fugitives			
<b>Grouping:</b>		Total Air			
<b>Trans Code:</b>		VOCs			
<b>Chem:</b>		PM10 - Particulate Matter <= 10 Microns			
<b>Chem (fr):</b>		PM10 - Matière particulaire <= 10 microns			
<b>Quantity:</b>		.158			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		O			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			

<a href="#">59</a>	28 of 30	WSW/21.9	115.8 / 2.00	TAYCO PANELINK LTD 25 NEWBRIDGE RD ETOBICOKE ON M8Z 2L6	SCT
<b>Established:</b>		1976			
<b>Plant Size (ft²):</b>		40000			
<b>Employment:</b>		60			
<b>--Details--</b>					
<b>Description:</b>		OFFICE FURNITURE, EXCEPT WOOD			
<b>SIC/NAICS Code:</b>		2522			
<b>Description:</b>		OFFICE AND STORE FIXTURES, PARTITIONS, SHELVING, AND LOCKERS, EXCEPT WOOD			
<b>SIC/NAICS Code:</b>		2542			
<b>Description:</b>		FURNITURE AND FIXTURES, NOT ELSEWHERE CLASSIFIED			
<b>SIC/NAICS Code:</b>		2599			

<a href="#">59</a>	29 of 30	WSW/21.9	115.8 / 2.00	Egg Solutions<UNOFFICIAL> 25 Newbridge Road EGG SOLUTIONS<UNOFFICIAL> Toronto ON M8Z 2L6	SPL
<b>Ref No:</b>		4605-6MPHG7		<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	Chemicals
<b>Incident Dt:</b>		3/8/2006		<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	Other Plant
<b>Incident Cause:</b>		Tank (Above Ground) Leak		<b>Source Type:</b>	
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>		28		<b>Site Name:</b>	25 NEWBRIDGE ROAD
<b>Contaminant Name:</b>		AMMONIA (N.O.S.)		<b>Site Address:</b>	25 NEWBRIDGE ROAD
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	Toronto - District
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>		2000 L		<b>Site Region:</b>	
<b>Environment Impact:</b>		Confirmed		<b>Site Municipality:</b>	Toronto
<b>Nature of Impact:</b>		Air Pollution; Human Health/Safety		<b>Site Lot:</b>	
<b>Receiving Medium:</b>		Air		<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>Health/Env Conseq:</b>				<b>Easting:</b>	
<b>MOE Response:</b>				<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>		3/8/2006		<b>Site Map Datum:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Dt Document Closed:</b>					
<b>SAC Action Class:</b>					
<b>Incident Reason:</b> Unknown - Reason not determined					
<b>Incident Summary:</b> Egg Solutions - liq ammonia to grnd/atm					
<a href="#">59</a>	30 of 30	WSW/21.9	115.8 / 2.00	<b>Cargill Kitchen Solutions&lt;UNOFFICIAL&gt; 25 Newbridge Road, Etobicoke Toronto ON M8Z 2L6</b>	<b>SPL</b>
<b>Ref No:</b>	8037-83TPBT			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>				<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	Other
<b>Incident Cause:</b>	Cooling System Leak			<b>Source Type:</b>	
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>	38			<b>Site Name:</b>	Cargill Kitchen Solutions<UNOFFICIAL>
<b>Contaminant Name 1:</b>	REFRIGERANT GAS, N.O.S.			<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>	500 kg			<b>Site Region:</b>	
<b>Environment Impact:</b>	Confirmed			<b>Site Municipality:</b>	
<b>Nature of Impact:</b>	Air Pollution			<b>Site Lot:</b>	
<b>Receiving Medium:</b>				<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>Health/Env Conseq:</b>				<b>Easting:</b>	
<b>MOE Response:</b>	No Field Response			<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scr:</b>				<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	3/23/2010			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>					
<b>SAC Action Class:</b>	Air Spills - Gases and Vapours				
<b>Incident Reason:</b>					
<b>Incident Summary:</b>	Cargill Kitchen Solutions: 500 kg R22 to atmosphere				
<a href="#">60</a>	1 of 4	S/25.4	110.8 / -3.00	<b>RED STAR EXPRESS (OUT OF BUSINESS)33- 271 49 N. QUEEN ETOBICOKE ON M8Z 1P9</b>	<b>GEN</b>
<b>Generator No.:</b>	ON0147402			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	92,93,94,95,96,97			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	3299				
<b>SIC Description:</b>	OTHER TRANS. EQUIP.				
<a href="#">60</a>	2 of 4	S/25.4	110.8 / -3.00	<b>RED STAR EXPRESS LINES (OUT OF BUSINESS) 49 NORTH QUEEN ETOBICOKE ON M8Z 1P9</b>	<b>GEN</b>
<b>Generator No.:</b>	ON0147402			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	98			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	3299				
<b>SIC Description:</b>	OTHER TRANS. EQUIP.				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">60</a>	3 of 4	S/25.4	110.8 / -3.00	RED STAR EXPRESS 49 N. QUEEN ETOBICOKE ON M8Z 1P9	GEN
<b>Generator No.:</b>	ON0147402			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	86,87			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	3299				
<b>SIC Description:</b>	OTHER TRANS. EQUIP.				
<b>--Details--</b>					
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<a href="#">60</a>	4 of 4	S/25.4	110.8 / -3.00	RED STAR EXPRESS (OUT OF BUSINESS) 49 N. QUEEN ETOBICOKE ON M8Z 1P9	GEN
<b>Generator No.:</b>	ON0147402			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	88,89,90			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	3299				
<b>SIC Description:</b>	OTHER TRANS. EQUIP.				
<b>--Details--</b>					
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<a href="#">61</a>	1 of 1	SSE/31.9	109.8 / -4.00	BLUE STAR TRAILER RENTALS INC. 53 NORTH QUEEN ST. TORONTO ON M8Z 2C7	GEN
<b>Generator No.:</b>	ON7789326			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	02,03,04,05			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<b>--Details--</b>					
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<a href="#">62</a>	1 of 1	NW/32.0	119.8 / 6.00	Toronto ON	WWIS
<b>Well ID:</b>	7138414			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole			<b>Date Received:</b>	1/21/2010
<b>Sec. Water Use:</b>	0			<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Monitoring and Test Hole			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7241



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z108747			<b>Owner:</b>	
<b>Tag:</b>	A085514			<b>Street Name:</b>	39 SHORNCLIFFE RD
<b>Construction Method:</b>				<b>County:</b>	YORK
<b>Elevation (m):</b>				<b>Municipality:</b>	ETOBICOKE BOROUGH
<b>Elevation Reliability:</b>				<b>Site Info:</b>	WKQ-002024 (A0-A03)
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1002925484			<b>Elevation:</b>	120.05
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	17
<b>Code OB:</b>				<b>East83:</b>	617690
<b>Code OB Desc:</b>				<b>Org CS:</b>	UTM83
<b>Open Hole:</b>				<b>North83:</b>	4831804
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	09-DEC-09			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>	1003060995				
<b>Layer:</b>	1				
<b>Color:</b>	6				
<b>General Color:</b>	BROWN				
<b>Mat1:</b>	34				
<b>Most Common Material:</b>	TILL				
<b>Mat2:</b>	06				
<b>Other Materials:</b>	SILT				
<b>Mat3:</b>	28				
<b>Other Materials:</b>	SAND				
<b>Formation Top Depth:</b>	0				
<b>Formation End Depth:</b>	16				
<b>Formation End Depth UOM:</b>	ft				
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>	1003060998				
<b>Layer:</b>	2				
<b>Plug From:</b>	1				
<b>Plug To:</b>	5				
<b>Plug Depth UOM:</b>	ft				
<b>Plug ID:</b>	1003060997				
<b>Layer:</b>	1				
<b>Plug From:</b>	0				
<b>Plug To:</b>	1				

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>	1003060999				
<b>Layer:</b>	3				
<b>Plug From:</b>	5				
<b>Plug To:</b>	16				
<b>Plug Depth UOM:</b>	ft				
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>	1003061005				
<b>Method Construction Code:</b>	D				
<b>Method Construction:</b>	Direct Push				
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>	1003060994				
<b>Casing No:</b>	0				
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>	1003061001				
<b>Layer:</b>	1				
<b>Material:</b>	5				
<b>Open Hole or Material:</b>	PLASTIC				
<b>Depth From:</b>	0				
<b>Depth To:</b>	6				
<b>Casing Diameter:</b>	1.25				
<b>Casing Diameter UOM:</b>	inch				
<b>Casing Depth UOM:</b>	ft				
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>	1003061002				
<b>Layer:</b>	1				
<b>Slot:</b>	10				
<b>Screen Top Depth:</b>	6				
<b>Screen End Depth:</b>	16				
<b>Screen Material:</b>	5				
<b>Screen Depth UOM:</b>	ft				
<b>Screen Diameter UOM:</b>	inch				
<b>Screen Diameter:</b>	1.5				
<b><u>Water Details</u></b>					
<b>Water ID:</b>	1003061000				
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>	ft				
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>	1003060996				
<b>Diameter:</b>	4				
<b>Depth From:</b>	0				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth To:		16			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
<a href="#">63</a>	1 of 1	SSE/34.6	109.8 / -4.00	ON	BORE
<b>Borehole ID:</b>	641595			<b>Type:</b>	Borehole
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Status::</b>	
<b>Drill Method::</b>	Power auger			<b>UTM Zone::</b>	17
<b>Easting::</b>	618245			<b>Northing::</b>	4831123
<b>Location Accuracy::</b>				<b>Orig. Ground Elev m::</b>	114
<b>Elev. Reliability Note::</b>				<b>DEM Ground Elev m::</b>	113
<b>Total Depth m::</b>	1.8			<b>Primary Name::</b>	
<b>Township::</b>				<b>Concession::</b>	
<b>Lot::</b>				<b>Municipality:</b>	
<b>Completion Date::</b>	FEB-1971			<b>Static Water Level::</b>	-999.9
<b>Primary Water Use::</b>	Not Used			<b>Sec. Water Use::</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>	218496645			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	1.8			<b>Stratum Desc:</b>	SAND(92)-MEDIUM,SILT(08). BROWN,FLUVIO-GLACIAL,COMPACT, AGE GLACIAL. 013 SHALE
<a href="#">64</a>	1 of 1	NW/36.0	119.8 / 6.00	37 Shorncliffe Road Toronto ON	EHS
<b>Order ID:</b>	502641			<b>Date Received:</b>	01-MAR-17
<b>Order No:</b>	20170301187			<b>Lot/Building Size:</b>	
<b>Customer ID:</b>	56827			<b>Municipality:</b>	
<b>Company ID:</b>	56			<b>Client Prov/State:</b>	ON
<b>Status:</b>	C			<b>Search Radius (km):</b>	.25
<b>Report Code:</b>	3CAN			<b>Large Radius:</b>	.3
<b>Report Type:</b>	Standard Report			<b>X:</b>	-79.5413
<b>Report Date:</b>	08-MAR-17			<b>Y:</b>	43.63025
<b>Report Requested by:</b>	Stantec Consulting Ltd.				
<b>Nearest Intersection:</b>					
<b>Previous Site Name:</b>					
<b>Additional Info Ordered:</b>	Fire Insur. Maps and/or Site Plans; Title Searches; City Directory				
<a href="#">65</a>	1 of 1	S/38.1	112.8 / -1.00	ETOBICOKE ON	WWIS
<b>Well ID:</b>	6929539			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>				<b>Date Received:</b>	11/1/2005
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Observation Wells			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	6607
<b>Casing Material:</b>				<b>Form Version:</b>	3
<b>Audit No:</b>	Z35449			<b>Owner:</b>	
<b>Tag:</b>	A031696			<b>Street Name:</b>	50 NORTH QUEEN ST
<b>Construction Method:</b>				<b>County:</b>	YORK
<b>Elevation (m):</b>				<b>Municipality:</b>	TORONTO CITY
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB	
<b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>				<b>Zone:</b> <b>UTM Reliability:</b>		
<b><u>Bore Hole Information</u></b>						
<b>Bore Hole ID:</b> <b>DP2BR:</b> <b>Spatial Status:</b> <b>Code OB:</b> <b>Code OB Desc:</b> <b>Open Hole:</b> <b>Cluster Kind:</b> <b>Date Completed:</b> <b>Remarks:</b> <b>Elevrc Desc:</b> <b>Location Source Date:</b> <b>Improvement Location Source:</b> <b>Improvement Location Method:</b> <b>Source Revision Comment:</b> <b>Supplier Comment:</b>	11328508  o Overburden  20-SEP-05			<b>Elevation:</b> <b>Elevrc:</b> <b>Zone:</b> <b>East83:</b> <b>Org CS:</b> <b>North83:</b> <b>UTMRC:</b> <b>UTMRC Desc:</b> <b>Location Method:</b>		na
<b><u>Overburden and Bedrock</u></b>						
<b><u>Materials Interval</u></b>						
<b>Formation ID:</b> <b>Layer:</b> <b>Color:</b> <b>General Color:</b> <b>Mat1:</b> <b>Most Common Material:</b> <b>Mat2:</b> <b>Other Materials:</b> <b>Mat3:</b> <b>Other Materials:</b> <b>Formation Top Depth:</b> <b>Formation End Depth:</b> <b>Formation End Depth UOM:</b>	933039493 2 2 GREY 28 SAND 06 SILT 11 GRAVEL 2.4 3.6 m					
<b>Formation ID:</b> <b>Layer:</b> <b>Color:</b> <b>General Color:</b> <b>Mat1:</b> <b>Most Common Material:</b> <b>Mat2:</b> <b>Other Materials:</b> <b>Mat3:</b> <b>Other Materials:</b> <b>Formation Top Depth:</b> <b>Formation End Depth:</b> <b>Formation End Depth UOM:</b>	933039492 1 6 BROWN 28 SAND 01 FILL  0 2.4 m					
<b><u>Annular Space/Abandonment</u></b>						
<b><u>Sealing Record</u></b>						
<b>Plug ID:</b> <b>Layer:</b> <b>Plug From:</b> <b>Plug To:</b> <b>Plug Depth UOM:</b>	933280300 1 0 .65 m					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		966929539			
<b>Method Construction Code:</b>		6			
<b>Method Construction:</b>		Boring			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		11343363			
<b>Casing No:</b>		1			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		930873507			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		.65			
<b>Casing Diameter:</b>		5.1			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		933415367			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		.65			
<b>Screen End Depth:</b>		3.6			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		6.4			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		934067058			
<b>Layer:</b>		1			
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>		1.6			
<b>Water Found Depth UOM:</b>		m			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		11549612			
<b>Diameter:</b>		15			
<b>Depth From:</b>		0			
<b>Depth To:</b>		3.6			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			

66

1 of 1

SSE/39.0

109.8 / -4.00

ON

BORE

Borehole ID:

641608

Type:

Borehole

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Status::</b>	
<b>Drill Method::</b>	Power auger			<b>UTM Zone::</b>	17
<b>Easting::</b>	618170			<b>Northing::</b>	4831093
<b>Location Accuracy::</b>				<b>Orig. Ground Elev m::</b>	114
<b>Elev. Reliability Note::</b>				<b>DEM Ground Elev m::</b>	113
<b>Total Depth m::</b>	10.8			<b>Primary Name::</b>	
<b>Township::</b>				<b>Concession::</b>	
<b>Lot::</b>				<b>Municipality:</b>	
<b>Completion Date::</b>	DEC-1970			<b>Static Water Level::</b>	.8
<b>Primary Water Use::</b>	Not Used			<b>Sec. Water Use::</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>	218496697			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	1.8			<b>Stratum Desc:</b>	FILL-MEDIUM,SAND, SILT,GRAVEL. BROWN,COMPACT.
<b>Stratum ID:</b>	218496698			<b>Top Depth(m):</b>	1.8
<b>Bottom Depth(m):</b>	4.3			<b>Stratum Desc:</b>	SILT,SAND-MEDIUM, CLAY. GREY,GLACIAL,VERY DENSE, AGE GLACIAL, WATER STABLE AT 374.3 FEET.
<b>Stratum ID:</b>	218496699			<b>Top Depth(m):</b>	4.3
<b>Bottom Depth(m):</b>	6.4			<b>Stratum Desc:</b>	SAND,SILT. GREY,GLACIAL,COMPACT, AGE GLACIAL.
<b>Stratum ID:</b>	218496700			<b>Top Depth(m):</b>	6.4
<b>Bottom Depth(m):</b>	8.2			<b>Stratum Desc:</b>	SAND,SILT. GREY,GLACIAL,VERY DENSE, AGE GLACIAL.
<b>Stratum ID:</b>	218496701			<b>Top Depth(m):</b>	8.2
<b>Bottom Depth(m):</b>	10.8			<b>Stratum Desc:</b>	BEDROCK,SHALE. MARINE,AGE ORDOVICIAN. 014 017 021 00000033000601100

67

1 of 1

NW/39.1

119.8 / 6.00

Toronto ON

WWIS

**Well ID:** 7118949  
**Construction Date:**  
**Primary Water Use:** Monitoring  
**Sec. Water Use:**  
**Final Well Status:** Test Hole  
**Water Type:**  
**Casing Material:**  
**Audit No:** M02346  
**Tag:** A079505  
**Construction Method:**  
**Elevation (m):**  
**Elevation Reliability:**  
**Depth to Bedrock:**  
**Well Depth:**  
**Overburden/Bedrock:**  
**Pump Rate:**  
**Static Water Level:**  
**Flowing (Y/N):**  
**Flow Rate:**  
**Clear/Cloudy:**

**Data Entry Status:**  
**Data Src:**  
**Date Received:** 2/5/2009  
**Selected Flag:** Yes  
**Abandonment Rec:**  
**Contractor:** 7238  
**Form Version:** 5  
**Owner:**  
**Street Name:** 41 SHORNCLIFFE RD.  
**County:** YORK  
**Municipality:** ETOBICOKE BOROUGH  
**Site Info:**  
**Lot:**  
**Concession:**  
**Concession Name:**  
**Easting NAD83:**  
**Northing NAD83:**  
**Zone:**  
**UTM Reliability:**

**Bore Hole Information**

**Bore Hole ID:** 1002741961  
**DP2BR:**  
**Spatial Status:**

**Elevation:** 120.08  
**Elevrc:**  
**Zone:** 17

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Code OB:</b>				<b>East83:</b>	617691
<b>Code OB Desc:</b>				<b>Org CS:</b>	UTM83
<b>Open Hole:</b>				<b>North83:</b>	4831777
<b>Cluster Kind:</b>	This is a record from cluster log sheet			<b>UTMRC:</b>	3
<b>Date Completed:</b>	08-JAN-09			<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1002741965			
<b>Layer:</b>					
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>					
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1002741964			
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>		AUGER			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1002741966			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1002741968			
<b>Layer:</b>					
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>					
<b>Depth To:</b>		5			
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>					
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1002741967			
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>		5			
<b>Screen End Depth:</b>		6.6			
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>					
<b>Screen Diameter:</b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		1002741969			
<b>Pump Set At:</b>					
<b>Static Level:</b>					
<b>Final Level After Pumping:</b>					
<b>Recommended Pump Depth:</b>					
<b>Pumping Rate:</b>					
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>					
<b>Levels UOM:</b>					
<b>Rate UOM:</b>					
<b>Water State After Test Code:</b>					
<b>Water State After Test:</b>					
<b>Pumping Test Method:</b>					
<b>Pumping Duration HR:</b>					
<b>Pumping Duration MIN:</b>					
<b>Flowing:</b>					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1002741963			
<b>Diameter:</b>		20			
<b>Depth From:</b>					
<b>Depth To:</b>		6.6			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1002741952			<b>Elevation:</b>	120.49
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	17
<b>Code OB:</b>				<b>East83:</b>	617631
<b>Code OB Desc:</b>				<b>Org CS:</b>	UTM83
<b>Open Hole:</b>				<b>North83:</b>	4831781
<b>Cluster Kind:</b>	This is a record from cluster log sheet			<b>UTMRC:</b>	3
<b>Date Completed:</b>	08-JAN-09			<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1002741956			
<b>Layer:</b>					
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>					
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1002741955			
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>		AUGER			



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
----------------	--------------------------	------------------------------------	--------------------------	-------------	-----------

**Pipe Information**

**Pipe ID:** 1002741957  
**Casing No:** 0  
**Comment:**  
**Alt Name:**

**Construction Record - Casing**

**Casing ID:** 1002741959  
**Layer:**  
**Material:** 5  
**Open Hole or Material:** PLASTIC  
**Depth From:**  
**Depth To:** 5  
**Casing Diameter:**  
**Casing Diameter UOM:**  
**Casing Depth UOM:** m

**Construction Record - Screen**

**Screen ID:** 1002741958  
**Layer:**  
**Slot:**  
**Screen Top Depth:** 5  
**Screen End Depth:** 8.3  
**Screen Material:**  
**Screen Depth UOM:** m  
**Screen Diameter UOM:**  
**Screen Diameter:**

**Results of Well Yield Testing**

**Pump Test ID:** 1002741960  
**Pump Set At:**  
**Static Level:**  
**Final Level After Pumping:**  
**Recommended Pump Depth:**  
**Pumping Rate:**  
**Flowing Rate:**  
**Recommended Pump Rate:**  
**Levels UOM:**  
**Rate UOM:**  
**Water State After Test Code:**  
**Water State After Test:**  
**Pumping Test Method:**  
**Pumping Duration HR:**  
**Pumping Duration MIN:**  
**Flowing:**

**Hole Diameter**

**Hole ID:** 1002741954  
**Diameter:** 20  
**Depth From:**  
**Depth To:** 8.3  
**Hole Depth UOM:** m  
**Hole Diameter UOM:** cm

**Bore Hole Information**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Bore Hole ID:</b>	1001985109			<b>Elevation:</b>	121.44
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	17
<b>Code OB:</b>				<b>East83:</b>	617450
<b>Code OB Desc:</b>				<b>Org CS:</b>	UTM83
<b>Open Hole:</b>	N			<b>North83:</b>	4831750
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	08-JAN-09			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					

**Overburden and Bedrock  
Materials Interval**

**Formation ID:** 1002741971  
**Layer:** 1  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 01  
**Most Common Material:** FILL  
**Mat2:**  
**Other Materials:**  
**Mat3:** 77  
**Other Materials:** LOOSE  
**Formation Top Depth:** 0  
**Formation End Depth:** 2  
**Formation End Depth UOM:** m

**Formation ID:** 1002741973  
**Layer:** 3  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 28  
**Most Common Material:** SAND  
**Mat2:**  
**Other Materials:**  
**Mat3:** 66  
**Other Materials:** DENSE  
**Formation Top Depth:** 5  
**Formation End Depth:** 6.6  
**Formation End Depth UOM:** m

**Formation ID:** 1002741972  
**Layer:** 2  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 06  
**Most Common Material:** SILT  
**Mat2:** 28  
**Other Materials:** SAND  
**Mat3:** 66  
**Other Materials:** DENSE  
**Formation Top Depth:** 2  
**Formation End Depth:** 5  
**Formation End Depth UOM:** m

**Annular Space/Abandonment  
Sealing Record**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Plug ID:</b>		1002741975			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		3			
<b>Plug Depth UOM:</b>		m			
<b>Plug ID:</b>		1002741976			
<b>Layer:</b>		2			
<b>Plug From:</b>		3			
<b>Plug To:</b>		6.6			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1002741979			
<b>Method Construction Code:</b>		E			
<b>Method Construction:</b>		Auger			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1002741970			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1002741977			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>					
<b>Screen End Depth:</b>					
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		5			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1002741974			
<b>Diameter:</b>		20			
<b>Depth From:</b>		0			
<b>Depth To:</b>		6.6			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			

[68](#)

1 of 4

SSW/41.8

113.4 / -0.41

CROWN CANADA AUTOMOTIVE  
50 NORTH QUEEN ST  
ETOBICOKE ON M8Z 2C4

AUWR

**Headcode:** 00096400  
**Headcode Desc:** AUTOMOBILE PARTS & SUPPLIES-USED & REBUILT  
**Phone:**  
**List Name:**  
**Description:**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">68</a>	2 of 4	SSW/41.8	113.4 / -0.41	CROWN CANADA AUTOMOTIVE 50 NORTH QUEEN ST ETOBICOKE ON M8Z2C4	AUWR
<b>Headcode:</b> 00096400 <b>Headcode Desc:</b> AUTOMOBILE PARTS & SUPPLIES USED & REBU <b>Phone:</b> 4165033008 <b>List Name:</b> <b>Description:</b>					
<a href="#">68</a>	3 of 4	SSW/41.8	113.4 / -0.41	STEFANO LIESSI, VALCOURT COLLISION 50 NORTH QUEEN STREET ETOBICOKE CITY ON M8Z 2C4	CA
<b>Certificate #:</b> 8-3069-95- <b>Application Year:</b> 95 <b>Issue Date:</b> 2/22/1995 <b>Approval Type:</b> Industrial air <b>Status:</b> Approved <b>Application Type:</b> <b>Client Name::</b> <b>Client Address::</b> <b>Client City::</b> <b>Client Postal Code::</b> <b>Project Description::</b> P.S. BOOTH FOR AUTO BODY SHOP <b>Contaminants::</b> Isopropyl Alcohol, N-Butyl Acetate, Ethyl-3-Ethoxy Propionate, Methyl Isobutyl Ketone, Methyl N-Amyl Ketone, Methoxy Propanol, Propylene Glycolmonomethyl Ether Acetate,P.M.Ace. <b>Emission Control::</b> Fabric Filters					
<a href="#">68</a>	4 of 4	SSW/41.8	113.4 / -0.41	JOFRADO MANAGEMENT LTD. 50 NORTH QUEEN ST TORONTO ON M8Z 2C4	GEN
<b>Generator No.:</b> ON5084542 <b>Status:</b> <b>Approval Years:</b> 03,04 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> <b>SIC Description:</b> <b>PO Box No.:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No. Admin:</b>					
<a href="#">69</a>	1 of 1	WNW/44.6	117.8 / 3.98	20 Lockport Ave Toronto ON M8Z2R7	EHS
<b>Order ID:</b> 355772 <b>Order No:</b> 20141110007 <b>Customer ID:</b> 70327 <b>Company ID:</b> 32046 <b>Status:</b> C <b>Report Code:</b> 3CAN <b>Report Type:</b> Standard Report <b>Report Date:</b> 14-NOV-14 <b>Report Requested by:</b> RiskCheck Environmental Ltd. <b>Nearest Intersection:</b> <b>Previous Site Name:</b> <b>Additional Info Ordered:</b> <b>Date Received:</b> 10-NOV-14 <b>Lot/Building Size:</b> <b>Municipality:</b> <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> .25 <b>Large Radius:</b> .5 <b>X:</b> -79.540784 <b>Y:</b> 43.628692					
<a href="#">70</a>	1 of 1	WSW/44.6	116.5 / 2.66	CARGILL KITCHEN SOLUTIONS, A DIVISION OF CARGILL LTD.	NPRI

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
				25 NEWBRIDGE ROAD NOT AVAILABLE ETOBICOKE ON M8Z2L6	
<b>NPRI ID:</b>	27696			<b>Org ID:</b>	102021
<b>Other ID:</b>				<b>Submit Date:</b>	5/20/2015
<b>No Other ID:</b>				<b>Last Modified:</b>	6/10/2015 10:59:04 AM
<b>Track ID:</b>	127869			<b>Contact ID:</b>	
<b>Report ID:</b>	52202			<b>Cont Type:</b>	
<b>Report Type:</b>	NPRI			<b>Contact Title:</b>	
<b>Rpt Type ID:</b>	1			<b>Cont First Name:</b>	
<b>Report Year:</b>	2014			<b>Cont Last Name:</b>	
<b>Not-Current Rpt?:</b>	No			<b>Contact Position:</b>	
<b>Yr of Last Filed Rpt:</b>	2014			<b>Contact Fax:</b>	
<b>Fac ID:</b>	224089			<b>Contact Ph.:</b>	
<b>Fac Name:</b>	CARGILL KITCHEN SOLUTIONS			<b>Cont Area Code:</b>	
<b>Fac Address1:</b>	25 NEWBRIDGE ROAD			<b>Contact Tel.:</b>	
<b>Fac Address2:</b>	NOT AVAILABLE			<b>Contact Ext.:</b>	
<b>Fac Postal Zip:</b>	M8Z2L6			<b>Cont Fax Area Cde:</b>	
<b>Facility Lat:</b>	43.62643			<b>Contact Fax:</b>	
<b>Facility Long:</b>	-79.53993			<b>Contact Email:</b>	
<b>DLS (Last Filed Rpt):</b>				<b>Latitude:</b>	43.626188
<b>Facility DLS:</b>				<b>Longitude:</b>	-79.540177
<b>Datum:</b>	1983			<b>UTM Zone:</b>	
<b>Facility Cmnts:</b>				<b>UTM Northing:</b>	
<b>URL:</b>	www.cargill.ca			<b>UTM Easting:</b>	
<b>No of Empl.:</b>	49			<b>Waste Streams:</b>	
<b>Parent Co.:</b>				<b>No Streams:</b>	
<b>No Parent Co.:</b>				<b>Waste Off Sites:</b>	
<b>Pollut Prev Cmnts:</b>				<b>No Off Sites:</b>	
<b>Stacks:</b>				<b>Shutdown:</b>	
<b>No of Stacks:</b>				<b>No of Shutdown:</b>	
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>	31				
<b>NAICS 2 Description:</b>	Manufacturing				
<b>NAICS Code (4 digit):</b>	3119				
<b>NAICS 4 Description:</b>	Other food manufacturing				
<b>NAICS Code (6 digit):</b>	311990				
<b>NAICS 6 Description:</b>	All other food manufacturing				

#### Substance Release Report

**Category Type ID:** 3  
**Category Type Desc:** Fugitive  
**Category Type Desc (fr):** Émissions fugitives  
**Grouping:** Total Air  
**Trans Code:** VOCs  
**Chem:** PM2.5 - Particulate Matter <= 2.5 Microns  
**Chem (fr):** PM2,5 - Matière particulaire <= 2,5 microns  
**Quantity:** .0014  
**Unit:** tonnes  
**Basis of Estimate Cd:** O  
**Basis of Estimate Desc:** O- Engineering Estimates

**Category Type ID:** 1  
**Category Type Desc:** Stack / Point  
**Category Type Desc (fr):** Rejets de cheminée ou ponctuels  
**Grouping:** Total Air  
**Trans Code:** AStA  
**Chem:** PM2.5 - Particulate Matter <= 2.5 Microns  
**Chem (fr):** PM2,5 - Matière particulaire <= 2,5 microns  
**Quantity:** .075  
**Unit:** tonnes

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Basis of Estimate Cd:</b> E2 <b>Basis of Estimate Desc:</b> E2- Published Emission Factors - In use from 2003 and onward  <b>Category Type ID:</b> 3 <b>Category Type Desc:</b> Fugitive <b>Category Type Desc (fr):</b> Émissions fugitives <b>Grouping:</b> Total Air <b>Trans Code:</b> VOCs <b>Chem:</b> PM10 - Particulate Matter <= 10 Microns <b>Chem (fr):</b> PM10 - Matière particulaire <= 10 microns <b>Quantity:</b> .158 <b>Unit:</b> tonnes <b>Basis of Estimate Cd:</b> O <b>Basis of Estimate Desc:</b> O- Engineering Estimates  <b>Category Type ID:</b> 1 <b>Category Type Desc:</b> Stack / Point <b>Category Type Desc (fr):</b> Rejets de cheminée ou ponctuels <b>Grouping:</b> Total Air <b>Trans Code:</b> ASta <b>Chem:</b> PM10 - Particulate Matter <= 10 Microns <b>Chem (fr):</b> PM10 - Matière particulaire <= 10 microns <b>Quantity:</b> .075 <b>Unit:</b> tonnes <b>Basis of Estimate Cd:</b> E2 <b>Basis of Estimate Desc:</b> E2- Published Emission Factors - In use from 2003 and onward					
<a href="#">71</a>	1 of 4	WNW/45.3	117.9 / 4.05	1536394 Ontario Inc. 20 Lockport Avenue Toronto ON M8Z 2R7	CA
<b>Certificate #:</b> 7712-5T6RWA <b>Application Year:</b> 2003 <b>Issue Date:</b> 11/13/2003 <b>Approval Type:</b> Air <b>Status:</b> Approved <b>Application Type:</b> <b>Client Name::</b> <b>Client Address::</b> <b>Client City::</b> <b>Client Postal Code::</b> <b>Project Description::</b> <b>Contaminants::</b> <b>Emission Control::</b>					
<a href="#">71</a>	2 of 4	WNW/45.3	117.9 / 4.05	1536394 Ontario Inc. 20 Lockport Avenue Toronto Ontario M8Z 2R7 Toronto ON	EBR
<b>Company Name:</b> 1536394 Ontario Inc. <b>EBR Registry No.:</b> IA03E0720 <b>Ministry Ref. No.:</b> 8542-5MQTT8 <b>Notice Type:</b> Instrument Decision <b>Notice Date:</b> November 26, 2003 <b>Proposal Date:</b> May 26, 2003 <b>Year:</b> 2003 <b>Proponent Address:</b> 20 Lockport Avenue, Etobicoke Ontario, M8Z 2R7 <b>Instrument Type:</b> (EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air) <b>Location Other:</b>  <b>Location:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
20 Lockport Avenue Toronto Ontario M8Z 2R7 Toronto					
<a href="#">71</a>	3 of 4	WNW/45.3	117.9 / 4.05	1536394 Ontario Inc. 20 Lockport Avenue Toronto ON M8Z 2R7	ECA
<b>Approval No:</b>	7712-5T6RWA			<b>SWP Area Name:</b>	Toronto
<b>Approval Date:</b>	2003-11-13			<b>MOE District:</b>	Toronto
<b>Status:</b>	Approved			<b>City:</b>	Toronto
<b>Record Type:</b>	ECA			<b>Longitude:</b>	-79.5408
<b>Link Source:</b>	IDS			<b>Latitude:</b>	43.628716
<b>Approval Type:</b>	ECA-AIR				
<b>Project Type:</b>	AIR				
<b>Address:</b>	20 Lockport Avenue				
<b>Full Address:</b>					
<b>Full PDF Link:</b>	<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/8542-5MQTT8-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/8542-5MQTT8-14.pdf</a>				
<a href="#">71</a>	4 of 4	WNW/45.3	117.9 / 4.05	20 Lockport Ave Toronto ON	SPL
<b>Ref No:</b>	0588-ANYSCZ			<b>Discharger Report:</b>	
<b>Site No:</b>	NA			<b>Material Group:</b>	
<b>Incident Dt:</b>	6/28/2017			<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	Miscellaneous Industrial
<b>Incident Cause:</b>				<b>Source Type:</b>	Unknown / N/A
<b>Incident Event:</b>	Dumping			<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>				<b>Site Name:</b>	10221295 Canada Inc. <UNOFFICIAL>
<b>Contaminant Name:</b>				<b>Site Address:</b>	20 Lockport Ave
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	Toronto - District
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>				<b>Site Region:</b>	Central
<b>Environment Impact:</b>				<b>Site Municipality:</b>	Toronto
<b>Nature of Impact:</b>				<b>Site Lot:</b>	
<b>Receiving Medium:</b>				<b>Site Conc:</b>	
<b>Receiving Env:</b>	Land			<b>Northing:</b>	
<b>Health/Env Conseq:</b>	2 - Minor Environment			<b>Easting:</b>	
<b>MOE Response:</b>	No			<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	7/5/2017			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>					
<b>SAC Action Class:</b>	Land Spills				
<b>Incident Reason:</b>	Intentional Discharge				
<b>Incident Summary:</b>	Dirty water pumped to front of property				
<a href="#">72</a>	1 of 1	ESE/46.7	110.8 / -3.00	ON	BORE
<b>Borehole ID:</b>	641618			<b>Type:</b>	Borehole
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Status::</b>	
<b>Drill Method::</b>	Power auger			<b>UTM Zone::</b>	17
<b>Easting::</b>	618295			<b>Northing::</b>	4831308
<b>Location Accuracy::</b>				<b>Orig. Ground Elev m::</b>	112
<b>Elev. Reliability Note::</b>				<b>DEM Ground Elev m::</b>	115
<b>Total Depth m::</b>	4.8			<b>Primary Name::</b>	
<b>Township::</b>				<b>Concession::</b>	
<b>Lot::</b>				<b>Municipality:</b>	
<b>Completion Date::</b>	APR-1969			<b>Static Water Level::</b>	.5
<b>Primary Water Use::</b>	Not Used			<b>Sec. Water Use::</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>--Details--</b>					
Stratum ID:	218496744			Top Depth(m):	0.0
Bottom Depth(m):	0.2			Stratum Desc:	ASPHALT.
Stratum ID:	218496745			Top Depth(m):	0.2
Bottom Depth(m):	1.8			Stratum Desc:	FILL,SAND,SILT, GRAVEL. BROWN,COMPACT.
Stratum ID:	218496746			Top Depth(m):	1.8
Bottom Depth(m):	4.8			Stratum Desc:	SAND,SILT,GRAVEL, CLAY. GREY,GLACIAL,DENSE, AGE GLACIAL, WATER STABLE AT 368.4 FEET.
Stratum ID:	218496747			Top Depth(m):	4.8
Bottom Depth(m):	4.8			Stratum Desc:	BEDROCK,SHALE. GREY,WEATHERED,AGE ORDOVICIAN.000050200006003500005LE.

**73**      1 of 1      **SSE/49.8**      **110.7 / -3.18**      **ON**      **BORE**

<b>Borehole ID:</b>	641596	<b>Type:</b>	Borehole
<b>Use:</b>	Geotechnical/Geological Investigation	<b>Status::</b>	
<b>Drill Method::</b>	Power auger	<b>UTM Zone::</b>	17
<b>Easting::</b>	618115	<b>Northing::</b>	4831063
<b>Location Accuracy::</b>		<b>Orig. Ground Elev m::</b>	114
<b>Elev. Reliability Note::</b>		<b>DEM Ground Elev m::</b>	114
<b>Total Depth m::</b>	1.5	<b>Primary Name::</b>	
<b>Township::</b>		<b>Concession::</b>	
<b>Lot::</b>		<b>Municipality:</b>	
<b>Completion Date::</b>	FEB-1971	<b>Static Water Level::</b>	-999.9
<b>Primary Water Use::</b>	Not Used	<b>Sec. Water Use::</b>	

<b>--Details--</b>			
Stratum ID:	218496646	Top Depth(m):	0.0
Bottom Depth(m):	1.5	Stratum Desc:	SAND(90)-MEDIUM,SILT(10). BROWN,FLUVIO-GLACIAL,LOOSE, AGE GLACIAL.      016 SHALE

**74**      1 of 1      **W/50.3**      **117.6 / 3.72**      **Toronto ON**      **WWIS**

<b>Well ID:</b>	7117894	<b>Data Entry Status:</b>	
<b>Construction Date:</b>		<b>Data Src:</b>	
<b>Primary Water Use:</b>	Test Hole	<b>Date Received:</b>	1/15/2009
<b>Sec. Water Use:</b>		<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	0	<b>Abandonment Rec:</b>	
<b>Water Type:</b>		<b>Contractor:</b>	7215
<b>Casing Material:</b>		<b>Form Version:</b>	7
<b>Audit No:</b>	Z81570	<b>Owner:</b>	
<b>Tag:</b>	A061932	<b>Street Name:</b>	17 NEWBRIDGE RD.
<b>Construction Method:</b>		<b>County:</b>	YORK
<b>Elevation (m):</b>		<b>Municipality:</b>	ETOBICOKE BOROUGH
<b>Elevation Reliability:</b>		<b>Site Info:</b>	
<b>Depth to Bedrock:</b>		<b>Lot:</b>	
<b>Well Depth:</b>		<b>Concession:</b>	
<b>Overburden/Bedrock:</b>		<b>Concession Name:</b>	
<b>Pump Rate:</b>		<b>Easting NAD83:</b>	
<b>Static Water Level:</b>		<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>		<b>Zone:</b>	
<b>Flow Rate:</b>		<b>UTM Reliability:</b>	



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Clear/Cloudy:

**Bore Hole Information**

<b>Bore Hole ID:</b>	1001953954	<b>Elevation:</b>	118.43
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	17
<b>Code OB:</b>		<b>East83:</b>	617720
<b>Code OB Desc:</b>		<b>Org CS:</b>	UTM83
<b>Open Hole:</b>		<b>North83:</b>	4831542
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	25-JUN-08	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	1001975373
<b>Layer:</b>	4
<b>Color:</b>	2
<b>General Color:</b>	GREY
<b>Mat1:</b>	17
<b>Most Common Material:</b>	SHALE
<b>Mat2:</b>	
<b>Other Materials:</b>	
<b>Mat3:</b>	68
<b>Other Materials:</b>	DRY
<b>Formation Top Depth:</b>	19
<b>Formation End Depth:</b>	20
<b>Formation End Depth UOM:</b>	ft

<b>Formation ID:</b>	1001975371
<b>Layer:</b>	2
<b>Color:</b>	2
<b>General Color:</b>	GREY
<b>Mat1:</b>	05
<b>Most Common Material:</b>	CLAY
<b>Mat2:</b>	28
<b>Other Materials:</b>	SAND
<b>Mat3:</b>	
<b>Other Materials:</b>	
<b>Formation Top Depth:</b>	7
<b>Formation End Depth:</b>	11
<b>Formation End Depth UOM:</b>	ft

<b>Formation ID:</b>	1001975372
<b>Layer:</b>	3
<b>Color:</b>	2
<b>General Color:</b>	GREY
<b>Mat1:</b>	06
<b>Most Common Material:</b>	SILT
<b>Mat2:</b>	
<b>Other Materials:</b>	
<b>Mat3:</b>	68
<b>Other Materials:</b>	DRY
<b>Formation Top Depth:</b>	11
<b>Formation End Depth:</b>	19
<b>Formation End Depth UOM:</b>	ft

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation ID:</b>		1001975370			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		26			
<b>Other Materials:</b>		ROCK			
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		7			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1001975376			
<b>Layer:</b>		2			
<b>Plug From:</b>		17			
<b>Plug To:</b>		6			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1001975377			
<b>Layer:</b>		3			
<b>Plug From:</b>		6			
<b>Plug To:</b>		1			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1001975375			
<b>Layer:</b>		1			
<b>Plug From:</b>		20			
<b>Plug To:</b>		17			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1001975378			
<b>Layer:</b>		4			
<b>Plug From:</b>		1			
<b>Plug To:</b>		0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1001975383			
<b>Method Construction Code:</b>		2			
<b>Method Construction:</b>		Rotary (Convent.)			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1001975369			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1001975380			
<b>Layer:</b>					
<b>Material:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Open Hole or Material:**

**Depth From:**

**Depth To:**

**Casing Diameter:**

**Casing Diameter UOM:** inch

**Casing Depth UOM:** ft

**Construction Record - Screen**

**Screen ID:** 1001975381

**Layer:** 1

**Slot:** 10

**Screen Top Depth:** 7

**Screen End Depth:** 17

**Screen Material:** 5

**Screen Depth UOM:** ft

**Screen Diameter UOM:** inch

**Screen Diameter:** 1.25

**Water Details**

**Water ID:** 1001975379

**Layer:**

**Kind Code:**

**Kind:**

**Water Found Depth:**

**Water Found Depth UOM:** ft

**Hole Diameter**

**Hole ID:** 1001975374

**Diameter:** 4

**Depth From:** 0

**Depth To:** 17

**Hole Depth UOM:** ft

**Hole Diameter UOM:** inch

[75](#)

1 of 19

SSW/62.3

115.0 / 1.11

GENERAL CARTAGE & EXPRESS CO LTD  
48 NORTH QUEEN ST  
ETOBICOKE ON M8Z 2C4

FST

**Instance No:** 10748834

**Cont Name:**

**Instance Type:** FS Liquid Fuel Tank

**Fuel Type:** Diesel

**Status:** Active

**Capacity:** 22730

**Tank Material:** Steel

**Corrosion Protection:** Impressed Current

**Tank Type:** Single Wall UST

**Install Year:** 1981

**Parent Facility Type:** Fuels Safety Private Fuel Outlet - Self Serve

**Facility Type:** FS Liquid Fuel Tank

[75](#)

2 of 19

SSW/62.3

115.0 / 1.11

GENERAL CARTAGE & EXPRESS CO LTD  
48 NORTH QUEEN ST  
ETOBICOKE ON M8Z 2C4

FST

**Instance No:** 10748816

**Cont Name:**

**Instance Type:** FS Liquid Fuel Tank

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Fuel Type:</b> <b>Status:</b> <b>Capacity:</b> <b>Tank Material:</b> <b>Corrosion Protection:</b> <b>Tank Type:</b> <b>Install Year:</b> <b>Parent Facility Type:</b> <b>Facility Type:</b>		Diesel Active 22730 Steel Impressed Current Single Wall UST NULL Fuels Safety Private Fuel Outlet - Self Serve FS Liquid Fuel Tank			
<a href="#">75</a>	3 of 19	SSW/62.3	115.0 / 1.11	GENERAL CARTAGE & EXPRESS CO LTD 48 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	FSTH
<b>License Issue Date:</b> <b>Tank Status:</b> <b>Tank Status As Of:</b> <b>Operation Type:</b> <b>Facility Type:</b>		1/22/1991 Licensed August 2007 Private Fuel Outlet Gasoline Station - Self Serve			
<b>--Details--</b>					
<b>Status:</b> <b>Year of Installation:</b> <b>Corrosion Protection:</b> <b>Capacity:</b> <b>Tank Fuel Type:</b>		Active   22730 Liquid Fuel Single Wall UST - Diesel			
<b>Status:</b> <b>Year of Installation:</b> <b>Corrosion Protection:</b> <b>Capacity:</b> <b>Tank Fuel Type:</b>		Active 1981  22730 Liquid Fuel Single Wall UST - Diesel			
<a href="#">75</a>	4 of 19	SSW/62.3	115.0 / 1.11	GENERAL CARTAGE & EXPRESS CO LTD 48 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	FSTH
<b>License Issue Date:</b> <b>Tank Status:</b> <b>Tank Status As Of:</b> <b>Operation Type:</b> <b>Facility Type:</b>		1/22/1991 Licensed December 2008 Private Fuel Outlet Gasoline Station - Self Serve			
<b>--Details--</b>					
<b>Status:</b> <b>Year of Installation:</b> <b>Corrosion Protection:</b> <b>Capacity:</b> <b>Tank Fuel Type:</b>		Active   22730 Liquid Fuel Single Wall UST - Diesel			
<b>Status:</b> <b>Year of Installation:</b> <b>Corrosion Protection:</b> <b>Capacity:</b> <b>Tank Fuel Type:</b>		Active 1981  22730 Liquid Fuel Single Wall UST - Diesel			
<a href="#">75</a>	5 of 19	SSW/62.3	115.0 / 1.11	GENERAL CARTAGE & EXPRESS CO. LTD. 48 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Generator No.:</b>	ON0679800			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2010			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	484110				
<b>SIC Description:</b>	General Freight Trucking Local				
<b>--Details--</b>					
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Code:</b>	251				
<b>Waste Description:</b>	OIL SKIMMINGS & SLUDGES				
<b>Waste Code:</b>	221				
<b>Waste Description:</b>	LIGHT FUELS				
<b>75</b>	<b>6 of 19</b>	<b>SSW/62.3</b>	<b>115.0 / 1.11</b>	<b>GENERAL CARTAGE &amp; EXPRESS CO. LTD. 48 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4</b>	<b>GEN</b>
<b>Generator No.:</b>	ON0679800			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	99,00,01,02,03,04,05,06,07,08			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	4561				
<b>SIC Description:</b>	GEN. FREIGHT TRUCK.				
<b>--Details--</b>					
<b>Waste Code:</b>	221				
<b>Waste Description:</b>	LIGHT FUELS				
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<b>Waste Code:</b>	251				
<b>Waste Description:</b>	OIL SKIMMINGS & SLUDGES				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<b>75</b>	<b>7 of 19</b>	<b>SSW/62.3</b>	<b>115.0 / 1.11</b>	<b>GENERAL CARTAGE &amp; EXPRESS CO. LTD.17- 114 48 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4</b>	<b>GEN</b>
<b>Generator No.:</b>	ON0679800			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	92,93,95,96,97,98			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	4561				
<b>SIC Description:</b>	GEN. FREIGHT TRUCK.				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>--Details--</b>					
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<a href="#">75</a>	8 of 19	SSW/62.3	115.0 / 1.11	<b>GENERAL CARTAGE &amp; EXPRESS CO. LTD. 48 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4</b>	GEN
<b>Generator No.:</b>	ON0679800			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2012			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	484110				
<b>SIC Description:</b>	General Freight Trucking Local				
<b>--Details--</b>					
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<a href="#">75</a>	9 of 19	SSW/62.3	115.0 / 1.11	<b>GENERAL CARTAGE &amp; EXPRESS CO. LTD. 48 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4</b>	GEN
<b>Generator No.:</b>	ON0679800			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2015			<b>Choice of Contact:</b>	CO_ADMIN
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	Steve E Pascoe
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b>	416-236-2460 Ext.231
<b>SIC Code:</b>	484110				
<b>SIC Description:</b>	GENERAL FREIGHT TRUCKING, LOCAL				
<b>--Details--</b>					
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">75</a>	10 of 19	SSW/62.3	115.0 / 1.11	GENERAL CARTAGE & EXPRESS CO. LTD.17-114 48 NORTH QUEEN ST. TORONTO ON M8Z 2C4	GEN
<b>Generator No.:</b>	ON0679800			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	94			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	4561				
<b>SIC Description:</b>	GEN. FREIGHT TRUCK.				
<b>--Details--</b>					
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<a href="#">75</a>	11 of 19	SSW/62.3	115.0 / 1.11	GENERAL CARTAGE & EXPRESS CO. LTD. 48 NORTH QUEEN ST. TORONTO ON M8Z 2C4	GEN
<b>Generator No.:</b>	ON0679800			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	86,87,88,89,90			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	4561				
<b>SIC Description:</b>	GEN. FREIGHT TRUCK.				
<b>--Details--</b>					
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<a href="#">75</a>	12 of 19	SSW/62.3	115.0 / 1.11	GENERAL CARTAGE & EXPRESS CO. LTD. 48 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	GEN
<b>Generator No.:</b>	ON0679800			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2011			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	484110				
<b>SIC Description:</b>	General Freight Trucking Local				
<b>--Details--</b>					
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<b>Waste Code:</b>	221				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<a href="#">75</a>	13 of 19	SSW/62.3	115.0 / 1.11	GENERAL CARTAGE & EXPRESS CO. LTD. 48 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	GEN
<b>Generator No.:</b>		ON0679800	<b>PO Box No.:</b>		
<b>Status:</b>			<b>Country:</b>		
<b>Approval Years:</b>		2009	<b>Choice of Contact:</b>		
<b>Contam. Facility:</b>			<b>Co Admin:</b>		
<b>MHSW Facility:</b>			<b>Phone No. Admin:</b>		
<b>SIC Code:</b>		484110			
<b>SIC Description:</b>		General Freight Trucking Local			
<b>--Details--</b>					
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<a href="#">75</a>	14 of 19	SSW/62.3	115.0 / 1.11	GENERAL CARTAGE & EXPRESS CO. LTD. 48 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	GEN
<b>Generator No.:</b>		ON0679800	<b>PO Box No.:</b>		
<b>Status:</b>			<b>Country:</b>		
<b>Approval Years:</b>		2014	Canada		
<b>Contam. Facility:</b>		No	<b>Choice of Contact:</b>		
<b>MHSW Facility:</b>		No	CO_ADMIN		
<b>SIC Code:</b>		484110	<b>Co Admin:</b>		
<b>SIC Description:</b>		GENERAL FREIGHT TRUCKING, LOCAL			
<b>Steve E Pascoe</b>		<b>Phone No. Admin:</b>			
		416-236-2460 Ext.231			
<b>--Details--</b>					
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<a href="#">75</a>	15 of 19	SSW/62.3	115.0 / 1.11	GENERAL CARTAGE & EXPRESS CO. LTD. n/a 48 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	GEN



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Generator No.:</b>	ON0679800			<b>PO Box No.:</b>	
<b>Status:</b>	Registered			<b>Country:</b>	Canada
<b>Approval Years:</b>	As of Dec 2017			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<b>--Details--</b>					
<b>Waste Code:</b>	221 I				
<b>Waste Description:</b>	Light fuels				
<b>Waste Code:</b>	252 L				
<b>Waste Description:</b>	Waste crankcase oils and lubricants				
<b>Waste Code:</b>	213 I				
<b>Waste Description:</b>	Petroleum distillates				
<b>Waste Code:</b>	251 L				
<b>Waste Description:</b>	Waste oils/sludges (petroleum based)				

<a href="#">75</a>	16 of 19	SSW/62.3	115.0 / 1.11	<b>GENERAL CARTAGE &amp; EXPRESS CO. LTD. 48 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4</b>	<b>GEN</b>
<b>Generator No.:</b>	ON0679800			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2016			<b>Choice of Contact:</b>	CO_ADMIN
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	Steve E Pascoe
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b>	416-236-2460 Ext.231
<b>SIC Code:</b>	484110				
<b>SIC Description:</b>	GENERAL FREIGHT TRUCKING, LOCAL				
<b>--Details--</b>					
<b>Waste Code:</b>	251				
<b>Waste Description:</b>	OIL SKIMMINGS & SLUDGES				
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<b>Waste Code:</b>	221				
<b>Waste Description:</b>	LIGHT FUELS				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				

<a href="#">75</a>	17 of 19	SSW/62.3	115.0 / 1.11	<b>CANADIAN DIS(OUT OF BUSINESS)D. 07-489 48 NORTH QUEEN STREET TORONTO ON M8Z 2C4</b>	<b>GEN</b>
<b>Generator No.:</b>	ON1596800			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	92,93,94,95,96,97,98			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	4569				
<b>SIC Description:</b>	OTHER TRUCK./TRANS.				
<b>--Details--</b>					
<b>Waste Code:</b>	212				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<a href="#">75</a>	18 of 19	SSW/62.3	115.0 / 1.11	GENERAL CARTAGE & EXPRESS CO. LTD. 48 NORTH QUEEN STREET ETOBICOKE ON	GEN
<b>Generator No.:</b>		ON0679800		<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>		2013		<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>		484110			
<b>SIC Description:</b>		GENERAL FREIGHT TRUCKING, LOCAL			
<b>--Details--</b>					
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<a href="#">75</a>	19 of 19	SSW/62.3	115.0 / 1.11	GENERAL CARTAGE & EXPRESS CO LTD 48 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	PRT
<b>Location ID:</b>		4722			
<b>Type:</b>		private			
<b>Expiry Date:</b>					
<b>Capacity (L):</b>		45460.00			
<b>Licence #:</b>		0001052604			
<a href="#">76</a>	1 of 2	WNW/62.9	117.9 / 4.08	BTL TRANSPORT & LEASING LTD. 04-294 18 LOCPORT AVENUE C/O 51 MANSTOR ROAD ETOBICOKE ON M9C 1B1	GEN
<b>Generator No.:</b>		ON1093100		<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>		92,93,94,95,96,97,98		<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>		9921			
<b>SIC Description:</b>		AUTO./TRUCK RENTAL			
<b>--Details--</b>					
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">76</a>	2 of 2	WNW/62.9	117.9 / 4.08	BTL TRANSPORT & LEASING LTD. 18 LOCPORT AVENUE C/O 51 MANSTOR ROAD ETOBICOKE ON M9C 1B1	GEN
<b>Generator No.:</b>	ON1093100			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	88,89,90			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	9921				
<b>SIC Description:</b>	AUTO./TRUCK RENTAL				
<b>--Details--</b>					
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<a href="#">77</a>	1 of 1	WNW/66.5	118.1 / 4.22	OCTANORM CANADA LTD 15 LOCKPORT AVE ETOBICOKE ON M8Z 2R6	SCT
<b>Established:</b>	1982				
<b>Plant Size (ft²):</b>					
<b>Employment:</b>	5				
<b>--Details--</b>					
<b>Description:</b>	OFFICE & STORE FIXTURES, SHELVING, EXCEPT WOOD				
<b>SIC/NAICS Code:</b>	2542				
<a href="#">78</a>	1 of 1	NW/68.9	119.8 / 6.00	Toronto ON	WWIS
<b>Well ID:</b>	7138413			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole			<b>Date Received:</b>	1/21/2010
<b>Sec. Water Use:</b>	0			<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Monitoring and Test Hole			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z108745			<b>Owner:</b>	
<b>Tag:</b>	A084233			<b>Street Name:</b>	39 SHORNCLIFFE RD
<b>Construction Method:</b>				<b>County:</b>	YORK
<b>Elevation (m):</b>				<b>Municipality:</b>	ETOBICOKE BOROUGH
<b>Elevation Reliability:</b>				<b>Site Info:</b>	WKQ-002024 (A0-A03)
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b>Bore Hole Information</b>					
<b>Bore Hole ID:</b>	1002925481			<b>Elevation:</b>	120.48
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	17
<b>Code OB:</b>				<b>East83:</b>	617652

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Code OB Desc:</b>				<b>Org CS:</b>	UTM83
<b>Open Hole:</b>				<b>North83:</b>	4831802
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	09-DEC-09			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1003059857			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		34			
<b>Most Common Material:</b>		TILL			
<b>Mat2:</b>		06			
<b>Other Materials:</b>		SILT			
<b>Mat3:</b>		28			
<b>Other Materials:</b>		SAND			
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		17			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1003059859			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		1			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1003059861			
<b>Layer:</b>		3			
<b>Plug From:</b>		6			
<b>Plug To:</b>		17			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1003059860			
<b>Layer:</b>		2			
<b>Plug From:</b>		1			
<b>Plug To:</b>		6			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well</u></b>					
<b><u>Use</u></b>					
<b>Method Construction ID:</b>		1003059867			
<b>Method Construction Code:</b>		D			
<b>Method Construction:</b>		Direct Push			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1003059856			
<b>Casing No:</b>		0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1003059863			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		7			
<b>Casing Diameter:</b>		1.25			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1003059864			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		7			
<b>Screen End Depth:</b>		17			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		ft			
<b>Screen Diameter UOM:</b>		inch			
<b>Screen Diameter:</b>		1.5			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1003059862			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		ft			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1003059858			
<b>Diameter:</b>		4			
<b>Depth From:</b>		0			
<b>Depth To:</b>		17			
<b>Hole Depth UOM:</b>		ft			
<b>Hole Diameter UOM:</b>		inch			

<b><u>79</u></b>	1 of 1	WNW/70.2	118.1 / 4.22	ON	BORE
<b>Borehole ID:</b>	654848			<b>Type:</b>	Borehole
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Status::</b>	
<b>Drill Method::</b>	Power auger			<b>UTM Zone::</b>	17
<b>Easting::</b>	617690			<b>Northing::</b>	4831573
<b>Location Accuracy::</b>				<b>Orig. Ground Elev m::</b>	117
<b>Elev. Reliability Note::</b>				<b>DEM Ground Elev m::</b>	119
<b>Total Depth m::</b>	4.4			<b>Primary Name::</b>	
<b>Township::</b>				<b>Concession::</b>	
<b>Lot::</b>				<b>Municipality:</b>	
<b>Completion Date::</b>	JAN-1968			<b>Static Water Level::</b>	.4
<b>Primary Water Use::</b>	Not Used			<b>Sec. Water Use::</b>	

--Details--

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<i>Stratum ID:</i>	218544829			<i>Top Depth(m):</i>	0.0
<i>Bottom Depth(m):</i>	2.0			<i>Stratum Desc:</i>	SILT,SAND,SOIL. BROWN,STIFF.
<i>Stratum ID:</i>	218544830			<i>Top Depth(m):</i>	2.0
<i>Bottom Depth(m):</i>	4.4			<i>Stratum Desc:</i>	SILT,CLAY,SAND, GRAVEL. GLACIAL,HARD,LAYERED, AGE GLACIAL, WATER STABLE AT 383.6 FEET.00000020000
<a href="#">80</a>	1 of 24	SSW/70.4	113.8 / 0.00	PETRO CANADA WHOLESALE OPERATIONS PETRO PASS ** 58 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	EXP
<i>Instance No:</i>	11320985				
<i>Instance ID:</i>					
<i>Instance Type:</i>	FS Liquid Fuel Tank				
<i>Description:</i>	FS Gasoline Station - Card/Keylock				
<i>Status:</i>	EXPIRED				
<i>TSSA Program Area:</i>					
<i>Maximum Hazard Rank:</i>					
<i>Facility Type:</i>	FS Liquid Fuel Tank				
<i>Expired Date:</i>	6/24/2009				
<a href="#">80</a>	2 of 24	SSW/70.4	113.8 / 0.00	PETRO CANADA WHOLESALE OPERATIONS PETRO PASS ** 58 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	EXP
<i>Instance No:</i>	11320985				
<i>Instance ID:</i>					
<i>Instance Type:</i>	FS Liquid Fuel Tank				
<i>Description:</i>					
<i>Status:</i>	EXPIRED				
<i>TSSA Program Area:</i>					
<i>Maximum Hazard Rank:</i>					
<i>Facility Type:</i>					
<i>Expired Date:</i>	6/24/2009				
<a href="#">80</a>	3 of 24	SSW/70.4	113.8 / 0.00	PETRO CANADA WHOLESALE OPERATIONS PETRO PASS ** 58 NORTH QUEEN ST ETOBICOKE ON	EXP
<i>Instance No:</i>	11321047				
<i>Instance ID:</i>	78736				
<i>Instance Type:</i>	FS Piping				
<i>Description:</i>	FS Piping				
<i>Status:</i>	EXPIRED				
<i>TSSA Program Area:</i>					
<i>Maximum Hazard Rank:</i>					
<i>Facility Type:</i>					
<i>Expired Date:</i>					
<a href="#">80</a>	4 of 24	SSW/70.4	113.8 / 0.00	PETRO CANADA WHOLESALE OPERATIONS PETRO PASS ** 58 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	EXP

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Instance No:</b> <b>Instance ID:</b> <b>Instance Type:</b> <b>Description:</b> <b>Status:</b> <b>TSSA Program Area:</b> <b>Maximum Hazard Rank:</b> <b>Facility Type:</b> <b>Expired Date:</b>		11321007			
<a href="#">80</a>	5 of 24	SSW/70.4	113.8 / 0.00	PETRO CANADA WHOLESALE OPERATIONS PETRO PASS ** 58 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	EXP
<b>Instance No:</b> <b>Instance ID:</b> <b>Instance Type:</b> <b>Description:</b> <b>Status:</b> <b>TSSA Program Area:</b> <b>Maximum Hazard Rank:</b> <b>Facility Type:</b> <b>Expired Date:</b>		10748870			
<a href="#">80</a>	6 of 24	SSW/70.4	113.8 / 0.00	PETRO CANADA WHOLESALE OPERATIONS PETRO PASS ** 58 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	EXP
<b>Instance No:</b> <b>Instance ID:</b> <b>Instance Type:</b> <b>Description:</b> <b>Status:</b> <b>TSSA Program Area:</b> <b>Maximum Hazard Rank:</b> <b>Facility Type:</b> <b>Expired Date:</b>		11321029			
<a href="#">80</a>	7 of 24	SSW/70.4	113.8 / 0.00	PETRO CANADA WHOLESALE OPERATIONS PETRO PASS ** 58 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	EXP
<b>Instance No:</b> <b>Instance ID:</b> <b>Instance Type:</b> <b>Description:</b> <b>Status:</b> <b>TSSA Program Area:</b> <b>Maximum Hazard Rank:</b> <b>Facility Type:</b> <b>Expired Date:</b>		10748870			
<a href="#">80</a>	8 of 24	SSW/70.4	113.8 / 0.00	PETRO CANADA WHOLESALE OPERATIONS PETRO PASS ** 58 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	EXP

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<p><b>Instance No:</b> 11321007  <b>Instance ID:</b>  <b>Instance Type:</b> FS Liquid Fuel Tank  <b>Description:</b>  <b>Status:</b> EXPIRED  <b>TSSA Program Area:</b>  <b>Maximum Hazard Rank:</b>  <b>Facility Type:</b>  <b>Expired Date:</b> 6/24/2009</p>					
<a href="#">80</a>	9 of 24	SSW/70.4	113.8 / 0.00	PETRO CANADA WHOLESALE OPERATIONS PETRO PASS ** 58 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	EXP
<p><b>Instance No:</b> 11321029  <b>Instance ID:</b>  <b>Instance Type:</b> FS Liquid Fuel Tank  <b>Description:</b> FS Gasoline Station - Card/Keylock  <b>Status:</b> EXPIRED  <b>TSSA Program Area:</b>  <b>Maximum Hazard Rank:</b>  <b>Facility Type:</b> FS Liquid Fuel Tank  <b>Expired Date:</b> 6/24/2009</p>					
<a href="#">80</a>	10 of 24	SSW/70.4	113.8 / 0.00	SUNCOR ENERGY PRODUCTS PARTNERSHIP 58 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	FST
<p><b>Instance No:</b> 33810248  <b>Cont Name:</b>  <b>Instance Type:</b> FS Liquid Fuel Tank  <b>Fuel Type:</b> Diesel  <b>Status:</b> Active  <b>Capacity:</b> 50000  <b>Tank Material:</b> Fiberglass (FRP)  <b>Corrosion Protection:</b> Fiberglass  <b>Tank Type:</b> Double Wall UST  <b>Install Year:</b> 2004  <b>Parent Facility Type:</b> FS Gasoline Station - Card/Keylock  <b>Facility Type:</b> FS Liquid Fuel Tank</p>					
<a href="#">80</a>	11 of 24	SSW/70.4	113.8 / 0.00	SUNCOR ENERGY PRODUCTS PARTNERSHIP 58 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	FST
<p><b>Instance No:</b> 33810246  <b>Cont Name:</b>  <b>Instance Type:</b> FS Liquid Fuel Tank  <b>Fuel Type:</b> Diesel  <b>Status:</b> Active  <b>Capacity:</b> 50000  <b>Tank Material:</b> Fiberglass (FRP)  <b>Corrosion Protection:</b> Fiberglass  <b>Tank Type:</b> Double Wall UST  <b>Install Year:</b> 2004  <b>Parent Facility Type:</b> FS Gasoline Station - Card/Keylock  <b>Facility Type:</b> FS Liquid Fuel Tank</p>					



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">80</a>	12 of 24	SSW/70.4	113.8 / 0.00	SUNCOR ENERGY PRODUCTS PARTNERSHIP 58 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	FST
<b>Instance No:</b>		33810247			
<b>Cont Name:</b>					
<b>Instance Type:</b>		FS Liquid Fuel Tank			
<b>Fuel Type:</b>		Diesel			
<b>Status:</b>		Active			
<b>Capacity:</b>		50000			
<b>Tank Material:</b>		Fiberglass (FRP)			
<b>Corrosion Protection:</b>		Fiberglass			
<b>Tank Type:</b>		Double Wall UST			
<b>Install Year:</b>		2004			
<b>Parent Facility Type:</b>		FS Gasoline Station - Card/Keylock			
<b>Facility Type:</b>		FS Liquid Fuel Tank			
<a href="#">80</a>	13 of 24	SSW/70.4	113.8 / 0.00	PETRO CANADA WHOLESALE OPERATIONS PETRO PASS ** 58 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	FSTH
<b>License Issue Date:</b>		3/1/2002			
<b>Tank Status:</b>		Licensed			
<b>Tank Status As Of:</b>		December 2008			
<b>Operation Type:</b>		Retail Fuel Outlet			
<b>Facility Type:</b>		Gasoline Station - Card/Keylock			
<b>--Details--</b>					
<b>Status:</b>		Active			
<b>Year of Installation:</b>		2004			
<b>Corrosion Protection:</b>					
<b>Capacity:</b>		50000			
<b>Tank Fuel Type:</b>		Liquid Fuel Double Wall UST - Diesel			
<b>Status:</b>		Active			
<b>Year of Installation:</b>		2004			
<b>Corrosion Protection:</b>					
<b>Capacity:</b>		50000			
<b>Tank Fuel Type:</b>		Liquid Fuel Double Wall UST - Diesel			
<b>Status:</b>		Active			
<b>Year of Installation:</b>		2004			
<b>Corrosion Protection:</b>					
<b>Capacity:</b>		50000			
<b>Tank Fuel Type:</b>		Liquid Fuel Double Wall UST - Diesel			
<a href="#">80</a>	14 of 24	SSW/70.4	113.8 / 0.00	PETRO CANADA WHOLESALE MARKETING ATT: LYDIA CHIPPER- PETROPASS ** 58 NORTH QUEEN ST ETOBICOKE ON M8Z 2C4	FSTH
<b>License Issue Date:</b>		3/1/2002			
<b>Tank Status:</b>		Licensed			
<b>Tank Status As Of:</b>		August 2007			
<b>Operation Type:</b>		Retail Fuel Outlet			
<b>Facility Type:</b>		Gasoline Station - Card/Keylock			
<b>--Details--</b>					
<b>Status:</b>		Removed			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Year of Installation:</b>		1985			
<b>Corrosion Protection:</b>					
<b>Capacity:</b>		50000			
<b>Tank Fuel Type:</b>		Liquid Fuel Single Wall UST - Diesel			
<b>Status:</b>		Removed			
<b>Year of Installation:</b>		1985			
<b>Corrosion Protection:</b>					
<b>Capacity:</b>		50000			
<b>Tank Fuel Type:</b>		Liquid Fuel Single Wall UST - Diesel			
<b>Status:</b>		Removed			
<b>Year of Installation:</b>		1985			
<b>Corrosion Protection:</b>					
<b>Capacity:</b>		50000			
<b>Tank Fuel Type:</b>		Liquid Fuel Single Wall UST - Diesel			
<b>Status:</b>		Removed			
<b>Year of Installation:</b>		1985			
<b>Corrosion Protection:</b>					
<b>Capacity:</b>		50000			
<b>Tank Fuel Type:</b>		Liquid Fuel Single Wall UST - Diesel			

<a href="#">80</a>	15 of 24	SSW/70.4	113.8 / 0.00	Suncor Energy 58 NORTH QUEEN ETOBICOKE ON	GEN
<b>Generator No.:</b>	ON2727392			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2013			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	412110				
<b>SIC Description:</b>	PETROLEUM PRODUCT WHOLESALER-DISTRIBUTORS				
<b>--Details--</b>					
<b>Waste Code:</b>	221				
<b>Waste Description:</b>	LIGHT FUELS				

<a href="#">80</a>	16 of 24	SSW/70.4	113.8 / 0.00	Suncor Energy 58 NORTH QUEEN ETOBICOKE ON M8Z2C4	GEN
<b>Generator No.:</b>	ON2727392			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2015			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	JOHN AUSTERBERRY
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b>	905-469-3671 Ext.
<b>SIC Code:</b>	412110				
<b>SIC Description:</b>	PETROLEUM PRODUCT WHOLESALER-DISTRIBUTORS				
<b>--Details--</b>					
<b>Waste Code:</b>	221				
<b>Waste Description:</b>	LIGHT FUELS				

<a href="#">80</a>	17 of 24	SSW/70.4	113.8 / 0.00	Suncor Energy 58 NORTH QUEEN ETOBICOKE ON M8Z2C4	GEN
--------------------	----------	----------	--------------	--	-----

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Generator No.:</b> ON2727392 <b>Status:</b> <b>Approval Years:</b> 2014 <b>Contam. Facility:</b> No <b>MHSW Facility:</b> No <b>SIC Code:</b> 412110 <b>SIC Description:</b> PETROLEUM PRODUCT WHOLESALER-DISTRIBUTORS  <b>PO Box No.:</b> <b>Country:</b> Canada <b>Choice of Contact:</b> CO_OFFICIAL <b>Co Admin:</b> JOHN AUSTERBERRY <b>Phone No. Admin:</b> 905-469-3671 Ext.					
<b>--Details--</b>					
<b>Waste Code:</b> 221					
<b>Waste Description:</b> LIGHT FUELS					
<a href="#">80</a>	18 of 24	SSW/70.4	113.8 / 0.00	Suncor Energy 58 NORTH QUEEN ETOBICOKE ON M8Z2C4	GEN
<b>Generator No.:</b> ON2727392 <b>Status:</b> <b>Approval Years:</b> 2011 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> 412110 <b>SIC Description:</b>					
<b>PO Box No.:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No. Admin:</b>					
<a href="#">80</a>	19 of 24	SSW/70.4	113.8 / 0.00	Suncor Energy 58 NORTH QUEEN ETOBICOKE ON M8Z2C4	GEN
<b>Generator No.:</b> ON2727392 <b>Status:</b> <b>Approval Years:</b> 2012 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> 412110 <b>SIC Description:</b> Petroleum Product Wholesaler-Distributors					
<b>PO Box No.:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No. Admin:</b>					
<a href="#">80</a>	20 of 24	SSW/70.4	113.8 / 0.00	Suncor Energy 58 NORTH QUEEN ETOBICOKE ON M8Z2C4	GEN
<b>Generator No.:</b> ON2727392 <b>Status:</b> Registered <b>Approval Years:</b> As of Dec 2017 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> <b>SIC Description:</b>					
<b>PO Box No.:</b> <b>Country:</b> Canada <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No. Admin:</b>					
<b>--Details--</b>					
<b>Waste Code:</b> 221 I					
<b>Waste Description:</b> Light fuels					
<a href="#">80</a>	21 of 24	SSW/70.4	113.8 / 0.00	Suncor Energy 58 NORTH QUEEN ETOBICOKE ON M8Z2C4	GEN
<b>Generator No.:</b> ON2727392 <b>PO Box No.:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Status:</b> <b>Approval Years:</b> 2016 <b>Contam. Facility:</b> No <b>MHSW Facility:</b> No <b>SIC Code:</b> 412110 <b>SIC Description:</b>		PETROLEUM PRODUCT WHOLESALER-DISTRIBUTORS		<b>Country:</b> Canada <b>Choice of Contact:</b> CO_OFFICIAL <b>Co Admin:</b> JOHN AUSTERBERRY <b>Phone No. Admin:</b> 905-469-3671 Ext.	
<b>--Details--</b> <b>Waste Code:</b> 221 <b>Waste Description:</b>		LIGHT FUELS			
<a href="#">80</a>	22 of 24	SSW/70.4	113.8 / 0.00	<b>PETRO CANADA C/O KELLY VANDERWERF            CONSUMER SALES            58 NORTH QUEEN ST            ETOBICOKE ON M8Z2C4</b>	<b>PRT</b>
<b>Location ID:</b> 4724 <b>Type:</b> retail <b>Expiry Date:</b> 1996-03-31 <b>Capacity (L):</b> 200000 <b>Licence #:</b> 0076411024					
<a href="#">80</a>	23 of 24	SSW/70.4	113.8 / 0.00	<b>NORTH QUEEN PETRO PASS            58 NORTH QUEEN ST            ETOBICOKE ON M8Z 2C4</b>	<b>RST</b>
<b>Headcode:</b> 426100 <b>Headcode Desc:</b> Diesel Fuel <b>Phone:</b> 4162335513 <b>List Name:</b> <b>Description:</b>					
<a href="#">80</a>	24 of 24	SSW/70.4	113.8 / 0.00	<b>TRANSPORT TRUCK            58 NORTH QUEEN ST. MOTOR VEHICLE            (OPERATING FLUID)            TORONTO CITY ON M8Z 2C4</b>	<b>SPL</b>
<b>Ref No:</b> 149907 <b>Site No:</b> <b>Incident Dt:</b> 12/4/1997 <b>Year:</b> <b>Incident Cause:</b> OTHER CONTAINER LEAK <b>Incident Event:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Contaminant Qty:</b> <b>Environment Impact:</b> POSSIBLE <b>Nature of Impact:</b> Multi Media Pollution <b>Receiving Medium:</b> LAND <b>Receiving Env:</b> <b>Health/Env Conseq:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 12/4/1997 <b>Dt Document Closed:</b> <b>SAC Action Class:</b> <b>Incident Reason:</b> OTHER				<b>Discharger Report:</b> <b>Material Group:</b> <b>Client Type:</b> <b>Sector Type:</b> <b>Source Type:</b> <b>Nearest Watercourse:</b> <b>Site Name:</b> <b>Site Address:</b> <b>Site District Office:</b> <b>Site County/District:</b> <b>Site Postal Code:</b> <b>Site Region:</b> <b>Site Municipality:</b> 01106 <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> WORKS <b>Site Geo Ref Accu:</b> <b>Site Geo Ref Meth:</b> <b>Site Map Datum:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Incident Summary:</b>		TRANSPORT TRUCK-RUPTURE IN SADDLE TANK, DIESEL FUEL TO GROUND, SEWER.			
<a href="#">81</a>	1 of 9	WSW/73.2	117.9 / 4.08	SIENA FOODS LTD 16 NEWBRIDGE RD TORONTO ON M8Z 2L7	FST
<b>Instance No:</b>		11017605			
<b>Cont Name:</b>					
<b>Instance Type:</b>		FS Liquid Fuel Tank			
<b>Fuel Type:</b>		Gasoline			
<b>Status:</b>		Active			
<b>Capacity:</b>		13638			
<b>Tank Material:</b>		Steel			
<b>Corrosion Protection:</b>		Impressed Current			
<b>Tank Type:</b>		Single Wall UST			
<b>Install Year:</b>		1978			
<b>Parent Facility Type:</b>		Fuels Safety Private Fuel Outlet - Self Serve			
<b>Facility Type:</b>		FS Liquid Fuel Tank			
<a href="#">81</a>	2 of 9	WSW/73.2	117.9 / 4.08	SIENA FOODS LTD 16 NEWBRIDGE RD TORONTO ON M8Z 2L7	FST
<b>Instance No:</b>		11017590			
<b>Cont Name:</b>					
<b>Instance Type:</b>		FS Liquid Fuel Tank			
<b>Fuel Type:</b>		Diesel			
<b>Status:</b>		Active			
<b>Capacity:</b>		13638			
<b>Tank Material:</b>		Fiberglass (FRP)			
<b>Corrosion Protection:</b>		Fiberglass			
<b>Tank Type:</b>		Single Wall UST			
<b>Install Year:</b>		1984			
<b>Parent Facility Type:</b>		Fuels Safety Private Fuel Outlet - Self Serve			
<b>Facility Type:</b>		FS Liquid Fuel Tank			
<a href="#">81</a>	3 of 9	WSW/73.2	117.9 / 4.08	SIENA FOODS LTD 16 NEWBRIDGE RD TORONTO ON M8Z 2L7	FSTH
<b>License Issue Date:</b>		11/8/1990			
<b>Tank Status:</b>		Licensed			
<b>Tank Status As Of:</b>		August 2007			
<b>Operation Type:</b>		Private Fuel Outlet			
<b>Facility Type:</b>		Gasoline Station - Self Serve			
<b>--Details--</b>					
<b>Status:</b>		Active			
<b>Year of Installation:</b>		1984			
<b>Corrosion Protection:</b>					
<b>Capacity:</b>		13638			
<b>Tank Fuel Type:</b>		Liquid Fuel Single Wall UST - Diesel			
<b>Status:</b>		Active			
<b>Year of Installation:</b>		1978			
<b>Corrosion Protection:</b>					
<b>Capacity:</b>		13638			
<b>Tank Fuel Type:</b>		Liquid Fuel Single Wall UST - Gasoline			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">81</a>	4 of 9	WSW/73.2	117.9 / 4.08	SIENA FOODS LTD 16 NEWBRIDGE RD TORONTO ON M8Z 2L7	FSTH
<b>License Issue Date:</b>		11/8/1990			
<b>Tank Status:</b>		Licensed			
<b>Tank Status As Of:</b>		December 2008			
<b>Operation Type:</b>		Private Fuel Outlet			
<b>Facility Type:</b>		Gasoline Station - Self Serve			
<b>--Details--</b>					
<b>Status:</b>		Active			
<b>Year of Installation:</b>		1984			
<b>Corrosion Protection:</b>					
<b>Capacity:</b>		13638			
<b>Tank Fuel Type:</b>		Liquid Fuel Single Wall UST - Diesel			
<b>Status:</b>		Active			
<b>Year of Installation:</b>		1978			
<b>Corrosion Protection:</b>					
<b>Capacity:</b>		13638			
<b>Tank Fuel Type:</b>		Liquid Fuel Single Wall UST - Gasoline			
<a href="#">81</a>	5 of 9	WSW/73.2	117.9 / 4.08	Siena Foods Ltd. 16 Newbridge Road Toronto ON M8Z 2L7	GEN
<b>Generator No.:</b>		ON8310600		<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>		2009		<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>		311990			
<b>SIC Description:</b>		All Other Food Manufacturing			
<b>--Details--</b>					
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<a href="#">81</a>	6 of 9	WSW/73.2	117.9 / 4.08	16 NEWBRIDGE ROAD TORONTO ON M8Z 2L7	HINC
<b>External File Num:</b>		FS INC 0811-06651			
<b>Date of Occurrence:</b>		10/30/2008			
<b>Fuel Occurrence Type:</b>		Fire			
<b>Fuel Type Involved:</b>		Natural Gas			
<b>Status Desc.:</b>		Completed - Causal Analysis(End)			
<b>Job Type Desc.:</b>		Incident/Near-Miss Occurrence (FS)			
<b>Oper. Type Involved.:</b>		Commercial (e.g. restaurant, business unit, etc)			
<b>Service Interruptions.:</b>		No			
<b>Property Damage.:</b>		No			
<b>Fuel Life Cycle Stage.:</b>		Utilization			
<b>Root Cause.:</b>		Root Cause: Equipment/Material/Component:Yes Procedures:No Maintenance:No Design:No Training:No Management:No Human Factors:No			
<b>Reported Details.:</b>		Sienna Foods			
<b>Fuel Category.:</b>		Unknown			
<b>Occurrence Type.:</b>		Incident			
<b>Affiliation.:</b>		Industry Stakeholder (Licensee/Registration/Certificate Holder, Facility Owner, etc.)			
<b>County Name.:</b>		Toronto			
<b>Approx. Quant. Rel.:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Nearby body of water:: Enter Drainage Syst:: Approx. Quant. Unit:: Environmental Impact::					
<a href="#">81</a>	7 of 9	WSW/73.2	117.9 / 4.08	SIENA FOODS LTD 16 NEWBRIDGE RD TORONTO ON M8Z 2L7	PRT
<b>Location ID:</b> <b>Type:</b> <b>Expiry Date:</b> <b>Capacity (L):</b> <b>Licence #:</b>		15516 private  27276.00 0001004572			
<a href="#">81</a>	8 of 9	WSW/73.2	117.9 / 4.08	SIENA FOODS LTD. 16 NEWBRIDGE RD ETOBICOKE ON M8Z 2L7	SCT
<b>Established:</b> <b>Plant Size (ft²):</b> <b>Employment:</b>		1959 60000 73			
<b>--Details--</b>					
<b>Description:</b>		NATURAL, PROCESSED, AND IMITATION CHEESE			
<b>SIC/NAICS Code:</b>		2022			
<b>Description:</b>		SHORTENING, TABLE OILS, MARGARINE, AND OTHER EDIBLE FATS AND OILS, NOT ELSEWHERE CLASSIFIED			
<b>SIC/NAICS Code:</b>		2079			
<b>Description:</b>		MACARONI, SPAGHETTI, VERMICELLI, AND NOODLES			
<b>SIC/NAICS Code:</b>		2098			
<b>Description:</b>		Butter, Cheese, and Dry and Condensed Dairy Products Manufacturing			
<b>SIC/NAICS Code:</b>		311515			
<a href="#">81</a>	9 of 9	WSW/73.2	117.9 / 4.08	Siena Foods Ltd. 16 Newbridge Rd Etobicoke ON M8Z 2L7	SCT
<b>Established:</b> <b>Plant Size (ft²):</b> <b>Employment:</b>		1959 60000 95			
<b>--Details--</b>					
<b>Description:</b>		Red Meat and Meat Product Wholesaler-Distributors			
<b>SIC/NAICS Code:</b>		413160			
<b>Description:</b>		Other Specialty-Line Food Wholesaler-Distributors			
<b>SIC/NAICS Code:</b>		413190			
<a href="#">82</a>	1 of 2	N/76.6	117.8 / 4.00	ON	BORE
<b>Borehole ID:</b> <b>Use:</b>		632741 Geotechnical/Geological Investigation		<b>Type:</b> <b>Status::</b>	Borehole

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Drill Method::</b>	Power auger			<b>UTM Zone::</b>	17
<b>Easting::</b>	617925			<b>Northing::</b>	4832013
<b>Location Accuracy::</b>				<b>Orig. Ground Elev m::</b>	121
<b>Elev. Reliability Note::</b>				<b>DEM Ground Elev m::</b>	119
<b>Total Depth m::</b>	4.7			<b>Primary Name::</b>	
<b>Township::</b>				<b>Concession::</b>	
<b>Lot::</b>				<b>Municipality:</b>	
<b>Completion Date::</b>	JUL-1965			<b>Static Water Level::</b>	-999.9
<b>Primary Water Use::</b>	Not Used			<b>Sec. Water Use::</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>	218463783			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	0.9			<b>Stratum Desc:</b>	SILT,SAND-MEDIUM. BROWN,LACUSTRINE,AGE GLACIAL.
<b>Stratum ID:</b>	218463784			<b>Top Depth(m):</b>	0.9
<b>Bottom Depth(m):</b>	1.7			<b>Stratum Desc:</b>	SILT,SAND-MEDIUM, GRAVEL. BROWN,LACUSTRINE,AGE GLACIAL.
<b>Stratum ID:</b>	218463785			<b>Top Depth(m):</b>	1.7
<b>Bottom Depth(m):</b>	3.0			<b>Stratum Desc:</b>	SILT,SAND-MEDIUM. BROWN,LACUSTRINE,VERY DENSE, AGE GLACIAL.
<b>Stratum ID:</b>	218463786			<b>Top Depth(m):</b>	3.0
<b>Bottom Depth(m):</b>	4.6			<b>Stratum Desc:</b>	SILT,SAND. BROWN,LACUSTRINE,VERY DENSE, AGE GLACIAL.
<b>Stratum ID:</b>	218463787			<b>Top Depth(m):</b>	4.6
<b>Bottom Depth(m):</b>	4.7			<b>Stratum Desc:</b>	SILT,SAND-FINE TO MEDIUM. GREY,LACUSTRINE,VERY DENSE, AGE GLACIAL. 000300110005518000150100R

**82**      **2 of 2**      **N/76.6**      **117.8 / 4.00**      **ON**      **BORE**

<b>Borehole ID:</b>	632740			<b>Type:</b>	Borehole
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Status::</b>	
<b>Drill Method::</b>	Power auger			<b>UTM Zone::</b>	17
<b>Easting::</b>	617925			<b>Northing::</b>	4832013
<b>Location Accuracy::</b>				<b>Orig. Ground Elev m::</b>	121
<b>Elev. Reliability Note::</b>				<b>DEM Ground Elev m::</b>	119
<b>Total Depth m::</b>	6.6			<b>Primary Name::</b>	
<b>Township::</b>				<b>Concession::</b>	
<b>Lot::</b>				<b>Municipality:</b>	
<b>Completion Date::</b>	JUL-1965			<b>Static Water Level::</b>	.6
<b>Primary Water Use::</b>	Not Used			<b>Sec. Water Use::</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>	218463777			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	0.9			<b>Stratum Desc:</b>	SILT,SAND-MEDIUM. BROWN,LACUSTRINE,AGE GLACIAL.
<b>Stratum ID:</b>	218463778			<b>Top Depth(m):</b>	0.9
<b>Bottom Depth(m):</b>	1.5			<b>Stratum Desc:</b>	SILT,SAND. GREY,BROWN,LACUSTRINE,DENSE, AGE GLACIAL, WATER STABLE AT 397.9 FEET.
<b>Stratum ID:</b>	218463779			<b>Top Depth(m):</b>	1.5
<b>Bottom Depth(m):</b>	2.7			<b>Stratum Desc:</b>	SILT,SAND. BROWN,LACUSTRINE,VERY DENSE, AGE GLACIAL.
<b>Stratum ID:</b>	218463780			<b>Top Depth(m):</b>	2.7



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Bottom Depth(m):</b>	4.6			<b>Stratum Desc:</b>	SILT,SAND, GREY,LACUSTRINE,VERY DENSE, AGE GLACIAL.
<b>Stratum ID:</b>	218463781			<b>Top Depth(m):</b>	4.6
<b>Bottom Depth(m):</b>	6.1			<b>Stratum Desc:</b>	SILT,SAND, GREY,BROWN,LACUSTRINE,DENSE, AGE GLACIAL.
<b>Stratum ID:</b>	218463782			<b>Top Depth(m):</b>	6.1
<b>Bottom Depth(m):</b>	6.6			<b>Stratum Desc:</b>	SILT, GREY,LACUSTRINE,VERY DENSE, AGE GLACIAL. 00030020000500400009010000150100000063 000500

**83**      1 of 1      **NW/76.7**      **119.8 / 6.00**      **TORONTO ON**      **WWIS**

<b>Well ID:</b>	7116427	<b>Data Entry Status:</b>	
<b>Construction Date:</b>		<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring	<b>Date Received:</b>	12/15/2008
<b>Sec. Water Use:</b>		<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Observation Wells	<b>Abandonment Rec:</b>	
<b>Water Type:</b>		<b>Contractor:</b>	6032
<b>Casing Material:</b>		<b>Form Version:</b>	7
<b>Audit No:</b>	Z82236	<b>Owner:</b>	
<b>Tag:</b>	A062166	<b>Street Name:</b>	39 SHORNCLIFFE RD.
<b>Construction Method:</b>		<b>County:</b>	YORK
<b>Elevation (m):</b>		<b>Municipality:</b>	TORONTO CITY
<b>Elevation Reliability:</b>		<b>Site Info:</b>	
<b>Depth to Bedrock:</b>		<b>Lot:</b>	
<b>Well Depth:</b>		<b>Concession:</b>	
<b>Overburden/Bedrock:</b>		<b>Concession Name:</b>	
<b>Pump Rate:</b>		<b>Easting NAD83:</b>	
<b>Static Water Level:</b>		<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>		<b>Zone:</b>	
<b>Flow Rate:</b>		<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>			

**Bore Hole Information**

<b>Bore Hole ID:</b>	1001909472	<b>Elevation:</b>	120.67
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	17
<b>Code OB:</b>		<b>East83:</b>	617640
<b>Code OB Desc:</b>		<b>Org CS:</b>	UTM83
<b>Open Hole:</b>		<b>North83:</b>	4831814
<b>Cluster Kind:</b>		<b>UTMRC:</b>	3
<b>Date Completed:</b>	16-OCT-08	<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	1002020839
<b>Layer:</b>	1
<b>Color:</b>	2
<b>General Color:</b>	GREY

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Mat1:</b>		01			
<b>Most Common Material:</b>		FILL			
<b>Mat2:</b>		28			
<b>Other Materials:</b>		SAND			
<b>Mat3:</b>		77			
<b>Other Materials:</b>		LOOSE			
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		4.27			
<b>Formation End Depth UOM:</b>		m			
<b>Formation ID:</b>		1002020840			
<b>Layer:</b>		2			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		06			
<b>Most Common Material:</b>		SILT			
<b>Mat2:</b>		05			
<b>Other Materials:</b>		CLAY			
<b>Mat3:</b>		66			
<b>Other Materials:</b>		DENSE			
<b>Formation Top Depth:</b>		4.27			
<b>Formation End Depth:</b>		4.57			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1002020842			
<b>Layer:</b>		1			
<b>Plug From:</b>		1			
<b>Plug To:</b>		.3			
<b>Plug Depth UOM:</b>		m			
<b>Plug ID:</b>		1002020843			
<b>Layer:</b>		2			
<b>Plug From:</b>		.3			
<b>Plug To:</b>		0			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1002020848			
<b>Method Construction Code:</b>		6			
<b>Method Construction:</b>		Boring			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1002020838			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1002020845			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		1.5			
<b>Depth To:</b>		.05			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Casing Diameter:</b>		.5			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1002020846			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		1.5			
<b>Screen End Depth:</b>		4.57			
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		.6			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1002020844			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		m			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1002020841			
<b>Diameter:</b>		20			
<b>Depth From:</b>		0			
<b>Depth To:</b>		4.57			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			

<a href="#">84</a>	1 of 1	NW/85.7	119.8 / 6.00	ON	WWIS
<b>Well ID:</b>		7214404		<b>Data Entry Status:</b>	Yes
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>				<b>Date Received:</b>	1/6/2014
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>				<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7303
<b>Casing Material:</b>				<b>Form Version:</b>	8
<b>Audit No:</b>		C21802		<b>Owner:</b>	
<b>Tag:</b>				<b>Street Name:</b>	
<b>Construction Method:</b>				<b>County:</b>	YORK
<b>Elevation (m):</b>				<b>Municipality:</b>	ETOBICOKE BOROUGH
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>		1004679454		<b>Elevation:</b>	121.96
<b>DP2BR:</b>				<b>Elevrc:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Spatial Status:</b> <b>Code OB:</b> <b>Code OB Desc:</b> <b>Open Hole:</b> <b>Cluster Kind:</b> <b>Date Completed:</b> 28-NOV-13 <b>Remarks:</b> <b>Elevrc Desc:</b> <b>Location Source Date:</b> <b>Improvement Location Source:</b> <b>Improvement Location Method:</b> <b>Source Revision Comment:</b> <b>Supplier Comment:</b>				<b>Zone:</b> 17 <b>East83:</b> 617656 <b>Org CS:</b> UTM83 <b>North83:</b> 4831932 <b>UTMRC:</b> 4 <b>UTMRC Desc:</b> margin of error : 30 m - 100 m <b>Location Method:</b> wwr	

<a href="#">85</a>	1 of 1	WSW/87.8	117.1 / 3.30	17 Newbridge Rd Toronto ON M8Z 2L6	EHS
<b>Order ID:</b> 163255 <b>Order No:</b> 20090331022 <b>Customer ID:</b> 77527 <b>Company ID:</b> 41325 <b>Status:</b> C <b>Report Code:</b> 3CAN <b>Report Type:</b> Standard Report <b>Report Date:</b> 4/9/2009 <b>Report Requested by:</b> Soil Engineers Ltd. <b>Nearest Intersection:</b> <b>Previous Site Name:</b> <b>Additional Info Ordered:</b>		<b>Date Received:</b> 3/31/2009 <b>Lot/Building Size:</b> <b>Municipality:</b> <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> 0.25 <b>Large Radius:</b> 2 <b>X:</b> -79.540307 <b>Y:</b> 43.626028			

<a href="#">86</a>	1 of 4	WSW/88.7	117.1 / 3.30	17 Newbridge Rd Etobicoke ON M8Z 2L6	EHS
<b>Order ID:</b> 133234 <b>Order No:</b> 20080408003 <b>Customer ID:</b> 53267 <b>Company ID:</b> 313 <b>Status:</b> C <b>Report Code:</b> 2CAN <b>Report Type:</b> Basic Report <b>Report Date:</b> 4/16/2008 <b>Report Requested by:</b> CGI Risk Management Services <b>Nearest Intersection:</b> Hwy 427 & Dundas St W <b>Previous Site Name:</b> <b>Additional Info Ordered:</b>		<b>Date Received:</b> 4/8/2008 <b>Lot/Building Size:</b> <b>Municipality:</b> <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> 0.25 <b>Large Radius:</b> 2 <b>X:</b> -79.540448 <b>Y:</b> 43.626078			

<a href="#">86</a>	2 of 4	WSW/88.7	117.1 / 3.30	GLOBAL EGG CORPORATION #17 Newbridge Road Etobicoke ON M8Z 2L6	GEN
<b>Generator No.:</b> ON2654700 <b>Status:</b> <b>Approval Years:</b> 03,04,05,06,07,08 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> 112310 <b>SIC Description:</b> Chicken Egg Production		<b>PO Box No.:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No. Admin:</b>			
<b>--Details--</b> <b>Waste Code:</b> 252 <b>Waste Description:</b> WASTE OILS & LUBRICANTS					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">86</a>	3 of 4	WSW/88.7	117.1 / 3.30	GLOBAL EGG CORPORATION LTD. 17 NEWBRIDGE ROAD ETOBICOKE ON M8Z 2L6	GEN
<b>Generator No.:</b>	ON2654700			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	01			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	3199				
<b>SIC Description:</b>	OTHER MACHINERY				
<b>--Details--</b>					
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<a href="#">86</a>	4 of 4	WSW/88.7	117.1 / 3.30	17 Newbridge Rd. Toronto ON M8Z 2L6	SPL
<b>Ref No:</b>	5706-789L4Y			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	Waste
<b>Incident Dt:</b>				<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	Sewer
<b>Incident Cause:</b>	Other Discharges			<b>Source Type:</b>	
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>	44			<b>Site Name:</b>	Sanitary sewer<UNOFFICIAL>
<b>Contaminant Name:</b>	SEWAGE,RAW UNCHLORINATED			<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>	Unknown other - see incident description			<b>Site Region:</b>	
<b>Environment Impact:</b>	Not Anticipated			<b>Site Municipality:</b>	Toronto
<b>Nature of Impact:</b>	Other Impact(s)			<b>Site Lot:</b>	
<b>Receiving Medium:</b>	Land & Water			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>Health/Env Conseq:</b>				<b>Easting:</b>	
<b>MOE Response:</b>	No Field Response			<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	10/23/2007			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>					
<b>SAC Action Class:</b>					
<b>Incident Reason:</b>	Unknown - Reason not determined				
<b>Incident Summary:</b>	Toronto: blocked sewer, impacted c/b				
<a href="#">87</a>	1 of 1	W/90.4	118.9 / 5.05	ETOBICOKE ON	WWIS
<b>Well ID:</b>	7116718			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Test Hole			<b>Date Received:</b>	12/18/2008
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Test Hole			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7215
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z90084			<b>Owner:</b>	
<b>Tag:</b>	A070294			<b>Street Name:</b>	16 NEW BRIDGE RD.
<b>Construction Method:</b>				<b>County:</b>	YORK
<b>Elevation (m):</b>				<b>Municipality:</b>	TORONTO CITY
<b>Elevation Reliability:</b>				<b>Site Info:</b>	

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Depth to Bedrock:</b> <b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>				<b>Lot:</b> <b>Concession:</b> <b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>	
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b> <b>DP2BR:</b> <b>Spatial Status:</b> <b>Code OB:</b> <b>Code OB Desc:</b> <b>Open Hole:</b> <b>Cluster Kind:</b> <b>Date Completed:</b> <b>Remarks:</b> <b>Elevrc Desc:</b> <b>Location Source Date:</b> <b>Improvement Location Source:</b> <b>Improvement Location Method:</b> <b>Source Revision Comment:</b> <b>Supplier Comment:</b>	1001912016       19-NOV-08			<b>Elevation:</b> <b>Elevrc:</b> <b>Zone:</b> <b>East83:</b> <b>Org CS:</b> <b>North83:</b> <b>UTMRC:</b> <b>UTMRC Desc:</b> <b>Location Method:</b>	118.01  17 617697 UTM83 4831481 3 margin of error : 10 - 30 m wwr
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b> <b>Layer:</b> <b>Plug From:</b> <b>Plug To:</b> <b>Plug Depth UOM:</b>	1002025111 3 1 0 ft				
<b>Plug ID:</b> <b>Layer:</b> <b>Plug From:</b> <b>Plug To:</b> <b>Plug Depth UOM:</b>	1002025110 2 4 1 ft				
<b>Plug ID:</b> <b>Layer:</b> <b>Plug From:</b> <b>Plug To:</b> <b>Plug Depth UOM:</b>	1002025109 1 15 4 ft				
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b> <b>Method Construction Code:</b> <b>Method Construction:</b> <b>Other Method Construction:</b>	1002025116 9 Driving				
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b> <b>Casing No:</b> <b>Comment:</b> <b>Alt Name:</b>	1002025105 0				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Construction Record - Casing**

Casing ID: 1002025113  
 Layer:  
 Material:  
 Open Hole or Material:  
 Depth From:  
 Depth To:  
 Casing Diameter:  
 Casing Diameter UOM: inch  
 Casing Depth UOM: ft

**Construction Record - Screen**

Screen ID: 1002025114  
 Layer: 1  
 Slot: 10  
 Screen Top Depth: 5  
 Screen End Depth: 15  
 Screen Material: 5  
 Screen Depth UOM: ft  
 Screen Diameter UOM: inch  
 Screen Diameter: 1

**Water Details**

Water ID: 1002025112  
 Layer:  
 Kind Code:  
 Kind:  
 Water Found Depth:  
 Water Found Depth UOM: ft

**Hole Diameter**

Hole ID: 1002025107  
 Diameter: 3  
 Depth From: 15  
 Depth To: 1  
 Hole Depth UOM: ft  
 Hole Diameter UOM: inch

Hole ID: 1002025108  
 Diameter: 8  
 Depth From: 1  
 Depth To: 0  
 Hole Depth UOM: ft  
 Hole Diameter UOM: inch

<a href="#">88</a>	1 of 2	SSE/94.7	109.8 / -4.00	ADP Direct Poultry Ltd. 34 Vansco Road Toronto ON	SPL
Ref No:	2855-AMXLDC			Discharger Report:	
Site No:				Material Group:	
Incident Dt:	6/1/2017			Client Type:	Corporation
Year:				Sector Type:	Miscellaneous Industrial
Incident Cause:				Source Type:	Unknown / N/A
Incident Event:	Operator/Human error			Nearest Watercourse:	
Contaminant Code:	15			Site Name:	ADP Direct Poultry<UNOFFICIAL>
Contaminant Name:	OIL (PETROLEUM BASED, NOT SPECIFIED)			Site Address:	34 Vansco Road

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> n/a <b>Contaminant Qty:</b> 0 other - see incident description <b>Environment Impact:</b> <b>Nature of Impact:</b> <b>Receiving Medium:</b> <b>Receiving Env:</b> Land <b>Health/Env Conseq:</b> 2 - Minor Environment <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 6/2/2017 <b>Dt Document Closed:</b> <b>SAC Action Class:</b> <b>Incident Reason:</b> Intentional Discharge <b>Incident Summary:</b> ADP Direct Poultry: mixed oil/blood water to two prvt CBs; contd & clng				<b>Site District Office:</b> Toronto - District <b>Site County/District:</b> <b>Site Postal Code:</b> <b>Site Region:</b> Central <b>Site Municipality:</b> Toronto <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> 4831090 <b>Easting:</b> 618126 <b>Site Geo Ref Accu:</b> <b>Site Geo Ref Meth:</b> <b>Site Map Datum:</b>	

<a href="#">88</a>	2 of 2	SSE/94.7	109.8 / -4.00	ADP Direct Poultry Ltd. 34 Vansco Rd. Etobicoke Toronto ON	SPL
<b>Ref No:</b> 0124-9XMJXJ <b>Site No:</b> NA <b>Incident Dt:</b> 6/18/2015 <b>Year:</b> <b>Incident Cause:</b> Operator/Human error <b>Incident Event:</b> <b>Contaminant Code:</b> 46 <b>Contaminant Name:</b> ANIMAL WASTES <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Contaminant Qty:</b> 0 other - see incident description <b>Environment Impact:</b> <b>Nature of Impact:</b> Land <b>Receiving Medium:</b> <b>Receiving Env:</b> <b>Health/Env Conseq:</b> <b>MOE Response:</b> N <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 6/19/2015 <b>Dt Document Closed:</b> <b>SAC Action Class:</b> Land Spills <b>Incident Reason:</b> Operator/Human Error <b>Incident Summary:</b> ADP Poultry - liquid bio waste to grnd and cb				<b>Discharger Report:</b> <b>Material Group:</b> <b>Client Type:</b> <b>Sector Type:</b> <b>Source Type:</b> <b>Nearest Watercourse:</b> <b>Site Name:</b> ADP Direct Poultry<UNOFFICIAL> <b>Site Address:</b> 34 Vansco Rd. Etobicoke <b>Site District Office:</b> <b>Site County/District:</b> <b>Site Postal Code:</b> <b>Site Region:</b> <b>Site Municipality:</b> Toronto <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> 4831080 <b>Easting:</b> 618136 <b>Site Geo Ref Accu:</b> <b>Site Geo Ref Meth:</b> <b>Site Map Datum:</b> NAD83	

<a href="#">89</a>	1 of 18	S/94.7	111.5 / -2.36	BELL CANADA 55 NORTH QUEEN ST ETOBICOKE ON M8Z 2C7	FST
<b>Instance No:</b> 10748852 <b>Cont Name:</b> <b>Instance Type:</b> FS Liquid Fuel Tank <b>Fuel Type:</b> Gasoline <b>Status:</b> Active <b>Capacity:</b> 22730 <b>Tank Material:</b> Steel <b>Corrosion Protection:</b> Impressed Current <b>Tank Type:</b> Single Wall UST <b>Install Year:</b> NULL <b>Parent Facility Type:</b> Fuels Safety Private Fuel Outlet - Self Serve <b>Facility Type:</b> FS Liquid Fuel Tank					



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">89</a>	2 of 18	S/94.7	111.5 / -2.36	BELL CANADA ATT: AKI OMAE MANAGER OF REALTY SERVICES 55 NORTH QUEEN ST ETOBICOKE ON M8Z 2C7	FSTH
<b>License Issue Date:</b>		6/7/1995			
<b>Tank Status:</b>		Licensed			
<b>Tank Status As Of:</b>		August 2007			
<b>Operation Type:</b>		Private Fuel Outlet			
<b>Facility Type:</b>		Gasoline Station - Self Serve			
<b>--Details--</b>					
<b>Status:</b>		Active			
<b>Year of Installation:</b>					
<b>Corrosion Protection:</b>					
<b>Capacity:</b>		22730			
<b>Tank Fuel Type:</b>		Liquid Fuel Single Wall UST - Gasoline			
<a href="#">89</a>	3 of 18	S/94.7	111.5 / -2.36	BELL CANADA ATT: AKI OMAE MANAGER OF REALTY SERVICES 55 NORTH QUEEN ST ETOBICOKE ON M8Z 2C7	FSTH
<b>License Issue Date:</b>		6/7/1995			
<b>Tank Status:</b>		Licensed			
<b>Tank Status As Of:</b>		December 2008			
<b>Operation Type:</b>		Private Fuel Outlet			
<b>Facility Type:</b>		Gasoline Station - Self Serve			
<b>--Details--</b>					
<b>Status:</b>		Active			
<b>Year of Installation:</b>					
<b>Corrosion Protection:</b>					
<b>Capacity:</b>		22730			
<b>Tank Fuel Type:</b>		Liquid Fuel Single Wall UST - Gasoline			
<a href="#">89</a>	4 of 18	S/94.7	111.5 / -2.36	BELL CANADA 55 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C7	05-083 GEN
<b>Generator No.:</b>		ON0033913		<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>		94,95,96		<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>		6351			
<b>SIC Description:</b>		GARAGES(GEN. REPAIR)			
<b>--Details--</b>					
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		112			
<b>Waste Description:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Code:</b>		131			
<b>Waste Description:</b>		NEUTRALIZED WASTES - HEAVY METALS			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		263			
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			

<b>89</b>	<b>5 of 18</b>	<b>S/94.7</b>	<b>111.5/ -2.36</b>	<b>BELL CANADA 55 North Queen St Etobicoke ON M8Z 2C7</b>	<b>GEN</b>
<b>Generator No.:</b>	ON0033913			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2009			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	517110, 517210, 517510				
<b>SIC Description:</b>	Wired Telecommunications Carriers, Wireless Telecommunications Carriers (except Satellite), Cable and Other Program Distribution				
<b>--Details--</b>					
<b>Waste Code:</b>		112			
<b>Waste Description:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Code:</b>		121			
<b>Waste Description:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Code:</b>		131			
<b>Waste Description:</b>		NEUTRALIZED WASTES - HEAVY METALS			
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		263			
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			
<b>89</b>	<b>6 of 18</b>	<b>S/94.7</b>	<b>111.5 / -2.36</b>	<b>BELL CANADA 55 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C7</b>	<b>GEN</b>
<b>Generator No.:</b>	ON0033913			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	86,87			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	4821				
<b>SIC Description:</b>	TELECOMMUN. CARRIERS				
<b>--Details--</b>					
<b>Waste Code:</b>		112			
<b>Waste Description:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Code:</b>		131			
<b>Waste Description:</b>		NEUTRALIZED WASTES - HEAVY METALS			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>89</b>	<b>7 of 18</b>	<b>S/94.7</b>	<b>111.5 / -2.36</b>	<b>BELL CANADA 55 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C7</b>	<b>GEN</b>
<b>Generator No.:</b>	ON0033913			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	88,89,90,92,93,97,98,99,00,01,02,03,04,05,06, 07,08			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	6351				
<b>SIC Description:</b>	GARAGES(GEN. REPAIR)				
<b>--Details--</b>					
<b>Waste Code:</b>		112			
<b>Waste Description:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Code:</b>		121			
<b>Waste Description:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Code:</b>		131			
<b>Waste Description:</b>		NEUTRALIZED WASTES - HEAVY METALS			
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		263			
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			

<a href="#">89</a>	8 of 18	S/94.7	111.5 / -2.36	<b>BELL CANADA 55 North Queen St Etobicoke ON</b>	<b>GEN</b>
<b>Generator No.:</b>	ON0033913			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2013			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	517110, 517210, 517510				
<b>SIC Description:</b>	WIRED TELECOMMUNICATIONS CARRIERS, WIRELESS TELECOMMUNICATIONS CARRIERS (EXCEPT SATELLITE)				
<b>--Details--</b>					
<b>Waste Code:</b>	263				
<b>Waste Description:</b>	ORGANIC LABORATORY CHEMICALS				
<b>Waste Code:</b>	331				
<b>Waste Description:</b>	WASTE COMPRESSED GASES				
<b>Waste Code:</b>	112				
<b>Waste Description:</b>	ACID WASTE - HEAVY METALS				
<b>Waste Code:</b>	251				
<b>Waste Description:</b>	OIL SKIMMINGS & SLUDGES				
<b>Waste Code:</b>	212				
<b>Waste Description:</b>	ALIPHATIC SOLVENTS				
<b>Waste Code:</b>	221				
<b>Waste Description:</b>	LIGHT FUELS				
<b>Waste Code:</b>	131				
<b>Waste Description:</b>	NEUTRALIZED WASTES - HEAVY METALS				
<b>Waste Code:</b>	145				
<b>Waste Description:</b>	PAINT/PIGMENT/COATING RESIDUES				
<b>Waste Code:</b>	121				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Description:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<a href="#">89</a>	9 of 18	<b>S/94.7</b>	<b>111.5 / -2.36</b>	<b>BELL CANADA 55 North Queen St Etobicoke ON M8Z 2C7</b>	<b>GEN</b>
<b>Generator No.:</b>	ON0033913			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2010			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	517110, 517210, 517510				
<b>SIC Description:</b>	Wired Telecommunications Carriers, Wireless Telecommunications Carriers (except Satellite), Cable and Other Program Distribution				
<b>--Details--</b>					
<b>Waste Code:</b>	148				
<b>Waste Description:</b>	INORGANIC LABORATORY CHEMICALS				
<b>Waste Code:</b>	221				
<b>Waste Description:</b>	LIGHT FUELS				
<b>Waste Code:</b>	251				
<b>Waste Description:</b>	OIL SKIMMINGS & SLUDGES				
<b>Waste Code:</b>	263				
<b>Waste Description:</b>	ORGANIC LABORATORY CHEMICALS				
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<b>Waste Code:</b>	331				
<b>Waste Description:</b>	WASTE COMPRESSED GASES				
<b>Waste Code:</b>	131				
<b>Waste Description:</b>	NEUTRALIZED WASTES - HEAVY METALS				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Code:</b>	212				
<b>Waste Description:</b>	ALIPHATIC SOLVENTS				
<b>Waste Code:</b>	121				
<b>Waste Description:</b>	ALKALINE WASTES - HEAVY METALS				
<b>Waste Code:</b>	112				
<b>Waste Description:</b>	ACID WASTE - HEAVY METALS				
<b>Waste Code:</b>	145				
<b>Waste Description:</b>	PAINT/PIGMENT/COATING RESIDUES				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">89</a>	10 of 18	S/94.7	111.5 / -2.36	PETRO-CANADA PRODUCTS 31-092 NORTH QUEEN CARDLOCK PLANT - GULF ROBSON ENTERPRISES, 55 NORTH QUEEN ST. ETOBICOKE ON M8Z 2C7	GEN
<b>Generator No.:</b>	ON0031031			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	92,93,94,95,96,97			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	3611				
<b>SIC Description:</b>	REFINED PETRO. PROD.				
<b>--Details--</b>					
<b>Waste Code:</b>	251				
<b>Waste Description:</b>	OIL SKIMMINGS & SLUDGES				
<a href="#">89</a>	11 of 18	S/94.7	111.5 / -2.36	BELL CANADA 55 North Queen St Etobicoke ON M8Z 2C7	GEN
<b>Generator No.:</b>	ON0033913			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2012			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	517110, 517210, 517510				
<b>SIC Description:</b>	Wired Telecommunications Carriers, Wireless Telecommunications Carriers (except Satellite), Cable and Other Program Distribution				
<b>--Details--</b>					
<b>Waste Code:</b>	263				
<b>Waste Description:</b>	ORGANIC LABORATORY CHEMICALS				
<b>Waste Code:</b>	121				
<b>Waste Description:</b>	ALKALINE WASTES - HEAVY METALS				
<b>Waste Code:</b>	212				
<b>Waste Description:</b>	ALIPHATIC SOLVENTS				
<b>Waste Code:</b>	145				
<b>Waste Description:</b>	PAINT/PIGMENT/COATING RESIDUES				
<b>Waste Code:</b>	131				
<b>Waste Description:</b>	NEUTRALIZED WASTES - HEAVY METALS				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Code:</b>	251				
<b>Waste Description:</b>	OIL SKIMMINGS & SLUDGES				
<b>Waste Code:</b>	112				
<b>Waste Description:</b>	ACID WASTE - HEAVY METALS				
<b>Waste Code:</b>	331				
<b>Waste Description:</b>	WASTE COMPRESSED GASES				
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<b>Waste Code:</b>	148				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<a href="#">89</a>	12 of 18	S/94.7	111.5 / -2.36	<b>PETRO-CANADA PRODUCTS NORTH QUEEN CARDLOCK PLANT - GULF ROBSON ENTERPRISES, 55 NORTH QUEEN ST. ETOBICOKE ON M8Z 2C7</b>	<b>GEN</b>
<b>Generator No.:</b>		ON0031031		<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>		86,87,88,89,90,98		<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>		3611			
<b>SIC Description:</b>		REFINED PETRO. PROD.			
<b>--Details--</b>					
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<a href="#">89</a>	13 of 18	S/94.7	111.5 / -2.36	<b>BELL CANADA 55 North Queen St Etobicoke ON M8Z 2C7</b>	<b>GEN</b>
<b>Generator No.:</b>		ON0033913		<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>		2011		<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>		517110, 517210, 517510			
<b>SIC Description:</b>		Wired Telecommunications Carriers, Wireless Telecommunications Carriers (except Satellite), Cable and Other Program Distribution			
<b>--Details--</b>					
<b>Waste Code:</b>		263			
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			
<b>Waste Code:</b>		121			
<b>Waste Description:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		145			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>		112			
<b>Waste Description:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		131			
<b>Waste Description:</b>		NEUTRALIZED WASTES - HEAVY METALS			

<a href="#">89</a>	14 of 18	S/94.7	111.5 / -2.36	BELL CANADA 55 North Queen St Etobicoke ON M8Z 2C7	GEN
<b>Generator No.:</b>	ON0033913			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2015			<b>Choice of Contact:</b>	CO_ADMIN
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	Julie Labelle
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b>	514-870-0688 Ext.
<b>SIC Code:</b>	517110, 517210, 517510				
<b>SIC Description:</b>	WIRED TELECOMMUNICATIONS CARRIERS, WIRELESS TELECOMMUNICATIONS CARRIERS (EXCEPT SATELLITE), 517510				
<b>--Details--</b>					
<b>Waste Code:</b>	263				
<b>Waste Description:</b>	ORGANIC LABORATORY CHEMICALS				
<b>Waste Code:</b>	221				
<b>Waste Description:</b>	LIGHT FUELS				
<b>Waste Code:</b>	331				
<b>Waste Description:</b>	WASTE COMPRESSED GASES				
<b>Waste Code:</b>	131				
<b>Waste Description:</b>	NEUTRALIZED WASTES - HEAVY METALS				
<b>Waste Code:</b>	148				
<b>Waste Description:</b>	INORGANIC LABORATORY CHEMICALS				
<b>Waste Code:</b>	212				
<b>Waste Description:</b>	ALIPHATIC SOLVENTS				
<b>Waste Code:</b>	251				
<b>Waste Description:</b>	OIL SKIMMINGS & SLUDGES				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Code:</b>	121				
<b>Waste Description:</b>	ALKALINE WASTES - HEAVY METALS				
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<b>Waste Code:</b>	112				
<b>Waste Description:</b>	ACID WASTE - HEAVY METALS				
<b>Waste Code:</b>	145				
<b>Waste Description:</b>	PAINT/PIGMENT/COATING RESIDUES				



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">89</a>	15 of 18	S/94.7	111.5 / -2.36	BELL CANADA 55 North Queen St Etobicoke ON M8Z 2C7	GEN
<b>Generator No.:</b>	ON0033913			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2016			<b>Choice of Contact:</b>	CO_ADMIN
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	Chloé Lamothe-Luneau
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b>	514-391-1021 Ext.
<b>SIC Code:</b>	517110, 517210, 517510				
<b>SIC Description:</b>	WIRED TELECOMMUNICATIONS CARRIERS, WIRELESS TELECOMMUNICATIONS CARRIERS (EXCEPT SATELLITE), 517510				
<b>--Details--</b>					
<b>Waste Code:</b>	263				
<b>Waste Description:</b>	ORGANIC LABORATORY CHEMICALS				
<b>Waste Code:</b>	145				
<b>Waste Description:</b>	PAINT/PIGMENT/COATING RESIDUES				
<b>Waste Code:</b>	121				
<b>Waste Description:</b>	ALKALINE WASTES - HEAVY METALS				
<b>Waste Code:</b>	212				
<b>Waste Description:</b>	ALIPHATIC SOLVENTS				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<b>Waste Code:</b>	148				
<b>Waste Description:</b>	INORGANIC LABORATORY CHEMICALS				
<b>Waste Code:</b>	112				
<b>Waste Description:</b>	ACID WASTE - HEAVY METALS				
<b>Waste Code:</b>	331				
<b>Waste Description:</b>	WASTE COMPRESSED GASES				
<b>Waste Code:</b>	243				
<b>Waste Description:</b>	PCBS				
<b>Waste Code:</b>	131				
<b>Waste Description:</b>	NEUTRALIZED WASTES - HEAVY METALS				
<b>Waste Code:</b>	251				
<b>Waste Description:</b>	OIL SKIMMINGS & SLUDGES				
<b>Waste Code:</b>	221				
<b>Waste Description:</b>	LIGHT FUELS				

<a href="#">89</a>	16 of 18	S/94.7	111.5 / -2.36	BELL CANADA 55 North Queen St Etobicoke ON M8Z 2C7	GEN
<b>Generator No.:</b>	ON0033913			<b>PO Box No.:</b>	
<b>Status:</b>	Registered			<b>Country:</b>	Canada
<b>Approval Years:</b>	As of Dec 2017			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>SIC Description:</b>					
<b>--Details--</b>					
<b>Waste Code:</b>		212 L			
<b>Waste Description:</b>		Aliphatic solvents and residues			
<b>Waste Code:</b>		252 L			
<b>Waste Description:</b>		Waste crankcase oils and lubricants			
<b>Waste Code:</b>		251 L			
<b>Waste Description:</b>		Waste oils/sludges (petroleum based)			
<b>Waste Code:</b>		243 D			
<b>Waste Description:</b>		PCB			
<b>Waste Code:</b>		263 I			
<b>Waste Description:</b>		Misc. waste organic chemicals			
<b>Waste Code:</b>		145 L			
<b>Waste Description:</b>		Wastes from the use of pigments, coatings and paints			
<b>Waste Code:</b>		121 C			
<b>Waste Description:</b>		Alkaline slutions - containing heavy metals			
<b>Waste Code:</b>		331 I			
<b>Waste Description:</b>		Waste compressed gases including cylinders			

<a href="#">89</a>	17 of 18	S/94.7	111.5 / -2.36	<b>BELL CANADA</b> 55 North Queen St Etobicoke ON M8Z 2C7	<b>GEN</b>
<b>Generator No.:</b>	ON0033913			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2014			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	Julie Labelle
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b>	514-870-0688 Ext.
<b>SIC Code:</b>	517110, 517210, 517510				
<b>SIC Description:</b>	WIRED TELECOMMUNICATIONS CARRIERS, WIRELESS TELECOMMUNICATIONS CARRIERS (EXCEPT SATELLITE), 517510				
<b>--Details--</b>					
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>		263			
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Code:</b> 131 <b>Waste Description:</b> NEUTRALIZED WASTES - HEAVY METALS  <b>Waste Code:</b> 112 <b>Waste Description:</b> ACID WASTE - HEAVY METALS  <b>Waste Code:</b> 252 <b>Waste Description:</b> WASTE OILS & LUBRICANTS  <b>Waste Code:</b> 213 <b>Waste Description:</b> PETROLEUM DISTILLATES  <b>Waste Code:</b> 121 <b>Waste Description:</b> ALKALINE WASTES - HEAVY METALS					
<a href="#">89</a>	18 of 18	S/94.7	111.5 / -2.36	BELL CANADA 55 NORTH QUEEN ST ETOBICOKE ON M8Z 2C7	PRT
<b>Location ID:</b> 4723 <b>Type:</b> private <b>Expiry Date:</b> <b>Capacity (L):</b> 22730.00 <b>Licence #:</b> 0001036061					
<a href="#">90</a>	1 of 1	SSE/96.5	109.8 / -4.00	34 Vansco Road Toronto ON	EHS
<b>Order ID:</b> 304544 <b>Order No:</b> 20140414009 <b>Customer ID:</b> 53147 <b>Company ID:</b> 77 <b>Status:</b> C <b>Report Code:</b> 4CAN <b>Report Type:</b> Custom Report <b>Report Date:</b> 17-APR-14 <b>Report Requested by:</b> Pinchin Ltd <b>Nearest Intersection:</b> <b>Previous Site Name:</b> <b>Additional Info Ordered:</b>					
<b>Date Received:</b> 14-APR-14 <b>Lot/Building Size:</b> <b>Municipality:</b> <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> .25 <b>Large Radius:</b> 2 <b>X:</b> -79.536001 <b>Y:</b> 43.622742					
<a href="#">91</a>	1 of 1	NNW/97.4	119.8 / 6.00	Shorncliffe Rd Queen St N Toronto ON	EHS
<b>Order ID:</b> 448017 <b>Order No:</b> 20160314226 <b>Customer ID:</b> 114808 <b>Company ID:</b> 50 <b>Status:</b> C <b>Report Code:</b> 4CAN <b>Report Type:</b> Custom Report <b>Report Date:</b> 21-MAR-16 <b>Report Requested by:</b> Golder Associates Ltd. <b>Nearest Intersection:</b> <b>Previous Site Name:</b> <b>Additional Info Ordered:</b>					
<b>Date Received:</b> 14-MAR-16 <b>Lot/Building Size:</b> <b>Municipality:</b> <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> .03 <b>Large Radius:</b> .5 <b>X:</b> -79.539749 <b>Y:</b> 43.631593					
<a href="#">92</a>	1 of 1	SSE/97.8	109.8 / -4.00	34 Vansco Toronto ON	SPL

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Ref No:</b>	2580-9XMK9G			<b>Discharger Report:</b>	
<b>Site No:</b>	NA			<b>Material Group:</b>	
<b>Incident Dt:</b>	6/18/2015			<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	
<b>Incident Cause:</b>	Dumping			<b>Source Type:</b>	
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>	46			<b>Site Name:</b>	ADP Direct Poultry<UNOFFICIAL>
<b>Contaminant Name:</b>	BLOOD WASTES			<b>Site Address:</b>	34 Vansco
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>	0 other - see incident description			<b>Site Region:</b>	
<b>Environment Impact:</b>				<b>Site Municipality:</b>	Toronto
<b>Nature of Impact:</b>	Surface Water			<b>Site Lot:</b>	
<b>Receiving Medium:</b>				<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>Health/Env Conseq:</b>				<b>Easting:</b>	
<b>MOE Response:</b>	N			<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	6/19/2015			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>					
<b>SAC Action Class:</b>	Watercourse Spills				
<b>Incident Reason:</b>	Deliberate Act				
<b>Incident Summary:</b>	Poultry blood washed to Storm sewer				
<a href="#">93</a>	1 of 1	SSW/99.7	113.9 / 0.05	65 and 69 North Queen Street Toronto ON	EHS
<b>Order ID:</b>	187423			<b>Date Received:</b>	5/27/2011 2:43:41 PM
<b>Order No:</b>	20110527019			<b>Lot/Building Size:</b>	
<b>Customer ID:</b>	86407			<b>Municipality:</b>	
<b>Company ID:</b>	5			<b>Client Prov/State:</b>	ON
<b>Status:</b>	C			<b>Search Radius (km):</b>	0.25
<b>Report Code:</b>	4CAN			<b>Large Radius:</b>	0.25
<b>Report Type:</b>	Custom Report			<b>X:</b>	-79.538193
<b>Report Date:</b>	6/7/2011			<b>Y:</b>	43.619456
<b>Report Requested by:</b>	WESA				
<b>Nearest Intersection:</b>					
<b>Previous Site Name:</b>					
<b>Additional Info Ordered:</b>	Fire Insur. Maps and/or Site Plans				
<a href="#">94</a>	1 of 1	WSW/100.4	117.6 / 3.73	Toronto ON	WWIS
<b>Well ID:</b>	7117895			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Test Hole			<b>Date Received:</b>	1/15/2009
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Monitoring and Test Hole			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7215
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z81518			<b>Owner:</b>	
<b>Tag:</b>	A068030			<b>Street Name:</b>	17 NEWBRIDGE RD.
<b>Construction Method:</b>				<b>County:</b>	YORK
<b>Elevation (m):</b>				<b>Municipality:</b>	ETOBICOKE BOROUGH
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>				<b>Zone:</b> <b>UTM Reliability:</b>	
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b> 1001953957		<b>Elevation:</b> 117.9			
<b>DP2BR:</b>		<b>Elevrc:</b>			
<b>Spatial Status:</b>		<b>Zone:</b> 17			
<b>Code OB:</b>		<b>East83:</b> 617727			
<b>Code OB Desc:</b>		<b>Org CS:</b> UTM83			
<b>Open Hole:</b>		<b>North83:</b> 4831351			
<b>Cluster Kind:</b>		<b>UTMRC:</b> 4			
<b>Date Completed:</b>		<b>UTMRC Desc:</b> margin of error : 30 m - 100 m			
<b>Remarks:</b>		<b>Location Method:</b> wwr			
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b> 1001975489					
<b>Layer:</b> 2					
<b>Color:</b> 6					
<b>General Color:</b> BROWN					
<b>Mat1:</b> 28					
<b>Most Common Material:</b> SAND					
<b>Mat2:</b> 05					
<b>Other Materials:</b> CLAY					
<b>Mat3:</b> 91					
<b>Other Materials:</b> WATER-BEARING					
<b>Formation Top Depth:</b> 10					
<b>Formation End Depth:</b> 15					
<b>Formation End Depth UOM:</b> ft					
<b>Formation ID:</b> 1001975488					
<b>Layer:</b> 1					
<b>Color:</b> 6					
<b>General Color:</b> BROWN					
<b>Mat1:</b> 28					
<b>Most Common Material:</b> SAND					
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b> 68					
<b>Other Materials:</b> DRY					
<b>Formation Top Depth:</b> 0					
<b>Formation End Depth:</b> 10					
<b>Formation End Depth UOM:</b> ft					
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b> 1001975491					
<b>Layer:</b> 1					
<b>Plug From:</b> 15					
<b>Plug To:</b> 9					
<b>Plug Depth UOM:</b> ft					
<b>Plug ID:</b> 1001975493					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Layer:</b>		3			
<b>Plug From:</b>		1			
<b>Plug To:</b>		0			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1001975492			
<b>Layer:</b>		2			
<b>Plug From:</b>		9			
<b>Plug To:</b>		1			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1001975498			
<b>Method Construction Code:</b>		2			
<b>Method Construction:</b>		Rotary (Convent.)			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1001975487			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1001975495			
<b>Layer:</b>					
<b>Material:</b>					
<b>Open Hole or Material:</b>					
<b>Depth From:</b>					
<b>Depth To:</b>					
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1001975496			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		10			
<b>Screen End Depth:</b>		15			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		ft			
<b>Screen Diameter UOM:</b>		inch			
<b>Screen Diameter:</b>		1.25			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1001975494			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		ft			
<b><u>Hole Diameter</u></b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Hole ID:</b> <b>Diameter:</b> <b>Depth From:</b> <b>Depth To:</b> <b>Hole Depth UOM:</b> <b>Hole Diameter UOM:</b>		1001975490 4 15 0 ft inch			
<a href="#">95</a>	1 of 4	SSE/101.2	109.8 / -4.00	TAYLOR MANUFACTURING INDUSTRY INC. 55 VANSCO ROAD TORONTO ON M8Z 5Z8	GEN
<b>Generator No.:</b>	ON0882000			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	92,93,94,95,96,97,98,99,00,01			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	2549				
<b>SIC Description:</b>	OTHER MILLWORK IND.				
<b>--Details--</b>					
<b>Waste Code:</b>	122				
<b>Waste Description:</b>	ALKALINE WASTES - OTHER METALS				
<b>Waste Code:</b>	211				
<b>Waste Description:</b>	AROMATIC SOLVENTS				
<b>Waste Code:</b>	232				
<b>Waste Description:</b>	POLYMERIC RESINS				
<b>Waste Code:</b>	261				
<b>Waste Description:</b>	PHARMACEUTICALS				
<b>Waste Code:</b>	264				
<b>Waste Description:</b>	PHOTOPROCESSING WASTES				
<a href="#">95</a>	2 of 4	SSE/101.2	109.8 / -4.00	TAYLOR MANUFACTURING IND. INC. 55 VANSCO ROAD TORONTO ON M8Z 5Z8	GEN
<b>Generator No.:</b>	ON0882000			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	86,87,88,89,90			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	2549				
<b>SIC Description:</b>	OTHER MILLWORK IND.				
<b>--Details--</b>					
<b>Waste Code:</b>	261				
<b>Waste Description:</b>	PHARMACEUTICALS				
<a href="#">95</a>	3 of 4	SSE/101.2	109.8 / -4.00	Allseas Fisheries Inc 55 Vansco Rd Toronto ON M8Z 5Z8	SCT
<b>Established:</b>	01-SEP-86				
<b>Plant Size (ft²):</b>	60000				
<b>Employment:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>--Details--</b>					
<b>Description:</b>		Wholesale Trade Agents and Brokers			
<b>SIC/NAICS Code:</b>		419120			
<b>Description:</b>		Wholesale Trade Agents and Brokers			
<b>SIC/NAICS Code:</b>		419120			
<a href="#">95</a>	4 of 4	SSE/101.2	109.8 / -4.00	TAYLOR MANUFACTURING IND. INC. 55 VANSKO RD ETOBICOKE ON M8Z 5Z8	SCT
<b>Established:</b>		1983			
<b>Plant Size (ft²):</b>		55000			
<b>Employment:</b>		57			
<b>--Details--</b>					
<b>Description:</b>		WOOD OFFICE AND STORE FIXTURES, PARTITIONS, SHELVING, AND LOCKERS			
<b>SIC/NAICS Code:</b>		2541			
<b>Description:</b>		SIGNS AND ADVERTISING SPECIALTIES			
<b>SIC/NAICS Code:</b>		3993			
<b>Description:</b>		BUSINESS SERVICES, NOT ELSEWHERE CLASSIFIED			
<b>SIC/NAICS Code:</b>		7389			
<a href="#">96</a>	1 of 1	WSW/102.2	117.2 / 3.35	Toronto ON	WWIS
<b>Well ID:</b>		7110120		<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>		Test Hole		<b>Date Received:</b> 8/21/2008	
<b>Sec. Water Use:</b>		Not Used		<b>Selected Flag:</b> Yes	
<b>Final Well Status:</b>		Test Hole		<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b> 7147	
<b>Casing Material:</b>				<b>Form Version:</b> 7	
<b>Audit No:</b>		Z87548		<b>Owner:</b>	
<b>Tag:</b>		A070087		<b>Street Name:</b> 17 NEWBRIDGE RD.	
<b>Construction Method:</b>				<b>County:</b> YORK	
<b>Elevation (m):</b>				<b>Municipality:</b> TORONTO CITY	
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>		1001745473		<b>Elevation:</b> 117.92	
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b> 17	
<b>Code OB:</b>				<b>East83:</b> 617731	
<b>Code OB Desc:</b>				<b>Org CS:</b> UTM83	
<b>Open Hole:</b>				<b>North83:</b> 4831332	
<b>Cluster Kind:</b>				<b>UTMRC:</b> 3	
<b>Date Completed:</b>		01-AUG-08		<b>UTMRC Desc:</b> margin of error : 10 - 30 m	
<b>Remarks:</b>				<b>Location Method:</b> wwr	
<b>Elevrc Desc:</b>					



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<i>Location Source Date:</i>					
<i>Improvement Location Source:</i>					
<i>Improvement Location Method:</i>					
<i>Source Revision Comment:</i>					
<i>Supplier Comment:</i>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1001793590			
<b>Layer:</b>		3			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		.3			
<b>Formation End Depth:</b>		.8			
<b>Formation End Depth UOM:</b>		m			
<b>Formation ID:</b>		1001793588			
<b>Layer:</b>		1			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		27			
<b>Most Common Material:</b>		OTHER			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		.2			
<b>Formation End Depth UOM:</b>		m			
<b>Formation ID:</b>		1001793591			
<b>Layer:</b>		4			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		84			
<b>Other Materials:</b>		SILTY			
<b>Mat3:</b>		81			
<b>Other Materials:</b>		SANDY			
<b>Formation Top Depth:</b>		.8			
<b>Formation End Depth:</b>		2.4			
<b>Formation End Depth UOM:</b>		m			
<b>Formation ID:</b>		1001793592			
<b>Layer:</b>		5			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		84			
<b>Other Materials:</b>		SILTY			
<b>Mat3:</b>		84			
<b>Other Materials:</b>		SILTY			
<b>Formation Top Depth:</b>		2.4			
<b>Formation End Depth:</b>		3.5			
<b>Formation End Depth UOM:</b>		m			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation ID:</b>		1001793589			
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		01			
<b>Most Common Material:</b>		FILL			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		.2			
<b>Formation End Depth:</b>		.3			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1001793596			
<b>Layer:</b>		3			
<b>Plug From:</b>		1.7			
<b>Plug To:</b>		3.3			
<b>Plug Depth UOM:</b>		m			
<b>Plug ID:</b>		1001793597			
<b>Layer:</b>		4			
<b>Plug From:</b>					
<b>Plug To:</b>		3.3			
<b>Plug Depth UOM:</b>		m			
<b>Plug ID:</b>		1001793594			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		.2			
<b>Plug Depth UOM:</b>		m			
<b>Plug ID:</b>		1001793595			
<b>Layer:</b>		2			
<b>Plug From:</b>		.2			
<b>Plug To:</b>		1.7			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1001793603			
<b>Method Construction Code:</b>		6			
<b>Method Construction:</b>		Boring			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1001793587			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1001793599			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Depth From:</b> 0					
<b>Depth To:</b> 1.8					
<b>Casing Diameter:</b> 3.2					
<b>Casing Diameter UOM:</b> cm					
<b>Casing Depth UOM:</b> m					
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b> 1001793600					
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>					
<b>Screen End Depth:</b>					
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>					
<b>Screen Diameter UOM:</b>					
<b>Screen Diameter:</b>					
<b><u>Water Details</u></b>					
<b>Water ID:</b> 1001793598					
<b>Layer:</b> 1					
<b>Kind Code:</b> 1					
<b>Kind:</b> FRESH					
<b>Water Found Depth:</b> 3					
<b>Water Found Depth UOM:</b> m					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b> 1001793593					
<b>Diameter:</b> 11.4					
<b>Depth From:</b> 6					
<b>Depth To:</b> 3.3					
<b>Hole Depth UOM:</b> m					
<b>Hole Diameter UOM:</b> cm					
<a href="#">97</a>	1 of 3	W/104.0	119.1 / 5.23	NIKI AUTO MOTOR 11 LOCKPORT AVE ETOBICOKE ON M8Z2R6	AUWR
<b>Headcode:</b> 00096400					
<b>Headcode Desc:</b> AUTOMOBILE PARTS & SUPPLIES USED & REBU					
<b>Phone:</b> 4162335217					
<b>List Name:</b>					
<b>Description:</b>					
<a href="#">97</a>	2 of 3	W/104.0	119.1 / 5.23	NIKI AUTO MOTOR 11 LOCKPORT AVE ETOBICOKE ON M8Z 2R6	AUWR
<b>Headcode:</b> 00096400					
<b>Headcode Desc:</b> AUTOMOBILE PARTS & SUPPLIES-USED & REBUILT					
<b>Phone:</b>					
<b>List Name:</b>					
<b>Description:</b>					
<a href="#">97</a>	3 of 3	W/104.0	119.1 / 5.23	MAINLAND PARTS & SERVICE 11 LOCKPORT AVE ETOBICOKE ON M8Z 2R6	RST

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Headcode:</b> 824400 <b>Headcode Desc:</b> Marinas <b>Phone:</b> 4162070344 <b>List Name:</b> <b>Description:</b> Boat Rentals and Marinas					
<a href="#">98</a>	1 of 7	WSW/108.4	118.4 / 4.55	VILLAGE CONTRACTORS 12 NEWBRIDGE ROAD ETOBICOKE ON M8Z 2L7	GEN
<b>Generator No.:</b> ON0633500 <b>Status:</b> <b>Approval Years:</b> 92,93,97,98,99,00,01,02,03,04,05,06,07,08 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> 4231 <b>SIC Description:</b> MASONRY WORK <b>PO Box No.:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No. Admin:</b>					
<b>--Details--</b> <b>Waste Code:</b> 213 <b>Waste Description:</b> PETROLEUM DISTILLATES <b>Waste Code:</b> 252 <b>Waste Description:</b> WASTE OILS & LUBRICANTS					
<a href="#">98</a>	2 of 7	WSW/108.4	118.4 / 4.55	VILLAGE CONTRACTORS 12 NEWBRIDGE RD. ETOBICOKE ON M8Z 2L7	40-085 GEN
<b>Generator No.:</b> ON0633500 <b>Status:</b> <b>Approval Years:</b> 94,95,96 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> 4231 <b>SIC Description:</b> MASONRY WORK <b>PO Box No.:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No. Admin:</b>					
<b>--Details--</b> <b>Waste Code:</b> 213 <b>Waste Description:</b> PETROLEUM DISTILLATES <b>Waste Code:</b> 252 <b>Waste Description:</b> WASTE OILS & LUBRICANTS					
<a href="#">98</a>	3 of 7	WSW/108.4	118.4 / 4.55	VILLAGE MASONRY WORKS INC. 12 NEWBRIDGE ROAD ETOBICOKE ON	GEN
<b>Generator No.:</b> ON0633500 <b>Status:</b> <b>Approval Years:</b> 2011 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> 811111 <b>SIC Description:</b> General Automotive Repair <b>PO Box No.:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No. Admin:</b>					
<b>--Details--</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<a href="#"><u>98</u></a>	4 of 7	WSW/108.4	118.4 / 4.55	VILLAGE CONTRACTORS 12 NEWBRIDGE RD. ETOBICOKE ON M8Z 2L7	GEN
<b>Generator No.:</b>	ON0633500			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	86,87,88,89,90			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	4231				
<b>SIC Description:</b>	MASONRY WORK				
<b>--Details--</b>					
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<a href="#"><u>98</u></a>	5 of 7	WSW/108.4	118.4 / 4.55	VILLAGE CONTRACTORS 12 NEWBRIDGE ROAD ETOBICOKE ON	GEN
<b>Generator No.:</b>	ON0633500			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2009			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	811111				
<b>SIC Description:</b>	General Automotive Repair				
<b>--Details--</b>					
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<a href="#"><u>98</u></a>	6 of 7	WSW/108.4	118.4 / 4.55	VILLAGE MASONRY WORKS INC. 12 NEWBRIDGE ROAD ETOBICOKE ON	GEN
<b>Generator No.:</b>	ON0633500			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2010			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	811111				
<b>SIC Description:</b>	General Automotive Repair				
<b>--Details--</b>					
<b>Waste Code:</b>	213				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<a href="#">98</a>	7 of 7	WSW/108.4	118.4 / 4.55	Siena Foods Ltd. 12 Newbridge Rd Etobicoke ON M8Z 2L7	SCT
<b>Established:</b>		01-JUL-59			
<b>Plant Size (ft²):</b>		60000			
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>		Rendering and Meat Processing from Carcasses			
<b>SIC/NAICS Code:</b>		311614			
<b>Description:</b>		Red Meat and Meat Product Wholesaler-Distributors			
<b>SIC/NAICS Code:</b>		413160			
<a href="#">99</a>	1 of 5	S/109.1	112.5 / -1.31	BLUE STAR TRAILER RENTALS INC. 65 NORTH QUEEN ST. TORONTO ON M8Z 2C7	GEN
<b>Generator No.:</b>		ON7789326		<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>		06,07,08		<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>		532120			
<b>SIC Description:</b>		Truck Utility Trailer and RV (Recreational Vehicle)			
<b>--Details--</b>					
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<a href="#">99</a>	2 of 5	S/109.1	112.5 / -1.31	BLUE STAR TRAILER RENTALS INC. 65 NORTH QUEEN ST. TORONTO ON M8Z 2C7	GEN
<b>Generator No.:</b>		ON7789326		<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>		2011		<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>		532120			
<b>SIC Description:</b>					
<b>--Details--</b>					
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<a href="#">99</a>	3 of 5	S/109.1	112.5 / -1.31	West Van 65 North Queen Street Etobicoke ON	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Generator No.:</b>	ON9305128			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2013			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	532120				
<b>SIC Description:</b>	TRUCK, UTILITY TRAILER AND RV (RECREATIONAL VEHICLE) RENTAL AND LEASING				
<b>--Details--</b>					
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Code:</b>	251				
<b>Waste Description:</b>	OIL SKIMMINGS & SLUDGES				
<b>Waste Code:</b>	331				
<b>Waste Description:</b>	WASTE COMPRESSED GASES				
<a href="#">99</a>	4 of 5	S/109.1	112.5 / -1.31	<b>TRANSPORT INTERNATIONAL POOL (T.I.P.) 65 NORTH QUEEN STREET TORONTO ON M8Z 2C7</b>	<b>GEN</b>
<b>Generator No.:</b>	ON1759200			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	93,94,95,96,97,98			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	9999				
<b>SIC Description:</b>	OTHER SERVICES				
<b>--Details--</b>					
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<a href="#">99</a>	5 of 5	S/109.1	112.5 / -1.31	<b>TRANSPORT INTERNATIONAL POOL 65 NORTH QUEEN STREET TORONTO ON M8Z 2C7</b>	<b>GEN</b>
<b>Generator No.:</b>	ON1759200			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	99,00,01			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	9999				
<b>SIC Description:</b>	OTHER SERVICES				
<b>--Details--</b>					
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<a href="#">100</a>	1 of 1	WNW/111.1	118.9 / 5.02	<b>ONTARIO HYDRO LOCKPORT RD. OFF STORMCLIFF, WEST SIDE OF KIPLING YARD. TRANSFORMER TORONTO CITY ON</b>	<b>SPL</b>
<b>Ref No:</b>	43122			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>	11/7/1990			<b>Client Type:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Year:</b>				<b>Sector Type:</b>	
<b>Incident Cause:</b>	VALVE/FITTING LEAK OR FAILURE			<b>Source Type:</b>	
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>				<b>Site Name:</b>	
<b>Contaminant Name:</b>				<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>	POSSIBLE			<b>Site Municipality:</b>	01106
<b>Nature of Impact:</b>	Soil contamination			<b>Site Lot:</b>	
<b>Receiving Medium:</b>	LAND			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>Health/Env Conseq:</b>				<b>Easting:</b>	
<b>MOE Response:</b>				<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	11/7/1990			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>					
<b>SAC Action Class:</b>					
<b>Incident Reason:</b>	EQUIPMENT FAILURE				
<b>Incident Summary:</b>	ONT.HYDRO TRANSFORMER: 270 L MINERAL OIL ONTO GRAVEL. NO PCB'S.				

<b>101</b>	1 of 1	SE/111.7	110.5 / -3.31	<b>RHONE-POULENC CANADA INC. 35 NORTH QUEEN STREET TRANSPORT TRUCK (CARGO) TORONTO CITY ON</b>	<b>SPL</b>
<b>Ref No:</b>	25219			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>	9/11/1989			<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	
<b>Incident Cause:</b>	OTHER CONTAINER LEAK			<b>Source Type:</b>	
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>				<b>Site Name:</b>	
<b>Contaminant Name:</b>				<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>				<b>Site Municipality:</b>	01106
<b>Nature of Impact:</b>				<b>Site Lot:</b>	
<b>Receiving Medium:</b>	LAND			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>Health/Env Conseq:</b>				<b>Easting:</b>	CP RAIL
<b>MOE Response:</b>				<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	9/13/1989			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>					
<b>SAC Action Class:</b>					
<b>Incident Reason:</b>	DAMAGE BY MOVING EQUIPMENT				
<b>Incident Summary:</b>	RHONE-POULENC- SPILL OF 125 LTR OF TRIPHENYL PHOSPHITE TO GROUND				

<b>102</b>	1 of 1	NW/115.7	119.8 / 6.00	<b>TORONTO ON</b>	<b>WWIS</b>
<b>Well ID:</b>	7120237			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Other			<b>Date Received:</b>	3/9/2009
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Abandoned-Other			<b>Abandonment Rec:</b>	Yes
<b>Water Type:</b>				<b>Contractor:</b>	7215
<b>Casing Material:</b>				<b>Form Version:</b>	7



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Audit No:</b>	Z93425			<b>Owner:</b>	
<b>Tag:</b>	A062166			<b>Street Name:</b>	39 SHORNCLIFFE
<b>Construction Method:</b>				<b>County:</b>	YORK
<b>Elevation (m):</b>				<b>Municipality:</b>	ETOBICOKE BOROUGH
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**Bore Hole Information**

<b>Bore Hole ID:</b>	1002030823	<b>Elevation:</b>	120.78
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	17
<b>Code OB:</b>		<b>East83:</b>	617602
<b>Code OB Desc:</b>		<b>Org CS:</b>	UTM83
<b>Open Hole:</b>		<b>North83:</b>	4831805
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	13-FEB-09	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Annular Space/Abandonment  
Sealing Record**

<b>Plug ID:</b>	1002469899
<b>Layer:</b>	1
<b>Plug From:</b>	0
<b>Plug To:</b>	1
<b>Plug Depth UOM:</b>	ft
<b>Plug ID:</b>	1002469900
<b>Layer:</b>	2
<b>Plug From:</b>	1
<b>Plug To:</b>	18
<b>Plug Depth UOM:</b>	ft

**Method of Construction & Well  
Use**

<b>Method Construction ID:</b>	1002469905
<b>Method Construction Code:</b>	
<b>Method Construction:</b>	
<b>Other Method Construction:</b>	

**Pipe Information**

<b>Pipe ID:</b>	1002469896
<b>Casing No:</b>	0
<b>Comment:</b>	
<b>Alt Name:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Construction Record - Casing</u></b>					
Casing ID:		1002469902			
Layer:					
Material:					
Open Hole or Material:					
Depth From:					
Depth To:					
Casing Diameter:					
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<b><u>Construction Record - Screen</u></b>					
Screen ID:		1002469903			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:					
<b><u>Water Details</u></b>					
Water ID:		1002469901			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<b><u>Hole Diameter</u></b>					
Hole ID:		1002469898			
Diameter:		8			
Depth From:		0			
Depth To:		18			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
<b><u>103</u></b>	<b>1 of 1</b>	<b>SSW/117.7</b>	<b>113.4 / -0.40</b>	<b>65 North Queen Street Etobicoke ON M8Z 2C7</b>	<b>EHS</b>
Order ID:	217094			Date Received:	13-AUG-12
Order No:	20120813021			Lot/Building Size:	
Customer ID:	82947			Municipality:	Toronto
Company ID:	52185			Client Prov/State:	ON
Status:	C			Search Radius (km):	.25
Report Code:	3CAN			Large Radius:	2
Report Type:	Standard Report			X:	-79.539004
Report Date:	22-AUG-12			Y:	43.622364
Report Requested by:	Akbari & Associates				
Nearest Intersection:					
Previous Site Name:					
Additional Info Ordered:	Fire Insur. Maps and/or Site Plans; Topographic Maps; City Directory; Aerial Photos				
<b><u>104</u></b>	<b>1 of 1</b>	<b>NW/118.2</b>	<b>119.8 / 6.00</b>	<b>Toronto ON</b>	<b>WWIS</b>

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Well ID:</b>	7110875			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring			<b>Date Received:</b>	9/4/2008
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	0			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	6032
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z82183			<b>Owner:</b>	
<b>Tag:</b>	A062166			<b>Street Name:</b>	39 SHONCLIFFE
<b>Construction Method:</b>				<b>County:</b>	YORK
<b>Elevation (m):</b>				<b>Municipality:</b>	TORONTO CITY
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

### Bore Hole Information

<b>Bore Hole ID:</b>	1001776600	<b>Elevation:</b>	120.75
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	17
<b>Code OB:</b>		<b>East83:</b>	617600
<b>Code OB Desc:</b>		<b>Org CS:</b>	UTM83
<b>Open Hole:</b>		<b>North83:</b>	4831803
<b>Cluster Kind:</b>		<b>UTMRC:</b>	3
<b>Date Completed:</b>	25-JUL-08	<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

### Overburden and Bedrock

#### Materials Interval

<b>Formation ID:</b>	1001807233
<b>Layer:</b>	3
<b>Color:</b>	2
<b>General Color:</b>	GREY
<b>Mat1:</b>	06
<b>Most Common Material:</b>	SILT
<b>Mat2:</b>	28
<b>Other Materials:</b>	SAND
<b>Mat3:</b>	05
<b>Other Materials:</b>	CLAY
<b>Formation Top Depth:</b>	2.13
<b>Formation End Depth:</b>	6.1
<b>Formation End Depth UOM:</b>	m

<b>Formation ID:</b>	1001807231
<b>Layer:</b>	1
<b>Color:</b>	8
<b>General Color:</b>	BLACK
<b>Mat1:</b>	28
<b>Most Common Material:</b>	SAND
<b>Mat2:</b>	11
<b>Other Materials:</b>	GRAVEL

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Mat3:</b>		66			
<b>Other Materials:</b>		DENSE			
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		.15			
<b>Formation End Depth UOM:</b>		m			
<b>Formation ID:</b>		1001807232			
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		01			
<b>Most Common Material:</b>		FILL			
<b>Mat2:</b>		06			
<b>Other Materials:</b>		SILT			
<b>Mat3:</b>		28			
<b>Other Materials:</b>		SAND			
<b>Formation Top Depth:</b>		.15			
<b>Formation End Depth:</b>		2.13			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1001807236			
<b>Layer:</b>		2			
<b>Plug From:</b>		.3			
<b>Plug To:</b>		0			
<b>Plug Depth UOM:</b>		m			
<b>Plug ID:</b>		1001807235			
<b>Layer:</b>		1			
<b>Plug From:</b>		2.44			
<b>Plug To:</b>		.3			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1001807241			
<b>Method Construction Code:</b>		6			
<b>Method Construction:</b>		Boring			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1001807230			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1001807238			
<b>Layer:</b>		1			
<b>Material:</b>					
<b>Open Hole or Material:</b>					
<b>Depth From:</b>		0			
<b>Depth To:</b>		3.05			
<b>Casing Diameter:</b>		.5			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Construction Record - Screen</u></b>					
Screen ID:			1001807239		
Layer:			1		
Slot:			10		
Screen Top Depth:			3.05		
Screen End Depth:			6.1		
Screen Material:					
Screen Depth UOM:			m		
Screen Diameter UOM:			cm		
Screen Diameter:			.6		
<b><u>Water Details</u></b>					
Water ID:			1001807237		
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:			m		
<b><u>Hole Diameter</u></b>					
Hole ID:			1001807234		
Diameter:					
Depth From:					
Depth To:					
Hole Depth UOM:			m		
Hole Diameter UOM:			cm		

**105**

1 of 1

NE/121.5

114.0 / 0.19

Toronto ON

WWIS

Well ID:	7120724	Data Entry Status:	
Construction Date:		Data Src:	
Primary Water Use:	Monitoring	Date Received:	3/19/2009
Sec. Water Use:		Selected Flag:	Yes
Final Well Status:	Observation Wells	Abandonment Rec:	
Water Type:		Contractor:	6032
Casing Material:		Form Version:	7
Audit No:	Z82274	Owner:	
Tag:	A068237	Street Name:	800 KIPLING AVE.
Construction Method:		County:	YORK
Elevation (m):		Municipality:	ETOBICOKE BOROUGH
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	
Well Depth:		Concession:	
Overburden/Bedrock:		Concession Name:	
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

**Bore Hole Information**

Bore Hole ID:	1002033206	Elevation:	116.19
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	618242
Code OB Desc:		Org CS:	UTM83
Open Hole:		North83:	4831711

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	07-JAN-09			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1002485692			
<b>Layer:</b>		3			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		34			
<b>Most Common Material:</b>		TILL			
<b>Mat2:</b>		06			
<b>Other Materials:</b>		SILT			
<b>Mat3:</b>		05			
<b>Other Materials:</b>		CLAY			
<b>Formation Top Depth:</b>		7			
<b>Formation End Depth:</b>		16			
<b>Formation End Depth UOM:</b>		ft			
<b>Formation ID:</b>		1002485691			
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		01			
<b>Most Common Material:</b>		FILL			
<b>Mat2:</b>		05			
<b>Other Materials:</b>		CLAY			
<b>Mat3:</b>		28			
<b>Other Materials:</b>		SAND			
<b>Formation Top Depth:</b>		.25			
<b>Formation End Depth:</b>		7			
<b>Formation End Depth UOM:</b>		ft			
<b>Formation ID:</b>		1002485690			
<b>Layer:</b>		1			
<b>Color:</b>		8			
<b>General Color:</b>		BLACK			
<b>Mat1:</b>		27			
<b>Most Common Material:</b>		OTHER			
<b>Mat2:</b>		11			
<b>Other Materials:</b>		GRAVEL			
<b>Mat3:</b>		28			
<b>Other Materials:</b>		SAND			
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		.25			
<b>Formation End Depth UOM:</b>		ft			
<b>Formation ID:</b>		1002485693			
<b>Layer:</b>		4			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		06			
<b>Other Materials:</b>		SILT			
<b>Mat3:</b>		77			
<b>Other Materials:</b>		LOOSE			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation Top Depth:</b>		16			
<b>Formation End Depth:</b>		18			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1002485696			
<b>Layer:</b>		2			
<b>Plug From:</b>		1.5			
<b>Plug To:</b>		7			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1002485695			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		1.5			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1002485701			
<b>Method Construction Code:</b>		6			
<b>Method Construction:</b>		Boring			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1002485689			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1002485698			
<b>Layer:</b>					
<b>Material:</b>					
<b>Open Hole or Material:</b>					
<b>Depth From:</b>					
<b>Depth To:</b>					
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1002485699			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		9			
<b>Screen End Depth:</b>		18			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		ft			
<b>Screen Diameter UOM:</b>		inch			
<b>Screen Diameter:</b>		2			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1002485697			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Layer:</b> <b>Kind Code:</b> <b>Kind:</b> <b>Water Found Depth:</b> <b>Water Found Depth UOM:</b> ft					
<b>Hole Diameter</b>					
<b>Hole ID:</b> 1002485694 <b>Diameter:</b> 8 <b>Depth From:</b> 0 <b>Depth To:</b> 18 <b>Hole Depth UOM:</b> ft <b>Hole Diameter UOM:</b> inch					
<a href="#">106</a>	1 of 23	SSW/124.6	115.6 / 1.80	1076284 ONTARIO INC. 60 NORTH QUEEN STREET TORONTO ON M8Z 2C4	GEN
<b>Generator No.:</b> ON0468202 <b>Status:</b> <b>Approval Years:</b> 2014 <b>Contam. Facility:</b> No <b>MHSW Facility:</b> No <b>SIC Code:</b> 811199 <b>SIC Description:</b> ALL OTHER AUTOMOTIVE REPAIR AND MAINTENANCE  <b>PO Box No.:</b> <b>Country:</b> Canada <b>Choice of Contact:</b> CO_OFFICIAL <b>Co Admin:</b> Raegan Fatouros <b>Phone No. Admin:</b> 416-236-5425 Ext.					
<b>--Details--</b>					
<b>Waste Code:</b> 251 <b>Waste Description:</b> OIL SKIMMINGS & SLUDGES  <b>Waste Code:</b> 213 <b>Waste Description:</b> PETROLEUM DISTILLATES  <b>Waste Code:</b> 252 <b>Waste Description:</b> WASTE OILS & LUBRICANTS					
<a href="#">106</a>	2 of 23	SSW/124.6	115.6 / 1.80	1076284 ONTARIO INC. 60 NORTH QUEEN STREET TORONTO ON M8Z 2C4	GEN
<b>Generator No.:</b> ON0468202 <b>Status:</b> <b>Approval Years:</b> 2012 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> 811199 <b>SIC Description:</b> All Other Automotive Repair and Maintenance  <b>PO Box No.:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No. Admin:</b>					
<b>--Details--</b>					
<b>Waste Code:</b> 252 <b>Waste Description:</b> WASTE OILS & LUBRICANTS  <b>Waste Code:</b> 213 <b>Waste Description:</b> PETROLEUM DISTILLATES  <b>Waste Code:</b> 251 <b>Waste Description:</b> OIL SKIMMINGS & SLUDGES					



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">106</a>	3 of 23	SSW/124.6	115.6 / 1.80	North Queen Truck & Equipment Repair 60 North Queen St, Unit 1 Etobicoke ON M8Z2C4	GEN
<b>Generator No.:</b>	ON9762193			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2016			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	562990				
<b>SIC Description:</b>	ALL OTHER WASTE MANAGEMENT SERVICES				
<b>--Details--</b>					
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<a href="#">106</a>	4 of 23	SSW/124.6	115.6 / 1.80	1076284 ONTARIO INC. 60 NORTH QUEEN STREET TORONTO ON M8Z 2C4	GEN
<b>Generator No.:</b>	ON0468202			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2009			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	811199				
<b>SIC Description:</b>	All Other Automotive Repair and Maintenance				
<b>--Details--</b>					
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<b>Waste Code:</b>	251				
<b>Waste Description:</b>	OIL SKIMMINGS & SLUDGES				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<a href="#">106</a>	5 of 23	SSW/124.6	115.6 / 1.80	North Queen Truck & Equipment Repair 60 North Queen St, Unit 1 Etobicoke ON M8Z2C4	GEN
<b>Generator No.:</b>	ON9762193			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2015			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	562990				
<b>SIC Description:</b>	ALL OTHER WASTE MANAGEMENT SERVICES				
<b>--Details--</b>					
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<a href="#">106</a>	6 of 23	SSW/124.6	115.6 / 1.80	PENETANG-MIDLAND (OUT OF BUSINESS) 60 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Generator No.:</b>	ON0138908			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	98			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	4571				
<b>SIC Description:</b>		URBAN TRANSIT SYS.			
<b>--Details--</b>					
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			

<a href="#">106</a>	7 of 23	SSW/124.6	115.6 / 1.80	1076284 ONTARIO INC. 60 NORTH QUEEN STREET TORONTO ON M8Z 2C4	GEN
<b>Generator No.:</b>	ON0468202			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2016			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	Raegan Fatouros
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b>	416-236-5425 Ext.
<b>SIC Code:</b>	811199				
<b>SIC Description:</b>		ALL OTHER AUTOMOTIVE REPAIR AND MAINTENANCE			
<b>--Details--</b>					
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			

<a href="#">106</a>	8 of 23	SSW/124.6	115.6 / 1.80	1076284 ONTARIO INC. 60 NORTH QUEEN STREET TORONTO ON M8Z 2C4	GEN
<b>Generator No.:</b>	ON0468202			<b>PO Box No.:</b>	
<b>Status:</b>	Registered			<b>Country:</b>	Canada
<b>Approval Years:</b>	As of Dec 2017			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<b>--Details--</b>					
<b>Waste Code:</b>		252 L			
<b>Waste Description:</b>		Waste crankcase oils and lubricants			
<b>Waste Code:</b>		213 I			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Description:</b>		Petroleum distillates			
<b>Waste Code:</b>		251 L			
<b>Waste Description:</b>		Waste oils/sludges (petroleum based)			
<a href="#">106</a>	9 of 23	SSW/124.6	115.6 / 1.80	VERSATILE CONTRAIL LIMITED 60 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	GEN
<b>Generator No.:</b>	ON0619400			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	86,87,88,89,90			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	3242				
<b>SIC Description:</b>	COMMERICAL TRAILER				
<b>--Details--</b>					
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<a href="#">106</a>	10 of 23	SSW/124.6	115.6 / 1.80	1076284 ONTARIO INC. 60 NORTH QUEEN STREET TORONTO ON M8Z 2C4	GEN
<b>Generator No.:</b>	ON0468202			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2015			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	Raegan Fatouros
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b>	416-236-5425 Ext.
<b>SIC Code:</b>	811199				
<b>SIC Description:</b>	ALL OTHER AUTOMOTIVE REPAIR AND MAINTENANCE				
<b>--Details--</b>					
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Code:</b>	251				
<b>Waste Description:</b>	OIL SKIMMINGS & SLUDGES				
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<a href="#">106</a>	11 of 23	SSW/124.6	115.6 / 1.80	UNIVERSAL TRUCK AND EQUIPMENT SERVICE 1007472 ONTARIO LIMITED 60 NORTHQUEEN STREET ETOBICOKE ON M8Z 2C4	GEN
<b>Generator No.:</b>	ON2047100			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	95,96,97,98			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	6342				
<b>SIC Description:</b>	TIRE, ETC. STORES				
<b>--Details--</b>					
<b>Waste Code:</b>	252				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<a href="#">106</a>	12 of 23	SSW/124.6	115.6 / 1.80	PENETANG MIDLAND COACH LINES 60 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	30-715 GEN
<b>Generator No.:</b>	ON0138908			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	94,95			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	4571				
<b>SIC Description:</b>	URBAN TRANSIT SYS.				
<b>--Details--</b>					
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<b>Waste Code:</b>	221				
<b>Waste Description:</b>	LIGHT FUELS				
<b>Waste Code:</b>	251				
<b>Waste Description:</b>	OIL SKIMMINGS & SLUDGES				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<a href="#">106</a>	13 of 23	SSW/124.6	115.6 / 1.80	PENETANG (OUT OF BUS) 60 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	30-715 GEN
<b>Generator No.:</b>	ON0138908			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	92,93,96,97			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	4571				
<b>SIC Description:</b>	URBAN TRANSIT SYS.				
<b>--Details--</b>					
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<b>Waste Code:</b>	221				
<b>Waste Description:</b>	LIGHT FUELS				
<b>Waste Code:</b>	251				
<b>Waste Description:</b>	OIL SKIMMINGS & SLUDGES				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<a href="#">106</a>	14 of 23	SSW/124.6	115.6 / 1.80	1076284 ONTARIO INC. 60 NORTH QUEEN STREET TORONTO ON M8Z 2C4	GEN
<b>Generator No.:</b>	ON0468202			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2010			<b>Choice of Contact:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
<b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> <b>SIC Description:</b>	811199			<b>Co Admin:</b> <b>Phone No. Admin:</b>  All Other Automotive Repair and Maintenance	
<b>--Details--</b>					
<b>Waste Code:</b> <b>Waste Description:</b>		251		OIL SKIMMINGS & SLUDGES	
<b>Waste Code:</b> <b>Waste Description:</b>		213		PETROLEUM DISTILLATES	
<b>Waste Code:</b> <b>Waste Description:</b>		252		WASTE OILS & LUBRICANTS	
<hr/>					
<a href="#">106</a>	15 of 23	SSW/124.6	115.6 / 1.80	1076284 ONTARIO INC. 60 NORTH QUEEN STREET TORONTO ON M8Z 2C4	GEN
<b>Generator No.:</b> <b>Status:</b> <b>Approval Years:</b> <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> <b>SIC Description:</b>	ON0468202  2011   811199			<b>PO Box No.:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No. Admin:</b>  All Other Automotive Repair and Maintenance	
<b>--Details--</b>					
<b>Waste Code:</b> <b>Waste Description:</b>		251		OIL SKIMMINGS & SLUDGES	
<b>Waste Code:</b> <b>Waste Description:</b>		252		WASTE OILS & LUBRICANTS	
<b>Waste Code:</b> <b>Waste Description:</b>		213		PETROLEUM DISTILLATES	
<hr/>					
<a href="#">106</a>	16 of 23	SSW/124.6	115.6 / 1.80	HUB EQUIPMENT 60 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	GEN
<b>Generator No.:</b> <b>Status:</b> <b>Approval Years:</b> <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> <b>SIC Description:</b>	ON0468202  00,01   5721			<b>PO Box No.:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No. Admin:</b>  CONSTR./FOREST. MACH.	
<b>--Details--</b>					
<b>Waste Code:</b> <b>Waste Description:</b>		213		PETROLEUM DISTILLATES	
<b>Waste Code:</b> <b>Waste Description:</b>		251		OIL SKIMMINGS & SLUDGES	
<b>Waste Code:</b> <b>Waste Description:</b>		252		WASTE OILS & LUBRICANTS	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">106</a>	17 of 23	SSW/124.6	115.6 / 1.80	2164777 Ontario Inc 60 North Queen Street Etobicoke ON M8Z 2C4	GEN
<b>Generator No.:</b>	ON4601711			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2011			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	323119				
<b>SIC Description:</b>					
<a href="#">106</a>	18 of 23	SSW/124.6	115.6 / 1.80	VERSATILE CONTRAIL LIMITED 60 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4	40-079 GEN
<b>Generator No.:</b>	ON0619400			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	92,93,94,95,96,97,98			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	3242				
<b>SIC Description:</b>	COMMERICAL TRAILER				
<b>--Details--</b>					
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<a href="#">106</a>	19 of 23	SSW/124.6	115.6 / 1.80	1076284 ONTARIO INC. 60 NORTH QUEEN STREET TORONTO ON	GEN
<b>Generator No.:</b>	ON0468202			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2013			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	811199				
<b>SIC Description:</b>	ALL OTHER AUTOMOTIVE REPAIR AND MAINTENANCE				
<b>--Details--</b>					
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Code:</b>	251				
<b>Waste Description:</b>	OIL SKIMMINGS & SLUDGES				
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<a href="#">106</a>	20 of 23	SSW/124.6	115.6 / 1.80	1076284 ONTARIO INC. 60 NORTH QUEEN STREET TORONTO ON M8Z 2C4	GEN
<b>Generator No.:</b>	ON0468202			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	02,03,04,05,06,07,08			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>MHSW Facility:</b> <b>SIC Code:</b> <b>SIC Description:</b>				<b>Phone No. Admin:</b>	
<b>--Details--</b>					
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<a href="#">106</a>	21 of 23	SSW/124.6	115.6 / 1.80	<b>HUB EQUIPMENT LIMITED 60 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C4</b>	<b>GEN</b>
<b>Generator No.:</b>	ON0468202			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	96,97,98,99			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	5721				
<b>SIC Description:</b>	CONSTR./FOREST. MACH.				
<b>--Details--</b>					
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<a href="#">106</a>	22 of 23	SSW/124.6	115.6 / 1.80	<b>North Queen Truck &amp; Equipment Repair 60 North Queen St, Unit 1 Etobicoke ON M8Z2C4</b>	<b>GEN</b>
<b>Generator No.:</b>	ON9762193			<b>PO Box No.:</b>	
<b>Status:</b>	Registered			<b>Country:</b>	Canada
<b>Approval Years:</b>	As of Dec 2017			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<b>--Details--</b>					
<b>Waste Code:</b>		252 L			
<b>Waste Description:</b>		Waste crankcase oils and lubricants			
<a href="#">106</a>	23 of 23	SSW/124.6	115.6 / 1.80	<b>Flap &amp; Seal Envelope 60 North Queen St Etobicoke ON M8Z 2C4</b>	<b>SCT</b>
<b>Established:</b>	01-SEP-93				
<b>Plant Size (ft²):</b>	3000				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>		Other Printing			
<b>SIC/NAICS Code:</b>		323119			
<b>Description:</b>		Digital Printing			
<b>SIC/NAICS Code:</b>		323115			
<b>Description:</b>		Other Printing			
<b>SIC/NAICS Code:</b>		323119			
<b>Description:</b>		Quick Printing			
<b>SIC/NAICS Code:</b>		323114			

<a href="#">107</a>	1 of 1	WNW/127.1	119.4 / 5.57	TORONTO ON	WWIS
<b>Well ID:</b>	6929023			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Not Used			<b>Date Received:</b>	6/23/2005
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Observation Wells			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7147
<b>Casing Material:</b>				<b>Form Version:</b>	3
<b>Audit No:</b>	Z31523			<b>Owner:</b>	
<b>Tag:</b>	A025130			<b>Street Name:</b>	18 SHORNCLIFFE ROAD
<b>Construction Method:</b>				<b>County:</b>	YORK
<b>Elevation (m):</b>				<b>Municipality:</b>	ETOBICOKE BOROUGH
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	11327992			<b>Elevation:</b>	119.39
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	17
<b>Code OB:</b>	x			<b>East83:</b>	617633
<b>Code OB Desc:</b>	Unknown type in the lower layers(s)			<b>Org CS:</b>	UTM83
<b>Open Hole:</b>				<b>North83:</b>	4831662
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	25-MAY-05			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>	933037921				



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Layer:</b>		1			
<b>Color:</b>		8			
<b>General Color:</b>		BLACK			
<b>Mat1:</b>					
<b>Most Common Material:</b>					
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		.2			
<b>Formation End Depth UOM:</b>		m			
<b>Formation ID:</b>		933037924			
<b>Layer:</b>		4			
<b>Color:</b>					
<b>General Color:</b>					
<b>Mat1:</b>					
<b>Most Common Material:</b>					
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		6.1			
<b>Formation End Depth:</b>		6.1			
<b>Formation End Depth UOM:</b>		m			
<b>Formation ID:</b>		933037923			
<b>Layer:</b>		3			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		06			
<b>Most Common Material:</b>		SILT			
<b>Mat2:</b>		28			
<b>Other Materials:</b>		SAND			
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		.3			
<b>Formation End Depth:</b>		6.1			
<b>Formation End Depth UOM:</b>		m			
<b>Formation ID:</b>		933037922			
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		01			
<b>Most Common Material:</b>		FILL			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		.2			
<b>Formation End Depth:</b>		.3			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		933271221			
<b>Layer:</b>		4			
<b>Plug From:</b>					
<b>Plug To:</b>		6.1			
<b>Plug Depth UOM:</b>		m			
<b>Plug ID:</b>		933271223			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Layer:</i>		1			
<i>Plug From:</i>		0			
<i>Plug To:</i>		.2			
<i>Plug Depth UOM:</i>		m			
<i>Plug ID:</i>		933271222			
<i>Layer:</i>		3			
<i>Plug From:</i>		4			
<i>Plug To:</i>		6.1			
<i>Plug Depth UOM:</i>		m			
<i>Plug ID:</i>		933271224			
<i>Layer:</i>		2			
<i>Plug From:</i>		.2			
<i>Plug To:</i>		4			
<i>Plug Depth UOM:</i>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<i>Method Construction ID:</i>		966929023			
<i>Method Construction Code:</i>		B			
<i>Method Construction:</i>		Other Method			
<i>Other Method Construction:</i>					
<b><u>Pipe Information</u></b>					
<i>Pipe ID:</i>		11342847			
<i>Casing No:</i>		1			
<i>Comment:</i>					
<i>Alt Name:</i>					
<b><u>Construction Record - Casing</u></b>					
<i>Casing ID:</i>		930872980			
<i>Layer:</i>		1			
<i>Material:</i>		5			
<i>Open Hole or Material:</i>		PLASTIC			
<i>Depth From:</i>		0			
<i>Depth To:</i>		4.6			
<i>Casing Diameter:</i>		5			
<i>Casing Diameter UOM:</i>		cm			
<i>Casing Depth UOM:</i>		m			
<b><u>Construction Record - Screen</u></b>					
<i>Screen ID:</i>		933413219			
<i>Layer:</i>		1			
<i>Slot:</i>		10			
<i>Screen Top Depth:</i>		4.6			
<i>Screen End Depth:</i>		6.1			
<i>Screen Material:</i>		5			
<i>Screen Depth UOM:</i>		m			
<i>Screen Diameter UOM:</i>		cm			
<i>Screen Diameter:</i>		6.3			
<b><u>Hole Diameter</u></b>					
<i>Hole ID:</i>		11549137			
<i>Diameter:</i>		10			
<i>Depth From:</i>		0			
<i>Depth To:</i>		6.1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<i>Hole Depth UOM:</i>		m			
<i>Hole Diameter UOM:</i>		cm			
<a href="#">108</a>	1 of 8	SSE/130.9	109.8 / -4.00	30 Vansco Road Toronto ON	EHS
<i>Order ID:</i>	474701			<i>Date Received:</i>	23-AUG-16
<i>Order No:</i>	20160823068			<i>Lot/Building Size:</i>	
<i>Customer ID:</i>	53147			<i>Municipality:</i>	
<i>Company ID:</i>	77			<i>Client Prov/State:</i>	ON
<i>Status:</i>	C			<i>Search Radius (km):</i>	.25
<i>Report Code:</i>	3CAN			<i>Large Radius:</i>	.35
<i>Report Type:</i>	Standard Report			<i>X:</i>	-79.535808
<i>Report Date:</i>	24-AUG-16			<i>Y:</i>	43.622461
<i>Report Requested by:</i>	Pinchin Ltd				
<i>Nearest Intersection:</i>					
<i>Previous Site Name:</i>					
<i>Additional Info Ordered:</i>					
<a href="#">108</a>	2 of 8	SSE/130.9	109.8 / -4.00	30 Vansco Rd Toronto On Toronto ON M8Z5J4	EHS
<i>Order ID:</i>	286759			<i>Date Received:</i>	13-DEC-13
<i>Order No:</i>	20131213023			<i>Lot/Building Size:</i>	
<i>Customer ID:</i>	53147			<i>Municipality:</i>	
<i>Company ID:</i>	77			<i>Client Prov/State:</i>	ON
<i>Status:</i>	C			<i>Search Radius (km):</i>	.25
<i>Report Code:</i>	4CAN			<i>Large Radius:</i>	.3
<i>Report Type:</i>	Custom Report			<i>X:</i>	-79.535808
<i>Report Date:</i>	19-DEC-13			<i>Y:</i>	43.622461
<i>Report Requested by:</i>	Pinchin Ltd				
<i>Nearest Intersection:</i>					
<i>Previous Site Name:</i>					
<i>Additional Info Ordered:</i>					
<a href="#">108</a>	3 of 8	SSE/130.9	109.8 / -4.00	ADA PRECISION MACHINE & TOOL CO. 02-691 30 VANSKO ROAD TORONTO ON M8Z 5J4	GEN
<i>Generator No.:</i>	ON1630300			<i>PO Box No.:</i>	
<i>Status:</i>				<i>Country:</i>	
<i>Approval Years:</i>	92,93,94,95,96,97,98			<i>Choice of Contact:</i>	
<i>Contam. Facility:</i>				<i>Co Admin:</i>	
<i>MHSW Facility:</i>				<i>Phone No. Admin:</i>	
<i>SIC Code:</i>	3081				
<i>SIC Description:</i>	MACHINE SHOP IND.				
<i>--Details--</i>					
<i>Waste Code:</i>	213				
<i>Waste Description:</i>	PETROLEUM DISTILLATES				
<i>Waste Code:</i>	252				
<i>Waste Description:</i>	WASTE OILS & LUBRICANTS				
<i>Waste Code:</i>	253				
<i>Waste Description:</i>	EMULSIFIED OILS				
<a href="#">108</a>	4 of 8	SSE/130.9	109.8 / -4.00	ADA PRECISION MACHINE & TOOL COMPANY 30 VANSKO ROAD	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>TORONTO ON M8Z 5J4</b>					
<b>Generator No.:</b>	ON1630300			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	01			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	3081				
<b>SIC Description:</b>		MACHINE SHOP IND.			
<b>--Details--</b>					
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		253			
<b>Waste Description:</b>		EMULSIFIED OILS			
<a href="#">108</a>	5 of 8	SSE/130.9	109.8 / -4.00	<b>A.D.A. PRECISION MACHINE 30 VANSCO RD ETOBICOKE ON M8Z 5J4</b>	<b>SCT</b>
<b>Established:</b>		1968			
<b>Plant Size (ft²):</b>		7200			
<b>Employment:</b>		10			
<b>--Details--</b>					
<b>Description:</b>		INDUSTRIAL AND COMMERCIAL MACHINERY AND EQUIPMENT, NOT ELSEWHERE CLASSIFIED			
<b>SIC/NAICS Code:</b>		3599			
<a href="#">108</a>	6 of 8	SSE/130.9	109.8 / -4.00	<b>ADA PRECISION MACHINE &amp; TOOL C 30 VANSCO RD ETOBICOKE ON M8Z 5J4</b>	<b>SCT</b>
<b>Established:</b>		1968			
<b>Plant Size (ft²):</b>		7200			
<b>Employment:</b>		10			
<b>--Details--</b>					
<b>Description:</b>		Machine Shops			
<b>SIC/NAICS Code:</b>		332710			
<a href="#">108</a>	7 of 8	SSE/130.9	109.8 / -4.00	<b>ADA Precision Machine &amp; Tool 30 Vansco Rd Etobicoke ON M8Z 5J4</b>	<b>SCT</b>
<b>Established:</b>		01-AUG-68			
<b>Plant Size (ft²):</b>		7200			
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>		Machine Shops			
<b>SIC/NAICS Code:</b>		332710			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">108</a>	8 of 8	SSE/130.9	109.8 / -4.00	ADA Precision Machine & Tool Co. Ltd. 30 Vansco Rd Etobicoke ON M8Z 5J4	SCT

Established: 1968  
Plant Size (ft²): 7200  
Employment: 10

<a href="#">109</a>	1 of 1	SE/132.1	110.7 / -3.15	ETOBICOKE ON	WWIS
---------------------	--------	----------	---------------	--------------	------

Well ID: 7281260  
Construction Date:  
Primary Water Use: Monitoring  
Sec. Water Use:  
Final Well Status: Observation Wells  
Water Type:  
Casing Material:  
Audit No: Z239529  
Tag: A210307  
Construction Method:  
Elevation (m):  
Elevation Reliability:  
Depth to Bedrock:  
Well Depth:  
Overburden/Bedrock:  
Pump Rate:  
Static Water Level:  
Flowing (Y/N):  
Flow Rate:  
Clear/Cloudy:

Data Entry Status:  
Data Src:  
Date Received: 2/16/2017  
Selected Flag: Yes  
Abandonment Rec:  
Contractor: 7360  
Form Version: 7  
Owner:  
Street Name: 15 NORTH QUEEN  
County: YORK  
Municipality: ETOBICOKE BOROUGH  
Site Info:  
Lot:  
Concession:  
Concession Name:  
Easting NAD83:  
Northing NAD83:  
Zone:  
UTM Reliability:

#### Bore Hole Information

Bore Hole ID: 1006354427  
DP2BR:  
Spatial Status:  
Code OB:  
Code OB Desc:  
Open Hole:  
Cluster Kind:  
Date Completed: 11-NOV-16  
Remarks:  
Elevrc Desc:  
Location Source Date:  
Improvement Location Source:  
Improvement Location Method:  
Source Revision Comment:  
Supplier Comment:

Elevation: 111.95  
Elevrc:  
Zone: 17  
East83: 618412  
Org CS: UTM83  
North83: 4831126  
UTMRC: 4  
UTMRC Desc: margin of error : 30 m - 100 m  
Location Method: wwr

#### Overburden and Bedrock Materials Interval

Formation ID: 1006583066  
Layer: 2  
Color: 6  
General Color: BROWN  
Mat1: 11  
Most Common Material: GRAVEL  
Mat2:  
Other Materials:

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>					
<b>Formation End Depth:</b>					
<b>Formation End Depth UOM:</b>		ft			
<b>Formation ID:</b>		1006583065			
<b>Layer:</b>		1			
<b>Color:</b>		8			
<b>General Color:</b>		BLACK			
<b>Mat1:</b>					
<b>Most Common Material:</b>					
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>					
<b>Formation End Depth UOM:</b>		ft			
<b>Formation ID:</b>		1006583068			
<b>Layer:</b>		4			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>					
<b>Most Common Material:</b>					
<b>Mat2:</b>		84			
<b>Other Materials:</b>		SILTY			
<b>Mat3:</b>		11			
<b>Other Materials:</b>		GRAVEL			
<b>Formation Top Depth:</b>					
<b>Formation End Depth:</b>					
<b>Formation End Depth UOM:</b>		ft			
<b>Formation ID:</b>		1006583067			
<b>Layer:</b>		3			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		84			
<b>Other Materials:</b>		SILTY			
<b>Mat3:</b>		91			
<b>Other Materials:</b>		WATER-BEARING			
<b>Formation Top Depth:</b>					
<b>Formation End Depth:</b>					
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1006583075			
<b>Layer:</b>		1			
<b>Plug From:</b>		13			
<b>Plug To:</b>		0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well</u></b>					
<b><u>Use</u></b>					
<b>Method Construction ID:</b>		1006583074			
<b>Method Construction Code:</b>		B			
<b>Method Construction:</b>		Other Method			
<b>Other Method Construction:</b>		AUGER			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Pipe Information**

Pipe ID: 1006583064  
 Casing No: 0  
 Comment:  
 Alt Name:

**Construction Record - Casing**

Casing ID: 1006583071  
 Layer: 1  
 Material: 5  
 Open Hole or Material: PLASTIC  
 Depth From: 0  
 Depth To: 15  
 Casing Diameter: 1.25  
 Casing Diameter UOM: inch  
 Casing Depth UOM: ft

**Construction Record - Screen**

Screen ID: 1006583072  
 Layer: 1  
 Slot: .10  
 Screen Top Depth: 15  
 Screen End Depth: 20  
 Screen Material: 5  
 Screen Depth UOM: ft  
 Screen Diameter UOM: inch  
 Screen Diameter: 1.25

**Water Details**

Water ID: 1006583070  
 Layer: 1  
 Kind Code: 8  
 Kind: Untested  
 Water Found Depth: 6  
 Water Found Depth UOM: ft

**Hole Diameter**

Hole ID: 1006583069  
 Diameter: 6  
 Depth From: 0  
 Depth To: 20  
 Hole Depth UOM: ft  
 Hole Diameter UOM: inch

<a href="#">110</a>	1 of 2	WSW/133.7	117.9 / 4.07	VANGUARD FLOORS LIMITED 15 NEWBRIDGE RD. TORONTO ON M8Z 2L6	40-091	GEN
Generator No.:	ON0670400			PO Box No.:		
Status:				Country:		
Approval Years:	92,93,94,95,96,97,98			Choice of Contact:		
Contam. Facility:				Co Admin:		
MHSW Facility:				Phone No. Admin:		
SIC Code:	4224					
SIC Description:	CONC. POURING & FIN.					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>--Details--</b>					
Waste Code:		213			
Waste Description:		PETROLEUM DISTILLATES			
<b>110</b>	2 of 2	WSW/133.7	117.9 / 4.07	VANGUARD FLOORS LIMITED 15 NEWBRIDGE RD. TORONTO ON M8Z 2L6	GEN
Generator No.:	ON0670400			PO Box No.:	
Status:				Country:	
Approval Years:	86,87,88,89,90			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No. Admin:	
SIC Code:	4224				
SIC Description:	CONC. POURING & FIN.				
<b>--Details--</b>					
Waste Code:		213			
Waste Description:		PETROLEUM DISTILLATES			
<b>111</b>	1 of 1	NW/134.6	119.8 / 6.00	Toronto ON	WWIS
Well ID:	7138411			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring and Test Hole			Date Received:	1/21/2010
Sec. Water Use:	0			Selected Flag:	Yes
Final Well Status:	Monitoring and Test Hole			Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z108743			Owner:	
Tag:	A085547			Street Name:	39 SHORNCLIFFE RD
Construction Method:				County:	YORK
Elevation (m):				Municipality:	ETOBICOKE BOROUGH
Elevation Reliability:				Site Info:	WKQ-002024 (A0-A03)
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<b><u>Bore Hole Information</u></b>					
Bore Hole ID:	1002925475			Elevation:	120.28
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	617594
Code OB Desc:				Org CS:	UTM83
Open Hole:				North83:	4831767
Cluster Kind:				UTMRC:	4
Date Completed:	09-DEC-09			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1003059816			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		34			
<b>Most Common Material:</b>		TILL			
<b>Mat2:</b>		06			
<b>Other Materials:</b>		SILT			
<b>Mat3:</b>		28			
<b>Other Materials:</b>		SAND			
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		18			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1003059820			
<b>Layer:</b>		3			
<b>Plug From:</b>		12			
<b>Plug To:</b>		18			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1003059818			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		1			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1003059819			
<b>Layer:</b>		2			
<b>Plug From:</b>		1			
<b>Plug To:</b>		12			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1003059826			
<b>Method Construction Code:</b>		D			
<b>Method Construction:</b>		Direct Push			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1003059815			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1003059822			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Depth From:</b>		0			
<b>Depth To:</b>		13			
<b>Casing Diameter:</b>		1.25			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1003059823			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		13			
<b>Screen End Depth:</b>		18			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		ft			
<b>Screen Diameter UOM:</b>		inch			
<b>Screen Diameter:</b>		1.5			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1003059821			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		ft			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1003059817			
<b>Diameter:</b>		4			
<b>Depth From:</b>		0			
<b>Depth To:</b>		18			
<b>Hole Depth UOM:</b>		ft			
<b>Hole Diameter UOM:</b>		inch			

<a href="#">112</a>	1 of 1	WSW/136.7	117.8 / 4.00	Helmitin Adhesives Inc. 99 Shorncliffe Road Toronto ON M8Z 5K7	ECA
<b>Approval No:</b>	7412-9C3RVF			<b>SWP Area Name:</b>	
<b>Approval Date:</b>	12-FEB-14			<b>MOE District:</b>	
<b>Status:</b>	Approved			<b>City:</b>	Toronto
<b>Record Type:</b>				<b>Longitude:</b>	-
<b>Link Source:</b>					79.5411111111111110687943437369540333747
<b>Approval Type:</b>				<b>Latitude:</b>	86376953125
<b>Project Type:</b>	Air/Noise				43.6255555555555741875650710426270961
<b>Address:</b>					761474609375
<b>Full Address:</b>	99 Shorncliffe Road Toronto, Ontario M8Z 5K7				
<b>Full PDF Link:</b>					

<a href="#">113</a>	1 of 1	SE/137.2	110.8 / -3.01	ETOBICOKE ON	WWIS
<b>Well ID:</b>	7281241			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring			<b>Date Received:</b>	2/16/2017
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	Yes

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Final Well Status:</b>	Observation Wells			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7360
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z239528			<b>Owner:</b>	
<b>Tag:</b>	A210263			<b>Street Name:</b>	15 NORTH QUEEN
<b>Construction Method:</b>				<b>County:</b>	YORK
<b>Elevation (m):</b>				<b>Municipality:</b>	ETOBICOKE BOROUGH
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**Bore Hole Information**

<b>Bore Hole ID:</b>	1006354370	<b>Elevation:</b>	111.93
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	17
<b>Code OB:</b>		<b>East83:</b>	618417
<b>Code OB Desc:</b>		<b>Org CS:</b>	UTM83
<b>Open Hole:</b>		<b>North83:</b>	4831125
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	16-NOV-16	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	1006582620
<b>Layer:</b>	2
<b>Color:</b>	6
<b>General Color:</b>	BROWN
<b>Mat1:</b>	28
<b>Most Common Material:</b>	SAND
<b>Mat2:</b>	84
<b>Other Materials:</b>	SILTY
<b>Mat3:</b>	91
<b>Other Materials:</b>	WATER-BEARING
<b>Formation Top Depth:</b>	
<b>Formation End Depth:</b>	
<b>Formation End Depth UOM:</b>	ft
<b>Formation ID:</b>	1006582619
<b>Layer:</b>	1
<b>Color:</b>	2
<b>General Color:</b>	GREY
<b>Mat1:</b>	
<b>Most Common Material:</b>	
<b>Mat2:</b>	
<b>Other Materials:</b>	
<b>Mat3:</b>	60
<b>Other Materials:</b>	CEMENTED
<b>Formation Top Depth:</b>	0
<b>Formation End Depth:</b>	

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1006582627			
<b>Layer:</b>		1			
<b>Plug From:</b>		1			
<b>Plug To:</b>		0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1006582626			
<b>Method Construction Code:</b>		B			
<b>Method Construction:</b>		Other Method			
<b>Other Method Construction:</b>		AUGER			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1006582618			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1006582623			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		2			
<b>Casing Diameter:</b>		1.25			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1006582624			
<b>Layer:</b>		1			
<b>Slot:</b>		.10			
<b>Screen Top Depth:</b>		2			
<b>Screen End Depth:</b>		7			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		ft			
<b>Screen Diameter UOM:</b>		inch			
<b>Screen Diameter:</b>		1.25			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1006582622			
<b>Layer:</b>		1			
<b>Kind Code:</b>		8			
<b>Kind:</b>		Untested			
<b>Water Found Depth:</b>		4			
<b>Water Found Depth UOM:</b>		ft			
<b><u>Hole Diameter</u></b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Hole ID:		1006582621			
Diameter:		6			
Depth From:		0			
Depth To:		7			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

<a href="#">114</a>	1 of 1	NW/137.8	119.8 / 6.00	Toronto ON	WWIS
---------------------	--------	----------	--------------	------------	------

<b>Well ID:</b>	7138412	<b>Data Entry Status:</b>	
<b>Construction Date:</b>		<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole	<b>Date Received:</b>	1/21/2010
<b>Sec. Water Use:</b>	0	<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Monitoring and Test Hole	<b>Abandonment Rec:</b>	
<b>Water Type:</b>		<b>Contractor:</b>	7241
<b>Casing Material:</b>		<b>Form Version:</b>	7
<b>Audit No:</b>	Z108748	<b>Owner:</b>	
<b>Tag:</b>	A086744	<b>Street Name:</b>	39 SHORNCLIFFE RD
<b>Construction Method:</b>		<b>County:</b>	YORK
<b>Elevation (m):</b>		<b>Municipality:</b>	ETOBICOKE BOROUGH
<b>Elevation Reliability:</b>		<b>Site Info:</b>	WKQ-002024 (A0-A03)
<b>Depth to Bedrock:</b>		<b>Lot:</b>	
<b>Well Depth:</b>		<b>Concession:</b>	
<b>Overburden/Bedrock:</b>		<b>Concession Name:</b>	
<b>Pump Rate:</b>		<b>Easting NAD83:</b>	
<b>Static Water Level:</b>		<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>		<b>Zone:</b>	
<b>Flow Rate:</b>		<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>			

#### Bore Hole Information

<b>Bore Hole ID:</b>	1002925478	<b>Elevation:</b>	120.4
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	17
<b>Code OB:</b>		<b>East83:</b>	617586
<b>Code OB Desc:</b>		<b>Org CS:</b>	UTM83
<b>Open Hole:</b>		<b>North83:</b>	4831782
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	09-DEC-09	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

#### Overburden and Bedrock

##### Materials Interval

<b>Formation ID:</b>	1003059829
<b>Layer:</b>	1
<b>Color:</b>	6
<b>General Color:</b>	BROWN
<b>Mat1:</b>	34
<b>Most Common Material:</b>	TILL
<b>Mat2:</b>	06
<b>Other Materials:</b>	SILT
<b>Mat3:</b>	28
<b>Other Materials:</b>	SAND

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Formation Top Depth:</i>		0			
<i>Formation End Depth:</i>		18			
<i>Formation End Depth UOM:</i>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<i>Plug ID:</i>		1003059831			
<i>Layer:</i>		1			
<i>Plug From:</i>		0			
<i>Plug To:</i>		1			
<i>Plug Depth UOM:</i>		ft			
<i>Plug ID:</i>		1003059833			
<i>Layer:</i>		3			
<i>Plug From:</i>		12			
<i>Plug To:</i>		18			
<i>Plug Depth UOM:</i>		ft			
<i>Plug ID:</i>		1003059832			
<i>Layer:</i>		2			
<i>Plug From:</i>		1			
<i>Plug To:</i>		12			
<i>Plug Depth UOM:</i>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<i>Method Construction ID:</i>		1003059839			
<i>Method Construction Code:</i>		D			
<i>Method Construction:</i>		Direct Push			
<i>Other Method Construction:</i>					
<b><u>Pipe Information</u></b>					
<i>Pipe ID:</i>		1003059828			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
<b><u>Construction Record - Casing</u></b>					
<i>Casing ID:</i>		1003059835			
<i>Layer:</i>		1			
<i>Material:</i>		5			
<i>Open Hole or Material:</i>		PLASTIC			
<i>Depth From:</i>		0			
<i>Depth To:</i>		13			
<i>Casing Diameter:</i>		1.25			
<i>Casing Diameter UOM:</i>		inch			
<i>Casing Depth UOM:</i>		ft			
<b><u>Construction Record - Screen</u></b>					
<i>Screen ID:</i>		1003059836			
<i>Layer:</i>		1			
<i>Slot:</i>		10			
<i>Screen Top Depth:</i>		13			
<i>Screen End Depth:</i>		18			
<i>Screen Material:</i>		5			
<i>Screen Depth UOM:</i>		ft			
<i>Screen Diameter UOM:</i>		inch			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Diameter:		1.5			
<b><u>Water Details</u></b>					
Water ID:		1003059834			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<b><u>Hole Diameter</u></b>					
Hole ID:		1003059830			
Diameter:		10.92			
Depth From:		0			
Depth To:		18			
Hole Depth UOM:		ft			
Hole Diameter UOM:		cm			

115    1 of 1       **SSW/138.1**    **115.6 / 1.80**    **Toronto ON**    **WWIS**

<b>Well ID:</b>	7284879	<b>Data Entry Status:</b>	
<b>Construction Date:</b>		<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring	<b>Date Received:</b>	4/10/2017
<b>Sec. Water Use:</b>		<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Observation Wells	<b>Abandonment Rec:</b>	
<b>Water Type:</b>		<b>Contractor:</b>	7241
<b>Casing Material:</b>		<b>Form Version:</b>	7
<b>Audit No:</b>	Z251120	<b>Owner:</b>	
<b>Tag:</b>	A217233	<b>Street Name:</b>	135 SHORNECLIFF RD
<b>Construction Method:</b>		<b>County:</b>	YORK
<b>Elevation (m):</b>		<b>Municipality:</b>	ETOBICOKE BOROUGH
<b>Elevation Reliability:</b>		<b>Site Info:</b>	
<b>Depth to Bedrock:</b>		<b>Lot:</b>	
<b>Well Depth:</b>		<b>Concession:</b>	
<b>Overburden/Bedrock:</b>		<b>Concession Name:</b>	
<b>Pump Rate:</b>		<b>Easting NAD83:</b>	
<b>Static Water Level:</b>		<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>		<b>Zone:</b>	
<b>Flow Rate:</b>		<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>			

**Bore Hole Information**

<b>Bore Hole ID:</b>	1006379084	<b>Elevation:</b>	116.18
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	17
<b>Code OB:</b>		<b>East83:</b>	617797
<b>Code OB Desc:</b>		<b>Org CS:</b>	UTM83
<b>Open Hole:</b>		<b>North83:</b>	4831079
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	17-MAR-17	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>			1006647558		
<b>Layer:</b>			3		
<b>Color:</b>			6		
<b>General Color:</b>			BROWN		
<b>Mat1:</b>			28		
<b>Most Common Material:</b>			SAND		
<b>Mat2:</b>			06		
<b>Other Materials:</b>			SILT		
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>			4		
<b>Formation End Depth:</b>			8		
<b>Formation End Depth UOM:</b>			ft		
<b>Formation ID:</b>			1006647556		
<b>Layer:</b>			1		
<b>Color:</b>			2		
<b>General Color:</b>			GREY		
<b>Mat1:</b>					
<b>Most Common Material:</b>					
<b>Mat2:</b>			60		
<b>Other Materials:</b>			CEMENTED		
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>			0		
<b>Formation End Depth:</b>			.833		
<b>Formation End Depth UOM:</b>			ft		
<b>Formation ID:</b>			1006647559		
<b>Layer:</b>			4		
<b>Color:</b>			2		
<b>General Color:</b>			GREY		
<b>Mat1:</b>			17		
<b>Most Common Material:</b>			SHALE		
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>			8		
<b>Formation End Depth:</b>			14		
<b>Formation End Depth UOM:</b>			ft		
<b>Formation ID:</b>			1006647557		
<b>Layer:</b>			2		
<b>Color:</b>			6		
<b>General Color:</b>			BROWN		
<b>Mat1:</b>			01		
<b>Most Common Material:</b>			FILL		
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>			.833		
<b>Formation End Depth:</b>			4		
<b>Formation End Depth UOM:</b>			ft		
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>			1006647567		
<b>Layer:</b>			2		
<b>Plug From:</b>			6		



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Plug To:</b>		3			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1006647568			
<b>Layer:</b>		3			
<b>Plug From:</b>		3			
<b>Plug To:</b>		14			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1006647566			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		6			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1006647565			
<b>Method Construction Code:</b>		2			
<b>Method Construction:</b>		Rotary (Convent.)			
<b>Other Method Construction:</b>		DIRECT PUSH			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1006647555			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1006647562			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		4			
<b>Casing Diameter:</b>		2			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1006647563			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		4			
<b>Screen End Depth:</b>		14			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		ft			
<b>Screen Diameter UOM:</b>		inch			
<b>Screen Diameter:</b>		2.25			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1006647561			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Hole Diameter</u></b>					
Hole ID:		1006647560			
Diameter:		6			
Depth From:		0			
Depth To:		14			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

<a href="#">116</a>	1 of 1	SSW/143.8	115.8 / 1.95	Toronto ON	WWIS
<b>Well ID:</b>	7284878			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring			<b>Date Received:</b>	4/10/2017
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Observation Wells			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z251119			<b>Owner:</b>	
<b>Tag:</b>	A186490			<b>Street Name:</b>	135 SHORECLIFF RD
<b>Construction Method:</b>				<b>County:</b>	YORK
<b>Elevation (m):</b>				<b>Municipality:</b>	ETOBICOKE BOROUGH
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**Bore Hole Information**

<b>Bore Hole ID:</b>	1006379081	<b>Elevation:</b>	116.25
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	17
<b>Code OB:</b>		<b>East83:</b>	617786
<b>Code OB Desc:</b>		<b>Org CS:</b>	UTM83
<b>Open Hole:</b>		<b>North83:</b>	4831094
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	09-MAR-17	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	1006647545
<b>Layer:</b>	4
<b>Color:</b>	2
<b>General Color:</b>	GREY
<b>Mat1:</b>	28
<b>Most Common Material:</b>	SAND
<b>Mat2:</b>	

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Other Materials:</b>					
<b>Mat3:</b>		92			
<b>Other Materials:</b>		WEATHERED			
<b>Formation Top Depth:</b>		9			
<b>Formation End Depth:</b>		14			
<b>Formation End Depth UOM:</b>		ft			
<b>Formation ID: 1006647544</b>					
<b>Layer:</b>		3			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		06			
<b>Other Materials:</b>		SILT			
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		2			
<b>Formation End Depth:</b>		9			
<b>Formation End Depth UOM:</b>		ft			
<b>Formation ID: 1006647542</b>					
<b>Layer:</b>		1			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>					
<b>Most Common Material:</b>					
<b>Mat2:</b>		60			
<b>Other Materials:</b>		CEMENTED			
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		.667			
<b>Formation End Depth UOM:</b>		ft			
<b>Formation ID: 1006647543</b>					
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		01			
<b>Most Common Material:</b>		FILL			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		.667			
<b>Formation End Depth:</b>		2			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID: 1006647552</b>					
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		6			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID: 1006647554</b>					
<b>Layer:</b>		3			
<b>Plug From:</b>		3			
<b>Plug To:</b>		14			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID: 1006647553</b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Layer:</b>	2				
<b>Plug From:</b>	6				
<b>Plug To:</b>	3				
<b>Plug Depth UOM:</b>	ft				
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>	1006647551				
<b>Method Construction Code:</b>	2				
<b>Method Construction:</b>	Rotary (Convent.)				
<b>Other Method Construction:</b>	DIRECT PUSH				
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>	1006647541				
<b>Casing No:</b>	0				
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>	1006647548				
<b>Layer:</b>	1				
<b>Material:</b>	5				
<b>Open Hole or Material:</b>	PLASTIC				
<b>Depth From:</b>	0				
<b>Depth To:</b>	4				
<b>Casing Diameter:</b>	2				
<b>Casing Diameter UOM:</b>	inch				
<b>Casing Depth UOM:</b>	ft				
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>	1006647549				
<b>Layer:</b>	1				
<b>Slot:</b>	10				
<b>Screen Top Depth:</b>	4				
<b>Screen End Depth:</b>	14				
<b>Screen Material:</b>	5				
<b>Screen Depth UOM:</b>	ft				
<b>Screen Diameter UOM:</b>	inch				
<b>Screen Diameter:</b>	2.25				
<b><u>Water Details</u></b>					
<b>Water ID:</b>	1006647547				
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>	ft				
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>	1006647546				
<b>Diameter:</b>	6				
<b>Depth From:</b>	0				
<b>Depth To:</b>	14				
<b>Hole Depth UOM:</b>	ft				
<b>Hole Diameter UOM:</b>	inch				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">117</a>	1 of 3	SSW/146.4	113.5 / -0.33	HERTZ CANADA LIMITED 69 NORTH QUEEN STREET C/O 5403 EGLINTON AVE. WEST, SUITE 100 ETOBICOKE ON M8Z 2C7	GEN
<b>Generator No.:</b>	ON0287703			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	89,90			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	4561				
<b>SIC Description:</b>	GEN. FREIGHT TRUCK.				
<b>--Details--</b>					
<b>Waste Code:</b>	221				
<b>Waste Description:</b>	LIGHT FUELS				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<a href="#">117</a>	2 of 3	SSW/146.4	113.5 / -0.33	HERTZ CANADA LIMITED 69 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C7	GEN
<b>Generator No.:</b>	ON0287703			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	98			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	4561				
<b>SIC Description:</b>	GEN. FREIGHT TRUCK.				
<b>--Details--</b>					
<b>Waste Code:</b>	221				
<b>Waste Description:</b>	LIGHT FUELS				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<a href="#">117</a>	3 of 3	SSW/146.4	113.5 / -0.33	HERTZ CANADA LIMITED 20-373 69 NORTH QUEEN STREET C/O 5403 EGLINTON AVE. WEST, SUITE 100 ETOBICOKE ON M8Z 2C7	GEN
<b>Generator No.:</b>	ON0287703			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	92,93,94,95,96,97			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	4561				
<b>SIC Description:</b>	GEN. FREIGHT TRUCK.				
<b>--Details--</b>					
<b>Waste Code:</b>	221				
<b>Waste Description:</b>	LIGHT FUELS				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">118</a>	1 of 1	NE/151.3	114.8 / 1.00	ON	BORE
<b>Borehole ID:</b>	641611			<b>Type:</b>	Borehole
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Status::</b>	
<b>Drill Method::</b>	Power auger			<b>UTM Zone::</b>	17
<b>Easting::</b>	618260			<b>Northing::</b>	4831753
<b>Location Accuracy::</b>				<b>Orig. Ground Elev m::</b>	117
<b>Elev. Reliability Note::</b>				<b>DEM Ground Elev m::</b>	116
<b>Total Depth m::</b>	5.9			<b>Primary Name::</b>	
<b>Township::</b>				<b>Concession::</b>	
<b>Lot::</b>				<b>Municipality:</b>	
<b>Completion Date::</b>	DEC-1971			<b>Static Water Level::</b>	.5
<b>Primary Water Use::</b>	Not Used			<b>Sec. Water Use::</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>	218496713			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	0.1			<b>Stratum Desc:</b>	FILL. AGE QUATERNARY.
<b>Stratum ID:</b>	218496714			<b>Top Depth(m):</b>	0.1
<b>Bottom Depth(m):</b>	0.6			<b>Stratum Desc:</b>	FILL,SAND,SILT. BROWN,COMPACT,AGE QUATERNARY.
<b>Stratum ID:</b>	218496715			<b>Top Depth(m):</b>	0.6
<b>Bottom Depth(m):</b>	0.7			<b>Stratum Desc:</b>	ORGANIC. BLACK,SOFT,AGE POST-GLACIAL, WATER STABLE AT 384.3 FEET.
<b>Stratum ID:</b>	218496716			<b>Top Depth(m):</b>	0.7
<b>Bottom Depth(m):</b>	1.8			<b>Stratum Desc:</b>	SILT,CLAY,ORGANIC. GREY,GLACIAL,FIRM,AGE GLACIAL.
<b>Stratum ID:</b>	218496717			<b>Top Depth(m):</b>	1.8
<b>Bottom Depth(m):</b>	2.9			<b>Stratum Desc:</b>	TILL,SAND,SILT. BROWN,GLACIAL,VERY DENSE, AGE GLACIAL.
<b>Stratum ID:</b>	218496718			<b>Top Depth(m):</b>	2.9
<b>Bottom Depth(m):</b>	5.2			<b>Stratum Desc:</b>	SAND-MEDIUM,SILT, GRAVEL. GREY,GLACIAL,VERY DENSE, AGE GLACIAL.
<b>Stratum ID:</b>	218496719			<b>Top Depth(m):</b>	5.2
<b>Bottom Depth(m):</b>	5.9			<b>Stratum Desc:</b>	SILT,CLAY,SHALE. GREY,FLUVIO-GLACIAL,HARD, AGE GLACIAL. 009 021 007

<a href="#">119</a>	1 of 1	SW/151.3	117.2 / 3.34	121 Shorncliffe Road Etobicoke ON M8Z 5K7	EHS
<b>Order ID:</b>	33190			<b>Date Received:</b>	6/11/03
<b>Order No:</b>	20030611001			<b>Lot/Building Size:</b>	
<b>Customer ID:</b>	27146			<b>Municipality:</b>	
<b>Company ID:</b>	108			<b>Client Prov/State:</b>	ON
<b>Status:</b>	C			<b>Search Radius (km):</b>	0.25
<b>Report Code:</b>	1CAN			<b>Large Radius:</b>	2.00
<b>Report Type:</b>	Site Report			<b>X:</b>	-79.541169
<b>Report Date:</b>	6/12/03			<b>Y:</b>	43.62414
<b>Report Requested by:</b>	Earth Tech				
<b>Nearest Intersection:</b>					
<b>Previous Site Name:</b>					
<b>Additional Info Ordered:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">120</a>	1 of 1	ENE/156.7	113.8 / 0.00	ON	BORE
<b>Borehole ID:</b>	641612			<b>Type:</b>	Borehole
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Status:</b>	
<b>Drill Method::</b>	Power auger			<b>UTM Zone::</b>	17
<b>Easting::</b>	618295			<b>Northing::</b>	4831663
<b>Location Accuracy::</b>				<b>Orig. Ground Elev m::</b>	117
<b>Elev. Reliability Note::</b>				<b>DEM Ground Elev m::</b>	115
<b>Total Depth m::</b>	5.9			<b>Primary Name::</b>	
<b>Township::</b>				<b>Concession::</b>	
<b>Lot::</b>				<b>Municipality:</b>	
<b>Completion Date::</b>	DEC-1971			<b>Static Water Level::</b>	.4
<b>Primary Water Use::</b>	Not Used			<b>Sec. Water Use::</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>	218496720			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	0.1			<b>Stratum Desc:</b>	FILL.
<b>Stratum ID:</b>	218496721			<b>Top Depth(m):</b>	0.1
<b>Bottom Depth(m):</b>	0.8			<b>Stratum Desc:</b>	SAND,SILT. BROWN,COMPACT, AGE POST-GLACIAL.
<b>Stratum ID:</b>	218496722			<b>Top Depth(m):</b>	0.8
<b>Bottom Depth(m):</b>	1.7			<b>Stratum Desc:</b>	TILL,SAND,SILT,CLAY.BROWN,GLACIAL,DE NSE, AGE GLACIAL, WATER STABLE AT 382.8 FEET.
<b>Stratum ID:</b>	218496723			<b>Top Depth(m):</b>	1.7
<b>Bottom Depth(m):</b>	3.7			<b>Stratum Desc:</b>	SAND,SILT,GRAVEL. GREY,GLACIAL,VERY DENSE, AGE GLACIAL.
<b>Stratum ID:</b>	218496724			<b>Top Depth(m):</b>	3.7
<b>Bottom Depth(m):</b>	5.9			<b>Stratum Desc:</b>	SILT,CLAY,GRAVEL. GREY,FLUVIO-GLACIAL,HARD, AGE GLACIAL. 011 007 013

<a href="#">121</a>	1 of 1	WNW/159.1	119.1 / 5.22	ON	WWIS
<b>Well ID:</b>	7258924			<b>Data Entry Status:</b>	Yes
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>				<b>Date Received:</b>	3/8/2016
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>				<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7324
<b>Casing Material:</b>				<b>Form Version:</b>	8
<b>Audit No:</b>	C28225			<b>Owner:</b>	
<b>Tag:</b>	A180080			<b>Street Name:</b>	
<b>Construction Method:</b>				<b>County:</b>	YORK
<b>Elevation (m):</b>				<b>Municipality:</b>	ETOBICOKE BOROUGH
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Bore Hole Information

<b>Bore Hole ID:</b>	1005902159	<b>Elevation:</b>	119.65
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	17
<b>Code OB:</b>		<b>East83:</b>	617597
<b>Code OB Desc:</b>		<b>Org CS:</b>	UTM83
<b>Open Hole:</b>		<b>North83:</b>	4831675
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	09-SEP-15	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

<a href="#">122</a>	1 of 1	SE/163.6	111.8 / -2.08	ON	WWIS
---------------------	--------	----------	---------------	----	------

<b>Well ID:</b>	7281245	<b>Data Entry Status:</b>	
<b>Construction Date:</b>		<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring	<b>Date Received:</b>	2/16/2017
<b>Sec. Water Use:</b>		<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Observation Wells	<b>Abandonment Rec:</b>	
<b>Water Type:</b>		<b>Contractor:</b>	7360
<b>Casing Material:</b>		<b>Form Version:</b>	7
<b>Audit No:</b>	Z239525	<b>Owner:</b>	
<b>Tag:</b>	A210258	<b>Street Name:</b>	15 NORTH QUEEN
<b>Construction Method:</b>		<b>County:</b>	YORK
<b>Elevation (m):</b>		<b>Municipality:</b>	ETOBICOKE BOROUGH
<b>Elevation Reliability:</b>		<b>Site Info:</b>	
<b>Depth to Bedrock:</b>		<b>Lot:</b>	
<b>Well Depth:</b>		<b>Concession:</b>	
<b>Overburden/Bedrock:</b>		<b>Concession Name:</b>	
<b>Pump Rate:</b>		<b>Easting NAD83:</b>	
<b>Static Water Level:</b>		<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>		<b>Zone:</b>	
<b>Flow Rate:</b>		<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>			

Bore Hole Information

<b>Bore Hole ID:</b>	1006354382	<b>Elevation:</b>	112.72
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	17
<b>Code OB:</b>		<b>East83:</b>	618401
<b>Code OB Desc:</b>		<b>Org CS:</b>	UTM83
<b>Open Hole:</b>		<b>North83:</b>	4831055
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	16-NOV-16	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

Overburden and Bedrock

Materials Interval



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation ID:</b>		1006582757			
<b>Layer:</b>		3			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		17			
<b>Most Common Material:</b>		SHALE			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>		91			
<b>Other Materials:</b>		WATER-BEARING			
<b>Formation Top Depth:</b>					
<b>Formation End Depth:</b>					
<b>Formation End Depth UOM:</b>		ft			
<b>Formation ID:</b>		1006582756			
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		84			
<b>Other Materials:</b>		SILTY			
<b>Mat3:</b>		91			
<b>Other Materials:</b>		WATER-BEARING			
<b>Formation Top Depth:</b>					
<b>Formation End Depth:</b>					
<b>Formation End Depth UOM:</b>		ft			
<b>Formation ID:</b>		1006582755			
<b>Layer:</b>		1			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>					
<b>Most Common Material:</b>					
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>					
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1006582764			
<b>Layer:</b>		1			
<b>Plug From:</b>		11			
<b>Plug To:</b>		0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1006582763			
<b>Method Construction Code:</b>		B			
<b>Method Construction:</b>		Other Method			
<b>Other Method Construction:</b>		AUGER			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1006582754			
<b>Casing No:</b>		0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1006582760			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		13			
<b>Casing Diameter:</b>		1.25			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1006582761			
<b>Layer:</b>		1			
<b>Slot:</b>		.10			
<b>Screen Top Depth:</b>		13			
<b>Screen End Depth:</b>		20			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		ft			
<b>Screen Diameter UOM:</b>		inch			
<b>Screen Diameter:</b>		1.25			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1006582759			
<b>Layer:</b>		1			
<b>Kind Code:</b>		8			
<b>Kind:</b>		Untested			
<b>Water Found Depth:</b>		2			
<b>Water Found Depth UOM:</b>		ft			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1006582758			
<b>Diameter:</b>		6			
<b>Depth From:</b>		0			
<b>Depth To:</b>		20			
<b>Hole Depth UOM:</b>		ft			
<b>Hole Diameter UOM:</b>		inch			

[123](#)

1 of 1

SW/164.1

118.0 / 4.11

107 Shorncliffe Road  
Toronto ON M8Z 5K7

EHS

<b>Order ID:</b>	184098	<b>Date Received:</b>	3/10/2011 11:20:55 AM
<b>Order No:</b>	20110310015	<b>Lot/Building Size:</b>	
<b>Customer ID:</b>	53147	<b>Municipality:</b>	
<b>Company ID:</b>	77	<b>Client Prov/State:</b>	ON
<b>Status:</b>	C	<b>Search Radius (km):</b>	0.25
<b>Report Code:</b>	4CAN	<b>Large Radius:</b>	2
<b>Report Type:</b>	Custom Report	<b>X:</b>	-79.541295
<b>Report Date:</b>	3/16/2011	<b>Y:</b>	43.625134
<b>Report Requested by:</b>	Pinchin Environmental		
<b>Nearest Intersection:</b>			
<b>Previous Site Name:</b>			
<b>Additional Info Ordered:</b>			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">124</a>	1 of 5	SW/164.9	117.8 / 4.00	METRO (OUT OF BUSINESS) 115 SHORNCLIFF ROAD TORONTO ON M8Z 5K7	GEN
<b>Generator No.:</b>	ON0121701			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	98			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	9725				
<b>SIC Description:</b>	LINEN SUPPLY				
<a href="#">124</a>	2 of 5	SW/164.9	117.8 / 4.00	METRO INDUSTRIAL LINEN SERVICE 115 SHORNCLIFF ROAD TORONTO ON M8Z 5K7	GEN
<b>Generator No.:</b>	ON0121701			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	86,87			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	9725				
<b>SIC Description:</b>	LINEN SUPPLY				
<b>--Details--</b>					
<b>Waste Code:</b>	251				
<b>Waste Description:</b>	OIL SKIMMINGS & SLUDGES				
<a href="#">124</a>	3 of 5	SW/164.9	117.8 / 4.00	METRO (OUT OF BUSINESS) 115 SHORNCLIFF ROAD TORONTO ON M8Z 5K7	GEN
<b>Generator No.:</b>	ON0121701			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	88,89,90			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	9725				
<b>SIC Description:</b>	LINEN SUPPLY				
<b>--Details--</b>					
<b>Waste Code:</b>	251				
<b>Waste Description:</b>	OIL SKIMMINGS & SLUDGES				
<a href="#">124</a>	4 of 5	SW/164.9	117.8 / 4.00	METRO (OUT OF BUSINESS) 115 SHORNCLIFF ROAD TORONTO ON M8Z 5K7	26-013 GEN
<b>Generator No.:</b>	ON0121701			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	92,93,94,95,96,97			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	9725				
<b>SIC Description:</b>	LINEN SUPPLY				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">124</a>	5 of 5	SW/164.9	117.8 / 4.00	Factory Automation Plus Inc. 115 Shorncliffe Rd Toronto ON M8Z 5K7	SCT
<b>Established:</b>		01-AUG-93			
<b>Plant Size (ft²):</b>					
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>		Switchgear and Switchboard, and Relay and Industrial Control Apparatus Manufacturing			
<b>SIC/NAICS Code:</b>		335315			
<b>Description:</b>		Measuring, Medical and Controlling Devices Manufacturing			
<b>SIC/NAICS Code:</b>		334512			
<a href="#">125</a>	1 of 4	W/165.4	119.7 / 5.81	65 Shorncliffe Road Toronto ON M8Z 5K3	CA
<b>Certificate #:</b>		6371-4X7KQM			
<b>Application Year:</b>		01			
<b>Issue Date:</b>		5/30/01			
<b>Approval Type:</b>		Industrial air			
<b>Status:</b>		Approved			
<b>Application Type:</b>		New Certificate of Approval			
<b>Client Name::</b>		Evans Ford Lincoln Inc.			
<b>Client Address::</b>		65 Shorncliffe Road			
<b>Client City::</b>		Toronto			
<b>Client Postal Code::</b>		M8Z 5K3			
<b>Project Description::</b>		This application is for facility air emissions from an autobody repair spray paint booth associated with automotive repair operations painting. The paint spray booth emissions are exhausted through one stack. Emissions control and abatement for the spray booth consists of dry type filters.			
<b>Contaminants::</b>					
<b>Emission Control::</b>					
<a href="#">125</a>	2 of 4	W/165.4	119.7 / 5.81	Evans Ford Lincoln Inc. 65 Shorncliffe Road Toronto Ontario M8Z 5K3 CITY OF TORONTO ON	EBR
<b>Company Name:</b>		Evans Ford Lincoln Inc.			
<b>EBR Registry No.:</b>		IA01E0409			
<b>Ministry Ref. No.:</b>		3365-4UVSHK			
<b>Notice Type:</b>		Instrument Decision			
<b>Notice Date:</b>		December 20, 2001			
<b>Proposal Date:</b>		March 26, 2001			
<b>Year:</b>		2001			
<b>Proponent Address:</b>		65 Shorncliffe Road, Toronto Ontario, M8Z 5K3			
<b>Instrument Type:</b>		(EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)			
<b>Location Other:</b>					
<b>Location:</b>					
65 Shorncliffe Road Toronto Ontario M8Z 5K3 CITY OF TORONTO					
<a href="#">125</a>	3 of 4	W/165.4	119.7 / 5.81	Evans Ford Lincoln Inc. 65 Shorncliffe Road Toronto ON M8Z 5K3	ECA
<b>Approval No:</b>		6371-4X7KQM		<b>SWP Area Name:</b> Toronto	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Approval Date:</b>	2001-05-30			<b>MOE District:</b>	Toronto
<b>Status:</b>	Approved			<b>City:</b>	Toronto
<b>Record Type:</b>	ECA			<b>Longitude:</b>	-79.5422399999999
<b>Link Source:</b>	IDS			<b>Latitude:</b>	43.627697
<b>Approval Type:</b>		ECA-AIR			
<b>Project Type:</b>		AIR			
<b>Address:</b>		65 Shorncliffe Road			
<b>Full Address:</b>					
<b>Full PDF Link:</b>		https://www.accessenvironment.ene.gov.on.ca/instruments/3365-4UVSHK-14.pdf			

<a href="#">125</a>	4 of 4	W/165.4	119.7 / 5.81	65 Shorncliffe Road Toronto (Etobicoke) ON M8Z 5K3	EHS
<b>Order ID:</b>	74035			<b>Date Received:</b>	4/10/2006
<b>Order No:</b>	20060410009			<b>Lot/Building Size:</b>	
<b>Customer ID:</b>	43227			<b>Municipality:</b>	York
<b>Company ID:</b>	268			<b>Client Prov/State:</b>	ON
<b>Status:</b>	C			<b>Search Radius (km):</b>	0.25
<b>Report Code:</b>	2CAN			<b>Large Radius:</b>	2
<b>Report Type:</b>	Basic Report			<b>X:</b>	-79.542665
<b>Report Date:</b>	4/20/2006			<b>Y:</b>	43.627582
<b>Report Requested by:</b>	O'Connor Associates Environmental Inc.				
<b>Nearest Intersection:</b>	North Queen Street				
<b>Previous Site Name:</b>					
<b>Additional Info Ordered:</b>	Fire Insur. Maps and/or Site Plans				

<a href="#">126</a>	1 of 1	NW/165.8	119.8 / 6.00	ON	WWIS
<b>Well ID:</b>	7175397			<b>Data Entry Status:</b>	Yes
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>				<b>Date Received:</b>	1/19/2012
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>				<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7082
<b>Casing Material:</b>				<b>Form Version:</b>	5
<b>Audit No:</b>	M10787			<b>Owner:</b>	
<b>Tag:</b>	A120105			<b>Street Name:</b>	
<b>Construction Method:</b>				<b>County:</b>	YORK
<b>Elevation (m):</b>				<b>Municipality:</b>	TORONTO CITY
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

#### Bore Hole Information

<b>Bore Hole ID:</b>	1003636957	<b>Elevation:</b>	122.05
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	17
<b>Code OB:</b>		<b>East83:</b>	617542
<b>Code OB Desc:</b>		<b>Org CS:</b>	UTM83
<b>Open Hole:</b>		<b>North83:</b>	4831890
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	03-NOV-11	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Elevrc Desc:</b> <b>Location Source Date:</b> <b>Improvement Location Source:</b> <b>Improvement Location Method:</b> <b>Source Revision Comment:</b> <b>Supplier Comment:</b>					
<a href="#">127</a>	1 of 1	SW/166.2	117.8 / 4.00	Concordian Chesterfield Co 113 Shorncliffe Rd Etobicoke ON M8Z 5K7	SCT
<b>Established:</b>		1973			
<b>Plant Size (ft²):</b>		42000			
<b>Employment:</b>		45			
<b>--Details--</b>					
<b>Description:</b>		Upholstered Household Furniture Manufacturing			
<b>SIC/NAICS Code:</b>		337121			
<a href="#">128</a>	1 of 1	SSW/169.1	116.4 / 2.57	Toronto ON	WWIS
<b>Well ID:</b>		7284880	<b>Data Entry Status:</b>		
<b>Construction Date:</b>			<b>Data Src:</b>		
<b>Primary Water Use:</b>		Monitoring	<b>Date Received:</b> 4/10/2017		
<b>Sec. Water Use:</b>			<b>Selected Flag:</b> Yes		
<b>Final Well Status:</b>		0	<b>Abandonment Rec:</b>		
<b>Water Type:</b>			<b>Contractor:</b> 7241		
<b>Casing Material:</b>			<b>Form Version:</b> 7		
<b>Audit No:</b>		Z251121	<b>Owner:</b>		
<b>Tag:</b>		A185725	<b>Street Name:</b> 135 SHORNECLIFFE RD		
<b>Construction Method:</b>			<b>County:</b> YORK		
<b>Elevation (m):</b>			<b>Municipality:</b> ETOBICOKE BOROUGH		
<b>Elevation Reliability:</b>			<b>Site Info:</b>		
<b>Depth to Bedrock:</b>			<b>Lot:</b>		
<b>Well Depth:</b>			<b>Concession:</b>		
<b>Overburden/Bedrock:</b>			<b>Concession Name:</b>		
<b>Pump Rate:</b>			<b>Easting NAD83:</b>		
<b>Static Water Level:</b>			<b>Northing NAD83:</b>		
<b>Flowing (Y/N):</b>			<b>Zone:</b>		
<b>Flow Rate:</b>			<b>UTM Reliability:</b>		
<b>Clear/Cloudy:</b>					
<b>Bore Hole Information</b>					
<b>Bore Hole ID:</b>		1006379087	<b>Elevation:</b> 116.07		
<b>DP2BR:</b>			<b>Elevrc:</b>		
<b>Spatial Status:</b>			<b>Zone:</b> 17		
<b>Code OB:</b>			<b>East83:</b> 617764		
<b>Code OB Desc:</b>			<b>Org CS:</b> UTM83		
<b>Open Hole:</b>			<b>North83:</b> 4831080		
<b>Cluster Kind:</b>			<b>UTMRC:</b> 4		
<b>Date Completed:</b>		09-MAR-17	<b>UTMRC Desc:</b> margin of error : 30 m - 100 m		
<b>Remarks:</b>			<b>Location Method:</b> wwr		
<b>Elevrc Desc:</b> <b>Location Source Date:</b> <b>Improvement Location Source:</b> <b>Improvement Location Method:</b> <b>Source Revision Comment:</b> <b>Supplier Comment:</b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>			1006647570		
<b>Layer:</b>			1		
<b>Color:</b>			2		
<b>General Color:</b>			GREY		
<b>Mat1:</b>					
<b>Most Common Material:</b>					
<b>Mat2:</b>			60		
<b>Other Materials:</b>			CEMENTED		
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>			0		
<b>Formation End Depth:</b>			.667		
<b>Formation End Depth UOM:</b>			ft		
<b>Formation ID:</b>			1006647572		
<b>Layer:</b>			3		
<b>Color:</b>			6		
<b>General Color:</b>			BROWN		
<b>Mat1:</b>			28		
<b>Most Common Material:</b>			SAND		
<b>Mat2:</b>			06		
<b>Other Materials:</b>			SILT		
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>			4		
<b>Formation End Depth:</b>			8		
<b>Formation End Depth UOM:</b>			ft		
<b>Formation ID:</b>			1006647573		
<b>Layer:</b>			4		
<b>Color:</b>			2		
<b>General Color:</b>			GREY		
<b>Mat1:</b>			17		
<b>Most Common Material:</b>			SHALE		
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>			8		
<b>Formation End Depth:</b>			13		
<b>Formation End Depth UOM:</b>			ft		
<b>Formation ID:</b>			1006647571		
<b>Layer:</b>			2		
<b>Color:</b>			6		
<b>General Color:</b>			BROWN		
<b>Mat1:</b>			01		
<b>Most Common Material:</b>			FILL		
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>			.667		
<b>Formation End Depth:</b>			4		
<b>Formation End Depth UOM:</b>			ft		
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>			1006647581		
<b>Layer:</b>			2		
<b>Plug From:</b>			6		

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Plug To:</b>		2.5			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1006647580			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		6			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1006647582			
<b>Layer:</b>		3			
<b>Plug From:</b>		2.5			
<b>Plug To:</b>		13			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1006647579			
<b>Method Construction Code:</b>		2			
<b>Method Construction:</b>		Rotary (Convent.)			
<b>Other Method Construction:</b>		DIRECT PUSH			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1006647569			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1006647576			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		3			
<b>Casing Diameter:</b>		2			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1006647577			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		3			
<b>Screen End Depth:</b>		13			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		ft			
<b>Screen Diameter UOM:</b>		inch			
<b>Screen Diameter:</b>		2.25			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1006647575			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		ft			



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1006647574			
<b>Diameter:</b>		6			
<b>Depth From:</b>		0			
<b>Depth To:</b>		13			
<b>Hole Depth UOM:</b>		ft			
<b>Hole Diameter UOM:</b>		inch			
<a href="#"><u>129</u></a>	1 of 1	W/169.6	119.8 / 6.00	Hep-Sur Machine Co. Limited 85 Shorncliffe Rd Etobicoke ON M8Z 5K3	SCT
<b>Established:</b>		01-AUG-60			
<b>Plant Size (ft²):</b>		7000			
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>		Other Metalworking Machinery Manufacturing			
<b>SIC/NAICS Code:</b>		333519			
<b>Description:</b>		All Other Industrial Machinery Manufacturing			
<b>SIC/NAICS Code:</b>		333299			
<b>Description:</b>		Other Metalworking Machinery Manufacturing			
<b>SIC/NAICS Code:</b>		333519			
<a href="#"><u>130</u></a>	1 of 10	WSW/170.4	118.8 / 5.00	1294987 Ontario Inc. 89 Shorncliffe Rd. Toronto ON M8Z 5K3	CA
<b>Certificate #:</b>		0324-5Y4KDE			
<b>Application Year:</b>		2004			
<b>Issue Date:</b>		4/23/2004			
<b>Approval Type:</b>		Waste Management Systems			
<b>Status:</b>		Approved			
<b>Application Type:</b>					
<b>Client Name::</b>					
<b>Client Address::</b>					
<b>Client City::</b>					
<b>Client Postal Code::</b>					
<b>Project Description::</b>					
<b>Contaminants::</b>					
<b>Emission Control::</b>					
<a href="#"><u>130</u></a>	2 of 10	WSW/170.4	118.8 / 5.00	Pro-Con Demo & Disposal Limited 89 Shorncliffe Rd Etobicoke Toronto ON M8Z 5K3	CA
<b>Certificate #:</b>		7014-8BFNCX			
<b>Application Year:</b>		2010			
<b>Issue Date:</b>		12/15/2010			
<b>Approval Type:</b>		Waste Management Systems			
<b>Status:</b>		Approved			
<b>Application Type:</b>					
<b>Client Name::</b>					
<b>Client Address::</b>					
<b>Client City::</b>					
<b>Client Postal Code::</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Project Description::</b>					
<b>Contaminants::</b>					
<b>Emission Control::</b>					
<a href="#">130</a>	3 of 10	WSW/170.4	118.8 / 5.00	Pro-Con Construction Limited 89 Shorncliffe Rd Etobicoke Toronto ON M8Z 5K3	CA
<b>Certificate #:</b>		4594-8BFNFM			
<b>Application Year:</b>		2010			
<b>Issue Date:</b>		12/15/2010			
<b>Approval Type:</b>		Waste Management Systems			
<b>Status:</b>		Approved			
<b>Application Type:</b>					
<b>Client Name::</b>					
<b>Client Address::</b>					
<b>Client City::</b>					
<b>Client Postal Code::</b>					
<b>Project Description::</b>					
<b>Contaminants::</b>					
<b>Emission Control::</b>					
<a href="#">130</a>	4 of 10	WSW/170.4	118.8 / 5.00	Pro-Con Demo & Disposal Limited 89 Shorncliffe Rd Etobicoke Toronto ON M8Z 5K3	ECA
<b>Approval No:</b>		7014-8BFNCX		<b>SWP Area Name:</b> Toronto	
<b>Approval Date:</b>		2010-12-15		<b>MOE District:</b> Halton-Peel	
<b>Status:</b>		Revoked and/or Replaced		<b>City:</b> Toronto	
<b>Record Type:</b>		ECA		<b>Longitude:</b> -79.54163	
<b>Link Source:</b>		IDS		<b>Latitude:</b> 43.62628	
<b>Approval Type:</b>		ECA-WASTE MANAGEMENT SYSTEMS			
<b>Project Type:</b>		WASTE MANAGEMENT SYSTEMS			
<b>Address:</b>		89 Shorncliffe Rd Etobicoke			
<b>Full Address:</b>					
<b>Full PDF Link:</b>		<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/7243-8BALU4-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/7243-8BALU4-14.pdf</a>			
<a href="#">130</a>	5 of 10	WSW/170.4	118.8 / 5.00	Pro-Con Construction Limited 89 Shorncliffe Rd Etobicoke Toronto ON M8Z 5K3	ECA
<b>Approval No:</b>		4594-8BFNFM		<b>SWP Area Name:</b> Toronto	
<b>Approval Date:</b>		2010-12-15		<b>MOE District:</b> Halton-Peel	
<b>Status:</b>		Revoked and/or Replaced		<b>City:</b> Toronto	
<b>Record Type:</b>		ECA		<b>Longitude:</b> -79.54163	
<b>Link Source:</b>		IDS		<b>Latitude:</b> 43.62628	
<b>Approval Type:</b>		ECA-WASTE MANAGEMENT SYSTEMS			
<b>Project Type:</b>		WASTE MANAGEMENT SYSTEMS			
<b>Address:</b>		89 Shorncliffe Rd Etobicoke			
<b>Full Address:</b>					
<b>Full PDF Link:</b>		<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/8453-8BBQ87-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/8453-8BBQ87-14.pdf</a>			
<a href="#">130</a>	6 of 10	WSW/170.4	118.8 / 5.00	1294987 Ontario Inc. 89 Shorncliffe Rd. Toronto ON L4N 9M8	ECA
<b>Approval No:</b>		0324-5Y4KDE		<b>SWP Area Name:</b> Toronto	
<b>Approval Date:</b>		2004-04-23		<b>MOE District:</b> Toronto	
<b>Status:</b>		Approved		<b>City:</b> Toronto	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Record Type:** ECA  
**Link Source:** IDS  
**Approval Type:** ECA-WASTE MANAGEMENT SYSTEMS  
**Project Type:** WASTE MANAGEMENT SYSTEMS  
**Address:** 89 Shorncliffe Rd.  
**Full Address:**  
**Full PDF Link:** <https://www.accessenvironment.ene.gov.on.ca/instruments/4375-5XCLJT-14.pdf>

<a href="#">130</a>	7 of 10	WSW/170.4	118.8 / 5.00	WETMORE WELDING SUPPLIES LTD 89 SHORNCLIFFE RD ETOBICOKE ON	EXP
---------------------	---------	-----------	--------------	---	-----

**Instance No:** 9571350  
**Instance ID:** 386353  
**Instance Type:** FS Facility  
**Description:** FS Propane Refill Cntr - Cylr Fill  
**Status:** EXPIRED  
**TSSA Program Area:**  
**Maximum Hazard Rank:**  
**Facility Type:**  
**Expired Date:**

<a href="#">130</a>	8 of 10	WSW/170.4	118.8 / 5.00	WETMORE WELDING SUPPLIES LTD 89 SHORNCLIFFE RD ETOBICOKE ON	EXP
---------------------	---------	-----------	--------------	---	-----

**Instance No:** 10065577  
**Instance ID:** 11342  
**Instance Type:** FS Facility  
**Description:** FS Propane Refill Cntr - Cylr Fill  
**Status:** EXPIRED  
**TSSA Program Area:**  
**Maximum Hazard Rank:**  
**Facility Type:**  
**Expired Date:**

<a href="#">130</a>	9 of 10	WSW/170.4	118.8 / 5.00	ACTIVE MECHANICAL SERVICES 89 SHORNCLIFFE ROAD TORONTO ON M8Z 5K3	GEN
---------------------	---------	-----------	--------------	---	-----

**Generator No.:** ON3382782  
**Status:** Registered  
**Approval Years:** As of Dec 2017  
**Contam. Facility:**  
**MHSW Facility:**  
**SIC Code:**  
**SIC Description:**

**PO Box No.:**  
**Country:** Canada  
**Choice of Contact:**  
**Co Admin:**  
**Phone No. Admin:**

**--Details--**  
**Waste Code:** 212 L  
**Waste Description:** Aliphatic solvents and residues

<a href="#">130</a>	10 of 10	WSW/170.4	118.8 / 5.00	ACTIVE MECHANICAL SERVICES 89 SHORNCLIFFE ROAD TORONTO ON M8Z 5K3	GEN
---------------------	----------	-----------	--------------	---	-----

**Generator No.:** ON3382782  
**Status:**

**PO Box No.:**  
**Country:** Canada

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Approval Years:</b> 2016 <b>Contam. Facility:</b> No <b>MHSW Facility:</b> No <b>SIC Code:</b> 531310 <b>SIC Description:</b> REAL ESTATE PROPERTY MANAGERS <b>Choice of Contact:</b> CO_ADMIN <b>Co Admin:</b> Mark Beaton <b>Phone No. Admin:</b> 416-679-8410 Ext.					
<b>--Details--</b>					
<b>Waste Code:</b> 212					
<b>Waste Description:</b> ALIPHATIC SOLVENTS					
<a href="#">131</a>	1 of 1	SW/170.6	118.3 / 4.44	INLAND TRACKED EQUIPMENT 109 SHORNCLIFFE ROAD TORONTO ON M8Z 5K7	GEN
<b>Generator No.:</b> ON0445700 <b>Status:</b> <b>Approval Years:</b> 86,87,88,89,90,92,93,94 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> 0000 <b>SIC Description:</b> *** NOT DEFINED *** <b>PO Box No.:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No. Admin:</b>					
<a href="#">132</a>	1 of 28	W/171.0	119.8 / 6.00	ARIZON DISPOSAL SERVICES LTD. ON	CONV
<b>File No.:</b> <b>Crown Brief No.:</b> 02-0154-0753 <b>Publication City:</b> <b>Publication Title:</b> <b>Act:</b> <b>Act(s):</b> <b>First Matter:</b> <b>Second Matter:</b> <b>Investigation 1:</b> <b>Investigation 2:</b> <b>Penalty Imposed:</b> <b>URL:</b> <b>Description:</b> FAIL TO COMPLY WITH A C OF A OR PROVISIONAL C OF A BY EXCEEDING THEIR ALLOWABLE WASTE TONNAGE. <b>Background:</b>					
<b>--Details--</b>					
<b>Publication Date:</b>					
<b>Count:</b> 1					
<b>Act:</b> EPA					
<b>Regulation:</b>					
<b>Section:</b> 186(3)					
<b>Act/Regulation/Section:</b> EPA 186(3)					
<b>Date of Conviction:</b>					
<b>Date of Offence:</b>					
<b>Date Charged:</b> 1/16/2003					
<b>Charge Disposition:</b> FINED					
<b>Fine:</b> \$305					
<a href="#">132</a>	2 of 28	W/171.0	119.8 / 6.00	ARIZON DISPOSAL SERVICES ON	CONV

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<p><b>File No.:</b>  <b>Crown Brief No.:</b> 02-0472-0651  <b>Publication City:</b>  <b>Publication Title:</b>  <b>Act:</b>  <b>Act(s):</b>  <b>First Matter:</b>  <b>Second Matter:</b>  <b>Investigation 1:</b>  <b>Investigation 2:</b>  <b>Penalty Imposed:</b>  <b>URL:</b>  <b>Description:</b> OPERATE DIESEL FUELLED HEAVY VEHICLE THAT CONTRAVENES EMISSION STANDARDS.  <b>Background:</b></p>					
<p><b>Location:</b>  <b>Region:</b> CENTRAL REGION  <b>Ministry District:</b> METRO</p>					
<p><b>--Details--</b>  <b>Publication Date:</b>  <b>Count:</b> 1  <b>Act:</b> EPA  <b>Regulation:</b> 361/98  <b>Section:</b> 12(5)  <b>Act/Regulation/Section:</b> EPA 361/98 12(5)  <b>Date of Conviction:</b>  <b>Date of Offence:</b>  <b>Date Charged:</b> 2/20/2003  <b>Charge Disposition:</b> FINED  <b>Fine:</b> \$300</p>					
<a href="#">132</a>	3 of 28	W/171.0	119.8 / 6.00	<b>Arizon Disposal Services Limited</b> <b>67 Shorncliffe Road Toronto Ontario M8Z 5K3</b> <b>Toronto</b> <b>ON</b>	EBR
<p><b>Company Name:</b> Arizon Disposal Services Limited  <b>EBR Registry No.:</b> IA02E1448  <b>Ministry Ref. No.:</b> 0355-5G2NK7  <b>Notice Type:</b> Instrument Decision  <b>Notice Date:</b> October 03, 2007  <b>Proposal Date:</b> November 20, 2002  <b>Year:</b> 2002  <b>Proponent Address:</b> 67 Shorncliffe Road, Etobicoke Ontario, M8Z 5K3  <b>Instrument Type:</b> (EPA s. 27) - Approval for a waste disposal site.  <b>Location Other:</b></p>					
<p><b>Location:</b>  67 Shorncliffe Road Toronto Ontario M8Z 5K3 Toronto</p>					
<a href="#">132</a>	4 of 28	W/171.0	119.8 / 6.00	<b>CRONKWRIGHT TRANSPORT COMPANY</b> <b>67 SHORNCLIFFE RD</b> <b>ETOBICOKE ON M8Z 5K3</b>	EXP
<p><b>Instance No:</b> 10749691  <b>Instance ID:</b>  <b>Instance Type:</b> FS Liquid Fuel Tank  <b>Description:</b>  <b>Status:</b> EXPIRED  <b>TSSA Program Area:</b>  <b>Maximum Hazard Rank:</b>  <b>Facility Type:</b></p>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<i>Expired Date:</i>		12/25/1990			
<a href="#">132</a>	5 of 28	W/171.0	119.8 / 6.00	CRONKWRIGHT TRANSPORT COMPANY 67 SHORNCLIFFE RD ETOBICOKE ON	EXP
<i>Instance No:</i>		10749673			
<i>Instance ID:</i>		35382			
<i>Instance Type:</i>		FS Liquid Fuel Tank			
<i>Description:</i>		FS Liquid Fuel Tank			
<i>Status:</i>		EXPIRED			
<i>TSSA Program Area:</i>					
<i>Maximum Hazard Rank:</i>					
<i>Facility Type:</i>					
<i>Expired Date:</i>					
<a href="#">132</a>	6 of 28	W/171.0	119.8 / 6.00	CRONKWRIGHT TRANSPORT COMPANY 67 SHORNCLIFFE RD ETOBICOKE ON	EXP
<i>Instance No:</i>		9390627			
<i>Instance ID:</i>		386319			
<i>Instance Type:</i>		FS Facility			
<i>Description:</i>		Fuels Safety Private Fuel Outlet - Self Serve			
<i>Status:</i>		EXPIRED			
<i>TSSA Program Area:</i>					
<i>Maximum Hazard Rank:</i>					
<i>Facility Type:</i>					
<i>Expired Date:</i>					
<a href="#">132</a>	7 of 28	W/171.0	119.8 / 6.00	CRONKWRIGHT TRANSPORT COMPANY 67 SHORNCLIFFE RD ETOBICOKE ON	EXP
<i>Instance No:</i>		10749682			
<i>Instance ID:</i>		37314			
<i>Instance Type:</i>		FS Piping			
<i>Description:</i>		FS Piping			
<i>Status:</i>		EXPIRED			
<i>TSSA Program Area:</i>					
<i>Maximum Hazard Rank:</i>					
<i>Facility Type:</i>					
<i>Expired Date:</i>					
<a href="#">132</a>	8 of 28	W/171.0	119.8 / 6.00	CRONKWRIGHT TRANSPORT COMPANY 67 SHORNCLIFFE RD ETOBICOKE ON	EXP
<i>Instance No:</i>		10749700			
<i>Instance ID:</i>		34800			
<i>Instance Type:</i>		FS Piping			
<i>Description:</i>		FS Piping			
<i>Status:</i>		EXPIRED			
<i>TSSA Program Area:</i>					
<i>Maximum Hazard Rank:</i>					
<i>Facility Type:</i>					
<i>Expired Date:</i>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">132</a>	9 of 28	W/171.0	119.8 / 6.00	CRONKWRIGHT TRANSPORT COMPANY 67 SHORNCLIFFE RD ETOBICOKE ON M8Z 5K3	EXP
<b>Instance No:</b>		10749691			
<b>Instance ID:</b>					
<b>Instance Type:</b>		FS Liquid Fuel Tank			
<b>Description:</b>		Fuels Safety Private Fuel Outlet - Self Serve			
<b>Status:</b>		EXPIRED			
<b>TSSA Program Area:</b>					
<b>Maximum Hazard Rank:</b>					
<b>Facility Type:</b>		FS Liquid Fuel Tank			
<b>Expired Date:</b>		12/25/1990			
<a href="#">132</a>	10 of 28	W/171.0	119.8 / 6.00	CRONKWRIGHT TRANSPORT COMPANY 67 SHORNCLIFFE RD ETOBICOKE ON M8Z 5K3	EXP
<b>Instance No:</b>		10749673			
<b>Instance ID:</b>					
<b>Instance Type:</b>		FS Liquid Fuel Tank			
<b>Description:</b>		Fuels Safety Private Fuel Outlet - Self Serve			
<b>Status:</b>		EXPIRED			
<b>TSSA Program Area:</b>					
<b>Maximum Hazard Rank:</b>					
<b>Facility Type:</b>		FS Liquid Fuel Tank			
<b>Expired Date:</b>		12/25/1990			
<a href="#">132</a>	11 of 28	W/171.0	119.8 / 6.00	ARIZON DISPOSAL SERVICES LTD. 67 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K3	GEN
<b>Generator No.:</b>		ON1934800		<b>PO Box No.:</b>	
<b>Status:</b>		Registered		<b>Country:</b> Canada	
<b>Approval Years:</b>		As of Dec 2017		<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<b>--Details--</b>					
<b>Waste Code:</b>		252 L			
<b>Waste Description:</b>		Waste crankcase oils and lubricants			
<b>Waste Code:</b>		251 L			
<b>Waste Description:</b>		Waste oils/sludges (petroleum based)			
<a href="#">132</a>	12 of 28	W/171.0	119.8 / 6.00	ARIZON DISPOSAL SERVICES LTD. 67 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K3	GEN
<b>Generator No.:</b>		ON1934800		<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b> Canada	
<b>Approval Years:</b>		2016		<b>Choice of Contact:</b> CO_OFFICIAL	
<b>Contam. Facility:</b>		No		<b>Co Admin:</b>	
<b>MHSW Facility:</b>		No		<b>Phone No. Admin:</b>	
<b>SIC Code:</b>		562210			
<b>SIC Description:</b>		WASTE TREATMENT AND DISPOSAL			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>--Details--</b>					
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>132</b>	13 of 28	W/171.0	119.8 / 6.00	ARIZON DISPOSAL SERVICES LTD. 67 SHORNCLIFFE ROAD ETOBICOKE ON	GEN
<b>Generator No.:</b>	ON1934800			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2013			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	562210				
<b>SIC Description:</b>		WASTE TREATMENT AND DISPOSAL			
<b>--Details--</b>					
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>132</b>	14 of 28	W/171.0	119.8 / 6.00	ARIZON DISPOSAL SERVICES LTD. 67 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K3	GEN
<b>Generator No.:</b>	ON1934800			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2012			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	562210				
<b>SIC Description:</b>		Waste Treatment and Disposal			
<b>--Details--</b>					
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>132</b>	15 of 28	W/171.0	119.8 / 6.00	ARIZON DISPOSAL SERVICES LTD. 67 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K3	GEN
<b>Generator No.:</b>	ON1934800			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2009			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	562210				
<b>SIC Description:</b>		Waste Treatment and Disposal			



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>--Details--</b>					
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<a href="#">132</a>	16 of 28	W/171.0	119.8 / 6.00	ARIZON DISPOSAL SERVICES LTD. 67 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K3	GEN
<b>Generator No.:</b>	ON1934800			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	94,95,96,97,98,99,00,01,02,03,04,05,06,07,08			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	4564				
<b>SIC Description:</b>	BULK DRY TRUCKING				
<b>--Details--</b>					
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<a href="#">132</a>	17 of 28	W/171.0	119.8 / 6.00	CANADA TRUST 07-193 SAUNDERS ESTATE, 67 SHORNCLIFFE RD. ETOBICOKE, C/O 20 EGLINTON AVE. W. TORONTO ON M8Z 5K3	GEN
<b>Generator No.:</b>	ON1290702			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	92,93,94,95,96,97,98			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	7292				
<b>SIC Description:</b>	EST./TRUST/AG. FUNDS				
<b>--Details--</b>					
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<a href="#">132</a>	18 of 28	W/171.0	119.8 / 6.00	ARIZON DISPOSAL SERVICES LTD. 67 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K3	GEN
<b>Generator No.:</b>	ON1934800			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2015			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	562210				
<b>SIC Description:</b>	WASTE TREATMENT AND DISPOSAL				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>--Details--</b>					
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<a href="#">132</a>	19 of 28	W/171.0	119.8 / 6.00	ARIZON DISPOSAL SERVICES LTD. 67 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K3	GEN
<b>Generator No.:</b>	ON1934800			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2011			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	562210				
<b>SIC Description:</b>	Waste Treatment and Disposal				
<b>--Details--</b>					
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<a href="#">132</a>	20 of 28	W/171.0	119.8 / 6.00	ARIZON DISPOSAL SERVICES LTD. 67 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K3	GEN
<b>Generator No.:</b>	ON1934800			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2014			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	562210				
<b>SIC Description:</b>	WASTE TREATMENT AND DISPOSAL				
<b>--Details--</b>					
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<a href="#">132</a>	21 of 28	W/171.0	119.8 / 6.00	ARIZON DISPOSAL SERVICES LTD. 67 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K3	GEN
<b>Generator No.:</b>	ON1934800			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2010			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	562210				
<b>SIC Description:</b>	Waste Treatment and Disposal				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>--Details--</b>					
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<a href="#">132</a>	22 of 28	W/171.0	119.8 / 6.00	CRONKWRIGHT TRANSPORT COMPANY 67 SHORNCLIFFE RD ETOBICOKE ON M8Z 5K3	PRT
<b>Location ID:</b>		4747			
<b>Type:</b>		private			
<b>Expiry Date:</b>					
<b>Capacity (L):</b>		18184.00			
<b>Licence #:</b>		0001051905			
<a href="#">132</a>	23 of 28	W/171.0	119.8 / 6.00	Arizon Disposal Services Limited 67 Shorncliffe Rd Toronto ON M8Z 5K3	WDS
<b>Certificate No:</b>	A220331			<b>Facility Type:</b>	
<b>Mob Unit Cert No:</b>				<b>Site Concession:</b>	
<b>EBR Registry No:</b>				<b>Site Region/County:</b>	
<b>Status:</b>	Approved			<b>Total Area (ha):</b>	
<b>Application Status:</b>				<b>Landfill Cap (m³):</b>	
<b>Issue Date:</b>	2011-05-26			<b>Landfill Ctrl Type:</b>	
<b>Input Date:</b>				<b>Est Closure Date:</b>	
<b>Date Received:</b>				<b>Transfer Area (ha):</b>	
<b>Record Type:</b>	ECA			<b>Transfer Cap (m³):</b>	
<b>Project Type:</b>	WASTE DISPOSAL SITES			<b>Transfer Cert No:</b>	
<b>Approval Type:</b>	ECA-WASTE DISPOSAL SITES			<b>Inciner. Area (ha):</b>	
<b>SWP Area Name:</b>	Toronto			<b>Inciner. Cap (t):</b>	
<b>MOE District:</b>	Toronto			<b>Process Area (m²):</b>	
<b>Latitude:</b>	43.6273039999999			<b>Process Cap (m³/d):</b>	
<b>Longitude:</b>	-79.54207			<b>Process Vol (m³):</b>	
<b>Link Source:</b>	IDS			<b>Process Feed (m³):</b>	
<b>Proponent:</b>				<b>Mobile Units:</b>	
<b>Prop Address:</b>				<b>Mobile Description:</b>	
<b>Prop City:</b>				<b>Mobile Capacity:</b>	
<b>Prop Postal:</b>				<b>Serial Link:</b>	
<b>Prop Phone:</b>				<b>District Office:</b>	
<b>Proponent County/District:</b>					
<b>Site Lot:</b>					
<b>Full Address:</b>	67 Shorncliffe Rd				
<b>Landfill Monitoring:</b>					
<b>Waste Type:</b>					
<b>Waste Type Other:</b>					
<b>Waste Class:</b>					
<b>Waste Class Code:</b>					
<b>Project Description:</b>					
<b>Municipalities Served:</b>					
<b>Site Closing Description:</b>					
<b>Approval Description:</b>					
<b>Waste Description:</b>					
<b>Other Approvals/Permits:</b>					
<b>PDF URL:</b>				<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/5929-85JJDL-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/5929-85JJDL-14.pdf</a>	
<a href="#">132</a>	24 of 28	W/171.0	119.8 / 6.00	Arizon Disposal Services Limited 67 Shorncliffe Road	WDS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Toronto ON M8Z 5K3					
<b>Certificate No:</b>	A220331			<b>Facility Type:</b>	
<b>Mob Unit Cert No:</b>				<b>Site Concession:</b>	
<b>EBR Registry No:</b>				<b>Site Region/County:</b>	
<b>Status:</b>	Approved			<b>Total Area (ha):</b>	
<b>Application Status:</b>				<b>Landfill Cap (m³):</b>	
<b>Issue Date:</b>	2007-09-25			<b>Landfill Ctrl Type:</b>	
<b>Input Date:</b>				<b>Est Closure Date:</b>	
<b>Date Received:</b>				<b>Transfer Area (ha):</b>	
<b>Record Type:</b>	ECA			<b>Transfer Cap (m³):</b>	
<b>Project Type:</b>	WASTE DISPOSAL SITES			<b>Transfer Cert No:</b>	
<b>Approval Type:</b>	ECA-WASTE DISPOSAL SITES			<b>Inciner. Area (ha):</b>	
<b>SWP Area Name:</b>	Toronto			<b>Inciner. Cap (t):</b>	
<b>MOE District:</b>	Toronto			<b>Process Area (m³):</b>	
<b>Latitude:</b>	43.6273039999999			<b>Process Cap (m³/d):</b>	
<b>Longitude:</b>	-79.54207			<b>Process Vol (m³):</b>	
<b>Link Source:</b>	IDS			<b>Process Feed (m³):</b>	
<b>Proponent:</b>				<b>Mobile Units:</b>	
<b>Prop Address:</b>				<b>Mobile Description:</b>	
<b>Prop City:</b>				<b>Mobile Capacity:</b>	
<b>Prop Postal:</b>				<b>Serial Link:</b>	
<b>Prop Phone:</b>				<b>District Office:</b>	
<b>Proponent County/District:</b>					
<b>Site Lot:</b>					
<b>Full Address:</b>	67 Shorncliffe Road				
<b>Landfill Monitoring:</b>					
<b>Waste Type:</b>					
<b>Waste Type Other:</b>					
<b>Waste Class:</b>					
<b>Waste Class Code:</b>					
<b>Project Description:</b>					
<b>Municipalities Served:</b>					
<b>Site Closing Description:</b>					
<b>Approval Description:</b>					
<b>Waste Description:</b>					
<b>Other Approvals/Permits:</b>					
<b>PDF URL:</b>	<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/0355-5G2NK7-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/0355-5G2NK7-14.pdf</a>				

<a href="#">132</a>	25 of 28	W/171.0	119.8 / 6.00	Arizon Disposal Services Limited 67 Shorncliffe Rd Toronto ON M8Z 5K3	WDS
<b>Certificate No:</b>	A220331			<b>Facility Type:</b>	
<b>Mob Unit Cert No:</b>				<b>Site Concession:</b>	
<b>EBR Registry No:</b>				<b>Site Region/County:</b>	
<b>Status:</b>	Approved			<b>Total Area (ha):</b>	
<b>Application Status:</b>				<b>Landfill Cap (m³):</b>	
<b>Issue Date:</b>	2014-07-25			<b>Landfill Ctrl Type:</b>	
<b>Input Date:</b>				<b>Est Closure Date:</b>	
<b>Date Received:</b>				<b>Transfer Area (ha):</b>	
<b>Record Type:</b>	ECA			<b>Transfer Cap (m³):</b>	
<b>Project Type:</b>	WASTE DISPOSAL SITES			<b>Transfer Cert No:</b>	
<b>Approval Type:</b>	ECA-WASTE DISPOSAL SITES			<b>Inciner. Area (ha):</b>	
<b>SWP Area Name:</b>	Toronto			<b>Inciner. Cap (t):</b>	
<b>MOE District:</b>	Toronto			<b>Process Area (m³):</b>	
<b>Latitude:</b>	43.6273039999999			<b>Process Cap (m³/d):</b>	
<b>Longitude:</b>	-79.54207			<b>Process Vol (m³):</b>	
<b>Link Source:</b>	IDS			<b>Process Feed (m³):</b>	
<b>Proponent:</b>				<b>Mobile Units:</b>	
<b>Prop Address:</b>				<b>Mobile Description:</b>	
<b>Prop City:</b>				<b>Mobile Capacity:</b>	
<b>Prop Postal:</b>				<b>Serial Link:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Prop Phone:</b> <b>Proponent County/District:</b> <b>Site Lot:</b> <b>Full Address:</b> 67 Shorncliffe Rd <b>Landfill Monitoring:</b> <b>Waste Type:</b> <b>Waste Type Other:</b> <b>Waste Class:</b> <b>Waste Class Code:</b> <b>Project Description:</b> <b>Municipalities Served:</b> <b>Site Closing Description:</b> <b>Approval Description:</b> <b>Waste Description:</b> <b>Other Approvals/Permits:</b> <b>PDF URL:</b> <a href="https://www.accessenvironment.ene.gov.on.ca/instruments/8141-9HZKGR-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/8141-9HZKGR-14.pdf</a>					
<a href="#">132</a>	26 of 28	W/171.0	119.8 / 6.00	Arizon Disposal Services Limited 67 Shorncliffe Rd Toronto ON M8Z 5K3	WDS
<b>Certificate No:</b> A220331 <b>Mob Unit Cert No:</b> <b>EBR Registry No:</b> <b>Status:</b> Approved <b>Application Status:</b> <b>Issue Date:</b> 2017-06-09 <b>Input Date:</b> <b>Date Received:</b> <b>Record Type:</b> ECA <b>Project Type:</b> WASTE DISPOSAL SITES <b>Approval Type:</b> ECA-WASTE DISPOSAL SITES <b>SWP Area Name:</b> Toronto <b>MOE District:</b> Toronto <b>Latitude:</b> 43.6273039999999 <b>Longitude:</b> -79.54207 <b>Link Source:</b> IDS <b>Proponent:</b> <b>Prop Address:</b> <b>Prop City:</b> <b>Prop Postal:</b> <b>Prop Phone:</b> <b>Proponent County/District:</b> <b>Site Lot:</b> <b>Full Address:</b> 67 Shorncliffe Rd <b>Landfill Monitoring:</b> <b>Waste Type:</b> <b>Waste Type Other:</b> <b>Waste Class:</b> <b>Waste Class Code:</b> <b>Project Description:</b> <b>Municipalities Served:</b> <b>Site Closing Description:</b> <b>Approval Description:</b> <b>Waste Description:</b> <b>Other Approvals/Permits:</b> <b>PDF URL:</b> <a href="https://www.accessenvironment.ene.gov.on.ca/instruments/3952-ALXPFZ-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/3952-ALXPFZ-14.pdf</a>					
<a href="#">132</a>	27 of 28	W/171.0	119.8 / 6.00	Arizon Disposal Services Limited 67 Shorncliffe Rd Toronto ON M8Z 5K3	WDS



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Prop Phone:</b>				<b>District Office:</b>	
<b>Proponent County/District:</b>					
<b>Site Lot:</b>					
<b>Full Address:</b>		67 Shorncliffe Road 67 Shorncliffe Rd Toronto City, M8Z 5K3			
<b>Landfill Monitoring:</b>					
<b>Waste Type:</b>					
<b>Waste Type Other:</b>					
<b>Waste Class:</b>					
<b>Waste Class Code:</b>					
<b>Project Description:</b>					
<b>Municipalities Served:</b>					
<b>Site Closing Description:</b>					
<b>Approval Description:</b>					
<b>Waste Description:</b>					
<b>Other Approvals/Permits:</b>					
<b>PDF URL:</b>					

<a href="#">133</a>	1 of 1	SE/171.2	111.7 / -2.18	<b>ETOBICOKE ON</b>	<b>WWIS</b>
<b>Well ID:</b>		7281247		<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>		Monitoring		<b>Date Received:</b>	
<b>Sec. Water Use:</b>				2/16/2017	
<b>Final Well Status:</b>		Observation Wells		<b>Selected Flag:</b>	
<b>Water Type:</b>				Yes	
<b>Casing Material:</b>				<b>Abandonment Rec:</b>	
<b>Audit No:</b>		Z239527		7360	
<b>Tag:</b>		A210274		<b>Contractor:</b>	
<b>Construction Method:</b>				7	
<b>Elevation (m):</b>				<b>Form Version:</b>	
<b>Elevation Reliability:</b>				7	
<b>Depth to Bedrock:</b>				<b>Owner:</b>	
<b>Well Depth:</b>				15 NORTH QUEEN	
<b>Overburden/Bedrock:</b>				<b>Street Name:</b>	
<b>Pump Rate:</b>				YORK	
<b>Static Water Level:</b>				<b>County:</b>	
<b>Flowing (Y/N):</b>				ETOBICOKE BOROUGH	
<b>Flow Rate:</b>				<b>Municipality:</b>	
<b>Clear/Cloudy:</b>				ETOBICOKE BOROUGH	
				<b>Site Info:</b>	
				<b>Lot:</b>	
				<b>Concession:</b>	
				<b>Concession Name:</b>	
				<b>Easting NAD83:</b>	
				<b>Northing NAD83:</b>	
				<b>Zone:</b>	
				<b>UTM Reliability:</b>	
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>		1006354388		<b>Elevation:</b>	
<b>DP2BR:</b>				111.9	
<b>Spatial Status:</b>				<b>Elevrc:</b>	
<b>Code OB:</b>				17	
<b>Code OB Desc:</b>				<b>East83:</b>	
<b>Open Hole:</b>				618424	
<b>Cluster Kind:</b>				<b>Org CS:</b>	
<b>Date Completed:</b>		16-NOV-16		UTM83	
<b>Remarks:</b>				4831069	
<b>Elevrc Desc:</b>				<b>UTMRC:</b>	
<b>Location Source Date:</b>				4	
<b>Improvement Location Source:</b>				<b>UTMRC Desc:</b>	
<b>Improvement Location Method:</b>				margin of error : 30 m - 100 m	
<b>Source Revision Comment:</b>				<b>Location Method:</b>	
<b>Supplier Comment:</b>				wwr	
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation ID:</b>		1006582790			
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		84			
<b>Other Materials:</b>		SILTY			
<b>Mat3:</b>		91			
<b>Other Materials:</b>		WATER-BEARING			
<b>Formation Top Depth:</b>					
<b>Formation End Depth:</b>					
<b>Formation End Depth UOM:</b>		ft			
<b>Formation ID:</b>		1006582789			
<b>Layer:</b>		1			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>					
<b>Most Common Material:</b>					
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>					
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1006582797			
<b>Layer:</b>		1			
<b>Plug From:</b>		1			
<b>Plug To:</b>		0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1006582796			
<b>Method Construction Code:</b>		B			
<b>Method Construction:</b>		Other Method			
<b>Other Method Construction:</b>		AUGER			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1006582788			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1006582793			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		3			
<b>Casing Diameter:</b>		.25			
<b>Casing Diameter UOM:</b>		inch			



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>	1006582794				
<b>Layer:</b>	1				
<b>Slot:</b>	.10				
<b>Screen Top Depth:</b>	3				
<b>Screen End Depth:</b>	8				
<b>Screen Material:</b>	5				
<b>Screen Depth UOM:</b>	ft				
<b>Screen Diameter UOM:</b>	inch				
<b>Screen Diameter:</b>	1.25				
<b><u>Water Details</u></b>					
<b>Water ID:</b>	1006582792				
<b>Layer:</b>	1				
<b>Kind Code:</b>	8				
<b>Kind:</b>	Untested				
<b>Water Found Depth:</b>	3				
<b>Water Found Depth UOM:</b>	ft				
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>	1006582791				
<b>Diameter:</b>	6				
<b>Depth From:</b>	0				
<b>Depth To:</b>	8				
<b>Hole Depth UOM:</b>	ft				
<b>Hole Diameter UOM:</b>	inch				
<a href="#">134</a>	1 of 1	SW/171.6	116.9 / 3.01	WELD RITE METAL FABRICATING 127 SHORNCLIFFE RD ETOBICOKE ON M8Z 5K7	SCT
<b>Established:</b>	1962				
<b>Plant Size (ft²):</b>	8000				
<b>Employment:</b>	13				
<b>--Details--</b>					
<b>Description:</b>	FABRICATED PLATE WORK (BOILER SHOPS)				
<b>SIC/NAICS Code:</b>	3443				
<b>Description:</b>	SHEET METAL WORK				
<b>SIC/NAICS Code:</b>	3444				
<a href="#">135</a>	1 of 1	SSW/171.6	116.3 / 2.41	Toronto ON	WWIS
<b>Well ID:</b>	7284882			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring			<b>Date Received:</b>	4/10/2017
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Observation Wells			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z251123			<b>Owner:</b>	
<b>Tag:</b>	A217277			<b>Street Name:</b>	135 SHORNECLIFFE RD
<b>Construction Method:</b>				<b>County:</b>	YORK

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Elevation (m):				Municipality:	ETOBICOKE BOROUGH
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

**Bore Hole Information**

Bore Hole ID:	1006379093	Elevation:	116.01
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	617766
Code OB Desc:		Org CS:	UTM83
Open Hole:		North83:	4831066
Cluster Kind:		UTMRC:	4
Date Completed:	10-MAR-17	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Overburden and Bedrock**

**Materials Interval**

Formation ID:	1006647599
Layer:	3
Color:	6
General Color:	BROWN
Mat1:	06
Most Common Material:	SILT
Mat2:	28
Other Materials:	SAND
Mat3:	
Other Materials:	
Formation Top Depth:	4
Formation End Depth:	9
Formation End Depth UOM:	ft
Formation ID:	1006647597
Layer:	1
Color:	8
General Color:	BLACK
Mat1:	
Most Common Material:	
Mat2:	60
Other Materials:	CEMENTED
Mat3:	
Other Materials:	
Formation Top Depth:	0
Formation End Depth:	3
Formation End Depth UOM:	ft
Formation ID:	1006647600
Layer:	4
Color:	2
General Color:	GREY

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Mat1:</b>		17			
<b>Most Common Material:</b>		SHALE			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		9			
<b>Formation End Depth:</b>		14			
<b>Formation End Depth UOM:</b>		ft			
<b>Formation ID:</b>		1006647598			
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		01			
<b>Most Common Material:</b>		FILL			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		3			
<b>Formation End Depth:</b>		4			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1006647607			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		6			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1006647608			
<b>Layer:</b>		2			
<b>Plug From:</b>		6			
<b>Plug To:</b>		3			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1006647609			
<b>Layer:</b>		3			
<b>Plug From:</b>		3			
<b>Plug To:</b>		14			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well</u></b>					
<b><u>Use</u></b>					
<b>Method Construction ID:</b>		1006647606			
<b>Method Construction Code:</b>		2			
<b>Method Construction:</b>		Rotary (Convent.)			
<b>Other Method Construction:</b>		DIRECT PUSH			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1006647596			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Casing ID:</b> 1006647603					
<b>Layer:</b> 1					
<b>Material:</b> 5					
<b>Open Hole or Material:</b> PLASTIC					
<b>Depth From:</b> 0					
<b>Depth To:</b> 4					
<b>Casing Diameter:</b> 2					
<b>Casing Diameter UOM:</b> inch					
<b>Casing Depth UOM:</b> ft					
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b> 1006647604					
<b>Layer:</b> 1					
<b>Slot:</b> 10					
<b>Screen Top Depth:</b> 4					
<b>Screen End Depth:</b> 14					
<b>Screen Material:</b> 5					
<b>Screen Depth UOM:</b> ft					
<b>Screen Diameter UOM:</b> inch					
<b>Screen Diameter:</b> 2.25					
<b><u>Water Details</u></b>					
<b>Water ID:</b> 1006647602					
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b> ft					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b> 1006647601					
<b>Diameter:</b> 6					
<b>Depth From:</b> 0					
<b>Depth To:</b> 14					
<b>Hole Depth UOM:</b> ft					
<b>Hole Diameter UOM:</b> inch					

<a href="#">136</a>	1 of 20	SSE/173.0	110.8 / -3.00	HANSON & WELLS, INC. 45 VANSO RD. TORONTO ON M8Z 5J7	GEN
---------------------	---------	-----------	---------------	--	-----

<b>Generator No.:</b>	ON0004700	<b>PO Box No.:</b>	
<b>Status:</b>		<b>Country:</b>	
<b>Approval Years:</b>	98,99,00,01	<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>		<b>Co Admin:</b>	
<b>MHSW Facility:</b>		<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	3712		
<b>SIC Description:</b>	IND. ORGANIC CHEM.		

**--Details--**

<b>Waste Code:</b>	233
<b>Waste Description:</b>	OTHER POLYMERIC WASTES
<b>Waste Code:</b>	263
<b>Waste Description:</b>	ORGANIC LABORATORY CHEMICALS
<b>Waste Code:</b>	241
<b>Waste Description:</b>	HALOGENATED SOLVENTS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Code:</b>		243			
<b>Waste Description:</b>		PCB'S			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		262			
<b>Waste Description:</b>		DETERGENTS/SOAPS			
<b>Waste Code:</b>		270			
<b>Waste Description:</b>		OTHER SPECIFIED ORGANICS			
<b>Waste Code:</b>		112			
<b>Waste Description:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Code:</b>		121			
<b>Waste Description:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Code:</b>		131			
<b>Waste Description:</b>		NEUTRALIZED WASTES - HEAVY METALS			
<b>Waste Code:</b>		134			
<b>Waste Description:</b>		SULPHIDE-CONTAINING WASTES			
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			

<a href="#">136</a>	2 of 20	SSE/173.0	110.8 / -3.00	CANADA FOOD EQUIPMENT LIMITED 45 VANSCO ROAD ETOBICOKE ON M8Z 5Z8	GEN
<b>Generator No.:</b>	ON2291200			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2009			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	417230				
<b>SIC Description:</b>	Industrial Machinery Equipment and Supplies Wholesaler-Distributors				
<b>--Details--</b>					
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			

<a href="#">136</a>	3 of 20	SSE/173.0	110.8 / -3.00	THYRISTOR DEVICES LTD. 45 VANSCO ROAD ETOBICOKE ON M8Z 5Z8	37-867 GEN
<b>Generator No.:</b>	ON1518800			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	92,93,94,95,96,97,98			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	3371				
<b>SIC Description:</b>	ELECT. TRANSFORMER				
<b>--Details--</b>					
<b>Waste Code:</b>		113			
<b>Waste Description:</b>		ACID WASTE - OTHER METALS			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">136</a>	4 of 20	SSE/173.0	110.8 / -3.00	CANADA FOOD EQUIPMENT LIMITED 45 VANSCO ROAD ETOBICOKE ON M8Z 5Z8	GEN
<b>Generator No.:</b>	ON2291200			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	97,98,99,00,01,02,03,04,06			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	3311				
<b>SIC Description:</b>	SMALL ELECT. APPL.				
<b>--Details--</b>					
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<a href="#">136</a>	5 of 20	SSE/173.0	110.8 / -3.00	CANADA FOOD EQUIPMENT LIMITED 45 VANSCO ROAD ETOBICOKE ON M8Z 5Z8	GEN
<b>Generator No.:</b>	ON2291200			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2011			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	417230				
<b>SIC Description:</b>					
<b>--Details--</b>					
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<a href="#">136</a>	6 of 20	SSE/173.0	110.8 / -3.00	HANSON & WELLS, INC. 45 VANSCO RD. TORONTO ON M8Z 5J7	19-006 GEN
<b>Generator No.:</b>	ON0004700			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	92,93,94,95,96,97			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	3712				
<b>SIC Description:</b>	IND. ORGANIC CHEM.				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>--Details--</b>					
			121		
			ALKALINE WASTES - HEAVY METALS		
			131		
			NEUTRALIZED WASTES - HEAVY METALS		
			134		
			SULPHIDE-CONTAINING WASTES		
			213		
			PETROLEUM DISTILLATES		
			233		
			OTHER POLYMERIC WASTES		
			241		
			HALOGENATED SOLVENTS		
			243		
			PCB'S		
			252		
			WASTE OILS & LUBRICANTS		
			262		
			DETERGENTS/SOAPS		
			263		
			ORGANIC LABORATORY CHEMICALS		
			270		
			OTHER SPECIFIED ORGANICS		
			145		
			PAINT/PIGMENT/COATING RESIDUES		
			112		
			ACID WASTE - HEAVY METALS		

<a href="#">136</a>	7 of 20	SSE/173.0	110.8 / -3.00	HANSON INC. 45 VANSCO RD. TORONTO ON M8Z 5Z8	GEN
Generator No.:	ON0004700			PO Box No.:	
Status:				Country:	
Approval Years:	89,90			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No. Admin:	
SIC Code:	3712				
SIC Description:		IND. ORGANIC CHEM.			

<b>--Details--</b>					
			112		
			ACID WASTE - HEAVY METALS		
			121		
			ALKALINE WASTES - HEAVY METALS		
			131		
			NEUTRALIZED WASTES - HEAVY METALS		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Code:</b>		134			
<b>Waste Description:</b>		SULPHIDE-CONTAINING WASTES			
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		233			
<b>Waste Description:</b>		OTHER POLYMERIC WASTES			
<b>Waste Code:</b>		241			
<b>Waste Description:</b>		HALOGENATED SOLVENTS			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		262			
<b>Waste Description:</b>		DETERGENTS/SOAPS			
<b>Waste Code:</b>		263			
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		270			
<b>Waste Description:</b>		OTHER SPECIFIED ORGANICS			

<a href="#">136</a>	8 of 20	SSE/173.0	110.8 / -3.00	CANADIAN HAMSON LTD. 45 VANSCO ROAD TORONTO ON M8Z 5Z8	GEN
<b>Generator No.:</b>	301-82A032			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	86			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	030				
<b>SIC Description:</b>					

<a href="#">136</a>	9 of 20	SSE/173.0	110.8 / -3.00	HANSON (1984) INC 45 VANSCO RD. TORONTO ON M8Z 5Z8	GEN
<b>Generator No.:</b>	ON0004700			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	86,87,88			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	3712				
<b>SIC Description:</b>		IND. ORGANIC CHEM.			
<b>--Details--</b>					
<b>Waste Code:</b>		112			
<b>Waste Description:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Code:</b>		121			
<b>Waste Description:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Code:</b>		131			
<b>Waste Description:</b>		NEUTRALIZED WASTES - HEAVY METALS			



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Code:</b>		134			
<b>Waste Description:</b>		SULPHIDE-CONTAINING WASTES			
<b>Waste Code:</b>		233			
<b>Waste Description:</b>		OTHER POLYMERIC WASTES			
<b>Waste Code:</b>		241			
<b>Waste Description:</b>		HALOGENATED SOLVENTS			
<b>Waste Code:</b>		262			
<b>Waste Description:</b>		DETERGENTS/SOAPS			
<b>Waste Code:</b>		263			
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		270			
<b>Waste Description:</b>		OTHER SPECIFIED ORGANICS			

<a href="#">136</a>	10 of 20	<b>SSE/173.0</b>	<b>110.8 / -3.00</b>	<b>CANADA FOOD EQUIPMENT LTD 45 VANSCO RD ETOBICOKE ON M8Z 5Z8</b>	<b>NPCB</b>
<b>Company Code:</b>		O005023			
<b>Industry:</b>		OTHER			
<b>Site Status:</b>		ITEMS SENT TO SWAN HILLS			
<b>Transaction Date:</b>					
<b>Inspection Date:</b>					

<a href="#">136</a>	11 of 20	<b>SSE/173.0</b>	<b>110.8 / -3.00</b>	<b>CANADIAN HANSON LTD. 45 VANSCO ROAD TORONTO ON M8Z 5Z8</b>	<b>NPCB</b>
<b>Company Code:</b>		O0649			
<b>Industry:</b>		Metal Refining			
<b>Site Status:</b>					
<b>Transaction Date:</b>		8/30/1990			
<b>Inspection Date:</b>		1/18/1990			
<b>--Details--</b>					
<b>Label:</b>					
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		Askarel			
<b>Location:</b>					
<b>Item/State:</b>					
<b>No. of Items:</b>					
<b>Manufacturer:</b>					
<b>Status:</b>		In-Use			
<b>Contents:</b>		2.09 L			
<b>Label:</b>					
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		Askarel			
<b>Location:</b>					
<b>Item/State:</b>					
<b>No. of Items:</b>					
<b>Manufacturer:</b>					
<b>Status:</b>		Stored for future use			
<b>Contents:</b>		2.09 L			
<b>Label:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		Pyranol			
<b>Location:</b>					
<b>Item/State:</b>					
<b>No. of Items:</b>					
<b>Manufacturer:</b>					
<b>Status:</b>		In-Use			
<b>Contents:</b>		2.09 L			
<b>Label:</b>					
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		Askarel			
<b>Location:</b>					
<b>Item/State:</b>					
<b>No. of Items:</b>					
<b>Manufacturer:</b>					
<b>Status:</b>		Stored for future use			
<b>Contents:</b>		4.10 L			
<b>Label:</b>					
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		Inerteen			
<b>Location:</b>					
<b>Item/State:</b>					
<b>No. of Items:</b>					
<b>Manufacturer:</b>					
<b>Status:</b>		In-Use			
<b>Contents:</b>		4.10 L			
<b>Label:</b>					
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		Pyranol			
<b>Location:</b>					
<b>Item/State:</b>					
<b>No. of Items:</b>					
<b>Manufacturer:</b>					
<b>Status:</b>		In-Use			
<b>Contents:</b>		4.10 L			

[136](#)

12 of 20

SSE/173.0

110.8 / -3.00

CANADIAN HAMSON LTD.  
45 VANSCO ROAD  
TORONTO ON M8Z 5Z8

NPCB

**Company Code:**

F0655

**Industry:**

**Site Status:**

**Transaction Date:**

1/29/1996

**Inspection Date:**

**--Details--**

**Label:**

**Serial No.:**

**PCB Type/Code:**

Askarel

**Location:**

**Item/State:**

**No. of Items:**

**Manufacturer:**

**Status:**

Stored for Disposal

**Contents:**

0.00 KG

**Label:**

**Serial No.:**

**PCB Type/Code:**

Askarel

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Location:</b> <b>Item/State:</b> <b>No. of Items:</b> <b>Manufacturer:</b> <b>Status:</b> Stored for Disposal <b>Contents:</b> 400.00 KG  <b>Label:</b> <b>Serial No.:</b> <b>PCB Type/Code:</b> Unknown concentration <b>Location:</b> <b>Item/State:</b> <b>No. of Items:</b> <b>Manufacturer:</b> <b>Status:</b> Stored for Disposal <b>Contents:</b> 738.00 KG  <b>Label:</b> <b>Serial No.:</b> <b>PCB Type/Code:</b> High > 10,000 ppm <b>Location:</b> <b>Item/State:</b> <b>No. of Items:</b> <b>Manufacturer:</b> <b>Status:</b> Stored for Disposal <b>Contents:</b> 12900.00 KG					
<a href="#">136</a>	13 of 20	SSE/173.0	110.8 / -3.00	CANADIAN HAMSON LTD. 45 VANSCO ROAD VANSCO ROAD TORONTO ON M8Z 5Z8	NPCB
<b>Company Code:</b> F0627 <b>Industry:</b> <b>Site Status:</b> <b>Transaction Date:</b> <b>Inspection Date:</b>  <b>--Details--</b> <b>Label:</b> <b>Serial No.:</b> <b>PCB Type/Code:</b> <b>Location:</b> <b>Item/State:</b> <b>No. of Items:</b> <b>Manufacturer:</b> <b>Status:</b> In-Storage <b>Contents:</b>					
<a href="#">136</a>	14 of 20	SSE/173.0	110.8 / -3.00	ISLINGTON LAKESHORE MALL INC. 45 VANSCO ROAD TORONTO ON M8Z 5Z8	NPCB
<b>Company Code:</b> O0649 <b>Industry:</b> METAL REFINING <b>Site Status:</b> STORAGE ONLY (NON FEDERAL) <b>Transaction Date:</b> 10/9/1996 <b>Inspection Date:</b> 7/31/1996  <b>--Details--</b> <b>Label:</b> OR00894 <b>Serial No.:</b> GEK402255					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>PCB Type/Code:</b>		ASKAREL/PYRANOL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		209 L			
<b>Label:</b>		OR04838			
<b>Serial No.:</b>		W74M2548			
<b>PCB Type/Code:</b>		ASKAREL/INERTEEN			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.1 L			
<b>Label:</b>		OR00891			
<b>Serial No.:</b>		HE600604			
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		209 L			
<b>Label:</b>		OR00890			
<b>Serial No.:</b>		HE502503			
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		209 L			
<b>Label:</b>		OR00889			
<b>Serial No.:</b>		HE600601			
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		209 L			
<b>Label:</b>		DO00293			
<b>Serial No.:</b>		W74M2587			
<b>PCB Type/Code:</b>		ASKAREL/INERTEEN			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		10			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		41 L			
<b>Label:</b>		OR04837			
<b>Serial No.:</b>		W65G5774			
<b>PCB Type/Code:</b>		ASKAREL/INERTEEN			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>Contents:</b>		4.1 L			
<b>Label:</b>		OR04836			
<b>Serial No.:</b>		W7401128			
<b>PCB Type/Code:</b>		ASKAREL/INERTEEN			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.1 L			
<b>Label:</b>		OR04834			
<b>Serial No.:</b>		W74M1360			
<b>PCB Type/Code:</b>		ASKAREL/INERTEEN			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.1 L			
<b>Label:</b>		OR04835			
<b>Serial No.:</b>		GEC115446			
<b>PCB Type/Code:</b>		ASKAREL/PYRANOL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.1 L			
<b>Label:</b>		OR04841			
<b>Serial No.:</b>		W74D1117			
<b>PCB Type/Code:</b>		ASKAREL/INERTEEN			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.1 L			
<b>Label:</b>		OR44198			
<b>Serial No.:</b>		W74M2559			
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.1 L			
<b>Label:</b>		OR44199			
<b>Serial No.:</b>		W74M2563			
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.1 L			
<b>Label:</b>		OR00893			
<b>Serial No.:</b>		GEK454282			
<b>PCB Type/Code:</b>		ASKAREL/PYRANOL			
<b>Location:</b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>	1				
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		209 L			
<b>Label:</b>		OR44197			
<b>Serial No.:</b>		W7701441			
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>	1				
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		209 L			
<b>Label:</b>		OR04839			
<b>Serial No.:</b>		W74M2547			
<b>PCB Type/Code:</b>		ASKAREL/INERTEEN			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>	1				
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.1 L			
<b>Label:</b>		OR00892			
<b>Serial No.:</b>		GEK454288			
<b>PCB Type/Code:</b>		ASKAREL/PYRANOL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>	1				
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		209 L			
<b>Label:</b>		OR44196			
<b>Serial No.:</b>		HE421808			
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>	10				
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		95 L			
<b>Label:</b>		OR44200			
<b>Serial No.:</b>		W7704404			
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>	1				
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		209 L			
<b>Label:</b>		OR04840			
<b>Serial No.:</b>		W70D4934			
<b>PCB Type/Code:</b>		ASKAREL/INERTEEN			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>	1				
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.1 L			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">136</a>	15 of 20	SSE/173.0	110.8 / -3.00	CANADA FOOD EQUIPMENT 45 VANSCO ROAD TORONTO ON M8Z 5Z8	OPCB
Year:		1999			
Site Number:		30182A032			
Name Owner:					
Additional Site Information:					
<b>--Details--</b>					
Quantity:		20.00			
Address Site:					
Description:		Number of Capacitors with High Level PCBs (>1000 ppm)			
Quantity:		40.00			
Address Site:					
Description:		Weight of Capacitors with High Level PCBs (>1000 ppm) kg			
<a href="#">136</a>	16 of 20	SSE/173.0	110.8 / -3.00	CANADIAN HAMSON LTD. 45 VANSCO ROAD TORONTO ON M8Z 5Z8	OPCB
Year:		1995			
Site Number:		30182A032			
Name Owner:					
Additional Site Information:					
<b>--Details--</b>					
Quantity:		20.00			
Address Site:					
Description:		Number of Capacitors with High Level PCBs (>1000 ppm)			
Quantity:		40.00			
Address Site:					
Description:		Weight of Capacitors with High Level PCBs (>1000 ppm) kg			
<a href="#">136</a>	17 of 20	SSE/173.0	110.8 / -3.00	CANADIAN HAMSON LTD. 45 VANSCO ROAD TORONTO ON M8Z 5Z8	OPCB
Year:		1998			
Site Number:		30182A032			
Name Owner:					
Additional Site Information:					
<b>--Details--</b>					
Quantity:		20.00			
Address Site:					
Description:		Number of Capacitors with High Level PCBs (>1000 ppm)			
Quantity:		40.00			
Address Site:					
Description:		Weight of Capacitors with High Level PCBs (>1000 ppm) kg			
<a href="#">136</a>	18 of 20	SSE/173.0	110.8 / -3.00	CANADIAN HAMSON LTD. 45 VANSCO ROAD	REC

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

TORONTO ON M8Z 5Z8

**Rec Op Div:**  
**Co Admin:**  
**Phone No Admin:**  
**Rec Div:**  
**Rec Op Name:**  
**Choice of Contact:**  
**Site Bldg:**  
**Site PO Box:**  
**Receiver #::** 301-82A032  
**Facility Type:** PCB STORAGE SITE  
**Approval Yrs::** 01,02,03,04,05,06,07,08

**--Details--**  
**Waste Code:** 243  
**Waste Description:** PCB'S

<a href="#">136</a>	19 of 20	SSE/173.0	110.8 / -3.00	CANADIAN HAMSON LTD. 45 VANSO ROAD TORONTO ON M8Z 5Z8	REC
---------------------	----------	-----------	---------------	---	-----

**Rec Op Div:**  
**Co Admin:**  
**Phone No Admin:**  
**Rec Div:**  
**Rec Op Name:**  
**Choice of Contact:**  
**Site Bldg:**  
**Site PO Box:**  
**Receiver #::** 301-82A032  
**Facility Type:** TRANSFER STATION  
**Approval Yrs::** 87,88,89,90,92,94,95,96,97,98,99,00

**--Details--**  
**Waste Code:** 243  
**Waste Description:** PCB'S

<a href="#">136</a>	20 of 20	SSE/173.0	110.8 / -3.00	Ontario Signs 45 Vansco Rd Etobicoke ON M8Z 5Z8	SCT
---------------------	----------	-----------	---------------	---	-----

**Established:** 01-AUG-99  
**Plant Size (ft²):** 15000  
**Employment:**

**--Details--**  
**Description:** Sign Manufacturing  
**SIC/NAICS Code:** 339950  
  
**Description:** Graphic Design Services  
**SIC/NAICS Code:** 541430

<a href="#">137</a>	1 of 1	SW/177.2	118.7 / 4.81	ON	WWIS
---------------------	--------	----------	--------------	----	------

**Well ID:** 7205389 **Data Entry Status:** Yes



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Construction Date:</b> <b>Primary Water Use:</b> <b>Sec. Water Use:</b> <b>Final Well Status:</b> <b>Water Type:</b> <b>Casing Material:</b> <b>Audit No:</b> C21115 <b>Tag:</b> A142381 <b>Construction Method:</b> <b>Elevation (m):</b> <b>Elevation Reliability:</b> <b>Depth to Bedrock:</b> <b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>				<b>Data Src:</b> <b>Date Received:</b> 7/25/2013 <b>Selected Flag:</b> Yes <b>Abandonment Rec:</b> <b>Contractor:</b> 7215 <b>Form Version:</b> 8 <b>Owner:</b> <b>Street Name:</b> <b>County:</b> YORK <b>Municipality:</b> ETOBICOKE BOROUGH <b>Site Info:</b> <b>Lot:</b> <b>Concession:</b> <b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>	
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b> 1004456540 <b>DP2BR:</b> <b>Spatial Status:</b> <b>Code OB:</b> <b>Code OB Desc:</b> <b>Open Hole:</b> <b>Cluster Kind:</b> <b>Date Completed:</b> 20-FEB-13 <b>Remarks:</b> <b>Elevrc Desc:</b> <b>Location Source Date:</b> <b>Improvement Location Source:</b> <b>Improvement Location Method:</b> <b>Source Revision Comment:</b> <b>Supplier Comment:</b>				<b>Elevation:</b> 117.45 <b>Elevrc:</b> <b>Zone:</b> 17 <b>East83:</b> 617673 <b>Org CS:</b> UTM83 <b>North83:</b> 4831266 <b>UTMRC:</b> 4 <b>UTMRC Desc:</b> margin of error : 30 m - 100 m <b>Location Method:</b> wwr	
<a href="#">138</a>	1 of 2	SW/178.1	116.8 / 2.93	<b>SHERWAY COLLISION - ENZO CALISI</b> 131 SHORNCLIFFE ROAD TORONTO CITY ON M8Z 5K7	CA
<b>Certificate #:</b> 8-3349-89- <b>Application Year:</b> 89 <b>Issue Date:</b> 12/28/1989 <b>Approval Type:</b> Industrial air <b>Status:</b> Approved <b>Application Type:</b> <b>Client Name::</b> <b>Client Address::</b> <b>Client City::</b> <b>Client Postal Code::</b> <b>Project Description::</b> SPRAY PAINT BOOTH & COMBUSTION <b>Contaminants::</b> Toluene(Pentyl Methane)(Methyl Benzene), Xylene, Ethyl-3-Ethoxy Propionate <b>Emission Control::</b> No Controls					
<a href="#">138</a>	2 of 2	SW/178.1	116.8 / 2.93	<b>CALISI MOTORS LIMITED</b> 131 Shorncliffe RD Toronto ON M8Z 5K7	EASR
<b>Approval No:</b> R-001-2110303495 <b>Status:</b> REGISTERED				<b>SWP Area Name:</b> Toronto <b>MOE District:</b> Toronto	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Date:</b>	2017-12-07			<b>City:</b>	Toronto
<b>Record Type:</b>	EASR			<b>Latitude:</b>	43.62388889
<b>Link Source:</b>	MOFA			<b>Longitude:</b>	-79.54055556
<b>Full Address:</b>	Automotive Refinishing Facility				
<b>Project Type:</b>	EASR-Automotive Refinishing Facility				
<b>Approval Type:</b>	http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2048476				
<b>Full PDF Link:</b>					

[139](#) 1 of 1 SSW/178.9 116.9 / 3.07 Toronto ON [WWIS](#)

<b>Well ID:</b>	7284881	<b>Data Entry Status:</b>	
<b>Construction Date:</b>		<b>Data Src:</b>	
<b>Primary Water Use:</b>		<b>Date Received:</b>	4/10/2017
<b>Sec. Water Use:</b>		<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	0	<b>Abandonment Rec:</b>	
<b>Water Type:</b>		<b>Contractor:</b>	7241
<b>Casing Material:</b>		<b>Form Version:</b>	7
<b>Audit No:</b>	Z251124	<b>Owner:</b>	
<b>Tag:</b>	A217327	<b>Street Name:</b>	135 SHORNECLIFFE RD
<b>Construction Method:</b>		<b>County:</b>	YORK
<b>Elevation (m):</b>		<b>Municipality:</b>	ETOBICOKE BOROUGH
<b>Elevation Reliability:</b>		<b>Site Info:</b>	
<b>Depth to Bedrock:</b>		<b>Lot:</b>	
<b>Well Depth:</b>		<b>Concession:</b>	
<b>Overburden/Bedrock:</b>		<b>Concession Name:</b>	
<b>Pump Rate:</b>		<b>Easting NAD83:</b>	
<b>Static Water Level:</b>		<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>		<b>Zone:</b>	
<b>Flow Rate:</b>		<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>			

#### Bore Hole Information

<b>Bore Hole ID:</b>	1006379090	<b>Elevation:</b>	116.06
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	17
<b>Code OB:</b>		<b>East83:</b>	617753
<b>Code OB Desc:</b>		<b>Org CS:</b>	UTM83
<b>Open Hole:</b>		<b>North83:</b>	4831082
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	10-MAR-17	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

#### Overburden and Bedrock

##### Materials Interval

<b>Formation ID:</b>	1006647584
<b>Layer:</b>	1
<b>Color:</b>	2
<b>General Color:</b>	GREY
<b>Mat1:</b>	
<b>Most Common Material:</b>	
<b>Mat2:</b>	60
<b>Other Materials:</b>	CEMENTED
<b>Mat3:</b>	

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>			0		
<b>Formation End Depth:</b>			.667		
<b>Formation End Depth UOM:</b>			ft		
<b>Formation ID:</b>			1006647585		
<b>Layer:</b>			2		
<b>Color:</b>			6		
<b>General Color:</b>			BROWN		
<b>Mat1:</b>			01		
<b>Most Common Material:</b>			FILL		
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>			.667		
<b>Formation End Depth:</b>			2		
<b>Formation End Depth UOM:</b>			ft		
<b>Formation ID:</b>			1006647586		
<b>Layer:</b>			3		
<b>Color:</b>			6		
<b>General Color:</b>			BROWN		
<b>Mat1:</b>			28		
<b>Most Common Material:</b>			SAND		
<b>Mat2:</b>			06		
<b>Other Materials:</b>					
<b>Mat3:</b>			SILT		
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>			2		
<b>Formation End Depth:</b>			11		
<b>Formation End Depth UOM:</b>			ft		
<b>Formation ID:</b>			1006647587		
<b>Layer:</b>			4		
<b>Color:</b>			2		
<b>General Color:</b>			GREY		
<b>Mat1:</b>			17		
<b>Most Common Material:</b>			SHALE		
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>			11		
<b>Formation End Depth:</b>			14		
<b>Formation End Depth UOM:</b>			ft		
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>			1006647593		
<b>Layer:</b>			1		
<b>Plug From:</b>			0		
<b>Plug To:</b>			6		
<b>Plug Depth UOM:</b>			ft		
<b>Plug ID:</b>			1006647594		
<b>Layer:</b>			2		
<b>Plug From:</b>			6		
<b>Plug To:</b>			3		
<b>Plug Depth UOM:</b>			ft		
<b>Plug ID:</b>			1006647595		
<b>Layer:</b>			3		
<b>Plug From:</b>			3		

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Plug To:</b>		14			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1006647592			
<b>Method Construction Code:</b>		2			
<b>Method Construction:</b>		Rotary (Convent.)			
<b>Other Method Construction:</b>		DIRECT PUSH			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1006647583			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1006647590			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		4			
<b>Casing Diameter:</b>		2			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1006647591			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		4			
<b>Screen End Depth:</b>		14			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		ft			
<b>Screen Diameter UOM:</b>		inch			
<b>Screen Diameter:</b>		2.25			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1006647589			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		ft			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1006647588			
<b>Diameter:</b>		6			
<b>Depth From:</b>		0			
<b>Depth To:</b>		14			
<b>Hole Depth UOM:</b>		ft			
<b>Hole Diameter UOM:</b>		inch			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">140</a>	1 of 1	SW/180.3	118.0 / 4.12	ETOBICOKE ON	WWIS
<b>Well ID:</b> 7110522 <b>Construction Date:</b> <b>Primary Water Use:</b> Monitoring <b>Sec. Water Use:</b> <b>Final Well Status:</b> Observation Wells <b>Water Type:</b> <b>Casing Material:</b> <b>Audit No:</b> M02513 <b>Tag:</b> A075533 <b>Construction Method:</b> <b>Elevation (m):</b> <b>Elevation Reliability:</b> <b>Depth to Bedrock:</b> <b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>		<b>Data Entry Status:</b> <b>Data Src:</b> <b>Date Received:</b> 8/28/2008 <b>Selected Flag:</b> Yes <b>Abandonment Rec:</b> <b>Contractor:</b> 7241 <b>Form Version:</b> 5 <b>Owner:</b> <b>Street Name:</b> 135 SHORNCLIFFE ROAD <b>County:</b> YORK <b>Municipality:</b> ETOBICOKE BOROUGH <b>Site Info:</b> <b>Lot:</b> <b>Concession:</b> <b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>			
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b> 1002692803 <b>DP2BR:</b> <b>Spatial Status:</b> <b>Code OB:</b> <b>Code OB Desc:</b> <b>Open Hole:</b> <b>Cluster Kind:</b> This is a record from cluster log sheet <b>Date Completed:</b> 07-AUG-08 <b>Remarks:</b> <b>Elevrc Desc:</b> <b>Location Source Date:</b> <b>Improvement Location Source:</b> <b>Improvement Location Method:</b> <b>Source Revision Comment:</b> <b>Supplier Comment:</b>		<b>Elevation:</b> <b>Elevrc:</b> <b>Zone:</b> 17 <b>East83:</b> <b>Org CS:</b> <b>North83:</b> <b>UTMRC:</b> 9 <b>UTMRC Desc:</b> unknown UTM <b>Location Method:</b> na			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b> 1002692807 <b>Layer:</b> <b>Plug From:</b> <b>Plug To:</b> <b>Plug Depth UOM:</b>					
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b> 1002692806 <b>Method Construction Code:</b> <b>Method Construction:</b> <b>Other Method Construction:</b> DIRECT PUSH					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b> 1002692808 <b>Casing No:</b> 0					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Comment:</i>					
<i>Alt Name:</i>					
<b><u>Construction Record - Casing</u></b>					
<i>Casing ID:</i>		1002692810			
<i>Layer:</i>					
<i>Material:</i>		5			
<i>Open Hole or Material:</i>		PLASTIC			
<i>Depth From:</i>					
<i>Depth To:</i>		1.22			
<i>Casing Diameter:</i>					
<i>Casing Diameter UOM:</i>					
<i>Casing Depth UOM:</i>		m			
<b><u>Construction Record - Screen</u></b>					
<i>Screen ID:</i>		1002692809			
<i>Layer:</i>					
<i>Slot:</i>					
<i>Screen Top Depth:</i>		1.22			
<i>Screen End Depth:</i>		3.66			
<i>Screen Material:</i>					
<i>Screen Depth UOM:</i>		m			
<i>Screen Diameter UOM:</i>					
<i>Screen Diameter:</i>					
<b><u>Results of Well Yield Testing</u></b>					
<i>Pump Test ID:</i>		1002692811			
<i>Pump Set At:</i>					
<i>Static Level:</i>					
<i>Final Level After Pumping:</i>					
<i>Recommended Pump Depth:</i>					
<i>Pumping Rate:</i>					
<i>Flowing Rate:</i>					
<i>Recommended Pump Rate:</i>					
<i>Levels UOM:</i>					
<i>Rate UOM:</i>					
<i>Water State After Test Code:</i>					
<i>Water State After Test:</i>					
<i>Pumping Test Method:</i>					
<i>Pumping Duration HR:</i>					
<i>Pumping Duration MIN:</i>					
<i>Flowing:</i>					
<b><u>Hole Diameter</u></b>					
<i>Hole ID:</i>		1002692805			
<i>Diameter:</i>		10.92			
<i>Depth From:</i>					
<i>Depth To:</i>		3.66			
<i>Hole Depth UOM:</i>		m			
<i>Hole Diameter UOM:</i>		cm			
<b><u>Bore Hole Information</u></b>					
<i>Bore Hole ID:</i>	1002692767		<i>Elevation:</i>	117.02	
<i>DP2BR:</i>			<i>Elevrc:</i>		
<i>Spatial Status:</i>			<i>Zone:</i>	17	
<i>Code OB:</i>			<i>East83:</i>	617686	
<i>Code OB Desc:</i>			<i>Org CS:</i>	UTM83	

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Open Hole:</b>				<b>North83:</b>	4831214
<b>Cluster Kind:</b>	This is a record from cluster log sheet			<b>UTMRC:</b>	3
<b>Date Completed:</b>	07-AUG-08			<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1002692771			
<b>Layer:</b>					
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>					
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1002692770			
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>		DIRECT PUSH			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1002692772			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1002692774			
<b>Layer:</b>					
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>					
<b>Depth To:</b>		2.13			
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>					
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1002692773			
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>		2.13			
<b>Screen End Depth:</b>		3.66			
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>					
<b>Screen Diameter:</b>					
<b><u>Results of Well Yield Testing</u></b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Pump Test ID:</b> 1002692775					
<b>Pump Set At:</b>					
<b>Static Level:</b>					
<b>Final Level After Pumping:</b>					
<b>Recommended Pump Depth:</b>					
<b>Pumping Rate:</b>					
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>					
<b>Levels UOM:</b>					
<b>Rate UOM:</b>					
<b>Water State After Test Code:</b>					
<b>Water State After Test:</b>					
<b>Pumping Test Method:</b>					
<b>Pumping Duration HR:</b>					
<b>Pumping Duration MIN:</b>					
<b>Flowing:</b>					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b> 1002692769					
<b>Diameter:</b> 10.92					
<b>Depth From:</b>					
<b>Depth To:</b> 3.66					
<b>Hole Depth UOM:</b> m					
<b>Hole Diameter UOM:</b> cm					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b> 1002692785					
<b>DP2BR:</b>					
<b>Spatial Status:</b>					
<b>Code OB:</b>					
<b>Code OB Desc:</b>					
<b>Open Hole:</b>					
<b>Cluster Kind:</b> This is a record from cluster log sheet					
<b>Date Completed:</b> 07-AUG-08					
<b>Remarks:</b>					
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b> 1002692789					
<b>Layer:</b>					
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>					
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b> 1002692788					
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b> DIRECT PUSH					
<b><u>Pipe Information</u></b>					



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Pipe ID:</b>		1002692790			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1002692792			
<b>Layer:</b>					
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>					
<b>Depth To:</b>		1.22			
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>					
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1002692791			
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>		1.22			
<b>Screen End Depth:</b>		3.66			
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>					
<b>Screen Diameter:</b>					
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		1002692793			
<b>Pump Set At:</b>					
<b>Static Level:</b>					
<b>Final Level After Pumping:</b>					
<b>Recommended Pump Depth:</b>					
<b>Pumping Rate:</b>					
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>					
<b>Levels UOM:</b>					
<b>Rate UOM:</b>					
<b>Water State After Test Code:</b>					
<b>Water State After Test:</b>					
<b>Pumping Test Method:</b>					
<b>Pumping Duration HR:</b>					
<b>Pumping Duration MIN:</b>					
<b>Flowing:</b>					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1002692787			
<b>Diameter:</b>		10.92			
<b>Depth From:</b>					
<b>Depth To:</b>		3.66			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1001766299			<b>Elevation:</b>	117.02
<b>DP2BR:</b>				<b>Elevrc:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Spatial Status:</b>				<b>Zone:</b>	17
<b>Code OB:</b>				<b>East83:</b>	617686
<b>Code OB Desc:</b>				<b>Org CS:</b>	UTM83
<b>Open Hole:</b>				<b>North83:</b>	4831214
<b>Cluster Kind:</b>				<b>UTMRC:</b>	3
<b>Date Completed:</b>		07-AUG-08	<b>UTMRC Desc:</b>		margin of error : 10 - 30 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 1002692813  
**Layer:** 1  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 28  
**Most Common Material:** SAND  
**Mat2:** 06  
**Other Materials:** SILT  
**Mat3:** 85  
**Other Materials:** SOFT  
**Formation Top Depth:** 0  
**Formation End Depth:** 2.44  
**Formation End Depth UOM:** m

**Formation ID:** 1002692814  
**Layer:** 2  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 17  
**Most Common Material:** SHALE  
**Mat2:** 06  
**Other Materials:** SILT  
**Mat3:** 73  
**Other Materials:** HARD  
**Formation Top Depth:** 2.44  
**Formation End Depth:** 3.66  
**Formation End Depth UOM:** m

**Annular Space/Abandonment**

**Sealing Record**

**Plug ID:** 1002692818  
**Layer:** 3  
**Plug From:** 1.83  
**Plug To:** 3.66  
**Plug Depth UOM:** m

**Plug ID:** 1002692816  
**Layer:** 1  
**Plug From:** 0  
**Plug To:** .31  
**Plug Depth UOM:** m

**Plug ID:** 1002692817  
**Layer:** 2  
**Plug From:** .31  
**Plug To:** 1.83

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>	1002692822				
<b>Method Construction Code:</b>	D				
<b>Method Construction:</b>	Direct Push				
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>	1002692812				
<b>Casing No:</b>	0				
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>	1002692819				
<b>Layer:</b>	1				
<b>Material:</b>	5				
<b>Open Hole or Material:</b>	PLASTIC				
<b>Depth From:</b>	0				
<b>Depth To:</b>	2.13				
<b>Casing Diameter:</b>	5.2				
<b>Casing Diameter UOM:</b>	cm				
<b>Casing Depth UOM:</b>	m				
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>	1002692820				
<b>Layer:</b>	1				
<b>Slot:</b>	10				
<b>Screen Top Depth:</b>					
<b>Screen End Depth:</b>					
<b>Screen Material:</b>	5				
<b>Screen Depth UOM:</b>	m				
<b>Screen Diameter UOM:</b>	cm				
<b>Screen Diameter:</b>	6.03				
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>	1002692815				
<b>Diameter:</b>	10.92				
<b>Depth From:</b>	0				
<b>Depth To:</b>	3.66				
<b>Hole Depth UOM:</b>	m				
<b>Hole Diameter UOM:</b>	cm				
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1002692776			<b>Elevation:</b>	
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	17
<b>Code OB:</b>				<b>East83:</b>	
<b>Code OB Desc:</b>				<b>Org CS:</b>	
<b>Open Hole:</b>				<b>North83:</b>	
<b>Cluster Kind:</b>	This is a record from cluster log sheet			<b>UTMRC:</b>	9
<b>Date Completed:</b>	07-AUG-08			<b>UTMRC Desc:</b>	unknown UTM
<b>Remarks:</b>				<b>Location Method:</b>	na

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1002692780			
<b>Layer:</b>					
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>					
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1002692779			
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>		DIRECT PUSH			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1002692781			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1002692783			
<b>Layer:</b>					
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>					
<b>Depth To:</b>		1.22			
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>					
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1002692782			
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>		1.22			
<b>Screen End Depth:</b>		3.66			
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>					
<b>Screen Diameter:</b>					
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		1002692784			
<b>Pump Set At:</b>					
<b>Static Level:</b>					
<b>Final Level After Pumping:</b>					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>Recommended Pump Depth:</b>					
<b>Pumping Rate:</b>					
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>					
<b>Levels UOM:</b>					
<b>Rate UOM:</b>					
<b>Water State After Test Code:</b>					
<b>Water State After Test:</b>					
<b>Pumping Test Method:</b>					
<b>Pumping Duration HR:</b>					
<b>Pumping Duration MIN:</b>					
<b>Flowing:</b>					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>			1002692778		
<b>Diameter:</b>			10.92		
<b>Depth From:</b>					
<b>Depth To:</b>			3.66		
<b>Hole Depth UOM:</b>			m		
<b>Hole Diameter UOM:</b>			cm		
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1002692794			<b>Elevation:</b>	
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	17
<b>Code OB:</b>				<b>East83:</b>	
<b>Code OB Desc:</b>				<b>Org CS:</b>	
<b>Open Hole:</b>				<b>North83:</b>	
<b>Cluster Kind:</b>	This is a record from cluster log sheet			<b>UTMRC:</b>	9
<b>Date Completed:</b>	07-AUG-08			<b>UTMRC Desc:</b>	unknown UTM
<b>Remarks:</b>				<b>Location Method:</b>	na
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>			1002692798		
<b>Layer:</b>					
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>					
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>			1002692797		
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>			DIRECT PUSH		
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>			1002692799		
<b>Casing No:</b>			0		
<b>Comment:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Alt Name:

**Construction Record - Casing**

Casing ID: 1002692801  
 Layer:  
 Material: 5  
 Open Hole or Material: PLASTIC  
 Depth From:  
 Depth To: 1.22  
 Casing Diameter:  
 Casing Diameter UOM:  
 Casing Depth UOM: m

**Construction Record - Screen**

Screen ID: 1002692800  
 Layer:  
 Slot:  
 Screen Top Depth: 1.22  
 Screen End Depth: 3.66  
 Screen Material:  
 Screen Depth UOM: m  
 Screen Diameter UOM:  
 Screen Diameter:

**Results of Well Yield Testing**

Pump Test ID: 1002692802  
 Pump Set At:  
 Static Level:  
 Final Level After Pumping:  
 Recommended Pump Depth:  
 Pumping Rate:  
 Flowing Rate:  
 Recommended Pump Rate:  
 Levels UOM:  
 Rate UOM:  
 Water State After Test Code:  
 Water State After Test:  
 Pumping Test Method:  
 Pumping Duration HR:  
 Pumping Duration MIN:  
 Flowing:

**Hole Diameter**

Hole ID: 1002692796  
 Diameter: 10.92  
 Depth From:  
 Depth To: 3.66  
 Hole Depth UOM: m  
 Hole Diameter UOM: cm

[141](#)

1 of 1

SE/181.1

112.1 / -1.76

TORONTO ON

WWIS

Well ID: 7217840  
 Construction Date:  
 Primary Water Use: Monitoring  
 Sec. Water Use:  
 Final Well Status: Observation Wells

Data Entry Status:  
 Data Src:  
 Date Received: 3/18/2014  
 Selected Flag: Yes  
 Abandonment Rec:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Water Type:</b>				<b>Contractor:</b>	7383
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z166186			<b>Owner:</b>	
<b>Tag:</b>	A144068			<b>Street Name:</b>	15 NORTH QUEEN ST.
<b>Construction Method:</b>				<b>County:</b>	YORK
<b>Elevation (m):</b>				<b>Municipality:</b>	ETOBICOKE BOROUGH
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

### Bore Hole Information

<b>Bore Hole ID:</b>	1004721943	<b>Elevation:</b>	111.88
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	17
<b>Code OB:</b>		<b>East83:</b>	618443
<b>Code OB Desc:</b>		<b>Org CS:</b>	UTM83
<b>Open Hole:</b>		<b>North83:</b>	4831079
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	19-JUN-13	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

### Overburden and Bedrock

#### Materials Interval

<b>Formation ID:</b>	1005102342
<b>Layer:</b>	1
<b>Color:</b>	
<b>General Color:</b>	
<b>Mat1:</b>	
<b>Most Common Material:</b>	
<b>Mat2:</b>	
<b>Other Materials:</b>	
<b>Mat3:</b>	
<b>Other Materials:</b>	
<b>Formation Top Depth:</b>	0
<b>Formation End Depth:</b>	8
<b>Formation End Depth UOM:</b>	ft
<b>Formation ID:</b>	1005102343
<b>Layer:</b>	2
<b>Color:</b>	
<b>General Color:</b>	
<b>Mat1:</b>	05
<b>Most Common Material:</b>	CLAY
<b>Mat2:</b>	06
<b>Other Materials:</b>	SILT
<b>Mat3:</b>	
<b>Other Materials:</b>	
<b>Formation Top Depth:</b>	8
<b>Formation End Depth:</b>	20
<b>Formation End Depth UOM:</b>	ft

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<i>Plug ID:</i>		1005102351			
<i>Layer:</i>		2			
<i>Plug From:</i>		1			
<i>Plug To:</i>		14			
<i>Plug Depth UOM:</i>		ft			
<i>Plug ID:</i>		1005102350			
<i>Layer:</i>		1			
<i>Plug From:</i>		0			
<i>Plug To:</i>		1			
<i>Plug Depth UOM:</i>		ft			
<i>Plug ID:</i>		1005102352			
<i>Layer:</i>		3			
<i>Plug From:</i>		14			
<i>Plug To:</i>		20			
<i>Plug Depth UOM:</i>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<i>Method Construction ID:</i>		1005102349			
<i>Method Construction Code:</i>		6			
<i>Method Construction:</i>		Boring			
<i>Other Method Construction:</i>					
<b><u>Pipe Information</u></b>					
<i>Pipe ID:</i>		1005102341			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
<b><u>Construction Record - Casing</u></b>					
<i>Casing ID:</i>		1005102346			
<i>Layer:</i>		1			
<i>Material:</i>		5			
<i>Open Hole or Material:</i>		PLASTIC			
<i>Depth From:</i>		0			
<i>Depth To:</i>		15			
<i>Casing Diameter:</i>		2			
<i>Casing Diameter UOM:</i>		inch			
<i>Casing Depth UOM:</i>		ft			
<b><u>Construction Record - Screen</u></b>					
<i>Screen ID:</i>		1005102347			
<i>Layer:</i>		1			
<i>Slot:</i>		10			
<i>Screen Top Depth:</i>		15			
<i>Screen End Depth:</i>		20			
<i>Screen Material:</i>		5			
<i>Screen Depth UOM:</i>		ft			
<i>Screen Diameter UOM:</i>		inch			
<i>Screen Diameter:</i>		2.375			



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Water Details</u></b>					
Water ID:		1005102345			
Layer:		1			
Kind Code:					
Kind:					
Water Found Depth:		10			
Water Found Depth UOM:		ft			
<b><u>Hole Diameter</u></b>					
Hole ID:		1005102344			
Diameter:		8.5			
Depth From:		0			
Depth To:		20			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
<a href="#">142</a>	1 of 48	WSW/181.3	118.8 / 5.00	Helmitin Inc. 99 Shorncliffe Road Toronto ON M8Z 5K7	CA
Certificate #:		4792-5KKURP			
Application Year:		2003			
Issue Date:		3/28/2003			
Approval Type:		Air			
Status:		Approved			
Application Type:					
Client Name::					
Client Address::					
Client City::					
Client Postal Code::					
Project Description::					
Contaminants::					
Emission Control::					
<a href="#">142</a>	2 of 48	WSW/181.3	118.8 / 5.00	HELMITIN CANADA INC. 99 SHORNCLIFFE ROAD TORONTO CITY ON M8Z 5K7	CA
Certificate #:		8-3329-97-			
Application Year:		97			
Issue Date:		3/3/1998			
Approval Type:		Industrial air			
Status:					
Application Type:					
Client Name::					
Client Address::					
Client City::					
Client Postal Code::					
Project Description::		SPACE HEATER, WALL MOUNTED FAN			
Contaminants::		Nitrogen Oxides, Toluene(Pentyl Methane)(Methyl Benzene), Other Organic Compounds, Methyl Ethyl Ketone (Butanone), Other Organic Compounds, Methylene Chloride, Hexane			
Emission Control::		No Controls			
<a href="#">142</a>	3 of 48	WSW/181.3	118.8 / 5.00	99 Shorncliffe Road Toronto ON M8Z 5K7	CA
Certificate #:					
Application Year:					
Issue Date:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Approval Type:</b> Industrial air <b>Status:</b> Returned <b>Application Type:</b> Amended CofA <b>Client Name::</b> Helmitin Inc. <b>Client Address::</b> 99 Shorncliffe Road <b>Client City::</b> Toronto <b>Client Postal Code::</b> M8Z 5K7 <b>Project Description::</b> <b>Contaminants::</b> <b>Emission Control::</b>					
<a href="#">142</a>	4 of 48	WSW/181.3	118.8 / 5.00	<b>Helmitin Inc.</b> <b>99 Shorncliffe Road Toronto Ontario M8Z 5K7</b> <b>Toronto</b> <b>ON</b>	EBR
<b>Company Name:</b> Helmitin Inc. <b>EBR Registry No.:</b> IA02E0963 <b>Ministry Ref. No.:</b> 7603-5D6GXH <b>Notice Type:</b> Instrument Decision <b>Notice Date:</b> March 31, 2003 <b>Proposal Date:</b> August 22, 2002 <b>Year:</b> 2002 <b>Proponent Address:</b> 99 Shorncliffe Road, Toronto Ontario, M8Z 5K7 <b>Instrument Type:</b> (EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air) <b>Location Other:</b>  <b>Location:</b> 99 Shorncliffe Road Toronto Ontario M8Z 5K7 Toronto					
<a href="#">142</a>	5 of 48	WSW/181.3	118.8 / 5.00	<b>Helmitin Canada Inc.</b> <b>99 SHORNCLIFFE ROAD, TORONTO CITY</b> <b>Toronto</b> <b>ON</b>	EBR
<b>Company Name:</b> Helmitin Canada Inc. <b>EBR Registry No.:</b> IA8E0087 <b>Ministry Ref. No.:</b> 8332997 19980112 <b>Notice Type:</b> Instrument Decision <b>Notice Date:</b> March 09, 1998 <b>Proposal Date:</b> January 27, 1998 <b>Year:</b> 1998 <b>Proponent Address:</b> 99 Shorncliffe Road, Toronto Ontario, M8Z 5K7 <b>Instrument Type:</b> (EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air) <b>Location Other:</b>  <b>Location:</b> 99 SHORNCLIFFE ROAD, TORONTO CITY Toronto					
<a href="#">142</a>	6 of 48	WSW/181.3	118.8 / 5.00	<b>Helmitin Adhesives Inc.</b> <b>99 Shorncliffe Road Toronto M8Z 5K7 CITY OF</b> <b>TORONTO</b> <b>ON</b>	EBR
<b>Company Name:</b> Helmitin Adhesives Inc. <b>EBR Registry No.:</b> 011-2150 <b>Ministry Ref. No.:</b> 4987-8CMKN2					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Notice Type:</b>		Instrument Decision			
<b>Notice Date:</b>		February 19, 2014			
<b>Proposal Date:</b>		January 07, 2011			
<b>Year:</b>		2011			
<b>Proponent Address:</b>		99 Shorncliffe Road, Toronto Ontario, Canada M8Z 5K7			
<b>Instrument Type:</b>		(EPA Part II.1-air) - Environmental Compliance Approval (project type: air)			
<b>Location Other:</b>					
<b>Location:</b>					
99 Shorncliffe Road Toronto M8Z 5K7 CITY OF TORONTO					

<a href="#">142</a>	7 of 48	WSW/181.3	118.8 / 5.00	<b>Helmitin Canada Inc.</b> 99 SHORNCLIFFE ROAD, TORONTO CITY Toronto ON	EBR
<b>Company Name:</b>		Helmitin Canada Inc.			
<b>EBR Registry No.:</b>		IA7E1086			
<b>Ministry Ref. No.:</b>		8332997 19970702			
<b>Notice Type:</b>		Instrument Decision			
<b>Notice Date:</b>		September 24, 1997			
<b>Proposal Date:</b>		July 23, 1997			
<b>Year:</b>		1997			
<b>Proponent Address:</b>		99 Shorncliffe Road, Toronto Ontario, M8Z 5K7			
<b>Instrument Type:</b>		(EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)			
<b>Location Other:</b>					
<b>Location:</b>					
99 SHORNCLIFFE ROAD, TORONTO CITY Toronto					

<a href="#">142</a>	8 of 48	WSW/181.3	118.8 / 5.00	<b>Helmitin Adhesives Inc.</b> 99 Shorncliffe Rd Toronto ON M8Z 5K7	ECA
<b>Approval No:</b>		7412-9C3RVF		<b>SWP Area Name:</b> Toronto	
<b>Approval Date:</b>		2014-02-12		<b>MOE District:</b> Toronto	
<b>Status:</b>		Approved		<b>City:</b> Toronto	
<b>Record Type:</b>		ECA		<b>Longitude:</b> -79.54126	
<b>Link Source:</b>		IDS		<b>Latitude:</b> 43.6256599999999	
<b>Approval Type:</b>		ECA-AIR			
<b>Project Type:</b>		AIR			
<b>Address:</b>		99 Shorncliffe Rd			
<b>Full Address:</b>					
<b>Full PDF Link:</b>		<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/4987-8CMKN2-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/4987-8CMKN2-14.pdf</a>			

<a href="#">142</a>	9 of 48	WSW/181.3	118.8 / 5.00	<b>Helmitin Inc.</b> 99 Shorncliffe Road Toronto ON M8Z 5K7	ECA
<b>Approval No:</b>		4792-5KKURP		<b>SWP Area Name:</b> Toronto	
<b>Approval Date:</b>		2003-03-28		<b>MOE District:</b> Toronto	
<b>Status:</b>		Revoked and/or Replaced		<b>City:</b> Toronto	
<b>Record Type:</b>		ECA		<b>Longitude:</b> -79.54126	
<b>Link Source:</b>		IDS		<b>Latitude:</b> 43.6256599999999	
<b>Approval Type:</b>		ECA-AIR			
<b>Project Type:</b>		AIR			
<b>Address:</b>		99 Shorncliffe Road			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Full Address:</b>					
<b>Full PDF Link:</b>		https://www.accessenvironment.ene.gov.on.ca/instruments/7603-5D6GXH-14.pdf			
<a href="#">142</a>	10 of 48	WSW/181.3	118.8 / 5.00	HELMITIN CANADA INC 99 SHORNCLIFFE ROAD TORONTO ON M8Z 5K7	GEN
<b>Generator No.:</b>	ON0409200			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	86,87			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	3792				
<b>SIC Description:</b>	ADHESIVES INDUSTRY				
<b>--Details--</b>					
<b>Waste Code:</b>	211				
<b>Waste Description:</b>	AROMATIC SOLVENTS				
<a href="#">142</a>	11 of 48	WSW/181.3	118.8 / 5.00	HELMITIN INC. 99 SHORNCLIFFE ROAD TORONTO ON M8Z 5K7	GEN
<b>Generator No.:</b>	ON0409200			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2012			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	325520				
<b>SIC Description:</b>	Adhesive Manufacturing				
<b>--Details--</b>					
<b>Waste Code:</b>	148				
<b>Waste Description:</b>	INORGANIC LABORATORY CHEMICALS				
<b>Waste Code:</b>	211				
<b>Waste Description:</b>	AROMATIC SOLVENTS				
<b>Waste Code:</b>	146				
<b>Waste Description:</b>	OTHER SPECIFIED INORGANICS				
<b>Waste Code:</b>	263				
<b>Waste Description:</b>	ORGANIC LABORATORY CHEMICALS				
<b>Waste Code:</b>	232				
<b>Waste Description:</b>	POLYMERIC RESINS				
<b>Waste Code:</b>	265				
<b>Waste Description:</b>	GRAPHIC ART WASTES				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Code:</b>	212				
<b>Waste Description:</b>	ALIPHATIC SOLVENTS				
<b>Waste Code:</b>	231				
<b>Waste Description:</b>	LATEX WASTES				
<b>Waste Code:</b>	331				
<b>Waste Description:</b>	WASTE COMPRESSED GASES				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Code:</b>		241			
<b>Waste Description:</b>		HALOGENATED SOLVENTS			
<b>Waste Code:</b>		270			
<b>Waste Description:</b>		OTHER SPECIFIED ORGANICS			
<a href="#">142</a>	12 of 48	WSW/181.3	118.8 / 5.00	HELMITIN CANADA INC 99 SHORNCLIFFE ROAD TORONTO ON M8Z 5K7	GEN
<b>Generator No.:</b>	ON0409200			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	88,89,90			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	3792				
<b>SIC Description:</b>	ADHESIVES INDUSTRY				
<b>--Details--</b>					
<b>Waste Code:</b>	211				
<b>Waste Description:</b>	AROMATIC SOLVENTS				
<b>Waste Code:</b>	231				
<b>Waste Description:</b>	LATEX WASTES				
<a href="#">142</a>	13 of 48	WSW/181.3	118.8 / 5.00	HELMITIN CANADA INC. 99 SHORNCLIFFE ROAD TORONTO ON M8Z 5K7	GEN
<b>Generator No.:</b>	ON0409200			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	92,93,97			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	3792				
<b>SIC Description:</b>	ADHESIVES INDUSTRY				
<b>--Details--</b>					
<b>Waste Code:</b>	148				
<b>Waste Description:</b>	INORGANIC LABORATORY CHEMICALS				
<b>Waste Code:</b>	211				
<b>Waste Description:</b>	AROMATIC SOLVENTS				
<b>Waste Code:</b>	231				
<b>Waste Description:</b>	LATEX WASTES				
<b>Waste Code:</b>	232				
<b>Waste Description:</b>	POLYMERIC RESINS				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Code:</b>	263				
<b>Waste Description:</b>	ORGANIC LABORATORY CHEMICALS				
<b>Waste Code:</b>	265				
<b>Waste Description:</b>	GRAPHIC ART WASTES				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">142</a>	14 of 48	WSW/181.3	118.8 / 5.00	HELMITIN CANADA INC. 99 SHORNCLIFFE ROAD TORONTO ON M8Z 5K7	20-052 GEN
<b>Generator No.:</b>	ON0409200			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	94,95,96			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	3792				
<b>SIC Description:</b>	ADHESIVES INDUSTRY				
<b>--Details--</b>					
<b>Waste Code:</b>	148				
<b>Waste Description:</b>	INORGANIC LABORATORY CHEMICALS				
<b>Waste Code:</b>	211				
<b>Waste Description:</b>	AROMATIC SOLVENTS				
<b>Waste Code:</b>	231				
<b>Waste Description:</b>	LATEX WASTES				
<b>Waste Code:</b>	232				
<b>Waste Description:</b>	POLYMERIC RESINS				
<b>Waste Code:</b>	263				
<b>Waste Description:</b>	ORGANIC LABORATORY CHEMICALS				
<b>Waste Code:</b>	265				
<b>Waste Description:</b>	GRAPHIC ART WASTES				

<a href="#">142</a>	15 of 48	WSW/181.3	118.8 / 5.00	HELMITIN INC. 99 SHORNCLIFFE ROAD TORONTO ON M8Z 5K7	GEN
<b>Generator No.:</b>	ON0409200			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	98,99,00,01,02,03,04,05,06,07,08			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	3792				
<b>SIC Description:</b>	ADHESIVES INDUSTRY				
<b>--Details--</b>					
<b>Waste Code:</b>	231				
<b>Waste Description:</b>	LATEX WASTES				
<b>Waste Code:</b>	232				
<b>Waste Description:</b>	POLYMERIC RESINS				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Code:</b>	263				
<b>Waste Description:</b>	ORGANIC LABORATORY CHEMICALS				
<b>Waste Code:</b>	265				
<b>Waste Description:</b>	GRAPHIC ART WASTES				
<b>Waste Code:</b>	270				
<b>Waste Description:</b>	OTHER SPECIFIED ORGANICS				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Code:</b>		146			
<b>Waste Description:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Code:</b>		241			
<b>Waste Description:</b>		HALOGENATED SOLVENTS			
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		211			
<b>Waste Description:</b>		AROMATIC SOLVENTS			

<a href="#">142</a>	16 of 48	WSW/181.3	118.8 / 5.00	HELMITIN INC. 99 SHORNCLIFFE ROAD TORONTO ON M8Z 5K7	GEN
<b>Generator No.:</b>	ON0409200			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2010			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	325520				
<b>SIC Description:</b>	Adhesive Manufacturing				
<b>--Details--</b>					
<b>Waste Code:</b>		211			
<b>Waste Description:</b>		AROMATIC SOLVENTS			
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		231			
<b>Waste Description:</b>		LATEX WASTES			
<b>Waste Code:</b>		232			
<b>Waste Description:</b>		POLYMERIC RESINS			
<b>Waste Code:</b>		146			
<b>Waste Description:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Code:</b>		263			
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		265			
<b>Waste Description:</b>		GRAPHIC ART WASTES			
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		270			
<b>Waste Description:</b>		OTHER SPECIFIED ORGANICS			
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			
<b>Waste Code:</b>		241			
<b>Waste Description:</b>		HALOGENATED SOLVENTS			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">142</a>	17 of 48	WSW/181.3	118.8 / 5.00	HELMITIN INC. 99 SHORNCLIFFE ROAD TORONTO ON M8Z 5K7	GEN
<b>Generator No.:</b>	ON0409200			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2009			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	325520				
<b>SIC Description:</b>	Adhesive Manufacturing				
<b>--Details--</b>					
<b>Waste Code:</b>	211				
<b>Waste Description:</b>	AROMATIC SOLVENTS				
<b>Waste Code:</b>	146				
<b>Waste Description:</b>	OTHER SPECIFIED INORGANICS				
<b>Waste Code:</b>	148				
<b>Waste Description:</b>	INORGANIC LABORATORY CHEMICALS				
<b>Waste Code:</b>	231				
<b>Waste Description:</b>	LATEX WASTES				
<b>Waste Code:</b>	232				
<b>Waste Description:</b>	POLYMERIC RESINS				
<b>Waste Code:</b>	241				
<b>Waste Description:</b>	HALOGENATED SOLVENTS				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Code:</b>	263				
<b>Waste Description:</b>	ORGANIC LABORATORY CHEMICALS				
<b>Waste Code:</b>	265				
<b>Waste Description:</b>	GRAPHIC ART WASTES				
<b>Waste Code:</b>	270				
<b>Waste Description:</b>	OTHER SPECIFIED ORGANICS				

<a href="#">142</a>	18 of 48	WSW/181.3	118.8 / 5.00	HELMITIN INC. 99 SHORNCLIFFE ROAD TORONTO ON M8Z 5K7	GEN
<b>Generator No.:</b>	ON0409200			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2011			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	325520				
<b>SIC Description:</b>	Adhesive Manufacturing				
<b>--Details--</b>					
<b>Waste Code:</b>	211				
<b>Waste Description:</b>	AROMATIC SOLVENTS				
<b>Waste Code:</b>	148				
<b>Waste Description:</b>	INORGANIC LABORATORY CHEMICALS				



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Code:</b>		232			
<b>Waste Description:</b>		POLYMERIC RESINS			
<b>Waste Code:</b>		265			
<b>Waste Description:</b>		GRAPHIC ART WASTES			
<b>Waste Code:</b>		231			
<b>Waste Description:</b>		LATEX WASTES			
<b>Waste Code:</b>		263			
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		241			
<b>Waste Description:</b>		HALOGENATED SOLVENTS			
<b>Waste Code:</b>		270			
<b>Waste Description:</b>		OTHER SPECIFIED ORGANICS			
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		146			
<b>Waste Description:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			

<a href="#">142</a>	19 of 48	WSW/181.3	118.8 / 5.00	HELMITIN INC. 99 SHORNCLIFFE ROAD TORONTO ON	GEN
<b>Generator No.:</b>	ON0409200			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2013			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	325520				
<b>SIC Description:</b>	ADHESIVE MANUFACTURING				
<b>--Details--</b>					
<b>Waste Code:</b>	212				
<b>Waste Description:</b>	ALIPHATIC SOLVENTS				
<b>Waste Code:</b>	148				
<b>Waste Description:</b>	INORGANIC LABORATORY CHEMICALS				
<b>Waste Code:</b>	211				
<b>Waste Description:</b>	AROMATIC SOLVENTS				
<b>Waste Code:</b>	331				
<b>Waste Description:</b>	WASTE COMPRESSED GASES				
<b>Waste Code:</b>	231				
<b>Waste Description:</b>	LATEX WASTES				
<b>Waste Code:</b>	146				
<b>Waste Description:</b>	OTHER SPECIFIED INORGANICS				
<b>Waste Code:</b>	263				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		241			
<b>Waste Description:</b>		HALOGENATED SOLVENTS			
<b>Waste Code:</b>		265			
<b>Waste Description:</b>		GRAPHIC ART WASTES			
<b>Waste Code:</b>		270			
<b>Waste Description:</b>		OTHER SPECIFIED ORGANICS			
<b>Waste Code:</b>		268			
<b>Waste Description:</b>		AMINES			
<b>Waste Code:</b>		232			
<b>Waste Description:</b>		POLYMERIC RESINS			

[142](#)    20 of 48       **WSW/181.3**    **118.8 / 5.00**    **HELMITIN INC.**  
**99 SHORNCLIFFE ROAD**  
**TORONTO ON M8Z 5K7**    **GEN**

<b>Generator No.:</b>	ON0409200	<b>PO Box No.:</b>	
<b>Status:</b>		<b>Country:</b>	Canada
<b>Approval Years:</b>	2015	<b>Choice of Contact:</b>	CO_ADMIN
<b>Contam. Facility:</b>	No	<b>Co Admin:</b>	SCOTT HOLMAN
<b>MHSW Facility:</b>	No	<b>Phone No. Admin:</b>	416-239-3105 Ext.246
<b>SIC Code:</b>	325520		
<b>SIC Description:</b>	ADHESIVE MANUFACTURING		

**--Details--**

<b>Waste Code:</b>	146
<b>Waste Description:</b>	OTHER SPECIFIED INORGANICS
<b>Waste Code:</b>	263
<b>Waste Description:</b>	ORGANIC LABORATORY CHEMICALS
<b>Waste Code:</b>	212
<b>Waste Description:</b>	ALIPHATIC SOLVENTS
<b>Waste Code:</b>	241
<b>Waste Description:</b>	HALOGENATED SOLVENTS
<b>Waste Code:</b>	211
<b>Waste Description:</b>	AROMATIC SOLVENTS
<b>Waste Code:</b>	252
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS
<b>Waste Code:</b>	270
<b>Waste Description:</b>	OTHER SPECIFIED ORGANICS
<b>Waste Code:</b>	232
<b>Waste Description:</b>	POLYMERIC RESINS
<b>Waste Code:</b>	112
<b>Waste Description:</b>	ACID WASTE - HEAVY METALS
<b>Waste Code:</b>	331
<b>Waste Description:</b>	WASTE COMPRESSED GASES

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Waste Code:</i>		145			
<i>Waste Description:</i>		PAINT/PIGMENT/COATING RESIDUES			
<i>Waste Code:</i>		148			
<i>Waste Description:</i>		INORGANIC LABORATORY CHEMICALS			
<i>Waste Code:</i>		268			
<i>Waste Description:</i>		AMINES			
<i>Waste Code:</i>		265			
<i>Waste Description:</i>		GRAPHIC ART WASTES			
<i>Waste Code:</i>		231			
<i>Waste Description:</i>		LATEX WASTES			

[142](#)    21 of 48    **WSW/181.3**    **118.8 / 5.00**    **HELMITIN INC.**  
**99 SHORNCLIFFE ROAD**  
**TORONTO ON M8Z 5K7**    **GEN**

<b>Generator No.:</b>	ON0409200	<b>PO Box No.:</b>	
<b>Status:</b>	Registered	<b>Country:</b>	Canada
<b>Approval Years:</b>	As of Dec 2017	<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>		<b>Co Admin:</b>	
<b>MHSW Facility:</b>		<b>Phone No. Admin:</b>	
<b>SIC Code:</b>			
<b>SIC Description:</b>			

**--Details--**

<b>Waste Code:</b>	241 H
<b>Waste Description:</b>	Halogenated solvents and residues
<b>Waste Code:</b>	265 L
<b>Waste Description:</b>	Graphic arts wastes
<b>Waste Code:</b>	268 C
<b>Waste Description:</b>	Amines
<b>Waste Code:</b>	265 I
<b>Waste Description:</b>	Graphic arts wastes
<b>Waste Code:</b>	263 L
<b>Waste Description:</b>	Misc. waste organic chemicals
<b>Waste Code:</b>	212 I
<b>Waste Description:</b>	Aliphatic solvents and residues
<b>Waste Code:</b>	268 L
<b>Waste Description:</b>	Amines
<b>Waste Code:</b>	252 L
<b>Waste Description:</b>	Waste crankcase oils and lubricants
<b>Waste Code:</b>	263 A
<b>Waste Description:</b>	Misc. waste organic chemicals
<b>Waste Code:</b>	146 T
<b>Waste Description:</b>	Other specified inorganic sludges, slurries or solids
<b>Waste Code:</b>	211 H
<b>Waste Description:</b>	Aromatic solvents and residues
<b>Waste Code:</b>	212 L
<b>Waste Description:</b>	Aliphatic solvents and residues

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Code:</b>		232 R			
<b>Waste Description:</b>		Polymeric resins			
<b>Waste Code:</b>		145 L			
<b>Waste Description:</b>		Wastes from the use of pigments, coatings and paints			
<b>Waste Code:</b>		331 I			
<b>Waste Description:</b>		Waste compressed gases including cylinders			
<b>Waste Code:</b>		112 R			
<b>Waste Description:</b>		Acid solutions - containing heavy metals			
<b>Waste Code:</b>		231 L			
<b>Waste Description:</b>		Latex wastes			
<b>Waste Code:</b>		232 L			
<b>Waste Description:</b>		Polymeric resins			
<b>Waste Code:</b>		148 A			
<b>Waste Description:</b>		Misc. wastes and inorganic chemicals			

<a href="#">142</a>	22 of 48	WSW/181.3	118.8 / 5.00	HELMITIN INC. 99 SHORNCLIFFE ROAD TORONTO ON M8Z 5K7	GEN
<b>Generator No.:</b>	ON0409200			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2016			<b>Choice of Contact:</b>	CO_ADMIN
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	SCOTT HOLMAN
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b>	416-239-3105 Ext.246
<b>SIC Code:</b>	325520				
<b>SIC Description:</b>	ADHESIVE MANUFACTURING				
<b>--Details--</b>					
<b>Waste Code:</b>	212				
<b>Waste Description:</b>	ALIPHATIC SOLVENTS				
<b>Waste Code:</b>	268				
<b>Waste Description:</b>	AMINES				
<b>Waste Code:</b>	263				
<b>Waste Description:</b>	ORGANIC LABORATORY CHEMICALS				
<b>Waste Code:</b>	148				
<b>Waste Description:</b>	INORGANIC LABORATORY CHEMICALS				
<b>Waste Code:</b>	146				
<b>Waste Description:</b>	OTHER SPECIFIED INORGANICS				
<b>Waste Code:</b>	232				
<b>Waste Description:</b>	POLYMERIC RESINS				
<b>Waste Code:</b>	211				
<b>Waste Description:</b>	AROMATIC SOLVENTS				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Code:</b>	231				
<b>Waste Description:</b>	LATEX WASTES				
<b>Waste Code:</b>	112				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Description:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			
<b>Waste Code:</b>		265			
<b>Waste Description:</b>		GRAPHIC ART WASTES			
<b>Waste Code:</b>		270			
<b>Waste Description:</b>		OTHER SPECIFIED ORGANICS			
<b>Waste Code:</b>		241			
<b>Waste Description:</b>		HALOGENATED SOLVENTS			
<a href="#">142</a>	23 of 48	WSW/181.3	118.8 / 5.00	HELMITIN INC. 99 SHORNCLIFFE ROAD TORONTO ON M8Z 5K7	GEN
<b>Generator No.:</b>		ON0409200		<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b> Canada	
<b>Approval Years:</b>		2014		<b>Choice of Contact:</b> CO_ADMIN	
<b>Contam. Facility:</b>		No		<b>Co Admin:</b> SCOTT HOLMAN	
<b>MHSW Facility:</b>		No		<b>Phone No. Admin:</b> 416-239-3105 Ext.246	
<b>SIC Code:</b>		325520			
<b>SIC Description:</b>		ADHESIVE MANUFACTURING			
<b>--Details--</b>					
<b>Waste Code:</b>		263			
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		268			
<b>Waste Description:</b>		AMINES			
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		270			
<b>Waste Description:</b>		OTHER SPECIFIED ORGANICS			
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		231			
<b>Waste Description:</b>		LATEX WASTES			
<b>Waste Code:</b>		211			
<b>Waste Description:</b>		AROMATIC SOLVENTS			
<b>Waste Code:</b>		241			
<b>Waste Description:</b>		HALOGENATED SOLVENTS			
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Code:		146			
Waste Description:		OTHER SPECIFIED INORGANICS			
Waste Code:		265			
Waste Description:		GRAPHIC ART WASTES			
Waste Code:		232			
Waste Description:		POLYMERIC RESINS			

<a href="#">142</a>	24 of 48	WSW/181.3	118.8 / 5.00	Helmitin Inc. 99 SHORNCLIFFE ROAD NOT AVAILABLE TORONTO ON M8Z5K7	NPRI
NPRI ID:	383			Org ID:	106100
Other ID:				Submit Date:	5/31/2016
No Other ID:				Last Modified:	11/18/2016 8:28:05 AM
Track ID:	140479			Contact ID:	
Report ID:	75330			Cont Type:	
Report Type:	NPRI			Contact Title:	
Rpt Type ID:	1			Cont First Name:	
Report Year:	2015			Cont Last Name:	
Not-Current Rpt?:	No			Contact Position:	
Yr of Last Filed Rpt:	2014			Contact Fax:	
Fac ID:	223424			Contact Ph.:	
Fac Name:	TORONTO PLANT			Cont Area Code:	
Fac Address1:	99 SHORNCLIFFE ROAD			Contact Tel.:	
Fac Address2:	NOT AVAILABLE			Contact Ext.:	
Fac Postal Zip:	M8Z5K7			Cont Fax Area Cde:	
Facility Lat:	43.62567			Contact Fax:	
Facility Long:	-79.54192			Contact Email:	
DLS (Last Filed Rpt):				Latitude:	43.6253
Facility DLS:				Longitude:	-79.5419
Datum:	1983			UTM Zone:	
Facility Cmnts:				UTM Northing:	
URL:				UTM Easting:	
No of Empl.:	35			Waste Streams:	
Parent Co.:				No Streams:	
No Parent Co.:				Waste Off Sites:	
Pollut Prev Cmnts:				No Off Sites:	
Stacks:				Shutdown:	
No of Stacks:				No of Shutdown:	
Canadian SIC Code (2 digit):					
Canadian SIC Code:					
SIC Code Description:					
American SIC Code:					
NAICS Code (2 digit):	32				
NAICS 2 Description:	Manufacturing				
NAICS Code (4 digit):	3255				
NAICS 4 Description:	Paint, coating and adhesive manufacturing				
NAICS Code (6 digit):	325510				
NAICS 6 Description:	Paint and coating manufacturing				

#### Substance Release Report

Category Type ID:	13
Category Type Desc:	All Media
Category Type Desc (fr):	Rejets à tous les médias
Grouping:	Total All Media<1t
Trans Code:	
Chem:	
Chem (fr):	
Quantity:	.372
Unit:	tonnes

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Basis of Estimate Cd:</b>		O			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			
<b>Category Type ID:</b>		1			
<b>Category Type Desc:</b>		Stack / Point			
<b>Category Type Desc (fr):</b>		Rejets de cheminée ou ponctuels			
<b>Grouping:</b>		Total Air			
<b>Trans Code:</b>		ASta			
<b>Chem:</b>					
<b>Chem (fr):</b>					
<b>Quantity:</b>		.49			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		E2			
<b>Basis of Estimate Desc:</b>		E2- Published Emission Factors - In use from 2003 and onward			
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>					
<b>Chem (fr):</b>					
<b>Quantity:</b>		.143			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		O			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>					
<b>Chem (fr):</b>					
<b>Quantity:</b>		.031			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		O			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>					
<b>Chem (fr):</b>					
<b>Quantity:</b>		.016			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		E1			
<b>Basis of Estimate Desc:</b>		E1- Site Specific Emission Factors - In use from 2003 and onward			

[142](#)

25 of 48

WSW/181.3

118.8 / 5.00

HELMITIN INC.  
99 SHORNCLIFFE ROAD NOT AVAILABLE  
TORONTO ON M8Z5K7

NPRI

**NPRI ID:** 383  
**Other ID:**  
**No Other ID:**  
**Track ID:** 116682  
**Report ID:** 31043  
**Report Type:** NPRI  
**Rpt Type ID:** 1  
**Report Year:** 2013  
**Not-Current Rpt?:** No  
**Yr of Last Filed Rpt:** 2014

**Org ID:** 102327  
**Submit Date:** 5/21/2014  
**Last Modified:** 5/29/2015 3:28:24 PM  
**Contact ID:**  
**Cont Type:**  
**Contact Title:**  
**Cont First Name:**  
**Cont Last Name:**  
**Contact Position:**  
**Contact Fax:**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Fac ID:</b>	223424			<b>Contact Ph.:</b>	
<b>Fac Name:</b>	TORONTO PLANT			<b>Cont Area Code:</b>	
<b>Fac Address1:</b>	99 SHORNCLIFFE ROAD			<b>Contact Tel.:</b>	
<b>Fac Address2:</b>	NOT AVAILABLE			<b>Contact Ext.:</b>	
<b>Fac Postal Zip:</b>	M8Z5K7			<b>Cont Fax Area Cde:</b>	
<b>Facility Lat:</b>	43.62567			<b>Contact Fax:</b>	
<b>Facility Long:</b>	-79.54192			<b>Contact Email:</b>	
<b>DLS (Last Filed Rpt):</b>				<b>Latitude:</b>	43.6253
<b>Facility DLS:</b>				<b>Longitude:</b>	-79.5419
<b>Datum:</b>	1983			<b>UTM Zone:</b>	
<b>Facility Cmnts:</b>				<b>UTM Northing:</b>	
<b>URL:</b>				<b>UTM Easting:</b>	
<b>No of Empl.:</b>	34			<b>Waste Streams:</b>	
<b>Parent Co.:</b>				<b>No Streams:</b>	
<b>No Parent Co.:</b>				<b>Waste Off Sites:</b>	
<b>Pollut Prev Cmnts:</b>				<b>No Off Sites:</b>	
<b>Stacks:</b>				<b>Shutdown:</b>	
<b>No of Stacks:</b>				<b>No of Shutdown:</b>	
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>	32				
<b>NAICS 2 Description:</b>	Manufacturing				
<b>NAICS Code (4 digit):</b>	3255				
<b>NAICS 4 Description:</b>	Paint, coating and adhesive manufacturing				
<b>NAICS Code (6 digit):</b>	325510				
<b>NAICS 6 Description:</b>	Paint and coating manufacturing				

#### Substance Release Report

<b>Category Type ID:</b>	13
<b>Category Type Desc:</b>	All Media
<b>Category Type Desc (fr):</b>	Rejets à tous les médias
<b>Grouping:</b>	Total All Media<1t
<b>Trans Code:</b>	
<b>Chem:</b>	Toluene
<b>Chem (fr):</b>	Toluène
<b>Quantity:</b>	.095
<b>Unit:</b>	tonnes
<b>Basis of Estimate Cd:</b>	O
<b>Basis of Estimate Desc:</b>	O- Engineering Estimates
<b>Category Type ID:</b>	1
<b>Category Type Desc:</b>	Stack / Point
<b>Category Type Desc (fr):</b>	Rejets de cheminée ou ponctuels
<b>Grouping:</b>	Total Air
<b>Trans Code:</b>	ASta
<b>Chem:</b>	Dichloromethane
<b>Chem (fr):</b>	Dichlorométhane
<b>Quantity:</b>	.698
<b>Unit:</b>	tonnes
<b>Basis of Estimate Cd:</b>	O
<b>Basis of Estimate Desc:</b>	O- Engineering Estimates
<b>Category Type ID:</b>	13
<b>Category Type Desc:</b>	All Media
<b>Category Type Desc (fr):</b>	Rejets à tous les médias
<b>Grouping:</b>	Total All Media<1t
<b>Trans Code:</b>	
<b>Chem:</b>	n-Hexane
<b>Chem (fr):</b>	n-Hexane
<b>Quantity:</b>	.119
<b>Unit:</b>	tonnes
<b>Basis of Estimate Cd:</b>	O



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			
<b>Category Type ID:</b>		1			
<b>Category Type Desc:</b>		Stack / Point			
<b>Category Type Desc (fr):</b>		Rejets de cheminée ou ponctuels			
<b>Grouping:</b>		Total Air			
<b>Trans Code:</b>		ASta			
<b>Chem:</b>		Methyl ethyl ketone			
<b>Chem (fr):</b>		Méthyléthylcétone			
<b>Quantity:</b>		.017			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		E1			
<b>Basis of Estimate Desc:</b>		E1- Site Specific Emission Factors - In use from 2003 and onward			

<a href="#">142</a>	26 of 48	WSW/181.3	118.8 / 5.00	HELMITIN CANADA INC. 99 SHORNCLIFFE ROAD NOT AVAILABLE TORONTO ON M8Z5K7	NPRI
<b>NPRI ID:</b>	383	<b>Org ID:</b>	13598	<b>Submit Date:</b>	7/16/1997
<b>Other ID:</b>	Y	<b>Last Modified:</b>	5/29/2015 3:28:24 PM	<b>Contact ID:</b>	85976
<b>No Other ID:</b>	1	<b>Cont Type:</b>	MED	<b>Contact Title:</b>	
<b>Track ID:</b>	1210	<b>Cont First Name:</b>	ERNIE	<b>Cont Last Name:</b>	LEINER
<b>Report ID:</b>		<b>Contact Position:</b>	PRESIDENT	<b>Contact Fax:</b>	4162396487
<b>Report Type:</b>	NPRI	<b>Contact Ph.:</b>	4162393105	<b>Contact Area Code:</b>	416
<b>Rpt Type ID:</b>	1	<b>Contact Area Code:</b>	416	<b>Contact Tel.:</b>	62393105
<b>Report Year:</b>	1996	<b>Contact Ext.:</b>		<b>Cont Fax Area Cde:</b>	416
<b>Not-Current Rpt?:</b>	No	<b>Contact Fax:</b>	62396487	<b>Contact Email:</b>	NOT AVAILABLE
<b>Yr of Last Filed Rpt:</b>	2014	<b>Latitude:</b>	43.6253	<b>Longitude:</b>	-79.5419
<b>Fac ID:</b>	37552	<b>UTM Zone:</b>	17	<b>UTM Northing:</b>	4831074
<b>Fac Name:</b>	NOT AVAILABLE	<b>UTM Easting:</b>	617639	<b>Waste Streams:</b>	FALSE
<b>Fac Address1:</b>	99 SHORNCLIFFE ROAD	<b>No Streams:</b>	0	<b>Waste Off Sites:</b>	FALSE
<b>Fac Address2:</b>	NOT AVAILABLE	<b>No Off Sites:</b>	0	<b>Shutdown:</b>	
<b>Fac Postal Zip:</b>	M8Z5K7	<b>No of Shutdown:</b>			
<b>Facility Lat:</b>	43.6253				
<b>Facility Long:</b>	-79.5419				
<b>DLS (Last Filed Rpt):</b>					
<b>Facility DLS:</b>					
<b>Datum:</b>	1983				
<b>Facility Cmnts:</b>	FALSE				
<b>URL:</b>					
<b>No of Empl.:</b>	31				
<b>Parent Co.:</b>	*				
<b>No Parent Co.:</b>	0				
<b>Pollut Prev Cmnts:</b>	FALSE				
<b>Stacks:</b>					
<b>No of Stacks:</b>					
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>	32				
<b>NAICS 2 Description:</b>	Manufacturing				
<b>NAICS Code (4 digit):</b>	3255				
<b>NAICS 4 Description:</b>	Paint, coating and adhesive manufacturing				
<b>NAICS Code (6 digit):</b>	325520				
<b>NAICS 6 Description:</b>	Adhesive manufacturing				

#### Substance Release Report

<b>Category Type ID:</b>	13
<b>Category Type Desc:</b>	All Media
<b>Category Type Desc (fr):</b>	Rejets à tous les médias
<b>Grouping:</b>	Total All Media<1t
<b>Trans Code:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Chem:</b>		Dichloromethane			
<b>Chem (fr):</b>		Dichlorométhane			
<b>Quantity:</b>		.5			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		O			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		Methyl ethyl ketone			
<b>Chem (fr):</b>		Méthyléthylcétone			
<b>Quantity:</b>		.1			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		O			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		Acetone			
<b>Chem (fr):</b>		Acétone			
<b>Quantity:</b>		.3			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		O			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		Trichloroethylene			
<b>Chem (fr):</b>		Trichloroéthylène			
<b>Quantity:</b>		.1			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		O			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		Toluene			
<b>Chem (fr):</b>		Toluène			
<b>Quantity:</b>		.1			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		O			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			

[142](#)

27 of 48

WSW/181.3

118.8 / 5.00

HELMITIN INC.  
99 SHORNCLIFFE ROAD NOT AVAILABLE  
TORONTO ON M8Z5K7

NPRI

**NPRI ID:** 383  
**Other ID:**  
**No Other ID:**  
**Track ID:** 78037  
**Report ID:** 23659  
**Report Type:** NPRI

**Org ID:** 102327  
**Submit Date:** 12/19/2013  
**Last Modified:** 5/29/2015 3:28:24 PM  
**Contact ID:** 113007  
**Cont Type:** MED  
**Contact Title:**

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>Rpt Type ID:</b>	1			<b>Cont First Name:</b>	ADRIAN
<b>Report Year:</b>	2012			<b>Cont Last Name:</b>	HOLZSCHERER
<b>Not-Current Rpt?:</b>	No			<b>Contact Position:</b>	DIRECTOR OF OPERATIONS
<b>Yr of Last Filed Rpt:</b>	2014			<b>Contact Fax:</b>	4162396487
<b>Fac ID:</b>	223424			<b>Contact Ph.:</b>	4162393105
<b>Fac Name:</b>	TORONTO PLANT			<b>Cont Area Code:</b>	416
<b>Fac Address1:</b>	99 SHORNCLIFFE ROAD			<b>Contact Tel.:</b>	62393105
<b>Fac Address2:</b>	NOT AVAILABLE			<b>Contact Ext.:</b>	237
<b>Fac Postal Zip:</b>	M8Z5K7			<b>Cont Fax Area Cde:</b>	416
<b>Facility Lat:</b>	43.62567			<b>Contact Fax:</b>	62396487
<b>Facility Long:</b>	-79.54192			<b>Contact Email:</b>	A.HOLZSCHERER@HELMITINADHESIVES.COM
<b>DLS (Last Filed Rpt):</b>				<b>Latitude:</b>	43.6253
<b>Facility DLS:</b>				<b>Longitude:</b>	-79.5419
<b>Datum:</b>	1983			<b>UTM Zone:</b>	
<b>Facility Cmnts:</b>				<b>UTM Northing:</b>	
<b>URL:</b>				<b>UTM Easting:</b>	
<b>No of Empl.:</b>	31			<b>Waste Streams:</b>	
<b>Parent Co.:</b>				<b>No Streams:</b>	
<b>No Parent Co.:</b>				<b>Waste Off Sites:</b>	
<b>Pollut Prev Cmnts:</b>				<b>No Off Sites:</b>	
<b>Stacks:</b>				<b>Shutdown:</b>	
<b>No of Stacks:</b>				<b>No of Shutdown:</b>	
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>	32				
<b>NAICS 2 Description:</b>	Manufacturing				
<b>NAICS Code (4 digit):</b>	3255				
<b>NAICS 4 Description:</b>	Paint, coating and adhesive manufacturing				
<b>NAICS Code (6 digit):</b>	325510				
<b>NAICS 6 Description:</b>	Paint and coating manufacturing				
<b><u>Substance Release Report</u></b>					
<b>Category Type ID:</b>	13				
<b>Category Type Desc:</b>	All Media				
<b>Category Type Desc (fr):</b>	Rejets à tous les médias				
<b>Grouping:</b>	Total All Media<1t				
<b>Trans Code:</b>					
<b>Chem:</b>	Methyl ethyl ketone				
<b>Chem (fr):</b>	Méthyléthylcétone				
<b>Quantity:</b>	.0289				
<b>Unit:</b>	tonnes				
<b>Basis of Estimate Cd:</b>	NA				
<b>Basis of Estimate Desc:</b>	NA- Not Applicable				
<b>Category Type ID:</b>	13				
<b>Category Type Desc:</b>	All Media				
<b>Category Type Desc (fr):</b>	Rejets à tous les médias				
<b>Grouping:</b>	Total All Media<1t				
<b>Trans Code:</b>					
<b>Chem:</b>	Dichloromethane				
<b>Chem (fr):</b>	Dichlorométhane				
<b>Quantity:</b>	.7228				
<b>Unit:</b>	tonnes				
<b>Basis of Estimate Cd:</b>	NA				
<b>Basis of Estimate Desc:</b>	NA- Not Applicable				
<b>Category Type ID:</b>	13				
<b>Category Type Desc:</b>	All Media				
<b>Category Type Desc (fr):</b>	Rejets à tous les médias				
<b>Grouping:</b>	Total All Media<1t				
<b>Trans Code:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Chem:</b>		Toluene			
<b>Chem (fr):</b>		Toluène			
<b>Quantity:</b>		.031			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		NA			
<b>Basis of Estimate Desc:</b>		NA- Not Applicable			
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		n-Hexane			
<b>Chem (fr):</b>		n-Hexane			
<b>Quantity:</b>		.1555			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		NA			
<b>Basis of Estimate Desc:</b>		NA- Not Applicable			

<a href="#">142</a>	28 of 48	WSW/181.3	118.8 / 5.00	HELMITIN INC. 99 SHORNCLIFFE ROAD NOT AVAILABLE TORONTO ON M8Z5K7	NPRI
<b>NPRI ID:</b>	383			<b>Org ID:</b>	51192
<b>Other ID:</b>	*			<b>Submit Date:</b>	5/30/2000
<b>No Other ID:</b>	0			<b>Last Modified:</b>	5/29/2015 3:28:24 PM
<b>Track ID:</b>	1212			<b>Contact ID:</b>	234511
<b>Report ID:</b>				<b>Cont Type:</b>	MED
<b>Report Type:</b>	NPRI			<b>Contact Title:</b>	
<b>Rpt Type ID:</b>	1			<b>Cont First Name:</b>	
<b>Report Year:</b>	1999			<b>Cont Last Name:</b>	
<b>Not-Current Rpt?:</b>	No			<b>Contact Position:</b>	
<b>Yr of Last Filed Rpt:</b>	2014			<b>Contact Fax:</b>	
<b>Fac ID:</b>	37554			<b>Contact Ph.:</b>	
<b>Fac Name:</b>	HELMITIN INC. (TORONTO)			<b>Cont Area Code:</b>	
<b>Fac Address1:</b>	99 SHORNCLIFFE ROAD			<b>Contact Tel.:</b>	
<b>Fac Address2:</b>	NOT AVAILABLE			<b>Contact Ext.:</b>	
<b>Fac Postal Zip:</b>	M8Z5K7			<b>Cont Fax Area Cde:</b>	
<b>Facility Lat:</b>	43.6253			<b>Contact Fax:</b>	
<b>Facility Long:</b>	-79.5419			<b>Contact Email:</b>	
<b>DLS (Last Filed Rpt):</b>				<b>Latitude:</b>	43.6253
<b>Facility DLS:</b>				<b>Longitude:</b>	-79.5419
<b>Datum:</b>	1983			<b>UTM Zone:</b>	17
<b>Facility Cmnts:</b>	False			<b>UTM Northing:</b>	4831074
<b>URL:</b>				<b>UTM Easting:</b>	617639
<b>No of Empl.:</b>	39			<b>Waste Streams:</b>	Yes
<b>Parent Co.:</b>	Y			<b>No Streams:</b>	0
<b>No Parent Co.:</b>	1			<b>Waste Off Sites:</b>	Yes
<b>Pollut Prev Cmnts:</b>	False			<b>No Off Sites:</b>	0
<b>Stacks:</b>				<b>Shutdown:</b>	
<b>No of Stacks:</b>				<b>No of Shutdown:</b>	
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>	32				
<b>NAICS 2 Description:</b>	Manufacturing				
<b>NAICS Code (4 digit):</b>	3255				
<b>NAICS 4 Description:</b>	Paint, coating and adhesive manufacturing				
<b>NAICS Code (6 digit):</b>	325520				
<b>NAICS 6 Description:</b>	Adhesive manufacturing				

**Substance Release Report**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Category Type ID:</b>		1			
<b>Category Type Desc:</b>		Stack / Point			
<b>Category Type Desc (fr):</b>		Rejets de cheminée ou ponctuels			
<b>Grouping:</b>		Total Air			
<b>Trans Code:</b>		ASta			
<b>Chem:</b>		Dichloromethane			
<b>Chem (fr):</b>		Dichlorométhane			
<b>Quantity:</b>		2.318			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		O			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		Toluene			
<b>Chem (fr):</b>		Toluène			
<b>Quantity:</b>		.622			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		O			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			
<b>Category Type ID:</b>		2			
<b>Category Type Desc:</b>		Storage / Handling			
<b>Category Type Desc (fr):</b>		Rejets de stockage ou manutention			
<b>Grouping:</b>		Total Air			
<b>Trans Code:</b>		VOCg			
<b>Chem:</b>		Dichloromethane			
<b>Chem (fr):</b>		Dichlorométhane			
<b>Quantity:</b>		.715			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		O			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		Trichloroethylene			
<b>Chem (fr):</b>		Trichloroéthylène			
<b>Quantity:</b>		.184			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		O			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		Methyl ethyl ketone			
<b>Chem (fr):</b>		Méthyléthylcétone			
<b>Quantity:</b>		.671			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		O			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			
<a href="#">142</a>	29 of 48	WSW/181.3	118.8 / 5.00	HELMITIN INC. 99 SHORNCLIFFE ROAD NOT AVAILABLE TORONTO ON M8Z5K7	NPRI
NPRI ID:	383			Org ID:	51192

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Other ID:</b>	*			<b>Submit Date:</b>	5/28/2002
<b>No Other ID:</b>	0.00			<b>Last Modified:</b>	5/29/2015 3:28:24 PM
<b>Track ID:</b>	1208			<b>Contact ID:</b>	234511
<b>Report ID:</b>				<b>Cont Type:</b>	MED
<b>Report Type:</b>	NPRI			<b>Contact Title:</b>	
<b>Rpt Type ID:</b>	1			<b>Cont First Name:</b>	
<b>Report Year:</b>	2001			<b>Cont Last Name:</b>	
<b>Not-Current Rpt?:</b>	No			<b>Contact Position:</b>	
<b>Yr of Last Filed Rpt:</b>	2014			<b>Contact Fax:</b>	
<b>Fac ID:</b>	223424			<b>Contact Ph.:</b>	
<b>Fac Name:</b>	TORONTO PLANT			<b>Cont Area Code:</b>	
<b>Fac Address1:</b>	99 SHORNCLIFFE ROAD			<b>Contact Tel.:</b>	
<b>Fac Address2:</b>	NOT AVAILABLE			<b>Contact Ext.:</b>	
<b>Fac Postal Zip:</b>	M8Z5K7			<b>Cont Fax Area Cde:</b>	
<b>Facility Lat:</b>	43.62567			<b>Contact Fax:</b>	
<b>Facility Long:</b>	-79.54192			<b>Contact Email:</b>	
<b>DLS (Last Filed Rpt):</b>				<b>Latitude:</b>	43.6253
<b>Facility DLS:</b>				<b>Longitude:</b>	-79.5419
<b>Datum:</b>	1983			<b>UTM Zone:</b>	
<b>Facility Cmnts:</b>	No			<b>UTM Northing:</b>	
<b>URL:</b>	helmitinadhesives.com			<b>UTM Easting:</b>	
<b>No of Empl.:</b>	35			<b>Waste Streams:</b>	No
<b>Parent Co.:</b>	Y			<b>No Streams:</b>	0.00
<b>No Parent Co.:</b>	1.00			<b>Waste Off Sites:</b>	Yes
<b>Pollut Prev Cmnts:</b>	No			<b>No Off Sites:</b>	3.00
<b>Stacks:</b>				<b>Shutdown:</b>	
<b>No of Stacks:</b>				<b>No of Shutdown:</b>	
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>	32				
<b>NAICS 2 Description:</b>	Manufacturing				
<b>NAICS Code (4 digit):</b>	3255				
<b>NAICS 4 Description:</b>	Paint, coating and adhesive manufacturing				
<b>NAICS Code (6 digit):</b>	325510				
<b>NAICS 6 Description:</b>	Paint and coating manufacturing				

### Substance Release Report

**Category Type ID:** 2  
**Category Type Desc:** Storage / Handling  
**Category Type Desc (fr):** Rejets de stockage ou manutention  
**Grouping:** Total Air  
**Trans Code:** VOCg  
**Chem:** Dichloromethane  
**Chem (fr):** Dichlorométhane  
**Quantity:** 3.26  
**Unit:** tonnes  
**Basis of Estimate Cd:** O  
**Basis of Estimate Desc:** O- Engineering Estimates

**Category Type ID:** 2  
**Category Type Desc:** Storage / Handling  
**Category Type Desc (fr):** Rejets de stockage ou manutention  
**Grouping:** Total Air  
**Trans Code:** VOCg  
**Chem:** Trichloroethylene  
**Chem (fr):** Trichloroéthylène  
**Quantity:** .195  
**Unit:** tonnes  
**Basis of Estimate Cd:** O  
**Basis of Estimate Desc:** O- Engineering Estimates

**Category Type ID:** 2

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Category Type Desc:</b>		Storage / Handling			
<b>Category Type Desc (fr):</b>		Rejets de stockage ou manutention			
<b>Grouping:</b>		Total Air			
<b>Trans Code:</b>		VOCg			
<b>Chem:</b>		Toluene			
<b>Chem (fr):</b>		Toluène			
<b>Quantity:</b>		1.222			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		O			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			
<b>Category Type ID:</b>		2			
<b>Category Type Desc:</b>		Storage / Handling			
<b>Category Type Desc (fr):</b>		Rejets de stockage ou manutention			
<b>Grouping:</b>		Total Air			
<b>Trans Code:</b>		VOCg			
<b>Chem:</b>		Methyl ethyl ketone			
<b>Chem (fr):</b>		Méthyléthylcétone			
<b>Quantity:</b>		.59			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		O			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			
<b>Category Type ID:</b>		2			
<b>Category Type Desc:</b>		Storage / Handling			
<b>Category Type Desc (fr):</b>		Rejets de stockage ou manutention			
<b>Grouping:</b>		Total Air			
<b>Trans Code:</b>		VOCg			
<b>Chem:</b>		n-Hexane			
<b>Chem (fr):</b>		n-Hexane			
<b>Quantity:</b>		1.766			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		O			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			

<a href="#">142</a>	30 of 48	WSW/181.3	118.8 / 5.00	HELMITIN CANADA INC. 99 SHORNCLIFFE ROAD NOT AVAILABLE TORONTO ON M8Z5K7	NPRI
<b>NPRI ID:</b>	383			<b>Org ID:</b>	13598
<b>Other ID:</b>	Y			<b>Submit Date:</b>	6/11/1998
<b>No Other ID:</b>	1			<b>Last Modified:</b>	5/29/2015 3:28:24 PM
<b>Track ID:</b>	1211			<b>Contact ID:</b>	75381
<b>Report ID:</b>				<b>Cont Type:</b>	MED
<b>Report Type:</b>	NPRI			<b>Contact Title:</b>	
<b>Rpt Type ID:</b>	1			<b>Cont First Name:</b>	ADRIAN
<b>Report Year:</b>	1997			<b>Cont Last Name:</b>	HOLZSCHERER
<b>Not-Current Rpt?:</b>	No			<b>Contact Position:</b>	PLANT MANAGER
<b>Yr of Last Filed Rpt:</b>	2014			<b>Contact Fax:</b>	4162396487
<b>Fac ID:</b>	37552			<b>Contact Ph.:</b>	4162393105
<b>Fac Name:</b>	NOT AVAILABLE			<b>Cont Area Code:</b>	416
<b>Fac Address1:</b>	99 SHORNCLIFFE ROAD			<b>Contact Tel.:</b>	62393105
<b>Fac Address2:</b>	NOT AVAILABLE			<b>Contact Ext.:</b>	
<b>Fac Postal Zip:</b>	M8Z5K7			<b>Cont Fax Area Cde:</b>	416
<b>Facility Lat:</b>	43.6253			<b>Contact Fax:</b>	62396487
<b>Facility Long:</b>	-79.5419			<b>Contact Email:</b>	NOT AVAILABLE
<b>DLS (Last Filed Rpt):</b>				<b>Latitude:</b>	43.6253
<b>Facility DLS:</b>				<b>Longitude:</b>	-79.5419
<b>Datum:</b>	1983			<b>UTM Zone:</b>	17
<b>Facility Cmnts:</b>	FALSE			<b>UTM Northing:</b>	4831074
<b>URL:</b>				<b>UTM Easting:</b>	617639
<b>No of Empl.:</b>	31			<b>Waste Streams:</b>	FALSE
<b>Parent Co.:</b>	*			<b>No Streams:</b>	0
<b>No Parent Co.:</b>	1			<b>Waste Off Sites:</b>	TRUE
<b>Pollut Prev Cmnts:</b>	FALSE			<b>No Off Sites:</b>	1

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Stacks:</b>				<b>Shutdown:</b>	
<b>No of Stacks:</b>				<b>No of Shutdown:</b>	
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>				32	
<b>NAICS 2 Description:</b>				Manufacturing	
<b>NAICS Code (4 digit):</b>				3255	
<b>NAICS 4 Description:</b>				Paint, coating and adhesive manufacturing	
<b>NAICS Code (6 digit):</b>				325520	
<b>NAICS 6 Description:</b>				Adhesive manufacturing	
<b><u>Substance Release Report</u></b>					
<b>Category Type ID:</b>				2	
<b>Category Type Desc:</b>				Storage / Handling	
<b>Category Type Desc (fr):</b>				Rejets de stockage ou manutention	
<b>Grouping:</b>				Total Air	
<b>Trans Code:</b>				VOCg	
<b>Chem:</b>				Toluene	
<b>Chem (fr):</b>				Toluène	
<b>Quantity:</b>				1.5	
<b>Unit:</b>				tonnes	
<b>Basis of Estimate Cd:</b>				0	
<b>Basis of Estimate Desc:</b>				0- Engineering Estimates	
<b>Category Type ID:</b>				2	
<b>Category Type Desc:</b>				Storage / Handling	
<b>Category Type Desc (fr):</b>				Rejets de stockage ou manutention	
<b>Grouping:</b>				Total Air	
<b>Trans Code:</b>				VOCg	
<b>Chem:</b>				Acetone	
<b>Chem (fr):</b>				Acétone	
<b>Quantity:</b>				3.6	
<b>Unit:</b>				tonnes	
<b>Basis of Estimate Cd:</b>				0	
<b>Basis of Estimate Desc:</b>				0- Engineering Estimates	
<b>Category Type ID:</b>				13	
<b>Category Type Desc:</b>				All Media	
<b>Category Type Desc (fr):</b>				Rejets à tous les médias	
<b>Grouping:</b>				Total All Media<1t	
<b>Trans Code:</b>					
<b>Chem:</b>				Methyl ethyl ketone	
<b>Chem (fr):</b>				Méthyléthylcétone	
<b>Quantity:</b>				.7	
<b>Unit:</b>				tonnes	
<b>Basis of Estimate Cd:</b>				0	
<b>Basis of Estimate Desc:</b>				0- Engineering Estimates	
<b>Category Type ID:</b>				13	
<b>Category Type Desc:</b>				All Media	
<b>Category Type Desc (fr):</b>				Rejets à tous les médias	
<b>Grouping:</b>				Total All Media<1t	
<b>Trans Code:</b>					
<b>Chem:</b>				Trichloroethylene	
<b>Chem (fr):</b>				Trichloroéthylène	
<b>Quantity:</b>				.1	
<b>Unit:</b>				tonnes	
<b>Basis of Estimate Cd:</b>				0	
<b>Basis of Estimate Desc:</b>				0- Engineering Estimates	
<b>Category Type ID:</b>				2	
<b>Category Type Desc:</b>				Storage / Handling	



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Category Type Desc (fr):</b>		Rejets de stockage ou manutention			
<b>Grouping:</b>		Total Air			
<b>Trans Code:</b>		VOCg			
<b>Chem:</b>		Dichloromethane			
<b>Chem (fr):</b>		Dichlorométhane			
<b>Quantity:</b>		2.9			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		O			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			

<a href="#">142</a>	31 of 48	WSW/181.3	118.8 / 5.00	HELMITIN INC 99 SHORNLIFFE ROAD NOT AVAILABLE TORONTO ON M8Z5K7	NPRI
<b>NPRI ID:</b>	383			<b>Org ID:</b>	51191
<b>Other ID:</b>	*			<b>Submit Date:</b>	5/13/2004
<b>No Other ID:</b>				<b>Last Modified:</b>	5/29/2015 3:28:24 PM
<b>Track ID:</b>	72506			<b>Contact ID:</b>	234511
<b>Report ID:</b>	151676			<b>Cont Type:</b>	MED
<b>Report Type:</b>	NPRI			<b>Contact Title:</b>	
<b>Rpt Type ID:</b>	1			<b>Cont First Name:</b>	
<b>Report Year:</b>	2003			<b>Cont Last Name:</b>	
<b>Not-Current Rpt?:</b>	No			<b>Contact Position:</b>	
<b>Yr of Last Filed Rpt:</b>	2014			<b>Contact Fax:</b>	
<b>Fac ID:</b>	223424			<b>Contact Ph.:</b>	
<b>Fac Name:</b>	TORONTO PLANT			<b>Cont Area Code:</b>	
<b>Fac Address1:</b>	99 SHORNLIFFE ROAD			<b>Contact Tel.:</b>	
<b>Fac Address2:</b>	NOT AVAILABLE			<b>Contact Ext.:</b>	
<b>Fac Postal Zip:</b>	M8Z5K7			<b>Cont Fax Area Cde:</b>	
<b>Facility Lat:</b>	43.62567			<b>Contact Fax:</b>	
<b>Facility Long:</b>	-79.54192			<b>Contact Email:</b>	
<b>DLS (Last Filed Rpt):</b>				<b>Latitude:</b>	43.6253
<b>Facility DLS:</b>				<b>Longitude:</b>	-79.5419
<b>Datum:</b>	1983			<b>UTM Zone:</b>	
<b>Facility Cmnts:</b>	False			<b>UTM Northing:</b>	
<b>URL:</b>	www.helmitinadhesives.com			<b>UTM Easting:</b>	
<b>No of Empl.:</b>	35			<b>Waste Streams:</b>	True?
<b>Parent Co.:</b>	Y			<b>No Streams:</b>	
<b>No Parent Co.:</b>	1			<b>Waste Off Sites:</b>	Fals
<b>Pollut Prev Cmnts:</b>	False			<b>No Off Sites:</b>	1
<b>Stacks:</b>	True			<b>Shutdown:</b>	True
<b>No of Stacks:</b>				<b>No of Shutdown:</b>	
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>	32				
<b>NAICS 2 Description:</b>	Manufacturing				
<b>NAICS Code (4 digit):</b>	3255				
<b>NAICS 4 Description:</b>	Paint, coating and adhesive manufacturing				
<b>NAICS Code (6 digit):</b>	325510				
<b>NAICS 6 Description:</b>	Paint and coating manufacturing				

#### Substance Release Report

<b>Category Type ID:</b>	13
<b>Category Type Desc:</b>	All Media
<b>Category Type Desc (fr):</b>	Rejets à tous les médias
<b>Grouping:</b>	Total All Media<1t
<b>Trans Code:</b>	
<b>Chem:</b>	Tetrachloroethylene
<b>Chem (fr):</b>	Tétrachloroéthylène
<b>Quantity:</b>	.268
<b>Unit:</b>	tonnes

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Basis of Estimate Cd:</b>					
<b>Basis of Estimate Desc:</b>					
<b>Category Type ID:</b>	2				
<b>Category Type Desc:</b>	Storage / Handling				
<b>Category Type Desc (fr):</b>	Rejets de stockage ou manutention				
<b>Grouping:</b>	Total Air				
<b>Trans Code:</b>	VOCg				
<b>Chem:</b>	Toluene				
<b>Chem (fr):</b>	Toluène				
<b>Quantity:</b>	1.409				
<b>Unit:</b>	tonnes				
<b>Basis of Estimate Cd:</b>	O				
<b>Basis of Estimate Desc:</b>	O- Engineering Estimates				
<b>Category Type ID:</b>	2				
<b>Category Type Desc:</b>	Storage / Handling				
<b>Category Type Desc (fr):</b>	Rejets de stockage ou manutention				
<b>Grouping:</b>	Total Air				
<b>Trans Code:</b>	VOCg				
<b>Chem:</b>	Dichloromethane				
<b>Chem (fr):</b>	Dichlorométhane				
<b>Quantity:</b>	3.932				
<b>Unit:</b>	tonnes				
<b>Basis of Estimate Cd:</b>	O				
<b>Basis of Estimate Desc:</b>	O- Engineering Estimates				
<b>Category Type ID:</b>	13				
<b>Category Type Desc:</b>	All Media				
<b>Category Type Desc (fr):</b>	Rejets à tous les médias				
<b>Grouping:</b>	Total All Media<1t				
<b>Trans Code:</b>					
<b>Chem:</b>	Trichloroethylene				
<b>Chem (fr):</b>	Trichloroéthylène				
<b>Quantity:</b>	.177				
<b>Unit:</b>	tonnes				
<b>Basis of Estimate Cd:</b>					
<b>Basis of Estimate Desc:</b>					
<b>Category Type ID:</b>	13				
<b>Category Type Desc:</b>	All Media				
<b>Category Type Desc (fr):</b>	Rejets à tous les médias				
<b>Grouping:</b>	Total All Media<1t				
<b>Trans Code:</b>					
<b>Chem:</b>	Methyl ethyl ketone				
<b>Chem (fr):</b>	Méthyléthylcétone				
<b>Quantity:</b>	.542				
<b>Unit:</b>	tonnes				
<b>Basis of Estimate Cd:</b>					
<b>Basis of Estimate Desc:</b>					
<b>Category Type ID:</b>	2				
<b>Category Type Desc:</b>	Storage / Handling				
<b>Category Type Desc (fr):</b>	Rejets de stockage ou manutention				
<b>Grouping:</b>	Total Air				
<b>Trans Code:</b>	VOCg				
<b>Chem:</b>	n-Hexane				
<b>Chem (fr):</b>	n-Hexane				
<b>Quantity:</b>	2.503				
<b>Unit:</b>	tonnes				
<b>Basis of Estimate Cd:</b>	O				
<b>Basis of Estimate Desc:</b>	O- Engineering Estimates				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

TORONTO ON M8Z5K7

<b>NPRI ID:</b>	383	<b>Org ID:</b>	13598
<b>Other ID:</b>	Y	<b>Submit Date:</b>	5/28/1999
<b>No Other ID:</b>	1	<b>Last Modified:</b>	5/29/2015 3:28:24 PM
<b>Track ID:</b>	1216	<b>Contact ID:</b>	110580
<b>Report ID:</b>		<b>Cont Type:</b>	MED
<b>Report Type:</b>	NPRI	<b>Contact Title:</b>	
<b>Rpt Type ID:</b>	1	<b>Cont First Name:</b>	TOM
<b>Report Year:</b>	1998	<b>Cont Last Name:</b>	GARNER
<b>Not-Current Rpt?:</b>	No	<b>Contact Position:</b>	VICE-CHAIRMAN
<b>Yr of Last Filed Rpt:</b>	2014	<b>Contact Fax:</b>	4162396487
<b>Fac ID:</b>	37552	<b>Contact Ph.:</b>	4162393105
<b>Fac Name:</b>	NOT AVAILABLE	<b>Cont Area Code:</b>	416
<b>Fac Address1:</b>	99 SHORNCLIFFE ROAD	<b>Contact Tel.:</b>	62393105
<b>Fac Address2:</b>	NOT AVAILABLE	<b>Contact Ext.:</b>	
<b>Fac Postal Zip:</b>	M8Z5K7	<b>Cont Fax Area Cde:</b>	416
<b>Facility Lat:</b>	43.6253	<b>Contact Fax:</b>	62396487
<b>Facility Long:</b>	-79.5419	<b>Contact Email:</b>	TGARNER@INTERLOG.COM
<b>DLS (Last Filed Rpt):</b>		<b>Latitude:</b>	43.6253
<b>Facility DLS:</b>		<b>Longitude:</b>	-79.5419
<b>Datum:</b>	1983	<b>UTM Zone:</b>	17
<b>Facility Cmnts:</b>	False	<b>UTM Northing:</b>	4831074
<b>URL:</b>		<b>UTM Easting:</b>	617639
<b>No of Empl.:</b>	41	<b>Waste Streams:</b>	False
<b>Parent Co.:</b>	Y	<b>No Streams:</b>	0
<b>No Parent Co.:</b>	1	<b>Waste Off Sites:</b>	Fals
<b>Pollut Prev Cmnts:</b>	False	<b>No Off Sites:</b>	1
<b>Stacks:</b>		<b>Shutdown:</b>	
<b>No of Stacks:</b>		<b>No of Shutdown:</b>	
<b>Canadian SIC Code (2 digit):</b>			
<b>Canadian SIC Code:</b>			
<b>SIC Code Description:</b>			
<b>American SIC Code:</b>			
<b>NAICS Code (2 digit):</b>	32		
<b>NAICS 2 Description:</b>	Manufacturing		
<b>NAICS Code (4 digit):</b>	3255		
<b>NAICS 4 Description:</b>	Paint, coating and adhesive manufacturing		
<b>NAICS Code (6 digit):</b>	325520		
<b>NAICS 6 Description:</b>	Adhesive manufacturing		

**Substance Release Report**

<b>Category Type ID:</b>	2
<b>Category Type Desc:</b>	Storage / Handling
<b>Category Type Desc (fr):</b>	Rejets de stockage ou manutention
<b>Grouping:</b>	Total Air
<b>Trans Code:</b>	VOCg
<b>Chem:</b>	Toluene
<b>Chem (fr):</b>	Toluène
<b>Quantity:</b>	1.2
<b>Unit:</b>	tonnes
<b>Basis of Estimate Cd:</b>	0
<b>Basis of Estimate Desc:</b>	O- Engineering Estimates

<b>Category Type ID:</b>	2
<b>Category Type Desc:</b>	Storage / Handling
<b>Category Type Desc (fr):</b>	Rejets de stockage ou manutention
<b>Grouping:</b>	Total Air
<b>Trans Code:</b>	VOCg
<b>Chem:</b>	Dichloromethane
<b>Chem (fr):</b>	Dichlorométhane
<b>Quantity:</b>	3.547
<b>Unit:</b>	tonnes

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Basis of Estimate Cd:</b>		O			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		Trichloroethylene			
<b>Chem (fr):</b>		Trichloroéthylène			
<b>Quantity:</b>		.1			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		O			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		Methyl ethyl ketone			
<b>Chem (fr):</b>		Méthyl éthyl cétone			
<b>Quantity:</b>		.5			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		O			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			
<b>Category Type ID:</b>		2			
<b>Category Type Desc:</b>		Storage / Handling			
<b>Category Type Desc (fr):</b>		Rejets de stockage ou manutention			
<b>Grouping:</b>		Total Air			
<b>Trans Code:</b>		VOCg			
<b>Chem:</b>		Acetone			
<b>Chem (fr):</b>		Acétone			
<b>Quantity:</b>		2.772			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		O			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			

<a href="#">142</a>	33 of 48	WSW/181.3	118.8 / 5.00	HELMITIN 99 SHORNCLIFFE ROAD NOT AVAILABLE TORONTO ON M8Z5K7	NPRI
<b>NPRI ID:</b>	383			<b>Org ID:</b>	51190
<b>Other ID:</b>	*			<b>Submit Date:</b>	5/22/2007
<b>No Other ID:</b>				<b>Last Modified:</b>	5/29/2015 3:28:24 PM
<b>Track ID:</b>	43667			<b>Contact ID:</b>	211921
<b>Report ID:</b>	103296			<b>Cont Type:</b>	MED
<b>Report Type:</b>	NPRI			<b>Contact Title:</b>	
<b>Rpt Type ID:</b>	1			<b>Cont First Name:</b>	SCOTT
<b>Report Year:</b>	2006			<b>Cont Last Name:</b>	HOLMAN
<b>Not-Current Rpt?:</b>	No			<b>Contact Position:</b>	COMPLIANCE & CSR MANAGER
<b>Yr of Last Filed Rpt:</b>	2014			<b>Contact Fax:</b>	4162396487
<b>Fac ID:</b>	223424			<b>Contact Ph.:</b>	4162393105
<b>Fac Name:</b>	TORONTO PLANT			<b>Cont Area Code:</b>	416
<b>Fac Address1:</b>	99 SHORNCLIFFE ROAD			<b>Contact Tel.:</b>	62393105
<b>Fac Address2:</b>	NOT AVAILABLE			<b>Contact Ext.:</b>	246
<b>Fac Postal Zip:</b>	M8Z5K7			<b>Cont Fax Area Cde:</b>	416
<b>Facility Lat:</b>	43.62567			<b>Contact Fax:</b>	62396487
<b>Facility Long:</b>	-79.54192			<b>Contact Email:</b>	NOT AVAILABLE
<b>DLS (Last Filed Rpt):</b>				<b>Latitude:</b>	43.6253
<b>Facility DLS:</b>				<b>Longitude:</b>	-79.5419
<b>Datum:</b>	1983			<b>UTM Zone:</b>	
<b>Facility Cmnts:</b>	False			<b>UTM Northing:</b>	
<b>URL:</b>	www.helmitinadhesives.com			<b>UTM Easting:</b>	

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>No of Empl.:</b>	36			<b>Waste Streams:</b>	True?
<b>Parent Co.:</b>	Y			<b>No Streams:</b>	
<b>No Parent Co.:</b>	1			<b>Waste Off Sites:</b>	Fals
<b>Pollut Prev Cmnts:</b>	False			<b>No Off Sites:</b>	1.00
<b>Stacks:</b>	True			<b>Shutdown:</b>	
<b>No of Stacks:</b>				<b>No of Shutdown:</b>	
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>	32				
<b>NAICS 2 Description:</b>	Manufacturing				
<b>NAICS Code (4 digit):</b>	3255				
<b>NAICS 4 Description:</b>	Paint, coating and adhesive manufacturing				
<b>NAICS Code (6 digit):</b>	325510				
<b>NAICS 6 Description:</b>	Paint and coating manufacturing				
<b><u>Substance Release Report</u></b>					
<b>Category Type ID:</b>	2				
<b>Category Type Desc:</b>	Storage / Handling				
<b>Category Type Desc (fr):</b>	Rejets de stockage ou manutention				
<b>Grouping:</b>	Total Air				
<b>Trans Code:</b>	VOCg				
<b>Chem:</b>	n-Hexane				
<b>Chem (fr):</b>	n-Hexane				
<b>Quantity:</b>	2.689				
<b>Unit:</b>	tonnes				
<b>Basis of Estimate Cd:</b>	O				
<b>Basis of Estimate Desc:</b>	O- Engineering Estimates				
<b>Category Type ID:</b>	13				
<b>Category Type Desc:</b>	All Media				
<b>Category Type Desc (fr):</b>	Rejets à tous les médias				
<b>Grouping:</b>	Total All Media<1t				
<b>Trans Code:</b>					
<b>Chem:</b>	Ethyl acetate				
<b>Chem (fr):</b>	Acétate d'éthyle				
<b>Quantity:</b>	.146				
<b>Unit:</b>	tonnes				
<b>Basis of Estimate Cd:</b>					
<b>Basis of Estimate Desc:</b>					
<b>Category Type ID:</b>	13				
<b>Category Type Desc:</b>	All Media				
<b>Category Type Desc (fr):</b>	Rejets à tous les médias				
<b>Grouping:</b>	Total All Media<1t				
<b>Trans Code:</b>					
<b>Chem:</b>	Methyl ethyl ketone				
<b>Chem (fr):</b>	Méthyléthylcétone				
<b>Quantity:</b>	.643				
<b>Unit:</b>	tonnes				
<b>Basis of Estimate Cd:</b>					
<b>Basis of Estimate Desc:</b>					
<b>Category Type ID:</b>	2				
<b>Category Type Desc:</b>	Storage / Handling				
<b>Category Type Desc (fr):</b>	Rejets de stockage ou manutention				
<b>Grouping:</b>	Total Air				
<b>Trans Code:</b>	VOCg				
<b>Chem:</b>	Toluene				
<b>Chem (fr):</b>	Toluène				
<b>Quantity:</b>	1.76				
<b>Unit:</b>	tonnes				
<b>Basis of Estimate Cd:</b>	O				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			
<b>Category Type ID:</b>		2			
<b>Category Type Desc:</b>		Storage / Handling			
<b>Category Type Desc (fr):</b>		Rejets de stockage ou manutention			
<b>Grouping:</b>		Total Air			
<b>Trans Code:</b>		VOCg			
<b>Chem:</b>		Acetone			
<b>Chem (fr):</b>		Acétone			
<b>Quantity:</b>		4.089			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		O			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			
<b>Category Type ID:</b>		2			
<b>Category Type Desc:</b>		Storage / Handling			
<b>Category Type Desc (fr):</b>		Rejets de stockage ou manutention			
<b>Grouping:</b>		Total Air			
<b>Trans Code:</b>		VOCg			
<b>Chem:</b>		Dichloromethane			
<b>Chem (fr):</b>		Dichlorométhane			
<b>Quantity:</b>		3.215			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		O			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		Trichloroethylene			
<b>Chem (fr):</b>		Trichloroéthylène			
<b>Quantity:</b>		.252			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>					
<b>Basis of Estimate Desc:</b>					
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		MSG#1 - Solvent naphtha light aliphatic			
<b>Chem (fr):</b>		EMG#1 - Solvant naphtha aliphatique léger			
<b>Quantity:</b>		.122			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>					
<b>Basis of Estimate Desc:</b>					
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		Tetrachloroethylene			
<b>Chem (fr):</b>		Tétrachloroéthylène			
<b>Quantity:</b>		.296			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>					
<b>Basis of Estimate Desc:</b>					
<b>142</b>	<b>34 of 48</b>	<b>WSW/181.3</b>	<b>118.8 / 5.00</b>	<b>HELMITIN 99 SHORNCLIFFE ROAD NOT AVAILABLE TORONTO ON M8Z5K7</b>	<b>NPRI</b>

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>NPRI ID:</b>	383			<b>Org ID:</b>	51190
<b>Other ID:</b>	*			<b>Submit Date:</b>	6/1/2009
<b>No Other ID:</b>				<b>Last Modified:</b>	5/29/2015 3:28:24 PM
<b>Track ID:</b>	70091			<b>Contact ID:</b>	211921
<b>Report ID:</b>	130436			<b>Cont Type:</b>	MED
<b>Report Type:</b>	NPRI			<b>Contact Title:</b>	
<b>Rpt Type ID:</b>	1			<b>Cont First Name:</b>	SCOTT
<b>Report Year:</b>	2008			<b>Cont Last Name:</b>	HOLMAN
<b>Not-Current Rpt?:</b>	No			<b>Contact Position:</b>	COMPLIANCE & CSR MANAGER
<b>Yr of Last Filed Rpt:</b>	2014			<b>Contact Fax:</b>	4162396487
<b>Fac ID:</b>	223424			<b>Contact Ph.:</b>	4162393105
<b>Fac Name:</b>	TORONTO PLANT			<b>Cont Area Code:</b>	416
<b>Fac Address1:</b>	99 SHORNCLIFFE ROAD			<b>Contact Tel.:</b>	62393105
<b>Fac Address2:</b>	NOT AVAILABLE			<b>Contact Ext.:</b>	246
<b>Fac Postal Zip:</b>	M8Z5K7			<b>Cont Fax Area Cde:</b>	416
<b>Facility Lat:</b>	43.62567			<b>Contact Fax:</b>	62396487
<b>Facility Long:</b>	-79.54192			<b>Contact Email:</b>	NOT AVAILABLE
<b>DLS (Last Filed Rpt):</b>				<b>Latitude:</b>	43.6253
<b>Facility DLS:</b>				<b>Longitude:</b>	-79.5419
<b>Datum:</b>	1983			<b>UTM Zone:</b>	
<b>Facility Cmnts:</b>	No			<b>UTM Northing:</b>	
<b>URL:</b>	www.helmitinadhesives.com			<b>UTM Easting:</b>	
<b>No of Empl.:</b>	36			<b>Waste Streams:</b>	No
<b>Parent Co.:</b>	Y			<b>No Streams:</b>	
<b>No Parent Co.:</b>	1			<b>Waste Off Sites:</b>	Yes
<b>Pollut Prev Cmnts:</b>	No			<b>No Off Sites:</b>	1
<b>Stacks:</b>	No			<b>Shutdown:</b>	No
<b>No of Stacks:</b>				<b>No of Shutdown:</b>	
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>	32				
<b>NAICS 2 Description:</b>	Manufacturing				
<b>NAICS Code (4 digit):</b>	3255				
<b>NAICS 4 Description:</b>	Paint, coating and adhesive manufacturing				
<b>NAICS Code (6 digit):</b>	325510				
<b>NAICS 6 Description:</b>	Paint and coating manufacturing				

**Substance Release Report**

**Category Type ID:** 2  
**Category Type Desc:** Storage / Handling  
**Category Type Desc (fr):** Rejets de stockage ou manutention  
**Grouping:** Total Air  
**Trans Code:** VOCg  
**Chem:** Dichloromethane  
**Chem (fr):** Dichlorométhane  
**Quantity:** 4.117  
**Unit:** tonnes  
**Basis of Estimate Cd:** O  
**Basis of Estimate Desc:** O- Engineering Estimates

**Category Type ID:** 2  
**Category Type Desc:** Storage / Handling  
**Category Type Desc (fr):** Rejets de stockage ou manutention  
**Grouping:** Total Air  
**Trans Code:** VOCg  
**Chem:** Toluene  
**Chem (fr):** Toluène  
**Quantity:** 2.102  
**Unit:** tonnes  
**Basis of Estimate Cd:** O  
**Basis of Estimate Desc:** O- Engineering Estimates

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		Trichloroethylene			
<b>Chem (fr):</b>		Trichloroéthylène			
<b>Quantity:</b>		.238			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>					
<b>Basis of Estimate Desc:</b>					
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		Methyl ethyl ketone			
<b>Chem (fr):</b>		Méthyléthylcétone			
<b>Quantity:</b>		.531			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>					
<b>Basis of Estimate Desc:</b>					
<b>Category Type ID:</b>		2			
<b>Category Type Desc:</b>		Storage / Handling			
<b>Category Type Desc (fr):</b>		Rejets de stockage ou manutention			
<b>Grouping:</b>		Total Air			
<b>Trans Code:</b>		VOCg			
<b>Chem:</b>		n-Hexane			
<b>Chem (fr):</b>		n-Hexane			
<b>Quantity:</b>		1.697			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		0			
<b>Basis of Estimate Desc:</b>		0- Engineering Estimates			
<b>Category Type ID:</b>		2			
<b>Category Type Desc:</b>		Storage / Handling			
<b>Category Type Desc (fr):</b>		Rejets de stockage ou manutention			
<b>Grouping:</b>		Total Air			
<b>Trans Code:</b>		VOCg			
<b>Chem:</b>		Acetone			
<b>Chem (fr):</b>		Acétone			
<b>Quantity:</b>		5.335			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		0			
<b>Basis of Estimate Desc:</b>		0- Engineering Estimates			

[142](#)

35 of 48

WSW/181.3

118.8 / 5.00

HELMITIN  
99 SHORNCLIFFE ROAD NOT AVAILABLE  
TORONTO ON M8Z5K7

NPRI

**NPRI ID:** 383  
**Other ID:** \*  
**No Other ID:**  
**Track ID:** 39816  
**Report ID:** 100593  
**Report Type:** NPRI  
**Rpt Type ID:** 1  
**Report Year:** 2005  
**Not-Current Rpt?:** No  
**Yr of Last Filed Rpt:** 2014  
**Fac ID:** 223424  
**Fac Name:** TORONTO PLANT

**Org ID:** 51190  
**Submit Date:** 5/31/2006  
**Last Modified:** 5/29/2015 3:28:24 PM  
**Contact ID:** 211921  
**Cont Type:** MED  
**Contact Title:**  
**Cont First Name:** SCOTT  
**Cont Last Name:** HOLMAN  
**Contact Position:** COMPLIANCE & CSR MANAGER  
**Contact Fax:** 4162396487  
**Contact Ph.:** 4162393105  
**Cont Area Code:** 416



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Fac Address1:</b>	99 SHORNCLIFFE ROAD			<b>Contact Tel.:</b>	62393105
<b>Fac Address2:</b>	NOT AVAILABLE			<b>Contact Ext.:</b>	246
<b>Fac Postal Zip:</b>	M8Z5K7			<b>Cont Fax Area Cde:</b>	416
<b>Facility Lat:</b>	43.62567			<b>Contact Fax:</b>	62396487
<b>Facility Long:</b>	-79.54192			<b>Contact Email:</b>	NOT AVAILABLE
<b>DLS (Last Filed Rpt):</b>				<b>Latitude:</b>	43.6253
<b>Facility DLS:</b>				<b>Longitude:</b>	-79.5419
<b>Datum:</b>	1983			<b>UTM Zone:</b>	
<b>Facility Cmnts:</b>	False			<b>UTM Northing:</b>	
<b>URL:</b>	www.helmitinadhesives.com			<b>UTM Easting:</b>	
<b>No of Empl.:</b>	37			<b>Waste Streams:</b>	False
<b>Parent Co.:</b>	Y			<b>No Streams:</b>	
<b>No Parent Co.:</b>	1			<b>Waste Off Sites:</b>	Fals
<b>Pollut Prev Cmnts:</b>	Fals			<b>No Off Sites:</b>	1.00
<b>Stacks:</b>	False			<b>Shutdown:</b>	
<b>No of Stacks:</b>				<b>No of Shutdown:</b>	
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>	32				
<b>NAICS 2 Description:</b>	Manufacturing				
<b>NAICS Code (4 digit):</b>	3255				
<b>NAICS 4 Description:</b>	Paint, coating and adhesive manufacturing				
<b>NAICS Code (6 digit):</b>	325510				
<b>NAICS 6 Description:</b>	Paint and coating manufacturing				
<b><u>Substance Release Report</u></b>					
<b>Category Type ID:</b>	13				
<b>Category Type Desc:</b>	All Media				
<b>Category Type Desc (fr):</b>	Rejets à tous les médias				
<b>Grouping:</b>	Total All Media<1t				
<b>Trans Code:</b>					
<b>Chem:</b>	MSG#1 - Solvent naphtha light aliphatic				
<b>Chem (fr):</b>	EMG#1 - Solvant naphtha aliphatique léger				
<b>Quantity:</b>	.115				
<b>Unit:</b>	tonnes				
<b>Basis of Estimate Cd:</b>					
<b>Basis of Estimate Desc:</b>					
<b>Category Type ID:</b>	13				
<b>Category Type Desc:</b>	All Media				
<b>Category Type Desc (fr):</b>	Rejets à tous les médias				
<b>Grouping:</b>	Total All Media<1t				
<b>Trans Code:</b>					
<b>Chem:</b>	Ethyl acetate				
<b>Chem (fr):</b>	Acétate d'éthyle				
<b>Quantity:</b>	.107				
<b>Unit:</b>	tonnes				
<b>Basis of Estimate Cd:</b>					
<b>Basis of Estimate Desc:</b>					
<b>Category Type ID:</b>	2				
<b>Category Type Desc:</b>	Storage / Handling				
<b>Category Type Desc (fr):</b>	Rejets de stockage ou manutention				
<b>Grouping:</b>	Total Air				
<b>Trans Code:</b>	VOCg				
<b>Chem:</b>	Acetone				
<b>Chem (fr):</b>	Acétone				
<b>Quantity:</b>	3.343				
<b>Unit:</b>	tonnes				
<b>Basis of Estimate Cd:</b>	O				
<b>Basis of Estimate Desc:</b>	O- Engineering Estimates				

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		Tetrachloroethylene			
<b>Chem (fr):</b>		Tétrachloroéthylène			
<b>Quantity:</b>		.245			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>					
<b>Basis of Estimate Desc:</b>					
<b>Category Type ID:</b>		2			
<b>Category Type Desc:</b>		Storage / Handling			
<b>Category Type Desc (fr):</b>		Rejets de stockage ou manutention			
<b>Grouping:</b>		Total Air			
<b>Trans Code:</b>		VOCg			
<b>Chem:</b>		n-Hexane			
<b>Chem (fr):</b>		n-Hexane			
<b>Quantity:</b>		2.918			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		0			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		Methyl ethyl ketone			
<b>Chem (fr):</b>		Méthyléthylcétone			
<b>Quantity:</b>		.506			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>					
<b>Basis of Estimate Desc:</b>					
<b>Category Type ID:</b>		2			
<b>Category Type Desc:</b>		Storage / Handling			
<b>Category Type Desc (fr):</b>		Rejets de stockage ou manutention			
<b>Grouping:</b>		Total Air			
<b>Trans Code:</b>		VOCg			
<b>Chem:</b>		Toluene			
<b>Chem (fr):</b>		Toluène			
<b>Quantity:</b>		1.67			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		0			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			
<b>Category Type ID:</b>		2			
<b>Category Type Desc:</b>		Storage / Handling			
<b>Category Type Desc (fr):</b>		Rejets de stockage ou manutention			
<b>Grouping:</b>		Total Air			
<b>Trans Code:</b>		VOCg			
<b>Chem:</b>		Dichloromethane			
<b>Chem (fr):</b>		Dichlorométhane			
<b>Quantity:</b>		3.393			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		0			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		Trichloroethylene			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Chem (fr): Quantity: Unit: Basis of Estimate Cd: Basis of Estimate Desc:		Trichloroéthylène .225 tonnes			

<a href="#">142</a>	36 of 48	WSW/181.3	118.8 / 5.00	HELMITIN CANADA INC 99 SHORNCLIFFE ROAD NOT AVAILABLE TORONTO ON M8Z5K7	NPRI
<b>NPRI ID:</b>	383			<b>Org ID:</b>	13594
<b>Other ID:</b>	FALSE			<b>Submit Date:</b>	
<b>No Other ID:</b>	0			<b>Last Modified:</b>	5/29/2015 3:28:24 PM
<b>Track ID:</b>	1214			<b>Contact ID:</b>	
<b>Report ID:</b>				<b>Cont Type:</b>	
<b>Report Type:</b>	NPRI			<b>Contact Title:</b>	
<b>Rpt Type ID:</b>	1			<b>Cont First Name:</b>	
<b>Report Year:</b>	1994			<b>Cont Last Name:</b>	
<b>Not-Current Rpt?:</b>	No			<b>Contact Position:</b>	
<b>Yr of Last Filed Rpt:</b>	2014			<b>Contact Fax:</b>	
<b>Fac ID:</b>	37552			<b>Contact Ph.:</b>	
<b>Fac Name:</b>	NOT AVAILABLE			<b>Cont Area Code:</b>	
<b>Fac Address1:</b>	99 SHORNCLIFFE ROAD			<b>Contact Tel.:</b>	
<b>Fac Address2:</b>	NOT AVAILABLE			<b>Contact Ext.:</b>	
<b>Fac Postal Zip:</b>	M8Z5K7			<b>Cont Fax Area Cde:</b>	
<b>Facility Lat:</b>	43.6253			<b>Contact Fax:</b>	
<b>Facility Long:</b>	-79.5419			<b>Contact Email:</b>	
<b>DLS (Last Filed Rpt):</b>				<b>Latitude:</b>	43.6253
<b>Facility DLS:</b>				<b>Longitude:</b>	-79.5419
<b>Datum:</b>	1983			<b>UTM Zone:</b>	17
<b>Facility Cmnts:</b>	FALSE			<b>UTM Northing:</b>	4831074
<b>URL:</b>				<b>UTM Easting:</b>	617639
<b>No of Empl.:</b>	35			<b>Waste Streams:</b>	FALSE
<b>Parent Co.:</b>	FALSE			<b>No Streams:</b>	0
<b>No Parent Co.:</b>	0			<b>Waste Off Sites:</b>	FALSE
<b>Pollut Prev Cmnts:</b>				<b>No Off Sites:</b>	0
<b>Stacks:</b>				<b>Shutdown:</b>	
<b>No of Stacks:</b>				<b>No of Shutdown:</b>	
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>	32				
<b>NAICS 2 Description:</b>	Manufacturing				
<b>NAICS Code (4 digit):</b>	3255				
<b>NAICS 4 Description:</b>	Paint, coating and adhesive manufacturing				
<b>NAICS Code (6 digit):</b>	325520				
<b>NAICS 6 Description:</b>	Adhesive manufacturing				

#### Substance Release Report

<b>Category Type ID:</b>	13
<b>Category Type Desc:</b>	All Media
<b>Category Type Desc (fr):</b>	Rejets à tous les médias
<b>Grouping:</b>	Total All Media<1t
<b>Trans Code:</b>	
<b>Chem:</b>	Dichloromethane
<b>Chem (fr):</b>	Dichlorométhane
<b>Quantity:</b>	.63
<b>Unit:</b>	tonnes
<b>Basis of Estimate Cd:</b>	0
<b>Basis of Estimate Desc:</b>	0- Engineering Estimates

**Category Type ID:** 13

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		Methyl ethyl ketone			
<b>Chem (fr):</b>		Méthyléthylcétone			
<b>Quantity:</b>		.13			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		O			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		Acetone			
<b>Chem (fr):</b>		Acétone			
<b>Quantity:</b>		.38			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		O			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		Toluene			
<b>Chem (fr):</b>		Toluène			
<b>Quantity:</b>		.13			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		O			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		Trichloroethylene			
<b>Chem (fr):</b>		Trichloroéthylène			
<b>Quantity:</b>		.13			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		O			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			

<a href="#">142</a>	37 of 48	WSW/181.3	118.8 / 5.00	HELMITIN INC. 99 SHORNCLIFFE ROAD NOT AVAILABLE TORONTO ON M8Z5K7	NPRI
<b>NPRI ID:</b>	383			<b>Org ID:</b>	51192
<b>Other ID:</b>	*			<b>Submit Date:</b>	5/15/2001
<b>No Other ID:</b>	0.00			<b>Last Modified:</b>	5/29/2015 3:28:24 PM
<b>Track ID:</b>	1209			<b>Contact ID:</b>	234511
<b>Report ID:</b>				<b>Cont Type:</b>	MED
<b>Report Type:</b>	NPRI			<b>Contact Title:</b>	
<b>Rpt Type ID:</b>	1			<b>Cont First Name:</b>	
<b>Report Year:</b>	2000			<b>Cont Last Name:</b>	
<b>Not-Current Rpt?:</b>	No			<b>Contact Position:</b>	
<b>Yr of Last Filed Rpt:</b>	2014			<b>Contact Fax:</b>	
<b>Fac ID:</b>	37554			<b>Contact Ph.:</b>	
<b>Fac Name:</b>	HELMITIN INC. (TORONTO)			<b>Cont Area Code:</b>	
<b>Fac Address1:</b>	99 SHORNCLIFFE ROAD			<b>Contact Tel.:</b>	
<b>Fac Address2:</b>	NOT AVAILABLE			<b>Contact Ext.:</b>	

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Fac Postal Zip:</b>	M8Z5K7			<b>Cont Fax Area Cde:</b>	
<b>Facility Lat:</b>	43.6253			<b>Contact Fax:</b>	
<b>Facility Long:</b>	-79.5419			<b>Contact Email:</b>	
<b>DLS (Last Filed Rpt):</b>				<b>Latitude:</b>	43.6253
<b>Facility DLS:</b>				<b>Longitude:</b>	-79.5419
<b>Datum:</b>	1983			<b>UTM Zone:</b>	
<b>Facility Cmnts:</b>	False			<b>UTM Northing:</b>	
<b>URL:</b>				<b>UTM Easting:</b>	
<b>No of Empl.:</b>	36			<b>Waste Streams:</b>	No
<b>Parent Co.:</b>	Y			<b>No Streams:</b>	0
<b>No Parent Co.:</b>	1.00			<b>Waste Off Sites:</b>	Yes
<b>Pollut Prev Cmnts:</b>	False			<b>No Off Sites:</b>	1.00
<b>Stacks:</b>				<b>Shutdown:</b>	
<b>No of Stacks:</b>				<b>No of Shutdown:</b>	
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>		32			
<b>NAICS 2 Description:</b>		Manufacturing			
<b>NAICS Code (4 digit):</b>		3255			
<b>NAICS 4 Description:</b>		Paint, coating and adhesive manufacturing			
<b>NAICS Code (6 digit):</b>		325520			
<b>NAICS 6 Description:</b>		Adhesive manufacturing			

**Substance Release Report**

**Category Type ID:** 2  
**Category Type Desc:** Storage / Handling  
**Category Type Desc (fr):** Rejets de stockage ou manutention  
**Grouping:** Total Air  
**Trans Code:** VOCg  
**Chem:** Tetrachloroethylene  
**Chem (fr):** Tétrachloroéthylène  
**Quantity:** .078  
**Unit:** tonnes  
**Basis of Estimate Cd:** O  
**Basis of Estimate Desc:** O- Engineering Estimates

**Category Type ID:** 2  
**Category Type Desc:** Storage / Handling  
**Category Type Desc (fr):** Rejets de stockage ou manutention  
**Grouping:** Total Air  
**Trans Code:** VOCg  
**Chem:** Methyl ethyl ketone  
**Chem (fr):** Méthyléthylcétone  
**Quantity:** .841  
**Unit:** tonnes  
**Basis of Estimate Cd:** O  
**Basis of Estimate Desc:** O- Engineering Estimates

**Category Type ID:** 2  
**Category Type Desc:** Storage / Handling  
**Category Type Desc (fr):** Rejets de stockage ou manutention  
**Grouping:** Total Air  
**Trans Code:** VOCg  
**Chem:** Toluene  
**Chem (fr):** Toluène  
**Quantity:** .88  
**Unit:** tonnes  
**Basis of Estimate Cd:** O  
**Basis of Estimate Desc:** O- Engineering Estimates

**Category Type ID:** 2  
**Category Type Desc:** Storage / Handling

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Category Type Desc (fr):</b>		Rejets de stockage ou manutention			
<b>Grouping:</b>		Total Air			
<b>Trans Code:</b>		VOCg			
<b>Chem:</b>		Trichloroethylene			
<b>Chem (fr):</b>		Trichloroéthylène			
<b>Quantity:</b>		.219			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		O			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			
<b>Category Type ID:</b>		2			
<b>Category Type Desc:</b>		Storage / Handling			
<b>Category Type Desc (fr):</b>		Rejets de stockage ou manutention			
<b>Grouping:</b>		Total Air			
<b>Trans Code:</b>		VOCg			
<b>Chem:</b>		Dichloromethane			
<b>Chem (fr):</b>		Dichlorométhane			
<b>Quantity:</b>		3.068			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		O			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			

<a href="#">142</a>	38 of 48	WSW/181.3	118.8 / 5.00	HELMITIN CANADA INC 99 SHORNCLIFFE ROAD NOT AVAILABLE TORONTO ON M8Z5K7	NPRI
<b>NPRI ID:</b>	383			<b>Org ID:</b>	13594
<b>Other ID:</b>				<b>Submit Date:</b>	
<b>No Other ID:</b>				<b>Last Modified:</b>	5/29/2015 3:28:24 PM
<b>Track ID:</b>	1215			<b>Contact ID:</b>	
<b>Report ID:</b>				<b>Cont Type:</b>	
<b>Report Type:</b>	NPRI			<b>Contact Title:</b>	
<b>Rpt Type ID:</b>	1			<b>Cont First Name:</b>	
<b>Report Year:</b>	1993			<b>Cont Last Name:</b>	
<b>Not-Current Rpt?:</b>	No			<b>Contact Position:</b>	
<b>Yr of Last Filed Rpt:</b>	2014			<b>Contact Fax:</b>	
<b>Fac ID:</b>	37552			<b>Contact Ph.:</b>	
<b>Fac Name:</b>	NOT AVAILABLE			<b>Cont Area Code:</b>	
<b>Fac Address1:</b>	99 SHORNCLIFFE ROAD			<b>Contact Tel.:</b>	
<b>Fac Address2:</b>	NOT AVAILABLE			<b>Contact Ext.:</b>	
<b>Fac Postal Zip:</b>	M8Z5K7			<b>Cont Fax Area Cde:</b>	
<b>Facility Lat:</b>	43.6253			<b>Contact Fax:</b>	
<b>Facility Long:</b>	-79.5419			<b>Contact Email:</b>	
<b>DLS (Last Filed Rpt):</b>				<b>Latitude:</b>	43.6253
<b>Facility DLS:</b>				<b>Longitude:</b>	-79.5419
<b>Datum:</b>	1983			<b>UTM Zone:</b>	
<b>Facility Cmnts:</b>				<b>UTM Northing:</b>	
<b>URL:</b>				<b>UTM Easting:</b>	
<b>No of Empl.:</b>				<b>Waste Streams:</b>	
<b>Parent Co.:</b>				<b>No Streams:</b>	
<b>No Parent Co.:</b>				<b>Waste Off Sites:</b>	
<b>Pollut Prev Cmnts:</b>				<b>No Off Sites:</b>	
<b>Stacks:</b>				<b>Shutdown:</b>	
<b>No of Stacks:</b>				<b>No of Shutdown:</b>	
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>	32				
<b>NAICS 2 Description:</b>	Manufacturing				
<b>NAICS Code (4 digit):</b>	3255				
<b>NAICS 4 Description:</b>	Paint, coating and adhesive manufacturing				
<b>NAICS Code (6 digit):</b>	325520				
<b>NAICS 6 Description:</b>	Adhesive manufacturing				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">142</a>	39 of 48	WSW/181.3	118.8 / 5.00	HELMITIN 99 SHORNCLIFFE ROAD NOT AVAILABLE TORONTO ON M8Z5K7	NPRI
<b>NPRI ID:</b> 383 <b>Other ID:</b> N <b>No Other ID:</b> <b>Track ID:</b> 30032 <b>Report ID:</b> 86330 <b>Report Type:</b> NPRI <b>Rpt Type ID:</b> 1 <b>Report Year:</b> 2004 <b>Not-Current Rpt?:</b> No <b>Yr of Last Filed Rpt:</b> 2014 <b>Fac ID:</b> 223424 <b>Fac Name:</b> TORONTO PLANT <b>Fac Address1:</b> 99 SHORNCLIFFE ROAD <b>Fac Address2:</b> NOT AVAILABLE <b>Fac Postal Zip:</b> M8Z5K7 <b>Facility Lat:</b> 43.62567 <b>Facility Long:</b> -79.54192 <b>DLS (Last Filed Rpt):</b> <b>Facility DLS:</b> <b>Datum:</b> 1983 <b>Facility Cmnts:</b> True <b>URL:</b> www.helmitinadhesives.com <b>No of Empl.:</b> 39 <b>Parent Co.:</b> Y <b>No Parent Co.:</b> 1 <b>Pollut Prev Cmnts:</b> True <b>Stacks:</b> No <b>No of Stacks:</b> <b>Canadian SIC Code (2 digit):</b> <b>Canadian SIC Code:</b> <b>SIC Code Description:</b> <b>American SIC Code:</b> <b>NAICS Code (2 digit):</b> 32 <b>NAICS 2 Description:</b> Manufacturing <b>NAICS Code (4 digit):</b> 3255 <b>NAICS 4 Description:</b> Paint, coating and adhesive manufacturing <b>NAICS Code (6 digit):</b> 325510 <b>NAICS 6 Description:</b> Paint and coating manufacturing		<b>Org ID:</b> 51190 <b>Submit Date:</b> 6/27/2005 <b>Last Modified:</b> 5/29/2015 3:28:24 PM <b>Contact ID:</b> 211921 <b>Cont Type:</b> MED <b>Contact Title:</b> <b>Cont First Name:</b> SCOTT <b>Cont Last Name:</b> HOLMAN <b>Contact Position:</b> COMPLIANCE & CSR MANAGER <b>Contact Fax:</b> 4162396487 <b>Contact Ph.:</b> 4162393105 <b>Cont Area Code:</b> 416 <b>Contact Tel.:</b> 62393105 <b>Contact Ext.:</b> 246 <b>Cont Fax Area Cde:</b> 416 <b>Contact Fax:</b> 62396487 <b>Contact Email:</b> NOT AVAILABLE <b>Latitude:</b> 43.6253 <b>Longitude:</b> -79.5419 <b>UTM Zone:</b> <b>UTM Northing:</b> <b>UTM Easting:</b> <b>Waste Streams:</b> False <b>No Streams:</b> <b>Waste Off Sites:</b> Fals <b>No Off Sites:</b> 1 <b>Shutdown:</b> <b>No of Shutdown:</b>			
<b><u>Substance Release Report</u></b>					
<b>Category Type ID:</b> 13 <b>Category Type Desc:</b> All Media <b>Category Type Desc (fr):</b> Rejets à tous les médias <b>Grouping:</b> Total All Media<1t <b>Trans Code:</b> <b>Chem:</b> n-Heptane <b>Chem (fr):</b> n-Heptane <b>Quantity:</b> .191 <b>Unit:</b> tonnes <b>Basis of Estimate Cd:</b> <b>Basis of Estimate Desc:</b>					
<b>Category Type ID:</b> 13 <b>Category Type Desc:</b> All Media <b>Category Type Desc (fr):</b> Rejets à tous les médias <b>Grouping:</b> Total All Media<1t <b>Trans Code:</b> <b>Chem:</b> Methyl ethyl ketone <b>Chem (fr):</b> Méthyléthylcétone					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>Quantity:</b>		.493			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>					
<b>Basis of Estimate Desc:</b>					
<b>Category Type ID:</b>		2			
<b>Category Type Desc:</b>		Storage / Handling			
<b>Category Type Desc (fr):</b>		Rejets de stockage ou manutention			
<b>Grouping:</b>		Total Air			
<b>Trans Code:</b>		VOCg			
<b>Chem:</b>		n-Hexane			
<b>Chem (fr):</b>		n-Hexane			
<b>Quantity:</b>		2.654			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		O			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			
<b>Category Type ID:</b>		2			
<b>Category Type Desc:</b>		Storage / Handling			
<b>Category Type Desc (fr):</b>		Rejets de stockage ou manutention			
<b>Grouping:</b>		Total Air			
<b>Trans Code:</b>		VOCg			
<b>Chem:</b>		Dichloromethane			
<b>Chem (fr):</b>		Dichlorométhane			
<b>Quantity:</b>		3.964			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		O			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		Tetrachloroethylene			
<b>Chem (fr):</b>		Tétrachloroéthylène			
<b>Quantity:</b>		.277			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>					
<b>Basis of Estimate Desc:</b>					
<b>Category Type ID:</b>		2			
<b>Category Type Desc:</b>		Storage / Handling			
<b>Category Type Desc (fr):</b>		Rejets de stockage ou manutention			
<b>Grouping:</b>		Total Air			
<b>Trans Code:</b>		VOCg			
<b>Chem:</b>		Toluene			
<b>Chem (fr):</b>		Toluène			
<b>Quantity:</b>		1.338			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		O			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		Trichloroethylene			
<b>Chem (fr):</b>		Trichloroéthylène			
<b>Quantity:</b>		.175			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>					
<b>Basis of Estimate Desc:</b>					
<b>Category Type ID:</b>		2			



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Category Type Desc:</b>		Storage / Handling			
<b>Category Type Desc (fr):</b>		Rejets de stockage ou manutention			
<b>Grouping:</b>		Total Air			
<b>Trans Code:</b>		VOCg			
<b>Chem:</b>		Acetone			
<b>Chem (fr):</b>		Acétone			
<b>Quantity:</b>		3.313			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		O			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		Ethyl acetate			
<b>Chem (fr):</b>		Acétate d'éthyle			
<b>Quantity:</b>		.153			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>					
<b>Basis of Estimate Desc:</b>					

<u>142</u>	40 of 48	WSW/181.3	118.8 / 5.00	HELMITIN 99 SHORNCLIFFE ROAD NOT AVAILABLE TORONTO ON M8Z5K7	NPRI
<b>NPRI ID:</b>	383			<b>Org ID:</b>	51190
<b>Other ID:</b>	*			<b>Submit Date:</b>	5/28/2008
<b>No Other ID:</b>				<b>Last Modified:</b>	5/29/2015 3:28:24 PM
<b>Track ID:</b>	54623			<b>Contact ID:</b>	211921
<b>Report ID:</b>	117271			<b>Cont Type:</b>	MED
<b>Report Type:</b>	NPRI			<b>Contact Title:</b>	
<b>Rpt Type ID:</b>	1			<b>Cont First Name:</b>	SCOTT
<b>Report Year:</b>	2007			<b>Cont Last Name:</b>	HOLMAN
<b>Not-Current Rpt?:</b>	No			<b>Contact Position:</b>	COMPLIANCE & CSR MANAGER
<b>Yr of Last Filed Rpt:</b>	2014			<b>Contact Fax:</b>	4162396487
<b>Fac ID:</b>	223424			<b>Contact Ph.:</b>	4162393105
<b>Fac Name:</b>	TORONTO PLANT			<b>Cont Area Code:</b>	416
<b>Fac Address1:</b>	99 SHORNCLIFFE ROAD			<b>Contact Tel.:</b>	62393105
<b>Fac Address2:</b>	NOT AVAILABLE			<b>Contact Ext.:</b>	246
<b>Fac Postal Zip:</b>	M8Z5K7			<b>Cont Fax Area Cde:</b>	416
<b>Facility Lat:</b>	43.62567			<b>Contact Fax:</b>	62396487
<b>Facility Long:</b>	-79.54192			<b>Contact Email:</b>	NOT AVAILABLE
<b>DLS (Last Filed Rpt):</b>				<b>Latitude:</b>	43.6253
<b>Facility DLS:</b>				<b>Longitude:</b>	-79.5419
<b>Datum:</b>	1983			<b>UTM Zone:</b>	
<b>Facility Cmnts:</b>	False			<b>UTM Northing:</b>	
<b>URL:</b>	www.helmitinadhesives.com			<b>UTM Easting:</b>	
<b>No of Empl.:</b>	36			<b>Waste Streams:</b>	True?
<b>Parent Co.:</b>	Y			<b>No Streams:</b>	
<b>No Parent Co.:</b>	1.00			<b>Waste Off Sites:</b>	True
<b>Pollut Prev Cmnts:</b>	False			<b>No Off Sites:</b>	1.00
<b>Stacks:</b>	True			<b>Shutdown:</b>	
<b>No of Stacks:</b>				<b>No of Shutdown:</b>	
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>	32				
<b>NAICS 2 Description:</b>	Manufacturing				
<b>NAICS Code (4 digit):</b>	3255				
<b>NAICS 4 Description:</b>	Paint, coating and adhesive manufacturing				
<b>NAICS Code (6 digit):</b>	325510				
<b>NAICS 6 Description:</b>	Paint and coating manufacturing				

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b><u>Substance Release Report</u></b>					
<b>Category Type ID:</b>	2				
<b>Category Type Desc:</b>	Storage / Handling				
<b>Category Type Desc (fr):</b>	Rejets de stockage ou manutention				
<b>Grouping:</b>	Total Air				
<b>Trans Code:</b>	VOCg				
<b>Chem:</b>	n-Hexane				
<b>Chem (fr):</b>	n-Hexane				
<b>Quantity:</b>	2.437				
<b>Unit:</b>	tonnes				
<b>Basis of Estimate Cd:</b>	O				
<b>Basis of Estimate Desc:</b>	O- Engineering Estimates				
<b>Category Type ID:</b>	13				
<b>Category Type Desc:</b>	All Media				
<b>Category Type Desc (fr):</b>	Rejets à tous les médias				
<b>Grouping:</b>	Total All Media<1t				
<b>Trans Code:</b>					
<b>Chem:</b>	Trichloroethylene				
<b>Chem (fr):</b>	Trichloroéthylène				
<b>Quantity:</b>	.239				
<b>Unit:</b>	tonnes				
<b>Basis of Estimate Cd:</b>					
<b>Basis of Estimate Desc:</b>					
<b>Category Type ID:</b>	13				
<b>Category Type Desc:</b>	All Media				
<b>Category Type Desc (fr):</b>	Rejets à tous les médias				
<b>Grouping:</b>	Total All Media<1t				
<b>Trans Code:</b>					
<b>Chem:</b>	Hexachlorobenzene				
<b>Chem (fr):</b>	Hexachlorobenzène				
<b>Quantity:</b>	0				
<b>Unit:</b>	grams				
<b>Basis of Estimate Cd:</b>					
<b>Basis of Estimate Desc:</b>					
<b>Category Type ID:</b>	2				
<b>Category Type Desc:</b>	Storage / Handling				
<b>Category Type Desc (fr):</b>	Rejets de stockage ou manutention				
<b>Grouping:</b>	Total Air				
<b>Trans Code:</b>	VOCg				
<b>Chem:</b>	Dichloromethane				
<b>Chem (fr):</b>	Dichlorométhane				
<b>Quantity:</b>	3.1				
<b>Unit:</b>	tonnes				
<b>Basis of Estimate Cd:</b>	O				
<b>Basis of Estimate Desc:</b>	O- Engineering Estimates				
<b>Category Type ID:</b>	2				
<b>Category Type Desc:</b>	Storage / Handling				
<b>Category Type Desc (fr):</b>	Rejets de stockage ou manutention				
<b>Grouping:</b>	Total Air				
<b>Trans Code:</b>	VOCg				
<b>Chem:</b>	Acetone				
<b>Chem (fr):</b>	Acétone				
<b>Quantity:</b>	3.831				
<b>Unit:</b>	tonnes				
<b>Basis of Estimate Cd:</b>	O				
<b>Basis of Estimate Desc:</b>	O- Engineering Estimates				
<b>Category Type ID:</b>	13				
<b>Category Type Desc:</b>	All Media				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		Ethyl acetate			
<b>Chem (fr):</b>		Acétate d'éthyle			
<b>Quantity:</b>		.142			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>					
<b>Basis of Estimate Desc:</b>					
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		MSG#1 - Solvent naphtha light aliphatic			
<b>Chem (fr):</b>		EMG#1 - Solvant naphtha aliphatique léger			
<b>Quantity:</b>		.118			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>					
<b>Basis of Estimate Desc:</b>					
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		Methyl ethyl ketone			
<b>Chem (fr):</b>		Méthyléthylcétone			
<b>Quantity:</b>		.491			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>					
<b>Basis of Estimate Desc:</b>					
<b>Category Type ID:</b>		2			
<b>Category Type Desc:</b>		Storage / Handling			
<b>Category Type Desc (fr):</b>		Rejets de stockage ou manutention			
<b>Grouping:</b>		Total Air			
<b>Trans Code:</b>		VOCg			
<b>Chem:</b>		Toluene			
<b>Chem (fr):</b>		Toluène			
<b>Quantity:</b>		1.539			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		O			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		Tetrachloroethylene			
<b>Chem (fr):</b>		Tétrachloroéthylène			
<b>Quantity:</b>		.245			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>					
<b>Basis of Estimate Desc:</b>					

[142](#)

41 of 48

WSW/181.3

118.8 / 5.00

HELMITIN INC.  
99 SHORNCLIFFE ROAD NOT AVAILABLE  
TORONTO ON M8Z5K7

NPRI

NPRI ID: 383  
Other ID:  
No Other ID:

Org ID: 102327  
Submit Date: 7/3/2012  
Last Modified: 5/29/2015 3:28:24 PM

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>Track ID:</b>	102108			<b>Contact ID:</b>	113005
<b>Report ID:</b>	6827			<b>Cont Type:</b>	MED
<b>Report Type:</b>	NPRI			<b>Contact Title:</b>	
<b>Rpt Type ID:</b>	1			<b>Cont First Name:</b>	ADRIAN
<b>Report Year:</b>	2011			<b>Cont Last Name:</b>	HOLZSCHERER
<b>Not-Current Rpt?:</b>	No			<b>Contact Position:</b>	DIRECTOR OF MANUFACTURING
<b>Yr of Last Filed Rpt:</b>	2014			<b>Contact Fax:</b>	4162396487
<b>Fac ID:</b>	223424			<b>Contact Ph.:</b>	4162393105
<b>Fac Name:</b>	TORONTO PLANT			<b>Cont Area Code:</b>	416
<b>Fac Address1:</b>	99 SHORNCLIFFE ROAD			<b>Contact Tel.:</b>	62393105
<b>Fac Address2:</b>	NOT AVAILABLE			<b>Contact Ext.:</b>	237
<b>Fac Postal Zip:</b>	M8Z5K7			<b>Cont Fax Area Cde:</b>	416
<b>Facility Lat:</b>	43.62567			<b>Contact Fax:</b>	62396487
<b>Facility Long:</b>	-79.54192			<b>Contact Email:</b>	A.HOLZSCHERER@HELMITINADHESIVES.COM
<b>DLS (Last Filed Rpt):</b>				<b>Latitude:</b>	43.6253
<b>Facility DLS:</b>				<b>Longitude:</b>	-79.5419
<b>Datum:</b>	1983			<b>UTM Zone:</b>	
<b>Facility Cmnts:</b>				<b>UTM Northing:</b>	
<b>URL:</b>				<b>UTM Easting:</b>	
<b>No of Empl.:</b>	31			<b>Waste Streams:</b>	
<b>Parent Co.:</b>				<b>No Streams:</b>	
<b>No Parent Co.:</b>				<b>Waste Off Sites:</b>	
<b>Pollut Prev Cmnts:</b>				<b>No Off Sites:</b>	
<b>Stacks:</b>				<b>Shutdown:</b>	
<b>No of Stacks:</b>				<b>No of Shutdown:</b>	
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>	32				
<b>NAICS 2 Description:</b>	Manufacturing				
<b>NAICS Code (4 digit):</b>	3255				
<b>NAICS 4 Description:</b>	Paint, coating and adhesive manufacturing				
<b>NAICS Code (6 digit):</b>	325510				
<b>NAICS 6 Description:</b>	Paint and coating manufacturing				
<b><u>Substance Release Report</u></b>					
<b>Category Type ID:</b>	1				
<b>Category Type Desc:</b>	Stack / Point				
<b>Category Type Desc (fr):</b>	Rejets de cheminée ou ponctuels				
<b>Grouping:</b>	Total Air				
<b>Trans Code:</b>	ASta				
<b>Chem:</b>	Methyl ethyl ketone				
<b>Chem (fr):</b>	Méthyléthylcétone				
<b>Quantity:</b>	.0296				
<b>Unit:</b>	tonnes				
<b>Basis of Estimate Cd:</b>	E1				
<b>Basis of Estimate Desc:</b>	E1- Site Specific Emission Factors - In use from 2003 and onward				
<b>Category Type ID:</b>	1				
<b>Category Type Desc:</b>	Stack / Point				
<b>Category Type Desc (fr):</b>	Rejets de cheminée ou ponctuels				
<b>Grouping:</b>	Total Air				
<b>Trans Code:</b>	ASta				
<b>Chem:</b>	n-Hexane				
<b>Chem (fr):</b>	n-Hexane				
<b>Quantity:</b>	.2227				
<b>Unit:</b>	tonnes				
<b>Basis of Estimate Cd:</b>	O				
<b>Basis of Estimate Desc:</b>	O- Engineering Estimates				
<b>Category Type ID:</b>	1				
<b>Category Type Desc:</b>	Stack / Point				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Category Type Desc (fr):</b>		Rejets de cheminée ou ponctuels			
<b>Grouping:</b>		Total Air			
<b>Trans Code:</b>		ASta			
<b>Chem:</b>		Toluene			
<b>Chem (fr):</b>		Toluène			
<b>Quantity:</b>		.0343			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		O			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			
<b>Category Type ID:</b>		1			
<b>Category Type Desc:</b>		Stack / Point			
<b>Category Type Desc (fr):</b>		Rejets de cheminée ou ponctuels			
<b>Grouping:</b>		Total Air			
<b>Trans Code:</b>		ASta			
<b>Chem:</b>		Dichloromethane			
<b>Chem (fr):</b>		Dichlorométhane			
<b>Quantity:</b>		.7646			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		O			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			
<b>Category Type ID:</b>		1			
<b>Category Type Desc:</b>		Stack / Point			
<b>Category Type Desc (fr):</b>		Rejets de cheminée ou ponctuels			
<b>Grouping:</b>		Total Air			
<b>Trans Code:</b>		ASta			
<b>Chem:</b>		Acetone			
<b>Chem (fr):</b>		Acétone			
<b>Quantity:</b>		.6392			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		E2			
<b>Basis of Estimate Desc:</b>		E2- Published Emission Factors - In use from 2003 and onward			

<a href="#">142</a>	42 of 48	WSW/181.3	118.8 / 5.00	<b>HELMITIN INC.</b> <b>99 SHORNCLIFFE ROAD NOT AVAILABLE</b> <b>TORONTO ON M8Z5K7</b>	<b>NPRI</b>
<b>NPRI ID:</b>	383			<b>Org ID:</b>	102327
<b>Other ID:</b>	Y			<b>Submit Date:</b>	7/15/2011
<b>No Other ID:</b>	2			<b>Last Modified:</b>	5/29/2015 3:28:24 PM
<b>Track ID:</b>	90865			<b>Contact ID:</b>	113005
<b>Report ID:</b>	144923			<b>Cont Type:</b>	MED
<b>Report Type:</b>	NPRI			<b>Contact Title:</b>	
<b>Rpt Type ID:</b>	1			<b>Cont First Name:</b>	ADRIAN
<b>Report Year:</b>	2010			<b>Cont Last Name:</b>	HOLZSCHERER
<b>Not-Current Rpt?:</b>	No			<b>Contact Position:</b>	DIRECTOR OF MANUFACTURING
<b>Yr of Last Filed Rpt:</b>	2014			<b>Contact Fax:</b>	4162396487
<b>Fac ID:</b>	223424			<b>Contact Ph.:</b>	4162393105
<b>Fac Name:</b>	TORONTO PLANT			<b>Cont Area Code:</b>	416
<b>Fac Address1:</b>	99 SHORNCLIFFE ROAD			<b>Contact Tel.:</b>	62393105
<b>Fac Address2:</b>	NOT AVAILABLE			<b>Contact Ext.:</b>	237
<b>Fac Postal Zip:</b>	M8Z5K7			<b>Cont Fax Area Cde:</b>	416
<b>Facility Lat:</b>	43.62567			<b>Contact Fax:</b>	62396487
<b>Facility Long:</b>	-79.54192			<b>Contact Email:</b>	A.HOLZSCHERER@HELMITINADHESIVES.COM
<b>DLS (Last Filed Rpt):</b>				<b>Latitude:</b>	43.6253
<b>Facility DLS:</b>				<b>Longitude:</b>	-79.5419
<b>Datum:</b>	1983			<b>UTM Zone:</b>	
<b>Facility Cmnts:</b>	No			<b>UTM Northing:</b>	
<b>URL:</b>				<b>UTM Easting:</b>	
<b>No of Empl.:</b>	33			<b>Waste Streams:</b>	No
<b>Parent Co.:</b>	Y			<b>No Streams:</b>	
<b>No Parent Co.:</b>	1			<b>Waste Off Sites:</b>	No
<b>Pollut Prev Cmnts:</b>	No			<b>No Off Sites:</b>	

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Stacks:</b>	No			<b>Shutdown:</b>	No
<b>No of Stacks:</b>				<b>No of Shutdown:</b>	
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>		32			
<b>NAICS 2 Description:</b>		Manufacturing			
<b>NAICS Code (4 digit):</b>		3255			
<b>NAICS 4 Description:</b>		Paint, coating and adhesive manufacturing			
<b>NAICS Code (6 digit):</b>		325510			
<b>NAICS 6 Description:</b>		Paint and coating manufacturing			
<b><u>Substance Release Report</u></b>					
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		Toluene			
<b>Chem (fr):</b>		Toluène			
<b>Quantity:</b>		.0443			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>					
<b>Basis of Estimate Desc:</b>					
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		n-Hexane			
<b>Chem (fr):</b>		n-Hexane			
<b>Quantity:</b>		.4268			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>					
<b>Basis of Estimate Desc:</b>					
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		Dichloromethane			
<b>Chem (fr):</b>		Dichlorométhane			
<b>Quantity:</b>		.8214			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>					
<b>Basis of Estimate Desc:</b>					
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		Methyl ethyl ketone			
<b>Chem (fr):</b>		Méthyléthylcétone			
<b>Quantity:</b>		.0277			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>					
<b>Basis of Estimate Desc:</b>					
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		Acetone			
<b>Chem (fr):</b>		Acétone			
<b>Quantity:</b>		.7686			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>					
<b>Basis of Estimate Desc:</b>					

142	43 of 48	WSW/181.3	118.8 / 5.00	HELMITIN 99 SHORNCLIFFE ROAD NOT AVAILABLE TORONTO ON M8Z5K7	NPRI
<b>NPRI ID:</b>	383			<b>Org ID:</b>	51190
<b>Other ID:</b>	*			<b>Submit Date:</b>	6/1/2010
<b>No Other ID:</b>				<b>Last Modified:</b>	5/29/2015 3:28:24 PM
<b>Track ID:</b>	81163			<b>Contact ID:</b>	113003
<b>Report ID:</b>	134916			<b>Cont Type:</b>	MED
<b>Report Type:</b>	NPRI			<b>Contact Title:</b>	
<b>Rpt Type ID:</b>	1			<b>Cont First Name:</b>	ADRIAN
<b>Report Year:</b>	2009			<b>Cont Last Name:</b>	HOLZSCHERER
<b>Not-Current Rpt?:</b>	No			<b>Contact Position:</b>	DIRECTOR OF MANUFACTURING
<b>Yr of Last Filed Rpt:</b>	2014			<b>Contact Fax:</b>	4162396487
<b>Fac ID:</b>	223424			<b>Contact Ph.:</b>	4162393105
<b>Fac Name:</b>	TORONTO PLANT			<b>Cont Area Code:</b>	416
<b>Fac Address1:</b>	99 SHORNCLIFFE ROAD			<b>Contact Tel.:</b>	62393105
<b>Fac Address2:</b>	NOT AVAILABLE			<b>Contact Ext.:</b>	237
<b>Fac Postal Zip:</b>	M8Z5K7			<b>Cont Fax Area Cde:</b>	416
<b>Facility Lat:</b>	43.62567			<b>Contact Fax:</b>	62396487
<b>Facility Long:</b>	-79.54192			<b>Contact Email:</b>	NOT AVAILABLE
<b>DLS (Last Filed Rpt):</b>				<b>Latitude:</b>	43.6253
<b>Facility DLS:</b>				<b>Longitude:</b>	-79.5419
<b>Datum:</b>	1983			<b>UTM Zone:</b>	
<b>Facility Cmnts:</b>	No			<b>UTM Northing:</b>	
<b>URL:</b>	www.helmitinadhesives.com			<b>UTM Easting:</b>	
<b>No of Empl.:</b>	36			<b>Waste Streams:</b>	No
<b>Parent Co.:</b>	Y			<b>No Streams:</b>	
<b>No Parent Co.:</b>	1			<b>Waste Off Sites:</b>	Yes
<b>Pollut Prev Cmnts:</b>	No			<b>No Off Sites:</b>	1
<b>Stacks:</b>	No			<b>Shutdown:</b>	No
<b>No of Stacks:</b>				<b>No of Shutdown:</b>	
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>	32				
<b>NAICS 2 Description:</b>	Manufacturing				
<b>NAICS Code (4 digit):</b>	3255				
<b>NAICS 4 Description:</b>	Paint, coating and adhesive manufacturing				
<b>NAICS Code (6 digit):</b>	325510				
<b>NAICS 6 Description:</b>	Paint and coating manufacturing				

#### Substance Release Report

<b>Category Type ID:</b>	13
<b>Category Type Desc:</b>	All Media
<b>Category Type Desc (fr):</b>	Rejets à tous les médias
<b>Grouping:</b>	Total All Media<1t
<b>Trans Code:</b>	
<b>Chem:</b>	n-Hexane
<b>Chem (fr):</b>	n-Hexane
<b>Quantity:</b>	.206
<b>Unit:</b>	tonnes

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Basis of Estimate Cd:</b>					
<b>Basis of Estimate Desc:</b>					
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		Dichloromethane			
<b>Chem (fr):</b>		Dichlorométhane			
<b>Quantity:</b>		.61			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>					
<b>Basis of Estimate Desc:</b>					
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		Toluene			
<b>Chem (fr):</b>		Toluène			
<b>Quantity:</b>		.038			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>					
<b>Basis of Estimate Desc:</b>					
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		Methyl ethyl ketone			
<b>Chem (fr):</b>		Méthyléthylcétone			
<b>Quantity:</b>		.021			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>					
<b>Basis of Estimate Desc:</b>					
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		Acetone			
<b>Chem (fr):</b>		Acétone			
<b>Quantity:</b>		.806			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>					
<b>Basis of Estimate Desc:</b>					

142

44 of 48

WSW/181.3

118.8 / 5.00

HELMITIN INC.  
99 SHORNCLIFFE ROAD NOT AVAILABLE  
TORONTO ON M8Z5K7

NPRI

**NPRI ID:** 383  
**Other ID:** \*  
**No Other ID:** 0  
**Track ID:** 75785  
**Report ID:** 160078  
**Report Type:** NPRI  
**Rpt Type ID:** 1  
**Report Year:** 2002  
**Not-Current Rpt?:** No  
**Yr of Last Filed Rpt:** 2014

**Org ID:** 51192  
**Submit Date:** 5/20/2003  
**Last Modified:** 5/29/2015 3:28:24 PM  
**Contact ID:** 234511  
**Cont Type:** MED  
**Contact Title:**  
**Cont First Name:**  
**Cont Last Name:**  
**Contact Position:**  
**Contact Fax:**



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Fac ID:</b>	223424			<b>Contact Ph.:</b>	
<b>Fac Name:</b>	TORONTO PLANT			<b>Cont Area Code:</b>	
<b>Fac Address1:</b>	99 SHORNCLIFFE ROAD			<b>Contact Tel.:</b>	
<b>Fac Address2:</b>	NOT AVAILABLE			<b>Contact Ext.:</b>	
<b>Fac Postal Zip:</b>	M8Z5K7			<b>Cont Fax Area Cde:</b>	
<b>Facility Lat:</b>	43.62567			<b>Contact Fax:</b>	
<b>Facility Long:</b>	-79.54192			<b>Contact Email:</b>	
<b>DLS (Last Filed Rpt):</b>				<b>Latitude:</b>	43.6253
<b>Facility DLS:</b>				<b>Longitude:</b>	-79.5419
<b>Datum:</b>	1983			<b>UTM Zone:</b>	
<b>Facility Cmnts:</b>	False			<b>UTM Northing:</b>	
<b>URL:</b>	www.helmitinadhesives.com			<b>UTM Easting:</b>	
<b>No of Empl.:</b>	33			<b>Waste Streams:</b>	False
<b>Parent Co.:</b>	Y			<b>No Streams:</b>	0
<b>No Parent Co.:</b>	1			<b>Waste Off Sites:</b>	Fals
<b>Pollut Prev Cmnts:</b>	False			<b>No Off Sites:</b>	1
<b>Stacks:</b>	False			<b>Shutdown:</b>	False
<b>No of Stacks:</b>				<b>No of Shutdown:</b>	0
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>	32				
<b>NAICS 2 Description:</b>	Manufacturing				
<b>NAICS Code (4 digit):</b>	3255				
<b>NAICS 4 Description:</b>	Paint, coating and adhesive manufacturing				
<b>NAICS Code (6 digit):</b>	325510				
<b>NAICS 6 Description:</b>	Paint and coating manufacturing				

#### Substance Release Report

<b>Category Type ID:</b>	13
<b>Category Type Desc:</b>	All Media
<b>Category Type Desc (fr):</b>	Rejets à tous les médias
<b>Grouping:</b>	Total All Media<1t
<b>Trans Code:</b>	
<b>Chem:</b>	Methyl ethyl ketone
<b>Chem (fr):</b>	Méthyléthylcétone
<b>Quantity:</b>	.585
<b>Unit:</b>	tonnes
<b>Basis of Estimate Cd:</b>	
<b>Basis of Estimate Desc:</b>	
<b>Category Type ID:</b>	2
<b>Category Type Desc:</b>	Storage / Handling
<b>Category Type Desc (fr):</b>	Rejets de stockage ou manutention
<b>Grouping:</b>	Total Air
<b>Trans Code:</b>	VOCg
<b>Chem:</b>	Toluene
<b>Chem (fr):</b>	Toluène
<b>Quantity:</b>	1.626
<b>Unit:</b>	tonnes
<b>Basis of Estimate Cd:</b>	O
<b>Basis of Estimate Desc:</b>	O- Engineering Estimates
<b>Category Type ID:</b>	13
<b>Category Type Desc:</b>	All Media
<b>Category Type Desc (fr):</b>	Rejets à tous les médias
<b>Grouping:</b>	Total All Media<1t
<b>Trans Code:</b>	
<b>Chem:</b>	Trichloroethylene
<b>Chem (fr):</b>	Trichloroéthylène
<b>Quantity:</b>	.24
<b>Unit:</b>	tonnes
<b>Basis of Estimate Cd:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Basis of Estimate Desc:</b>					
<b>Category Type ID:</b>	2				
<b>Category Type Desc:</b>	Storage / Handling				
<b>Category Type Desc (fr):</b>	Rejets de stockage ou manutention				
<b>Grouping:</b>	Total Air				
<b>Trans Code:</b>	VOCg				
<b>Chem:</b>	Dichloromethane				
<b>Chem (fr):</b>	Dichlorométhane				
<b>Quantity:</b>	3.51				
<b>Unit:</b>	tonnes				
<b>Basis of Estimate Cd:</b>	O				
<b>Basis of Estimate Desc:</b>	O- Engineering Estimates				
<b>Category Type ID:</b>	2				
<b>Category Type Desc:</b>	Storage / Handling				
<b>Category Type Desc (fr):</b>	Rejets de stockage ou manutention				
<b>Grouping:</b>	Total Air				
<b>Trans Code:</b>	VOCg				
<b>Chem:</b>	n-Hexane				
<b>Chem (fr):</b>	n-Hexane				
<b>Quantity:</b>	2.393				
<b>Unit:</b>	tonnes				
<b>Basis of Estimate Cd:</b>	O				
<b>Basis of Estimate Desc:</b>	O- Engineering Estimates				
<a href="#">142</a>	45 of 48	WSW/181.3	118.8 / 5.00	HELMITIN CANADA INC. 99 SHORNCLIFFE ROAD NOT AVAILABLE TORONTO ON M8Z5K7	NPRI
<b>NPRI ID:</b>	383			<b>Org ID:</b>	13598
<b>Other ID:</b>	Y			<b>Submit Date:</b>	9/26/2001
<b>No Other ID:</b>	1			<b>Last Modified:</b>	5/29/2015 3:28:24 PM
<b>Track ID:</b>	1213			<b>Contact ID:</b>	85972
<b>Report ID:</b>				<b>Cont Type:</b>	MED
<b>Report Type:</b>	NPRI			<b>Contact Title:</b>	
<b>Rpt Type ID:</b>	1			<b>Cont First Name:</b>	ERNIE
<b>Report Year:</b>	1995			<b>Cont Last Name:</b>	LEINER
<b>Not-Current Rpt?:</b>	No			<b>Contact Position:</b>	NOT AVAILABLE
<b>Yr of Last Filed Rpt:</b>	2014			<b>Contact Fax:</b>	4162396487
<b>Fac ID:</b>	37552			<b>Contact Ph.:</b>	4162393105
<b>Fac Name:</b>	NOT AVAILABLE			<b>Cont Area Code:</b>	416
<b>Fac Address1:</b>	99 SHORNCLIFFE ROAD			<b>Contact Tel.:</b>	62393105
<b>Fac Address2:</b>	NOT AVAILABLE			<b>Contact Ext.:</b>	
<b>Fac Postal Zip:</b>	M8Z5K7			<b>Cont Fax Area Cde:</b>	416
<b>Facility Lat:</b>	43.6253			<b>Contact Fax:</b>	62396487
<b>Facility Long:</b>	-79.5419			<b>Contact Email:</b>	NOT AVAILABLE
<b>DLS (Last Filed Rpt):</b>				<b>Latitude:</b>	43.6253
<b>Facility DLS:</b>				<b>Longitude:</b>	-79.5419
<b>Datum:</b>	1983			<b>UTM Zone:</b>	17
<b>Facility Cmnts:</b>	FALSE			<b>UTM Northing:</b>	4831074
<b>URL:</b>				<b>UTM Easting:</b>	617639
<b>No of Empl.:</b>	31			<b>Waste Streams:</b>	FALSE
<b>Parent Co.:</b>	*			<b>No Streams:</b>	0
<b>No Parent Co.:</b>	0			<b>Waste Off Sites:</b>	FALSE
<b>Pollut Prev Cmnts:</b>	FALSE			<b>No Off Sites:</b>	0
<b>Stacks:</b>				<b>Shutdown:</b>	
<b>No of Stacks:</b>				<b>No of Shutdown:</b>	
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>	32				
<b>NAICS 2 Description:</b>	Manufacturing				
<b>NAICS Code (4 digit):</b>	3255				

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>NAICS 4 Description:</b>		Paint, coating and adhesive manufacturing			
<b>NAICS Code (6 digit):</b>		325520			
<b>NAICS 6 Description:</b>		Adhesive manufacturing			
<b><u>Substance Release Report</u></b>					
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		Methyl ethyl ketone			
<b>Chem (fr):</b>		Méthyléthylcétone			
<b>Quantity:</b>		.1			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		O			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		Toluene			
<b>Chem (fr):</b>		Toluène			
<b>Quantity:</b>		.1			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		O			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		Trichloroethylene			
<b>Chem (fr):</b>		Trichloroéthylène			
<b>Quantity:</b>		.1			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		O			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		Acetone			
<b>Chem (fr):</b>		Acétone			
<b>Quantity:</b>		.5			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		O			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		Dichloromethane			
<b>Chem (fr):</b>		Dichlorométhane			
<b>Quantity:</b>		.5			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		O			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">142</a>	46 of 48	WSW/181.3	118.8 / 5.00	HELMITIN CANADA INC. 99 SHORNCLIFFE RD ETOBICOKE ON M8Z 5K7	SCT
<b>Established:</b>		1959			
<b>Plant Size (ft²):</b>		40000			
<b>Employment:</b>		45			
<b>--Details--</b>					
<b>Description:</b>		ADHESIVES AND SEALANTS			
<b>SIC/NAICS Code:</b>		2891			
<a href="#">142</a>	47 of 48	WSW/181.3	118.8 / 5.00	Helmitin Inc. 99 Shorncliffe Rd Etobicoke ON M8Z 5K7	SCT
<b>Established:</b>		01-JAN-59			
<b>Plant Size (ft²):</b>		55000			
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>		Adhesive Manufacturing			
<b>SIC/NAICS Code:</b>		325520			
<a href="#">142</a>	48 of 48	WSW/181.3	118.8 / 5.00	PROVOST BULK TRANSPORT 99 SHORNCLIFF ROAD. TANK TRUCK (CARGO) TORONTO CITY ON	SPL
<b>Ref No:</b>		66613		<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>		1/30/1992		<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	
<b>Incident Cause:</b>		PIPE/HOSE LEAK		<b>Source Type:</b>	
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>				<b>Site Name:</b>	
<b>Contaminant Name:</b>				<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>		NOT ANTICIPATED		<b>Site Municipality:</b>	01106
<b>Nature of Impact:</b>				<b>Site Lot:</b>	
<b>Receiving Medium:</b>		LAND		<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>Health/Env Conseq:</b>				<b>Easting:</b>	
<b>MOE Response:</b>				<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>		1/31/1992		<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>					
<b>SAC Action Class:</b>					
<b>Incident Reason:</b>		ERROR			
<b>Incident Summary:</b>		PROVOST-20 LITRES GLUE TOWALL AND GROUND WHILE DISCONNECTING HOSE.			
<a href="#">143</a>	1 of 43	WNW/182.1	119.8 / 6.00	39 Shorncliffe Road Toronto ON M8Z 5K2	EHS
<b>Order ID:</b>		143455		<b>Date Received:</b>	7/7/2008

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Order No:</b>	20080707029			<b>Lot/Building Size:</b>	
<b>Customer ID:</b>	51668			<b>Municipality:</b>	
<b>Company ID:</b>	182			<b>Client Prov/State:</b>	ON
<b>Status:</b>	C			<b>Search Radius (km):</b>	0.25
<b>Report Code:</b>	3CAN			<b>Large Radius:</b>	2
<b>Report Type:</b>	Complete Report			<b>X:</b>	-79.542732
<b>Report Date:</b>	7/16/2008			<b>Y:</b>	43.629694
<b>Report Requested by:</b>	Barenco Inc.				
<b>Nearest Intersection:</b>					
<b>Previous Site Name:</b>					
<b>Additional Info Ordered:</b>	Fire Insur. Maps And /or Site Plans				

<a href="#">143</a>	2 of 43	WNW/182.1	119.8 / 6.00	WEST END TRUCK CENTRE LTD 39 SHORNCLIFFE RD TORONTO ON M8Z 5K2	EXP
<b>Instance No:</b>	11176208				
<b>Instance ID:</b>					
<b>Instance Type:</b>	FS Liquid Fuel Tank				
<b>Description:</b>	FS Gasoline Station - Card/Keylock				
<b>Status:</b>	EXPIRED				
<b>TSSA Program Area:</b>					
<b>Maximum Hazard Rank:</b>					
<b>Facility Type:</b>	FS Liquid Fuel Tank				
<b>Expired Date:</b>	7/27/1993				

<a href="#">143</a>	3 of 43	WNW/182.1	119.8 / 6.00	WEST-END TRUCK CENTRE LTD 39 SHORNCLIFFE RD TORONTO ON	EXP
<b>Instance No:</b>	11019999				
<b>Instance ID:</b>	62332				
<b>Instance Type:</b>	FS Piping				
<b>Description:</b>	FS Piping				
<b>Status:</b>	EXPIRED				
<b>TSSA Program Area:</b>					
<b>Maximum Hazard Rank:</b>					
<b>Facility Type:</b>					
<b>Expired Date:</b>					

<a href="#">143</a>	4 of 43	WNW/182.1	119.8 / 6.00	WEST-END TRUCK CENTRE LTD 39 SHORNCLIFFE RD TORONTO ON	EXP
<b>Instance No:</b>	11020014				
<b>Instance ID:</b>	62869				
<b>Instance Type:</b>	FS Piping				
<b>Description:</b>	FS Piping				
<b>Status:</b>	EXPIRED				
<b>TSSA Program Area:</b>					
<b>Maximum Hazard Rank:</b>					
<b>Facility Type:</b>					
<b>Expired Date:</b>					

<a href="#">143</a>	5 of 43	WNW/182.1	119.8 / 6.00	WEST END TRUCK CENTRE LTD 39 SHORNCLIFFE RD TORONTO ON M8Z 5K2	EXP
<b>Instance No:</b>	11176228				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<p><i>Instance ID:</i>  <i>Instance Type:</i> FS Liquid Fuel Tank  <i>Description:</i> FS Gasoline Station - Card/Keylock  <i>Status:</i> EXPIRED  <i>TSSA Program Area:</i>  <i>Maximum Hazard Rank:</i>  <i>Facility Type:</i> FS Liquid Fuel Tank  <i>Expired Date:</i> 7/27/1993</p>					
<a href="#">143</a>	6 of 43	WNW/182.1	119.8 / 6.00	WEST-END TRUCK CENTRE LTD 39 SHORNCLIFFE RD TORONTO ON M8Z 5K2	EXP
<p><i>Instance No:</i> 11020022  <i>Instance ID:</i>  <i>Instance Type:</i> FS Liquid Fuel Tank  <i>Description:</i>  <i>Status:</i> EXPIRED  <i>TSSA Program Area:</i>  <i>Maximum Hazard Rank:</i>  <i>Facility Type:</i>  <i>Expired Date:</i> 6/17/1993</p>					
<a href="#">143</a>	7 of 43	WNW/182.1	119.8 / 6.00	WEST-END TRUCK CENTRE LTD 39 SHORNCLIFFE RD TORONTO ON M8Z 5K2	EXP
<p><i>Instance No:</i> 11019985  <i>Instance ID:</i>  <i>Instance Type:</i> FS Liquid Fuel Tank  <i>Description:</i> FS Gasoline Station - Full Serve  <i>Status:</i> EXPIRED  <i>TSSA Program Area:</i>  <i>Maximum Hazard Rank:</i>  <i>Facility Type:</i> FS Liquid Fuel Tank  <i>Expired Date:</i> 6/17/1993</p>					
<a href="#">143</a>	8 of 43	WNW/182.1	119.8 / 6.00	WEST-END TRUCK CENTRE LTD 39 SHORNCLIFFE RD TORONTO ON	EXP
<p><i>Instance No:</i> 11020028  <i>Instance ID:</i> 62323  <i>Instance Type:</i> FS Piping  <i>Description:</i> FS Piping  <i>Status:</i> EXPIRED  <i>TSSA Program Area:</i>  <i>Maximum Hazard Rank:</i>  <i>Facility Type:</i>  <i>Expired Date:</i></p>					
<a href="#">143</a>	9 of 43	WNW/182.1	119.8 / 6.00	WEST END TRUCK CENTRE LTD 39 SHORNCLIFFE RD TORONTO ON	EXP
<p><i>Instance No:</i> 10003292  <i>Instance ID:</i> 10066  <i>Instance Type:</i> FS Facility  <i>Description:</i> FS Gasoline Station - Card/Keylock</p>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Status:</b> <b>TSSA Program Area:</b> <b>Maximum Hazard Rank:</b> <b>Facility Type:</b> <b>Expired Date:</b>		EXPIRED			
<a href="#">143</a>	10 of 43	WNW/182.1	119.8 / 6.00	WEST-END TRUCK CENTRE LTD 39 SHORNCLIFFE RD TORONTO ON M8Z 5K2	EXP
<b>Instance No:</b> <b>Instance ID:</b> <b>Instance Type:</b> <b>Description:</b> <b>Status:</b> <b>TSSA Program Area:</b> <b>Maximum Hazard Rank:</b> <b>Facility Type:</b> <b>Expired Date:</b>		11020007 FS Liquid Fuel Tank FS Gasoline Station - Full Serve EXPIRED FS Liquid Fuel Tank 6/17/1993			
<a href="#">143</a>	11 of 43	WNW/182.1	119.8 / 6.00	WEST END TRUCK CENTRE LTD 39 SHORNCLIFFE RD TORONTO ON M8Z 5K2	EXP
<b>Instance No:</b> <b>Instance ID:</b> <b>Instance Type:</b> <b>Description:</b> <b>Status:</b> <b>TSSA Program Area:</b> <b>Maximum Hazard Rank:</b> <b>Facility Type:</b> <b>Expired Date:</b>		11176208 FS Liquid Fuel Tank EXPIRED 7/27/1993			
<a href="#">143</a>	12 of 43	WNW/182.1	119.8 / 6.00	WEST-END TRUCK CENTRE LTD 39 SHORNCLIFFE RD TORONTO ON M8Z 5K2	EXP
<b>Instance No:</b> <b>Instance ID:</b> <b>Instance Type:</b> <b>Description:</b> <b>Status:</b> <b>TSSA Program Area:</b> <b>Maximum Hazard Rank:</b> <b>Facility Type:</b> <b>Expired Date:</b>		11020022 FS Liquid Fuel Tank FS Gasoline Station - Full Serve EXPIRED FS Liquid Fuel Tank 6/17/1993			
<a href="#">143</a>	13 of 43	WNW/182.1	119.8 / 6.00	WEST-END TRUCK CENTRE LTD 39 SHORNCLIFFE RD TORONTO ON M8Z 5K2	EXP
<b>Instance No:</b> <b>Instance ID:</b> <b>Instance Type:</b> <b>Description:</b> <b>Status:</b> <b>TSSA Program Area:</b> <b>Maximum Hazard Rank:</b>		9673816 FS Facility EXPIRED			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Facility Type:</b>					
<b>Expired Date:</b>		6/17/1993			
<a href="#">143</a>	14 of 43	WNW/182.1	119.8 / 6.00	WEST-END TRUCK CENTRE LTD 39 SHORNCLIFFE RD TORONTO ON M8Z 5K2	EXP
<b>Instance No:</b>		11020007			
<b>Instance ID:</b>					
<b>Instance Type:</b>		FS Liquid Fuel Tank			
<b>Description:</b>					
<b>Status:</b>		EXPIRED			
<b>TSSA Program Area:</b>					
<b>Maximum Hazard Rank:</b>					
<b>Facility Type:</b>					
<b>Expired Date:</b>		6/17/1993			
<a href="#">143</a>	15 of 43	WNW/182.1	119.8 / 6.00	WEST-END TRUCK CENTRE LTD 39 SHORNCLIFFE RD TORONTO ON M8Z 5K2	EXP
<b>Instance No:</b>		11019985			
<b>Instance ID:</b>					
<b>Instance Type:</b>		FS Liquid Fuel Tank			
<b>Description:</b>					
<b>Status:</b>		EXPIRED			
<b>TSSA Program Area:</b>					
<b>Maximum Hazard Rank:</b>					
<b>Facility Type:</b>					
<b>Expired Date:</b>		6/17/1993			
<a href="#">143</a>	16 of 43	WNW/182.1	119.8 / 6.00	WEST END TRUCK CENTRE LTD 39 SHORNCLIFFE RD TORONTO ON M8Z 5K2	EXP
<b>Instance No:</b>		11176228			
<b>Instance ID:</b>					
<b>Instance Type:</b>		FS Liquid Fuel Tank			
<b>Description:</b>					
<b>Status:</b>		EXPIRED			
<b>TSSA Program Area:</b>					
<b>Maximum Hazard Rank:</b>					
<b>Facility Type:</b>					
<b>Expired Date:</b>		7/27/1993			
<a href="#">143</a>	17 of 43	WNW/182.1	119.8 / 6.00	WEST END TRUCK CENTRE LTD 39 SHORNCLIFFE RD TORONTO ON M8Z 5K2	EXP
<b>Instance No:</b>		11154201			
<b>Instance ID:</b>					
<b>Instance Type:</b>		FS Liquid Fuel Tank			
<b>Description:</b>					
<b>Status:</b>		EXPIRED			
<b>TSSA Program Area:</b>					
<b>Maximum Hazard Rank:</b>					
<b>Facility Type:</b>					
<b>Expired Date:</b>		7/27/1993			



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">143</a>	18 of 43	WNW/182.1	119.8 / 6.00	WEST END TRUCK CENTRE LTD 39 SHORNCLIFFE RD TORONTO ON M8Z 5K2	EXP
<b>Instance No:</b>		11154201			
<b>Instance ID:</b>					
<b>Instance Type:</b>		FS Liquid Fuel Tank			
<b>Description:</b>		FS Gasoline Station - Card/Keylock			
<b>Status:</b>		EXPIRED			
<b>TSSA Program Area:</b>					
<b>Maximum Hazard Rank:</b>					
<b>Facility Type:</b>		FS Liquid Fuel Tank			
<b>Expired Date:</b>		7/27/1993			
<a href="#">143</a>	19 of 43	WNW/182.1	119.8 / 6.00	WEST END TRUCK CENTRE LTD 39 SHORNCLIFFE RD TORONTO ON M8Z 5K2	FSTH
<b>License Issue Date:</b>		8/4/2004			
<b>Tank Status:</b>		Licensed			
<b>Tank Status As Of:</b>		August 2007			
<b>Operation Type:</b>		Retail Fuel Outlet			
<b>Facility Type:</b>		Gasoline Station - Card/Keylock			
<b>--Details--</b>					
<b>Status:</b>		Active			
<b>Year of Installation:</b>		1987			
<b>Corrosion Protection:</b>					
<b>Capacity:</b>		50000			
<b>Tank Fuel Type:</b>		Liquid Fuel Single Wall UST - Gasoline			
<b>Status:</b>		Active			
<b>Year of Installation:</b>		1987			
<b>Corrosion Protection:</b>					
<b>Capacity:</b>		50000			
<b>Tank Fuel Type:</b>		Liquid Fuel Single Wall UST - Gasoline			
<b>Status:</b>		Active			
<b>Year of Installation:</b>		1987			
<b>Corrosion Protection:</b>					
<b>Capacity:</b>		50000			
<b>Tank Fuel Type:</b>		Liquid Fuel Single Wall UST - Gasoline			
<a href="#">143</a>	20 of 43	WNW/182.1	119.8 / 6.00	West End Truck Center Limited 39 Shorncliffe Road Toronto ON	GEN
<b>Generator No.:</b>		ON5055142		<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>		2009		<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>		811310			
<b>SIC Description:</b>		Commercial and Industrial Machinery and Equipment (except Automotive and Electronic) Repair and Maintenance			
<b>--Details--</b>					
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">143</a>	21 of 43	WNW/182.1	119.8 / 6.00	IMPERIAL OIL LIMITED 39 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K2	GEN
<b>Generator No.:</b>	ON1586224			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	00,01			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	5111				
<b>SIC Description:</b>		PETROLEUM PROD., WH.			
<b>--Details--</b>					
<b>Waste Code:</b>		146			
<b>Waste Description:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<a href="#">143</a>	22 of 43	WNW/182.1	119.8 / 6.00	Imperial Oil Limited 39 Shorncliffe Road Etobicoke ON	GEN
<b>Generator No.:</b>	ON8369738			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2009			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	447110				
<b>SIC Description:</b>		Gasoline Stations with Convenience Stores			
<b>--Details--</b>					
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<a href="#">143</a>	23 of 43	WNW/182.1	119.8 / 6.00	IMPERIAL OIL LIMITED 39 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K2	GEN
<b>Generator No.:</b>	ON1586224			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	99			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	5111				
<b>SIC Description:</b>		PETROLEUM PROD., WH.			
<b>--Details--</b>					
<b>Waste Code:</b>		146			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Description:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			

<a href="#">143</a>	24 of 43	WNW/182.1	119.8 / 6.00	IMPERIAL OIL 39 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K2	GEN
<b>Generator No.:</b>		ON1586224		<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>		02,03,04,05,06,07,08		<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<b>--Details--</b>					
<b>Waste Code:</b>		146			
<b>Waste Description:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			

<a href="#">143</a>	25 of 43	WNW/182.1	119.8 / 6.00	West End Truck Center Limited 39 Shorncliffe Road Toronto ON	GEN
<b>Generator No.:</b>		ON5055142		<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>		2011		<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>		811310			
<b>SIC Description:</b>		Commercial and Industrial Machinery and Equipment (except Automotive and Electronic) Repair and Maintenance			
<b>--Details--</b>					
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			

<a href="#">143</a>	26 of 43	WNW/182.1	119.8 / 6.00	West End Truck Center Limited 39 Shorncliffe Road Toronto ON	GEN
<b>Generator No.:</b>		ON5055142		<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>		2010		<b>Choice of Contact:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> 811310 <b>SIC Description:</b> Commercial and Industrial Machinery and Equipment (except Automotive and Electronic) Repair and Maintenance <b>Co Admin:</b> <b>Phone No. Admin:</b>					
<b>--Details--</b>					
<b>Waste Code:</b> 252					
<b>Waste Description:</b> WASTE OILS & LUBRICANTS					
<a href="#">143</a>	27 of 43	WNW/182.1	119.8 / 6.00	West End Truck Center Limited 39 Shorncliffe Road Toronto ON M8Z 5K2	GEN
<b>Generator No.:</b> ON5055142					
<b>Status:</b>					
<b>Approval Years:</b> 06,07,08					
<b>Contam. Facility:</b>					
<b>MHSW Facility:</b>					
<b>SIC Code:</b> 811310					
<b>SIC Description:</b> Commercial and Industrial Machinery and Equipment					
<b>PO Box No.:</b>					
<b>Country:</b>					
<b>Choice of Contact:</b>					
<b>Co Admin:</b>					
<b>Phone No. Admin:</b>					
<b>--Details--</b>					
<b>Waste Code:</b> 252					
<b>Waste Description:</b> WASTE OILS & LUBRICANTS					
<a href="#">143</a>	28 of 43	WNW/182.1	119.8 / 6.00	WEST-END TRUCK CENTRE LTD 39 SHORNCLIFFE RD TORONTO ON M8Z5K2	PRT
<b>Location ID:</b> 15605					
<b>Type:</b> retail					
<b>Expiry Date:</b> 1994-06-30					
<b>Capacity (L):</b> 125000					
<b>Licence #:</b> 0048040001					
<a href="#">143</a>	29 of 43	WNW/182.1	119.8 / 6.00	IMPERIAL OIL LIMITED LINDA BOWES 39 SHORNCLIFFE RD TORONTO ON M8Z5K2	PRT
<b>Location ID:</b> 15605					
<b>Type:</b> retail					
<b>Expiry Date:</b> 1996-04-30					
<b>Capacity (L):</b> 100000					
<b>Licence #:</b> 0076397629					
<a href="#">143</a>	30 of 43	WNW/182.1	119.8 / 6.00	OK TIRE 39 SHORNCLIFFE RD TORONTO ON M8Z5K2	RST
<b>Headcode:</b> 00921430					
<b>Headcode Desc:</b> OIL CHANGES & LUBRICATION SERVICE					
<b>Phone:</b> 4162361277					
<b>List Name:</b>					
<b>Description:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">143</a>	31 of 43	WNW/182.1	119.8 / 6.00	OK TIRE 39 SHORNCLIFFE RD TORONTO ON	RST

**Headcode:** 00921430  
**Headcode Desc:** OIL CHANGES & LUBRICATION SERVICE  
**Phone:** 4162361277  
**List Name:**  
**Description:**

<a href="#">143</a>	32 of 43	WNW/182.1	119.8 / 6.00	WEST END TRUCKING FUELING DEPOT, 39 SHORNCLIFFE ROAD, FORMER ETOBICOKE 39 SHORNCLIFF ROAD ETOBICOKE TORONTO CITY ON M8Z 5K2	SPL
---------------------	----------	-----------	--------------	---	-----

<b>Ref No:</b>	210687	<b>Discharger Report:</b>	
<b>Site No:</b>		<b>Material Group:</b>	
<b>Incident Dt:</b>	9/4/2001	<b>Client Type:</b>	
<b>Year:</b>		<b>Sector Type:</b>	
<b>Incident Cause:</b>	CONTAINER OVERFLOW	<b>Source Type:</b>	
<b>Incident Event:</b>		<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>		<b>Site Name:</b>	
<b>Contaminant Name:</b>		<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>		<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>		<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>		<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>		<b>Site Region:</b>	
<b>Environment Impact:</b>	Possible	<b>Site Municipality:</b>	01106
<b>Nature of Impact:</b>	Soil contamination	<b>Site Lot:</b>	
<b>Receiving Medium:</b>	Land	<b>Site Conc:</b>	
<b>Receiving Env:</b>		<b>Northing:</b>	
<b>Health/Env Conseq:</b>		<b>Easting:</b>	
<b>MOE Response:</b>		<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>		<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	9/4/2001	<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>			
<b>SAC Action Class:</b>			
<b>Incident Reason:</b>	ERROR		
<b>Incident Summary:</b>	WEST END: SPILL OF 10L DIESEL FUEL AT FUEL DEPOT-CONTAINED/CLEANED.		

<a href="#">143</a>	33 of 43	WNW/182.1	119.8 / 6.00	WEST END TRUCKING FUELING DEPOT, 39 SHORNCLIFFE ROAD, FORMER ETOBICOKE 39 SHORNCLIFF ROAD ETOBICOKE TORONTO CITY ON M8Z 5K2	SPL
---------------------	----------	-----------	--------------	---	-----

<b>Ref No:</b>	195376	<b>Discharger Report:</b>	
<b>Site No:</b>		<b>Material Group:</b>	
<b>Incident Dt:</b>	2/22/2001	<b>Client Type:</b>	
<b>Year:</b>		<b>Sector Type:</b>	
<b>Incident Cause:</b>	CONTAINER OVERFLOW	<b>Source Type:</b>	
<b>Incident Event:</b>		<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>		<b>Site Name:</b>	
<b>Contaminant Name:</b>		<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>		<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>		<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>		<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>		<b>Site Region:</b>	
<b>Environment Impact:</b>	Possible	<b>Site Municipality:</b>	01106
<b>Nature of Impact:</b>	Soil contamination	<b>Site Lot:</b>	
<b>Receiving Medium:</b>	Land	<b>Site Conc:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB	
				<b>Receiving Env:</b> <b>Health/Env Conseq:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 2/22/2001 <b>Dt Document Closed:</b> <b>SAC Action Class:</b> <b>Incident Reason:</b> ERROR <b>Incident Summary:</b> WEST END: SPILL OF 20L DIESEL FUEL AT FUEL DEPOT-CONTAINED/CLEANED.		<b>Northing:</b> <b>Easting:</b> TSSA <b>Site Geo Ref Accu:</b> <b>Site Geo Ref Meth:</b> <b>Site Map Datum:</b>
<a href="#">143</a>	34 of 43	WNW/182.1	119.8 / 6.00	<b>SERVICE STATION</b> <b>39 SHORNCLIFFE RD (N.O.S.)</b> <b>TORONTO CITY ON M8Z 5K2</b>	SPL	
				<b>Ref No:</b> 129611 <b>Site No:</b> <b>Incident Dt:</b> 7/19/1996 <b>Year:</b> <b>Incident Cause:</b> OTHER CAUSE (N.O.S.) <b>Incident Event:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Contaminant Qty:</b> <b>Environment Impact:</b> NOT ANTICIPATED <b>Nature of Impact:</b> <b>Receiving Medium:</b> LAND <b>Receiving Env:</b> <b>Health/Env Conseq:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 7/24/1996 <b>Dt Document Closed:</b> <b>SAC Action Class:</b> <b>Incident Reason:</b> DAMAGE BY MOVING EQUIPMENT <b>Incident Summary:</b> WEST END TRUCK:1L DIESEL TO ASPHALT.		<b>Discharger Report:</b> <b>Material Group:</b> <b>Client Type:</b> <b>Sector Type:</b> <b>Source Type:</b> <b>Nearest Watercourse:</b> <b>Site Name:</b> <b>Site Address:</b> <b>Site District Office:</b> <b>Site County/District:</b> <b>Site Postal Code:</b> <b>Site Region:</b> <b>Site Municipality:</b> 01106 <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> <b>Site Geo Ref Accu:</b> <b>Site Geo Ref Meth:</b> <b>Site Map Datum:</b>
<a href="#">143</a>	35 of 43	WNW/182.1	119.8 / 6.00	<b>WEST END TRUCKING</b> <b>39 SHORNCLIFFE ROAD 39 SHORNCLIFF ROAD</b> <b>ETOBICOKE</b> <b>TORONTO ON M8Z 5K2</b>	SPL	
				<b>Ref No:</b> 192647 <b>Site No:</b> <b>Incident Dt:</b> 12/28/2000 <b>Year:</b> <b>Incident Cause:</b> CONTAINER OVERFLOW <b>Incident Event:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Contaminant Qty:</b> <b>Environment Impact:</b> POSSIBLE <b>Nature of Impact:</b> Soil contamination <b>Receiving Medium:</b> LAND <b>Receiving Env:</b> <b>Health/Env Conseq:</b> <b>MOE Response:</b>		<b>Discharger Report:</b> <b>Material Group:</b> <b>Client Type:</b> <b>Sector Type:</b> <b>Source Type:</b> <b>Nearest Watercourse:</b> <b>Site Name:</b> <b>Site Address:</b> <b>Site District Office:</b> <b>Site County/District:</b> <b>Site Postal Code:</b> <b>Site Region:</b> <b>Site Municipality:</b> 1106 <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> TSSA <b>Site Geo Ref Accu:</b>

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 12/28/2000 <b>Dt Document Closed:</b> <b>SAC Action Class:</b> <b>Incident Reason:</b> ERROR <b>Incident Summary:</b> WEST END: SPIL OF 25 L DIESEL FUEL AT FUEL DEPOT-CONTAINED/CLEANED.					
<a href="#">143</a>	36 of 43	WNW/182.1	119.8 / 6.00	SERVICE STATION 39 SHORNCLIFFE RD (N.O.S.) TORONTO ON M8Z 5K2	SPL
<b>Ref No:</b> 189933 <b>Site No:</b> <b>Incident Dt:</b> 11/1/2000 <b>Year:</b> <b>Incident Cause:</b> PIPE/HOSE LEAK <b>Incident Event:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Contaminant Qty:</b> <b>Environment Impact:</b> NOT ANTICIPATED <b>Nature of Impact:</b> <b>Receiving Medium:</b> LAND <b>Receiving Env:</b> <b>Health/Env Conseq:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 11/6/2000 <b>Dt Document Closed:</b> <b>SAC Action Class:</b> <b>Incident Reason:</b> EQUIPMENT FAILURE <b>Incident Summary:</b> WEST END TRUCK STATION <10 L OF DIESEL FUEL TO PAVEMENT, CONTAINED.					

<a href="#">143</a>	37 of 43	WNW/182.1	119.8 / 6.00	SERVICE STATION 39 SHORNE CLIFFE RD (N.O.S.) TORONTO CITY ON	SPL
<b>Ref No:</b> 133766 <b>Site No:</b> <b>Incident Dt:</b> 10/31/1996 <b>Year:</b> <b>Incident Cause:</b> CONTAINER OVERFLOW <b>Incident Event:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Contaminant Qty:</b> <b>Environment Impact:</b> NOT ANTICIPATED <b>Nature of Impact:</b> <b>Receiving Medium:</b> LAND <b>Receiving Env:</b> <b>Health/Env Conseq:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 11/1/1996 <b>Dt Document Closed:</b> <b>SAC Action Class:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Incident Reason:</b>		ERROR			
<b>Incident Summary:</b>		WEST END TRUCK CENTRE: 20L DIESEL TO CONCRETE. CLEANED UP.			
<a href="#">143</a>	38 of 43	WNW/182.1	119.8 / 6.00	ESSO PETROLEUM CANADA 39 SHORNECLIFFE ROAD CARD LOCK STATION TORONTO CITY ON	SPL
<b>Ref No:</b>	124993			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>	4/15/1996			<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	
<b>Incident Cause:</b>	PIPE/HOSE LEAK			<b>Source Type:</b>	
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>				<b>Site Name:</b>	
<b>Contaminant Name:</b>				<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>	CONFIRMED			<b>Site Municipality:</b>	01106
<b>Nature of Impact:</b>	Human health			<b>Site Lot:</b>	
<b>Receiving Medium:</b>	LAND			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>Health/Env Conseq:</b>				<b>Easting:</b>	
<b>MOE Response:</b>				<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	4/15/1996			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>					
<b>SAC Action Class:</b>					
<b>Incident Reason:</b>		ERROR			
<b>Incident Summary:</b>		ESSO PETROLEUM: 5 L GASOLINE TO GROUND; EMPLOYEE SPRAYED WITH GAS			
<a href="#">143</a>	39 of 43	WNW/182.1	119.8 / 6.00	SERVICE STATION CARD-LOCK STATION AT 39 SHORNCLIFFE RD. (N.O.S.) TORONTO CITY ON M8Z 5K2	SPL
<b>Ref No:</b>	137024			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>	2/6/1997			<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	
<b>Incident Cause:</b>	PIPE/HOSE LEAK			<b>Source Type:</b>	
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>				<b>Site Name:</b>	
<b>Contaminant Name:</b>				<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>	NOT ANTICIPATED			<b>Site Municipality:</b>	01106
<b>Nature of Impact:</b>				<b>Site Lot:</b>	
<b>Receiving Medium:</b>	LAND			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>Health/Env Conseq:</b>				<b>Easting:</b>	
<b>MOE Response:</b>				<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	2/10/1997			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>					
<b>SAC Action Class:</b>					
<b>Incident Reason:</b>		ERROR			
<b>Incident Summary:</b>		WEST END TRUCK CENTRE - 10 L OF DIESEL FUEL TO CONCRETE AT CARD-LOCK.			



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">143</a>	40 of 43	WNW/182.1	119.8 / 6.00	TRANSPORT TRUCK 39 SHORNCLIFFE ROAD MOTOR VEHICLE (OPERATING FLUID) TORONTO CITY ON M8Z 5K2	SPL
<b>Ref No:</b>	133985			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>	11/6/1996			<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	
<b>Incident Cause:</b>	CONTAINER OVERFLOW			<b>Source Type:</b>	
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>				<b>Site Name:</b>	
<b>Contaminant Name:</b>				<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>	NOT ANTICIPATED			<b>Site Municipality:</b>	01106
<b>Nature of Impact:</b>				<b>Site Lot:</b>	
<b>Receiving Medium:</b>	LAND			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>Health/Env Conseq:</b>				<b>Easting:</b>	
<b>MOE Response:</b>				<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	11/7/1996			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>					
<b>SAC Action Class:</b>					
<b>Incident Reason:</b>	ERROR				
<b>Incident Summary:</b>	TRANSPORT TRUCK-5 LITERS DIESEL TO CEMENT PAD, CONTAINED IN SEPERATOR.				
<a href="#">143</a>	41 of 43	WNW/182.1	119.8 / 6.00	West End Truck Centre<UNOFFICIAL> 39 Shorncliffe Rd, Etobicoke Toronto ON	SPL
<b>Ref No:</b>	6857-64GPJV			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	Oil
<b>Incident Dt:</b>	9/2/2004			<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	Service Station
<b>Incident Cause:</b>	Other Discharges			<b>Source Type:</b>	
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>	13			<b>Site Name:</b>	WEST END TRUCK CENTRE<UNOFFICIAL>
<b>Contaminant Name:</b>	DIESEL FUEL			<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	Toronto
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>	20 L			<b>Site Region:</b>	Central
<b>Environment Impact:</b>	Possible			<b>Site Municipality:</b>	Toronto
<b>Nature of Impact:</b>	Surface Water Pollution			<b>Site Lot:</b>	
<b>Receiving Medium:</b>	Water			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>Health/Env Conseq:</b>				<b>Easting:</b>	
<b>MOE Response:</b>				<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	9/3/2004			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>					
<b>SAC Action Class:</b>	M.C.B.S. - Fuel Safety; Spill to Land				
<b>Incident Reason:</b>	Unknown - Reason not determined				
<b>Incident Summary:</b>	TSSA: West End Truck - Small Diesel Spill				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">143</a>	42 of 43	WNW/182.1	119.8 / 6.00	39 Shorn Cliff Rd. Toronto ON	SPL
<b>Ref No:</b>	4610-62GKNN			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	Oil
<b>Incident Dt:</b>	6/27/2004			<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	Service Station
<b>Incident Cause:</b>	Pipe Or Hose Leak			<b>Source Type:</b>	
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>	13			<b>Site Name:</b>	WEST END TRUCK CENTRE - ESSO<UNOFFICIAL>
<b>Contaminant Name:</b>	DIESEL FUEL			<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	Toronto
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>				<b>Site Region:</b>	Central
<b>Environment Impact:</b>	Possible			<b>Site Municipality:</b>	Toronto
<b>Nature of Impact:</b>	Other Impact(s)			<b>Site Lot:</b>	
<b>Receiving Medium:</b>	Land			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>Health/Env Conseq:</b>				<b>Easting:</b>	
<b>MOE Response:</b>				<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	7/1/2004			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>					
<b>SAC Action Class:</b>	Spills				
<b>Incident Reason:</b>	Equipment Failure - Malfunction of system components				
<b>Incident Summary:</b>	Esso cardlock - 100 L diesel fuel spill.				
<a href="#">143</a>	43 of 43	WNW/182.1	119.8 / 6.00	SERVICE STATION 39 SHORNCLIFFE RD. (N.O.S.) TORONTO CITY ON M8Z 5K2	SPL
<b>Ref No:</b>	139966			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>	4/25/1997			<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	
<b>Incident Cause:</b>	PIPE/HOSE LEAK			<b>Source Type:</b>	
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>				<b>Site Name:</b>	
<b>Contaminant Name:</b>				<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>	NOT ANTICIPATED			<b>Site Municipality:</b>	01106
<b>Nature of Impact:</b>				<b>Site Lot:</b>	
<b>Receiving Medium:</b>	LAND			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>Health/Env Conseq:</b>				<b>Easting:</b>	
<b>MOE Response:</b>				<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	4/25/1997			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>					
<b>SAC Action Class:</b>					
<b>Incident Reason:</b>	EQUIPMENT FAILURE				
<b>Incident Summary:</b>	WEST END TRUCK STATION - 10 L OF DIESEL FUEL TO PAVEMENT, CONTAINED.				
<a href="#">144</a>	1 of 1	WSW/182.4	118.8 / 5.00	CAMERON COMPRESSORS 105 SHORNCLIFFE RD. TORONTO CITY ON M8Z 5K7	SPL

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Ref No:</b> <b>Site No:</b> <b>Incident Dt:</b> <b>Year:</b> <b>Incident Cause:</b> <b>Incident Event:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Contaminant Qty:</b> <b>Environment Impact:</b> <b>Nature of Impact:</b> <b>Receiving Medium:</b> <b>Receiving Env:</b> <b>Health/Env Conseq:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scrn:</b> <b>MOE Reported Dt:</b> <b>Dt Document Closed:</b> <b>SAC Action Class:</b> <b>Incident Reason:</b> <b>Incident Summary:</b>	52943  6/24/1991  OTHER CONTAINER LEAK        NOT ANTICIPATED Other WATER     6/24/1991   FIRE/EXPLOSION CAMERON COMPRESSORS - 30 L OF COMPRESSOR OIL TO STORM SEWER.	<b>Discharger Report:</b> <b>Material Group:</b> <b>Client Type:</b> <b>Sector Type:</b> <b>Source Type:</b> <b>Nearest Watercourse:</b> <b>Site Name:</b> <b>Site Address:</b> <b>Site District Office:</b> <b>Site County/District:</b> <b>Site Postal Code:</b> <b>Site Region:</b> <b>Site Municipality:</b> <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> <b>Site Geo Ref Accu:</b> <b>Site Geo Ref Meth:</b> <b>Site Map Datum:</b>	         01106   WORKS, FIRE DEPT.		

[145](#) 1 of 14 SSW/183.5 116.9 / 3.07 **Clements Radiator & Spring Service Limited** CA  
 135 Shorncliffe Rd  
 Toronto ON M8Z 5K7

**Certificate #:** 0338-7G7RXR  
**Application Year:** 2008  
**Issue Date:** 7/10/2008  
**Approval Type:** Air  
**Status:** Approved  
**Application Type:**  
**Client Name::**  
**Client Address::**  
**Client City::**  
**Client Postal Code::**  
**Project Description::**  
**Contaminants::**  
**Emission Control::**

[145](#) 2 of 14 SSW/183.5 116.9 / 3.07 **CRYSTAL BINS INC.** EASR  
 135 SHORNCLIFFE RD  
 ETOBICOKE ON M8Z 5K7

**Approval No:** R-004-9511430371  
**Status:** REGISTERED  
**Date:** 2015-06-19  
**Record Type:** EASR  
**Link Source:** MOFA  
**Full Address:**  
**Project Type:** Waste Management System  
**Approval Type:** EASR-Waste Management System  
**Full PDF Link:** <http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2014956>

**SWP Area Name:** Toronto  
**MOE District:** Toronto  
**City:**  
**Latitude:** 43.62333333  
**Longitude:** -79.54055556

[145](#) 3 of 14 SSW/183.5 116.9 / 3.07 **Clements Radiator & Spring Service Limited** ECA  
 135 Shorncliffe Rd  
 Toronto ON L5T 2G1

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Approval No:</b> 0338-7G7RXR <b>Approval Date:</b> 2008-07-10 <b>Status:</b> Approved <b>Record Type:</b> ECA <b>Link Source:</b> IDS <b>Approval Type:</b> ECA-AIR <b>Project Type:</b> AIR <b>Address:</b> 135 Shorncliffe Rd <b>Full Address:</b> <b>Full PDF Link:</b> <a href="https://www.accessenvironment.ene.gov.on.ca/instruments/4523-77GLBZ-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/4523-77GLBZ-14.pdf</a>					
<a href="#">145</a>	4 of 14	SSW/183.5	116.9 / 3.07	135 Shorncliffe Road Toronto ON M8Z 5K7	EHS
<b>Order ID:</b> 142200 <b>Order No:</b> 20080624011 <b>Customer ID:</b> 51987 <b>Company ID:</b> 161 <b>Status:</b> C <b>Report Code:</b> 3CAN <b>Report Type:</b> Complete Report <b>Report Date:</b> 7/7/2008 <b>Report Requested by:</b> SNC Lavalin Engineers & Constructors Inc. <b>Nearest Intersection:</b> <b>Previous Site Name:</b> <b>Additional Info Ordered:</b>					
<b>Date Received:</b> 6/24/2008 <b>Lot/Building Size:</b> <b>Municipality:</b> <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> 0.25 <b>Large Radius:</b> 2 <b>X:</b> -79.540562 <b>Y:</b> 43.623323					
<a href="#">145</a>	5 of 14	SSW/183.5	116.9 / 3.07	135 Shorncliffe Rd Toronto ON M8Z5K7	EHS
<b>Order ID:</b> 501798 <b>Order No:</b> 20170224026 <b>Customer ID:</b> 53147 <b>Company ID:</b> 77 <b>Status:</b> C <b>Report Code:</b> 3CAN <b>Report Type:</b> Standard Report <b>Report Date:</b> 01-MAR-17 <b>Report Requested by:</b> Pinchin Ltd. <b>Nearest Intersection:</b> <b>Previous Site Name:</b> <b>Additional Info Ordered:</b>					
<b>Date Received:</b> 24-FEB-17 <b>Lot/Building Size:</b> <b>Municipality:</b> <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> .25 <b>Large Radius:</b> .3 <b>X:</b> -79.540534 <b>Y:</b> 43.623368					
<a href="#">145</a>	6 of 14	SSW/183.5	116.9 / 3.07	CLEMENTS RADIATOR & SPRING SERVICE10-104 135 SHORNCLIFFE RD. TORONTO ON M8Z 5K7	GEN
<b>Generator No.:</b> ON0057400 <b>Status:</b> <b>Approval Years:</b> 92,93,94 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> 0007 <b>SIC Description:</b> LETTER ACKNOWLEDG.					
<b>PO Box No.:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No. Admin:</b>					
<a href="#">145</a>	7 of 14	SSW/183.5	116.9 / 3.07	ACME FX 135 SHORNCLIFFE ROAD	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>TORONTO ON M8Z 5K7</b>					
<b>Generator No.:</b>	ON5736567			<b>PO Box No.:</b>	
<b>Status:</b>	Registered			<b>Country:</b>	Canada
<b>Approval Years:</b>	As of Dec 2017			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<b>--Details--</b>					
<b>Waste Code:</b>		150 L			
<b>Waste Description:</b>		Inert organic wastes			
<b>145</b>	<b>8 of 14</b>	<b>SSW/183.5</b>	<b>116.9 / 3.07</b>	<b>Crystal Lawn and Garden Equipment Ltd 135 Shorncliffe Rd Etobicoke ON M8Z 5K7</b>	<b>GEN</b>
<b>Generator No.:</b>	ON2569451			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2009			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	325320				
<b>SIC Description:</b>		Pesticide and Other Agricultural Chemical Manufacturing			
<b>--Details--</b>					
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>145</b>	<b>9 of 14</b>	<b>SSW/183.5</b>	<b>116.9 / 3.07</b>	<b>CLEMENTS RADIATOR &amp; SPRING SERVICE 135 SHORNCLIFFE RD. TORONTO ON M8Z 5K7</b>	<b>GEN</b>
<b>Generator No.:</b>	ON0057400			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	86,87,88,89,90			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	0007				
<b>SIC Description:</b>		LETTER ACKNOWLEDG.			
<b>145</b>	<b>10 of 14</b>	<b>SSW/183.5</b>	<b>116.9 / 3.07</b>	<b>Crystal Lawn and Garden Equipment Ltd 135 Shorncliffe Rd Etobicoke ON M8Z 5K7</b>	<b>GEN</b>
<b>Generator No.:</b>	ON2569451			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2010			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	325320				
<b>SIC Description:</b>		Pesticide and Other Agricultural Chemical Manufacturing			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>--Details--</b>					
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>145</b>	11 of 14	SSW/183.5	116.9 / 3.07	CLEMENTS RADIATOR & SPRING SERVICELTD. 135 SHORNCLIFFE ROAD TORONTO ON M8Z 5K7	GEN
<b>Generator No.:</b>	ON0057400			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	02,03,04,05,06,07,08			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<b>--Details--</b>					
<b>Waste Code:</b>		122			
<b>Waste Description:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>145</b>	12 of 14	SSW/183.5	116.9 / 3.07	CRYSTAL LAWN CARE INC 135 SHORNCLIFFE RD ETOBICOKE ON M8Z 5K7	PES
<b>Licence No:</b>				<b>Operator Box:</b>	
<b>Detail Licence No:</b>				<b>Operator Class:</b>	
<b>Licence Type Code:</b>				<b>Operator No:</b>	
<b>Licence Type:</b>	Operator			<b>Operator Type:</b>	
<b>Licence Class:</b>				<b>Operator Lot:</b>	
<b>Licence Control:</b>				<b>Oper Concession:</b>	
<b>Trade Name:</b>				<b>Operator Region:</b>	
<b>Post Office Box:</b>				<b>Operator District:</b>	
<b>Lot:</b>				<b>Operator County:</b>	
<b>Concession:</b>				<b>Oper Phone Area Cd:</b>	
<b>Region:</b>				<b>Ext:</b>	
<b>District:</b>				<b>Oper Phone No:</b>	
<b>County:</b>				<b>Proponent Ext:</b>	
<b>145</b>	13 of 14	SSW/183.5	116.9 / 3.07	CRYSTAL LAWN CARE INC 135 SHORNCLIFFE RD ETOBICOKE ON M8Z 5K7	PES
<b>Licence No:</b>				<b>Operator Box:</b>	
<b>Detail Licence No:</b>	02-01-06422-0			<b>Operator Class:</b>	
<b>Licence Type Code:</b>				<b>Operator No:</b>	
<b>Licence Type:</b>	OPERATOR			<b>Operator Type:</b>	
<b>Licence Class:</b>				<b>Operator Lot:</b>	
<b>Licence Control:</b>				<b>Oper Concession:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Trade Name:</b> <b>Post Office Box:</b> <b>Lot:</b> <b>Concession:</b> <b>Region:</b> <b>District:</b> <b>County:</b>				<b>Operator Region:</b> <b>Operator District:</b> <b>Operator County:</b> <b>Oper Phone Area Cd:</b> <b>Ext:</b> <b>Oper Phone No:</b> <b>Proponent Ext:</b>	
<a href="#">145</a>	14 of 14	SSW/183.5	116.9 / 3.07	CRYSTAL LAWN CARE INC 135 SHORNCLIFFE RD ETOBICOKE ON M8Z5K7	PES
<b>Licence No:</b> <b>Detail Licence No:</b> 02-01-07158-0 <b>Licence Type Code:</b> <b>Licence Type:</b> OPERATOR <b>Licence Class:</b> <b>Licence Control:</b> <b>Trade Name:</b> <b>Post Office Box:</b> <b>Lot:</b> <b>Concession:</b> <b>Region:</b> <b>District:</b> <b>County:</b>				<b>Operator Box:</b> <b>Operator Class:</b> <b>Operator No:</b> <b>Operator Type:</b> <b>Operator Lot:</b> <b>Oper Concession:</b> <b>Operator Region:</b> <b>Operator District:</b> <b>Operator County:</b> <b>Oper Phone Area Cd:</b> <b>Ext:</b> <b>Oper Phone No:</b> <b>Proponent Ext:</b>	
<a href="#">146</a>	1 of 44	WNW/183.8	119.3 / 5.44	617613 Ontario Ltd. 51 Shorncliffe Road Toronto ON	CA
<b>Certificate #:</b> 1587-5ZZSDG <b>Application Year:</b> 2004 <b>Issue Date:</b> 7/7/2004 <b>Approval Type:</b> Air <b>Status:</b> Approved <b>Application Type:</b> <b>Client Name::</b> <b>Client Address::</b> <b>Client City::</b> <b>Client Postal Code::</b> <b>Project Description::</b> <b>Contaminants::</b> <b>Emission Control::</b>					
<a href="#">146</a>	2 of 44	WNW/183.8	119.3 / 5.44	College Disposal Services Limited 51 Shorncliffe Road Toronto ON	CA
<b>Certificate #:</b> A840372 <b>Application Year:</b> 2003 <b>Issue Date:</b> 10/3/2003 <b>Approval Type:</b> Waste Management Systems <b>Status:</b> Approved <b>Application Type:</b> <b>Client Name::</b> <b>Client Address::</b> <b>Client City::</b> <b>Client Postal Code::</b> <b>Project Description::</b> <b>Contaminants::</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<i>Emission Control::</i>					
<a href="#">146</a>	3 of 44	WNW/183.8	119.3 / 5.44	Shorncliffe Disposal Services Inc. 51 Shorncliffe Rd Toronto ON	CA
<i>Certificate #:</i>		1050-7YKMFP			
<i>Application Year:</i>		2009			
<i>Issue Date:</i>		12/17/2009			
<i>Approval Type:</i>		Waste Management Systems			
<i>Status:</i>		Approved			
<i>Application Type:</i>					
<i>Client Name::</i>					
<i>Client Address::</i>					
<i>Client City::</i>					
<i>Client Postal Code::</i>					
<i>Project Description::</i>					
<i>Contaminants::</i>					
<i>Emission Control::</i>					
<a href="#">146</a>	4 of 44	WNW/183.8	119.3 / 5.44	621311 ONTARIO CORPORATION, C.O.B. COLLEGE DISPOSAL SERVICES LTD.  TORONTO ON	CONV
<i>File No.:</i>		<i>Location:</i>			
<i>Crown Brief No.:</i>		<i>Region:</i>		CENTRAL REGION	
<i>Publication City:</i>		<i>Ministry District:</i>			
<i>Publication Title:</i>					
<i>Act:</i>					
<i>Act(s):</i>					
<i>First Matter:</i>					
<i>Second Matter:</i>					
<i>Investigation 1:</i>					
<i>Investigation 2:</i>					
<i>Penalty Imposed:</i>					
<i>URL:</i>					
<i>Description:</i>		OPERATE A WASTE MANAGEMENT SYSTEM NOT IN ACCORDANCE WITH A C. OF A.			
<i>Background:</i>					
<i>--Details--</i>					
<i>Publication Date:</i>					
<i>Count:</i>		1			
<i>Act:</i>		EPA			
<i>Regulation:</i>					
<i>Section:</i>		27(A)			
<i>Act/Regulation/Section:</i>		EPA- -27(A)			
<i>Date of Conviction:</i>					
<i>Date of Offence:</i>					
<i>Date Charged:</i>		10/27/93			
<i>Charge Disposition:</i>					
<i>Fine:</i>		\$1,500			
<a href="#">146</a>	5 of 44	WNW/183.8	119.3 / 5.44	COLLEGE DISPOSAL SERVICES LTD.  ETOBICOKE ON	CONV
<i>File No.:</i>		<i>Location:</i>			
<i>Crown Brief No.:</i>		<i>Region:</i>		CENTRAL REGION	
<i>Publication City:</i>		<i>Ministry District:</i>			



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Publication Title:**

Act:  
 Act(s):  
 First Matter:  
 Second Matter:  
 Investigation 1:  
 Investigation 2:  
 Penalty Imposed:  
 URL:  
 Description: STORED & DISPOSED OF DEMOLITION AND/OR CONSTRUCTION WASTE CONTRARY TO IT'S C OF A  
 Background:

**--Details--**

Publication Date:  
 Count: 1  
 Act: EPA  
 Regulation:  
 Section: 27(A)  
 Act/Regulation/Section: EPA- -27(A)  
 Date of Conviction:  
 Date of Offence:  
 Date Charged: 94/10/05  
 Charge Disposition:  
 Fine: 1500

<a href="#">146</a>	6 of 44	WNW/183.8	119.3 / 5.44	Danyle Group Inc. 51 Shorncliffe Road Toronto ON	EBR
---------------------	---------	-----------	--------------	--	-----

Company Name:  
 EBR Registry No.: 011-8268  
 Ministry Ref. No.: 9176-937KF4  
 Notice Type: Instrument Proposal  
 Notice Date:  
 Proposal Date: February 14, 2013  
 Year: 2013  
 Proponent Address: 51 Shorncliffe Road Toronto Ontario Canada M8Z 5K2  
 Instrument Type: (EPA Part II.1) - Environmental Compliance Approval (project type: waste)  
 Location Other:

**Location:**

51 Shorncliffe Road Toronto M8Z 5K2 CITY OF TORONTO

<a href="#">146</a>	7 of 44	WNW/183.8	119.3 / 5.44	621311 Ontario Limited 51 Shorncliffe Road Toronto Ontario Toronto ON	EBR
---------------------	---------	-----------	--------------	---	-----

Company Name: 621311 Ontario Limited  
 EBR Registry No.: IA03E0753  
 Ministry Ref. No.: 0685-5JAP6H  
 Notice Type: Instrument Decision  
 Notice Date: October 20, 2006  
 Proposal Date: May 29, 2003  
 Year: 2003  
 Proponent Address: 51 Shorncliffe Road, Etobicoke Ontario, M8Z 5K2  
 Instrument Type: (EPA s. 27) - Approval for a waste disposal site.  
 Location Other:

**Location:**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
51 Shorncliffe Road Toronto Ontario Toronto					
<a href="#">146</a>	8 of 44	WNW/183.8	119.3 / 5.44	Danyle Group Inc. 51 Shorncliffe Road Toronto M8Z 5K2 CITY OF TORONTO ON	EBR
<b>Company Name:</b>		Danyle Group Inc.			
<b>EBR Registry No.:</b>		011-8268			
<b>Ministry Ref. No.:</b>		9176-937KF4			
<b>Notice Type:</b>		Instrument Decision			
<b>Notice Date:</b>		March 05, 2014			
<b>Proposal Date:</b>		February 14, 2013			
<b>Year:</b>		2013			
<b>Proponent Address:</b>		51 Shorncliffe Road, Toronto Ontario, Canada M8Z 5K2			
<b>Instrument Type:</b>		(EPA Part II.1-waste) - Environmental Compliance Approval (project type: waste)			
<b>Location Other:</b>					
<b>Location:</b>					
51 Shorncliffe Road Toronto M8Z 5K2 CITY OF TORONTO					
<a href="#">146</a>	9 of 44	WNW/183.8	119.3 / 5.44	1595066 Ontario Limited operating as College Disposal 51 Shorncliffe Road Toronto Ontario Toronto ON	EBR
<b>Company Name:</b>		1595066 Ontario Limited operating as College Disposal			
<b>EBR Registry No.:</b>		IA04E0647			
<b>Ministry Ref. No.:</b>		1748-5XZHHW			
<b>Notice Type:</b>		Instrument Decision			
<b>Notice Date:</b>		November 09, 2004			
<b>Proposal Date:</b>		April 15, 2004			
<b>Year:</b>		2004			
<b>Proponent Address:</b>		51 Shorncliffe Road, Toronto Ontario, M8Z 5K2			
<b>Instrument Type:</b>		(EPA s. 27) - Approval for a waste disposal site.			
<b>Location Other:</b>					
<b>Location:</b>					
51 Shorncliffe Road Toronto Ontario Toronto					
<a href="#">146</a>	10 of 44	WNW/183.8	119.3 / 5.44	Danyle Group Inc. 51 Shorncliffe Road Toronto M8Z 5K2 CITY OF TORONTO ON	EBR
<b>Company Name:</b>		Danyle Group Inc.			
<b>EBR Registry No.:</b>		012-7312			
<b>Ministry Ref. No.:</b>		7065-A78KCK			
<b>Notice Type:</b>		Instrument Decision			
<b>Notice Date:</b>		March 13, 2018			
<b>Proposal Date:</b>		April 08, 2016			
<b>Year:</b>		2016			
<b>Proponent Address:</b>		51 Shorncliffe Road, Toronto Ontario, Canada M8Z 5K2			
<b>Instrument Type:</b>		(EPA Part II.1-waste) - Environmental Compliance Approval (project type: waste)			
<b>Location Other:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Location:</b>					
51 Shorncliffe Road Toronto M8Z 5K2 CITY OF TORONTO					
<a href="#">146</a>	11 of 44	WNW/183.8	119.3 / 5.44	617613 Ontario Ltd. 51 Shorncliffe Road Toronto Ontario Toronto ON	EBR
<b>Company Name:</b>		617613 Ontario Ltd.			
<b>EBR Registry No.:</b>		IA03E1802			
<b>Ministry Ref. No.:</b>		2103-5TVSY9			
<b>Notice Type:</b>		Instrument Decision			
<b>Notice Date:</b>		July 09, 2004			
<b>Proposal Date:</b>		December 05, 2003			
<b>Year:</b>		2003			
<b>Proponent Address:</b>		51 Shorncliffe Road, Toronto Ontario, M8Z 5K2			
<b>Instrument Type:</b>		(EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)			
<b>Location Other:</b>					
<b>Location:</b>					
51 Shorncliffe Road Toronto Ontario Toronto					
<a href="#">146</a>	12 of 44	WNW/183.8	119.3 / 5.44	617613 Ontario Ltd. 51 Shorncliffe Road Toronto ON	ECA
<b>Approval No:</b>		1587-5ZZSDG		<b>SWP Area Name:</b> Toronto	
<b>Approval Date:</b>		2004-07-07		<b>MOE District:</b> Toronto	
<b>Status:</b>		Approved		<b>City:</b> Toronto	
<b>Record Type:</b>		ECA		<b>Longitude:</b> -79.5419539999999	
<b>Link Source:</b>		IDS		<b>Latitude:</b> 43.62907	
<b>Approval Type:</b>		ECA-AIR			
<b>Project Type:</b>		AIR			
<b>Address:</b>		51 Shorncliffe Road			
<b>Full Address:</b>					
<b>Full PDF Link:</b>		<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/2103-5TVSY9-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/2103-5TVSY9-14.pdf</a>			
<a href="#">146</a>	13 of 44	WNW/183.8	119.3 / 5.44	Shorncliffe Disposal Services Inc. 51 Shorncliffe Rd Toronto ON M8Z 5K2	ECA
<b>Approval No:</b>		1050-7YKMFP		<b>SWP Area Name:</b> Toronto	
<b>Approval Date:</b>		2009-12-17		<b>MOE District:</b> Toronto	
<b>Status:</b>		Revoked and/or Replaced		<b>City:</b> Toronto	
<b>Record Type:</b>		ECA		<b>Longitude:</b> -79.5419539999999	
<b>Link Source:</b>		IDS		<b>Latitude:</b> 43.62907	
<b>Approval Type:</b>		ECA-WASTE MANAGEMENT SYSTEMS			
<b>Project Type:</b>		WASTE MANAGEMENT SYSTEMS			
<b>Address:</b>		51 Shorncliffe Rd			
<b>Full Address:</b>					
<b>Full PDF Link:</b>		<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/9225-7XQSL3-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/9225-7XQSL3-14.pdf</a>			
<a href="#">146</a>	14 of 44	WNW/183.8	119.3 / 5.44	Danyle Group Inc. 51 Shorncliffe Rd Toronto ON	ECA

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Approval No:</b> 1050-7YKMFP <b>SWP Area Name:</b> Toronto <b>Approval Date:</b> 2012-09-28 <b>MOE District:</b> Toronto <b>Status:</b> Approved <b>City:</b> Toronto <b>Record Type:</b> ECA <b>Longitude:</b> -79.5419539999999 <b>Link Source:</b> IDS <b>Latitude:</b> 43.62907 <b>Approval Type:</b> ECA-WASTE MANAGEMENT SYSTEMS <b>Project Type:</b> WASTE MANAGEMENT SYSTEMS <b>Address:</b> 51 Shorncliffe Rd <b>Full Address:</b> <b>Full PDF Link:</b> <a href="https://www.accessenvironment.ene.gov.on.ca/instruments/3865-8XKN5B-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/3865-8XKN5B-14.pdf</a>					
<a href="#">146</a>	15 of 44	WNW/183.8	119.3 / 5.44	College Disposal Services Limited 51 Shorncliffe Road Toronto ON M8Z 5K2	ECA
<b>Approval No:</b> A840372 <b>SWP Area Name:</b> Toronto <b>Approval Date:</b> 2003-10-03 <b>MOE District:</b> Toronto <b>Status:</b> Approved <b>City:</b> Toronto <b>Record Type:</b> ECA <b>Longitude:</b> -79.5419539999999 <b>Link Source:</b> IDS <b>Latitude:</b> 43.62907 <b>Approval Type:</b> ECA-WASTE MANAGEMENT SYSTEMS <b>Project Type:</b> WASTE MANAGEMENT SYSTEMS <b>Address:</b> 51 Shorncliffe Road <b>Full Address:</b> <b>Full PDF Link:</b> <a href="https://www.accessenvironment.ene.gov.on.ca/instruments/3964-5RHM9F-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/3964-5RHM9F-14.pdf</a>					
<a href="#">146</a>	16 of 44	WNW/183.8	119.3 / 5.44	51 Shorncliffe Rd Etobicoke ON M8Z 5K2	EHS
<b>Order ID:</b> 152600 <b>Date Received:</b> 9/26/2008 <b>Order No:</b> 20080926018 <b>Lot/Building Size:</b> <b>Customer ID:</b> 53267 <b>Municipality:</b> <b>Company ID:</b> 313 <b>Client Prov/State:</b> ON <b>Status:</b> C <b>Search Radius (km):</b> 0.25 <b>Report Code:</b> 4CAN <b>Large Radius:</b> 2 <b>Report Type:</b> Custom Report <b>X:</b> -79.542677 <b>Report Date:</b> 9/30/2008 <b>Y:</b> 43.628811 <b>Report Requested by:</b> SCM Risk Management Services Inc. <b>Nearest Intersection:</b> <b>Previous Site Name:</b> <b>Additional Info Ordered:</b>					
<a href="#">146</a>	17 of 44	WNW/183.8	119.3 / 5.44	BEST WASTE SOLUTIONS INC 51 SHORNCLIFFE ROAD TORONTO ON	GEN
<b>Generator No.:</b> ON2161500 <b>PO Box No.:</b> <b>Status:</b> <b>Country:</b> <b>Approval Years:</b> 2009 <b>Choice of Contact:</b> <b>Contam. Facility:</b> <b>Co Admin:</b> <b>MHSW Facility:</b> <b>Phone No. Admin:</b> <b>SIC Code:</b> 562990 <b>SIC Description:</b> All Other Waste Management Services					
<b>--Details--</b> <b>Waste Code:</b> 252 <b>Waste Description:</b> WASTE OILS & LUBRICANTS					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">146</a>	18 of 44	WNW/183.8	119.3 / 5.44	CATHCART TRUCK LINES (TOR) LTD 51 SHORNCLIFFE RD TORONTO ON M8Z 5K2	GEN
<b>Generator No.:</b>	ON0052000			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	86,87,88,89,90			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	4561				
<b>SIC Description:</b>	GEN. FREIGHT TRUCK.				
<b>--Details--</b>					
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<a href="#">146</a>	19 of 44	WNW/183.8	119.3 / 5.44	1281906 Ontario Inc. 51 Shorncliffe Road, Unit 3 Toronto ON M8Z 5K2	GEN
<b>Generator No.:</b>	ON9683441			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2011			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	484222				
<b>SIC Description:</b>	Dry Bulk Materials Trucking Local				
<b>--Details--</b>					
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<a href="#">146</a>	20 of 44	WNW/183.8	119.3 / 5.44	CATHCART TRUCK LINES (TOR) LTD 09-021 51 SHORNCLIFFE RD TORONTO ON M8Z 5K2	GEN
<b>Generator No.:</b>	ON0052000			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	92,93,94,95,96,97			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	4561				
<b>SIC Description:</b>	GEN. FREIGHT TRUCK.				
<b>--Details--</b>					
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<a href="#">146</a>	21 of 44	WNW/183.8	119.3 / 5.44	1281906 Ontario Inc. 51 Shorncliffe Road, Unit 3 Toronto ON M8Z 5K2	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Generator No.:</b>	ON9683441			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2010			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	484222				
<b>SIC Description:</b>		Dry Bulk Materials Trucking Local			
<b>--Details--</b>					
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<a href="#">146</a>	22 of 44	WNW/183.8	119.3 / 5.44	1281906 Ontario Inc. 51 Shorncliffe Road, Unit 3 Toronto ON M8Z 5K2	GEN
<b>Generator No.:</b>	ON9683441			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2012			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	484222				
<b>SIC Description:</b>		Dry Bulk Materials Trucking Local			
<b>--Details--</b>					
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<a href="#">146</a>	23 of 44	WNW/183.8	119.3 / 5.44	First Choice Limo Service Ltd. #51 Shorncliffe Road Unit #2 Toronto ON M8Z 5K2	GEN
<b>Generator No.:</b>	ON8897225			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	05,06			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	485310				
<b>SIC Description:</b>		Taxi Service			
<b>--Details--</b>					
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<a href="#">146</a>	24 of 44	WNW/183.8	119.3 / 5.44	BEST WASTE SOLUTIONS INC 51 SHORNCLIFFE ROAD TORONTO ON M8Z 5K2	GEN
<b>Generator No.:</b>	ON2161500			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	04,05,06,07,08			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	562990				
<b>SIC Description:</b>		All Other Waste Management Services			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>--Details--</b>					
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>146</b>	<b>25 of 44</b>	<b>WNW/183.8</b>	<b>119.3 / 5.44</b>	<b>CATHCART TRUCK LINES (TORONTO) LIMITED 51 SHORNCLIFFE ROAD TORONTO ON M8Z 5K2</b>	<b>GEN</b>
<b>Generator No.:</b>	ON0052000			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	98,99,00,01			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	4561				
<b>SIC Description:</b>		GEN. FREIGHT TRUCK.			
<b>--Details--</b>					
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>146</b>	<b>26 of 44</b>	<b>WNW/183.8</b>	<b>119.3 / 5.44</b>	<b>Metro Ready Mix &amp; Building Products Ltd. 51 Shorncliffe Rd Etobicoke ON M8Z 5K2</b>	<b>GEN</b>
<b>Generator No.:</b>	ON7458502			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	07,08			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	327320				
<b>SIC Description:</b>		Ready-Mix Concrete Manufacturing			
<b>--Details--</b>					
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>146</b>	<b>27 of 44</b>	<b>WNW/183.8</b>	<b>119.3 / 5.44</b>	<b>1281906 Ontario Inc. 51 Shorncliffe Road, Unit 3 Toronto ON</b>	<b>GEN</b>
<b>Generator No.:</b>	ON9683441			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2013			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	484222				
<b>SIC Description:</b>		DRY BULK MATERIALS TRUCKING, LOCAL			
<b>--Details--</b>					
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">146</a>	28 of 44	WNW/183.8	119.3 / 5.44	Danyle Group Inc. 51 Shorncliffe Road, Unit 3 Toronto ON M8Z 5K2	GEN
<b>Generator No.:</b>	ON9683441			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2015			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	Jenny Collis
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b>	416-239-2009 Ext.
<b>SIC Code:</b>	484222				
<b>SIC Description:</b>	DRY BULK MATERIALS TRUCKING, LOCAL				
<b>--Details--</b>					
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<a href="#">146</a>	29 of 44	WNW/183.8	119.3 / 5.44	Danyle Group Inc. 51 Shorncliffe Road, Unit 3 Toronto ON M8Z 5K2	GEN
<b>Generator No.:</b>	ON9683441			<b>PO Box No.:</b>	
<b>Status:</b>	Registered			<b>Country:</b>	Canada
<b>Approval Years:</b>	As of Dec 2017			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<b>--Details--</b>					
<b>Waste Code:</b>	252 L				
<b>Waste Description:</b>	Waste crankcase oils and lubricants				
<a href="#">146</a>	30 of 44	WNW/183.8	119.3 / 5.44	Danyle Group Inc. 51 Shorncliffe Road, Unit 3 Toronto ON M8Z 5K2	GEN
<b>Generator No.:</b>	ON9683441			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2014			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	Jenny Collis
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b>	416-239-2009 Ext.
<b>SIC Code:</b>	484222				
<b>SIC Description:</b>	DRY BULK MATERIALS TRUCKING, LOCAL				
<b>--Details--</b>					
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<a href="#">146</a>	31 of 44	WNW/183.8	119.3 / 5.44	Danyle Group Inc. 51 Shorncliffe Road, Unit 3 Toronto ON M8Z 5K2	GEN
<b>Generator No.:</b>	ON9683441			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2016			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	Jenny Collis
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b>	416-239-2009 Ext.
<b>SIC Code:</b>	484222				



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>SIC Description:</b>		DRY BULK MATERIALS TRUCKING, LOCAL			
<b>--Details--</b>					
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<a href="#">146</a>	32 of 44	WNW/183.8	119.3 / 5.44	First Choice Limo Service Ltd. #51 Shorncliffe Road Unit #2 Toronto ON M8Z 5K2	GEN
<b>Generator No.:</b>	ON8897225			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	04			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	485310				
<b>SIC Description:</b>	Taxi Service				
<a href="#">146</a>	33 of 44	WNW/183.8	119.3 / 5.44	COLLEGE DISPOSAL SERVICES 51 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K2	GEN
<b>Generator No.:</b>	ON2161500			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	96,97,98,99,00,01			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	9999				
<b>SIC Description:</b>	OTHER SERVICES				
<b>--Details--</b>					
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<a href="#">146</a>	34 of 44	WNW/183.8	119.3 / 5.44	COLLEGE DISPOSAL SERVICES LIMITED 51 SHORNCLIFFE ROAD TORONTO ON M8Z 5K2	GEN
<b>Generator No.:</b>	ON2161500			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	02,03			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<b>--Details--</b>					
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<a href="#">146</a>	35 of 44	WNW/183.8	119.3 / 5.44	CATHCART TRANSPORT LTD 51 SHORNCLIFFE RD TORONTO ON M8Z 5K2	PRT
<b>Location ID:</b>	15606				
<b>Type:</b>	private				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Expiry Date:</b> <b>Capacity (L):</b> 0.00 <b>Licence #:</b> 0001058143					
<a href="#">146</a>	36 of 44	WNW/183.8	119.3 / 5.44	<b>Downtown Concrete Supply</b> 51 Shorncliffe Rd Etobicoke ON M8Z 5K2	SCT
<b>Established:</b> 1995 <b>Plant Size (ft²):</b> <b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b> Ready-Mix Concrete Manufacturing <b>SIC/NAICS Code:</b> 327320					
<a href="#">146</a>	37 of 44	WNW/183.8	119.3 / 5.44	<b>Al-Mersal Canadian Arab Network</b> 51 Shorncliffe Rd Etobicoke ON M8Z 5K2	SCT
<b>Established:</b> 1989 <b>Plant Size (ft²):</b> <b>Employment:</b> 4					
<b>--Details--</b>					
<b>Description:</b> Newspaper Publishers <b>SIC/NAICS Code:</b> 511110					
<a href="#">146</a>	38 of 44	WNW/183.8	119.3 / 5.44	<b>DOWNTOWN CONCRETE SUPPLY</b> 51 Shorncliffe Ave Etobicoke ON M8Z 5K2	SCT
<b>Established:</b> 0000 <b>Plant Size (ft²):</b> 0 <b>Employment:</b> 0					
<b>--Details--</b>					
<b>Description:</b> Ready-Mix Concrete Manufacturing <b>SIC/NAICS Code:</b> 327320					
<a href="#">146</a>	39 of 44	WNW/183.8	119.3 / 5.44	<b>Al-Mersal Cdn Arab Network</b> 51 Shorncliffe Rd Etobicoke ON M8Z 5K2	SCT
<b>Established:</b> 1989 <b>Plant Size (ft²):</b> <b>Employment:</b> 4					
<b>--Details--</b>					
<b>Description:</b> Newspaper Publishers <b>SIC/NAICS Code:</b> 511110					
<a href="#">146</a>	40 of 44	WNW/183.8	119.3 / 5.44	<b>Danyle Group Inc.</b>	WDS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
				51 Shorncliffe Rd Toronto ON	
<b>Certificate No:</b>	5010-98JKZE			<b>Facility Type:</b>	
<b>Mob Unit Cert No:</b>				<b>Site Concession:</b>	
<b>EBR Registry No:</b>				<b>Site Region/County:</b>	City of Toronto
<b>Status:</b>	Approved			<b>Total Area (ha):</b>	
<b>Application Status:</b>				<b>Landfill Cap (m³):</b>	
<b>Issue Date:</b>	2014-02-25			<b>Landfill Ctrl Type:</b>	
<b>Input Date:</b>				<b>Est Closure Date:</b>	
<b>Date Received:</b>				<b>Transfer Area (ha):</b>	
<b>Record Type:</b>	ECA			<b>Transfer Cap (m³):</b>	
<b>Project Type:</b>	WASTE DISPOSAL SITES			<b>Transfer Cert No:</b>	
<b>Approval Type:</b>	ECA-WASTE DISPOSAL SITES			<b>Inciner. Area (ha):</b>	
<b>SWP Area Name:</b>	Toronto			<b>Inciner. Cap (t):</b>	
<b>MOE District:</b>	Toronto			<b>Process Area (m³):</b>	
<b>Latitude:</b>	43.62907			<b>Process Cap (m³/d):</b>	
<b>Longitude:</b>	-79.5419539999999			<b>Process Vol (m³):</b>	
<b>Link Source:</b>	IDS			<b>Process Feed (m³):</b>	
<b>Proponent:</b>				<b>Mobile Units:</b>	
<b>Prop Address:</b>				<b>Mobile Description:</b>	
<b>Prop City:</b>				<b>Mobile Capacity:</b>	
<b>Prop Postal:</b>				<b>Serial Link:</b>	
<b>Prop Phone:</b>				<b>District Office:</b>	
<b>Proponent County/District:</b>					
<b>Site Lot:</b>					
<b>Full Address:</b>	51 Shorncliffe Rd				
<b>Landfill Monitoring:</b>					
<b>Waste Type:</b>					
<b>Waste Type Other:</b>					
<b>Waste Class:</b>					
<b>Waste Class Code:</b>					
<b>Project Description:</b>					
<b>Municipalities Served:</b>					
<b>Site Closing Description:</b>					
<b>Approval Description:</b>					
<b>Waste Description:</b>					
<b>Other Approvals/Permits:</b>					
<b>PDF URL:</b>	<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/9176-937KF4-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/9176-937KF4-14.pdf</a>				

<a href="#">146</a>	41 of 44	WNW/183.8	119.3 / 5.44	Best Waste Solutions Inc. 51 Shorncliffe Road Toronto ON M8Z 5K2	WDS
<b>Certificate No:</b>	A680236			<b>Facility Type:</b>	
<b>Mob Unit Cert No:</b>				<b>Site Concession:</b>	
<b>EBR Registry No:</b>				<b>Site Region/County:</b>	
<b>Status:</b>	Revoked and/or Replaced			<b>Total Area (ha):</b>	
<b>Application Status:</b>				<b>Landfill Cap (m³):</b>	
<b>Issue Date:</b>	2007-01-18			<b>Landfill Ctrl Type:</b>	
<b>Input Date:</b>				<b>Est Closure Date:</b>	
<b>Date Received:</b>				<b>Transfer Area (ha):</b>	
<b>Record Type:</b>	ECA			<b>Transfer Cap (m³):</b>	
<b>Project Type:</b>	WASTE DISPOSAL SITES			<b>Transfer Cert No:</b>	
<b>Approval Type:</b>	ECA-WASTE DISPOSAL SITES			<b>Inciner. Area (ha):</b>	
<b>SWP Area Name:</b>	Toronto			<b>Inciner. Cap (t):</b>	
<b>MOE District:</b>	Toronto			<b>Process Area (m³):</b>	
<b>Latitude:</b>	43.62907			<b>Process Cap (m³/d):</b>	
<b>Longitude:</b>	-79.5419539999999			<b>Process Vol (m³):</b>	
<b>Link Source:</b>	IDS			<b>Process Feed (m³):</b>	
<b>Proponent:</b>				<b>Mobile Units:</b>	
<b>Prop Address:</b>				<b>Mobile Description:</b>	
<b>Prop City:</b>				<b>Mobile Capacity:</b>	
<b>Prop Postal:</b>				<b>Serial Link:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Prop Phone:</b> <b>Proponent County/District:</b> <b>Site Lot:</b> <b>Full Address:</b> 51 Shorncliffe Road <b>Landfill Monitoring:</b> <b>Waste Type:</b> <b>Waste Type Other:</b> <b>Waste Class:</b> <b>Waste Class Code:</b> <b>Project Description:</b> <b>Municipalities Served:</b> <b>Site Closing Description:</b> <b>Approval Description:</b> <b>Waste Description:</b> <b>Other Approvals/Permits:</b> <b>PDF URL:</b>				<b>District Office:</b>	
<a href="#">146</a>	42 of 44	WNW/183.8	119.3 / 5.44	1595066 Ontario Limited operating as College Disposal 51 Shorncliffe Road Toronto ON M8Z 5K2	WDS
<b>Certificate No:</b> A680236 <b>Mob Unit Cert No:</b> <b>EBR Registry No:</b> <b>Status:</b> Revoked and/or Replaced <b>Application Status:</b> <b>Issue Date:</b> 2004-10-27 <b>Input Date:</b> <b>Date Received:</b> <b>Record Type:</b> ECA <b>Project Type:</b> WASTE DISPOSAL SITES <b>Approval Type:</b> ECA-WASTE DISPOSAL SITES <b>SWP Area Name:</b> Toronto <b>MOE District:</b> Toronto <b>Latitude:</b> 43.62907 <b>Longitude:</b> -79.5419539999999 <b>Link Source:</b> IDS <b>Proponent:</b> <b>Prop Address:</b> <b>Prop City:</b> <b>Prop Postal:</b> <b>Prop Phone:</b> <b>Proponent County/District:</b> <b>Site Lot:</b> <b>Full Address:</b> 51 Shorncliffe Road <b>Landfill Monitoring:</b> <b>Waste Type:</b> <b>Waste Type Other:</b> <b>Waste Class:</b> <b>Waste Class Code:</b> <b>Project Description:</b> <b>Municipalities Served:</b> <b>Site Closing Description:</b> <b>Approval Description:</b> <b>Waste Description:</b> <b>Other Approvals/Permits:</b> <b>PDF URL:</b> <a href="https://www.accessenvironment.ene.gov.on.ca/instruments/1748-5XZHHW-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/1748-5XZHHW-14.pdf</a>				<b>Facility Type:</b> <b>Site Concession:</b> <b>Site Region/County:</b> <b>Total Area (ha):</b> <b>Landfill Cap (m³):</b> <b>Landfill Ctrl Type:</b> <b>Est Closure Date:</b> <b>Transfer Area (ha):</b> <b>Transfer Cap (m³):</b> <b>Transfer Cert No:</b> <b>Inciner. Area (ha):</b> <b>Inciner. Cap (t):</b> <b>Process Area (m²):</b> <b>Process Cap (m³/d):</b> <b>Process Vol (m³):</b> <b>Process Feed (m³):</b> <b>Mobile Units:</b> <b>Mobile Description:</b> <b>Mobile Capacity:</b> <b>Serial Link:</b> <b>District Office:</b>	
<a href="#">146</a>	43 of 44	WNW/183.8	119.3 / 5.44	1595066 Ontario Limited 51 Shorncliffe Road Toronto ON M8Z 5K2	WDS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
				<b>Certificate No:</b> A680236 <b>Mob Unit Cert No:</b> <b>EBR Registry No:</b> <b>Status:</b> Revoked and/or Replaced <b>Application Status:</b> <b>Issue Date:</b> 2006-01-11 <b>Input Date:</b> <b>Date Received:</b> <b>Record Type:</b> ECA <b>Project Type:</b> WASTE DISPOSAL SITES <b>Approval Type:</b> ECA-WASTE DISPOSAL SITES <b>SWP Area Name:</b> Toronto <b>MOE District:</b> Toronto <b>Latitude:</b> 43.62907 <b>Longitude:</b> -79.5419539999999 <b>Link Source:</b> IDS <b>Proponent:</b> <b>Prop Address:</b> <b>Prop City:</b> <b>Prop Postal:</b> <b>Prop Phone:</b> <b>Proponent County/District:</b> <b>Site Lot:</b> <b>Full Address:</b> 51 Shorncliffe Road <b>Landfill Monitoring:</b> <b>Waste Type:</b> <b>Waste Type Other:</b> <b>Waste Class:</b> <b>Waste Class Code:</b> <b>Project Description:</b> <b>Municipalities Served:</b> <b>Site Closing Description:</b> <b>Approval Description:</b> <b>Waste Description:</b> <b>Other Approvals/Permits:</b> <b>PDF URL:</b> <a href="https://www.accessenvironment.ene.gov.on.ca/instruments/5961-6JSQJX-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/5961-6JSQJX-14.pdf</a>	

<a href="#">146</a>	44 of 44	WNW/183.8	119.3 / 5.44	<b>Danyle Group Inc.</b> <b>51 Shorncliffe Rd</b> <b>Toronto ON M8Z 5K2</b>	WDS
				<b>Certificate No:</b> 5010-98JKZE <b>Mob Unit Cert No:</b> <b>EBR Registry No:</b> <b>Status:</b> Approved <b>Application Status:</b> <b>Issue Date:</b> 2018-03-05 <b>Input Date:</b> <b>Date Received:</b> <b>Record Type:</b> ECA <b>Project Type:</b> WASTE DISPOSAL SITES <b>Approval Type:</b> ECA-WASTE DISPOSAL SITES <b>SWP Area Name:</b> Toronto <b>MOE District:</b> Metro Toronto <b>Latitude:</b> 43.62907 <b>Longitude:</b> -79.54195 <b>Link Source:</b> IDS <b>Proponent:</b> <b>Prop Address:</b> <b>Prop City:</b> <b>Prop Postal:</b> <b>Prop Phone:</b> <b>Proponent County/District:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Site Lot:</b> <b>Full Address:</b> 51 Shorncliffe Rd <b>Landfill Monitoring:</b> <b>Waste Type:</b> <b>Waste Type Other:</b> <b>Waste Class:</b> <b>Waste Class Code:</b> <b>Project Description:</b> <b>Municipalities Served:</b> <b>Site Closing Description:</b> <b>Approval Description:</b> <b>Waste Description:</b> <b>Other Approvals/Permits:</b> <b>PDF URL:</b> <a href="https://www.accessenvironment.ene.gov.on.ca/instruments/7065-A78KCK-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/7065-A78KCK-14.pdf</a>					

<a href="#">147</a>	1 of 2	W/184.4	119.8 / 6.00	LEADING EDGE AUTOMOBILE ENTERPRISE INC. 81 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K3	CA
<b>Certificate #:</b> 8-3313-98-98 <b>Application Year:</b> 98 <b>Issue Date:</b> 9/8/1998 <b>Approval Type:</b> Industrial air <b>Status:</b> Approved <b>Application Type:</b> <b>Client Name::</b> <b>Client Address::</b> <b>Client City::</b> <b>Client Postal Code::</b> <b>Project Description::</b> PAINT SPRAY BOOTH FOR AUTO BODY SHOP <b>Contaminants::</b> <b>Emission Control::</b>					

<a href="#">147</a>	2 of 2	W/184.4	119.8 / 6.00	Leading Edge Automobile Enterprise Inc. 81 Shorncliffe Road, City of Etobicoke Etobicoke ON	EBR
<b>Company Name:</b> Leading Edge Automobile Enterprise Inc. <b>EBR Registry No.:</b> IA8E0941 <b>Ministry Ref. No.:</b> 8331398 <b>Notice Type:</b> Instrument Decision <b>Notice Date:</b> September 10, 1998 <b>Proposal Date:</b> July 02, 1998 <b>Year:</b> 1998 <b>Proponent Address:</b> 4100 Lawrence Avenue East, Toronto Ontario, M1e 2r9 <b>Instrument Type:</b> (EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air) <b>Location Other:</b> <b>Location:</b> 81 Shorncliffe Road, City of Etobicoke Etobicoke					

<a href="#">148</a>	1 of 21	WNW/187.2	119.8 / 6.00	BRUELL CONTRACTING LIMITED 37 shorncliffe rd etobicoke ON M8Z 5K2	EASR
<b>Approval No:</b> R-004-4110367480 <b>Status:</b> REGISTERED <b>SWP Area Name:</b> Toronto <b>MOE District:</b> Metro Toronto					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<p><b>Date:</b> 2018-02-20      <b>City:</b> etobicoke  <b>Record Type:</b> EASR      <b>Latitude:</b> 43.63055556  <b>Link Source:</b> MOFA      <b>Longitude:</b> -79.54222222  <b>Full Address:</b>  <b>Project Type:</b> Waste Management System  <b>Approval Type:</b> EASR-Waste Management System  <b>Full PDF Link:</b> <a href="http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2051066">http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2051066</a></p>					
<a href="#">148</a>	2 of 21	WNW/187.2	119.8 / 6.00	LIQUIDUS LTD 37 SHORNCLIFFE RD TORONTO ON	EXP
<p><b>Instance No:</b> 10447657  <b>Instance ID:</b> 17460  <b>Instance Type:</b> FS Highway Tank - Gas/Diesel  <b>Description:</b> FS HIGHWAY TANK - GASOLINE/DIESEL  <b>Status:</b> EXPIRED  <b>TSSA Program Area:</b>  <b>Maximum Hazard Rank:</b>  <b>Facility Type:</b>  <b>Expired Date:</b></p>					
<a href="#">148</a>	3 of 21	WNW/187.2	119.8 / 6.00	BRUELL CONTRACTING LTD 37 SHORNCLIFFE RD TORONTO ON	EXP
<p><b>Instance No:</b> 11019979  <b>Instance ID:</b> 62517  <b>Instance Type:</b> FS Piping  <b>Description:</b> FS Piping  <b>Status:</b> EXPIRED  <b>TSSA Program Area:</b>  <b>Maximum Hazard Rank:</b>  <b>Facility Type:</b>  <b>Expired Date:</b></p>					
<a href="#">148</a>	4 of 21	WNW/187.2	119.8 / 6.00	BRUELL CONTRACTING LTD 37 SHORNCLIFFE RD TORONTO ON M8Z 5K2	EXP
<p><b>Instance No:</b> 11019970  <b>Instance ID:</b>  <b>Instance Type:</b> FS Liquid Fuel Tank  <b>Description:</b> FS Gasoline Station - Full Serve  <b>Status:</b> EXPIRED  <b>TSSA Program Area:</b>  <b>Maximum Hazard Rank:</b>  <b>Facility Type:</b> FS Liquid Fuel Tank  <b>Expired Date:</b> 10/27/2009 12:05:26 PM</p>					
<a href="#">148</a>	5 of 21	WNW/187.2	119.8 / 6.00	BRUELL CONTRACTING LTD 37 SHORNCLIFFE RD TORONTO ON M8Z 5K2	EXP
<p><b>Instance No:</b> 9464053  <b>Instance ID:</b>  <b>Instance Type:</b> FS Facility  <b>Description:</b>  <b>Status:</b> EXPIRED</p>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>TSSA Program Area:</b>					
<b>Maximum Hazard Rank:</b>					
<b>Facility Type:</b>					
<b>Expired Date:</b> 10/27/2009 12:07					
<a href="#">148</a>	6 of 21	WNW/187.2	119.8 / 6.00	BRUELL CONTRACTING LTD 37 SHORNCLIFFE RD TORONTO ON M8Z 5K2	EXP
<b>Instance No:</b> 11019970					
<b>Instance ID:</b>					
<b>Instance Type:</b> FS Liquid Fuel Tank					
<b>Description:</b>					
<b>Status:</b> EXPIRED					
<b>TSSA Program Area:</b>					
<b>Maximum Hazard Rank:</b>					
<b>Facility Type:</b>					
<b>Expired Date:</b> 10/27/2009 12:05					
<a href="#">148</a>	7 of 21	WNW/187.2	119.8 / 6.00	BRUELL CONTRACTING LIMITED 37 SHORNCLIFFE ROAD ETOBICOKE ON	GEN
<b>Generator No.:</b> ON1354500					
<b>Status:</b>					
<b>Approval Years:</b> 2013					
<b>Contam. Facility:</b>					
<b>MHSW Facility:</b>					
<b>SIC Code:</b> 231310					
<b>SIC Description:</b> HIGHWAY, STREET AND BRIDGE CONSTRUCTION					
<b>PO Box No.:</b>					
<b>Country:</b>					
<b>Choice of Contact:</b>					
<b>Co Admin:</b>					
<b>Phone No. Admin:</b>					
<b>--Details--</b>					
<b>Waste Code:</b> 252					
<b>Waste Description:</b> WASTE OILS & LUBRICANTS					
<b>Waste Code:</b> 213					
<b>Waste Description:</b> PETROLEUM DISTILLATES					
<b>Waste Code:</b> 251					
<b>Waste Description:</b> OIL SKIMMINGS & SLUDGES					
<a href="#">148</a>	8 of 21	WNW/187.2	119.8 / 6.00	BRUELL CONTRACTING LIMITED 37 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K2	GEN
<b>Generator No.:</b> ON1354500					
<b>Status:</b>					
<b>Approval Years:</b> 2014					
<b>Contam. Facility:</b> No					
<b>MHSW Facility:</b> No					
<b>SIC Code:</b> 231310					
<b>SIC Description:</b> HIGHWAY, STREET AND BRIDGE CONSTRUCTION					
<b>PO Box No.:</b>					
<b>Country:</b> Canada					
<b>Choice of Contact:</b> CO_ADMIN					
<b>Co Admin:</b> Alex W Jordan					
<b>Phone No. Admin:</b> 416-239-1159 Ext.					
<b>--Details--</b>					
<b>Waste Code:</b> 251					
<b>Waste Description:</b> OIL SKIMMINGS & SLUDGES					
<b>Waste Code:</b> 213					
<b>Waste Description:</b> PETROLEUM DISTILLATES					



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<a href="#">148</a>	9 of 21	WNW/187.2	119.8 / 6.00	<b>BRUELL CONTRACTING LIMITED 37 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K2</b>	<b>GEN</b>
<b>Generator No.:</b>	ON1354500			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	90,99,00,01,02,03,04,05,06,07,08			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	4121				
<b>SIC Description:</b>	HIGHWAYS, STR., ETC.				
<b>--Details--</b>					
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<a href="#">148</a>	10 of 21	WNW/187.2	119.8 / 6.00	<b>BRUELL CONTRACTING LIMITED 37 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K2</b>	<b>GEN</b>
<b>Generator No.:</b>	ON1354500			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2016			<b>Choice of Contact:</b>	CO_ADMIN
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	Alex W Jordan
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b>	416-239-1159 Ext.
<b>SIC Code:</b>	231310				
<b>SIC Description:</b>	HIGHWAY, STREET AND BRIDGE CONSTRUCTION				
<b>--Details--</b>					
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<a href="#">148</a>	11 of 21	WNW/187.2	119.8 / 6.00	<b>BRUELL CONTRACTING LIMITED 37 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K2</b>	<b>GEN</b>
<b>Generator No.:</b>	ON1354500			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2011			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	231310				
<b>SIC Description:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>--Details--</b>					
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<a href="#">148</a>	12 of 21	WNW/187.2	119.8 / 6.00	BRUELL CONTRACTING LIMITED 37 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K2	GEN
<b>Generator No.:</b>	ON1354500			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2012			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	231310				
<b>SIC Description:</b>					
<b>--Details--</b>					
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<a href="#">148</a>	13 of 21	WNW/187.2	119.8 / 6.00	BRUELL CONTRACTING LIMITED 37 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K2	GEN
<b>Generator No.:</b>	ON1354500			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2010			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	231310				
<b>SIC Description:</b>					
<b>--Details--</b>					
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<a href="#">148</a>	14 of 21	WNW/187.2	119.8 / 6.00	BRUELL CONTRACTING LIMITED 37 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K2	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Generator No.:</b>	ON1354500			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2015			<b>Choice of Contact:</b>	CO_ADMIN
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	Alex W Jordan
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b>	416-239-1159 Ext.
<b>SIC Code:</b>	231310				
<b>SIC Description:</b>	HIGHWAY, STREET AND BRIDGE CONSTRUCTION				
<b>--Details--</b>					
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Code:</b>	251				
<b>Waste Description:</b>	OIL SKIMMINGS & SLUDGES				
<a href="#">148</a>	15 of 21	WNW/187.2	119.8 / 6.00	<b>BRUELL CONTRACTING LIMITED</b> 37 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K2	05-511 <b>GEN</b>
<b>Generator No.:</b>	ON1354500			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	92,93,94,95,96,97,98			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	4121				
<b>SIC Description:</b>	HIGHWAYS, STR., ETC.				
<b>--Details--</b>					
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<b>Waste Code:</b>	251				
<b>Waste Description:</b>	OIL SKIMMINGS & SLUDGES				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<a href="#">148</a>	16 of 21	WNW/187.2	119.8 / 6.00	<b>LIQUIDUS LTD.</b> 37A SHORNCLIFFE RD. MISSISSAUGA ON M8Z 5K2	<b>GEN</b>
<b>Generator No.:</b>	ON0114700			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	86,87,88,89,90,92,93,94			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	0000				
<b>SIC Description:</b>	*** NOT DEFINED ***				
<a href="#">148</a>	17 of 21	WNW/187.2	119.8 / 6.00	<b>BRUELL CONTRACTING LIMITED</b> 37 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K2	<b>GEN</b>
<b>Generator No.:</b>	ON1354500			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:	2009  231310			Choice of Contact: Co Admin: Phone No. Admin:	
<b>--Details--</b>					
Waste Code: Waste Description:	252 WASTE OILS & LUBRICANTS				
Waste Code: Waste Description:	251 OIL SKIMMINGS & SLUDGES				
Waste Code: Waste Description:	213 PETROLEUM DISTILLATES				
<a href="#">148</a>	18 of 21	WNW/187.2	119.8 / 6.00	BRUELL CONTRACTING LIMITED 37 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K2	GEN
Generator No.: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:	ON1354500 Registered As of Dec 2017			PO Box No.: Country: Canada Choice of Contact: Co Admin: Phone No. Admin:	
<b>--Details--</b>					
Waste Code: Waste Description:	213 I Petroleum distillates				
Waste Code: Waste Description:	213 T Petroleum distillates				
Waste Code: Waste Description:	252 L Waste crankcase oils and lubricants				
Waste Code: Waste Description:	251 L Waste oils/sludges (petroleum based)				
<a href="#">148</a>	19 of 21	WNW/187.2	119.8 / 6.00	BRUELL CONTRACTING LTD 37 SHORNCLIFFE RD TORONTO ON M8Z5K2	PRT
Location ID: Type: Expiry Date: Capacity (L): Licence #:	15604 retail 1995-10-31 10000 0011813001				
<a href="#">148</a>	20 of 21	WNW/187.2	119.8 / 6.00	CITY LUBE OIL CO 37 SHORNCLIFFE RD ETOBICOKE ON M8Z5K2	RST
Headcode: Headcode Desc: Phone: List Name:	00926800 OILS WASTE 4162348899				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<i>Description:</i>					
<a href="#">148</a>	21 of 21	WNW/187.2	119.8 / 6.00	CITY LUBE OIL CO 37 SHORNCLIFFE RD ETOBICOKE ON M8Z 5K2	RST
<i>Headcode:</i>		00926800			
<i>Headcode Desc:</i>		OILS-WASTE			
<i>Phone:</i>					
<i>List Name:</i>					
<i>Description:</i>					
<a href="#">149</a>	1 of 1	NW/187.8	120.8 / 6.98	TORONTO ON	WWIS
<i>Well ID:</i>		7260413		<i>Data Entry Status:</i>	
<i>Construction Date:</i>				<i>Data Src:</i>	
<i>Primary Water Use:</i>		Monitoring and Test Hole		<i>Date Received:</i>	
<i>Sec. Water Use:</i>		0		<i>Selected Flag:</i>	
<i>Final Well Status:</i>		Monitoring and Test Hole		<i>Abandonment Rec:</i>	
<i>Water Type:</i>				<i>Contractor:</i>	
<i>Casing Material:</i>				<i>Form Version:</i>	
<i>Audit No:</i>		Z228170		<i>Owner:</i>	
<i>Tag:</i>		A200877		<i>Street Name:</i>	
<i>Construction Method:</i>				<i>County:</i>	
<i>Elevation (m):</i>				<i>Municipality:</i>	
<i>Elevation Reliability:</i>				<i>Site Info:</i>	
<i>Depth to Bedrock:</i>				<i>Lot:</i>	
<i>Well Depth:</i>				<i>Concession:</i>	
<i>Overburden/Bedrock:</i>				<i>Concession Name:</i>	
<i>Pump Rate:</i>				<i>Easting NAD83:</i>	
<i>Static Water Level:</i>				<i>Northing NAD83:</i>	
<i>Flowing (Y/N):</i>				<i>Zone:</i>	
<i>Flow Rate:</i>				<i>UTM Reliability:</i>	
<i>Clear/Cloudy:</i>					
<b><u>Bore Hole Information</u></b>					
<i>Bore Hole ID:</i>		1005918947		<i>Elevation:</i>	
<i>DP2BR:</i>				<i>Elevrc:</i>	
<i>Spatial Status:</i>				<i>Zone:</i>	
<i>Code OB:</i>				<i>East83:</i>	
<i>Code OB Desc:</i>				<i>Org CS:</i>	
<i>Open Hole:</i>				<i>North83:</i>	
<i>Cluster Kind:</i>				<i>UTMRC:</i>	
<i>Date Completed:</i>		24-FEB-16		<i>UTMRC Desc:</i>	
<i>Remarks:</i>				<i>Location Method:</i>	
<i>Elevrc Desc:</i>					
<i>Location Source Date:</i>					
<i>Improvement Location Source:</i>					
<i>Improvement Location Method:</i>					
<i>Source Revision Comment:</i>					
<i>Supplier Comment:</i>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<i>Formation ID:</i>		1006050234			
<i>Layer:</i>		2			
<i>Color:</i>		6			
<i>General Color:</i>		BROWN			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Mat1:</b>		06			
<b>Most Common Material:</b>		SILT			
<b>Mat2:</b>		08			
<b>Other Materials:</b>		FINE SAND			
<b>Mat3:</b>		91			
<b>Other Materials:</b>		WATER-BEARING			
<b>Formation Top Depth:</b>		5			
<b>Formation End Depth:</b>		12			
<b>Formation End Depth UOM:</b>		ft			
<b>Formation ID:</b>		1006050235			
<b>Layer:</b>		3			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		06			
<b>Most Common Material:</b>		SILT			
<b>Mat2:</b>		28			
<b>Other Materials:</b>		SAND			
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		12			
<b>Formation End Depth:</b>		15			
<b>Formation End Depth UOM:</b>		ft			
<b>Formation ID:</b>		1006050233			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		11			
<b>Other Materials:</b>		GRAVEL			
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		5			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1006050243			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		1			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1006050244			
<b>Layer:</b>		2			
<b>Plug From:</b>		1			
<b>Plug To:</b>		4			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1006050245			
<b>Layer:</b>		3			
<b>Plug From:</b>		4			
<b>Plug To:</b>		15			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well</u></b>					
<b><u>Use</u></b>					
<b>Method Construction ID:</b>		1006050242			
<b>Method Construction Code:</b>		D			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Method Construction:</b>		Direct Push			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1006050232			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1006050238			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		5			
<b>Casing Diameter:</b>		2			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1006050239			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		5			
<b>Screen End Depth:</b>		15			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		ft			
<b>Screen Diameter UOM:</b>		inch			
<b>Screen Diameter:</b>		2.25			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1006050237			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		ft			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1006050236			
<b>Diameter:</b>		8			
<b>Depth From:</b>		0			
<b>Depth To:</b>		15			
<b>Hole Depth UOM:</b>		ft			
<b>Hole Diameter UOM:</b>		inch			

[150](#)

1 of 1

ESE/188.8

111.1 / -2.73

K-Lo's Excavating Incorporated  
14 NORTH QUEEN ST  
ETOBICOKE ON M8Z 2C4

EASR

**Approval No:** R-004-1509345223  
**Status:** REGISTERED  
**Date:** 2015-06-09  
**Record Type:** EASR  
**Link Source:** MOFA

**SWP Area Name:** Toronto  
**MOE District:** Toronto  
**City:** ETOBICOKE  
**Latitude:** 43.625  
**Longitude:** -79.53166667

**Full Address:**  
**Project Type:** Waste Management System  
**Approval Type:** EASR-Waste Management System  
**Full PDF Link:** <http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2014860>

<a href="#">151</a>	1 of 1	S/190.2	109.8 / -4.00	Toronto ON	WWIS
---------------------	--------	---------	---------------	------------	------

<b>Well ID:</b> 7270322 <b>Construction Date:</b> <b>Primary Water Use:</b> Monitoring and Test Hole <b>Sec. Water Use:</b> 0 <b>Final Well Status:</b> Monitoring and Test Hole <b>Water Type:</b> <b>Casing Material:</b> <b>Audit No:</b> Z232286 <b>Tag:</b> A207110 <b>Construction Method:</b> <b>Elevation (m):</b> <b>Elevation Reliability:</b> <b>Depth to Bedrock:</b> <b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>	<b>Data Entry Status:</b> <b>Data Src:</b> <b>Date Received:</b> 9/2/2016 <b>Selected Flag:</b> Yes <b>Abandonment Rec:</b> <b>Contractor:</b> 7320 <b>Form Version:</b> 7 <b>Owner:</b> <b>Street Name:</b> 14 VANSO ROAD <b>County:</b> YORK <b>Municipality:</b> ETOBICOKE BOROUGH <b>Site Info:</b> <b>Lot:</b> <b>Concession:</b> <b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>
--	--

**Bore Hole Information**

<b>Bore Hole ID:</b> 1006229186 <b>DP2BR:</b> <b>Spatial Status:</b> <b>Code OB:</b> <b>Code OB Desc:</b> <b>Open Hole:</b> <b>Cluster Kind:</b> <b>Date Completed:</b> 05-JUN-16 <b>Remarks:</b> <b>Elevrc Desc:</b> <b>Location Source Date:</b> <b>Improvement Location Source:</b> <b>Improvement Location Method:</b> <b>Source Revision Comment:</b> <b>Supplier Comment:</b>	<b>Elevation:</b> 113.67 <b>Elevrc:</b> <b>Zone:</b> 17 <b>East83:</b> 618080 <b>Org CS:</b> UTM83 <b>North83:</b> 4830903 <b>UTMRC:</b> 4 <b>UTMRC Desc:</b> margin of error : 30 m - 100 m <b>Location Method:</b> wwr
---	--

**Overburden and Bedrock Materials Interval**

<b>Formation ID:</b> 1006266040 <b>Layer:</b> 2 <b>Color:</b> 2 <b>General Color:</b> GREY <b>Mat1:</b> 11 <b>Most Common Material:</b> GRAVEL <b>Mat2:</b> 28 <b>Other Materials:</b> SAND <b>Mat3:</b> 01 <b>Other Materials:</b> FILL <b>Formation Top Depth:</b> .6 <b>Formation End Depth:</b> .9
---



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation End Depth UOM:</b>		m			
<b>Formation ID:</b>		1006266043			
<b>Layer:</b>		5			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		17			
<b>Most Common Material:</b>		SHALE			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>		71			
<b>Other Materials:</b>		FRACTURED			
<b>Formation Top Depth:</b>		2.7			
<b>Formation End Depth:</b>		5.5			
<b>Formation End Depth UOM:</b>		m			
<b>Formation ID:</b>		1006266042			
<b>Layer:</b>		4			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		06			
<b>Most Common Material:</b>		SILT			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		1.2			
<b>Formation End Depth:</b>		2.7			
<b>Formation End Depth UOM:</b>		m			
<b>Formation ID:</b>		1006266039			
<b>Layer:</b>		1			
<b>Color:</b>		8			
<b>General Color:</b>		BLACK			
<b>Mat1:</b>		11			
<b>Most Common Material:</b>		GRAVEL			
<b>Mat2:</b>		01			
<b>Other Materials:</b>		FILL			
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		.6			
<b>Formation End Depth UOM:</b>		m			
<b>Formation ID:</b>		1006266044			
<b>Layer:</b>		6			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		17			
<b>Most Common Material:</b>		SHALE			
<b>Mat2:</b>		26			
<b>Other Materials:</b>		ROCK			
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		5.5			
<b>Formation End Depth:</b>		5.6			
<b>Formation End Depth UOM:</b>		m			
<b>Formation ID:</b>		1006266041			
<b>Layer:</b>		3			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		06			
<b>Most Common Material:</b>		SILT			
<b>Mat2:</b>		28			
<b>Other Materials:</b>		SAND			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		.9			
<b>Formation End Depth:</b>		1.2			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1006266052			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		2.4			
<b>Plug Depth UOM:</b>		m			
<b>Plug ID:</b>		1006266053			
<b>Layer:</b>		2			
<b>Plug From:</b>		2.4			
<b>Plug To:</b>		5.1			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1006266051			
<b>Method Construction Code:</b>		6			
<b>Method Construction:</b>		Boring			
<b>Other Method Construction:</b>		HSA			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1006266038			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1006266047			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		2.6			
<b>Casing Diameter:</b>		5.1			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1006266048			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		2.6			
<b>Screen End Depth:</b>		5.6			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		5.2			
<b><u>Water Details</u></b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Water ID:</b> 1006266046 <b>Layer:</b> <b>Kind Code:</b> <b>Kind:</b> <b>Water Found Depth:</b> <b>Water Found Depth UOM:</b> m					
<b>Hole Diameter</b>					
<b>Hole ID:</b> 1006266045 <b>Diameter:</b> 21 <b>Depth From:</b> 0 <b>Depth To:</b> 5.6 <b>Hole Depth UOM:</b> m <b>Hole Diameter UOM:</b> cm					
<a href="#">152</a>	1 of 1	SW/190.8	118.1 / 4.27	119 Shorncliffe Rd Toronto ON M8Z 5K7	EHS
<b>Order ID:</b> 166865 <b>Order No:</b> 20090811035 <b>Customer ID:</b> 66927 <b>Company ID:</b> 19903 <b>Status:</b> C <b>Report Code:</b> 3CAN <b>Report Type:</b> Standard Report <b>Report Date:</b> 8/20/2009 <b>Report Requested by:</b> Terrapex Environmental Ltd <b>Nearest Intersection:</b> <b>Previous Site Name:</b> <b>Additional Info Ordered:</b> Fire Insur. Maps and/or Sire Plans					
<b>Date Received:</b> 8/11/2009 <b>Lot/Building Size:</b> <b>Municipality:</b> <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> 0.25 <b>Large Radius:</b> 2 <b>X:</b> -79.54149 <b>Y:</b> 43.624728					
<a href="#">153</a>	1 of 4	WNW/191.1	118.8 / 4.94	55 Shorncliffe Road Toronto ON M8Z 5K2	CA
<b>Certificate #:</b> 5150-4XNHSM <b>Application Year:</b> 01 <b>Issue Date:</b> 6/20/01 <b>Approval Type:</b> Industrial air <b>Status:</b> Approved <b>Application Type:</b> New Certificate of Approval <b>Client Name::</b> Century 3000 Auto Collision Centre Ltd. <b>Client Address::</b> 55 Shorncliffe Road <b>Client City::</b> Toronto <b>Client Postal Code::</b> M8Z 5K3 <b>Project Description::</b> One (1) dual bay automotive paint spray booth equipped with an integrated paint mix room for the application and curing of solvent based refinish coatings to automobile body components and complete vehicles. Each bay of the paint spray booth is equipped with dry type paint arrestor filters for overspray control and one (1) direct-fired natural gas air make-up unit and discharges solvent vapours and combustion products to the atmosphere through individual roof-mounted exhaust stacks, and one (10 four stall auto body prep station, equipped with dual stage exhaust filtration consisting of dry type paint arrestor filters followed by fabric pocket filters for dust and overspray control, for the surface preparation and application of solvent based refinish coatings to automobile body components. The prep station also includes one (1) direct-fired natural gas air make-up unit and discharges solvent vapours and combustion products to the atmosphere through one (1) roof-mounted exhaust stack.					
<b>Contaminants::</b> <b>Emission Control::</b> Fabric Filters					
<a href="#">153</a>	2 of 4	WNW/191.1	118.8 / 4.94	CENTURY 3000 AUTO COLLISION CENTRE LTD 55 SHORNCLIFFE RD ETOBICOKE ON M8Z 5K2	EASR

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Approval No:</b>	R-001-1259382112			<b>SWP Area Name:</b> Toronto	
<b>Status:</b>	REGISTERED			<b>MOE District:</b> Toronto	
<b>Date:</b>	2012-10-27			<b>City:</b> ETOBICOKE	
<b>Record Type:</b>	EASR			<b>Latitude:</b> 43.62856	
<b>Link Source:</b>	MOFA			<b>Longitude:</b> -79.5425899999999	
<b>Full Address:</b>					
<b>Project Type:</b>	Automotive Refinishing Facility				
<b>Approval Type:</b>	EASR-Automotive Refinishing Facility				
<b>Full PDF Link:</b>	<a href="http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2432">http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2432</a>				

<a href="#">153</a>	3 of 4	WNW/191.1	118.8 / 4.94	<b>Century 3000 Auto Collision Centre Ltd. 55 Shorncliffe Road Toronto Ontario Toronto ON</b>	<b>EBR</b>
<b>Company Name:</b>	Century 3000 Auto Collision Centre Ltd.				
<b>EBR Registry No.:</b>	IA01E0533				
<b>Ministry Ref. No.:</b>	0730-4VJLL4				
<b>Notice Type:</b>	Instrument Decision				
<b>Notice Date:</b>	June 22, 2001				
<b>Proposal Date:</b>	April 18, 2001				
<b>Year:</b>	2001				
<b>Proponent Address:</b>	55 Shorncliffe Road, Toronto Ontario, M8Z 5K3				
<b>Instrument Type:</b>	(EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)				
<b>Location Other:</b>					
<b>Location:</b>	55 Shorncliffe Road Toronto Ontario Toronto				

<a href="#">153</a>	4 of 4	WNW/191.1	118.8 / 4.94	<b>Century 3000 Auto Collision Centre Ltd. 55 Shorncliffe Road Toronto ON M8Z 5K3</b>	<b>ECA</b>
<b>Approval No:</b>	5150-4XNHSM			<b>SWP Area Name:</b> Toronto	
<b>Approval Date:</b>	2001-06-20			<b>MOE District:</b> Toronto	
<b>Status:</b>	Approved			<b>City:</b> Toronto	
<b>Record Type:</b>	ECA			<b>Longitude:</b> -79.5425899999999	
<b>Link Source:</b>	IDS			<b>Latitude:</b> 43.62856	
<b>Approval Type:</b>	ECA-AIR				
<b>Project Type:</b>	AIR				
<b>Address:</b>	55 Shorncliffe Road				
<b>Full Address:</b>					
<b>Full PDF Link:</b>	<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/0730-4VJLL4-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/0730-4VJLL4-14.pdf</a>				

<a href="#">154</a>	1 of 1	NW/191.2	120.9 / 7.05	<b>TORONTO ON</b>	<b>WWIS</b>
<b>Well ID:</b>	7260415				
<b>Construction Date:</b>					
<b>Primary Water Use:</b>	Monitoring and Test Hole				
<b>Sec. Water Use:</b>	0				
<b>Final Well Status:</b>	Monitoring and Test Hole				
<b>Water Type:</b>					
<b>Casing Material:</b>					
<b>Audit No:</b>	Z228172			<b>Data Entry Status:</b>	
<b>Tag:</b>	A200929			<b>Data Src:</b>	
<b>Construction Method:</b>					
<b>Elevation (m):</b>					
<b>Elevation Reliability:</b>					
				<b>Date Received:</b>	3/31/2016
				<b>Selected Flag:</b>	Yes
				<b>Abandonment Rec:</b>	
				<b>Contractor:</b>	7241
				<b>Form Version:</b>	7
				<b>Owner:</b>	
				<b>Street Name:</b>	15 SHORNCLIFFE RD
				<b>County:</b>	YORK
				<b>Municipality:</b>	ETOBICOKE BOROUGH
				<b>Site Info:</b>	WKQ-008715 A0-A04

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Depth to Bedrock:</b> <b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>				<b>Lot:</b> <b>Concession:</b> <b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>	
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b> <b>DP2BR:</b> <b>Spatial Status:</b> <b>Code OB:</b> <b>Code OB Desc:</b> <b>Open Hole:</b> <b>Cluster Kind:</b> <b>Date Completed:</b> <b>Remarks:</b> <b>Elevrc Desc:</b> <b>Location Source Date:</b> <b>Improvement Location Source:</b> <b>Improvement Location Method:</b> <b>Source Revision Comment:</b> <b>Supplier Comment:</b>	1005918953       24-FEB-16			<b>Elevation:</b> <b>Elevrc:</b> <b>Zone:</b> <b>East83:</b> <b>Org CS:</b> <b>North83:</b> <b>UTMRC:</b> <b>UTMRC Desc:</b> <b>Location Method:</b>	122.73  17 617624 UTM83 4832035 4 margin of error : 30 m - 100 m wwr
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b> <b>Layer:</b> <b>Color:</b> <b>General Color:</b> <b>Mat1:</b> <b>Most Common Material:</b> <b>Mat2:</b> <b>Other Materials:</b> <b>Mat3:</b> <b>Other Materials:</b> <b>Formation Top Depth:</b> <b>Formation End Depth:</b> <b>Formation End Depth UOM:</b>	1006050277 1 6 BROWN 28 SAND 06 SILT 91 WATER-BEARING 0 15 ft				
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b> <b>Layer:</b> <b>Plug From:</b> <b>Plug To:</b> <b>Plug Depth UOM:</b>	1006050285 1 0 1 ft				
<b>Plug ID:</b> <b>Layer:</b> <b>Plug From:</b> <b>Plug To:</b> <b>Plug Depth UOM:</b>	1006050287 3 4 15 ft				
<b>Plug ID:</b> <b>Layer:</b> <b>Plug From:</b> <b>Plug To:</b>	1006050286 2 1 4				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1006050284			
<b>Method Construction Code:</b>		2			
<b>Method Construction:</b>		Rotary (Convent.)			
<b>Other Method Construction:</b>		DIRECT PUSH			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1006050276			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1006050280			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		5			
<b>Casing Diameter:</b>		2			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1006050281			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		5			
<b>Screen End Depth:</b>		15			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		ft			
<b>Screen Diameter UOM:</b>		inch			
<b>Screen Diameter:</b>		2.25			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1006050279			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		ft			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1006050278			
<b>Diameter:</b>		8			
<b>Depth From:</b>		0			
<b>Depth To:</b>		15			
<b>Hole Depth UOM:</b>		ft			
<b>Hole Diameter UOM:</b>		inch			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">155</a>	1 of 2	NW/192.3	120.8 / 6.98	TORONTO ON	WWIS
<b>Well ID:</b> 7260412 <b>Construction Date:</b> <b>Primary Water Use:</b> Monitoring and Test Hole <b>Sec. Water Use:</b> 0 <b>Final Well Status:</b> Monitoring and Test Hole <b>Water Type:</b> <b>Casing Material:</b> <b>Audit No:</b> Z228185 <b>Tag:</b> A200861 <b>Construction Method:</b> <b>Elevation (m):</b> <b>Elevation Reliability:</b> <b>Depth to Bedrock:</b> <b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>		<b>Data Entry Status:</b> <b>Data Src:</b> <b>Date Received:</b> 3/31/2016 <b>Selected Flag:</b> Yes <b>Abandonment Rec:</b> <b>Contractor:</b> 7241 <b>Form Version:</b> 7 <b>Owner:</b> <b>Street Name:</b> 15 SHORNCLIFFE RD <b>County:</b> YORK <b>Municipality:</b> ETOBICOKE BOROUGH <b>Site Info:</b> WKQ-008715 A0-A04 <b>Lot:</b> <b>Concession:</b> <b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>			
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b> 1005918944 <b>DP2BR:</b> <b>Spatial Status:</b> <b>Code OB:</b> <b>Code OB Desc:</b> <b>Open Hole:</b> <b>Cluster Kind:</b> <b>Date Completed:</b> 09-MAR-16 <b>Remarks:</b> <b>Elevrc Desc:</b> <b>Location Source Date:</b> <b>Improvement Location Source:</b> <b>Improvement Location Method:</b> <b>Source Revision Comment:</b> <b>Supplier Comment:</b>		<b>Elevation:</b> 122.76 <b>Elevrc:</b> <b>Zone:</b> 17 <b>East83:</b> 617594 <b>Org CS:</b> UTM83 <b>North83:</b> 4832019 <b>UTMRC:</b> 4 <b>UTMRC Desc:</b> margin of error : 30 m - 100 m <b>Location Method:</b> wwr			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b> 1006050213 <b>Layer:</b> 2 <b>Color:</b> 2 <b>General Color:</b> GREY <b>Mat1:</b> 28 <b>Most Common Material:</b> SAND <b>Mat2:</b> 06 <b>Other Materials:</b> SILT <b>Mat3:</b> 66 <b>Other Materials:</b> DENSE <b>Formation Top Depth:</b> 10 <b>Formation End Depth:</b> 25 <b>Formation End Depth UOM:</b> ft		<b>Formation ID:</b> 1006050212 <b>Layer:</b> 1 <b>Color:</b> 6 <b>General Color:</b> BROWN <b>Mat1:</b> 28			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		06			
<b>Other Materials:</b>		SILT			
<b>Mat3:</b>		85			
<b>Other Materials:</b>		SOFT			
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		10			
<b>Formation End Depth UOM:</b>		ft			
<b>Formation ID:</b>		1006050215			
<b>Layer:</b>		4			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		05			
<b>Most Common Material:</b>		CLAY			
<b>Mat2:</b>		12			
<b>Other Materials:</b>		STONES			
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		30			
<b>Formation End Depth:</b>		35			
<b>Formation End Depth UOM:</b>		ft			
<b>Formation ID:</b>		1006050214			
<b>Layer:</b>		3			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		06			
<b>Most Common Material:</b>		SILT			
<b>Mat2:</b>		05			
<b>Other Materials:</b>		CLAY			
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		25			
<b>Formation End Depth:</b>		30			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1006050225			
<b>Layer:</b>		3			
<b>Plug From:</b>		35			
<b>Plug To:</b>		35			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1006050223			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		6			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1006050224			
<b>Layer:</b>		2			
<b>Plug From:</b>		6			
<b>Plug To:</b>		32			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1006050222			
<b>Method Construction Code:</b>		2			
<b>Method Construction:</b>		Rotary (Convent.)			



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Other Method Construction:</b>		DIRECT PUSH			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1006050211			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1006050218			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		33			
<b>Casing Diameter:</b>		2			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1006050219			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		33			
<b>Screen End Depth:</b>		35			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		ft			
<b>Screen Diameter UOM:</b>		inch			
<b>Screen Diameter:</b>		2.25			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1006050217			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		ft			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1006050216			
<b>Diameter:</b>		8			
<b>Depth From:</b>		0			
<b>Depth To:</b>		35			
<b>Hole Depth UOM:</b>		ft			
<b>Hole Diameter UOM:</b>		inch			

[155](#)

2 of 2

NW/192.3

120.8 / 6.98

TORONTO ON

WWIS

**Well ID:** 7260463  
**Construction Date:**  
**Primary Water Use:** Monitoring and Test Hole  
**Sec. Water Use:** 0  
**Final Well Status:** Monitoring and Test Hole  
**Water Type:**  
**Casing Material:**

**Data Entry Status:**  
**Data Src:**  
**Date Received:** 3/31/2016  
**Selected Flag:** Yes  
**Abandonment Rec:**  
**Contractor:** 7241  
**Form Version:** 7

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Audit No:</b>	Z228183			<b>Owner:</b>	
<b>Tag:</b>	A179263			<b>Street Name:</b>	15 SHORNCLIFFE RD
<b>Construction Method:</b>				<b>County:</b>	YORK
<b>Elevation (m):</b>				<b>Municipality:</b>	ETOBICOKE BOROUGH
<b>Elevation Reliability:</b>				<b>Site Info:</b>	WKQ-008715 A0-A04
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**Bore Hole Information**

<b>Bore Hole ID:</b>	1005919520	<b>Elevation:</b>	122.75
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	17
<b>Code OB:</b>		<b>East83:</b>	617595
<b>Code OB Desc:</b>		<b>Org CS:</b>	UTM83
<b>Open Hole:</b>		<b>North83:</b>	4832019
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	09-MAR-16	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock  
Materials Interval**

<b>Formation ID:</b>	1006051017
<b>Layer:</b>	2
<b>Color:</b>	2
<b>General Color:</b>	GREY
<b>Mat1:</b>	28
<b>Most Common Material:</b>	SAND
<b>Mat2:</b>	06
<b>Other Materials:</b>	SILT
<b>Mat3:</b>	66
<b>Other Materials:</b>	DENSE
<b>Formation Top Depth:</b>	10
<b>Formation End Depth:</b>	14
<b>Formation End Depth UOM:</b>	ft

<b>Formation ID:</b>	1006051016
<b>Layer:</b>	1
<b>Color:</b>	6
<b>General Color:</b>	BROWN
<b>Mat1:</b>	28
<b>Most Common Material:</b>	SAND
<b>Mat2:</b>	06
<b>Other Materials:</b>	SILT
<b>Mat3:</b>	85
<b>Other Materials:</b>	SOFT
<b>Formation Top Depth:</b>	0
<b>Formation End Depth:</b>	10
<b>Formation End Depth UOM:</b>	ft

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1006051027			
<b>Layer:</b>		3			
<b>Plug From:</b>		3			
<b>Plug To:</b>		14			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1006051026			
<b>Layer:</b>		2			
<b>Plug From:</b>		6			
<b>Plug To:</b>		3			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1006051025			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		6			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1006051024			
<b>Method Construction Code:</b>		2			
<b>Method Construction:</b>		Rotary (Convent.)			
<b>Other Method Construction:</b>		DIRECT PUSH			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1006051015			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1006051020			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		4			
<b>Casing Diameter:</b>		2			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1006051021			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		4			
<b>Screen End Depth:</b>		14			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		ft			
<b>Screen Diameter UOM:</b>		inch			
<b>Screen Diameter:</b>		2.25			
<b><u>Water Details</u></b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water ID:		1006051019			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<b><u>Hole Diameter</u></b>					
Hole ID:		1006051018			
Diameter:		6			
Depth From:		0			
Depth To:		14			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

<a href="#">156</a>	1 of 1	SSW/192.8	116.3 / 2.45	Toronto ON	WWIS
Well ID:	7284883			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Test Hole			Date Received:	4/10/2017
Sec. Water Use:	Monitoring			Selected Flag:	Yes
Final Well Status:	Monitoring and Test Hole			Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z253792			Owner:	
Tag:	A217325			Street Name:	135 SHORNECLIFF RD
Construction Method:				County:	YORK
Elevation (m):				Municipality:	ETOBICOKE BOROUGH
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

**Bore Hole Information**

Bore Hole ID:	1006379096	Elevation:	115.95
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	617756
Code OB Desc:		Org CS:	UTM83
Open Hole:		North83:	4831029
Cluster Kind:		UTMRC:	4
Date Completed:	10-MAR-17	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Overburden and Bedrock  
Materials Interval**

Formation ID: 1006647612

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		01			
<b>Most Common Material:</b>		FILL			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		.5			
<b>Formation End Depth:</b>		2			
<b>Formation End Depth UOM:</b>		ft			
<b>Formation ID:</b>		1006647611			
<b>Layer:</b>		1			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>					
<b>Most Common Material:</b>					
<b>Mat2:</b>		60			
<b>Other Materials:</b>		CEMENTED			
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		.5			
<b>Formation End Depth UOM:</b>		ft			
<b>Formation ID:</b>		1006647614			
<b>Layer:</b>		4			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		17			
<b>Most Common Material:</b>		SHALE			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>		92			
<b>Other Materials:</b>		WEATHERED			
<b>Formation Top Depth:</b>		11			
<b>Formation End Depth:</b>		15			
<b>Formation End Depth UOM:</b>		ft			
<b>Formation ID:</b>		1006647613			
<b>Layer:</b>		3			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		06			
<b>Other Materials:</b>		SILT			
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		2			
<b>Formation End Depth:</b>		11			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1006647623			
<b>Layer:</b>		2			
<b>Plug From:</b>		.5			
<b>Plug To:</b>		4			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1006647624			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Layer:</i>		3			
<i>Plug From:</i>		4			
<i>Plug To:</i>		15			
<i>Plug Depth UOM:</i>		ft			
<i>Plug ID:</i>		1006647622			
<i>Layer:</i>		1			
<i>Plug From:</i>		0			
<i>Plug To:</i>		.5			
<i>Plug Depth UOM:</i>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<i>Method Construction ID:</i>		1006647621			
<i>Method Construction Code:</i>		B			
<i>Method Construction:</i>		Other Method			
<i>Other Method Construction:</i>		DIRECT PUSH			
<b><u>Pipe Information</u></b>					
<i>Pipe ID:</i>		1006647610			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
<b><u>Construction Record - Casing</u></b>					
<i>Casing ID:</i>		1006647617			
<i>Layer:</i>		1			
<i>Material:</i>		5			
<i>Open Hole or Material:</i>		PLASTIC			
<i>Depth From:</i>		0			
<i>Depth To:</i>		5			
<i>Casing Diameter:</i>		1.5			
<i>Casing Diameter UOM:</i>		inch			
<i>Casing Depth UOM:</i>		ft			
<b><u>Construction Record - Screen</u></b>					
<i>Screen ID:</i>		1006647618			
<i>Layer:</i>		1			
<i>Slot:</i>		10			
<i>Screen Top Depth:</i>		5			
<i>Screen End Depth:</i>		15			
<i>Screen Material:</i>		5			
<i>Screen Depth UOM:</i>		ft			
<i>Screen Diameter UOM:</i>		inch			
<i>Screen Diameter:</i>		1.75			
<b><u>Water Details</u></b>					
<i>Water ID:</i>		1006647616			
<i>Layer:</i>					
<i>Kind Code:</i>					
<i>Kind:</i>					
<i>Water Found Depth:</i>					
<i>Water Found Depth UOM:</i>		ft			
<b><u>Hole Diameter</u></b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Hole ID:</b> 1006647615 <b>Diameter:</b> 3.5 <b>Depth From:</b> 0 <b>Depth To:</b> 15 <b>Hole Depth UOM:</b> ft <b>Hole Diameter UOM:</b> inch					
<a href="#">157</a>	1 of 1	SSE/194.8	110.6 / -3.30	HANSON INC.  TORONTO ON	CHEM
<b>Headcode:</b>				<b>Head Office Province:</b> ON	
<b>Headcode Desc:</b>				<b>Head Office Postal:</b> M8Z5J7	
<b>Phone:</b>				<b>Mailing Address:</b> 45 VANSO ROAD	
<b>List Name:</b>				<b>Mailing Address 2:</b>	
<b>Description:</b>				<b>Mailing City:</b> TORONTO	
<a href="#">158</a>	1 of 1	NNW/198.9	120.8 / 7.00	ON	WWIS
<b>Well ID:</b> 7271394				<b>Data Entry Status:</b> Yes	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>				<b>Date Received:</b> 9/13/2016	
<b>Sec. Water Use:</b>				<b>Selected Flag:</b> Yes	
<b>Final Well Status:</b>				<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b> 7215	
<b>Casing Material:</b>				<b>Form Version:</b> 8	
<b>Audit No:</b> C33140				<b>Owner:</b>	
<b>Tag:</b> A197133				<b>Street Name:</b>	
<b>Construction Method:</b>				<b>County:</b> YORK	
<b>Elevation (m):</b>				<b>Municipality:</b> ETOBICOKE BOROUGH	
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b>Bore Hole Information</b>					
<b>Bore Hole ID:</b> 1006242735				<b>Elevation:</b> 123.01	
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b> 17	
<b>Code OB:</b>				<b>East83:</b> 617635	
<b>Code OB Desc:</b>				<b>Org CS:</b> UTM83	
<b>Open Hole:</b>				<b>North83:</b> 4832048	
<b>Cluster Kind:</b>				<b>UTMRC:</b> 4	
<b>Date Completed:</b> 19-APR-16				<b>UTMRC Desc:</b> margin of error : 30 m - 100 m	
<b>Remarks:</b>				<b>Location Method:</b> wwr	
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<a href="#">159</a>	1 of 1	NW/200.0	120.8 / 6.94	TORONTO ON	WWIS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Well ID:</b>	7260464			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole			<b>Date Received:</b>	3/31/2016
<b>Sec. Water Use:</b>	0			<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Monitoring and Test Hole			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z228184			<b>Owner:</b>	
<b>Tag:</b>	A181260			<b>Street Name:</b>	15 SHORNCLIFFE RD
<b>Construction Method:</b>				<b>County:</b>	YORK
<b>Elevation (m):</b>				<b>Municipality:</b>	ETOBICOKE BOROUGH
<b>Elevation Reliability:</b>				<b>Site Info:</b>	WKQ-008715 A0-A04
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

### Bore Hole Information

<b>Bore Hole ID:</b>	1005919523	<b>Elevation:</b>	122.84
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	17
<b>Code OB:</b>		<b>East83:</b>	617594
<b>Code OB Desc:</b>		<b>Org CS:</b>	UTM83
<b>Open Hole:</b>		<b>North83:</b>	4832028
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	09-MAR-16	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

### Overburden and Bedrock

#### Materials Interval

<b>Formation ID:</b>	1006051029
<b>Layer:</b>	1
<b>Color:</b>	6
<b>General Color:</b>	BROWN
<b>Mat1:</b>	28
<b>Most Common Material:</b>	SAND
<b>Mat2:</b>	06
<b>Other Materials:</b>	SILT
<b>Mat3:</b>	85
<b>Other Materials:</b>	SOFT
<b>Formation Top Depth:</b>	0
<b>Formation End Depth:</b>	10
<b>Formation End Depth UOM:</b>	ft
<b>Formation ID:</b>	1006051030
<b>Layer:</b>	2
<b>Color:</b>	2
<b>General Color:</b>	GREY
<b>Mat1:</b>	28
<b>Most Common Material:</b>	SAND
<b>Mat2:</b>	06
<b>Other Materials:</b>	SILT



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Mat3:</b>		66			
<b>Other Materials:</b>		DENSE			
<b>Formation Top Depth:</b>		10			
<b>Formation End Depth:</b>		14			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1006051038			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		6			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1006051039			
<b>Layer:</b>		2			
<b>Plug From:</b>		6			
<b>Plug To:</b>		3			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1006051040			
<b>Layer:</b>		3			
<b>Plug From:</b>		3			
<b>Plug To:</b>		14			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1006051037			
<b>Method Construction Code:</b>		2			
<b>Method Construction:</b>		Rotary (Convent.)			
<b>Other Method Construction:</b>		DIRECT PUSH			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1006051028			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1006051033			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		4			
<b>Casing Diameter:</b>		2			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1006051034			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		4			
<b>Screen End Depth:</b>		14			
<b>Screen Material:</b>		5			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.25			
<b><u>Water Details</u></b>					
Water ID:		1006051032			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<b><u>Hole Diameter</u></b>					
Hole ID:		1006051031			
Diameter:		8			
Depth From:		0			
Depth To:		14			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

<a href="#">160</a>	1 of 8	WNW/200.8	119.8 / 6.00	41 Shorncliffe Rd Toronto ON M9B 1B8	EHS
Order ID:	485677			Date Received:	07-NOV-16
Order No:	20161107104			Lot/Building Size:	
Customer ID:	167368			Municipality:	
Company ID:	55365			Client Prov/State:	NC
Status:	C			Search Radius (km):	.25
Report Code:	3CAN			Large Radius:	.5
Report Type:	Standard Report			X:	-79.542301
Report Date:	10-NOV-16			Y:	43.629392
Report Requested by:	Apex Companies, LLC				
Nearest Intersection:					
Previous Site Name:					
Additional Info Ordered:					

<a href="#">160</a>	2 of 8	WNW/200.8	119.8 / 6.00	7-11 POOL DISTRIBUTORS LTD. 41 SHORNCLIFFE RD. TORONTO ON M8Z 5K2	GEN
Generator No.:	ON0274700			PO Box No.:	
Status:				Country:	
Approval Years:	86,87,88,89,90,92,93,94			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No. Admin:	
SIC Code:	0000				
SIC Description:	*** NOT DEFINED ***				

<a href="#">160</a>	3 of 8	WNW/200.8	119.8 / 6.00	Meriden Foods Inc. 41 Shorncliffe Rd Etobicoke ON M8Z 5K2	SCT
Established:	1967				
Plant Size (ft²):	30000				
Employment:	35				

--Details--

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Description:</b>		Retail Bakeries			
<b>SIC/NAICS Code:</b>		311811			
<b>Description:</b>		Other Specialty-Line Food Wholesaler-Distributors			
<b>SIC/NAICS Code:</b>		413190			
<a href="#">160</a>	4 of 8	WNW/200.8	119.8 / 6.00	<b>TRE MARI BAKERY LTD.</b> 41 Shorncliffe Rd Etobicoke ON M8Z 5K2	SCT
<b>Established:</b>		1967			
<b>Plant Size (ft²):</b>		0			
<b>Employment:</b>		35			
<b>--Details--</b>					
<b>Description:</b>		Commercial Bakeries and Frozen Bakery Product Manufacturing			
<b>SIC/NAICS Code:</b>		311814			
<a href="#">160</a>	5 of 8	WNW/200.8	119.8 / 6.00	<b>TRE MARI BAKERY LIMITED</b> 41 SHORNCLIFFE RD ETOBICOKE ON M8Z 5K2	SCT
<b>Established:</b>		1967			
<b>Plant Size (ft²):</b>		0			
<b>Employment:</b>		35			
<b>--Details--</b>					
<b>Description:</b>		BREAD AND OTHER BAKERY PRODUCTS, EXCEPT COOKIES AND CRACKERS			
<b>SIC/NAICS Code:</b>		2051			
<a href="#">160</a>	6 of 8	WNW/200.8	119.8 / 6.00	<b>Allegany Foods</b> 41 Shorncliffe Rd Toronto ON M8Z 5K2	SCT
<b>Established:</b>		1960			
<b>Plant Size (ft²):</b>		30000			
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>		Retail Bakeries			
<b>SIC/NAICS Code:</b>		311811			
<b>Description:</b>		Other Specialty-Line Food Wholesaler-Distributors			
<b>SIC/NAICS Code:</b>		413190			
<a href="#">160</a>	7 of 8	WNW/200.8	119.8 / 6.00	<b>Euro Bread Inc.</b> 41 Shorncliffe Rd Unit A Etobicoke ON M8Z 5K2	SCT
<b>Established:</b>		1999			
<b>Plant Size (ft²):</b>		30			
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>		Commercial Bakeries and Frozen Bakery Product Manufacturing			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
SIC/NAICS Code:		311814			
<a href="#">160</a>	8 of 8	WNW/200.8	119.8 / 6.00	Tre Mari Bakery Ltd. 41 Shorncliffe Rd Etobicoke ON M8Z 5K2	SCT
Established:		1967			
Plant Size (ft²):					
Employment:		35			
<a href="#">161</a>	1 of 1	NNW/201.0	120.8 / 6.91	TORONTO ON	WWIS
Well ID:		7260416		Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:		Monitoring and Test Hole		Date Received:	
Sec. Water Use:		0		3/31/2016	
Final Well Status:		Monitoring and Test Hole		Selected Flag:	
Water Type:				Yes	
Casing Material:				Abandonment Rec:	
Audit No:		Z228173		Contractor:	
Tag:		A201006		7241	
Construction Method:				Form Version:	
Elevation (m):				7	
Elevation Reliability:				Owner:	
Depth to Bedrock:				Street Name:	
Well Depth:				15 SHORNCLIFFE RD	
Overburden/Bedrock:				County:	
Pump Rate:				YORK	
Static Water Level:				Municipality:	
Flowing (Y/N):				ETOBICOKE BOROUGH	
Flow Rate:				Site Info:	
Clear/Cloudy:				WKQ-008715 A0-A04	
				Lot:	
				Concession:	
				Concession Name:	
				Easting NAD83:	
				Northing NAD83:	
				Zone:	
				UTM Reliability:	
<b>Bore Hole Information</b>					
Bore Hole ID:		1005918956		Elevation:	
DP2BR:				123.13	
Spatial Status:				Elevrc:	
Code OB:				Zone:	
Code OB Desc:				17	
Open Hole:				East83:	
Cluster Kind:				617637	
Date Completed:		24-FEB-16		Org CS:	
Remarks:				UTM83	
Elevrc Desc:				North83:	
Location Source Date:				4832051	
Improvement Location Source:				UTMRC:	
Improvement Location Method:				4	
Source Revision Comment:				UTMRC Desc:	
Supplier Comment:				margin of error : 30 m - 100 m	
				Location Method:	
				wwr	
<b>Overburden and Bedrock</b>					
<b>Materials Interval</b>					
Formation ID:		1006050293			
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		06			
Most Common Material:		SILT			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Mat2:</b>		08			
<b>Other Materials:</b>		FINE SAND			
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		15			
<b>Formation End Depth:</b>		34			
<b>Formation End Depth UOM:</b>		ft			
<b>Formation ID:</b>		1006050292			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		06			
<b>Most Common Material:</b>		SILT			
<b>Mat2:</b>		08			
<b>Other Materials:</b>		FINE SAND			
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		15			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1006050301			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		1			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1006050303			
<b>Layer:</b>		3			
<b>Plug From:</b>		31			
<b>Plug To:</b>		34			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1006050302			
<b>Layer:</b>		2			
<b>Plug From:</b>		1			
<b>Plug To:</b>		31			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1006050300			
<b>Method Construction Code:</b>		2			
<b>Method Construction:</b>		Rotary (Convent.)			
<b>Other Method Construction:</b>		DIRECT PUSH			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1006050291			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1006050296			
<b>Layer:</b>		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		32			
<b>Casing Diameter:</b>		2			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1006050297			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		32			
<b>Screen End Depth:</b>		34			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		ft			
<b>Screen Diameter UOM:</b>		inch			
<b>Screen Diameter:</b>		2.25			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1006050295			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		ft			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1006050294			
<b>Diameter:</b>		8			
<b>Depth From:</b>		0			
<b>Depth To:</b>		34			
<b>Hole Depth UOM:</b>		ft			
<b>Hole Diameter UOM:</b>		inch			

[162](#)

1 of 1

NNW/201.1

120.8 / 7.00

Toronto ON

WWIS

<b>Well ID:</b>	7276630	<b>Data Entry Status:</b>	
<b>Construction Date:</b>		<b>Data Src:</b>	
<b>Primary Water Use:</b>	Test Hole	<b>Date Received:</b>	12/8/2016
<b>Sec. Water Use:</b>		<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Abandoned-Other	<b>Abandonment Rec:</b>	Yes
<b>Water Type:</b>		<b>Contractor:</b>	7215
<b>Casing Material:</b>		<b>Form Version:</b>	7
<b>Audit No:</b>	Z230045	<b>Owner:</b>	
<b>Tag:</b>		<b>Street Name:</b>	15 SHORNECLIFFE RD
<b>Construction Method:</b>		<b>County:</b>	YORK
<b>Elevation (m):</b>		<b>Municipality:</b>	ETOBICOKE BOROUGH
<b>Elevation Reliability:</b>		<b>Site Info:</b>	
<b>Depth to Bedrock:</b>		<b>Lot:</b>	
<b>Well Depth:</b>		<b>Concession:</b>	
<b>Overburden/Bedrock:</b>		<b>Concession Name:</b>	
<b>Pump Rate:</b>		<b>Easting NAD83:</b>	
<b>Static Water Level:</b>		<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>		<b>Zone:</b>	
<b>Flow Rate:</b>		<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1006303130			<b>Elevation:</b>	123.07
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	17
<b>Code OB:</b>				<b>East83:</b>	617629
<b>Code OB Desc:</b>				<b>Org CS:</b>	UTM83
<b>Open Hole:</b>				<b>North83:</b>	4832048
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	17-MAY-16			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>	1006474429				
<b>Layer:</b>					
<b>Color:</b>					
<b>General Color:</b>					
<b>Mat1:</b>					
<b>Most Common Material:</b>					
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>					
<b>Formation End Depth:</b>					
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>	1006474437				
<b>Layer:</b>	2				
<b>Plug From:</b>	24				
<b>Plug To:</b>	35				
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>	1006474438				
<b>Layer:</b>	1				
<b>Plug From:</b>	0				
<b>Plug To:</b>	24				
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>	1006474439				
<b>Layer:</b>	2				
<b>Plug From:</b>	24				
<b>Plug To:</b>	35				
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>	1006474436				
<b>Layer:</b>	1				
<b>Plug From:</b>	0				
<b>Plug To:</b>	24				
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well</u></b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Use</u></b>					
<b>Method Construction ID:</b>		1006474435			
<b>Method Construction Code:</b>		2			
<b>Method Construction:</b>		Rotary (Convent.)			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1006474428			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1006474432			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		25			
<b>Casing Diameter:</b>		6.25			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1006474433			
<b>Layer:</b>		1			
<b>Slot:</b>					
<b>Screen Top Depth:</b>		25			
<b>Screen End Depth:</b>		35			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		ft			
<b>Screen Diameter UOM:</b>		inch			
<b>Screen Diameter:</b>		9			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1006474431			
<b>Layer:</b>		1			
<b>Kind Code:</b>		1			
<b>Kind:</b>		FRESH			
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		ft			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1006474430			
<b>Diameter:</b>					
<b>Depth From:</b>					
<b>Depth To:</b>					
<b>Hole Depth UOM:</b>		ft			
<b>Hole Diameter UOM:</b>		inch			

[163](#)

1 of 1

NNW/201.2

120.9 / 7.02

ON

WWIS

**Well ID:** 7214405  
**Construction Date:**

**Data Entry Status:** Yes  
**Data Src:**



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Primary Water Use:</b> <b>Sec. Water Use:</b> <b>Final Well Status:</b> <b>Water Type:</b> <b>Casing Material:</b> <b>Audit No:</b> C21790 <b>Tag:</b> A120105 <b>Construction Method:</b> <b>Elevation (m):</b> <b>Elevation Reliability:</b> <b>Depth to Bedrock:</b> <b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>				<b>Date Received:</b> 1/6/2014 <b>Selected Flag:</b> Yes <b>Abandonment Rec:</b> <b>Contractor:</b> 7303 <b>Form Version:</b> 8 <b>Owner:</b> <b>Street Name:</b> <b>County:</b> YORK <b>Municipality:</b> ETOBICOKE BOROUGH <b>Site Info:</b> <b>Lot:</b> <b>Concession:</b> <b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>	
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b> 1004679457 <b>DP2BR:</b> <b>Spatial Status:</b> <b>Code OB:</b> <b>Code OB Desc:</b> <b>Open Hole:</b> <b>Cluster Kind:</b> <b>Date Completed:</b> 14-NOV-13 <b>Remarks:</b> <b>Elevrc Desc:</b> <b>Location Source Date:</b> <b>Improvement Location Source:</b> <b>Improvement Location Method:</b> <b>Source Revision Comment:</b> <b>Supplier Comment:</b>				<b>Elevation:</b> 122 <b>Elevrc:</b> <b>Zone:</b> 17 <b>East83:</b> 617717 <b>Org CS:</b> UTM83 <b>North83:</b> 4832077 <b>UTMRC:</b> 4 <b>UTMRC Desc:</b> margin of error : 30 m - 100 m <b>Location Method:</b> wwr	

<a href="#">164</a>	1 of 1	NW/201.7	120.9 / 7.01	TORONTO ON	WWIS
<b>Well ID:</b> 7260414 <b>Construction Date:</b> <b>Primary Water Use:</b> Monitoring and Test Hole <b>Sec. Water Use:</b> 0 <b>Final Well Status:</b> Monitoring and Test Hole <b>Water Type:</b> <b>Casing Material:</b> <b>Audit No:</b> Z228169 <b>Tag:</b> A200928 <b>Construction Method:</b> <b>Elevation (m):</b> <b>Elevation Reliability:</b> <b>Depth to Bedrock:</b> <b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>				<b>Data Entry Status:</b> <b>Data Src:</b> <b>Date Received:</b> 3/31/2016 <b>Selected Flag:</b> Yes <b>Abandonment Rec:</b> <b>Contractor:</b> 7241 <b>Form Version:</b> 7 <b>Owner:</b> <b>Street Name:</b> 15 SHORNCLIFFE RD <b>County:</b> YORK <b>Municipality:</b> ETOBICOKE BOROUGH <b>Site Info:</b> WKQ-008715 A0-A04 <b>Lot:</b> <b>Concession:</b> <b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>	
<b><u>Bore Hole Information</u></b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Bore Hole ID:</b>	1005918950			<b>Elevation:</b>	123.06
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	17
<b>Code OB:</b>				<b>East83:</b>	617623
<b>Code OB Desc:</b>				<b>Org CS:</b>	UTM83
<b>Open Hole:</b>				<b>North83:</b>	4832046
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	27-FEB-16			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	1006050253
<b>Layer:</b>	1
<b>Color:</b>	6
<b>General Color:</b>	BROWN
<b>Mat1:</b>	28
<b>Most Common Material:</b>	SAND
<b>Mat2:</b>	06
<b>Other Materials:</b>	SILT
<b>Mat3:</b>	
<b>Other Materials:</b>	
<b>Formation Top Depth:</b>	0
<b>Formation End Depth:</b>	15
<b>Formation End Depth UOM:</b>	ft

**Annular Space/Abandonment**

**Sealing Record**

<b>Plug ID:</b>	1006050262
<b>Layer:</b>	2
<b>Plug From:</b>	1
<b>Plug To:</b>	4
<b>Plug Depth UOM:</b>	ft
<b>Plug ID:</b>	1006050261
<b>Layer:</b>	1
<b>Plug From:</b>	0
<b>Plug To:</b>	1
<b>Plug Depth UOM:</b>	ft
<b>Plug ID:</b>	1006050263
<b>Layer:</b>	3
<b>Plug From:</b>	4
<b>Plug To:</b>	15
<b>Plug Depth UOM:</b>	ft

**Method of Construction & Well**

**Use**

<b>Method Construction ID:</b>	1006050260
<b>Method Construction Code:</b>	2
<b>Method Construction:</b>	Rotary (Convent.)
<b>Other Method Construction:</b>	DIRECT PUSH

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Pipe Information</u></b>					
Pipe ID:		1006050252			
Casing No:		0			
Comment:					
Alt Name:					
<b><u>Construction Record - Casing</u></b>					
Casing ID:		1006050256			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		5			
Casing Diameter:		2			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<b><u>Construction Record - Screen</u></b>					
Screen ID:		1006050257			
Layer:		1			
Slot:		10			
Screen Top Depth:		5			
Screen End Depth:		15			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.25			
<b><u>Water Details</u></b>					
Water ID:		1006050255			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<b><u>Hole Diameter</u></b>					
Hole ID:		1006050254			
Diameter:		8			
Depth From:		0			
Depth To:		15			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

[165](#)

1 of 1

NW/201.8

120.9 / 7.07

ON

WWIS

**Well ID:** 7260418  
**Construction Date:**  
**Primary Water Use:** Monitoring and Test Hole  
**Sec. Water Use:** 0  
**Final Well Status:** Monitoring and Test Hole  
**Water Type:**  
**Casing Material:**  
**Audit No:** Z226100  
**Tag:** A200963  
**Construction Method:**

**Data Entry Status:**  
**Data Src:**  
**Date Received:** 3/31/2016  
**Selected Flag:** Yes  
**Abandonment Rec:**  
**Contractor:** 7241  
**Form Version:** 7  
**Owner:**  
**Street Name:** 15 SHORNECLIFFE ROAD  
**County:** YORK

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Elevation (m):</b> <b>Elevation Reliability:</b> <b>Depth to Bedrock:</b> <b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>				<b>Municipality:</b> <b>Site Info:</b> <b>Lot:</b> <b>Concession:</b> <b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>	ETOBICOKE BOROUGH
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b> 1005918962 <b>DP2BR:</b> <b>Spatial Status:</b> <b>Code OB:</b> <b>Code OB Desc:</b> <b>Open Hole:</b> <b>Cluster Kind:</b> <b>Date Completed:</b> 25-FEB-16 <b>Remarks:</b> <b>Elevrc Desc:</b> <b>Location Source Date:</b> <b>Improvement Location Source:</b> <b>Improvement Location Method:</b> <b>Source Revision Comment:</b> <b>Supplier Comment:</b>		<b>Elevation:</b> 122.18 <b>Elevrc:</b> <b>Zone:</b> 17 <b>East83:</b> 617539 <b>Org CS:</b> UTM83 <b>North83:</b> 4831976 <b>UTMRC:</b> 4 <b>UTMRC Desc:</b> margin of error : 30 m - 100 m <b>Location Method:</b> wwr			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b> 1006050331 <b>Layer:</b> 2 <b>Color:</b> 2 <b>General Color:</b> GREY <b>Mat1:</b> 06 <b>Most Common Material:</b> SILT <b>Mat2:</b> <b>Other Materials:</b> <b>Mat3:</b> <b>Other Materials:</b> <b>Formation Top Depth:</b> 5 <b>Formation End Depth:</b> 15 <b>Formation End Depth UOM:</b> ft					
<b>Formation ID:</b> 1006050330 <b>Layer:</b> 1 <b>Color:</b> 6 <b>General Color:</b> BROWN <b>Mat1:</b> 28 <b>Most Common Material:</b> SAND <b>Mat2:</b> <b>Other Materials:</b> <b>Mat3:</b> <b>Other Materials:</b> <b>Formation Top Depth:</b> 0 <b>Formation End Depth:</b> 5 <b>Formation End Depth UOM:</b> ft					
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Plug ID:</i>		1006050339			
<i>Layer:</i>		1			
<i>Plug From:</i>		0			
<i>Plug To:</i>		1			
<i>Plug Depth UOM:</i>		ft			
<i>Plug ID:</i>		1006050341			
<i>Layer:</i>		3			
<i>Plug From:</i>		4			
<i>Plug To:</i>		15			
<i>Plug Depth UOM:</i>		ft			
<i>Plug ID:</i>		1006050340			
<i>Layer:</i>		2			
<i>Plug From:</i>		1			
<i>Plug To:</i>		4			
<i>Plug Depth UOM:</i>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<i>Method Construction ID:</i>		1006050338			
<i>Method Construction Code:</i>		2			
<i>Method Construction:</i>		Rotary (Convent.)			
<i>Other Method Construction:</i>					
<b><u>Pipe Information</u></b>					
<i>Pipe ID:</i>		1006050329			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
<b><u>Construction Record - Casing</u></b>					
<i>Casing ID:</i>		1006050334			
<i>Layer:</i>		1			
<i>Material:</i>		5			
<i>Open Hole or Material:</i>		PLASTIC			
<i>Depth From:</i>		0			
<i>Depth To:</i>		5			
<i>Casing Diameter:</i>		2			
<i>Casing Diameter UOM:</i>		inch			
<i>Casing Depth UOM:</i>		ft			
<b><u>Construction Record - Screen</u></b>					
<i>Screen ID:</i>		1006050335			
<i>Layer:</i>		1			
<i>Slot:</i>		10			
<i>Screen Top Depth:</i>		5			
<i>Screen End Depth:</i>		15			
<i>Screen Material:</i>		5			
<i>Screen Depth UOM:</i>		ft			
<i>Screen Diameter UOM:</i>		inch			
<i>Screen Diameter:</i>		2.25			
<b><u>Water Details</u></b>					
<i>Water ID:</i>		1006050333			
<i>Layer:</i>					
<i>Kind Code:</i>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		ft			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1006050332			
<b>Diameter:</b>		8			
<b>Depth From:</b>		0			
<b>Depth To:</b>		15			
<b>Hole Depth UOM:</b>		ft			
<b>Hole Diameter UOM:</b>		inch			

<a href="#">166</a>	1 of 1	SSW/203.9	116.8 / 3.00	<b>ETOBICOKE ON</b>	<b>WWIS</b>
<b>Well ID:</b>	7117449			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring			<b>Date Received:</b>	1/9/2009
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Observation Wells			<b>Abandonment Rec:</b>	Yes
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z91360			<b>Owner:</b>	
<b>Tag:</b>				<b>Street Name:</b>	135 SHORNCLIFF RD.
<b>Construction Method:</b>				<b>County:</b>	YORK
<b>Elevation (m):</b>				<b>Municipality:</b>	ETOBICOKE BOROUGH
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**Bore Hole Information**

<b>Bore Hole ID:</b>	1001945110			<b>Elevation:</b>	115.96
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	17
<b>Code OB:</b>				<b>East83:</b>	617730
<b>Code OB Desc:</b>				<b>Org CS:</b>	UTM83
<b>Open Hole:</b>				<b>North83:</b>	4831072
<b>Cluster Kind:</b>				<b>UTMRC:</b>	5
<b>Date Completed:</b>				<b>UTMRC Desc:</b>	margin of error : 100 m - 300 m
<b>Remarks:</b>				<b>Location Method:</b>	gcode
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					

**Annular Space/Abandonment Sealing Record**

<b>Plug ID:</b>	1002446493
<b>Layer:</b>	1
<b>Plug From:</b>	0
<b>Plug To:</b>	2

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1002446498			
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1002446490			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1002446495			
<b>Layer:</b>					
<b>Material:</b>					
<b>Open Hole or Material:</b>					
<b>Depth From:</b>					
<b>Depth To:</b>					
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1002446496			
<b>Layer:</b>		1			
<b>Slot:</b>					
<b>Screen Top Depth:</b>					
<b>Screen End Depth:</b>					
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>					
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1002446494			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		m			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1002446492			
<b>Diameter:</b>		20.32			
<b>Depth From:</b>		0			
<b>Depth To:</b>		2			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">167</a>	1 of 1	SSE/204.1	110.2 / -3.66	Toronto ON	WWIS
<b>Well ID:</b>		7270323		<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>		Monitoring and Test Hole		<b>Date Received:</b> 9/2/2016	
<b>Sec. Water Use:</b>		0		<b>Selected Flag:</b> Yes	
<b>Final Well Status:</b>		Monitoring and Test Hole		<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b> 7320	
<b>Casing Material:</b>				<b>Form Version:</b> 7	
<b>Audit No:</b>		Z232287		<b>Owner:</b>	
<b>Tag:</b>		A207109		<b>Street Name:</b> 14 VANSO ROAD	
<b>Construction Method:</b>				<b>County:</b> YORK	
<b>Elevation (m):</b>				<b>Municipality:</b> ETOBICOKE BOROUGH	
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>		1006229189		<b>Elevation:</b> 113.23	
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b> 17	
<b>Code OB:</b>				<b>East83:</b> 618171	
<b>Code OB Desc:</b>				<b>Org CS:</b> UTM83	
<b>Open Hole:</b>				<b>North83:</b> 4830919	
<b>Cluster Kind:</b>				<b>UTMRC:</b> 4	
<b>Date Completed:</b>		05-AUG-16		<b>UTMRC Desc:</b> margin of error : 30 m - 100 m	
<b>Remarks:</b>				<b>Location Method:</b> wwr	
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1006266059			
<b>Layer:</b>		5			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		17			
<b>Most Common Material:</b>		SHALE			
<b>Mat2:</b>		26			
<b>Other Materials:</b>		ROCK			
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		6.4			
<b>Formation End Depth:</b>		6.6			
<b>Formation End Depth UOM:</b>		m			
<b>Formation ID:</b>		1006266056			
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		06			



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Most Common Material:</b>		SILT			
<b>Mat2:</b>		28			
<b>Other Materials:</b>		SAND			
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		.6			
<b>Formation End Depth:</b>		1.2			
<b>Formation End Depth UOM:</b>		m			
<b>Formation ID:</b>		1006266057			
<b>Layer:</b>		3			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		06			
<b>Most Common Material:</b>		SILT			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		1.2			
<b>Formation End Depth:</b>		2.7			
<b>Formation End Depth UOM:</b>		m			
<b>Formation ID:</b>		1006266058			
<b>Layer:</b>		4			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		17			
<b>Most Common Material:</b>		SHALE			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>		71			
<b>Other Materials:</b>		FRACTURED			
<b>Formation Top Depth:</b>		2.7			
<b>Formation End Depth:</b>		6.4			
<b>Formation End Depth UOM:</b>		m			
<b>Formation ID:</b>		1006266055			
<b>Layer:</b>		1			
<b>Color:</b>		8			
<b>General Color:</b>		BLACK			
<b>Mat1:</b>		02			
<b>Most Common Material:</b>		TOPSOIL			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		.6			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1006266068			
<b>Layer:</b>		2			
<b>Plug From:</b>		3.3			
<b>Plug To:</b>		6.6			
<b>Plug Depth UOM:</b>		m			
<b>Plug ID:</b>		1006266067			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		3.3			
<b>Plug Depth UOM:</b>		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Method of Construction & Well Use**

Method Construction ID: 1006266066  
Method Construction Code: 6  
Method Construction: Boring  
Other Method Construction: HSA

**Pipe Information**

Pipe ID: 1006266054  
Casing No: 0  
Comment:  
Alt Name:

**Construction Record - Casing**

Casing ID: 1006266062  
Layer: 1  
Material: 5  
Open Hole or Material: PLASTIC  
Depth From: 0  
Depth To: 3.5  
Casing Diameter: 5.1  
Casing Diameter UOM: cm  
Casing Depth UOM: m

**Construction Record - Screen**

Screen ID: 1006266063  
Layer: 1  
Slot: 10  
Screen Top Depth: 3.5  
Screen End Depth: 6.6  
Screen Material: 5  
Screen Depth UOM: m  
Screen Diameter UOM: cm  
Screen Diameter: 5.2

**Water Details**

Water ID: 1006266061  
Layer:  
Kind Code:  
Kind:  
Water Found Depth:  
Water Found Depth UOM: m

**Hole Diameter**

Hole ID: 1006266060  
Diameter: 21  
Depth From: 0  
Depth To: 6.6  
Hole Depth UOM: m  
Hole Diameter UOM: cm

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

TORONTO ON M8Z5K7

<b>NPRI ID:</b>	383	<b>Org ID:</b>	102327
<b>Other ID:</b>		<b>Submit Date:</b>	5/29/2015
<b>No Other ID:</b>		<b>Last Modified:</b>	6/10/2015 10:59:04 AM
<b>Track ID:</b>	130077	<b>Contact ID:</b>	
<b>Report ID:</b>	55789	<b>Cont Type:</b>	
<b>Report Type:</b>	NPRI	<b>Contact Title:</b>	
<b>Rpt Type ID:</b>	1	<b>Cont First Name:</b>	
<b>Report Year:</b>	2014	<b>Cont Last Name:</b>	
<b>Not-Current Rpt?:</b>	No	<b>Contact Position:</b>	
<b>Yr of Last Filed Rpt:</b>	2014	<b>Contact Fax:</b>	
<b>Fac ID:</b>	223424	<b>Contact Ph.:</b>	
<b>Fac Name:</b>	TORONTO PLANT	<b>Cont Area Code:</b>	
<b>Fac Address1:</b>	99 SHORNLIFFE ROAD	<b>Contact Tel.:</b>	
<b>Fac Address2:</b>	NOT AVAILABLE	<b>Contact Ext.:</b>	
<b>Fac Postal Zip:</b>	M8Z5K7	<b>Cont Fax Area Cde:</b>	
<b>Facility Lat:</b>	43.62567	<b>Contact Fax:</b>	
<b>Facility Long:</b>	-79.54192	<b>Contact Email:</b>	
<b>DLS (Last Filed Rpt):</b>		<b>Latitude:</b>	43.6253
<b>Facility DLS:</b>		<b>Longitude:</b>	-79.5419
<b>Datum:</b>	1983	<b>UTM Zone:</b>	
<b>Facility Cmnts:</b>		<b>UTM Northing:</b>	
<b>URL:</b>		<b>UTM Easting:</b>	
<b>No of Empl.:</b>	35	<b>Waste Streams:</b>	
<b>Parent Co.:</b>		<b>No Streams:</b>	
<b>No Parent Co.:</b>		<b>Waste Off Sites:</b>	
<b>Pollut Prev Cmnts:</b>		<b>No Off Sites:</b>	
<b>Stacks:</b>		<b>Shutdown:</b>	
<b>No of Stacks:</b>		<b>No of Shutdown:</b>	
<b>Canadian SIC Code (2 digit):</b>			
<b>Canadian SIC Code:</b>			
<b>SIC Code Description:</b>			
<b>American SIC Code:</b>			
<b>NAICS Code (2 digit):</b>	32		
<b>NAICS 2 Description:</b>	Manufacturing		
<b>NAICS Code (4 digit):</b>	3255		
<b>NAICS 4 Description:</b>	Paint, coating and adhesive manufacturing		
<b>NAICS Code (6 digit):</b>	325510		
<b>NAICS 6 Description:</b>	Paint and coating manufacturing		

**Substance Release Report**

<b>Category Type ID:</b>	1
<b>Category Type Desc:</b>	Stack / Point
<b>Category Type Desc (fr):</b>	Rejets de cheminée ou ponctuels
<b>Grouping:</b>	Total Air
<b>Trans Code:</b>	ASta
<b>Chem:</b>	Acetone
<b>Chem (fr):</b>	Acétone
<b>Quantity:</b>	.484
<b>Unit:</b>	tonnes
<b>Basis of Estimate Cd:</b>	E2
<b>Basis of Estimate Desc:</b>	E2- Published Emission Factors - In use from 2003 and onward

<b>Category Type ID:</b>	13
<b>Category Type Desc:</b>	All Media
<b>Category Type Desc (fr):</b>	Rejets à tous les médias
<b>Grouping:</b>	Total All Media<1t
<b>Trans Code:</b>	
<b>Chem:</b>	Methyl ethyl ketone
<b>Chem (fr):</b>	Méthyléthylcétone
<b>Quantity:</b>	.016
<b>Unit:</b>	tonnes

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Basis of Estimate Cd:</b>		E1			
<b>Basis of Estimate Desc:</b>		E1- Site Specific Emission Factors - In use from 2003 and onward			
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		Dichloromethane			
<b>Chem (fr):</b>		Dichlorométhane			
<b>Quantity:</b>		.42			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		O			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		n-Hexane			
<b>Chem (fr):</b>		n-Hexane			
<b>Quantity:</b>		.153			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		O			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		Toluene			
<b>Chem (fr):</b>		Toluène			
<b>Quantity:</b>		.03			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		O			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			

169    1 of 1    **ENE/207.1**    113.7 / -0.10    **ON**    **BORE**

<b>Borehole ID:</b>	641614	<b>Type:</b>	Borehole
<b>Use:</b>	Geotechnical/Geological Investigation	<b>Status::</b>	
<b>Drill Method::</b>	Power auger	<b>UTM Zone::</b>	17
<b>Easting::</b>	618335	<b>Northing::</b>	4831703
<b>Location Accuracy::</b>		<b>Orig. Ground Elev m::</b>	117
<b>Elev. Reliability Note::</b>		<b>DEM Ground Elev m::</b>	115
<b>Total Depth m::</b>	5.9	<b>Primary Name::</b>	
<b>Township::</b>		<b>Concession::</b>	
<b>Lot::</b>		<b>Municipality:</b>	
<b>Completion Date::</b>	DEC-1971	<b>Static Water Level::</b>	.6
<b>Primary Water Use::</b>	Not Used	<b>Sec. Water Use::</b>	

**--Details--**

<b>Stratum ID:</b>	218496730	<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	0.1	<b>Stratum Desc:</b>	FILL. SURFACE.
<b>Stratum ID:</b>	218496731	<b>Top Depth(m):</b>	0.1
<b>Bottom Depth(m):</b>	1.8	<b>Stratum Desc:</b>	SAND,SILT,GRAVEL. BROWN,GLACIAL,LOOSE, AGE GLACIAL.
<b>Stratum ID:</b>	218496732	<b>Top Depth(m):</b>	1.8
<b>Bottom Depth(m):</b>	5.9	<b>Stratum Desc:</b>	TILL,SAND,SILT, GRAVEL.

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
					GREY, GLACIAL, VERY DENSE, LAYERED, AGE GLACIAL, WATER STABLE AT 382.1 FEET.
<a href="#">170</a>	1 of 16	SSW/207.4	114.9 / 1.02	PCB Disposal Inc. 75 North Queen Street Toronto ON M8Z 2C7	CA
<b>Certificate #:</b>		A840651			
<b>Application Year:</b>		2005			
<b>Issue Date:</b>		6/22/2005			
<b>Approval Type:</b>		Waste Management Systems			
<b>Status:</b>		Revoked and/or Replaced			
<b>Application Type:</b>					
<b>Client Name::</b>					
<b>Client Address::</b>					
<b>Client City::</b>					
<b>Client Postal Code::</b>					
<b>Project Description::</b>					
<b>Contaminants::</b>					
<b>Emission Control::</b>					
<a href="#">170</a>	2 of 16	SSW/207.4	114.9 / 1.02	PCB Disposal Inc. 75 North Queen Street Toronto ON L1S 3X1	ECA
<b>Approval No:</b>		A840651		<b>SWP Area Name:</b>	Toronto
<b>Approval Date:</b>		2005-06-22		<b>MOE District:</b>	Toronto
<b>Status:</b>		Revoked and/or Replaced		<b>City:</b>	Toronto
<b>Record Type:</b>		ECA		<b>Longitude:</b>	-79.5381599999999
<b>Link Source:</b>		IDS		<b>Latitude:</b>	43.62298
<b>Approval Type:</b>		ECA-WASTE MANAGEMENT SYSTEMS			
<b>Project Type:</b>		WASTE MANAGEMENT SYSTEMS			
<b>Address:</b>		75 North Queen Street			
<b>Full Address:</b>					
<b>Full PDF Link:</b>		<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/3134-6B6SRV-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/3134-6B6SRV-14.pdf</a>			
<a href="#">170</a>	3 of 16	SSW/207.4	114.9 / 1.02	DOMPAS PRODUCTIONS LIMITED 75 NORTH QUEEN STREET ETOBICOKE ON	GEN
<b>Generator No.:</b>		ON1759700		<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>		2013		<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>		339990			
<b>SIC Description:</b>		ALL OTHER MISCELLANEOUS MANUFACTURING			
<b>--Details--</b>					
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<a href="#">170</a>	4 of 16	SSW/207.4	114.9 / 1.02	LOCAM (OUT OF BUSINESS) 75 NORTHQUEEN ST. UNIT 4	24-688 GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>ETOBICOKE ON M8Z 2C7</b>					
<b>Generator No.:</b>	ON0717901			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	92,93,94,95,96,97,98			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	6351				
<b>SIC Description:</b>	GARAGES(GEN. REPAIR)				
<a href="#">170</a>	5 of 16	SSW/207.4	114.9 / 1.02	<b>DOMPAS PRODUCTIONS LIMITED 75 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C7</b>	<b>GEN</b>
<b>Generator No.:</b>	ON1759700			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2010			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	339990				
<b>SIC Description:</b>	All Other Miscellaneous Manufacturing				
<b>--Details--</b>					
<b>Waste Code:</b>	251				
<b>Waste Description:</b>	OIL SKIMMINGS & SLUDGES				
<b>Waste Code:</b>	221				
<b>Waste Description:</b>	LIGHT FUELS				
<a href="#">170</a>	6 of 16	SSW/207.4	114.9 / 1.02	<b>DOMPAS PRODUCTIONS LIMITED 75 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C7</b>	<b>GEN</b>
<b>Generator No.:</b>	ON1759700			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	02,03,04,05,06			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<b>--Details--</b>					
<b>Waste Code:</b>	251				
<b>Waste Description:</b>	OIL SKIMMINGS & SLUDGES				
<b>Waste Code:</b>	221				
<b>Waste Description:</b>	LIGHT FUELS				
<a href="#">170</a>	7 of 16	SSW/207.4	114.9 / 1.02	<b>DOMPAS PRODUCTIONS LIMITED 75 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C7</b>	<b>GEN</b>
<b>Generator No.:</b>	ON1759700			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2012			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	339990				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>SIC Description:</b>		All Other Miscellaneous Manufacturing			
<b>--Details--</b>					
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<a href="#">170</a>	8 of 16	SSW/207.4	114.9 / 1.02	<b>LOCAM TRUCK RENTALS &amp; LEASING INC. 75 NORTHQUEEN ST. UNIT 4 ETOBICOKE ON M8Z 2C7</b>	<b>GEN</b>
<b>Generator No.:</b>	ON0717901			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	89,90			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	6351				
<b>SIC Description:</b>		GARAGES(GEN. REPAIR)			
<b>--Details--</b>					
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<a href="#">170</a>	9 of 16	SSW/207.4	114.9 / 1.02	<b>DOMPAS PRODUCTIONS LIMITED 75 NORTH QUEEN STREET UNIT #2 ETOBICOKE ON M8Z 2C7</b>	<b>GEN</b>
<b>Generator No.:</b>	ON1759700			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	93,94,95,96,97,98			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	3081				
<b>SIC Description:</b>		MACHINE SHOP IND.			
<b>--Details--</b>					
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<a href="#">170</a>	10 of 16	SSW/207.4	114.9 / 1.02	<b>DOMPAS PRODUCTIONS LIMITED 75 NORTH QUEEN STREET, UNIT 2 ETOBICOKE ON M8Z 2C7</b>	<b>GEN</b>
<b>Generator No.:</b>	ON1759700			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	99,00,01			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	3081				
<b>SIC Description:</b>		MACHINE SHOP IND.			
<b>--Details--</b>					
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">170</a>	11 of 16	SSW/207.4	114.9 / 1.02	<b>DOMPAS PRODUCTIONS LIMITED 75 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C7</b>	<b>GEN</b>
<b>Generator No.:</b>	ON1759700			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2016			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	339990				
<b>SIC Description:</b>	ALL OTHER MISCELLANEOUS MANUFACTURING				
<b>--Details--</b>					
<b>Waste Code:</b>	253				
<b>Waste Description:</b>	EMULSIFIED OILS				
<b>Waste Code:</b>	221				
<b>Waste Description:</b>	LIGHT FUELS				
<b>Waste Code:</b>	251				
<b>Waste Description:</b>	OIL SKIMMINGS & SLUDGES				
<a href="#">170</a>	12 of 16	SSW/207.4	114.9 / 1.02	<b>DOMPAS PRODUCTIONS LIMITED 75 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C7</b>	<b>GEN</b>
<b>Generator No.:</b>	ON1759700			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2015			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	339990				
<b>SIC Description:</b>	ALL OTHER MISCELLANEOUS MANUFACTURING				
<b>--Details--</b>					
<b>Waste Code:</b>	251				
<b>Waste Description:</b>	OIL SKIMMINGS & SLUDGES				
<b>Waste Code:</b>	221				
<b>Waste Description:</b>	LIGHT FUELS				
<b>Waste Code:</b>	253				
<b>Waste Description:</b>	EMULSIFIED OILS				
<a href="#">170</a>	13 of 16	SSW/207.4	114.9 / 1.02	<b>DOMPAS PRODUCTIONS LIMITED 75 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C7</b>	<b>GEN</b>
<b>Generator No.:</b>	ON1759700			<b>PO Box No.:</b>	
<b>Status:</b>	Registered			<b>Country:</b>	Canada
<b>Approval Years:</b>	As of Dec 2017			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<b>--Details--</b>					
<b>Waste Code:</b>	253 L				



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Description:</b>		Emulsified oils			
<b>Waste Code:</b>		251 L			
<b>Waste Description:</b>		Waste oils/sludges (petroleum based)			
<b>Waste Code:</b>		253 T			
<b>Waste Description:</b>		Emulsified oils			
<b>Waste Code:</b>		221 I			
<b>Waste Description:</b>		Light fuels			
<a href="#">170</a>	14 of 16	SSW/207.4	114.9 / 1.02	<b>DOMPAS PRODUCTIONS LIMITED 75 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C7</b>	<b>GEN</b>
<b>Generator No.:</b>		ON1759700		<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b> Canada	
<b>Approval Years:</b>		2014		<b>Choice of Contact:</b> CO_OFFICIAL	
<b>Contam. Facility:</b>		No		<b>Co Admin:</b>	
<b>MHSW Facility:</b>		No		<b>Phone No. Admin:</b>	
<b>SIC Code:</b>		339990			
<b>SIC Description:</b>		ALL OTHER MISCELLANEOUS MANUFACTURING			
<b>--Details--</b>					
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		253			
<b>Waste Description:</b>		EMULSIFIED OILS			
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<a href="#">170</a>	15 of 16	SSW/207.4	114.9 / 1.02	<b>Dompas Productions Ltd. 75 North Queen St Unit 2 Etobicoke ON M8Z 2C7</b>	<b>SCT</b>
<b>Established:</b>		01-AUG-73			
<b>Plant Size (ft²):</b>		25000			
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>		Machine Shops			
<b>SIC/NAICS Code:</b>		332710			
<b>Description:</b>		All Other Industrial Machinery Manufacturing			
<b>SIC/NAICS Code:</b>		333299			
<b>Description:</b>		Machine Shops			
<b>SIC/NAICS Code:</b>		332710			
<b>Description:</b>		Turned Product and Screw, Nut and Bolt Manufacturing			
<b>SIC/NAICS Code:</b>		332720			
<b>Description:</b>		Mining and Oil and Gas Field Machinery Manufacturing			
<b>SIC/NAICS Code:</b>		333130			
<a href="#">170</a>	16 of 16	SSW/207.4	114.9 / 1.02	<b>DOMPAS PRODUCTIONS LTD 75 NORTH QUEEN ST UNIT 2</b>	<b>SCT</b>

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

ETOBICOKE ON M8Z 2C7

Established: 1975  
 Plant Size (ft²): 25000  
 Employment: 25

--Details--

Description: BOLTS, NUTS, SCREWS, RIVETS, AND WASHERS  
 SIC/NAICS Code: 3452

Description: SPECIAL INDUSTRY MACHINERY, NOT ELSEWHERE CLASSIFIED  
 SIC/NAICS Code: 3559

Description: INDUSTRIAL AND COMMERCIAL MACHINERY AND EQUIPMENT, NOT ELSEWHERE CLASSIFIED  
 SIC/NAICS Code: 3599

[171](#) 1 of 1 NW/208.7 120.9 / 7.08 TORONTO ON WWIS

Well ID: 7261635  
 Construction Date:  
 Primary Water Use: Test Hole  
 Sec. Water Use:  
 Final Well Status: Observation Wells  
 Water Type:  
 Casing Material:  
 Audit No: Z223796  
 Tag: A196710  
 Construction Method:  
 Elevation (m):  
 Elevation Reliability:  
 Depth to Bedrock:  
 Well Depth:  
 Overburden/Bedrock:  
 Pump Rate:  
 Static Water Level:  
 Flowing (Y/N):  
 Flow Rate:  
 Clear/Cloudy:

Data Entry Status:  
 Data Src:  
 Date Received: 4/20/2016  
 Selected Flag: Yes  
 Abandonment Rec:  
 Contractor: 6607  
 Form Version: 7  
 Owner:  
 Street Name: 15 SHORNECLIFFE RD.  
 County: YORK  
 Municipality: ETOBICOKE BOROUGH  
 Site Info:  
 Lot:  
 Concession:  
 Concession Name:  
 Easting NAD83:  
 Northing NAD83:  
 Zone:  
 UTM Reliability:

Bore Hole Information

Bore Hole ID: 1005934181  
 DP2BR:  
 Spatial Status:  
 Code OB:  
 Code OB Desc:  
 Open Hole:  
 Cluster Kind:  
 Date Completed: 08-MAR-16  
 Remarks:  
 Elevrc Desc:  
 Location Source Date:  
 Improvement Location Source:  
 Improvement Location Method:  
 Source Revision Comment:  
 Supplier Comment:

Elevation: 123.03  
 Elevrc:  
 Zone: 17  
 East83: 617607  
 Org CS: UTM83  
 North83: 4832046  
 UTMRC: 4  
 UTMRC Desc: margin of error : 30 m - 100 m  
 Location Method: wwr

Overburden and Bedrock  
Materials Interval

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation ID:</b>		1006035146			
<b>Layer:</b>		2			
<b>Color:</b>					
<b>General Color:</b>					
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		2			
<b>Formation End Depth:</b>		7.5			
<b>Formation End Depth UOM:</b>		ft			
<b>Formation ID:</b>		1006035149			
<b>Layer:</b>		5			
<b>Color:</b>					
<b>General Color:</b>					
<b>Mat1:</b>		17			
<b>Most Common Material:</b>		SHALE			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		25			
<b>Formation End Depth:</b>		31			
<b>Formation End Depth UOM:</b>		ft			
<b>Formation ID:</b>		1006035145			
<b>Layer:</b>		1			
<b>Color:</b>					
<b>General Color:</b>					
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>		01			
<b>Other Materials:</b>		FILL			
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		2			
<b>Formation End Depth UOM:</b>		ft			
<b>Formation ID:</b>		1006035148			
<b>Layer:</b>		4			
<b>Color:</b>					
<b>General Color:</b>					
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		22			
<b>Formation End Depth:</b>		25			
<b>Formation End Depth UOM:</b>		ft			
<b>Formation ID:</b>		1006035147			
<b>Layer:</b>		3			
<b>Color:</b>					
<b>General Color:</b>					
<b>Mat1:</b>		06			
<b>Most Common Material:</b>		SILT			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Formation Top Depth:</i>		7.5			
<i>Formation End Depth:</i>		22			
<i>Formation End Depth UOM:</i>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<i>Plug ID:</i>		1006035158			
<i>Layer:</i>		3			
<i>Plug From:</i>		10			
<i>Plug To:</i>		28			
<i>Plug Depth UOM:</i>		ft			
<i>Plug ID:</i>		1006035157			
<i>Layer:</i>		2			
<i>Plug From:</i>		1			
<i>Plug To:</i>		10			
<i>Plug Depth UOM:</i>		ft			
<i>Plug ID:</i>		1006035159			
<i>Layer:</i>		4			
<i>Plug From:</i>		28			
<i>Plug To:</i>		31			
<i>Plug Depth UOM:</i>		ft			
<i>Plug ID:</i>		1006035156			
<i>Layer:</i>		1			
<i>Plug From:</i>		0			
<i>Plug To:</i>		1			
<i>Plug Depth UOM:</i>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<i>Method Construction ID:</i>		1006035155			
<i>Method Construction Code:</i>		6			
<i>Method Construction:</i>		Boring			
<i>Other Method Construction:</i>					
<b><u>Pipe Information</u></b>					
<i>Pipe ID:</i>		1006035144			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
<b><u>Construction Record - Casing</u></b>					
<i>Casing ID:</i>		1006035152			
<i>Layer:</i>		1			
<i>Material:</i>		5			
<i>Open Hole or Material:</i>		PLASTIC			
<i>Depth From:</i>		0			
<i>Depth To:</i>		29			
<i>Casing Diameter:</i>		5.1			
<i>Casing Diameter UOM:</i>		inch			
<i>Casing Depth UOM:</i>		ft			
<b><u>Construction Record - Screen</u></b>					
<i>Screen ID:</i>		1006035153			
<i>Layer:</i>		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Slot:		10			
Screen Top Depth:		29			
Screen End Depth:		31			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6.4			
<u>Water Details</u>					
Water ID:		1006035151			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1006035150			
Diameter:					
Depth From:		0			
Depth To:		31			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
<hr/>					
<a href="#">172</a>	1 of 1	NW/209.5	120.8 / 6.99	15 Shorncliffe Rd Toronto ON M9B3S4	EHS
Order ID:	454912			Date Received:	28-APR-16
Order No:	20160428081			Lot/Building Size:	1.25 ha
Customer ID:	90688			Municipality:	Etobicoke
Company ID:	19903			Client Prov/State:	ON
Status:	C			Search Radius (km):	.3
Report Code:	20CAN			Large Radius:	.35
Report Type:	RSC Report (Urban)			X:	-79.542703
Report Date:	05-MAY-16			Y:	43.631803
Report Requested by:	Terrapex Environmental Ltd				
Nearest Intersection:					
Previous Site Name:					
Additional Info Ordered:	City Directory				
<hr/>					
<a href="#">173</a>	1 of 1	NW/209.5	120.9 / 7.08	TORONTO ON	WWIS
Well ID:	7261636			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Test Hole			Date Received:	4/20/2016
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Observation Wells			Abandonment Rec:	
Water Type:				Contractor:	6607
Casing Material:				Form Version:	7
Audit No:	Z223795			Owner:	
Tag:	A196692			Street Name:	15 SHORNECLIFFE RD.
Construction Method:				County:	YORK
Elevation (m):				Municipality:	ETOBICOKE BOROUGH
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Flowing (Y/N): Flow Rate: Clear/Cloudy:				Zone: UTM Reliability:	
<b><u>Bore Hole Information</u></b>					
Bore Hole ID:	1005934184			Elevation:	123.08
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	617609
Code OB Desc:				Org CS:	UTM83
Open Hole:				North83:	4832048
Cluster Kind:				UTMRC:	4
Date Completed:	07-MAR-16			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
Formation ID:	1006035176				
Layer:	2				
Color:					
General Color:					
Mat1:	28				
Most Common Material:	SAND				
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:	2				
Formation End Depth:	7.5				
Formation End Depth UOM:	m				
Formation ID:	1006035177				
Layer:	3				
Color:					
General Color:					
Mat1:	06				
Most Common Material:	SILT				
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:	7.5				
Formation End Depth:	22				
Formation End Depth UOM:	m				
Formation ID:	1006035175				
Layer:	1				
Color:					
General Color:					
Mat1:	28				
Most Common Material:	SAND				
Mat2:	11				
Other Materials:	GRAVEL				
Mat3:	01				
Other Materials:	FILL				
Formation Top Depth:	0				

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Formation End Depth:</i>	2				
<i>Formation End Depth UOM:</i>	m				
<i>Formation ID:</i>	1006035178				
<i>Layer:</i>	4				
<i>Color:</i>					
<i>General Color:</i>					
<i>Mat1:</i>	28				
<i>Most Common Material:</i>	SAND				
<i>Mat2:</i>					
<i>Other Materials:</i>					
<i>Mat3:</i>					
<i>Other Materials:</i>					
<i>Formation Top Depth:</i>	22				
<i>Formation End Depth:</i>	24.5				
<i>Formation End Depth UOM:</i>	m				
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<i>Plug ID:</i>	1006035185				
<i>Layer:</i>	1				
<i>Plug From:</i>	0				
<i>Plug To:</i>	1				
<i>Plug Depth UOM:</i>	m				
<i>Plug ID:</i>	1006035186				
<i>Layer:</i>	2				
<i>Plug From:</i>	1				
<i>Plug To:</i>	21				
<i>Plug Depth UOM:</i>	m				
<i>Plug ID:</i>	1006035187				
<i>Layer:</i>	3				
<i>Plug From:</i>	21				
<i>Plug To:</i>	24.5				
<i>Plug Depth UOM:</i>	m				
<b><u>Method of Construction &amp; Well Use</u></b>					
<i>Method Construction ID:</i>	1006035184				
<i>Method Construction Code:</i>	6				
<i>Method Construction:</i>	Boring				
<i>Other Method Construction:</i>					
<b><u>Pipe Information</u></b>					
<i>Pipe ID:</i>	1006035174				
<i>Casing No:</i>	0				
<i>Comment:</i>					
<i>Alt Name:</i>					
<b><u>Construction Record - Casing</u></b>					
<i>Casing ID:</i>	1006035181				
<i>Layer:</i>	1				
<i>Material:</i>	5				
<i>Open Hole or Material:</i>	PLASTIC				
<i>Depth From:</i>	0				
<i>Depth To:</i>	22.5				
<i>Casing Diameter:</i>	5.1				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1006035182			
<b>Layer:</b>		1			
<b>Slot:</b>					
<b>Screen Top Depth:</b>		22.5			
<b>Screen End Depth:</b>		24.5			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		5.4			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1006035180			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		m			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1006035179			
<b>Diameter:</b>		8			
<b>Depth From:</b>		0			
<b>Depth To:</b>		24.5			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			

174    1 of 1    **ESE/210.0**    **111.8 / -2.00**    **TORONTO ON**    **WWIS**

<b>Well ID:</b>	7217844	<b>Data Entry Status:</b>	
<b>Construction Date:</b>		<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring	<b>Date Received:</b>	3/18/2014
<b>Sec. Water Use:</b>		<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Observation Wells	<b>Abandonment Rec:</b>	
<b>Water Type:</b>		<b>Contractor:</b>	7383
<b>Casing Material:</b>		<b>Form Version:</b>	7
<b>Audit No:</b>	Z166206	<b>Owner:</b>	
<b>Tag:</b>	A144060	<b>Street Name:</b>	15 NORTH QUEEN ST.
<b>Construction Method:</b>		<b>County:</b>	YORK
<b>Elevation (m):</b>		<b>Municipality:</b>	ETOBICOKE BOROUGH
<b>Elevation Reliability:</b>		<b>Site Info:</b>	
<b>Depth to Bedrock:</b>		<b>Lot:</b>	
<b>Well Depth:</b>		<b>Concession:</b>	
<b>Overburden/Bedrock:</b>		<b>Concession Name:</b>	
<b>Pump Rate:</b>		<b>Easting NAD83:</b>	
<b>Static Water Level:</b>		<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>		<b>Zone:</b>	
<b>Flow Rate:</b>		<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>			

**Bore Hole Information**

<b>Bore Hole ID:</b>	1004721955	<b>Elevation:</b>	112.44
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	17



<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Code OB:</i>				<i>East83:</i>	618499
<i>Code OB Desc:</i>				<i>Org CS:</i>	UTM83
<i>Open Hole:</i>				<i>North83:</i>	4831174
<i>Cluster Kind:</i>				<i>UTMRC:</i>	4
<i>Date Completed:</i>	17-JUN-13			<i>UTMRC Desc:</i>	margin of error : 30 m - 100 m
<i>Remarks:</i>				<i>Location Method:</i>	wwr
<i>Elevrc Desc:</i>					
<i>Location Source Date:</i>					
<i>Improvement Location Source:</i>					
<i>Improvement Location Method:</i>					
<i>Source Revision Comment:</i>					
<i>Supplier Comment:</i>					
<u><i>Overburden and Bedrock</i></u>					
<u><i>Materials Interval</i></u>					
<i>Formation ID:</i>		1005102402			
<i>Layer:</i>		2			
<i>Color:</i>		2			
<i>General Color:</i>		GREY			
<i>Mat1:</i>		28			
<i>Most Common Material:</i>		SAND			
<i>Mat2:</i>		06			
<i>Other Materials:</i>		SILT			
<i>Mat3:</i>					
<i>Other Materials:</i>					
<i>Formation Top Depth:</i>		3			
<i>Formation End Depth:</i>		15			
<i>Formation End Depth UOM:</i>		ft			
<i>Formation ID:</i>		1005102401			
<i>Layer:</i>		1			
<i>Color:</i>		8			
<i>General Color:</i>		BLACK			
<i>Mat1:</i>					
<i>Most Common Material:</i>					
<i>Mat2:</i>					
<i>Other Materials:</i>					
<i>Mat3:</i>					
<i>Other Materials:</i>					
<i>Formation Top Depth:</i>		0			
<i>Formation End Depth:</i>		3			
<i>Formation End Depth UOM:</i>		ft			
<u><i>Annular Space/Abandonment</i></u>					
<u><i>Sealing Record</i></u>					
<i>Plug ID:</i>		1005102409			
<i>Layer:</i>		1			
<i>Plug From:</i>		0			
<i>Plug To:</i>		4			
<i>Plug Depth UOM:</i>		ft			
<i>Plug ID:</i>		1005102410			
<i>Layer:</i>		2			
<i>Plug From:</i>		4			
<i>Plug To:</i>		15			
<i>Plug Depth UOM:</i>		ft			
<u><i>Method of Construction &amp; Well</i></u>					
<u><i>Use</i></u>					
<i>Method Construction ID:</i>		1005102408			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Method Construction Code:</b>		6			
<b>Method Construction:</b>		Boring			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1005102400			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1005102405			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		5.083			
<b>Casing Diameter:</b>		2			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1005102406			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		5.083			
<b>Screen End Depth:</b>		15.083			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		ft			
<b>Screen Diameter UOM:</b>		inch			
<b>Screen Diameter:</b>		2.375			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1005102404			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		ft			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1005102403			
<b>Diameter:</b>		8.5			
<b>Depth From:</b>		0			
<b>Depth To:</b>		15			
<b>Hole Depth UOM:</b>		ft			
<b>Hole Diameter UOM:</b>		inch			

[175](#)

1 of 1

NNW/210.4

120.8 / 6.91

Toronto ON

WWIS

**Well ID:** 7274754

**Construction Date:** Test Hole

**Primary Water Use:**

**Sec. Water Use:**

**Final Well Status:** Abandoned-Quality

**Data Entry Status:**

**Data Src:**

**Date Received:** 11/14/2016

**Selected Flag:** Yes

**Abandonment Rec:** Yes

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water Type:				Contractor:	7215
Casing Material:				Form Version:	7
Audit No:	Z230044			Owner:	
Tag:				Street Name:	15 SHORNCLIFFE RD
Construction Method:				County:	YORK
Elevation (m):				Municipality:	ETOBICOKE BOROUGH
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

#### Bore Hole Information

Bore Hole ID:	1006290337	Elevation:	123.46
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	617629
Code OB Desc:		Org CS:	UTM83
Open Hole:		North83:	4832058
Cluster Kind:		UTMRC:	4
Date Completed:	17-MAY-16	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

#### Overburden and Bedrock

##### Materials Interval

Formation ID:	1006407895
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	28
Most Common Material:	SAND
Mat2:	84
Other Materials:	SILTY
Mat3:	
Other Materials:	
Formation Top Depth:	0
Formation End Depth:	20
Formation End Depth UOM:	ft
Formation ID:	1006407896
Layer:	2
Color:	2
General Color:	GREY
Mat1:	05
Most Common Material:	CLAY
Mat2:	84
Other Materials:	SILTY
Mat3:	
Other Materials:	
Formation Top Depth:	20
Formation End Depth:	35
Formation End Depth UOM:	ft

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1006407903			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		19			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1006407904			
<b>Layer:</b>		2			
<b>Plug From:</b>		19			
<b>Plug To:</b>		30			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1006407902			
<b>Method Construction Code:</b>		2			
<b>Method Construction:</b>		Rotary (Convent.)			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1006407894			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1006407899			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		20			
<b>Casing Diameter:</b>		9			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1006407900			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		20			
<b>Screen End Depth:</b>		30			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		ft			
<b>Screen Diameter UOM:</b>		inch			
<b>Screen Diameter:</b>		9			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1006407898			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		ft			
<b>Hole Diameter</b>					
<b>Hole ID:</b>		1006407897			
<b>Diameter:</b>		9			
<b>Depth From:</b>		30			
<b>Depth To:</b>		0			
<b>Hole Depth UOM:</b>		ft			
<b>Hole Diameter UOM:</b>		inch			

<a href="#">176</a>	1 of 1	NW/211.1	120.3 / 6.45	ON	WWIS
<b>Well ID:</b>		7270685		<b>Data Entry Status:</b> Yes	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>				<b>Date Received:</b> 9/8/2016	
<b>Sec. Water Use:</b>				<b>Selected Flag:</b> Yes	
<b>Final Well Status:</b>				<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b> 7215	
<b>Casing Material:</b>				<b>Form Version:</b> 8	
<b>Audit No:</b> C31933				<b>Owner:</b>	
<b>Tag:</b> A197135				<b>Street Name:</b>	
<b>Construction Method:</b>				<b>County:</b> YORK	
<b>Elevation (m):</b>				<b>Municipality:</b> ETOBICOKE BOROUGH	
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**Bore Hole Information**

<b>Bore Hole ID:</b>		1006235120		<b>Elevation:</b> 121.71	
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b> 17	
<b>Code OB:</b>				<b>East83:</b> 617518	
<b>Code OB Desc:</b>				<b>Org CS:</b> UTM83	
<b>Open Hole:</b>				<b>North83:</b> 4831959	
<b>Cluster Kind:</b>				<b>UTMRC:</b> 4	
<b>Date Completed:</b> 23-DEC-15				<b>UTMRC Desc:</b> margin of error : 30 m - 100 m	
<b>Remarks:</b>				<b>Location Method:</b> wwr	
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					

<a href="#">177</a>	1 of 2	WSW/211.5	119.8 / 6.00	Global Waste Services Inc.	ECA
				Toronto ON M8Z 5K5	
<b>Approval No:</b>		3917-5MTTJG		<b>SWP Area Name:</b> Toronto	
<b>Approval Date:</b>		2003-10-22		<b>MOE District:</b> Toronto	
<b>Status:</b>		Approved		<b>City:</b> Toronto	
<b>Record Type:</b>		ECA		<b>Longitude:</b> -79.54243	
<b>Link Source:</b>		IDS		<b>Latitude:</b> 43.6264339999999	



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<i>Supplier Comment:</i>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1006266074			
<b>Layer:</b>		5			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		17			
<b>Most Common Material:</b>		SHALE			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		2.6			
<b>Formation End Depth:</b>		5.7			
<b>Formation End Depth UOM:</b>		m			
<b>Formation ID:</b>		1006266070			
<b>Layer:</b>		1			
<b>Color:</b>		8			
<b>General Color:</b>		BLACK			
<b>Mat1:</b>		11			
<b>Most Common Material:</b>		GRAVEL			
<b>Mat2:</b>		01			
<b>Other Materials:</b>		FILL			
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		.6			
<b>Formation End Depth UOM:</b>		m			
<b>Formation ID:</b>		1006266073			
<b>Layer:</b>		4			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		06			
<b>Most Common Material:</b>		SILT			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		1.2			
<b>Formation End Depth:</b>		2.6			
<b>Formation End Depth UOM:</b>		m			
<b>Formation ID:</b>		1006266072			
<b>Layer:</b>		3			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		06			
<b>Most Common Material:</b>		SILT			
<b>Mat2:</b>		28			
<b>Other Materials:</b>		SAND			
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		.9			
<b>Formation End Depth:</b>		1.2			
<b>Formation End Depth UOM:</b>		m			
<b>Formation ID:</b>		1006266075			
<b>Layer:</b>		6			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Mat1:</b>		17			
<b>Most Common Material:</b>		SHALE			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		5.7			
<b>Formation End Depth:</b>		5.8			
<b>Formation End Depth UOM:</b>		m			
<b>Formation ID:</b>		1006266071			
<b>Layer:</b>		2			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		11			
<b>Most Common Material:</b>		GRAVEL			
<b>Mat2:</b>		28			
<b>Other Materials:</b>		SAND			
<b>Mat3:</b>		01			
<b>Other Materials:</b>		FILL			
<b>Formation Top Depth:</b>		.6			
<b>Formation End Depth:</b>		.9			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1006266084			
<b>Layer:</b>		2			
<b>Plug From:</b>		2.4			
<b>Plug To:</b>		5.8			
<b>Plug Depth UOM:</b>		m			
<b>Plug ID:</b>		1006266083			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		2.4			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1006266082			
<b>Method Construction Code:</b>		6			
<b>Method Construction:</b>		Boring			
<b>Other Method Construction:</b>		HSA			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1006266069			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1006266078			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		2.7			



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Diameter:		5.1			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<b><u>Construction Record - Screen</u></b>					
Screen ID:		1006266079			
Layer:		1			
Slot:		10			
Screen Top Depth:		2.7			
Screen End Depth:		5.8			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		5.2			
<b><u>Water Details</u></b>					
Water ID:		1006266077			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<b><u>Hole Diameter</u></b>					
Hole ID:		1006266076			
Diameter:		21			
Depth From:		0			
Depth To:		5.8			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

<u>179</u>	1 of 1	NE/214.7	113.8 / 0.00	ON	BORE
<b>Borehole ID:</b>	641615			<b>Type:</b>	Borehole
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Status::</b>	
<b>Drill Method::</b>	Power auger			<b>UTM Zone::</b>	17
<b>Easting::</b>	618330			<b>Northing::</b>	4831743
<b>Location Accuracy::</b>				<b>Orig. Ground Elev m::</b>	117
<b>Elev. Reliability Note::</b>				<b>DEM Ground Elev m::</b>	115
<b>Total Depth m::</b>	5.8			<b>Primary Name::</b>	
<b>Township::</b>				<b>Concession::</b>	
<b>Lot::</b>				<b>Municipality:</b>	
<b>Completion Date::</b>	DEC-1971			<b>Static Water Level::</b>	.5
<b>Primary Water Use::</b>	Not Used			<b>Sec. Water Use::</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>	218496733			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	0.1			<b>Stratum Desc:</b>	FILL. SURFACE.
<b>Stratum ID:</b>	218496734			<b>Top Depth(m):</b>	0.1
<b>Bottom Depth(m):</b>	1.5			<b>Stratum Desc:</b>	SAND-MEDIUM,SILT, CLAY,GRAVEL. BROWN,GLACIAL,COMPACT, AGE GLACIAL.
<b>Stratum ID:</b>	218496735			<b>Top Depth(m):</b>	1.5
<b>Bottom Depth(m):</b>	5.8			<b>Stratum Desc:</b>	TILL,SAND,SILT, GRAVEL. GREY,GLACIAL,VERY DENSE, AGE GLACIAL, WATER STABLE AT 382.7 FEET. 0

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">180</a>	1 of 6	W/215.0	119.8 / 6.00	DOMTAR PACKAGING LTD. 66-72 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K1	GEN
<b>Generator No.:</b>	ON0001424			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	89,90			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	2719				
<b>SIC Description:</b>	OTHER PAPER IND.				
<b>--Details--</b>					
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<b>Waste Code:</b>	241				
<b>Waste Description:</b>	HALOGENATED SOLVENTS				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<a href="#">180</a>	2 of 6	W/215.0	119.8 / 6.00	DOMTAR PACKAGING (SEE& USE ON1202603) 66-72 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K1	GEN
<b>Generator No.:</b>	ON0001424			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	98,99			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	2719				
<b>SIC Description:</b>	OTHER PAPER IND.				
<b>--Details--</b>					
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<b>Waste Code:</b>	241				
<b>Waste Description:</b>	HALOGENATED SOLVENTS				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<a href="#">180</a>	3 of 6	W/215.0	119.8 / 6.00	DOMTAR PACKAGING 66-72 SHORNCLIFFE ROAD TORONTO ON M8Z 5K1	GEN
<b>Generator No.:</b>	ON0001424			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	86,87,88			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	2719				
<b>SIC Description:</b>	OTHER PAPER IND.				
<b>--Details--</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<a href="#">180</a>	4 of 6	W/215.0	119.8 / 6.00	<b>METRO WASTE PAPER RECOVERY INC. 66-72 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K1</b>	GEN
<b>Generator No.:</b>	ON1202603			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	98,99,00,01			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	2719				
<b>SIC Description:</b>	OTHER PAPER IND.				
<b>--Details--</b>					
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		241			
<b>Waste Description:</b>		HALOGENATED SOLVENTS			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		253			
<b>Waste Description:</b>		EMULSIFIED OILS			
<a href="#">180</a>	5 of 6	W/215.0	119.8 / 6.00	<b>DOMTAR INC., PACKAGING DIVISION 13-160 66-72 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K1</b>	GEN
<b>Generator No.:</b>	ON0001424			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	94,95,96			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	2719				
<b>SIC Description:</b>	OTHER PAPER IND.				
<b>--Details--</b>					
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		241			
<b>Waste Description:</b>		HALOGENATED SOLVENTS			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<a href="#">180</a>	6 of 6	W/215.0	119.8 / 6.00	<b>DOMTAR PACKING/RECYCLING 66-72 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K1</b>	GEN
<b>Generator No.:</b>	ON0001424			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Approval Years:</b> <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> <b>SIC Description:</b>	92,93,97  2719	OTHER PAPER IND.		<b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No. Admin:</b>	
<b>--Details--</b>					
<b>Waste Code:</b> <b>Waste Description:</b>	213	PETROLEUM DISTILLATES			
<b>Waste Code:</b> <b>Waste Description:</b>	241	HALOGENATED SOLVENTS			
<b>Waste Code:</b> <b>Waste Description:</b>	252	WASTE OILS & LUBRICANTS			
<a href="#">181</a>	1 of 3	W/215.6	119.8 / 6.00	2056635 Ontario Inc. 78 Shorncliffe Rd Toronto ON M8Z 5K5	CA
<b>Certificate #:</b> <b>Application Year:</b> <b>Issue Date:</b> <b>Approval Type:</b> <b>Status:</b> <b>Application Type:</b> <b>Client Name::</b> <b>Client Address::</b> <b>Client City::</b> <b>Client Postal Code::</b> <b>Project Description::</b> <b>Contaminants::</b> <b>Emission Control::</b>	9835-7H4HVK 2008 9/16/2008 Waste Management Systems Approved				
<a href="#">181</a>	2 of 3	W/215.6	119.8 / 6.00	2056635 Ontario Inc. 78 Shorncliffe Rd Toronto ON L4Y 3Y3	ECA
<b>Approval No:</b> <b>Approval Date:</b> <b>Status:</b> <b>Record Type:</b> <b>Link Source:</b> <b>Approval Type:</b> <b>Project Type:</b> <b>Address:</b> <b>Full Address:</b> <b>Full PDF Link:</b>	9835-7H4HVK 2008-09-16 Approved ECA IDS ECA-WASTE MANAGEMENT SYSTEMS WASTE MANAGEMENT SYSTEMS 78 Shorncliffe Rd			<b>SWP Area Name:</b> Toronto <b>MOE District:</b> Toronto <b>City:</b> Toronto <b>Longitude:</b> -79.54257 <b>Latitude:</b> 43.6273769999999	
<a href="#">181</a>	3 of 3	W/215.6	119.8 / 6.00	1294987 Ontario Inc. 78 SHORNCLIFFE RD TORONTO ON M8Z 5K3	GEN
<b>Generator No.:</b> <b>Status:</b> <b>Approval Years:</b> <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> <b>SIC Description:</b>	ON6437321  04	Residential Building Construction		<b>PO Box No.:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No. Admin:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">182</a>	1 of 2	NW/215.9	120.8 / 6.95	15-25 Shorncliff Rd & 5414-5487 Dundas St W Toronto ON	EHS
<b>Order ID:</b>	163518			<b>Date Received:</b>	4/9/2009
<b>Order No:</b>	20090409020			<b>Lot/Building Size:</b>	
<b>Customer ID:</b>	53647			<b>Municipality:</b>	
<b>Company ID:</b>	27			<b>Client Prov/State:</b>	ON
<b>Status:</b>	C			<b>Search Radius (km):</b>	0.25
<b>Report Code:</b>	4CAN			<b>Large Radius:</b>	0.25
<b>Report Type:</b>	Custom Report			<b>X:</b>	-79.542182
<b>Report Date:</b>	4/13/2009			<b>Y:</b>	43.631637
<b>Report Requested by:</b>	Construction Control Inc.				
<b>Nearest Intersection:</b>					
<b>Previous Site Name:</b>					
<b>Additional Info Ordered:</b>					
<a href="#">182</a>	2 of 2	NW/215.9	120.8 / 6.95	15-25 Shorncliff RD & 5415-5487 DUNDAS ST.W TORONTO ON	EHS
<b>Order ID:</b>	163077			<b>Date Received:</b>	3/23/2009
<b>Order No:</b>	20090323005			<b>Lot/Building Size:</b>	
<b>Customer ID:</b>	53647			<b>Municipality:</b>	
<b>Company ID:</b>	27			<b>Client Prov/State:</b>	ON
<b>Status:</b>	C			<b>Search Radius (km):</b>	0.25
<b>Report Code:</b>	3CAN			<b>Large Radius:</b>	2
<b>Report Type:</b>	Standard Report			<b>X:</b>	-79.542229
<b>Report Date:</b>	3/31/2009			<b>Y:</b>	43.632405
<b>Report Requested by:</b>	Construction Control Inc.				
<b>Nearest Intersection:</b>	HWY 427 & DUNDAS ST. W				
<b>Previous Site Name:</b>					
<b>Additional Info Ordered:</b>					
<a href="#">183</a>	1 of 1	NW/221.0	121.3 / 7.47	TORONTO ON	WWIS
<b>Well ID:</b>	7260226			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole			<b>Date Received:</b>	3/31/2016
<b>Sec. Water Use:</b>	0			<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Monitoring and Test Hole			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z228323			<b>Owner:</b>	
<b>Tag:</b>	A197712			<b>Street Name:</b>	15 SHORNCLIFFE RD
<b>Construction Method:</b>				<b>County:</b>	YORK
<b>Elevation (m):</b>				<b>Municipality:</b>	ETOBICOKE BOROUGH
<b>Elevation Reliability:</b>				<b>Site Info:</b>	WKQ-008745 A0-A00
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1005917216			<b>Elevation:</b>	123.02

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	17
<b>Code OB:</b>				<b>East83:</b>	617591
<b>Code OB Desc:</b>				<b>Org CS:</b>	UTM83
<b>Open Hole:</b>				<b>North83:</b>	4832051
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	09-FEB-16			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 1006045358  
**Layer:** 3  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 28  
**Most Common Material:** SAND  
**Mat2:**  
**Other Materials:**  
**Mat3:** 91  
**Other Materials:** WATER-BEARING  
**Formation Top Depth:** 9  
**Formation End Depth:** 14  
**Formation End Depth UOM:** ft

**Formation ID:** 1006045356  
**Layer:** 1  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 27  
**Most Common Material:** OTHER  
**Mat2:**  
**Other Materials:**  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 0  
**Formation End Depth:** 6  
**Formation End Depth UOM:** ft

**Formation ID:** 1006045357  
**Layer:** 2  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 28  
**Most Common Material:** SAND  
**Mat2:**  
**Other Materials:**  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 6  
**Formation End Depth:** 9  
**Formation End Depth UOM:** ft

**Annular Space/Abandonment**

**Sealing Record**

**Plug ID:** 1006045367

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Layer:</i>		1			
<i>Plug From:</i>		14			
<i>Plug To:</i>		3			
<i>Plug Depth UOM:</i>		ft			
<i>Plug ID:</i>		1006045368			
<i>Layer:</i>		2			
<i>Plug From:</i>		3			
<i>Plug To:</i>		6			
<i>Plug Depth UOM:</i>		ft			
<i>Plug ID:</i>		1006045369			
<i>Layer:</i>		3			
<i>Plug From:</i>		6			
<i>Plug To:</i>		0			
<i>Plug Depth UOM:</i>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<i>Method Construction ID:</i>		1006045366			
<i>Method Construction Code:</i>		D			
<i>Method Construction:</i>		Direct Push			
<i>Other Method Construction:</i>					
<b><u>Pipe Information</u></b>					
<i>Pipe ID:</i>		1006045355			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
<b><u>Construction Record - Casing</u></b>					
<i>Casing ID:</i>		1006045362			
<i>Layer:</i>		1			
<i>Material:</i>		5			
<i>Open Hole or Material:</i>		PLASTIC			
<i>Depth From:</i>		3			
<i>Depth To:</i>		4			
<i>Casing Diameter:</i>		1.25			
<i>Casing Diameter UOM:</i>		inch			
<i>Casing Depth UOM:</i>		ft			
<b><u>Construction Record - Screen</u></b>					
<i>Screen ID:</i>		1006045363			
<i>Layer:</i>		1			
<i>Slot:</i>		10			
<i>Screen Top Depth:</i>		14			
<i>Screen End Depth:</i>		4			
<i>Screen Material:</i>		5			
<i>Screen Depth UOM:</i>		ft			
<i>Screen Diameter UOM:</i>		inch			
<i>Screen Diameter:</i>		1.75			
<b><u>Water Details</u></b>					
<i>Water ID:</i>		1006045361			
<i>Layer:</i>					
<i>Kind Code:</i>					
<i>Kind:</i>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		ft			
<b>Hole Diameter</b>					
<b>Hole ID:</b>		1006045360			
<b>Diameter:</b>		8			
<b>Depth From:</b>		6			
<b>Depth To:</b>		0			
<b>Hole Depth UOM:</b>		ft			
<b>Hole Diameter UOM:</b>		inch			
<b>Hole ID:</b>		1006045359			
<b>Diameter:</b>		2.25			
<b>Depth From:</b>		14			
<b>Depth To:</b>		6			
<b>Hole Depth UOM:</b>		ft			
<b>Hole Diameter UOM:</b>		inch			

<a href="#">184</a>	1 of 1	NNW/222.1	121.0 / 7.13	ON	WWIS
<b>Well ID:</b>		7260196		<b>Data Entry Status:</b> Yes	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>				<b>Date Received:</b> 3/30/2016	
<b>Sec. Water Use:</b>				<b>Selected Flag:</b> Yes	
<b>Final Well Status:</b>				<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b> 6809	
<b>Casing Material:</b>				<b>Form Version:</b> 8	
<b>Audit No:</b>		C32124		<b>Owner:</b>	
<b>Tag:</b>		A186057		<b>Street Name:</b>	
<b>Construction Method:</b>				<b>County:</b> YORK	
<b>Elevation (m):</b>				<b>Municipality:</b> ETOBICOKE BOROUGH	
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b>Bore Hole Information</b>					
<b>Bore Hole ID:</b>		1005916797		<b>Elevation:</b> 123.61	
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b> 17	
<b>Code OB:</b>				<b>East83:</b> 617620	
<b>Code OB Desc:</b>				<b>Org CS:</b> UTM83	
<b>Open Hole:</b>				<b>North83:</b> 4832067	
<b>Cluster Kind:</b>				<b>UTMRC:</b> 4	
<b>Date Completed:</b>		11-NOV-15		<b>UTMRC Desc:</b> margin of error : 30 m - 100 m	
<b>Remarks:</b>				<b>Location Method:</b> wwr	
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					

<a href="#">185</a>	1 of 1	ESE/223.0	111.8 / -2.00		WWIS
---------------------	--------	-----------	---------------	--	------



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>TORONTO ON</b>					
<b>Well ID:</b>	7217842			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring			<b>Date Received:</b>	3/18/2014
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Observation Wells			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7383
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z166189			<b>Owner:</b>	
<b>Tag:</b>	A144141			<b>Street Name:</b>	400 WELLINGTON ST. W SUITE 3150 BX 111
<b>Construction Method:</b>				<b>County:</b>	YORK
<b>Elevation (m):</b>				<b>Municipality:</b>	ETOBICOKE BOROUGH
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1004721949			<b>Elevation:</b>	113.17
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	17
<b>Code OB:</b>				<b>East83:</b>	618509
<b>Code OB Desc:</b>				<b>Org CS:</b>	UTM83
<b>Open Hole:</b>				<b>North83:</b>	4831211
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	20-JUN-13			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>	1005102378				
<b>Layer:</b>	1				
<b>Color:</b>					
<b>General Color:</b>					
<b>Mat1:</b>					
<b>Most Common Material:</b>					
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>	0				
<b>Formation End Depth:</b>	8				
<b>Formation End Depth UOM:</b>	ft				
<b>Formation ID:</b>	1005102379				
<b>Layer:</b>	2				
<b>Color:</b>					
<b>General Color:</b>					
<b>Mat1:</b>	05				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Most Common Material:</b>		CLAY			
<b>Mat2:</b>		06			
<b>Other Materials:</b>		SILT			
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		8			
<b>Formation End Depth:</b>		15			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005102388			
<b>Layer:</b>		3			
<b>Plug From:</b>		4			
<b>Plug To:</b>		15			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1005102387			
<b>Layer:</b>		2			
<b>Plug From:</b>		1			
<b>Plug To:</b>		4			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1005102386			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		1			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1005102385			
<b>Method Construction Code:</b>		6			
<b>Method Construction:</b>		Boring			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1005102377			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1005102382			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		5			
<b>Casing Diameter:</b>		2			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1005102383			
<b>Layer:</b>		1			
<b>Slot:</b>		10			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Top Depth:	5				
Screen End Depth:	15				
Screen Material:	5				
Screen Depth UOM:	ft				
Screen Diameter UOM:	inch				
Screen Diameter:	2.375				

**Water Details**

Water ID: 1005102381  
 Layer: 1  
 Kind Code:  
 Kind:  
 Water Found Depth: 10  
 Water Found Depth UOM: ft

**Hole Diameter**

Hole ID: 1005102380  
 Diameter: 8.5  
 Depth From: 0  
 Depth To: 15  
 Hole Depth UOM: ft  
 Hole Diameter UOM: inch

---

<u>186</u>	1 of 1	SE/225.7	113.2 / -0.64	ETOBICOKE ON	WWIS
------------	--------	----------	---------------	--------------	------

Well ID: 7281246  
 Construction Date:  
 Primary Water Use: Monitoring  
 Sec. Water Use:  
 Final Well Status: Observation Wells  
 Water Type:  
 Casing Material:  
 Audit No: Z239526  
 Tag: A210273  
 Construction Method:  
 Elevation (m):  
 Elevation Reliability:  
 Depth to Bedrock:  
 Well Depth:  
 Overburden/Bedrock:  
 Pump Rate:  
 Static Water Level:  
 Flowing (Y/N):  
 Flow Rate:  
 Clear/Cloudy:

Data Entry Status:  
 Data Src:  
 Date Received: 2/16/2017  
 Selected Flag: Yes  
 Abandonment Rec:  
 Contractor: 7360  
 Form Version: 7  
 Owner:  
 Street Name: 15 NORTH QUEEN  
 County: YORK  
 Municipality: ETOBICOKE BOROUGH  
 Site Info:  
 Lot:  
 Concession:  
 Concession Name:  
 Easting NAD83:  
 Northing NAD83:  
 Zone:  
 UTM Reliability:

**Bore Hole Information**

Bore Hole ID: 1006354385  
 DP2BR:  
 Spatial Status:  
 Code OB:  
 Code OB Desc:  
 Open Hole:  
 Cluster Kind:  
 Date Completed: 16-NOV-16  
 Remarks:  
 Elevrc Desc:  
 Location Source Date:

Elevation: 111.99  
 Elevrc:  
 Zone: 17  
 East83: 618480  
 Org CS: UTM83  
 North83: 4831054  
 UTMRC: 4  
 UTMRC Desc: margin of error : 30 m - 100 m  
 Location Method: wwr

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1006582766			
<b>Layer:</b>		1			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>					
<b>Most Common Material:</b>					
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>					
<b>Formation End Depth UOM:</b>		ft			
<b>Formation ID:</b>		1006582767			
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		84			
<b>Other Materials:</b>		SILTY			
<b>Mat3:</b>		91			
<b>Other Materials:</b>		WATER-BEARING			
<b>Formation Top Depth:</b>					
<b>Formation End Depth:</b>					
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1006582774			
<b>Layer:</b>		1			
<b>Plug From:</b>		7			
<b>Plug To:</b>		0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well</u></b>					
<b><u>Use</u></b>					
<b>Method Construction ID:</b>		1006582773			
<b>Method Construction Code:</b>		B			
<b>Method Construction:</b>		Other Method			
<b>Other Method Construction:</b>		AUGER			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1006582765			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Casing ID:</b> 1006582770					
<b>Layer:</b> 1					
<b>Material:</b> 5					
<b>Open Hole or Material:</b> PLASTIC					
<b>Depth From:</b> 0					
<b>Depth To:</b> 9					
<b>Casing Diameter:</b> 1.25					
<b>Casing Diameter UOM:</b> inch					
<b>Casing Depth UOM:</b> ft					
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b> 1006582771					
<b>Layer:</b> 1					
<b>Slot:</b> .10					
<b>Screen Top Depth:</b> 9					
<b>Screen End Depth:</b> 15					
<b>Screen Material:</b> 5					
<b>Screen Depth UOM:</b> ft					
<b>Screen Diameter UOM:</b> inch					
<b>Screen Diameter:</b> 1.25					
<b><u>Water Details</u></b>					
<b>Water ID:</b> 1006582769					
<b>Layer:</b> 1					
<b>Kind Code:</b> 8					
<b>Kind:</b> Untested					
<b>Water Found Depth:</b> 3					
<b>Water Found Depth UOM:</b> ft					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b> 1006582768					
<b>Diameter:</b> 6					
<b>Depth From:</b> 0					
<b>Depth To:</b> 15					
<b>Hole Depth UOM:</b> ft					
<b>Hole Diameter UOM:</b> inch					
<a href="#">187</a>	1 of 33	S/226.0	109.8 / -4.00	PointOne Graphics Inc. 14 Vansco Road Toronto ON	CA
<b>Certificate #:</b> 9411-6WEKMQ					
<b>Application Year:</b> 2007					
<b>Issue Date:</b> 3/30/2007					
<b>Approval Type:</b> Air					
<b>Status:</b> Approved					
<b>Application Type:</b>					
<b>Client Name::</b>					
<b>Client Address::</b>					
<b>Client City::</b>					
<b>Client Postal Code::</b>					
<b>Project Description::</b>					
<b>Contaminants::</b>					
<b>Emission Control::</b>					
<a href="#">187</a>	2 of 33	S/226.0	109.8 / -4.00	POINTONE GRAPHICS INC. 14 VANSOCO RD TORONTO ON M8Z 5J4	EASR

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Approval No:</b>	R-003-5117094786			<b>SWP Area Name:</b>	
<b>Status:</b>	REGISTERED			<b>MOE District:</b>	
<b>Date:</b>	2012-05-18			<b>City:</b>	TORONTO
<b>Record Type:</b>	EASR			<b>Latitude:</b>	
<b>Link Source:</b>	MOFA			<b>Longitude:</b>	
<b>Full Address:</b>					
<b>Project Type:</b>	Heating System				
<b>Approval Type:</b>	EASR-Heating System				
<b>Full PDF Link:</b>	http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=1147				

<a href="#">187</a>	3 of 33	S/226.0	109.8 / -4.00	<b>PointOne Graphics Inc.</b> 14 Vansco Road Toronto M8Z 5J4 CITY OF TORONTO ON	<b>EBR</b>
<b>Company Name:</b>	PointOne Graphics Inc.				
<b>EBR Registry No.:</b>	011-6233				
<b>Ministry Ref. No.:</b>	7632-8TNKDZ				
<b>Notice Type:</b>	Instrument Decision				
<b>Notice Date:</b>	September 09, 2014				
<b>Proposal Date:</b>	April 30, 2012				
<b>Year:</b>	2012				
<b>Proponent Address:</b>	14 Vansco Road Road, Etobicoke Ontario, Canada M8Z 5J4				
<b>Instrument Type:</b>	(EPA Part II.1-air) - Environmental Compliance Approval (project type: air)				
<b>Location Other:</b>					
<b>Location:</b>	14 Vansco Road Toronto M8Z 5J4 CITY OF TORONTO				

<a href="#">187</a>	4 of 33	S/226.0	109.8 / -4.00	<b>PointOne Graphics Inc.</b> 14 Vansco Road Toronto Ontario M8Z 5J4 Toronto ON	<b>EBR</b>
<b>Company Name:</b>	PointOne Graphics Inc.				
<b>EBR Registry No.:</b>	IA06E1462				
<b>Ministry Ref. No.:</b>	9112-6VLQBD				
<b>Notice Type:</b>	Instrument Decision				
<b>Notice Date:</b>	April 13, 2007				
<b>Proposal Date:</b>	November 23, 2006				
<b>Year:</b>	2006				
<b>Proponent Address:</b>	14 Vansco Road, Etobicoke Ontario, M8Z 5J4				
<b>Instrument Type:</b>	(EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)				
<b>Location Other:</b>					
<b>Location:</b>	14 Vansco Road Toronto Ontario M8Z 5J4 Toronto				

<a href="#">187</a>	5 of 33	S/226.0	109.8 / -4.00	<b>PointOne Graphics Inc.</b> 14 Vansco Road Toronto City ON M8Z 5J4	<b>ECA</b>
<b>Approval No:</b>	1181-9JEHK5			<b>SWP Area Name:</b>	
<b>Approval Date:</b>	8/26/14			<b>MOE District:</b>	
<b>Status:</b>	Approved			<b>City:</b>	Toronto City
<b>Record Type:</b>				<b>Longitude:</b>	-

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
					79.5363888888889368899981491267681121 826171875 43.6213888888888743622374022379517555 23681640625
<b>Link Source:</b>				<b>Latitude:</b>	
<b>Approval Type:</b>					
<b>Project Type:</b>		Air/Noise			
<b>Address:</b>					
<b>Full Address:</b>		14 Vansco Road Toronto City, M8Z 5J4			
<b>Full PDF Link:</b>					
<a href="#">187</a>	6 of 33	S/226.0	109.8 / -4.00	<b>PointOne Graphics Inc.</b> 14 Vansco Road Toronto ON M8Z 5J4	ECA
<b>Approval No:</b>		9411-6WEKMQ		<b>SWP Area Name:</b> Toronto	
<b>Approval Date:</b>		2007-03-30		<b>MOE District:</b> Toronto	
<b>Status:</b>		Revoked and/or Replaced		<b>City:</b> Toronto	
<b>Record Type:</b>		ECA		<b>Longitude:</b> -79.53631	
<b>Link Source:</b>		IDS		<b>Latitude:</b> 43.62149	
<b>Approval Type:</b>		ECA-AIR			
<b>Project Type:</b>		AIR			
<b>Address:</b>		14 Vansco Road			
<b>Full Address:</b>					
<b>Full PDF Link:</b>		https://www.accessenvironment.ene.gov.on.ca/instruments/9112-6VLQBD-14.pdf			
<a href="#">187</a>	7 of 33	S/226.0	109.8 / -4.00	<b>PointOne Graphics Inc.</b> 14 Vansco Road Toronto ON M8Z 5J4	ECA
<b>Approval No:</b>		1181-9JEHK5		<b>SWP Area Name:</b> Toronto	
<b>Approval Date:</b>		2014-08-26		<b>MOE District:</b> Toronto	
<b>Status:</b>		Approved		<b>City:</b> Toronto	
<b>Record Type:</b>		ECA		<b>Longitude:</b> -79.53631	
<b>Link Source:</b>		IDS		<b>Latitude:</b> 43.62149	
<b>Approval Type:</b>		ECA-AIR			
<b>Project Type:</b>		AIR			
<b>Address:</b>		14 Vansco Road			
<b>Full Address:</b>					
<b>Full PDF Link:</b>		https://www.accessenvironment.ene.gov.on.ca/instruments/7632-8TNKDZ-14.pdf			
<a href="#">187</a>	8 of 33	S/226.0	109.8 / -4.00	<b>BLOWTHERM CANADA INC.</b> 14 VANSO ROAD TORONTO ON M8Z 5J4	GEN
<b>Generator No.:</b>		ON2337401		<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>		01		<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>		3751			
<b>SIC Description:</b>		PAINT & VARNISH IND.			
<b>--Details--</b>					
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<a href="#">187</a>	9 of 33	S/226.0	109.8 / -4.00	<b>BINKS MFG. CO. OF CANADA LTD.</b> 14 VANSO ROAD	05-370 GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

TORONTO ON M8Z 5J5

**Generator No.:** ON1295800  
**Status:**  
**Approval Years:** 92,93,94,95,96  
**Contam. Facility:**  
**MHSW Facility:**  
**SIC Code:** 6352  
**SIC Description:** PAINT/BODY REPAIR

**PO Box No.:**  
**Country:**  
**Choice of Contact:**  
**Co Admin:**  
**Phone No. Admin:**

--Details--

**Waste Code:** 211  
**Waste Description:** AROMATIC SOLVENTS

**Waste Code:** 253  
**Waste Description:** EMULSIFIED OILS

<a href="#">187</a>	10 of 33	S/226.0	109.8 / -4.00	Point One Graphics Inc 14 Vansco Road Etobicoke ON M8Z 5J4	GEN
---------------------	----------	---------	---------------	--	-----

**Generator No.:** ON2200260  
**Status:**  
**Approval Years:** 2012  
**Contam. Facility:**  
**MHSW Facility:**  
**SIC Code:** 323110  
**SIC Description:**

**PO Box No.:**  
**Country:**  
**Choice of Contact:**  
**Co Admin:**  
**Phone No. Admin:**

--Details--

**Waste Code:** 264  
**Waste Description:** PHOTOPROCESSING WASTES

**Waste Code:** 213  
**Waste Description:** PETROLEUM DISTILLATES

**Waste Code:** 252  
**Waste Description:** WASTE OILS & LUBRICANTS

**Waste Code:** 265  
**Waste Description:** GRAPHIC ART WASTES

**Waste Code:** 145  
**Waste Description:** PAINT/PIGMENT/COATING RESIDUES

<a href="#">187</a>	11 of 33	S/226.0	109.8 / -4.00	Point One Graphics Inc 14 Vansco Road Etobicoke ON	GEN
---------------------	----------	---------	---------------	--	-----

**Generator No.:** ON2200260  
**Status:**  
**Approval Years:** 2013  
**Contam. Facility:**  
**MHSW Facility:**  
**SIC Code:** 323110  
**SIC Description:**

**PO Box No.:**  
**Country:**  
**Choice of Contact:**  
**Co Admin:**  
**Phone No. Admin:**

--Details--

**Waste Code:** 213



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		264			
<b>Waste Description:</b>		PHOTOPROCESSING WASTES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		265			
<b>Waste Description:</b>		GRAPHIC ART WASTES			
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			

<a href="#">187</a>	12 of 33	S/226.0	109.8 / -4.00	Point One Graphics Inc 14 Vansco Road Etobicoke ON M8Z 5J4	GEN
<b>Generator No.:</b>		ON2200260		<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>		05,06,07,08		<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					

**--Details--**

<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		264			
<b>Waste Description:</b>		PHOTOPROCESSING WASTES			
<b>Waste Code:</b>		265			
<b>Waste Description:</b>		GRAPHIC ART WASTES			
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			

<a href="#">187</a>	13 of 33	S/226.0	109.8 / -4.00	Point One Graphics Inc 14 Vansco Road Etobicoke ON M8Z 5J4	GEN
<b>Generator No.:</b>		ON2200260		<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>		2011		<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>		323110			
<b>SIC Description:</b>					

**--Details--**

<b>Waste Code:</b>		265			
<b>Waste Description:</b>		GRAPHIC ART WASTES			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		264			
<b>Waste Description:</b>		PHOTOPROCESSING WASTES			
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<a href="#">187</a>	14 of 33	S/226.0	109.8 / -4.00	<b>BINKS MA(OUT OF BUSINESS) 14 VANSCO ROAD TORONTO ON M8Z 5J4</b>	GEN
<b>Generator No.:</b>	ON1295800			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	01			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	6352				
<b>SIC Description:</b>	PAINT/BODY REPAIR				
<b>--Details--</b>					
<b>Waste Code:</b>	211				
<b>Waste Description:</b>	AROMATIC SOLVENTS				
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<b>Waste Code:</b>	253				
<b>Waste Description:</b>	EMULSIFIED OILS				
<a href="#">187</a>	15 of 33	S/226.0	109.8 / -4.00	<b>Point One Graphics Inc 14 Vansco Road Etobicoke ON M8Z 5J4</b>	GEN
<b>Generator No.:</b>	ON2200260			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2010			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	323110				
<b>SIC Description:</b>					
<b>--Details--</b>					
<b>Waste Code:</b>	145				
<b>Waste Description:</b>	PAINT/PIGMENT/COATING RESIDUES				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Code:</b>	264				
<b>Waste Description:</b>	PHOTOPROCESSING WASTES				
<b>Waste Code:</b>	265				
<b>Waste Description:</b>	GRAPHIC ART WASTES				
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">187</a>	16 of 33	S/226.0	109.8 / -4.00	BINKS MANUFACTURING 14 VANSKO ROAD TORONTO ON M8Z 5J5	GEN
<b>Generator No.:</b>	ON1295800			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	97,98,99,00			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	6352				
<b>SIC Description:</b>	PAINT/BODY REPAIR				
<b>--Details--</b>					
<b>Waste Code:</b>	211				
<b>Waste Description:</b>	AROMATIC SOLVENTS				
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<b>Waste Code:</b>	253				
<b>Waste Description:</b>	EMULSIFIED OILS				
<a href="#">187</a>	17 of 33	S/226.0	109.8 / -4.00	Point One Graphics Inc 14 Vansco Road Etobicoke ON M8Z 5J4	GEN
<b>Generator No.:</b>	ON2200260			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2009			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	323110				
<b>SIC Description:</b>					
<b>--Details--</b>					
<b>Waste Code:</b>	145				
<b>Waste Description:</b>	PAINT/PIGMENT/COATING RESIDUES				
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Code:</b>	264				
<b>Waste Description:</b>	PHOTOPROCESSING WASTES				
<b>Waste Code:</b>	265				
<b>Waste Description:</b>	GRAPHIC ART WASTES				
<a href="#">187</a>	18 of 33	S/226.0	109.8 / -4.00	Point One Graphics Inc 14 Vansco Road Etobicoke ON M8Z 4J5	GEN
<b>Generator No.:</b>	ON2200260			<b>PO Box No.:</b>	
<b>Status:</b>	Registered			<b>Country:</b>	Canada
<b>Approval Years:</b>	As of Dec 2017			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<b>--Details--</b>					
<b>Waste Code:</b>		264 L			
<b>Waste Description:</b>		Photoprocessing wastes			
<b>Waste Code:</b>		213 I			
<b>Waste Description:</b>		Petroleum distillates			
<b>Waste Code:</b>		145 L			
<b>Waste Description:</b>		Wastes from the use of pigments, coatings and paints			
<b>Waste Code:</b>		265 L			
<b>Waste Description:</b>		Graphic arts wastes			
<b>Waste Code:</b>		264 C			
<b>Waste Description:</b>		Photoprocessing wastes			
<b>Waste Code:</b>		252 L			
<b>Waste Description:</b>		Waste crankcase oils and lubricants			

<a href="#">187</a>	19 of 33	S/226.0	109.8 / -4.00	<b>Point One Graphics Inc</b> 14 Vansco Road Etobicoke ON M8Z 4J5	GEN
---------------------	----------	---------	---------------	---	-----

<b>Generator No.:</b>	ON2200260	<b>PO Box No.:</b>	
<b>Status:</b>		<b>Country:</b>	Canada
<b>Approval Years:</b>	2014	<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No	<b>Co Admin:</b>	
<b>MHSW Facility:</b>	No	<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	323110		
<b>SIC Description:</b>	323110		

<b>--Details--</b>	
<b>Waste Code:</b>	145
<b>Waste Description:</b>	PAINT/PIGMENT/COATING RESIDUES
<b>Waste Code:</b>	264
<b>Waste Description:</b>	PHOTOPROCESSING WASTES
<b>Waste Code:</b>	213
<b>Waste Description:</b>	PETROLEUM DISTILLATES
<b>Waste Code:</b>	252
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS
<b>Waste Code:</b>	265
<b>Waste Description:</b>	GRAPHIC ART WASTES

<a href="#">187</a>	20 of 33	S/226.0	109.8 / -4.00	<b>Point One Graphics Inc</b> 14 Vansco Road Etobicoke ON M8Z 4J5	GEN
---------------------	----------	---------	---------------	---	-----

<b>Generator No.:</b>	ON2200260	<b>PO Box No.:</b>	
<b>Status:</b>		<b>Country:</b>	Canada
<b>Approval Years:</b>	2015	<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No	<b>Co Admin:</b>	
<b>MHSW Facility:</b>	No	<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	323110		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>SIC Description:</b>		323110			
<b>--Details--</b>					
<b>Waste Code:</b>		264			
<b>Waste Description:</b>		PHOTOPROCESSING WASTES			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		265			
<b>Waste Description:</b>		GRAPHIC ART WASTES			
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			

<a href="#">187</a>	21 of 33	S/226.0	109.8 / -4.00	Point One Graphics Inc 14 Vansco Road Etobicoke ON M8Z 4J5	GEN
<b>Generator No.:</b>	ON2200260			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2016			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	323110				
<b>SIC Description:</b>	323110				
<b>--Details--</b>					
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		265			
<b>Waste Description:</b>		GRAPHIC ART WASTES			
<b>Waste Code:</b>		264			
<b>Waste Description:</b>		PHOTOPROCESSING WASTES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			

<a href="#">187</a>	22 of 33	S/226.0	109.8 / -4.00	POINT ONE GRAPHICS 14 VANSKO ROAD NOT AVAILABLE TORONTO ON M8Z4J5	NPRI
<b>NPRI ID:</b>	11393			<b>Org ID:</b>	62272
<b>Other ID:</b>	*			<b>Submit Date:</b>	5/31/2010
<b>No Other ID:</b>				<b>Last Modified:</b>	5/29/2015 3:28:24 PM
<b>Track ID:</b>	81040			<b>Contact ID:</b>	
<b>Report ID:</b>	134789			<b>Cont Type:</b>	
<b>Report Type:</b>	NPRI			<b>Contact Title:</b>	
<b>Rpt Type ID:</b>	1			<b>Cont First Name:</b>	
<b>Report Year:</b>	2009			<b>Cont Last Name:</b>	
<b>Not-Current Rpt?:</b>	No			<b>Contact Position:</b>	
<b>Yr of Last Filed Rpt:</b>	2014			<b>Contact Fax:</b>	
<b>Fac ID:</b>	223394			<b>Contact Ph.:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Fac Name:</b>	N/A			<b>Cont Area Code:</b>	
<b>Fac Address1:</b>	14 VANSCO ROAD			<b>Contact Tel.:</b>	
<b>Fac Address2:</b>	NOT AVAILABLE			<b>Contact Ext.:</b>	
<b>Fac Postal Zip:</b>	M8Z4J5			<b>Cont Fax Area Cde:</b>	
<b>Facility Lat:</b>	43.6202			<b>Contact Fax:</b>	
<b>Facility Long:</b>	-79.5342			<b>Contact Email:</b>	
<b>DLS (Last Filed Rpt):</b>				<b>Latitude:</b>	43.6202
<b>Facility DLS:</b>				<b>Longitude:</b>	-79.5342
<b>Datum:</b>	1983			<b>UTM Zone:</b>	
<b>Facility Cmnts:</b>	No			<b>UTM Northing:</b>	
<b>URL:</b>				<b>UTM Easting:</b>	
<b>No of Empl.:</b>	84			<b>Waste Streams:</b>	No
<b>Parent Co.:</b>	N			<b>No Streams:</b>	
<b>No Parent Co.:</b>				<b>Waste Off Sites:</b>	No
<b>Pollut Prev Cmnts:</b>	No			<b>No Off Sites:</b>	
<b>Stacks:</b>	No			<b>Shutdown:</b>	No
<b>No of Stacks:</b>				<b>No of Shutdown:</b>	
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>	32				
<b>NAICS 2 Description:</b>	Manufacturing				
<b>NAICS Code (4 digit):</b>	3231				
<b>NAICS 4 Description:</b>	Printing and related support activities				
<b>NAICS Code (6 digit):</b>	323119				
<b>NAICS 6 Description:</b>	Other printing				

**Substance Release Report**

<b>Category Type ID:</b>	3
<b>Category Type Desc:</b>	Fugitive
<b>Category Type Desc (fr):</b>	Émissions fugitives
<b>Grouping:</b>	Total Air
<b>Trans Code:</b>	VOCs
<b>Chem:</b>	Volatile Organic Compounds (VOCs)
<b>Chem (fr):</b>	Composés organiques volatils (COV)
<b>Quantity:</b>	24.991
<b>Unit:</b>	tonnes
<b>Basis of Estimate Cd:</b>	C
<b>Basis of Estimate Desc:</b>	C- Mass Balance

<a href="#">187</a>	23 of 33	S/226.0	109.8 / -4.00	<b>Point One Graphics Inc</b> 14 VANSCO ROAD NOT AVAILABLE TORONTO ON M8Z4J5	<b>NPRI</b>
<b>NPRI ID:</b>	11393			<b>Org ID:</b>	106669
<b>Other ID:</b>				<b>Submit Date:</b>	5/13/2016
<b>No Other ID:</b>				<b>Last Modified:</b>	11/18/2016 8:28:05 AM
<b>Track ID:</b>	135639			<b>Contact ID:</b>	
<b>Report ID:</b>	67094			<b>Cont Type:</b>	
<b>Report Type:</b>	NPRI			<b>Contact Title:</b>	
<b>Rpt Type ID:</b>	1			<b>Cont First Name:</b>	
<b>Report Year:</b>	2015			<b>Cont Last Name:</b>	
<b>Not-Current Rpt?:</b>	No			<b>Contact Position:</b>	
<b>Yr of Last Filed Rpt:</b>	2014			<b>Contact Fax:</b>	
<b>Fac ID:</b>	223394			<b>Contact Ph.:</b>	
<b>Fac Name:</b>	N/A			<b>Cont Area Code:</b>	
<b>Fac Address1:</b>	14 VANSCO ROAD			<b>Contact Tel.:</b>	
<b>Fac Address2:</b>	NOT AVAILABLE			<b>Contact Ext.:</b>	
<b>Fac Postal Zip:</b>	M8Z4J5			<b>Cont Fax Area Cde:</b>	
<b>Facility Lat:</b>	43.6202			<b>Contact Fax:</b>	
<b>Facility Long:</b>	-79.5342			<b>Contact Email:</b>	
<b>DLS (Last Filed Rpt):</b>				<b>Latitude:</b>	43.6202

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Facility DLS:</b> <b>Datum:</b> 1983 <b>Facility Cmnts:</b> <b>URL:</b> <b>No of Empl.:</b> 131 <b>Parent Co.:</b> <b>No Parent Co.:</b> <b>Pollut Prev Cmnts:</b> <b>Stacks:</b> <b>No of Stacks:</b> <b>Canadian SIC Code (2 digit):</b> <b>Canadian SIC Code:</b> <b>SIC Code Description:</b> <b>American SIC Code:</b> <b>NAICS Code (2 digit):</b> 32 <b>NAICS 2 Description:</b> Manufacturing <b>NAICS Code (4 digit):</b> 3231 <b>NAICS 4 Description:</b> Printing and related support activities <b>NAICS Code (6 digit):</b> 323119 <b>NAICS 6 Description:</b> Other printing				<b>Longitude:</b> -79.5342 <b>UTM Zone:</b> <b>UTM Northing:</b> <b>UTM Easting:</b> <b>Waste Streams:</b> <b>No Streams:</b> <b>Waste Off Sites:</b> <b>No Off Sites:</b> <b>Shutdown:</b> <b>No of Shutdown:</b>	
<b><u>Substance Release Report</u></b>					
<b>Category Type ID:</b> 3 <b>Category Type Desc:</b> Fugitive <b>Category Type Desc (fr):</b> Émissions fugitives <b>Grouping:</b> Total Air <b>Trans Code:</b> VOCs <b>Chem:</b> <b>Chem (fr):</b> <b>Quantity:</b> 15.798 <b>Unit:</b> tonnes <b>Basis of Estimate Cd:</b> C <b>Basis of Estimate Desc:</b> C- Mass Balance					
<b>Category Type ID:</b> 1 <b>Category Type Desc:</b> Stack / Point <b>Category Type Desc (fr):</b> Rejets de cheminée ou ponctuels <b>Grouping:</b> Total Air <b>Trans Code:</b> ASta <b>Chem:</b> <b>Chem (fr):</b> <b>Quantity:</b> .743 <b>Unit:</b> tonnes <b>Basis of Estimate Cd:</b> E2 <b>Basis of Estimate Desc:</b> E2- Published Emission Factors - In use from 2003 and onward					
<a href="#">187</a>	24 of 33	S/226.0	109.8 / -4.00	<b>POINT ONE GRAPHICS INC</b> <b>14 VANSCO ROAD NOT AVAILABLE</b> <b>TORONTO ON M8Z4J5</b>	<b>NPRI</b>
<b>NPRI ID:</b> 11393 <b>Other ID:</b> <b>No Other ID:</b> <b>Track ID:</b> 115251 <b>Report ID:</b> 28721 <b>Report Type:</b> NPRI <b>Rpt Type ID:</b> 1 <b>Report Year:</b> 2013 <b>Not-Current Rpt?:</b> No <b>Yr of Last Filed Rpt:</b> 2014 <b>Fac ID:</b> 223394 <b>Fac Name:</b> N/A <b>Fac Address1:</b> 14 VANSCO ROAD		<b>Org ID:</b> 102719 <b>Submit Date:</b> 5/27/2014 <b>Last Modified:</b> 5/29/2015 3:28:24 PM <b>Contact ID:</b> <b>Cont Type:</b> <b>Contact Title:</b> <b>Cont First Name:</b> <b>Cont Last Name:</b> <b>Contact Position:</b> <b>Contact Fax:</b> <b>Contact Ph.:</b> <b>Cont Area Code:</b> <b>Contact Tel.:</b>			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Fac Address2:</b>	NOT AVAILABLE			<b>Contact Ext.:</b>	
<b>Fac Postal Zip:</b>	M8Z4J5			<b>Cont Fax Area Cde:</b>	
<b>Facility Lat:</b>	43.6202			<b>Contact Fax:</b>	
<b>Facility Long:</b>	-79.5342			<b>Contact Email:</b>	
<b>DLS (Last Filed Rpt):</b>				<b>Latitude:</b>	43.6202
<b>Facility DLS:</b>				<b>Longitude:</b>	-79.5342
<b>Datum:</b>	1983			<b>UTM Zone:</b>	
<b>Facility Cmnts:</b>				<b>UTM Northing:</b>	
<b>URL:</b>				<b>UTM Easting:</b>	
<b>No of Empl.:</b>	131			<b>Waste Streams:</b>	
<b>Parent Co.:</b>				<b>No Streams:</b>	
<b>No Parent Co.:</b>				<b>Waste Off Sites:</b>	
<b>Pollut Prev Cmnts:</b>				<b>No Off Sites:</b>	
<b>Stacks:</b>				<b>Shutdown:</b>	
<b>No of Stacks:</b>				<b>No of Shutdown:</b>	
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>	32				
<b>NAICS 2 Description:</b>	Manufacturing				
<b>NAICS Code (4 digit):</b>	3231				
<b>NAICS 4 Description:</b>	Printing and related support activities				
<b>NAICS Code (6 digit):</b>	323119				
<b>NAICS 6 Description:</b>	Other printing				
<b><u>Substance Release Report</u></b>					
<b>Category Type ID:</b>	3				
<b>Category Type Desc:</b>	Fugitive				
<b>Category Type Desc (fr):</b>	Émissions fugitives				
<b>Grouping:</b>	Total Air				
<b>Trans Code:</b>	VOCs				
<b>Chem:</b>	Volatile Organic Compounds (VOCs)				
<b>Chem (fr):</b>	Composés organiques volatils (COV)				
<b>Quantity:</b>	9.627				
<b>Unit:</b>	tonnes				
<b>Basis of Estimate Cd:</b>	C				
<b>Basis of Estimate Desc:</b>	C- Mass Balance				
<b>Category Type ID:</b>	1				
<b>Category Type Desc:</b>	Stack / Point				
<b>Category Type Desc (fr):</b>	Rejets de cheminée ou ponctuels				
<b>Grouping:</b>	Total Air				
<b>Trans Code:</b>	ASta				
<b>Chem:</b>	Volatile Organic Compounds (VOCs)				
<b>Chem (fr):</b>	Composés organiques volatils (COV)				
<b>Quantity:</b>	.917				
<b>Unit:</b>	tonnes				
<b>Basis of Estimate Cd:</b>	E2				
<b>Basis of Estimate Desc:</b>	E2- Published Emission Factors - In use from 2003 and onward				

<b>187</b>	<b>25 of 33</b>	<b>S/226.0</b>	<b>109.8 / -4.00</b>	<b>POINT ONE GRAPHICS 14 VANSCO ROAD NOT AVAILABLE TORONTO ON M8Z4J5</b>	<b>NPRI</b>
<b>NPRI ID:</b>	11393			<b>Org ID:</b>	62272
<b>Other ID:</b>	*			<b>Submit Date:</b>	1/26/2007
<b>No Other ID:</b>				<b>Last Modified:</b>	5/29/2015 3:28:24 PM
<b>Track ID:</b>	42408			<b>Contact ID:</b>	
<b>Report ID:</b>	97012			<b>Cont Type:</b>	
<b>Report Type:</b>	NPRI			<b>Contact Title:</b>	
<b>Rpt Type ID:</b>	1			<b>Cont First Name:</b>	
<b>Report Year:</b>	2005			<b>Cont Last Name:</b>	



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Not-Current Rpt?:</b>	No			<b>Contact Position:</b>	
<b>Yr of Last Filed Rpt:</b>	2014			<b>Contact Fax:</b>	
<b>Fac ID:</b>	223394			<b>Contact Ph.:</b>	
<b>Fac Name:</b>	N/A			<b>Cont Area Code:</b>	
<b>Fac Address1:</b>	14 VANSCO ROAD			<b>Contact Tel.:</b>	
<b>Fac Address2:</b>	NOT AVAILABLE			<b>Contact Ext.:</b>	
<b>Fac Postal Zip:</b>	M8Z4J5			<b>Cont Fax Area Cde:</b>	
<b>Facility Lat:</b>	43.6202			<b>Contact Fax:</b>	
<b>Facility Long:</b>	-79.5342			<b>Contact Email:</b>	
<b>DLS (Last Filed Rpt):</b>				<b>Latitude:</b>	43.6202
<b>Facility DLS:</b>				<b>Longitude:</b>	-79.5342
<b>Datum:</b>	1983			<b>UTM Zone:</b>	
<b>Facility Cmnts:</b>	No			<b>UTM Northing:</b>	
<b>URL:</b>				<b>UTM Easting:</b>	
<b>No of Empl.:</b>	84			<b>Waste Streams:</b>	No
<b>Parent Co.:</b>	N			<b>No Streams:</b>	
<b>No Parent Co.:</b>				<b>Waste Off Sites:</b>	No
<b>Pollut Prev Cmnts:</b>	No			<b>No Off Sites:</b>	
<b>Stacks:</b>	No			<b>Shutdown:</b>	No
<b>No of Stacks:</b>				<b>No of Shutdown:</b>	
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>	32				
<b>NAICS 2 Description:</b>	Manufacturing				
<b>NAICS Code (4 digit):</b>	3231				
<b>NAICS 4 Description:</b>	Printing and related support activities				
<b>NAICS Code (6 digit):</b>	323119				
<b>NAICS 6 Description:</b>	Other printing				
<b><u>Substance Release Report</u></b>					
<b>Category Type ID:</b>	13				
<b>Category Type Desc:</b>	All Media				
<b>Category Type Desc (fr):</b>	Rejets à tous les médias				
<b>Grouping:</b>	Total All Media<1t				
<b>Trans Code:</b>					
<b>Chem:</b>	MSG#3 - White mineral oil				
<b>Chem (fr):</b>	EMG#3 - Vaseline liquide				
<b>Quantity:</b>	.2				
<b>Unit:</b>	tonnes				
<b>Basis of Estimate Cd:</b>					
<b>Basis of Estimate Desc:</b>					
<b>Category Type ID:</b>	3				
<b>Category Type Desc:</b>	Fugitive				
<b>Category Type Desc (fr):</b>	Émissions fugitives				
<b>Grouping:</b>	Total Air				
<b>Trans Code:</b>	VOCs				
<b>Chem:</b>	MSG#2 - Hydrotreated light distillate				
<b>Chem (fr):</b>	EMG#2 - Distillat léger hydrotraité				
<b>Quantity:</b>	23.696				
<b>Unit:</b>	tonnes				
<b>Basis of Estimate Cd:</b>	E2				
<b>Basis of Estimate Desc:</b>	E2- Published Emission Factors - In use from 2003 and onward				
<b>Category Type ID:</b>	3				
<b>Category Type Desc:</b>	Fugitive				
<b>Category Type Desc (fr):</b>	Émissions fugitives				
<b>Grouping:</b>	Total Air				
<b>Trans Code:</b>	VOCs				
<b>Chem:</b>	Volatile Organic Compounds (VOCs)				
<b>Chem (fr):</b>	Composés organiques volatils (COV)				
<b>Quantity:</b>	34.706				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		E2			
<b>Basis of Estimate Desc:</b>		E2- Published Emission Factors - In use from 2003 and onward			

187	26 of 33	S/226.0	109.8 / -4.00	POINT ONE GRAPHICS 14 VANSCO ROAD NOT AVAILABLE TORONTO ON M8Z4J5	NPRI
<b>NPRI ID:</b>	11393			<b>Org ID:</b>	62272
<b>Other ID:</b>	*			<b>Submit Date:</b>	5/29/2009
<b>No Other ID:</b>				<b>Last Modified:</b>	5/29/2015 3:28:24 PM
<b>Track ID:</b>	68167			<b>Contact ID:</b>	
<b>Report ID:</b>	128227			<b>Cont Type:</b>	
<b>Report Type:</b>	NPRI			<b>Contact Title:</b>	
<b>Rpt Type ID:</b>	1			<b>Cont First Name:</b>	
<b>Report Year:</b>	2008			<b>Cont Last Name:</b>	
<b>Not-Current Rpt?:</b>	No			<b>Contact Position:</b>	
<b>Yr of Last Filed Rpt:</b>	2014			<b>Contact Fax:</b>	
<b>Fac ID:</b>	223394			<b>Contact Ph.:</b>	
<b>Fac Name:</b>	N/A			<b>Cont Area Code:</b>	
<b>Fac Address1:</b>	14 VANSCO ROAD			<b>Contact Tel.:</b>	
<b>Fac Address2:</b>	NOT AVAILABLE			<b>Contact Ext.:</b>	
<b>Fac Postal Zip:</b>	M8Z4J5			<b>Cont Fax Area Cde:</b>	
<b>Facility Lat:</b>	43.6202			<b>Contact Fax:</b>	
<b>Facility Long:</b>	-79.5342			<b>Contact Email:</b>	
<b>DLS (Last Filed Rpt):</b>				<b>Latitude:</b>	43.6202
<b>Facility DLS:</b>				<b>Longitude:</b>	-79.5342
<b>Datum:</b>	1983			<b>UTM Zone:</b>	
<b>Facility Cmnts:</b>	No			<b>UTM Northing:</b>	
<b>URL:</b>				<b>UTM Easting:</b>	
<b>No of Empl.:</b>	84			<b>Waste Streams:</b>	No
<b>Parent Co.:</b>	N			<b>No Streams:</b>	
<b>No Parent Co.:</b>				<b>Waste Off Sites:</b>	No
<b>Pollut Prev Cmnts:</b>	No			<b>No Off Sites:</b>	
<b>Stacks:</b>	No			<b>Shutdown:</b>	No
<b>No of Stacks:</b>				<b>No of Shutdown:</b>	
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>	32				
<b>NAICS 2 Description:</b>	Manufacturing				
<b>NAICS Code (4 digit):</b>	3231				
<b>NAICS 4 Description:</b>	Printing and related support activities				
<b>NAICS Code (6 digit):</b>	323119				
<b>NAICS 6 Description:</b>	Other printing				

#### Substance Release Report

<b>Category Type ID:</b>	3
<b>Category Type Desc:</b>	Fugitive
<b>Category Type Desc (fr):</b>	Émissions fugitives
<b>Grouping:</b>	Total Air
<b>Trans Code:</b>	VOCs
<b>Chem:</b>	Volatile Organic Compounds (VOCs)
<b>Chem (fr):</b>	Composés organiques volatils (COV)
<b>Quantity:</b>	24.189
<b>Unit:</b>	tonnes
<b>Basis of Estimate Cd:</b>	C
<b>Basis of Estimate Desc:</b>	C- Mass Balance

187	27 of 33	S/226.0	109.8 / -4.00	POINT ONE GRAPHICS 14 VANSCO ROAD NOT AVAILABLE	NPRI
-----	----------	---------	---------------	--	------

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>TORONTO ON M8Z4J5</b>					
<b>NPRI ID:</b>	11393			<b>Org ID:</b>	62272
<b>Other ID:</b>	*			<b>Submit Date:</b>	5/29/2007
<b>No Other ID:</b>				<b>Last Modified:</b>	5/29/2015 3:28:24 PM
<b>Track ID:</b>	45043			<b>Contact ID:</b>	
<b>Report ID:</b>	103131			<b>Cont Type:</b>	
<b>Report Type:</b>	NPRI			<b>Contact Title:</b>	
<b>Rpt Type ID:</b>	1			<b>Cont First Name:</b>	
<b>Report Year:</b>	2006			<b>Cont Last Name:</b>	
<b>Not-Current Rpt?:</b>	No			<b>Contact Position:</b>	
<b>Yr of Last Filed Rpt:</b>	2014			<b>Contact Fax:</b>	
<b>Fac ID:</b>	223394			<b>Contact Ph.:</b>	
<b>Fac Name:</b>	N/A			<b>Cont Area Code:</b>	
<b>Fac Address1:</b>	14 VANSO ROAD			<b>Contact Tel.:</b>	
<b>Fac Address2:</b>	NOT AVAILABLE			<b>Contact Ext.:</b>	
<b>Fac Postal Zip:</b>	M8Z4J5			<b>Cont Fax Area Cde:</b>	
<b>Facility Lat:</b>	43.6202			<b>Contact Fax:</b>	
<b>Facility Long:</b>	-79.5342			<b>Contact Email:</b>	
<b>DLS (Last Filed Rpt):</b>				<b>Latitude:</b>	43.6202
<b>Facility DLS:</b>				<b>Longitude:</b>	-79.5342
<b>Datum:</b>	1983			<b>UTM Zone:</b>	
<b>Facility Cmnts:</b>	False			<b>UTM Northing:</b>	
<b>URL:</b>				<b>UTM Easting:</b>	
<b>No of Empl.:</b>	84			<b>Waste Streams:</b>	True?
<b>Parent Co.:</b>	N			<b>No Streams:</b>	
<b>No Parent Co.:</b>				<b>Waste Off Sites:</b>	False
<b>Pollut Prev Cmnts:</b>	False			<b>No Off Sites:</b>	
<b>Stacks:</b>	True			<b>Shutdown:</b>	
<b>No of Stacks:</b>				<b>No of Shutdown:</b>	
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>	32				
<b>NAICS 2 Description:</b>	Manufacturing				
<b>NAICS Code (4 digit):</b>	3231				
<b>NAICS 4 Description:</b>	Printing and related support activities				
<b>NAICS Code (6 digit):</b>	323119				
<b>NAICS 6 Description:</b>	Other printing				
<b><u>Substance Release Report</u></b>					
<b>Category Type ID:</b>	13				
<b>Category Type Desc:</b>	All Media				
<b>Category Type Desc (fr):</b>	Rejets à tous les médias				
<b>Grouping:</b>	Total All Media<1t				
<b>Trans Code:</b>					
<b>Chem:</b>	MSG#3 - White mineral oil				
<b>Chem (fr):</b>	EMG#3 - Vaseline liquide				
<b>Quantity:</b>	.43				
<b>Unit:</b>	tonnes				
<b>Basis of Estimate Cd:</b>					
<b>Basis of Estimate Desc:</b>					
<b>Category Type ID:</b>	3				
<b>Category Type Desc:</b>	Fugitive				
<b>Category Type Desc (fr):</b>	Émissions fugitives				
<b>Grouping:</b>	Total Air				
<b>Trans Code:</b>	VOCs				
<b>Chem:</b>	MSG#2 - Hydrotreated light distillate				
<b>Chem (fr):</b>	EMG#2 - Distillat léger hydrotraité				
<b>Quantity:</b>	6.269				
<b>Unit:</b>	tonnes				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Basis of Estimate Cd:</b>		E2			
<b>Basis of Estimate Desc:</b>		E2- Published Emission Factors - In use from 2003 and onward			
<b>Category Type ID:</b>		3			
<b>Category Type Desc:</b>		Fugitive			
<b>Category Type Desc (fr):</b>		Émissions fugitives			
<b>Grouping:</b>		Total Air			
<b>Trans Code:</b>		VOCs			
<b>Chem:</b>		Volatile Organic Compounds (VOCs)			
<b>Chem (fr):</b>		Composés organiques volatils (COV)			
<b>Quantity:</b>		14.548			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		C			
<b>Basis of Estimate Desc:</b>		C- Mass Balance			

<a href="#">187</a>	28 of 33	S/226.0	109.8 / -4.00	POINT ONE GRAPHICS INC 14 VANSCO ROAD NOT AVAILABLE TORONTO ON M8Z4J5	NPRI
<b>NPRI ID:</b>	11393			<b>Org ID:</b>	102719
<b>Other ID:</b>				<b>Submit Date:</b>	5/14/2013
<b>No Other ID:</b>				<b>Last Modified:</b>	5/29/2015 3:28:24 PM
<b>Track ID:</b>	108043			<b>Contact ID:</b>	
<b>Report ID:</b>	16080			<b>Cont Type:</b>	
<b>Report Type:</b>	NPRI			<b>Contact Title:</b>	
<b>Rpt Type ID:</b>	1			<b>Cont First Name:</b>	
<b>Report Year:</b>	2012			<b>Cont Last Name:</b>	
<b>Not-Current Rpt?:</b>	No			<b>Contact Position:</b>	
<b>Yr of Last Filed Rpt:</b>	2014			<b>Contact Fax:</b>	
<b>Fac ID:</b>	223394			<b>Contact Ph.:</b>	
<b>Fac Name:</b>	N/A			<b>Cont Area Code:</b>	
<b>Fac Address1:</b>	14 VANSCO ROAD			<b>Contact Tel.:</b>	
<b>Fac Address2:</b>	NOT AVAILABLE			<b>Contact Ext.:</b>	
<b>Fac Postal Zip:</b>	M8Z4J5			<b>Cont Fax Area Cde:</b>	
<b>Facility Lat:</b>	43.6202			<b>Contact Fax:</b>	
<b>Facility Long:</b>	-79.5342			<b>Contact Email:</b>	
<b>DLS (Last Filed Rpt):</b>				<b>Latitude:</b>	43.6202
<b>Facility DLS:</b>				<b>Longitude:</b>	-79.5342
<b>Datum:</b>	1983			<b>UTM Zone:</b>	
<b>Facility Cmnts:</b>				<b>UTM Northing:</b>	
<b>URL:</b>				<b>UTM Easting:</b>	
<b>No of Empl.:</b>	131			<b>Waste Streams:</b>	
<b>Parent Co.:</b>				<b>No Streams:</b>	
<b>No Parent Co.:</b>				<b>Waste Off Sites:</b>	
<b>Pollut Prev Cmnts:</b>				<b>No Off Sites:</b>	
<b>Stacks:</b>				<b>Shutdown:</b>	
<b>No of Stacks:</b>				<b>No of Shutdown:</b>	
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>	32				
<b>NAICS 2 Description:</b>	Manufacturing				
<b>NAICS Code (4 digit):</b>	3231				
<b>NAICS 4 Description:</b>	Printing and related support activities				
<b>NAICS Code (6 digit):</b>	323119				
<b>NAICS 6 Description:</b>	Other printing				

#### Substance Release Report

<b>Category Type ID:</b>	1
<b>Category Type Desc:</b>	Stack / Point
<b>Category Type Desc (fr):</b>	Rejets de cheminée ou ponctuels
<b>Grouping:</b>	Total Air

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Trans Code:</b>		ASta			
<b>Chem:</b>		Volatile Organic Compounds (VOCs)			
<b>Chem (fr):</b>		Composés organiques volatils (COV)			
<b>Quantity:</b>		.236			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		E2			
<b>Basis of Estimate Desc:</b>		E2- Published Emission Factors - In use from 2003 and onward			
<b>Category Type ID:</b>		3			
<b>Category Type Desc:</b>		Fugitive			
<b>Category Type Desc (fr):</b>		Émissions fugitives			
<b>Grouping:</b>		Total Air			
<b>Trans Code:</b>		VOCs			
<b>Chem:</b>		Volatile Organic Compounds (VOCs)			
<b>Chem (fr):</b>		Composés organiques volatils (COV)			
<b>Quantity:</b>		22.031			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		C			
<b>Basis of Estimate Desc:</b>		C- Mass Balance			

<a href="#">187</a>	29 of 33	S/226.0	109.8 / -4.00	POINT ONE GRAPHICS LTD. 14 VANSKO ROAD NOT AVAILABLE TORONTO ON M8Z4J5	NPRI
<b>NPRI ID:</b>	11393			<b>Org ID:</b>	62275
<b>Other ID:</b>				<b>Submit Date:</b>	5/30/2012
<b>No Other ID:</b>				<b>Last Modified:</b>	5/29/2015 3:28:24 PM
<b>Track ID:</b>	99422			<b>Contact ID:</b>	
<b>Report ID:</b>	3009			<b>Cont Type:</b>	
<b>Report Type:</b>	NPRI			<b>Contact Title:</b>	
<b>Rpt Type ID:</b>	1			<b>Cont First Name:</b>	
<b>Report Year:</b>	2011			<b>Cont Last Name:</b>	
<b>Not-Current Rpt?:</b>	No			<b>Contact Position:</b>	
<b>Yr of Last Filed Rpt:</b>	2014			<b>Contact Fax:</b>	
<b>Fac ID:</b>	223394			<b>Contact Ph.:</b>	
<b>Fac Name:</b>	N/A			<b>Cont Area Code:</b>	
<b>Fac Address1:</b>	14 VANSKO ROAD			<b>Contact Tel.:</b>	
<b>Fac Address2:</b>	NOT AVAILABLE			<b>Contact Ext.:</b>	
<b>Fac Postal Zip:</b>	M8Z4J5			<b>Cont Fax Area Cde:</b>	
<b>Facility Lat:</b>	43.6202			<b>Contact Fax:</b>	
<b>Facility Long:</b>	-79.5342			<b>Contact Email:</b>	
<b>DLS (Last Filed Rpt):</b>				<b>Latitude:</b>	43.6202
<b>Facility DLS:</b>				<b>Longitude:</b>	-79.5342
<b>Datum:</b>	1983			<b>UTM Zone:</b>	
<b>Facility Cmnts:</b>				<b>UTM Northing:</b>	
<b>URL:</b>				<b>UTM Easting:</b>	
<b>No of Empl.:</b>	81			<b>Waste Streams:</b>	
<b>Parent Co.:</b>				<b>No Streams:</b>	
<b>No Parent Co.:</b>				<b>Waste Off Sites:</b>	
<b>Pollut Prev Cmnts:</b>				<b>No Off Sites:</b>	
<b>Stacks:</b>				<b>Shutdown:</b>	
<b>No of Stacks:</b>				<b>No of Shutdown:</b>	
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>	32				
<b>NAICS 2 Description:</b>	Manufacturing				
<b>NAICS Code (4 digit):</b>	3231				
<b>NAICS 4 Description:</b>	Printing and related support activities				
<b>NAICS Code (6 digit):</b>	323119				
<b>NAICS 6 Description:</b>	Other printing				

**Substance Release Report**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Category Type ID:</b> 1 <b>Category Type Desc:</b> Stack / Point <b>Category Type Desc (fr):</b> Rejets de cheminée ou ponctuels <b>Grouping:</b> Total Air <b>Trans Code:</b> ASta <b>Chem:</b> Volatile Organic Compounds (VOCs) <b>Chem (fr):</b> Composés organiques volatils (COV) <b>Quantity:</b> .384 <b>Unit:</b> tonnes <b>Basis of Estimate Cd:</b> E2 <b>Basis of Estimate Desc:</b> E2- Published Emission Factors - In use from 2003 and onward					
<b>Category Type ID:</b> 3 <b>Category Type Desc:</b> Fugitive <b>Category Type Desc (fr):</b> Émissions fugitives <b>Grouping:</b> Total Air <b>Trans Code:</b> VOCs <b>Chem:</b> Volatile Organic Compounds (VOCs) <b>Chem (fr):</b> Composés organiques volatils (COV) <b>Quantity:</b> 20.424 <b>Unit:</b> tonnes <b>Basis of Estimate Cd:</b> C <b>Basis of Estimate Desc:</b> C- Mass Balance					
<a href="#">187</a>	30 of 33	S/226.0	109.8 / -4.00	POINT ONE GRAPHICS LTD. 14 VANSCO ROAD NOT AVAILABLE TORONTO ON M8Z4J5	NPRI
<b>NPRI ID:</b> 11393 <b>Other ID:</b> Y <b>No Other ID:</b> 1 <b>Track ID:</b> 90783 <b>Report ID:</b> 144841 <b>Report Type:</b> NPRI <b>Rpt Type ID:</b> 1 <b>Report Year:</b> 2010 <b>Not-Current Rpt?:</b> No <b>Yr of Last Filed Rpt:</b> 2014 <b>Fac ID:</b> 223394 <b>Fac Name:</b> N/A <b>Fac Address1:</b> 14 VANSCO ROAD <b>Fac Address2:</b> NOT AVAILABLE <b>Fac Postal Zip:</b> M8Z4J5 <b>Facility Lat:</b> 43.6202 <b>Facility Long:</b> -79.5342 <b>DLS (Last Filed Rpt):</b> <b>Facility DLS:</b> <b>Datum:</b> 1983 <b>Facility Cmnts:</b> No <b>URL:</b> <b>No of Empl.:</b> 81 <b>Parent Co.:</b> * <b>No Parent Co.:</b> <b>Pollut Prev Cmnts:</b> No <b>Stacks:</b> No <b>No of Stacks:</b> <b>Canadian SIC Code (2 digit):</b> <b>Canadian SIC Code:</b> <b>SIC Code Description:</b> <b>American SIC Code:</b> <b>NAICS Code (2 digit):</b> 32 <b>NAICS 2 Description:</b> Manufacturing <b>NAICS Code (4 digit):</b> 3231 <b>NAICS 4 Description:</b> Printing and related support activities					
<b>Org ID:</b> 62276 <b>Submit Date:</b> 6/3/2011 <b>Last Modified:</b> 5/29/2015 3:28:24 PM <b>Contact ID:</b> <b>Cont Type:</b> <b>Contact Title:</b> <b>Cont First Name:</b> <b>Cont Last Name:</b> <b>Contact Position:</b> <b>Contact Fax:</b> <b>Contact Ph.:</b> <b>Cont Area Code:</b> <b>Contact Tel.:</b> <b>Contact Ext.:</b> <b>Cont Fax Area Cde:</b> <b>Contact Fax:</b> <b>Contact Email:</b> <b>Latitude:</b> 43.6202 <b>Longitude:</b> -79.5342 <b>UTM Zone:</b> <b>UTM Northing:</b> <b>UTM Easting:</b> <b>Waste Streams:</b> No <b>No Streams:</b> <b>Waste Off Sites:</b> No <b>No Off Sites:</b> <b>Shutdown:</b> No <b>No of Shutdown:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>NAICS Code (6 digit):</b>		323119			
<b>NAICS 6 Description:</b>		Other printing			
<b><u>Substance Release Report</u></b>					
<b>Category Type ID:</b>		1			
<b>Category Type Desc:</b>		Stack / Point			
<b>Category Type Desc (fr):</b>		Rejets de cheminée ou ponctuels			
<b>Grouping:</b>		Total Air			
<b>Trans Code:</b>		ASta			
<b>Chem:</b>		Volatile Organic Compounds (VOCs)			
<b>Chem (fr):</b>		Composés organiques volatils (COV)			
<b>Quantity:</b>		.482			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		C			
<b>Basis of Estimate Desc:</b>		C- Mass Balance			
<b>Category Type ID:</b>		3			
<b>Category Type Desc:</b>		Fugitive			
<b>Category Type Desc (fr):</b>		Émissions fugitives			
<b>Grouping:</b>		Total Air			
<b>Trans Code:</b>		VOCs			
<b>Chem:</b>		Volatile Organic Compounds (VOCs)			
<b>Chem (fr):</b>		Composés organiques volatils (COV)			
<b>Quantity:</b>		29.562			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		C			
<b>Basis of Estimate Desc:</b>		C- Mass Balance			

<a href="#">187</a>	31 of 33	S/226.0	109.8 / -4.00	POINT ONE GRAPHICS 14 VANSCO ROAD NOT AVAILABLE TORONTO ON M8Z4J5	NPRI
<b>NPRI ID:</b>	11393	<b>Org ID:</b>	62272		
<b>Other ID:</b>	*	<b>Submit Date:</b>	5/21/2008		
<b>No Other ID:</b>		<b>Last Modified:</b>	5/29/2015 3:28:24 PM		
<b>Track ID:</b>	53175	<b>Contact ID:</b>			
<b>Report ID:</b>	114381	<b>Cont Type:</b>			
<b>Report Type:</b>	NPRI	<b>Contact Title:</b>			
<b>Rpt Type ID:</b>	1	<b>Cont First Name:</b>			
<b>Report Year:</b>	2007	<b>Cont Last Name:</b>			
<b>Not-Current Rpt?:</b>	No	<b>Contact Position:</b>			
<b>Yr of Last Filed Rpt:</b>	2014	<b>Contact Fax:</b>			
<b>Fac ID:</b>	223394	<b>Contact Ph.:</b>			
<b>Fac Name:</b>	N/A	<b>Cont Area Code:</b>			
<b>Fac Address1:</b>	14 VANSCO ROAD	<b>Contact Tel.:</b>			
<b>Fac Address2:</b>	NOT AVAILABLE	<b>Contact Ext.:</b>			
<b>Fac Postal Zip:</b>	M8Z4J5	<b>Cont Fax Area Cde:</b>			
<b>Facility Lat:</b>	43.6202	<b>Contact Fax:</b>			
<b>Facility Long:</b>	-79.5342	<b>Contact Email:</b>			
<b>DLS (Last Filed Rpt):</b>		<b>Latitude:</b>	43.6202		
<b>Facility DLS:</b>		<b>Longitude:</b>	-79.5342		
<b>Datum:</b>	1983	<b>UTM Zone:</b>			
<b>Facility Cmnts:</b>	False	<b>UTM Northing:</b>			
<b>URL:</b>		<b>UTM Easting:</b>			
<b>No of Empl.:</b>	84	<b>Waste Streams:</b>	True?		
<b>Parent Co.:</b>	N	<b>No Streams:</b>			
<b>No Parent Co.:</b>		<b>Waste Off Sites:</b>	True?		
<b>Pollut Prev Cmnts:</b>	Fals	<b>No Off Sites:</b>			
<b>Stacks:</b>	True	<b>Shutdown:</b>			
<b>No of Stacks:</b>		<b>No of Shutdown:</b>			
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>American SIC Code:</b> <b>NAICS Code (2 digit):</b> 32 <b>NAICS 2 Description:</b> Manufacturing <b>NAICS Code (4 digit):</b> 3231 <b>NAICS 4 Description:</b> Printing and related support activities <b>NAICS Code (6 digit):</b> 323119 <b>NAICS 6 Description:</b> Other printing					
<b><u>Substance Release Report</u></b>					
<b>Category Type ID:</b> 3 <b>Category Type Desc:</b> Fugitive <b>Category Type Desc (fr):</b> Émissions fugitives <b>Grouping:</b> Total Air <b>Trans Code:</b> VOCs <b>Chem:</b> Volatile Organic Compounds (VOCs) <b>Chem (fr):</b> Composés organiques volatils (COV) <b>Quantity:</b> 28.303 <b>Unit:</b> tonnes <b>Basis of Estimate Cd:</b> C <b>Basis of Estimate Desc:</b> C- Mass Balance					
<a href="#">187</a>	32 of 33	S/226.0	109.8 / -4.00	<b>PointOne Graphics Inc.</b> 14 Vansco Rd Etobicoke ON M8Z 5J4	SCT
<b>Established:</b> 01-AUG-84 <b>Plant Size (ft²):</b> <b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b> Graphic Design Services <b>SIC/NAICS Code:</b> 541430					
<b>Description:</b> Other Printing <b>SIC/NAICS Code:</b> 323119					
<b>Description:</b> Support Activities for Printing <b>SIC/NAICS Code:</b> 323120					
<b>Description:</b> Other Printing <b>SIC/NAICS Code:</b> 323119					
<a href="#">187</a>	33 of 33	S/226.0	109.8 / -4.00	<b>BINKS CANADA LTD.</b> 14 VANSCO RD ETOBICOKE ON M8Z 5J4	SCT
<b>Established:</b> 1934 <b>Plant Size (ft²):</b> 75000 <b>Employment:</b> 48					
<b>--Details--</b>					
<b>Description:</b> FABRICATED PLATE WORK (BOILER SHOPS) <b>SIC/NAICS Code:</b> 3443					
<b>Description:</b> SHEET METAL WORK <b>SIC/NAICS Code:</b> 3444					
<b>Description:</b> FLUID POWER VALVES AND HOSE FITTINGS <b>SIC/NAICS Code:</b> 3492					



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<i>Description:</i> <i>SIC/NAICS Code:</i>		AIR AND GAS COMPRESSORS 3563			
<i>Description:</i> <i>SIC/NAICS Code:</i>		INDUSTRIAL AND COMMERCIAL FANS AND BLOWERS AND AIR PURIFICATION EQUIPMENT 3564			
<i>Description:</i> <i>SIC/NAICS Code:</i>		CONSTRUCTION MATERIAL, NOT ELSEWHERE CLASSIFIED 5039			
<i>Description:</i> <i>SIC/NAICS Code:</i>		INDUSTRIAL MACHINERY AND EQUIPMENT 5084			
<i>Description:</i> <i>SIC/NAICS Code:</i>		INDUSTRIAL SUPPLIES 5085			

188      1 of 1      NW/226.1      121.6 / 7.74      TORONTO ON      WWIS

<b>Well ID:</b>	7260461	<b>Data Entry Status:</b>	
<b>Construction Date:</b>		<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole	<b>Date Received:</b>	3/31/2016
<b>Sec. Water Use:</b>	0	<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Monitoring and Test Hole	<b>Abandonment Rec:</b>	
<b>Water Type:</b>		<b>Contractor:</b>	7241
<b>Casing Material:</b>		<b>Form Version:</b>	7
<b>Audit No:</b>	Z228240	<b>Owner:</b>	
<b>Tag:</b>	A197971	<b>Street Name:</b>	15 SHORNCLIFFE RD
<b>Construction Method:</b>		<b>County:</b>	YORK
<b>Elevation (m):</b>		<b>Municipality:</b>	ETOBICOKE BOROUGH
<b>Elevation Reliability:</b>		<b>Site Info:</b>	WKQ-008734 A0-A01
<b>Depth to Bedrock:</b>		<b>Lot:</b>	
<b>Well Depth:</b>		<b>Concession:</b>	
<b>Overburden/Bedrock:</b>		<b>Concession Name:</b>	
<b>Pump Rate:</b>		<b>Easting NAD83:</b>	
<b>Static Water Level:</b>		<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>		<b>Zone:</b>	
<b>Flow Rate:</b>		<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>			

**Bore Hole Information**

<b>Bore Hole ID:</b>	1005919514	<b>Elevation:</b>	123.32
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	17
<b>Code OB:</b>		<b>East83:</b>	617606
<b>Code OB Desc:</b>		<b>Org CS:</b>	UTM83
<b>Open Hole:</b>		<b>North83:</b>	4832065
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	09-MAR-16	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock**  
**Materials Interval**

**Formation ID:** 1006050991  
**Layer:** 2

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		06			
<b>Other Materials:</b>		SILT			
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		10			
<b>Formation End Depth:</b>		14			
<b>Formation End Depth UOM:</b>		ft			
<b>Formation ID:</b>		1006050990			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		06			
<b>Other Materials:</b>		SILT			
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		10			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1006051000			
<b>Layer:</b>		2			
<b>Plug From:</b>		6			
<b>Plug To:</b>		3			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1006051001			
<b>Layer:</b>		3			
<b>Plug From:</b>		3			
<b>Plug To:</b>		14			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1006050999			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		6			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1006050998			
<b>Method Construction Code:</b>		2			
<b>Method Construction:</b>		Rotary (Convent.)			
<b>Other Method Construction:</b>		DIRECT PUSH			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1006050989			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Construction Record - Casing</u></b>					
Casing ID:		1006050994			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		4			
Casing Diameter:		1.25			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<b><u>Construction Record - Screen</u></b>					
Screen ID:		1006050995			
Layer:		1			
Slot:		10			
Screen Top Depth:		4			
Screen End Depth:		14			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.5			
<b><u>Water Details</u></b>					
Water ID:		1006050993			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<b><u>Hole Diameter</u></b>					
Hole ID:		1006050992			
Diameter:		3.5			
Depth From:		0			
Depth To:		14			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
<b><u>189</u></b>	<b>1 of 1</b>	<b>WNW/226.6</b>	<b>119.8 / 6.00</b>	<b>Cherry Harry 14 Shorncliffe Rd Toronto ON</b>	<b>TANK</b>
Permit Date:		1930			
Permit Type:		BP A32110			
User Type:					
Installation Type:		Fuel oil tank			
Installation Size:					
Installation Config.:		2 x Fuel oil tanks			
No. Tanks Installed:		2			
Units of Measure:					
Value/Tank (\$):		85			
Capacity(gal):					
Reference:		CTA Building permits			
Location Desc:					
<b><u>190</u></b>	<b>1 of 4</b>	<b>NW/228.4</b>	<b>120.3 / 6.46</b>	<b>ARZER CONTRACTING LTD. 25A SHORNCLIFFE ROAD</b>	<b>GEN</b>

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>ETOBICOKE ON M9B 3S4</b>					
<b>Generator No.:</b>	ON2246100			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	97,98,99,00,01,04			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	4211				
<b>SIC Description:</b>		WRECKING & DEMO.			
<b>--Details--</b>					
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<a href="#">190</a>	2 of 4	NW/228.4	120.3 / 6.46	<b>Enercorp Instruments Ltd. 25 Shorncliffe Rd Toronto ON M9B 3S4</b>	SCT
<b>Established:</b>		01-JAN-77			
<b>Plant Size (ft²):</b>		6400			
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>		Switchgear and Switchboard, and Relay and Industrial Control Apparatus Manufacturing			
<b>SIC/NAICS Code:</b>		335315			
<b>Description:</b>		Measuring, Medical and Controlling Devices Manufacturing			
<b>SIC/NAICS Code:</b>		334512			
<b>Description:</b>		Measuring, Medical and Controlling Devices Manufacturing			
<b>SIC/NAICS Code:</b>		334512			
<a href="#">190</a>	3 of 4	NW/228.4	120.3 / 6.46	<b>KAVANAGH CONTROLS LTD. 25 SHORNCLIFFE RD ETOBICOKE ON M9B 3S4</b>	SCT
<b>Established:</b>		1983			
<b>Plant Size (ft²):</b>		6400			
<b>Employment:</b>		10			
<b>--Details--</b>					
<b>Description:</b>		INDUSTRIAL INSTRUMENTS FOR MEASUREMENT, DISPLAY, AND CONTROL OF PROCESS VARIABLES; & RELATED ITEMS			
<b>SIC/NAICS Code:</b>		3823			
<a href="#">190</a>	4 of 4	NW/228.4	120.3 / 6.46	<b>ENERCORP INSTRUMENTS LTD 25 SHORNCLIFFE RD ETOBICOKE ON M9B 3S4</b>	SCT
<b>Established:</b>		1977			
<b>Plant Size (ft²):</b>		0			
<b>Employment:</b>		10			
<b>--Details--</b>					
<b>Description:</b>		INDUSTRIAL INSTRUMENTS FOR MEASUREMENT, DISPLAY, AND CONTROL OF PROCESS VARIABLES; & RELATED ITEMS			
<b>SIC/NAICS Code:</b>		3823			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

<a href="#">191</a>	1 of 2	SSE/228.8	110.8 / -3.00	POINT ONE GRAPHICS 14 Vansco Road Toronto ON M8Z4J5	NPRI
<b>NPRI ID:</b> 8800001769 <b>Other ID:</b> <b>No Other ID:</b> <b>Track ID:</b> <b>Report ID:</b> <b>Report Type:</b> <b>Rpt Type ID:</b> <b>Report Year:</b> 2004 <b>Not-Current Rpt?:</b> <b>Yr of Last Filed Rpt:</b> <b>Fac ID:</b> <b>Fac Name:</b> N/A <b>Fac Address1:</b> <b>Fac Address2:</b> <b>Fac Postal Zip:</b> <b>Facility Lat:</b> <b>Facility Long:</b> <b>DLS (Last Filed Rpt):</b> <b>Facility DLS:</b> <b>Datum:</b> <b>Facility Cmnts:</b> <b>URL:</b> <b>No of Empl.:</b> 84 <b>Parent Co.:</b> <b>No Parent Co.:</b> <b>Pollut Prev Cmnts:</b> <b>Stacks:</b> <b>No of Stacks:</b> <b>Canadian SIC Code (2 digit):</b> <b>Canadian SIC Code:</b> <b>SIC Code Description:</b> <b>American SIC Code:</b> <b>NAICS Code (2 digit):</b> 31-33 <b>NAICS 2 Description:</b> Manufacturing <b>NAICS Code (4 digit):</b> 3231 <b>NAICS 4 Description:</b> Printing and Related Support Activities <b>NAICS Code (6 digit):</b> 323119 <b>NAICS 6 Description:</b> Other Printing		<b>Org ID:</b> <b>Submit Date:</b> <b>Last Modified:</b> <b>Contact ID:</b> <b>Cont Type:</b> MED <b>Contact Title:</b> <b>Cont First Name:</b> <b>Cont Last Name:</b> <b>Contact Position:</b> <b>Contact Fax:</b> <b>Contact Ph.:</b> <b>Cont Area Code:</b> <b>Contact Tel.:</b> <b>Contact Ext.:</b> <b>Cont Fax Area Cde:</b> <b>Contact Fax:</b> <b>Contact Email:</b> <b>Latitude:</b> <b>Longitude:</b> <b>UTM Zone:</b> <b>UTM Northing:</b> <b>UTM Easting:</b> <b>Waste Streams:</b> <b>No Streams:</b> <b>Waste Off Sites:</b> <b>No Off Sites:</b> <b>Shutdown:</b> <b>No of Shutdown:</b>			

**Substance Release Report**

<b>CAS No:</b>	NA - M16
<b>Report ID:</b>	
<b>Rpt Period:</b>	2004
<b>Subst Released:</b>	Volatile Organic Compounds (VOCs)
<b>Air:</b>	8.015
<b>Water:</b>	
<b>Land:</b>	
<b>Total Releases:</b>	8.015
<b>Units:</b>	tonnes

<a href="#">191</a>	2 of 2	SSE/228.8	110.8 / -3.00	POINT ONE GRAPHICS INC 14 VANSKO ROAD NOT AVAILABLE TORONTO ON M8Z4J5	NPRI
<b>NPRI ID:</b> 11393 <b>Other ID:</b>		<b>Org ID:</b> 102719 <b>Submit Date:</b> 6/1/2015			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>No Other ID:</b>				<b>Last Modified:</b>	6/10/2015 10:59:04 AM
<b>Track ID:</b>	130260			<b>Contact ID:</b>	
<b>Report ID:</b>	56097			<b>Cont Type:</b>	
<b>Report Type:</b>	NPRI			<b>Contact Title:</b>	
<b>Rpt Type ID:</b>	1			<b>Cont First Name:</b>	
<b>Report Year:</b>	2014			<b>Cont Last Name:</b>	
<b>Not-Current Rpt?:</b>	No			<b>Contact Position:</b>	
<b>Yr of Last Filed Rpt:</b>	2014			<b>Contact Fax:</b>	
<b>Fac ID:</b>	223394			<b>Contact Ph.:</b>	
<b>Fac Name:</b>	N/A			<b>Cont Area Code:</b>	
<b>Fac Address1:</b>	14 VANSKO ROAD			<b>Contact Tel.:</b>	
<b>Fac Address2:</b>	NOT AVAILABLE			<b>Contact Ext.:</b>	
<b>Fac Postal Zip:</b>	M8Z4J5			<b>Cont Fax Area Cde:</b>	
<b>Facility Lat:</b>	43.6202			<b>Contact Fax:</b>	
<b>Facility Long:</b>	-79.5342			<b>Contact Email:</b>	
<b>DLS (Last Filed Rpt):</b>				<b>Latitude:</b>	43.6202
<b>Facility DLS:</b>				<b>Longitude:</b>	-79.5342
<b>Datum:</b>	1983			<b>UTM Zone:</b>	
<b>Facility Cmnts:</b>				<b>UTM Northing:</b>	
<b>URL:</b>				<b>UTM Easting:</b>	
<b>No of Empl.:</b>	131			<b>Waste Streams:</b>	
<b>Parent Co.:</b>				<b>No Streams:</b>	
<b>No Parent Co.:</b>				<b>Waste Off Sites:</b>	
<b>Pollut Prev Cmnts:</b>				<b>No Off Sites:</b>	
<b>Stacks:</b>				<b>Shutdown:</b>	
<b>No of Stacks:</b>				<b>No of Shutdown:</b>	
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>		32			
<b>NAICS 2 Description:</b>		Manufacturing			
<b>NAICS Code (4 digit):</b>		3231			
<b>NAICS 4 Description:</b>		Printing and related support activities			
<b>NAICS Code (6 digit):</b>		323119			
<b>NAICS 6 Description:</b>		Other printing			
<b><u>Substance Release Report</u></b>					
<b>Category Type ID:</b>		3			
<b>Category Type Desc:</b>		Fugitive			
<b>Category Type Desc (fr):</b>		Émissions fugitives			
<b>Grouping:</b>		Total Air			
<b>Trans Code:</b>		VOCs			
<b>Chem:</b>		Volatile Organic Compounds (VOCs)			
<b>Chem (fr):</b>		Composés organiques volatils (COV)			
<b>Quantity:</b>		14.298			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		C			
<b>Basis of Estimate Desc:</b>		C- Mass Balance			
<b>Category Type ID:</b>		1			
<b>Category Type Desc:</b>		Stack / Point			
<b>Category Type Desc (fr):</b>		Rejets de cheminée ou ponctuels			
<b>Grouping:</b>		Total Air			
<b>Trans Code:</b>		ASta			
<b>Chem:</b>		Volatile Organic Compounds (VOCs)			
<b>Chem (fr):</b>		Composés organiques volatils (COV)			
<b>Quantity:</b>		.651			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		E2			
<b>Basis of Estimate Desc:</b>		E2- Published Emission Factors - In use from 2003 and onward			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">192</a>	1 of 17	SE/229.2	113.0 / -0.86	C&W METAL FINISHERS LIMITED 15 NORTH QUEEN STREET ETOBICOKE CITY ON M8Z 6C1	CA
<p><b>Certificate #:</b> 8-3303-95-000  <b>Application Year:</b> 95  <b>Issue Date:</b> 9/11/96  <b>Approval Type:</b> Industrial air  <b>Status:</b> Application Cancelled  <b>Application Type:</b>  <b>Client Name::</b>  <b>Client Address::</b>  <b>Client City::</b>  <b>Client Postal Code::</b>  <b>Project Description::</b>  <b>Contaminants::</b>  <b>Emission Control::</b></p>					
<a href="#">192</a>	2 of 17	SE/229.2	113.0 / -0.86	CANADIAN COLEMAN CO. LTD. 15 NORTH QUEEN ST. (WEST BLDG) ETOBICOKE CITY ON M8Z 6C1	CA
<p><b>Certificate #:</b> 8-3063-88-  <b>Application Year:</b> 88  <b>Issue Date:</b> 6/1/1988  <b>Approval Type:</b> Industrial air  <b>Status:</b> Cancelled  <b>Application Type:</b>  <b>Client Name::</b>  <b>Client Address::</b>  <b>Client City::</b>  <b>Client Postal Code::</b>  <b>Project Description::</b> PYROLITIC OVEN  <b>Contaminants::</b>  <b>Emission Control::</b></p>					
<a href="#">192</a>	3 of 17	SE/229.2	113.0 / -0.86	C&W METAL FINISHERS LIMITED 15 NORTH QUEEN STREET ETOBICOKE CITY ON M8Z 6C1	CA
<p><b>Certificate #:</b> 8-3303-95-  <b>Application Year:</b> 95  <b>Issue Date:</b> 7/11/1995  <b>Approval Type:</b> Industrial air  <b>Status:</b> Approved  <b>Application Type:</b>  <b>Client Name::</b>  <b>Client Address::</b>  <b>Client City::</b>  <b>Client Postal Code::</b>  <b>Project Description::</b> (2) PAINT SPRAY BOOTHS  <b>Contaminants::</b> N-Butyl Acetate, N-Butanol(Butanol), Xylene, Methyl-N-Propyl Ketone  <b>Emission Control::</b> Panel Filter</p>					
<a href="#">192</a>	4 of 17	SE/229.2	113.0 / -0.86	15 North Queen St Toronto ON	EHS
<p><b>Order ID:</b> 194194  <b>Order No:</b> 20110912050  <b>Customer ID:</b> 83827  <b>Company ID:</b> 97  <b>Date Received:</b> 9/12/2011 3:30:16 PM  <b>Lot/Building Size:</b>  <b>Municipality:</b>  <b>Client Prov/State:</b> ON</p>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Status:</b>	C			<b>Search Radius (km):</b> 0.25	
<b>Report Code:</b>	4CAN			<b>Large Radius:</b> 0.25	
<b>Report Type:</b>	Custom Report			<b>X:</b> -79.531378	
<b>Report Date:</b>	9/21/2011			<b>Y:</b> 43.628567	
<b>Report Requested by:</b>	exp Services Inc.				
<b>Nearest Intersection:</b>					
<b>Previous Site Name:</b>					
<b>Additional Info Ordered:</b>	Fire Insur. Maps and/or Site Plans				

<a href="#">192</a>	5 of 17	SE/229.2	113.0 / -0.86	CANADIAN COLEMAN CO LTD, THE 15 NORTH QUEEN ST TORONTO ON M8Z 6C1	GEN
<b>Generator No.:</b>	ON0045800			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	86,87			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	1611				
<b>SIC Description:</b>	FOAMED & EXP. PLAS.				
<b>--Details--</b>					
<b>Waste Code:</b>	112				
<b>Waste Description:</b>	ACID WASTE - HEAVY METALS				
<b>Waste Code:</b>	212				
<b>Waste Description:</b>	ALIPHATIC SOLVENTS				
<b>Waste Code:</b>	241				
<b>Waste Description:</b>	HALOGENATED SOLVENTS				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Code:</b>	253				
<b>Waste Description:</b>	EMULSIFIED OILS				

<a href="#">192</a>	6 of 17	SE/229.2	113.0 / -0.86	Pamlimar Investments & Enterprises Limited 15 North Queen Street Suite 103 Toronto ON M8Z 6C1	GEN
<b>Generator No.:</b>	ON5404915			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	06			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	221111				
<b>SIC Description:</b>	Hydro-Electric Power Generation				
<b>--Details--</b>					
<b>Waste Code:</b>	243				
<b>Waste Description:</b>	PCB'S				

<a href="#">192</a>	7 of 17	SE/229.2	113.0 / -0.86	CANADIAN COLEMAN COMPANY LTD., THE 15 NORTH QUEEN STREET ETOBICOKE ON M8Z 2C6	GEN
<b>Generator No.:</b>	ON0045800			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:	98,99,00,01  1611			Choice of Contact: Co Admin: Phone No. Admin:  FOAMED & EXP. PLAS.	
<b>--Details--</b>					
Waste Code: Waste Description:		253 EMULSIFIED OILS			
Waste Code: Waste Description:		111 SPENT PICKLE LIQUOR			
Waste Code: Waste Description:		112 ACID WASTE - HEAVY METALS			
Waste Code: Waste Description:		122 ALKALINE WASTES - OTHER METALS			
Waste Code: Waste Description:		131 NEUTRALIZED WASTES - HEAVY METALS			
Waste Code: Waste Description:		145 PAINT/PIGMENT/COATING RESIDUES			
Waste Code: Waste Description:		212 ALIPHATIC SOLVENTS			
Waste Code: Waste Description:		213 PETROLEUM DISTILLATES			
Waste Code: Waste Description:		241 HALOGENATED SOLVENTS			
Waste Code: Waste Description:		243 PCB'S			
Waste Code: Waste Description:		251 OIL SKIMMINGS & SLUDGES			
Waste Code: Waste Description:		252 WASTE OILS & LUBRICANTS			
<a href="#">192</a>	8 of 17	SE/229.2	113.0 / -0.86	Quantum Murray LP 15 North Queen Street Etobicoke ON	GEN
Generator No.:	ON7294458			PO Box No.:	
Status:				Country:	
Approval Years:	2009			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No. Admin:	
SIC Code:	562910				
SIC Description:	Remediation Services				
<b>--Details--</b>					
Waste Code: Waste Description:		146 OTHER SPECIFIED INORGANICS			
<a href="#">192</a>	9 of 17	SE/229.2	113.0 / -0.86	CANADIAN COLEMAN CO LTD, THE	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
				15 NORTH QUEEN ST ETOBICOKE ON M8Z 6C1	
<b>Generator No.:</b>	ON0045800			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	88,89,90			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	1611				
<b>SIC Description:</b>		FOAMED & EXP. PLAS.			
<b>--Details--</b>					
<b>Waste Code:</b>		111			
<b>Waste Description:</b>		SPENT PICKLE LIQUOR			
<b>Waste Code:</b>		112			
<b>Waste Description:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Code:</b>		122			
<b>Waste Description:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Code:</b>		131			
<b>Waste Description:</b>		NEUTRALIZED WASTES - HEAVY METALS			
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		241			
<b>Waste Description:</b>		HALOGENATED SOLVENTS			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		253			
<b>Waste Description:</b>		EMULSIFIED OILS			

[192](#) 10 of 17 SE/229.2 113.0 / -0.86 CANADIAN COLEMAN CO LTD, THE 08-053 GEN  
15 NORTH QUEEN ST  
ETOBICOKE ON M8Z 6C1

**Generator No.:** ON0045800 **PO Box No.:**  
**Status:** **Country:**  
**Approval Years:** 92,93,94,95,96,97 **Choice of Contact:**  
**Contam. Facility:** **Co Admin:**  
**MHSW Facility:** **Phone No. Admin:**  
**SIC Code:** 1611  
**SIC Description:** FOAMED & EXP. PLAS.

**--Details--**  
**Waste Code:** 112  
**Waste Description:** ACID WASTE - HEAVY METALS  
**Waste Code:** 111

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Description:</b>		SPENT PICKLE LIQUOR			
<b>Waste Code:</b>		122			
<b>Waste Description:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Code:</b>		131			
<b>Waste Description:</b>		NEUTRALIZED WASTES - HEAVY METALS			
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		241			
<b>Waste Description:</b>		HALOGENATED SOLVENTS			
<b>Waste Code:</b>		243			
<b>Waste Description:</b>		PCB'S			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		253			
<b>Waste Description:</b>		EMULSIFIED OILS			

<a href="#">192</a>	11 of 17	SE/229.2	113.0 / -0.86	Christie Lites Ltd. 15 North Queen Street Unit 102 Toronto ON M8Z 6C1	GEN
<b>Generator No.:</b>	ON4850625			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	04			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	512190				
<b>SIC Description:</b>	Post-Production and Other Motion Picture and Video Industries				

<a href="#">192</a>	12 of 17	SE/229.2	113.0 / -0.86	CANADIAN COLEMAN CO. LTD. 15 NORTH QUEEN STREET TORONTO ON M8Z 6C1	NPCB
<b>Company Code:</b>	O0647				
<b>Industry:</b>	Metal Refining				
<b>Site Status:</b>					
<b>Transaction Date:</b>	8/30/1990				
<b>Inspection Date:</b>	1/23/1990				
<b>--Details--</b>					
<b>Label:</b>					
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>	Pyranol				
<b>Location:</b>					
<b>Item/State:</b>					
<b>No. of Items:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Manufacturer:</b>					
<b>Status:</b>		In-Use			
<b>Contents:</b>		4.50 L			
<b>Label:</b>					
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		Pyranol			
<b>Location:</b>					
<b>Item/State:</b>					
<b>No. of Items:</b>					
<b>Manufacturer:</b>					
<b>Status:</b>		In-Use			
<b>Contents:</b>		820.00 L			
<b>Label:</b>					
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		Pyranol			
<b>Location:</b>					
<b>Item/State:</b>					
<b>No. of Items:</b>					
<b>Manufacturer:</b>					
<b>Status:</b>		In-Use			
<b>Contents:</b>		828.00 L			
<b>Label:</b>					
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		Pyranol			
<b>Location:</b>					
<b>Item/State:</b>					
<b>No. of Items:</b>					
<b>Manufacturer:</b>					
<b>Status:</b>		In-Use			
<b>Contents:</b>		1007.00 L			
<a href="#">192</a>	13 of 17	SE/229.2	113.0 / -0.86	PAMLIMAR INVESTMENTS & ENTERPRISES LIMITED 15 NORTH QUEEN STREET TORONTO ON M8Z 6C1	NPCB
<b>Company Code:</b>		O0647			
<b>Industry:</b>		OTHER			
<b>Site Status:</b>		INSPECTED SITES (NON-FEDERAL)			
<b>Transaction Date:</b>		9/20/1993			
<b>Inspection Date:</b>		12/14/2005			
<b>--Details--</b>					
<b>Label:</b>		OR24683			
<b>Serial No.:</b>		266680			
<b>PCB Type/Code:</b>		ASKAREL/PYRANOL			
<b>Location:</b>		SUBSTATION #2			
<b>Item/State:</b>		TRANSFORMER/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>		CGE			
<b>Status:</b>		IN-USE			
<b>Contents:</b>		828 L			
<b>Label:</b>		OR24682			
<b>Serial No.:</b>		282220			
<b>PCB Type/Code:</b>		ASKAREL/PYRANOL			
<b>Location:</b>		SUBSTATION #3			
<b>Item/State:</b>		TRANSFORMER/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>		CGE			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>Status:</b>		IN-USE			
<b>Contents:</b>		1007 L			
<b>Label:</b>		OR00318			
<b>Serial No.:</b>		ML8593531GR1			
<b>PCB Type/Code:</b>		ASKAREL/PYRANOL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		IN-USE			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR20233			
<b>Serial No.:</b>		587416			
<b>PCB Type/Code:</b>		ASKAREL/PYRANOL			
<b>Location:</b>		SUBSTATIN #2			
<b>Item/State:</b>		TRANSFORMER/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>		CGE			
<b>Status:</b>		IN-USE			
<b>Contents:</b>		820 L			
<b>Label:</b>		OR24680			
<b>Serial No.:</b>		255448			
<b>PCB Type/Code:</b>		ASKAREL/PYRANOL			
<b>Location:</b>		SUBSTATION #1			
<b>Item/State:</b>		TRANSFORMER/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>		CGE			
<b>Status:</b>		IN-USE			
<b>Contents:</b>		828 L			
<b>Label:</b>		OR24684			
<b>Serial No.:</b>		266679			
<b>PCB Type/Code:</b>		ASKAREL/PYRANOL			
<b>Location:</b>		SUBSTATION #2			
<b>Item/State:</b>		TRANSFORMER/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>		CGE			
<b>Status:</b>		IN-USE			
<b>Contents:</b>		828 L			
<b>Label:</b>		OR24681			
<b>Serial No.:</b>		254419			
<b>PCB Type/Code:</b>		ASKAREL/PYRANOL			
<b>Location:</b>					
<b>Item/State:</b>		TRANSFORMER/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		IN-USE			
<b>Contents:</b>		828 L			
<b>Label:</b>		OR24682			
<b>Serial No.:</b>		282220			
<b>PCB Type/Code:</b>		ASKAREL/PYRANOL			
<b>Location:</b>					
<b>Item/State:</b>		TRANSFORMER/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		IN-USE			
<b>Contents:</b>		1007 L			
<b>Label:</b>		OR20233			
<b>Serial No.:</b>		587416			
<b>PCB Type/Code:</b>		ASKAREL/PYRANOL			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Location:</b>					
<b>Item/State:</b>		TRANSFORMER/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		IN-USE			
<b>Contents:</b>		820 L			
<b>Label:</b>					
<b>Serial No.:</b>		OR24684			
<b>PCB Type/Code:</b>		266679			
<b>Location:</b>		ASKAREL/PYRANOL			
<b>Item/State:</b>		TRANSFORMER/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		IN-USE			
<b>Contents:</b>		828 L			
<b>Label:</b>					
<b>Serial No.:</b>		OR24683			
<b>PCB Type/Code:</b>		266680			
<b>Location:</b>		ASKAREL/PYRANOL			
<b>Item/State:</b>		TRANSFORMER/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		IN-USE			
<b>Contents:</b>		828 L			
<b>Label:</b>					
<b>Serial No.:</b>		OR00318			
<b>PCB Type/Code:</b>		ML8593531GR1			
<b>Location:</b>		ASKAREL/PYRANOL			
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		18			
<b>Manufacturer:</b>					
<b>Status:</b>		IN-USE			
<b>Contents:</b>		4.5 L			

**192**    14 of 17    **SE/229.2**    113.0 / -0.86    **CANADIAN COLEMAN CO. LTD.**  
**15 NORTH QUEEN STREET**    **NPCB**  
**Toronto ON M8Z 6C1**

**Company Code:** O0647  
**Industry:** Metal Refining  
**Site Status:** In- Use  
**Transaction Date:** 1/23/1990  
**Inspection Date:** 1/23/1990

**--Details--**

**Label:**  
**Serial No.:**  
**PCB Type/Code:** Askarel/Pyranol  
**Location:**  
**Item/State:**  
**No. of Items:**  
**Manufacturer:**  
**Status:** In-Use  
**Contents:**

**Label:**  
**Serial No.:**  
**PCB Type/Code:** Askarel/Pyranol  
**Location:** SUBSTATION # 1  
**Item/State:**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>No. of Items:</b> <b>Manufacturer:</b> <b>Status:</b> In-Use <b>Contents:</b>  <b>Label:</b> <b>Serial No.:</b> <b>PCB Type/Code:</b> Askarel/Pyranol <b>Location:</b> SUBSTATION # 2 <b>Item/State:</b> <b>No. of Items:</b> <b>Manufacturer:</b> <b>Status:</b> In-Use <b>Contents:</b>  <b>Label:</b> <b>Serial No.:</b> <b>PCB Type/Code:</b> Askarel/Pyranol <b>Location:</b> SUBSTATION # 3 <b>Item/State:</b> <b>No. of Items:</b> <b>Manufacturer:</b> <b>Status:</b> In-Use <b>Contents:</b>					
<a href="#">192</a>	15 of 17	SE/229.2	113.0 / -0.86	CANADIAN COLEMAN CO. LTD. 15 NORTH QUEEN ST TORONTO ON M8Z 6C1	NPCB
<b>Company Code:</b> O0647 <b>Industry:</b> METAL REFINING <b>Site Status:</b> INSPECTED SITE (NON FEDERAL) <b>Transaction Date:</b> 9/20/1993 <b>Inspection Date:</b> 1/23/1990					
<a href="#">192</a>	16 of 17	SE/229.2	113.0 / -0.86	Ultraseal Water Proof/SealTech 15 North Queen St Toronto ON M8Z 6C1	SCT
<b>Established:</b> 01-JUL-91 <b>Plant Size (ft²):</b> 15000 <b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b> Asphalt Shingle and Coating Material Manufacturing <b>SIC/NAICS Code:</b> 324122					
<b>Description:</b> Paint and Coating Manufacturing <b>SIC/NAICS Code:</b> 325510					
<b>Description:</b> All Other Miscellaneous Chemical Product Manufacturing <b>SIC/NAICS Code:</b> 325999					
<b>Description:</b> Asphalt Shingle and Coating Material Manufacturing <b>SIC/NAICS Code:</b> 324122					
<b>Description:</b> Construction Machinery Manufacturing <b>SIC/NAICS Code:</b> 333120					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">192</a>	17 of 17	SE/229.2	113.0 / -0.86	THE CANADIAN COLEMAN COMPANY 15 NORTH QUEEN ST ETOBICOKE ON M8Z 6C1	SCT
<b>Established:</b>		1920			
<b>Plant Size (ft²):</b>		130000			
<b>Employment:</b>		30			
<b>--Details--</b>					
<b>Description:</b>		SPORTING AND RECREATIONAL GOODS AND SUPPLIES			
<b>SIC/NAICS Code:</b>		5091			
<b>Description:</b>		NONDURABLE GOODS, NOT ELSEWHERE CLASSIFIED			
<b>SIC/NAICS Code:</b>		5199			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">193</a>	1 of 1	S/231.4	112.9 / -0.96	Toronto ON	WWIS
<b>Well ID:</b>		7258513			
<b>Construction Date:</b>					
<b>Primary Water Use:</b>		Monitoring and Test Hole			
<b>Sec. Water Use:</b>		0			
<b>Final Well Status:</b>		Monitoring and Test Hole			
<b>Water Type:</b>					
<b>Casing Material:</b>					
<b>Audit No:</b>		Z228104			
<b>Tag:</b>		A200998			
<b>Construction Method:</b>					
<b>Elevation (m):</b>					
<b>Elevation Reliability:</b>					
<b>Depth to Bedrock:</b>					
<b>Well Depth:</b>					
<b>Overburden/Bedrock:</b>					
<b>Pump Rate:</b>					
<b>Static Water Level:</b>					
<b>Flowing (Y/N):</b>					
<b>Flow Rate:</b>					
<b>Clear/Cloudy:</b>					
<b>Data Entry Status:</b>					
<b>Data Src:</b>					
<b>Date Received:</b>		3/2/2016			
<b>Selected Flag:</b>		Yes			
<b>Abandonment Rec:</b>					
<b>Contractor:</b>		7241			
<b>Form Version:</b>		7			
<b>Owner:</b>					
<b>Street Name:</b>		1544 THE QUEENSWAY			
<b>County:</b>		YORK			
<b>Municipality:</b>		ETOBICOKE BOROUGH			
<b>Site Info:</b>					
<b>Lot:</b>					
<b>Concession:</b>					
<b>Concession Name:</b>					
<b>Easting NAD83:</b>					
<b>Northing NAD83:</b>					
<b>Zone:</b>					
<b>UTM Reliability:</b>					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>		1005895991			
<b>DP2BR:</b>					
<b>Spatial Status:</b>					
<b>Code OB:</b>					
<b>Code OB Desc:</b>					
<b>Open Hole:</b>					
<b>Cluster Kind:</b>					
<b>Date Completed:</b>		10-FEB-16			
<b>Remarks:</b>					
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1005999288			
<b>Layer:</b>		1			



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		3			
<b>Formation End Depth UOM:</b>		ft			
<b>Formation ID:</b>		1005999289			
<b>Layer:</b>		2			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		17			
<b>Most Common Material:</b>		SHALE			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>		68			
<b>Other Materials:</b>		DRY			
<b>Formation Top Depth:</b>		3			
<b>Formation End Depth:</b>		20			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005999297			
<b>Layer:</b>		1			
<b>Plug From:</b>		9			
<b>Plug To:</b>		20			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1005999298			
<b>Layer:</b>		2			
<b>Plug From:</b>		.5			
<b>Plug To:</b>		9			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1005999299			
<b>Layer:</b>		3			
<b>Plug From:</b>		0			
<b>Plug To:</b>		.5			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1005999296			
<b>Method Construction Code:</b>		D			
<b>Method Construction:</b>		Direct Push			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1005999287			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Construction Record - Casing</u></b>					
Casing ID:		1005999292			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		2			
Depth To:		10			
Casing Diameter:		2			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<b><u>Construction Record - Screen</u></b>					
Screen ID:		1005999293			
Layer:		1			
Slot:		10			
Screen Top Depth:		10			
Screen End Depth:		20			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.25			
<b><u>Water Details</u></b>					
Water ID:		1005999291			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<b><u>Hole Diameter</u></b>					
Hole ID:		1005999290			
Diameter:		6			
Depth From:		0			
Depth To:		20			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

<a href="#">194</a>	1 of 1	WNW/232.0	119.8 / 6.00	ESSO PETROLEUM CANADA 30 SHORNCLEIFF RD. CARD LOCK STATION TORONTO CITY ON	SPL
Ref No:	134133			Discharger Report:	
Site No:				Material Group:	
Incident Dt:	11/11/1996			Client Type:	
Year:				Sector Type:	
Incident Cause:	PIPE/HOSE LEAK			Source Type:	
Incident Event:				Nearest Watercourse:	
Contaminant Code:				Site Name:	
Contaminant Name:				Site Address:	
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site County/District:	
Contaminant UN No 1:				Site Postal Code:	
Contaminant Qty:				Site Region:	
Environment Impact:	NOT ANTICIPATED			Site Municipality:	01106
Nature of Impact:				Site Lot:	
Receiving Medium:	LAND			Site Conc:	
Receiving Env:				Northing:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Health/Env Conseq:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 11/11/1996 <b>Dt Document Closed:</b> <b>SAC Action Class:</b> <b>Incident Reason:</b> ERROR <b>Incident Summary:</b> ESSO WEST END CARDLOCK STN-20 L DIESEL TO CON- CRETE & SEPARATOR,CLEAN'D				<b>Easting:</b> <b>Site Geo Ref Accu:</b> <b>Site Geo Ref Meth:</b> <b>Site Map Datum:</b>	

<a href="#">195</a>	1 of 26	W/232.1	119.8 / 6.00	Metro Waste Paper Recovery Inc. 66 Shorncliffe Road Toronto ON M8Z 5K1	CA
<b>Certificate #:</b> 9940-7GCKJH <b>Application Year:</b> 2008 <b>Issue Date:</b> 7/14/2008 <b>Approval Type:</b> Air <b>Status:</b> Approved <b>Application Type:</b> <b>Client Name::</b> <b>Client Address::</b> <b>Client City::</b> <b>Client Postal Code::</b> <b>Project Description::</b> <b>Contaminants::</b> <b>Emission Control::</b>					

<a href="#">195</a>	2 of 26	W/232.1	119.8 / 6.00	Metro Waste Paper Recovery Inc. 66 Shorncliffe Road Toronto Ontario M8Z 5K1 Toronto ON	EBR
<b>Company Name:</b> Metro Waste Paper Recovery Inc. <b>EBR Registry No.:</b> IA06E0238 <b>Ministry Ref. No.:</b> 6405-6LZS4A <b>Notice Type:</b> Instrument Decision <b>Notice Date:</b> July 22, 2008 <b>Proposal Date:</b> February 27, 2006 <b>Year:</b> 2006 <b>Proponent Address:</b> 66 Shorecliffe Road, Toronto Ontario, M8Z 5K1 <b>Instrument Type:</b> (EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air) <b>Location Other:</b>  <b>Location:</b>  66 Shorncliffe Road Toronto Ontario M8Z 5K1 Toronto					

<a href="#">195</a>	3 of 26	W/232.1	119.8 / 6.00	Cascades Recovery Inc. 66 Shorncliffe Road Toronto M8Z 5K1 CITY OF TORONTO ON	EBR
<b>Company Name:</b> Cascades Recovery Inc. <b>EBR Registry No.:</b> 012-0051 <b>Ministry Ref. No.:</b> 5157-9AZNZH <b>Notice Type:</b> Instrument Decision <b>Notice Date:</b> July 29, 2014 <b>Proposal Date:</b> September 17, 2013 <b>Year:</b> 2013					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Proponent Address:** 66 Shorncliffe Road, Toronto Ontario, Canada M8Z 5K1  
**Instrument Type:** (EPA Part II.1-waste) - Environmental Compliance Approval (project type: waste)  
**Location Other:**

**Location:**

66 Shorncliffe Road Toronto M8Z 5K1 CITY OF TORONTO

<a href="#">195</a>	4 of 26	W/232.1	119.8 / 6.00	Metro Waste Paper Recovery Inc. 66 Shorncliffe Road Toronto ON M8Z 5K1	ECA
<b>Approval No:</b>	9940-7GCKJH			<b>SWP Area Name:</b>	Toronto
<b>Approval Date:</b>	2008-07-14			<b>MOE District:</b>	Toronto
<b>Status:</b>	Approved			<b>City:</b>	Toronto
<b>Record Type:</b>	ECA			<b>Longitude:</b>	-79.5425899999999
<b>Link Source:</b>	IDS			<b>Latitude:</b>	43.627113
<b>Approval Type:</b>	ECA-AIR				
<b>Project Type:</b>	AIR				
<b>Address:</b>	66 Shorncliffe Road				
<b>Full Address:</b>					
<b>Full PDF Link:</b>	<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/6405-6LZS4A-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/6405-6LZS4A-14.pdf</a>				

<a href="#">195</a>	5 of 26	W/232.1	119.8 / 6.00	CASCADES RECOVERY INC. 66 SHORNCLIFFE ROAD TORONTO ON M8Z 5K1	GEN
<b>Generator No.:</b>	ON1202603			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2011			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	562920				
<b>SIC Description:</b>	Material Recovery Facilities				
<b>--Details--</b>					
<b>Waste Code:</b>	146				
<b>Waste Description:</b>	OTHER SPECIFIED INORGANICS				
<b>Waste Code:</b>	241				
<b>Waste Description:</b>	HALOGENATED SOLVENTS				
<b>Waste Code:</b>	312				
<b>Waste Description:</b>	PATHOLOGICAL WASTES				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				

<a href="#">195</a>	6 of 26	W/232.1	119.8 / 6.00	METRO WASTE PAPER RECOVERY INC. 66 SHORNCLIFFE ROAD TORONTO ON M8Z 5K1	GEN
<b>Generator No.:</b>	ON1202603			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2009			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>MHSW Facility:</b> <b>SIC Code:</b> 562920 <b>SIC Description:</b> Material Recovery Facilities				<b>Phone No. Admin:</b>	
<b>--Details--</b>					
<b>Waste Code:</b> 146					
<b>Waste Description:</b> OTHER SPECIFIED INORGANICS					
<b>Waste Code:</b> 213					
<b>Waste Description:</b> PETROLEUM DISTILLATES					
<b>Waste Code:</b> 241					
<b>Waste Description:</b> HALOGENATED SOLVENTS					
<b>Waste Code:</b> 252					
<b>Waste Description:</b> WASTE OILS & LUBRICANTS					
<b>Waste Code:</b> 312					
<b>Waste Description:</b> PATHOLOGICAL WASTES					
<a href="#">195</a>	7 of 26	W/232.1	119.8 / 6.00	<b>METRO WASTE PAPER RECOVERY INC. 66 SHORNCLIFFE ROAD TORONTO ON M8Z 5K1</b>	<b>GEN</b>
<b>Generator No.:</b> ON1202603				<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b> 02,03,04,05,06,07,08				<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b> 562920					
<b>SIC Description:</b> Material Recovery Facilities					
<b>--Details--</b>					
<b>Waste Code:</b> 241					
<b>Waste Description:</b> HALOGENATED SOLVENTS					
<b>Waste Code:</b> 146					
<b>Waste Description:</b> OTHER SPECIFIED INORGANICS					
<b>Waste Code:</b> 312					
<b>Waste Description:</b> PATHOLOGICAL WASTES					
<b>Waste Code:</b> 213					
<b>Waste Description:</b> PETROLEUM DISTILLATES					
<b>Waste Code:</b> 252					
<b>Waste Description:</b> WASTE OILS & LUBRICANTS					
<a href="#">195</a>	8 of 26	W/232.1	119.8 / 6.00	<b>CASCADES RECOVERY INC. 66 SHORNCLIFFE ROAD TORONTO ON M8Z 5K1</b>	<b>GEN</b>
<b>Generator No.:</b> ON1202603				<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b> 2010				<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b> 562920					
<b>SIC Description:</b> Material Recovery Facilities					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>--Details--</b>					
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		312			
<b>Waste Description:</b>		PATHOLOGICAL WASTES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		146			
<b>Waste Description:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Code:</b>		241			
<b>Waste Description:</b>		HALOGENATED SOLVENTS			
<a href="#">195</a>	9 of 26	W/232.1	119.8 / 6.00	CASCADES RECOVERY INC. 66 SHORNCLIFFE ROAD TORONTO ON M8Z 5K1	GEN
<b>Generator No.:</b>	ON1202603			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2014			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	562920				
<b>SIC Description:</b>	562920				
<b>--Details--</b>					
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		241			
<b>Waste Description:</b>		HALOGENATED SOLVENTS			
<b>Waste Code:</b>		263			
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			
<b>Waste Code:</b>		146			
<b>Waste Description:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		312			
<b>Waste Description:</b>		PATHOLOGICAL WASTES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<a href="#">195</a>	10 of 26	W/232.1	119.8 / 6.00	CASCADES RECOVERY INC. 66 SHORNCLIFFE ROAD	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>TORONTO ON</b>					
<b>Generator No.:</b>	ON1202603			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2013			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	562920				
<b>SIC Description:</b>					
<b>--Details--</b>					
<b>Waste Code:</b>		146			
<b>Waste Description:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Code:</b>		312			
<b>Waste Description:</b>		PATHOLOGICAL WASTES			
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>		263			
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		241			
<b>Waste Description:</b>		HALOGENATED SOLVENTS			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			
<b>195</b>	11 of 26	<b>W/232.1</b>	<b>119.8 / 6.00</b>	<b>CASCADES RECOVERY INC. 66 SHORNCLIFFE ROAD TORONTO ON M8Z 5K1</b>	<b>GEN</b>
<b>Generator No.:</b>	ON1202603			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2015			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	562920				
<b>SIC Description:</b>	562920				
<b>--Details--</b>					
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		146			
<b>Waste Description:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Code:</b>		312			
<b>Waste Description:</b>		PATHOLOGICAL WASTES			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			
<b>Waste Code:</b>		263			
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>		241			
<b>Waste Description:</b>		HALOGENATED SOLVENTS			
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			

<a href="#">195</a>	12 of 26	W/232.1	119.8 / 6.00	CASCADES RECOVERY INC. 66 SHORNCLIFFE ROAD TORONTO ON M8Z 5K1	GEN
<b>Generator No.:</b>	ON1202603			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2012			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	562920				
<b>SIC Description:</b>	Material Recovery Facilities				
<b>--Details--</b>					
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		312			
<b>Waste Description:</b>		PATHOLOGICAL WASTES			
<b>Waste Code:</b>		241			
<b>Waste Description:</b>		HALOGENATED SOLVENTS			
<b>Waste Code:</b>		146			
<b>Waste Description:</b>		OTHER SPECIFIED INORGANICS			

<a href="#">195</a>	13 of 26	W/232.1	119.8 / 6.00	Cascades Recovery+ 66 SHORNCLIFFE ROAD TORONTO ON M8Z 5K1	GEN
<b>Generator No.:</b>	ON1202603			<b>PO Box No.:</b>	
<b>Status:</b>	Registered			<b>Country:</b>	Canada
<b>Approval Years:</b>	As of Dec 2017			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>--Details--</b>					
<b>Waste Code:</b>		213 T			
<b>Waste Description:</b>		Petroleum distillates			
<b>Waste Code:</b>		213 L			
<b>Waste Description:</b>		Petroleum distillates			
<b>Waste Code:</b>		263 L			
<b>Waste Description:</b>		Misc. waste organic chemicals			
<b>Waste Code:</b>		252 L			
<b>Waste Description:</b>		Waste crankcase oils and lubricants			
<b>Waste Code:</b>		251 L			
<b>Waste Description:</b>		Waste oils/sludges (petroleum based)			
<b>Waste Code:</b>		212 L			
<b>Waste Description:</b>		Aliphatic solvents and residues			
<b>Waste Code:</b>		213 I			
<b>Waste Description:</b>		Petroleum distillates			
<b>Waste Code:</b>		145 L			
<b>Waste Description:</b>		Wastes from the use of pigments, coatings and paints			
<b>Waste Code:</b>		146 H			
<b>Waste Description:</b>		Other specified inorganic sludges, slurries or solids			
<b>Waste Code:</b>		312 P			
<b>Waste Description:</b>		Pathological wastes			
<b>Waste Code:</b>		331 I			
<b>Waste Description:</b>		Waste compressed gases including cylinders			
<b>Waste Code:</b>		263 I			
<b>Waste Description:</b>		Misc. waste organic chemicals			

[195](#)    14 of 26    **W/232.1**    **119.8 / 6.00**    **Cascades Recovery+  
66 SHORNCLIFFE ROAD  
TORONTO ON M8Z 5K1**    **GEN**

<b>Generator No.:</b>	ON1202603	<b>PO Box No.:</b>	
<b>Status:</b>		<b>Country:</b>	Canada
<b>Approval Years:</b>	2016	<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No	<b>Co Admin:</b>	
<b>MHSW Facility:</b>	No	<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	562920		
<b>SIC Description:</b>	562920		

**--Details--**

**Waste Code:** 331  
**Waste Description:** WASTE COMPRESSED GASES

**Waste Code:** 212  
**Waste Description:** ALIPHATIC SOLVENTS

**Waste Code:** 251  
**Waste Description:** OIL SKIMMINGS & SLUDGES

**Waste Code:** 213  
**Waste Description:** PETROLEUM DISTILLATES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Code:		145			
Waste Description:		PAINT/PIGMENT/COATING RESIDUES			
Waste Code:		241			
Waste Description:		HALOGENATED SOLVENTS			
Waste Code:		146			
Waste Description:		OTHER SPECIFIED INORGANICS			
Waste Code:		252			
Waste Description:		WASTE OILS & LUBRICANTS			
Waste Code:		312			
Waste Description:		PATHOLOGICAL WASTES			
Waste Code:		263			
Waste Description:		ORGANIC LABORATORY CHEMICALS			

<a href="#">195</a>	15 of 26	W/232.1	119.8 / 6.00	<b>METRO WASTE PAPER RECOVERY</b> 66 SHORNCLIFFE Road TORONTO ON M8Z5K1	<b>NPRI</b>
NPRI ID:	8800000468			Org ID:	
Other ID:				Submit Date:	
No Other ID:				Last Modified:	
Track ID:				Contact ID:	
Report ID:				Cont Type:	MED
Report Type:				Contact Title:	Mr.
Rpt Type ID:				Cont First Name:	ROBERT
Report Year:	2004			Cont Last Name:	LOEFFLER
Not-Current Rpt?:				Contact Position:	Manager of Corporate Services
Yr of Last Filed Rpt:				Contact Fax:	
Fac ID:				Contact Ph.:	
Fac Name:	SHORNCLIFFE SITE			Cont Area Code:	416
Fac Address1:				Contact Tel.:	2328805
Fac Address2:				Contact Ext.:	0
Fac Postal Zip:				Cont Fax Area Cde:	416
Facility Lat:				Contact Fax:	2328825
Facility Long:				Contact Email:	robert@metrowaste.com
DLS (Last Filed Rpt):				Latitude:	
Facility DLS:				Longitude:	
Datum:				UTM Zone:	
Facility Cmnts:				UTM Northing:	
URL:				UTM Easting:	
No of Empl.:	102			Waste Streams:	
Parent Co.:				No Streams:	
No Parent Co.:				Waste Off Sites:	
Pollut Prev Cmnts:				No Off Sites:	
Stacks:				Shutdown:	
No of Stacks:				No of Shutdown:	
Canadian SIC Code (2 digit):					
Canadian SIC Code:					
SIC Code Description:					
American SIC Code:					
NAICS Code (2 digit):	56				
NAICS 2 Description:	Administrative and Support, Waste Management and Remediation Services				
NAICS Code (4 digit):	5629				
NAICS 4 Description:	Remediation and Other Waste Management Services				
NAICS Code (6 digit):	562920				
NAICS 6 Description:	Material Recovery Facilities				

**Substance Release Report**

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>CAS No:</b>		10024-97-2			
<b>Report ID:</b>					
<b>Rpt Period:</b>		2004			
<b>Subst Released:</b>		Nitrous oxide			
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>					
<b>Units:</b>		tonnes			
<b>CAS No:</b>		NA - M09			
<b>Report ID:</b>					
<b>Rpt Period:</b>		2004			
<b>Subst Released:</b>		PM10 - Particulate Matter <= 10 Microns			
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>					
<b>Units:</b>		tonnes			
<b>CAS No:</b>		7446-09-5			
<b>Report ID:</b>					
<b>Rpt Period:</b>		2004			
<b>Subst Released:</b>		Sulphur dioxide			
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>					
<b>Units:</b>		tonnes			
<b>CAS No:</b>		124-38-9			
<b>Report ID:</b>					
<b>Rpt Period:</b>		2004			
<b>Subst Released:</b>		Carbon dioxide			
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>					
<b>Units:</b>		tonnes			
<b>CAS No:</b>		630-08-0			
<b>Report ID:</b>					
<b>Rpt Period:</b>		2004			
<b>Subst Released:</b>		Carbon monoxide			
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>					
<b>Units:</b>		tonnes			
<b>CAS No:</b>		NA - M16			
<b>Report ID:</b>					
<b>Rpt Period:</b>		2004			
<b>Subst Released:</b>		Volatile Organic Compounds (VOCs)			
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>					
<b>Units:</b>		tonnes			
<b>CAS No:</b>		11104-93-1			
<b>Report ID:</b>					
<b>Rpt Period:</b>		2004			
<b>Subst Released:</b>		Nitrogen oxides (expressed as NO2)			
<b>Air:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>					
<b>Units:</b>		tonnes			
<b>CAS No:</b> 74-82-8					
<b>Report ID:</b>					
<b>Rpt Period:</b> 2004					
<b>Subst Released:</b> Methane					
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>					
<b>Units:</b>		tonnes			
<b>CAS No:</b> 811-97-2					
<b>Report ID:</b>					
<b>Rpt Period:</b> 2004					
<b>Subst Released:</b> HFC-134a Hydrofluorocarbon					
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>					
<b>Units:</b>		tonnes			
<b>CAS No:</b> NA - M08					
<b>Report ID:</b>					
<b>Rpt Period:</b> 2004					
<b>Subst Released:</b> PM - Total Particulate Matter					
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>					
<b>Units:</b>		tonnes			
<b>CAS No:</b> NA - M10					
<b>Report ID:</b>					
<b>Rpt Period:</b> 2004					
<b>Subst Released:</b> PM2.5 - Particulate Matter <= 2.5 Microns					
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>					
<b>Units:</b>		tonnes			

<a href="#">195</a>	16 of 26	W/232.1	119.8 / 6.00	<b>METRO WASTE PAPER RECOVERY</b> 66 SHORNCLIFFE Road TORONTO ON M8Z5K1	<b>NPRI</b>
---------------------	----------	---------	--------------	---	-------------

<b>NPRI ID:</b>	8800000038	<b>Org ID:</b>	
<b>Other ID:</b>		<b>Submit Date:</b>	
<b>No Other ID:</b>		<b>Last Modified:</b>	
<b>Track ID:</b>		<b>Contact ID:</b>	
<b>Report ID:</b>		<b>Cont Type:</b>	MED
<b>Report Type:</b>		<b>Contact Title:</b>	Mr.
<b>Rpt Type ID:</b>		<b>Cont First Name:</b>	ROBERT
<b>Report Year:</b>	2005	<b>Cont Last Name:</b>	LOEFFLER
<b>Not-Current Rpt?:</b>		<b>Contact Position:</b>	Manager of Corporate Services
<b>Yr of Last Filed Rpt:</b>		<b>Contact Fax:</b>	
<b>Fac ID:</b>		<b>Contact Ph.:</b>	
<b>Fac Name:</b>	SHORNCLIFFE SITE	<b>Cont Area Code:</b>	416
<b>Fac Address1:</b>		<b>Contact Tel.:</b>	2328805
<b>Fac Address2:</b>		<b>Contact Ext.:</b>	0
<b>Fac Postal Zip:</b>		<b>Cont Fax Area Cde:</b>	416
<b>Facility Lat:</b>		<b>Contact Fax:</b>	2328825

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Facility Long:</b> <b>DLS (Last Filed Rpt):</b> <b>Facility DLS:</b> <b>Datum:</b> <b>Facility Cmnts:</b> <b>URL:</b> <b>No of Empl.:</b> 102 <b>Parent Co.:</b> <b>No Parent Co.:</b> <b>Pollut Prev Cmnts:</b> <b>Stacks:</b> <b>No of Stacks:</b> <b>Canadian SIC Code (2 digit):</b> <b>Canadian SIC Code:</b> <b>SIC Code Description:</b> <b>American SIC Code:</b> <b>NAICS Code (2 digit):</b> 56 <b>NAICS 2 Description:</b> Administrative and Support, Waste Management and Remediation Services <b>NAICS Code (4 digit):</b> 5629 <b>NAICS 4 Description:</b> Remediation and Other Waste Management Services <b>NAICS Code (6 digit):</b> 562920 <b>NAICS 6 Description:</b> Material Recovery Facilities				<b>Contact Email:</b> robert@metrowaste.com <b>Latitude:</b> <b>Longitude:</b> <b>UTM Zone:</b> <b>UTM Northing:</b> <b>UTM Easting:</b> <b>Waste Streams:</b> <b>No Streams:</b> <b>Waste Off Sites:</b> <b>No Off Sites:</b> <b>Shutdown:</b> <b>No of Shutdown:</b>	
<b><u>Substance Release Report</u></b>					
<b>CAS No:</b>		NA - M10			
<b>Report ID:</b>					
<b>Rpt Period:</b>		2005			
<b>Subst Released:</b>		PM2.5 - Particulate Matter <= 2.5 Microns			
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>		0			
<b>Units:</b>		tonnes			
<b>CAS No:</b>		NA - M08			
<b>Report ID:</b>					
<b>Rpt Period:</b>		2005			
<b>Subst Released:</b>		PM - Total Particulate Matter			
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>		0			
<b>Units:</b>		tonnes			
<b>CAS No:</b>		NA - M09			
<b>Report ID:</b>					
<b>Rpt Period:</b>		2005			
<b>Subst Released:</b>		PM10 - Particulate Matter <= 10 Microns			
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>		0			
<b>Units:</b>		tonnes			
<a href="#">195</a>	17 of 26	W/232.1	119.8 / 6.00	Metro Waste Paper Recovery Inc. 66 Shorncliffe Rd. - Domtar Toronto ON M8Z 5K1	SPL
<b>Ref No:</b>	4841-6JCML4			<b>Discharger Report:</b> 0	
<b>Site No:</b>				<b>Material Group:</b> Oil	
<b>Incident Dt:</b>	11/21/2005			<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	
<b>Incident Cause:</b>				<b>Source Type:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>				<b>Site Name:</b>	66 Shorncliffe Rd.
<b>Contaminant Name:</b>	DIESEL FUEL			<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	Toronto
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>	Not Anticipated			<b>Site Municipality:</b>	Toronto
<b>Nature of Impact:</b>				<b>Site Lot:</b>	
<b>Receiving Medium:</b>	Water			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	NA
<b>Health/Env Conseq:</b>				<b>Easting:</b>	NA
<b>MOE Response:</b>				<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	11/21/2005			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>					
<b>SAC Action Class:</b>	Land Spills				
<b>Incident Reason:</b>					
<b>Incident Summary:</b>	10-15L diesel to CB, Metro Waste, Toronto				

<a href="#">195</a>	18 of 26	W/232.1	119.8 / 6.00	<b>Metro Waste Paper Recovery Inc.</b> North East corner of Shornecliff and Bramshot, Etobicoke<UNOFFICIAL> Toronto ON	<b>SPL</b>
<b>Ref No:</b>	6240-6JCMRX			<b>Discharger Report:</b>	0
<b>Site No:</b>				<b>Material Group:</b>	Oil
<b>Incident Dt:</b>	11/21/2005			<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	Other
<b>Incident Cause:</b>	Other Discharges			<b>Source Type:</b>	
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>				<b>Site Name:</b>	North East corner of Shornecliff and Bramshot, Etobicoke<UNOFFICIAL>
<b>Contaminant Name:</b>	DIESEL FUEL			<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	Toronto
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>	22.7 L			<b>Site Region:</b>	
<b>Environment Impact:</b>	Possible			<b>Site Municipality:</b>	Toronto
<b>Nature of Impact:</b>	Soil Contamination; Surface Water Pollution			<b>Site Lot:</b>	
<b>Receiving Medium:</b>	Land & Water			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>Health/Env Conseq:</b>				<b>Easting:</b>	
<b>MOE Response:</b>				<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	11/21/2005			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>					
<b>SAC Action Class:</b>	Land Spills				
<b>Incident Reason:</b>	Equipment/Vehicles				
<b>Incident Summary:</b>	Metro Waste: 90 L diesel to road, minimal amount to CB				

<a href="#">195</a>	19 of 26	W/232.1	119.8 / 6.00	<b>SUPER DISPOSAL SERVICES LTD.</b> 66 SHORNCLIFFE ROAD ON M8Z 5K1	<b>WDS</b>
<b>Certificate No:</b>	A280228			<b>Facility Type:</b>	
<b>Mob Unit Cert No:</b>				<b>Site Concession:</b>	
<b>EBR Registry No:</b>				<b>Site Region/County:</b>	
<b>Status:</b>	Revoked and sent to Cooksville			<b>Total Area (ha):</b>	0
<b>Application Status:</b>				<b>Landfill Cap (m³):</b>	0
<b>Issue Date:</b>	05/02/1979			<b>Landfill Ctrl Type:</b>	
<b>Input Date:</b>	6/7/93			<b>Est Closure Date:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Date Received:</b>				<b>Transfer Area (ha):</b>	0
<b>Record Type:</b>				<b>Transfer Cap (m³):</b>	0
<b>Project Type:</b>				<b>Transfer Cert No:</b>	
<b>Approval Type:</b>				<b>Inciner. Area (ha):</b>	0
<b>SWP Area Name:</b>				<b>Inciner. Cap (t):</b>	0
<b>MOE District:</b>				<b>Process Area (m²):</b>	0
<b>Latitude:</b>				<b>Process Cap (m³/d):</b>	0
<b>Longitude:</b>				<b>Process Vol (m³):</b>	0
<b>Link Source:</b>				<b>Process Feed (m³):</b>	0
<b>Proponent:</b>	SUPER DISPOSAL SERVICES LTD.			<b>Mobile Units:</b>	
<b>Prop Address:</b>	66 SHORNCLIFFE RD.			<b>Mobile Description:</b>	
<b>Prop City:</b>	TORONTO, ONTARIO			<b>Mobile Capacity:</b>	0
<b>Prop Postal:</b>				<b>Serial Link:</b>	280228
<b>Prop Phone:</b>				<b>District Office:</b>	
<b>Proponent County/District:</b>					
<b>Site Lot:</b>					
<b>Full Address:</b>					
<b>Landfill Monitoring:</b>					
<b>Waste Type:</b>					
<b>Waste Type Other:</b>	No				
<b>Waste Class:</b>					
<b>Waste Class Code:</b>					
<b>Project Description:</b>					
<b>Municipalities Served:</b>					
<b>Site Closing Description:</b>					
<b>Approval Description:</b>					
<b>Waste Description:</b>					
<b>Other Approvals/Permits:</b>					
<b>PDF URL:</b>					

<a href="#">195</a>	20 of 26	W/232.1	119.8 / 6.00	<b>Cascades Recovery Inc.</b> 66 Shorncliffe Road Etobicoke ON	WDS
<b>Certificate No:</b>	A280309			<b>Facility Type:</b>	
<b>Mob Unit Cert No:</b>				<b>Site Concession:</b>	
<b>EBR Registry No:</b>				<b>Site Region/County:</b>	Etobicoke
<b>Status:</b>	Approved			<b>Total Area (ha):</b>	
<b>Application Status:</b>				<b>Landfill Cap (m³):</b>	
<b>Issue Date:</b>	7/21/14			<b>Landfill Ctrl Type:</b>	
<b>Input Date:</b>				<b>Est Closure Date:</b>	
<b>Date Received:</b>				<b>Transfer Area (ha):</b>	
<b>Record Type:</b>				<b>Transfer Cap (m³):</b>	
<b>Project Type:</b>				<b>Transfer Cert No:</b>	
<b>Approval Type:</b>				<b>Inciner. Area (ha):</b>	
<b>SWP Area Name:</b>				<b>Inciner. Cap (t):</b>	
<b>MOE District:</b>				<b>Process Area (m²):</b>	
<b>Latitude:</b>	43.627222222222256959867081604897975			<b>Process Cap (m³/d):</b>	
<b>Longitude:</b>	921630859375			<b>Process Vol (m³):</b>	
	79.5425000000000397903932025656104087			<b>Process Feed (m³):</b>	
	82958984375			<b>Mobile Units:</b>	
<b>Link Source:</b>				<b>Mobile Description:</b>	
<b>Proponent:</b>				<b>Mobile Capacity:</b>	
<b>Prop Address:</b>				<b>Serial Link:</b>	
<b>Prop City:</b>				<b>District Office:</b>	
<b>Prop Postal:</b>					
<b>Prop Phone:</b>					
<b>Proponent County/District:</b>					
<b>Site Lot:</b>					
<b>Full Address:</b>	66 Shorncliffe Road Etobicoke				
<b>Landfill Monitoring:</b>					
<b>Waste Type:</b>					
<b>Waste Type Other:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">195</a>	21 of 26	W/232.1	119.8 / 6.00	Cascades Recovery Inc. 66 Shorncliffe Rd Toronto ON M8Z 5K1	WDS
<p> <b>Waste Class:</b>  <b>Waste Class Code:</b>  <b>Project Description:</b>  <b>Municipalities Served:</b>  <b>Site Closing Description:</b>  <b>Approval Description:</b>  <b>Waste Description:</b>  <b>Other Approvals/Permits:</b>  <b>PDF URL:</b> </p>					
<p> <b>Certificate No:</b> A280309  <b>Mob Unit Cert No:</b>  <b>EBR Registry No:</b>  <b>Status:</b> Approved  <b>Application Status:</b>  <b>Issue Date:</b> 2014-07-21  <b>Input Date:</b>  <b>Date Received:</b>  <b>Record Type:</b> ECA  <b>Project Type:</b> WASTE DISPOSAL SITES  <b>Approval Type:</b> ECA-WASTE DISPOSAL SITES  <b>SWP Area Name:</b> Toronto  <b>MOE District:</b> Toronto  <b>Latitude:</b> 43.627113  <b>Longitude:</b> -79.5425899999999  <b>Link Source:</b> IDS  <b>Proponent:</b>  <b>Prop Address:</b>  <b>Prop City:</b>  <b>Prop Postal:</b>  <b>Prop Phone:</b>  <b>Proponent County/District:</b>  <b>Site Lot:</b>  <b>Full Address:</b> 66 Shorncliffe Rd  <b>Landfill Monitoring:</b>  <b>Waste Type:</b>  <b>Waste Type Other:</b>  <b>Waste Class:</b>  <b>Waste Class Code:</b>  <b>Project Description:</b>  <b>Municipalities Served:</b>  <b>Site Closing Description:</b>  <b>Approval Description:</b>  <b>Waste Description:</b>  <b>Other Approvals/Permits:</b>  <b>PDF URL:</b> <a href="https://www.accessenvironment.ene.gov.on.ca/instruments/5157-9AZNZH-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/5157-9AZNZH-14.pdf</a> </p>					
<a href="#">195</a>	22 of 26	W/232.1	119.8 / 6.00	Metro Waste Paper Recovery Inc. 66 Shorncliffe Rd Toronto ON M8Z 5K1	WDS
<p> <b>Certificate No:</b> A280309  <b>Mob Unit Cert No:</b>  <b>EBR Registry No:</b>  <b>Status:</b> Revoked and/or Replaced  <b>Application Status:</b>  <b>Issue Date:</b> 2009-01-22  <b>Input Date:</b>  <b>Facility Type:</b>  <b>Site Concession:</b>  <b>Site Region/County:</b>  <b>Total Area (ha):</b>  <b>Landfill Cap (m³):</b>  <b>Landfill Ctrl Type:</b>  <b>Est Closure Date:</b>  <b>Transfer Area (ha):</b>  <b>Transfer Cap (m³):</b>  <b>Transfer Cert No:</b>  <b>Inciner. Area (ha):</b>  <b>Inciner. Cap (t):</b>  <b>Process Area (m³):</b>  <b>Process Cap (m³/d):</b>  <b>Process Vol (m³):</b>  <b>Process Feed (m³):</b>  <b>Mobile Units:</b>  <b>Mobile Description:</b>  <b>Mobile Capacity:</b>  <b>Serial Link:</b>  <b>District Office:</b> </p>					



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Date Received:</b> <b>Record Type:</b> ECA <b>Project Type:</b> WASTE DISPOSAL SITES <b>Approval Type:</b> ECA-WASTE DISPOSAL SITES <b>SWP Area Name:</b> Toronto <b>MOE District:</b> Toronto <b>Latitude:</b> 43.627113 <b>Longitude:</b> -79.5425899999999 <b>Link Source:</b> IDS <b>Proponent:</b> <b>Prop Address:</b> <b>Prop City:</b> <b>Prop Postal:</b> <b>Prop Phone:</b> <b>Proponent County/District:</b> <b>Site Lot:</b> <b>Full Address:</b> 66 Shorncliffe Rd <b>Landfill Monitoring:</b> <b>Waste Type:</b> <b>Waste Type Other:</b> <b>Waste Class:</b> <b>Waste Class Code:</b> <b>Project Description:</b> <b>Municipalities Served:</b> <b>Site Closing Description:</b> <b>Approval Description:</b> <b>Waste Description:</b> <b>Other Approvals/Permits:</b> <b>PDF URL:</b>				<b>Transfer Area (ha):</b> <b>Transfer Cap (m³):</b> <b>Transfer Cert No:</b> <b>Inciner. Area (ha):</b> <b>Inciner. Cap (t):</b> <b>Process Area (m²):</b> <b>Process Cap (m³/d):</b> <b>Process Vol (m³):</b> <b>Process Feed (m³):</b> <b>Mobile Units:</b> <b>Mobile Description:</b> <b>Mobile Capacity:</b> <b>Serial Link:</b> <b>District Office:</b>	

<a href="#">195</a>	23 of 26	W/232.1	119.8 / 6.00	Cascades Recovery Inc. 66 Shorncliffe Rd Toronto ON M8Z 5K1	WDS
<b>Certificate No:</b> A280309 <b>Mob Unit Cert No:</b> <b>EBR Registry No:</b> <b>Status:</b> Amended <b>Application Status:</b> <b>Issue Date:</b> 2013-03-11 <b>Input Date:</b> <b>Date Received:</b> <b>Record Type:</b> ECA <b>Project Type:</b> WASTE DISPOSAL SITES <b>Approval Type:</b> ECA-WASTE DISPOSAL SITES <b>SWP Area Name:</b> Toronto <b>MOE District:</b> Toronto <b>Latitude:</b> 43.627113 <b>Longitude:</b> -79.5425899999999 <b>Link Source:</b> IDS <b>Proponent:</b> <b>Prop Address:</b> <b>Prop City:</b> <b>Prop Postal:</b> <b>Prop Phone:</b> <b>Proponent County/District:</b> <b>Site Lot:</b> <b>Full Address:</b> 66 Shorncliffe Rd <b>Landfill Monitoring:</b> <b>Waste Type:</b> <b>Waste Type Other:</b> <b>Waste Class:</b> <b>Waste Class Code:</b> <b>Project Description:</b>				<b>Facility Type:</b> <b>Site Concession:</b> <b>Site Region/County:</b> Toronto <b>Total Area (ha):</b> <b>Landfill Cap (m³):</b> <b>Landfill Ctrl Type:</b> <b>Est Closure Date:</b> <b>Transfer Area (ha):</b> <b>Transfer Cap (m³):</b> <b>Transfer Cert No:</b> <b>Inciner. Area (ha):</b> <b>Inciner. Cap (t):</b> <b>Process Area (m²):</b> <b>Process Cap (m³/d):</b> <b>Process Vol (m³):</b> <b>Process Feed (m³):</b> <b>Mobile Units:</b> <b>Mobile Description:</b> <b>Mobile Capacity:</b> <b>Serial Link:</b> <b>District Office:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Municipalities Served:</b> <b>Site Closing Description:</b> <b>Approval Description:</b> <b>Waste Description:</b> <b>Other Approvals/Permits:</b> <b>PDF URL:</b> <a href="https://www.accessenvironment.ene.gov.on.ca/instruments/1442-8URP2R-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/1442-8URP2R-14.pdf</a>					

<a href="#">195</a>	24 of 26	W/232.1	119.8 / 6.00	Metro Waste Paper Recovery Inc. 66 Shorncliffe Rd. - Domtar Toronto ON M8Z 5K1	WDS
<b>Certificate No:</b> A280309 <b>Mob Unit Cert No:</b> <b>EBR Registry No:</b> <b>Status:</b> Revoked and/or Replaced <b>Application Status:</b> <b>Issue Date:</b> 2007-01-29 <b>Input Date:</b> <b>Date Received:</b> <b>Record Type:</b> ECA <b>Project Type:</b> WASTE DISPOSAL SITES <b>Approval Type:</b> ECA-WASTE DISPOSAL SITES <b>SWP Area Name:</b> Toronto <b>MOE District:</b> Toronto <b>Latitude:</b> 43.627113 <b>Longitude:</b> -79.5425899999999 <b>Link Source:</b> IDS <b>Proponent:</b> <b>Prop Address:</b> <b>Prop City:</b> <b>Prop Postal:</b> <b>Prop Phone:</b> <b>Proponent County/District:</b> <b>Site Lot:</b> <b>Full Address:</b> 66 Shorncliffe Rd. - Domtar <b>Landfill Monitoring:</b> <b>Waste Type:</b> <b>Waste Type Other:</b> <b>Waste Class:</b> <b>Waste Class Code:</b> <b>Project Description:</b> <b>Municipalities Served:</b> <b>Site Closing Description:</b> <b>Approval Description:</b> <b>Waste Description:</b> <b>Other Approvals/Permits:</b> <b>PDF URL:</b>		<b>Facility Type:</b> <b>Site Concession:</b> <b>Site Region/County:</b> <b>Total Area (ha):</b> <b>Landfill Cap (m³):</b> <b>Landfill Ctrl Type:</b> <b>Est Closure Date:</b> <b>Transfer Area (ha):</b> <b>Transfer Cap (m³):</b> <b>Transfer Cert No:</b> <b>Inciner. Area (ha):</b> <b>Inciner. Cap (t):</b> <b>Process Area (m³):</b> <b>Process Cap (m³/d):</b> <b>Process Vol (m³):</b> <b>Process Feed (m³):</b> <b>Mobile Units:</b> <b>Mobile Description:</b> <b>Mobile Capacity:</b> <b>Serial Link:</b> <b>District Office:</b>			

<a href="#">195</a>	25 of 26	W/232.1	119.8 / 6.00	Cascades Recovery Inc. 66 Shorncliffe Rd Toronto ON M8Z 5K1	WDS
<b>Certificate No:</b> A280309 <b>Mob Unit Cert No:</b> <b>EBR Registry No:</b> <b>Status:</b> Approved <b>Application Status:</b> <b>Issue Date:</b> 2016-10-03 <b>Input Date:</b> <b>Date Received:</b> <b>Record Type:</b> ECA <b>Project Type:</b> WASTE DISPOSAL SITES		<b>Facility Type:</b> <b>Site Concession:</b> <b>Site Region/County:</b> <b>Total Area (ha):</b> <b>Landfill Cap (m³):</b> <b>Landfill Ctrl Type:</b> <b>Est Closure Date:</b> <b>Transfer Area (ha):</b> <b>Transfer Cap (m³):</b> <b>Transfer Cert No:</b>			



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Description:</b>					
<b>Other Approvals/Permits:</b>					
<b>PDF URL:</b>		<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/1269-7KGRGF-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/1269-7KGRGF-14.pdf</a>			

<a href="#">196</a>	1 of 1	NW/234.1	121.9 / 8.03	TORONTO ON	WWIS
<b>Well ID:</b>	7260462			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole			<b>Date Received:</b>	3/31/2016
<b>Sec. Water Use:</b>	0			<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Monitoring and Test Hole			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z228239			<b>Owner:</b>	
<b>Tag:</b>	A197972			<b>Street Name:</b>	15 SHORNCLIFFE RD
<b>Construction Method:</b>				<b>County:</b>	YORK
<b>Elevation (m):</b>				<b>Municipality:</b>	ETOBICOKE BOROUGH
<b>Elevation Reliability:</b>				<b>Site Info:</b>	WKQ-008734 A0-01
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

#### Bore Hole Information

<b>Bore Hole ID:</b>	1005919517	<b>Elevation:</b>	123.34
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	17
<b>Code OB:</b>		<b>East83:</b>	617602
<b>Code OB Desc:</b>		<b>Org CS:</b>	UTM83
<b>Open Hole:</b>		<b>North83:</b>	4832072
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	09-MAR-16	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

#### Overburden and Bedrock

##### Materials Interval

<b>Formation ID:</b>	1006051004
<b>Layer:</b>	2
<b>Color:</b>	2
<b>General Color:</b>	GREY
<b>Mat1:</b>	28
<b>Most Common Material:</b>	SAND
<b>Mat2:</b>	06
<b>Other Materials:</b>	SILT
<b>Mat3:</b>	
<b>Other Materials:</b>	
<b>Formation Top Depth:</b>	10
<b>Formation End Depth:</b>	14
<b>Formation End Depth UOM:</b>	ft

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation ID:</b>		1006051003			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		06			
<b>Other Materials:</b>		SILT			
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		10			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1006051012			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		6			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1006051013			
<b>Layer:</b>		2			
<b>Plug From:</b>		6			
<b>Plug To:</b>		3			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1006051014			
<b>Layer:</b>		3			
<b>Plug From:</b>		3			
<b>Plug To:</b>		14			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1006051011			
<b>Method Construction Code:</b>		2			
<b>Method Construction:</b>		Rotary (Convent.)			
<b>Other Method Construction:</b>		DIRECT PUSH			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1006051002			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1006051007			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		4			
<b>Casing Diameter:</b>		1.25			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Construction Record - Screen**

Screen ID: 1006051008  
 Layer: 1  
 Slot: 10  
 Screen Top Depth: 4  
 Screen End Depth: 14  
 Screen Material: 5  
 Screen Depth UOM: ft  
 Screen Diameter UOM: inch  
 Screen Diameter: 1.5

**Water Details**

Water ID: 1006051006  
 Layer:  
 Kind Code:  
 Kind:  
 Water Found Depth:  
 Water Found Depth UOM: ft

**Hole Diameter**

Hole ID: 1006051005  
 Diameter: 3.5  
 Depth From: 0  
 Depth To: 14  
 Hole Depth UOM: ft  
 Hole Diameter UOM: inch

[197](#)

1 of 1

NNE/234.5

116.8 / 3.00

ETOBICOKE ON

[WWIS](#)

Well ID: 7235275  
 Construction Date:  
 Primary Water Use: Monitoring and Test Hole  
 Sec. Water Use: 0  
 Final Well Status: Observation Wells  
 Water Type:  
 Casing Material:  
 Audit No: Z200281  
 Tag: A176615  
 Construction Method:  
 Elevation (m):  
 Elevation Reliability:  
 Depth to Bedrock:  
 Well Depth:  
 Overburden/Bedrock:  
 Pump Rate:  
 Static Water Level:  
 Flowing (Y/N):  
 Flow Rate:  
 Clear/Cloudy:

Data Entry Status:  
 Data Src:  
 Date Received: 1/12/2015  
 Selected Flag: Yes  
 Abandonment Rec:  
 Contractor: 7241  
 Form Version: 7  
 Owner:  
 Street Name: 37 ADVANCE RD  
 County: YORK  
 Municipality: ETOBICOKE BOROUGH  
 Site Info:  
 Lot:  
 Concession:  
 Concession Name:  
 Easting NAD83:  
 Northing NAD83:  
 Zone:  
 UTM Reliability:

**Bore Hole Information**

Bore Hole ID: 1005277904  
 DP2BR:  
 Spatial Status:  
 Code OB:  
 Code OB Desc:  
 Elevation: 117.81  
 Elevrc:  
 Zone: 17  
 East83: 618234  
 Org CS: UTM83

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Open Hole:</b>				<b>North83:</b>	4832084
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	16-DEC-14			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1005525076			
<b>Layer:</b>		3			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		06			
<b>Other Materials:</b>		SILT			
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		3			
<b>Formation End Depth:</b>		7.5			
<b>Formation End Depth UOM:</b>		ft			
<b>Formation ID:</b>		1005525075			
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		11			
<b>Other Materials:</b>		GRAVEL			
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		.5			
<b>Formation End Depth:</b>		3			
<b>Formation End Depth UOM:</b>		ft			
<b>Formation ID:</b>		1005525074			
<b>Layer:</b>		1			
<b>Color:</b>		8			
<b>General Color:</b>		BLACK			
<b>Mat1:</b>					
<b>Most Common Material:</b>					
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		.5			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1005525086			
<b>Layer:</b>		3			
<b>Plug From:</b>		2			
<b>Plug To:</b>		7.5			
<b>Plug Depth UOM:</b>		ft			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>Plug ID:</b>		1005525084			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		.5			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1005525085			
<b>Layer:</b>		2			
<b>Plug From:</b>		.5			
<b>Plug To:</b>		2			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1005525083			
<b>Method Construction Code:</b>		B			
<b>Method Construction:</b>		Other Method			
<b>Other Method Construction:</b>		DIRECT PUSH			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1005525073			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1005525079			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		2.5			
<b>Casing Diameter:</b>		1.25			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1005525080			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		2.5			
<b>Screen End Depth:</b>		7.5			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		ft			
<b>Screen Diameter UOM:</b>		inch			
<b>Screen Diameter:</b>		1.5			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1005525078			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		ft			



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Hole Diameter</u></b>					
Hole ID:		1005525077			
Diameter:		2.25			
Depth From:		0			
Depth To:		7.5			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

<a href="#">198</a>	1 of 1	NW/241.2	121.7 / 7.80	TORONTO ON	WWIS
<b>Well ID:</b>	7260417			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole			<b>Date Received:</b>	3/31/2016
<b>Sec. Water Use:</b>	0			<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Monitoring and Test Hole			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z228171			<b>Owner:</b>	
<b>Tag:</b>	A183498			<b>Street Name:</b>	15 SHORNCLIFFE RD
<b>Construction Method:</b>				<b>County:</b>	YORK
<b>Elevation (m):</b>				<b>Municipality:</b>	ETOBICOKE BOROUGH
<b>Elevation Reliability:</b>				<b>Site Info:</b>	WKQ-008715 A0-A04
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**Bore Hole Information**

<b>Bore Hole ID:</b>	1005918959			<b>Elevation:</b>	123.15
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	17
<b>Code OB:</b>				<b>East83:</b>	617580
<b>Code OB Desc:</b>				<b>Org CS:</b>	UTM83
<b>Open Hole:</b>				<b>North83:</b>	4832068
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	25-FEB-16			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					

**Overburden and Bedrock**

<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>	1006050311				
<b>Layer:</b>	1				
<b>Color:</b>	6				
<b>General Color:</b>	BROWN				
<b>Mat1:</b>	28				
<b>Most Common Material:</b>	SAND				
<b>Mat2:</b>	08				
<b>Other Materials:</b>	FINE SAND				
<b>Mat3:</b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		8			
<b>Formation End Depth UOM:</b>		ft			
<b>Formation ID:</b>		1006050312			
<b>Layer:</b>		2			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		06			
<b>Most Common Material:</b>		SILT			
<b>Mat2:</b>		08			
<b>Other Materials:</b>		FINE SAND			
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		8			
<b>Formation End Depth:</b>		15			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1006050321			
<b>Layer:</b>		2			
<b>Plug From:</b>		1			
<b>Plug To:</b>		4			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1006050320			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		1			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1006050322			
<b>Layer:</b>		3			
<b>Plug From:</b>		4			
<b>Plug To:</b>		15			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well</u></b>					
<b><u>Use</u></b>					
<b>Method Construction ID:</b>		1006050319			
<b>Method Construction Code:</b>		2			
<b>Method Construction:</b>		Rotary (Convent.)			
<b>Other Method Construction:</b>		DIRECT PUSH			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1006050310			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1006050315			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth To:		5			
Casing Diameter:		2			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<b><u>Construction Record - Screen</u></b>					
Screen ID:		1006050316			
Layer:		1			
Slot:		10			
Screen Top Depth:		5			
Screen End Depth:		15			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.25			
<b><u>Water Details</u></b>					
Water ID:		1006050314			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<b><u>Hole Diameter</u></b>					
Hole ID:		1006050313			
Diameter:		8			
Depth From:		0			
Depth To:		15			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

[199](#) 1 of 1 SSW/242.6 113.7 / -0.12 Toronto ON WWIS

Well ID:	7181529	Data Entry Status:	
Construction Date:		Data Src:	
Primary Water Use:	Monitoring and Test Hole	Date Received:	5/18/2012
Sec. Water Use:	0	Selected Flag:	Yes
Final Well Status:	Test Hole	Abandonment Rec:	
Water Type:		Contractor:	7241
Casing Material:		Form Version:	7
Audit No:	Z148187	Owner:	
Tag:	A129346	Street Name:	1544 THE QUEENSWAY
Construction Method:		County:	YORK
Elevation (m):		Municipality:	ETOBICOKE BOROUGH
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	
Well Depth:		Concession:	
Overburden/Bedrock:		Concession Name:	
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

**Bore Hole Information**

Bore Hole ID: 1003800503 Elevation: 115.59

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	17
<b>Code OB:</b>				<b>East83:</b>	617832
<b>Code OB Desc:</b>				<b>Org CS:</b>	UTM83
<b>Open Hole:</b>				<b>North83:</b>	4830847
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	09-APR-12			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 1004320522  
**Layer:** 1  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 28  
**Most Common Material:** SAND  
**Mat2:** 11  
**Other Materials:** GRAVEL  
**Mat3:** 77  
**Other Materials:** LOOSE  
**Formation Top Depth:** 0  
**Formation End Depth:** 1  
**Formation End Depth UOM:** ft

**Formation ID:** 1004320523  
**Layer:** 2  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 28  
**Most Common Material:** SAND  
**Mat2:** 06  
**Other Materials:** SILT  
**Mat3:** 77  
**Other Materials:** LOOSE  
**Formation Top Depth:** 1  
**Formation End Depth:** 8  
**Formation End Depth UOM:** ft

**Formation ID:** 1004320524  
**Layer:** 3  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 17  
**Most Common Material:** SHALE  
**Mat2:**  
**Other Materials:**  
**Mat3:** 66  
**Other Materials:** DENSE  
**Formation Top Depth:** 8  
**Formation End Depth:** 13  
**Formation End Depth UOM:** ft

**Annular Space/Abandonment**

**Sealing Record**

**Plug ID:** 1004320533

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Layer:</i>		2			
<i>Plug From:</i>		.5			
<i>Plug To:</i>		7			
<i>Plug Depth UOM:</i>		ft			
<i>Plug ID:</i>		1004320534			
<i>Layer:</i>		3			
<i>Plug From:</i>		7			
<i>Plug To:</i>		13			
<i>Plug Depth UOM:</i>		ft			
<i>Plug ID:</i>		1004320532			
<i>Layer:</i>		1			
<i>Plug From:</i>		0			
<i>Plug To:</i>		.5			
<i>Plug Depth UOM:</i>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<i>Method Construction ID:</i>		1004320531			
<i>Method Construction Code:</i>		D			
<i>Method Construction:</i>		Direct Push			
<i>Other Method Construction:</i>					
<b><u>Pipe Information</u></b>					
<i>Pipe ID:</i>		1004320521			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
<b><u>Construction Record - Casing</u></b>					
<i>Casing ID:</i>		1004320527			
<i>Layer:</i>		1			
<i>Material:</i>		5			
<i>Open Hole or Material:</i>		PLASTIC			
<i>Depth From:</i>		0			
<i>Depth To:</i>		8			
<i>Casing Diameter:</i>		2			
<i>Casing Diameter UOM:</i>		inch			
<i>Casing Depth UOM:</i>		ft			
<b><u>Construction Record - Screen</u></b>					
<i>Screen ID:</i>		1004320528			
<i>Layer:</i>		1			
<i>Slot:</i>		10			
<i>Screen Top Depth:</i>		8			
<i>Screen End Depth:</i>		13			
<i>Screen Material:</i>		5			
<i>Screen Depth UOM:</i>		ft			
<i>Screen Diameter UOM:</i>		inch			
<i>Screen Diameter:</i>		2.28			
<b><u>Water Details</u></b>					
<i>Water ID:</i>		1004320526			
<i>Layer:</i>					
<i>Kind Code:</i>					
<i>Kind:</i>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		ft			
<b>Hole Diameter</b>					
<b>Hole ID:</b>		1004320525			
<b>Diameter:</b>		4.5			
<b>Depth From:</b>		0			
<b>Depth To:</b>		13			
<b>Hole Depth UOM:</b>		ft			
<b>Hole Diameter UOM:</b>		inch			

<a href="#">200</a>	1 of 1	SW/243.7	118.8 / 5.00	TRIPLE M METAL LP 70 NORTH QUEEN STREET NOT AVAILABLE TORONTO ON M8Z2C7	NPRI
<b>NPRI ID:</b>		28762		<b>Org ID:</b> 103015	
<b>Other ID:</b>				<b>Submit Date:</b> 5/29/2015	
<b>No Other ID:</b>				<b>Last Modified:</b> 6/10/2015 10:59:04 AM	
<b>Track ID:</b>		127256		<b>Contact ID:</b>	
<b>Report ID:</b>		50258		<b>Cont Type:</b>	
<b>Report Type:</b>		NPRI		<b>Contact Title:</b>	
<b>Rpt Type ID:</b>		1		<b>Cont First Name:</b>	
<b>Report Year:</b>		2014		<b>Cont Last Name:</b>	
<b>Not-Current Rpt?:</b>		No		<b>Contact Position:</b>	
<b>Yr of Last Filed Rpt:</b>		2014		<b>Contact Fax:</b>	
<b>Fac ID:</b>		227267		<b>Contact Ph.:</b>	
<b>Fac Name:</b>		NORTH QUEEN		<b>Cont Area Code:</b>	
<b>Fac Address1:</b>		70 NORTH QUEEN STREET		<b>Contact Tel.:</b>	
<b>Fac Address2:</b>		NOT AVAILABLE		<b>Contact Ext.:</b>	
<b>Fac Postal Zip:</b>		M8Z2C7		<b>Cont Fax Area Cde:</b>	
<b>Facility Lat:</b>		43.6228		<b>Contact Fax:</b>	
<b>Facility Long:</b>		-79.53877		<b>Contact Email:</b>	
<b>DLS (Last Filed Rpt):</b>				<b>Latitude:</b> 43.624061	
<b>Facility DLS:</b>				<b>Longitude:</b> -79.541883	
<b>Datum:</b>		1983		<b>UTM Zone:</b>	
<b>Facility Cmnts:</b>				<b>UTM Northing:</b>	
<b>URL:</b>				<b>UTM Easting:</b>	
<b>No of Empl.:</b>		10		<b>Waste Streams:</b>	
<b>Parent Co.:</b>				<b>No Streams:</b>	
<b>No Parent Co.:</b>				<b>Waste Off Sites:</b>	
<b>Pollut Prev Cmnts:</b>				<b>No Off Sites:</b>	
<b>Stacks:</b>				<b>Shutdown:</b>	
<b>No of Stacks:</b>				<b>No of Shutdown:</b>	
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>		41			
<b>NAICS 2 Description:</b>		Wholesale trade			
<b>NAICS Code (4 digit):</b>		4181			
<b>NAICS 4 Description:</b>		Recyclable material merchant wholesalers			
<b>NAICS Code (6 digit):</b>		418110			
<b>NAICS 6 Description:</b>		Recyclable metal merchant wholesalers			

**Substance Release Report**

<b>Category Type ID:</b>	6
<b>Category Type Desc:</b>	Road dust
<b>Category Type Desc (fr):</b>	Poussières de routes
<b>Grouping:</b>	Total Air
<b>Trans Code:</b>	
<b>Chem:</b>	PM10 - Particulate Matter <= 10 Microns

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Chem (fr):</b> <b>Quantity:</b> <b>Unit:</b> <b>Basis of Estimate Cd:</b> <b>Basis of Estimate Desc:</b>		PM10 - Matière particulaire <= 10 microns .85 tonnes O O- Engineering Estimates			
<a href="#">201</a>	1 of 2	WNW/249.1	119.8 / 6.00	SUPERPOWER COIN WASH 40 SHORNCLIFFE RD ETOBICOKE ON	EXP
<b>Instance No:</b> <b>Instance ID:</b> <b>Instance Type:</b> <b>Description:</b> <b>Status:</b> <b>TSSA Program Area:</b> <b>Maximum Hazard Rank:</b> <b>Facility Type:</b> <b>Expired Date:</b>		9890170 397958 FS Facility FS Propane Refill Cntr - Cylr Fill EXPIRED        			
<a href="#">201</a>	2 of 2	WNW/249.1	119.8 / 6.00	SUPERPOWER COIN WASH 40 SHORNCLIFFE ETOBICOKE ON M8Z 5K1	PRT
<b>Location ID:</b> <b>Type:</b> <b>Expiry Date:</b> <b>Capacity (L):</b> <b>Licence #:</b>		19461 retail 1993-01-31 2000 0076345693			
<a href="#">202</a>	1 of 1	NW/252.2	121.9 / 8.04	ON	WWIS
<b>Well ID:</b> <b>Construction Date:</b> <b>Primary Water Use:</b> <b>Sec. Water Use:</b> <b>Final Well Status:</b> <b>Water Type:</b> <b>Casing Material:</b> <b>Audit No:</b> <b>Tag:</b> <b>Construction Method:</b> <b>Elevation (m):</b> <b>Elevation Reliability:</b> <b>Depth to Bedrock:</b> <b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>		7274661      C28843 A202747		<b>Data Entry Status:</b> <b>Data Src:</b> <b>Date Received:</b> <b>Selected Flag:</b> <b>Abandonment Rec:</b> <b>Contractor:</b> <b>Form Version:</b> <b>Owner:</b> <b>Street Name:</b> <b>County:</b> <b>Municipality:</b> <b>Site Info:</b> <b>Lot:</b> <b>Concession:</b> <b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>	
<b>Bore Hole Information</b>					
<b>Bore Hole ID:</b> <b>DP2BR:</b> <b>Spatial Status:</b> <b>Code OB:</b> <b>Code OB Desc:</b>		1006290058		<b>Elevation:</b> <b>Elevrc:</b> <b>Zone:</b> <b>East83:</b> <b>Org CS:</b>	
				123.44  17 617577 UTM83	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Open Hole:</b> <b>Cluster Kind:</b> <b>Date Completed:</b> 18-JUL-16 <b>Remarks:</b> <b>Elevrc Desc:</b> <b>Location Source Date:</b> <b>Improvement Location Source:</b> <b>Improvement Location Method:</b> <b>Source Revision Comment:</b> <b>Supplier Comment:</b>				<b>North83:</b> 4832079 <b>UTMRC:</b> 4 <b>UTMRC Desc:</b> margin of error : 30 m - 100 m <b>Location Method:</b> wwr	

<a href="#">203</a>	1 of 35	SSW/256.2	115.9 / 2.03	<b>SUNOCO INC.</b> <b>77 NORTH QUEEN ST.,PT.LOT 8/C3</b> <b>ETOBICOKE ON M8Z 2C7</b>	CA
<b>Certificate #:</b> 4-0089-98-98 <b>Application Year:</b> 98 <b>Issue Date:</b> 10/22/1998 <b>Approval Type:</b> Industrial wastewater <b>Status:</b> Approved <b>Application Type:</b> <b>Client Name::</b> <b>Client Address::</b> <b>Client City::</b> <b>Client Postal Code::</b> <b>Project Description::</b> OIL/WATER COALESCING SEPARATOR SYSTEM <b>Contaminants::</b> <b>Emission Control::</b>					

<a href="#">203</a>	2 of 35	SSW/256.2	115.9 / 2.03	<b>Sunoco Inc.</b> <b>77 North Queen Street, part lot 8, concession 3</b> <b>Etobicoke</b> <b>ON</b>	EBR
<b>Company Name:</b> Sunoco Inc. <b>EBR Registry No.:</b> IA8E1143 <b>Ministry Ref. No.:</b> 4008998 <b>Notice Type:</b> Instrument Decision <b>Notice Date:</b> December 15, 1998 <b>Proposal Date:</b> August 14, 1998 <b>Year:</b> 1998 <b>Proponent Address:</b> 300 Commissioners Street, Toronto Ontario, M4M 1A4 <b>Instrument Type:</b> (OWRA s. 53(1)) - Approval for sewage works <b>Location Other:</b>					
<b>Location:</b> 77 North Queen Street, part lot 8, concession 3 Etobicoke					

<a href="#">203</a>	3 of 35	SSW/256.2	115.9 / 2.03	<b>77 North Queen St</b> <b>Etobicoke ON M8Z 2C7</b>	EHS
<b>Order ID:</b> 112 <b>Order No:</b> 19990720003 <b>Customer ID:</b> 9214 <b>Company ID:</b> 180 <b>Status:</b> C <b>Report Code:</b> 3CAN <b>Report Type:</b> Complete Report <b>Report Date:</b> 7/22/99				<b>Date Received:</b> 7/20/99 <b>Lot/Building Size:</b> <b>Municipality:</b> <b>Client Prov/State:</b> TX <b>Search Radius (km):</b> 0.50 <b>Large Radius:</b> 0.00 <b>X:</b> -79.542404 <b>Y:</b> 43.622013	



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Report Requested by:</b>		WCM Group Inc.			
<b>Nearest Intersection:</b>					
<b>Previous Site Name:</b>					
<b>Additional Info Ordered:</b>					
<a href="#">203</a>	4 of 35	SSW/256.2	115.9 / 2.03	RANGE TRUCK RENTAL MISSISSAUGA U DRIVE INC ATTN D VIENNEAU 77 NORTH QUEEN ST ETOBICOKE ON	EXP
<b>Instance No:</b>		10748903			
<b>Instance ID:</b>		36304			
<b>Instance Type:</b>		FS Piping			
<b>Description:</b>		FS Piping			
<b>Status:</b>		EXPIRED			
<b>TSSA Program Area:</b>					
<b>Maximum Hazard Rank:</b>					
<b>Facility Type:</b>					
<b>Expired Date:</b>					
<a href="#">203</a>	5 of 35	SSW/256.2	115.9 / 2.03	RANGE TRUCK RENTAL MISSISSAUGA U DRIVE INC ATTN D VIENNEAU 77 NORTH QUEEN ST ETOBICOKE ON	EXP
<b>Instance No:</b>		9301539			
<b>Instance ID:</b>		380552			
<b>Instance Type:</b>		FS Facility			
<b>Description:</b>		Fuels Safety Private Fuel Outlet - Self Serve			
<b>Status:</b>		EXPIRED			
<b>TSSA Program Area:</b>					
<b>Maximum Hazard Rank:</b>					
<b>Facility Type:</b>					
<b>Expired Date:</b>					
<a href="#">203</a>	6 of 35	SSW/256.2	115.9 / 2.03	SUNCOR ENERGY PRODUCTS INC 77 NORTH QUEEN ST ETOBICOKE ON M8Z 2C7	EXP
<b>Instance No:</b>		11560023			
<b>Instance ID:</b>					
<b>Instance Type:</b>		FS Liquid Fuel Tank			
<b>Description:</b>					
<b>Status:</b>		EXPIRED			
<b>TSSA Program Area:</b>					
<b>Maximum Hazard Rank:</b>					
<b>Facility Type:</b>					
<b>Expired Date:</b>		8/22/1998			
<a href="#">203</a>	7 of 35	SSW/256.2	115.9 / 2.03	SUNCOR ENERGY PRODUCTS INC 77 NORTH QUEEN ST ETOBICOKE ON M8Z 2C7	EXP
<b>Instance No:</b>		11560013			
<b>Instance ID:</b>					
<b>Instance Type:</b>		FS Liquid Fuel Tank			
<b>Description:</b>					
<b>Status:</b>		EXPIRED			
<b>TSSA Program Area:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Maximum Hazard Rank:</b>					
<b>Facility Type:</b>					
<b>Expired Date:</b> 8/22/1998					
<a href="#">203</a>	8 of 35	SSW/256.2	115.9 / 2.03	PENSKE TRUCK LEASING CANADA INC 77 NORTH QUEEN ST ETOBICOKE ON M8Z 2C7	EXP
<b>Instance No:</b> 11592148					
<b>Instance ID:</b>					
<b>Instance Type:</b> FS Liquid Fuel Tank					
<b>Description:</b> Fuels Safety Private Fuel Outlet - Self Serve					
<b>Status:</b> EXPIRED					
<b>TSSA Program Area:</b>					
<b>Maximum Hazard Rank:</b>					
<b>Facility Type:</b> FS Liquid Fuel Tank					
<b>Expired Date:</b> 9/29/1999					
<a href="#">203</a>	9 of 35	SSW/256.2	115.9 / 2.03	RANGE TRUCK RENTAL MISSISSAUGA U DRIVE INC ATTN D VIENNEAU 77 NORTH QUEEN ST ETOBICOKE ON	EXP
<b>Instance No:</b> 10748888					
<b>Instance ID:</b> 35685					
<b>Instance Type:</b> FS Piping					
<b>Description:</b> FS Piping					
<b>Status:</b> EXPIRED					
<b>TSSA Program Area:</b>					
<b>Maximum Hazard Rank:</b>					
<b>Facility Type:</b>					
<b>Expired Date:</b>					
<a href="#">203</a>	10 of 35	SSW/256.2	115.9 / 2.03	RANGE TRUCK RENTAL MISSISSAUGA U DRIVE INC ATTN D VIENNEAU 77 NORTH QUEEN ST ETOBICOKE ON M8Z 2C7	EXP
<b>Instance No:</b> 10748879					
<b>Instance ID:</b>					
<b>Instance Type:</b> FS Liquid Fuel Tank					
<b>Description:</b> Fuels Safety Private Fuel Outlet - Self Serve					
<b>Status:</b> EXPIRED					
<b>TSSA Program Area:</b>					
<b>Maximum Hazard Rank:</b>					
<b>Facility Type:</b> FS Liquid Fuel Tank					
<b>Expired Date:</b> 12/11/1990					
<a href="#">203</a>	11 of 35	SSW/256.2	115.9 / 2.03	PENSKE TRUCK LEASING CANADA INC 77 NORTH QUEEN ST ETOBICOKE ON M8Z 2C7	EXP
<b>Instance No:</b> 11592134					
<b>Instance ID:</b>					
<b>Instance Type:</b> FS Liquid Fuel Tank					
<b>Description:</b>					
<b>Status:</b> EXPIRED					
<b>TSSA Program Area:</b>					
<b>Maximum Hazard Rank:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Facility Type:</b>					
<b>Expired Date:</b>		9/29/1999			
<a href="#">203</a>	12 of 35	SSW/256.2	115.9 / 2.03	PENSKE TRUCK LEASING CANADA INC 77 NORTH QUEEN ST ETOBICOKE ON M8Z 2C7	EXP
<b>Instance No:</b>		11592148			
<b>Instance ID:</b>					
<b>Instance Type:</b>		FS Liquid Fuel Tank			
<b>Description:</b>					
<b>Status:</b>		EXPIRED			
<b>TSSA Program Area:</b>					
<b>Maximum Hazard Rank:</b>					
<b>Facility Type:</b>					
<b>Expired Date:</b>		9/29/1999			
<a href="#">203</a>	13 of 35	SSW/256.2	115.9 / 2.03	SUNCOR ENERGY PRODUCTS INC 77 NORTH QUEEN ST ETOBICOKE ON M8Z 2C7	EXP
<b>Instance No:</b>		11560013			
<b>Instance ID:</b>					
<b>Instance Type:</b>		FS Liquid Fuel Tank			
<b>Description:</b>		FS Gasoline Station - Card/Keylock			
<b>Status:</b>		EXPIRED			
<b>TSSA Program Area:</b>					
<b>Maximum Hazard Rank:</b>					
<b>Facility Type:</b>		FS Liquid Fuel Tank			
<b>Expired Date:</b>		8/22/1998			
<a href="#">203</a>	14 of 35	SSW/256.2	115.9 / 2.03	RANGE TRUCK RENTAL MISSISSAUGA U DRIVE INC ATTN D VIENNEAU 77 NORTH QUEEN ST ETOBICOKE ON M8Z 2C7	EXP
<b>Instance No:</b>		10748896			
<b>Instance ID:</b>					
<b>Instance Type:</b>		FS Liquid Fuel Tank			
<b>Description:</b>					
<b>Status:</b>		EXPIRED			
<b>TSSA Program Area:</b>					
<b>Maximum Hazard Rank:</b>					
<b>Facility Type:</b>					
<b>Expired Date:</b>		12/11/1990			
<a href="#">203</a>	15 of 35	SSW/256.2	115.9 / 2.03	SUNCOR ENERGY PRODUCTS INC 77 NORTH QUEEN ST ETOBICOKE ON	EXP
<b>Instance No:</b>		10234246			
<b>Instance ID:</b>		14219			
<b>Instance Type:</b>		FS Facility			
<b>Description:</b>		FS Gasoline Station - Card/Keylock			
<b>Status:</b>		EXPIRED			
<b>TSSA Program Area:</b>					
<b>Maximum Hazard Rank:</b>					
<b>Facility Type:</b>					
<b>Expired Date:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">203</a>	16 of 35	SSW/256.2	115.9 / 2.03	RANGE TRUCK RENTAL MISSISSAUGA U DRIVE INC ATTN D VIENNEAU 77 NORTH QUEEN ST ETOBICOKE ON	EXP
Instance No:		10748879			
Instance ID:		37207			
Instance Type:		FS Liquid Fuel Tank			
Description:		FS Liquid Fuel Tank			
Status:		EXPIRED			
TSSA Program Area:					
Maximum Hazard Rank:					
Facility Type:					
Expired Date:					
<a href="#">203</a>	17 of 35	SSW/256.2	115.9 / 2.03	RANGE TRUCK RENTAL MISSISSAUGA U DRIVE INC ATTN D VIENNEAU 77 NORTH QUEEN ST ETOBICOKE ON M8Z 2C7	EXP
Instance No:		10748896			
Instance ID:					
Instance Type:		FS Liquid Fuel Tank			
Description:		Fuels Safety Private Fuel Outlet - Self Serve			
Status:		EXPIRED			
TSSA Program Area:					
Maximum Hazard Rank:					
Facility Type:		FS Liquid Fuel Tank			
Expired Date:		12/11/1990			
<a href="#">203</a>	18 of 35	SSW/256.2	115.9 / 2.03	SUNCOR ENERGY PRODUCTS INC 77 NORTH QUEEN ST ETOBICOKE ON M8Z 2C7	EXP
Instance No:		11560023			
Instance ID:					
Instance Type:		FS Liquid Fuel Tank			
Description:		FS Gasoline Station - Card/Keylock			
Status:		EXPIRED			
TSSA Program Area:					
Maximum Hazard Rank:					
Facility Type:		FS Liquid Fuel Tank			
Expired Date:		8/22/1998			
<a href="#">203</a>	19 of 35	SSW/256.2	115.9 / 2.03	PENSKE TRUCK LEASING CANADA INC 77 NORTH QUEEN ST ETOBICOKE ON M8Z 2C7	EXP
Instance No:		11592134			
Instance ID:					
Instance Type:		FS Liquid Fuel Tank			
Description:		Fuels Safety Private Fuel Outlet - Self Serve			
Status:		EXPIRED			
TSSA Program Area:					
Maximum Hazard Rank:					
Facility Type:		FS Liquid Fuel Tank			
Expired Date:		9/29/1999			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">203</a>	20 of 35	SSW/256.2	115.9 / 2.03	PENSKE TRUCK LEASING CANADA INC 77 NORTH QUEEN ST ETOBICOKE ON M8Z 2C7	FST
<b>Instance No:</b> 11592119 <b>Cont Name:</b> <b>Instance Type:</b> FS Liquid Fuel Tank <b>Fuel Type:</b> Gasoline <b>Status:</b> Active <b>Capacity:</b> 65000 <b>Tank Material:</b> Fiberglass (FRP) <b>Corrosion Protection:</b> Fiberglass <b>Tank Type:</b> Single Wall UST <b>Install Year:</b> 2004 <b>Parent Facility Type:</b> Fuels Safety Private Fuel Outlet - Self Serve <b>Facility Type:</b> FS Liquid Fuel Tank					
<a href="#">203</a>	21 of 35	SSW/256.2	115.9 / 2.03	PENSKE TRUCK LEASING CANADA INC 77 NORTH QUEEN ST ETOBICOKE ON M8Z 2C7	FSTH
<b>License Issue Date:</b> 3/8/2005 <b>Tank Status:</b> Licensed <b>Tank Status As Of:</b> August 2007 <b>Operation Type:</b> Private Fuel Outlet <b>Facility Type:</b> Gasoline Station - Self Serve  <b>--Details--</b> <b>Status:</b> Active <b>Year of Installation:</b> 2004 <b>Corrosion Protection:</b> <b>Capacity:</b> 65000 <b>Tank Fuel Type:</b> Liquid Fuel Single Wall UST - Gasoline  <b>Status:</b> Removed <b>Year of Installation:</b> 1986 <b>Corrosion Protection:</b> <b>Capacity:</b> 3787 <b>Tank Fuel Type:</b> Liquid Fuel Single Wall UST - Other  <b>Status:</b> Removed <b>Year of Installation:</b> <b>Corrosion Protection:</b> <b>Capacity:</b> 75000 <b>Tank Fuel Type:</b> Liquid Fuel Single Wall AST - Diesel					
<a href="#">203</a>	22 of 35	SSW/256.2	115.9 / 2.03	PENSKE TRUCK LEASING CANADA INC 77 NORTH QUEEN ST ETOBICOKE ON M8Z 2C7	FSTH
<b>License Issue Date:</b> 3/8/2005 3:12:00 PM <b>Tank Status:</b> Licensed <b>Tank Status As Of:</b> December 2008 <b>Operation Type:</b> Private Fuel Outlet <b>Facility Type:</b> Gasoline Station - Self Serve  <b>--Details--</b> <b>Status:</b> Active <b>Year of Installation:</b> 2004					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Corrosion Protection:</b>					
<b>Capacity:</b>		65000			
<b>Tank Fuel Type:</b>		Liquid Fuel Single Wall UST - Gasoline			

<a href="#">203</a>	23 of 35	SSW/256.2	115.9 / 2.03	PENSKE TRUCK LEASING CANADA INC. 77 NORTH QUEEN STREET TORONTO ON M8Z 2C7	GEN
<b>Generator No.:</b>	ON2055721			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2010			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	532120				
<b>SIC Description:</b>	Truck Utility Trailer and RV (Recreational Vehicle) Rental and Leasing				

**--Details--**

<b>Waste Code:</b>	213	
<b>Waste Description:</b>	PETROLEUM DISTILLATES	
<b>Waste Code:</b>	243	
<b>Waste Description:</b>	PCBS	
<b>Waste Code:</b>	252	
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS	
<b>Waste Code:</b>	212	
<b>Waste Description:</b>	ALIPHATIC SOLVENTS	
<b>Waste Code:</b>	251	
<b>Waste Description:</b>	OIL SKIMMINGS & SLUDGES	

<a href="#">203</a>	24 of 35	SSW/256.2	115.9 / 2.03	ROLLINS LEASING COMPANY OF CANADA 77 NORTH QUEEN STREET TORONTO ON M8Z 2C7	GEN
<b>Generator No.:</b>	ON2448803			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	99,00			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	9919				
<b>SIC Description:</b>	OTHER MACH. RENTAL				
<b>--Details--</b>					
<b>Waste Code:</b>	212				
<b>Waste Description:</b>	ALIPHATIC SOLVENTS				
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<b>Waste Code:</b>	221				
<b>Waste Description:</b>	LIGHT FUELS				
<b>Waste Code:</b>	251				
<b>Waste Description:</b>	OIL SKIMMINGS & SLUDGES				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">203</a>	25 of 35	SSW/256.2	115.9 / 2.03	PENSKE TRUCK LEASING CANADA INC. 77 NORTH QUEEN STREET TORONTO ON M8Z 2C7	GEN
<b>Generator No.:</b>	ON2055721			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2011			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	532120				
<b>SIC Description:</b>	Truck Utility Trailer and RV (Recreational Vehicle) Rental and Leasing				
<b>--Details--</b>					
<b>Waste Code:</b>	243				
<b>Waste Description:</b>	PCBS				
<b>Waste Code:</b>	212				
<b>Waste Description:</b>	ALIPHATIC SOLVENTS				
<b>Waste Code:</b>	251				
<b>Waste Description:</b>	OIL SKIMMINGS & SLUDGES				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<a href="#">203</a>	26 of 35	SSW/256.2	115.9 / 2.03	PENSKE TRUCK LEASING CANADA INC. 77 NORTH QUEEN STREET TORONTO ON M8Z 2C7	GEN
<b>Generator No.:</b>	ON2055721			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	01,02,03,04,05,06,07,08			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	9919				
<b>SIC Description:</b>	OTHER MACH. RENTAL				
<b>--Details--</b>					
<b>Waste Code:</b>	212				
<b>Waste Description:</b>	ALIPHATIC SOLVENTS				
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<b>Waste Code:</b>	221				
<b>Waste Description:</b>	LIGHT FUELS				
<b>Waste Code:</b>	251				
<b>Waste Description:</b>	OIL SKIMMINGS & SLUDGES				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Code:</b>	243				
<b>Waste Description:</b>	PCB'S				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">203</a>	27 of 35	SSW/256.2	115.9 / 2.03	ROLLINS (SEE & USE ON2055721)NADA 77 NORTH QUEEN STREET TORONTO ON M8Z 2C7	GEN
<b>Generator No.:</b>	ON2448803			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	01			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	9919				
<b>SIC Description:</b>	OTHER MACH. RENTAL				
<b>--Details--</b>					
<b>Waste Code:</b>	212				
<b>Waste Description:</b>	ALIPHATIC SOLVENTS				
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<b>Waste Code:</b>	221				
<b>Waste Description:</b>	LIGHT FUELS				
<b>Waste Code:</b>	251				
<b>Waste Description:</b>	OIL SKIMMINGS & SLUDGES				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<a href="#">203</a>	28 of 35	SSW/256.2	115.9 / 2.03	PENSKE TRUCK LEASING CANADA INC. 77 NORTH QUEEN STREET TORONTO ON M8Z 2C7	GEN
<b>Generator No.:</b>	ON2055721			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2009			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	532120				
<b>SIC Description:</b>	Truck Utility Trailer and RV (Recreational Vehicle) Rental and Leasing				
<b>--Details--</b>					
<b>Waste Code:</b>	212				
<b>Waste Description:</b>	ALIPHATIC SOLVENTS				
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<b>Waste Code:</b>	243				
<b>Waste Description:</b>	PCBS				
<b>Waste Code:</b>	251				
<b>Waste Description:</b>	OIL SKIMMINGS & SLUDGES				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<a href="#">203</a>	29 of 35	SSW/256.2	115.9 / 2.03	PENSKE TRUCK LEASING CANADA INC. 77 NORTH QUEEN STREET TORONTO ON	GEN
<b>Generator No.:</b>	ON2055721			<b>PO Box No.:</b>	



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Status:</b> <b>Approval Years:</b> 2013 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> 532120 <b>SIC Description:</b>				<b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No. Admin:</b>	
		TRUCK, UTILITY TRAILER AND RV (RECREATIONAL VEHICLE) RENTAL AND LEASING			
<b>--Details--</b>					
<b>Waste Code:</b>		243			
<b>Waste Description:</b>		PCBS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<a href="#">203</a>	30 of 35	SSW/256.2	115.9 / 2.03	PENSKE TRUCK LEASING CANADA INC. 77 NORTH QUEEN STREET TORONTO ON M8Z 2C7	GEN
<b>Generator No.:</b>		ON2055721		<b>PO Box No.:</b>	
<b>Status:</b>		2012		<b>Country:</b>	
<b>Approval Years:</b>		532120		<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>		Truck Utility Trailer and RV (Recreational Vehicle) Rental and Leasing		<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<b>--Details--</b>					
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		243			
<b>Waste Description:</b>		PCBS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<a href="#">203</a>	31 of 35	SSW/256.2	115.9 / 2.03	PENSKE TRUCK LEASING CANADA INC. 77 NORTH QUEEN STREET TORONTO ON M8Z 2C7	GEN
<b>Generator No.:</b>		ON2055721		<b>PO Box No.:</b>	
<b>Status:</b>		2016		<b>Country:</b> Canada	
<b>Approval Years:</b>		No		<b>Choice of Contact:</b> CO_ADMIN	
<b>Contam. Facility:</b>		No		<b>Co Admin:</b> CHRIS HAWK	
<b>MHSW Facility:</b>		532120		<b>Phone No. Admin:</b> 610-775-6123 Ext.	
<b>SIC Code:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>SIC Description:</b>		TRUCK, UTILITY TRAILER AND RV (RECREATIONAL VEHICLE) RENTAL AND LEASING			
<b>--Details--</b>					
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		243			
<b>Waste Description:</b>		PCBS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>203</b>	<b>32 of 35</b>	<b>SSW/256.2</b>	<b>115.9 / 2.03</b>	<b>PENSKE TRUCK LEASING CANADA INC. 77 NORTH QUEEN STREET TORONTO ON M8Z 2C7</b>	<b>GEN</b>
<b>Generator No.:</b>	ON2055721			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2015			<b>Choice of Contact:</b>	CO_ADMIN
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	CHRIS HAWK
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b>	610-775-6123 Ext.
<b>SIC Code:</b>	532120				
<b>SIC Description:</b>		TRUCK, UTILITY TRAILER AND RV (RECREATIONAL VEHICLE) RENTAL AND LEASING			
<b>--Details--</b>					
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		243			
<b>Waste Description:</b>		PCBS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>203</b>	<b>33 of 35</b>	<b>SSW/256.2</b>	<b>115.9 / 2.03</b>	<b>PENSKE TRUCK LEASING CANADA INC. 77 NORTH QUEEN STREET TORONTO ON M8Z 2C7</b>	<b>GEN</b>
<b>Generator No.:</b>	ON2055721			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2014			<b>Choice of Contact:</b>	CO_ADMIN
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	CHRIS HAWK
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b>	610-775-6123 Ext.
<b>SIC Code:</b>	532120				
<b>SIC Description:</b>		TRUCK, UTILITY TRAILER AND RV (RECREATIONAL VEHICLE) RENTAL AND LEASING			
<b>--Details--</b>					
<b>Waste Code:</b>		213			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		243			
<b>Waste Description:</b>		PCBS			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<a href="#">203</a>	34 of 35	SSW/256.2	115.9 / 2.03	<b>PENSKE TRUCK LEASING CANADA INC. 77 NORTH QUEEN STREET TORONTO ON M8Z 2C7</b>	<b>GEN</b>
<b>Generator No.:</b>		ON2055721		<b>PO Box No.:</b>	
<b>Status:</b>		Registered		<b>Country:</b> Canada	
<b>Approval Years:</b>		As of Dec 2017		<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<b>--Details--</b>					
<b>Waste Code:</b>		243 D			
<b>Waste Description:</b>		PCB			
<b>Waste Code:</b>		251 L			
<b>Waste Description:</b>		Waste oils/sludges (petroleum based)			
<b>Waste Code:</b>		212 L			
<b>Waste Description:</b>		Aliphatic solvents and residues			
<b>Waste Code:</b>		252 L			
<b>Waste Description:</b>		Waste crankcase oils and lubricants			
<b>Waste Code:</b>		213 T			
<b>Waste Description:</b>		Petroleum distillates			
<b>Waste Code:</b>		213 I			
<b>Waste Description:</b>		Petroleum distillates			
<a href="#">203</a>	35 of 35	SSW/256.2	115.9 / 2.03	<b>RANGE TRUCK RENTAL MISSISSAUGA U DRIVE INC ATTN D 77 NORTH QUEEN ST ETOBICOKE ON M8Z 2C7</b>	<b>PRT</b>
<b>Location ID:</b>		4725			
<b>Type:</b>		private			
<b>Expiry Date:</b>					
<b>Capacity (L):</b>		36368.00			
<b>Licence #:</b>		0001026543			
<a href="#">204</a>	1 of 29	NW/257.5	120.7 / 6.84	<b>BRIGHTON LAUNDRY LIMITED 15 SHORNCLIFFE RD. ETOBICOKE CITY ON M9B 3S4</b>	<b>CA</b>

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Certificate #:</b> 8-3117-89- <b>Application Year:</b> 89 <b>Issue Date:</b> 1/5/1990 <b>Approval Type:</b> Industrial air <b>Status:</b> Approved in 1990 <b>Application Type:</b> <b>Client Name::</b> <b>Client Address::</b> <b>Client City::</b> <b>Client Postal Code::</b> <b>Project Description::</b> LAUNDRY STEAM BOILER <b>Contaminants::</b> Nitrogen Oxides <b>Emission Control::</b>					
<a href="#">204</a>	2 of 29	NW/257.5	120.7 / 6.84	ORLANDO CORPORATION 15 SHORNCLIFFE ROAD TORONTO ON M8Z 5K2	EASR
<b>Approval No:</b> R-003-1209571718 <b>Status:</b> REGISTERED <b>Date:</b> 2012-10-22 <b>Record Type:</b> EASR <b>Link Source:</b> MOFA <b>Full Address:</b> <b>Project Type:</b> Heating System <b>Approval Type:</b> EASR-Heating System <b>Full PDF Link:</b> <a href="http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=1971">http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=1971</a>					
<b>SWP Area Name:</b> Toronto <b>MOE District:</b> Toronto <b>City:</b> TORONTO <b>Latitude:</b> 43.68587499999999 <b>Longitude:</b> -79.410934					
<a href="#">204</a>	3 of 29	NW/257.5	120.7 / 6.84	15 Shorncliffe Rd Etobicoke ON M9B 3S4	EHS
<b>Order ID:</b> 19149 <b>Order No:</b> 20020926009 <b>Customer ID:</b> 9748 <b>Company ID:</b> 10 <b>Status:</b> C <b>Report Code:</b> 3CAN <b>Report Type:</b> Complete Report <b>Report Date:</b> 10/7/02 <b>Report Requested by:</b> Stantec Consulting Ltd. (formerly Beak) <b>Nearest Intersection:</b> <b>Previous Site Name:</b> <b>Additional Info Ordered:</b> Fire Insur. Maps and/or Site Plans and/or Inspection Reports					
<b>Date Received:</b> 9/26/02 <b>Lot/Building Size:</b> 3 acres <b>Municipality:</b> <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> 0.25 <b>Large Radius:</b> 2.00 <b>X:</b> -79.54422 <b>Y:</b> 43.6318					
<a href="#">204</a>	4 of 29	NW/257.5	120.7 / 6.84	K-BRO LINEN SYSTEMS (ONTARIO) LIMITED 15 Shorncliffe Road Etobicoke ON M9B3S4	GEN
<b>Generator No.:</b> ON0275501 <b>Status:</b> <b>Approval Years:</b> 2015 <b>Contam. Facility:</b> No <b>MHSW Facility:</b> No <b>SIC Code:</b> 812330 <b>SIC Description:</b> LINEN AND UNIFORM SUPPLY					
<b>PO Box No.:</b> <b>Country:</b> Canada <b>Choice of Contact:</b> CO_OFFICIAL <b>Co Admin:</b> <b>Phone No. Admin:</b>					
<b>--Details--</b> <b>Waste Code:</b> 123 <b>Waste Description:</b> ALKALINE PHOSPHATES					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Code:</b>		241			
<b>Waste Description:</b>		HALOGENATED SOLVENTS			
<b>Waste Code:</b>		262			
<b>Waste Description:</b>		DETERGENTS/SOAPS			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		267			
<b>Waste Description:</b>		ORGANIC ACIDS			
<a href="#">204</a>	5 of 29	NW/257.5	120.7 / 6.84	Orlando Corporation 15 Shorncliff Toronto ON M9B 3S4	GEN
<b>Generator No.:</b>	ON7419359			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2014			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	531111				
<b>SIC Description:</b>	LESSORS OF RESIDENTIAL BUILDINGS AND DWELLINGS (EXCEPT SOCIAL HOUSING PROJECTS)				
<b>--Details--</b>					
<b>Waste Code:</b>		241			
<b>Waste Description:</b>		HALOGENATED SOLVENTS			
<a href="#">204</a>	6 of 29	NW/257.5	120.7 / 6.84	K-BRO LINEN SYSTEMS (ONTARIO) LIMITED 15 Shorncliffe Road Etobicoke ON M9B3S4	GEN
<b>Generator No.:</b>	ON0275501			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2016			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	812330				
<b>SIC Description:</b>	LINEN AND UNIFORM SUPPLY				
<b>--Details--</b>					
<b>Waste Code:</b>		262			
<b>Waste Description:</b>		DETERGENTS/SOAPS			
<b>Waste Code:</b>		241			
<b>Waste Description:</b>		HALOGENATED SOLVENTS			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		123			
<b>Waste Description:</b>		ALKALINE PHOSPHATES			
<b>Waste Code:</b>		267			
<b>Waste Description:</b>		ORGANIC ACIDS			
<a href="#">204</a>	7 of 29	NW/257.5	120.7 / 6.84	Orlando Corporation 15 Shorncliff Toronto ON M9B 3S4	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Generator No.:</b>	ON7419359			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2016			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	531111				
<b>SIC Description:</b>	LESSORS OF RESIDENTIAL BUILDINGS AND DWELLINGS (EXCEPT SOCIAL HOUSING PROJECTS)				
<b>--Details--</b>					
<b>Waste Code:</b>	241				
<b>Waste Description:</b>	HALOGENATED SOLVENTS				
<a href="#">204</a>	8 of 29	NW/257.5	120.7 / 6.84	<b>Orlando Corporation 15 Shorncliff Toronto ON M9B 3S4</b>	GEN
<b>Generator No.:</b>	ON7419359			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	07,08			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	531111				
<b>SIC Description:</b>	Lessors of Residential Buildings and Dwellings (except Social Housing Projects)				
<b>--Details--</b>					
<b>Waste Code:</b>	241				
<b>Waste Description:</b>	HALOGENATED SOLVENTS				
<a href="#">204</a>	9 of 29	NW/257.5	120.7 / 6.84	<b>Orlando Corporation 15 Shorncliff Toronto ON M9B 3S4</b>	GEN
<b>Generator No.:</b>	ON7419359			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2012			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	531111				
<b>SIC Description:</b>	Lessors of Residential Buildings and Dwellings (except Social Housing Projects)				
<b>--Details--</b>					
<b>Waste Code:</b>	241				
<b>Waste Description:</b>	HALOGENATED SOLVENTS				
<a href="#">204</a>	10 of 29	NW/257.5	120.7 / 6.84	<b>BRIGHTON LAUNDRY LIMITED 15 SHORNCLIFFE ROAD ETOBICOKE ON M9B 3S4</b>	GEN
<b>Generator No.:</b>	ON0275501			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	92,93,96			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	9721				
<b>SIC Description:</b>	POWER LAUND./CLEANER				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>--Details--</b>					
<b>Waste Code:</b>		241			
<b>Waste Description:</b>		HALOGENATED SOLVENTS			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<a href="#">204</a>	11 of 29	NW/257.5	120.7 / 6.84	GENTLETOUCH DRYCLEANERS 15 SHORNCLIFFE RD. ETOBICOKE ON M9B 3S4	GEN
<b>Generator No.:</b>	ON0275501			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	89,90			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	9721				
<b>SIC Description:</b>	POWER LAUND./CLEANER				
<b>--Details--</b>					
<b>Waste Code:</b>		241			
<b>Waste Description:</b>		HALOGENATED SOLVENTS			
<a href="#">204</a>	12 of 29	NW/257.5	120.7 / 6.84	K-BRO LINEN SYSTEMS (ONTARIO) LIMITED 15 Shorncliffe Road Etobicoke ON M9B 3S4	GEN
<b>Generator No.:</b>	ON0275501			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2009			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	812330				
<b>SIC Description:</b>	Linen and Uniform Supply				
<b>--Details--</b>					
<b>Waste Code:</b>		241			
<b>Waste Description:</b>		HALOGENATED SOLVENTS			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		262			
<b>Waste Description:</b>		DETERGENTS/SOAPS			
<a href="#">204</a>	13 of 29	NW/257.5	120.7 / 6.84	K-BRO LINEN SYSTEMS (ONTARIO) LIMITED 15 Shorncliffe Road Etobicoke ON M9B 3S4	GEN
<b>Generator No.:</b>	ON0275501			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2010			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	812330				
<b>SIC Description:</b>	Linen and Uniform Supply				
<b>--Details--</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Code:</b> 241 <b>Waste Description:</b> HALOGENATED SOLVENTS					
<b>Waste Code:</b> 262 <b>Waste Description:</b> DETERGENTS/SOAPS					
<b>Waste Code:</b> 252 <b>Waste Description:</b> WASTE OILS & LUBRICANTS					
<a href="#">204</a>	14 of 29	NW/257.5	120.7 / 6.84	GENTLETOUCH (OUT OF BUS) 15 SHORNCLIFFE RD. ETOBICOKE ON M9B 3S4	17-274 GEN
<b>Generator No.:</b>	ON0275501			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	94,95			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	9721				
<b>SIC Description:</b>	POWER LAUND./CLEANER				
<b>--Details--</b>					
<b>Waste Code:</b>	241				
<b>Waste Description:</b>	HALOGENATED SOLVENTS				
<a href="#">204</a>	15 of 29	NW/257.5	120.7 / 6.84	Orlando Corporation 15 Shorncliff Toronto ON	GEN
<b>Generator No.:</b>	ON7419359			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2011			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	531111				
<b>SIC Description:</b>	Lessors of Residential Buildings and Dwellings (except Social Housing Projects)				
<b>--Details--</b>					
<b>Waste Code:</b>	241				
<b>Waste Description:</b>	HALOGENATED SOLVENTS				
<a href="#">204</a>	16 of 29	NW/257.5	120.7 / 6.84	Orlando Corporation 15 Shorncliff Toronto ON	GEN
<b>Generator No.:</b>	ON7419359			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2009			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	531111				
<b>SIC Description:</b>	Lessors of Residential Buildings and Dwellings (except Social Housing Projects)				
<b>--Details--</b>					
<b>Waste Code:</b>	241				
<b>Waste Description:</b>	HALOGENATED SOLVENTS				



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">204</a>	17 of 29	NW/257.5	120.7 / 6.84	K-BRO LINEN SYSTEMS (ONTARIO) LIMITED 15 SHORNCLIFFE ROAD ETOBICOKE ON M9B 3S4	GEN
<b>Generator No.:</b>	ON0275501			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	97,98,99,00,01,04,05,06,07,08			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	9721				
<b>SIC Description:</b>	POWER LAUND./CLEANERS				
<b>--Details--</b>					
<b>Waste Code:</b>	241				
<b>Waste Description:</b>	HALOGENATED SOLVENTS				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Code:</b>	262				
<b>Waste Description:</b>	DETERGENTS/SOAPS				
<a href="#">204</a>	18 of 29	NW/257.5	120.7 / 6.84	Orlando Corporation 15 Shorncliffe Toronto ON	GEN
<b>Generator No.:</b>	ON7419359			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2010			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	531111				
<b>SIC Description:</b>	Lessors of Residential Buildings and Dwellings (except Social Housing Projects)				
<b>--Details--</b>					
<b>Waste Code:</b>	241				
<b>Waste Description:</b>	HALOGENATED SOLVENTS				
<a href="#">204</a>	19 of 29	NW/257.5	120.7 / 6.84	K-BRO LINEN SYSTEMS (ONTARIO) LIMITED 15 Shorncliffe Road Etobicoke ON M9B 3S4	GEN
<b>Generator No.:</b>	ON0275501			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2011			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	812330				
<b>SIC Description:</b>	Linen and Uniform Supply				
<b>--Details--</b>					
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Code:</b>	241				
<b>Waste Description:</b>	HALOGENATED SOLVENTS				
<b>Waste Code:</b>	262				
<b>Waste Description:</b>	DETERGENTS/SOAPS				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">204</a>	20 of 29	NW/257.5	120.7 / 6.84	K-BRO LINEN SYSTEMS (ONTARIO) LIMITED 15 Shorncliffe Road Etobicoke ON M9B 3S4	GEN
<b>Generator No.:</b>	ON0275501			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2012			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	812330				
<b>SIC Description:</b>	Linen and Uniform Supply				
<b>--Details--</b>					
<b>Waste Code:</b>	241				
<b>Waste Description:</b>	HALOGENATED SOLVENTS				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Code:</b>	262				
<b>Waste Description:</b>	DETERGENTS/SOAPS				
<a href="#">204</a>	21 of 29	NW/257.5	120.7 / 6.84	K-BRO LINEN SYSTEMS (ONTARIO) LIMITED 15 Shorncliffe Road Etobicoke ON M9B3S4	GEN
<b>Generator No.:</b>	ON0275501			<b>PO Box No.:</b>	
<b>Status:</b>	Registered			<b>Country:</b>	Canada
<b>Approval Years:</b>	As of Jun 2017			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<b>--Details--</b>					
<b>Waste Code:</b>	252 L				
<b>Waste Description:</b>	Waste crankcase oils and lubricants				
<b>Waste Code:</b>	122 C				
<b>Waste Description:</b>	Alkaline slutions - containing other metals and non-metals (not cyanide)				
<b>Waste Code:</b>	114 C				
<b>Waste Description:</b>	Other inorganic acid wastes				
<a href="#">204</a>	22 of 29	NW/257.5	120.7 / 6.84	Orlando Corporation 15 Shorncliffe Road Toronto ON M9B 3S4	GEN
<b>Generator No.:</b>	ON7996900			<b>PO Box No.:</b>	
<b>Status:</b>	Registered			<b>Country:</b>	Canada
<b>Approval Years:</b>	As of Dec 2017			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<b>--Details--</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Code:</b>		241 L			
<b>Waste Description:</b>		Halogenated solvents and residues			
<a href="#">204</a>	23 of 29	NW/257.5	120.7 / 6.84	Orlando Corporation 15 Shorncliff Toronto ON M9B 3S4	GEN
<b>Generator No.:</b>	ON7419359			<b>PO Box No.:</b>	
<b>Status:</b>	Registered			<b>Country:</b>	Canada
<b>Approval Years:</b>	As of Dec 2017			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<b>--Details--</b>					
<b>Waste Code:</b>		241 L			
<b>Waste Description:</b>		Halogenated solvents and residues			
<a href="#">204</a>	24 of 29	NW/257.5	120.7 / 6.84	Orlando Corporation 15 Shorncliff Toronto ON M9B 3S4	GEN
<b>Generator No.:</b>	ON7419359			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2015			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	531111				
<b>SIC Description:</b>	LESSORS OF RESIDENTIAL BUILDINGS AND DWELLINGS (EXCEPT SOCIAL HOUSING PROJECTS)				
<b>--Details--</b>					
<b>Waste Code:</b>		241			
<b>Waste Description:</b>		HALOGENATED SOLVENTS			
<a href="#">204</a>	25 of 29	NW/257.5	120.7 / 6.84	Orlando Corporation 15 Shorncliff Toronto ON	GEN
<b>Generator No.:</b>	ON7419359			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2013			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	531111				
<b>SIC Description:</b>	LESSORS OF RESIDENTIAL BUILDINGS AND DWELLINGS (EXCEPT SOCIAL HOUSING PROJECTS)				
<b>--Details--</b>					
<b>Waste Code:</b>		241			
<b>Waste Description:</b>		HALOGENATED SOLVENTS			
<a href="#">204</a>	26 of 29	NW/257.5	120.7 / 6.84	K-BRO LINEN SYSTEMS (ONTARIO) LIMITED 15 Shorncliffe Road Etobicoke ON	GEN
<b>Generator No.:</b>	ON0275501			<b>PO Box No.:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Status:</b> <b>Approval Years:</b> 2013 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> 812330 <b>SIC Description:</b> LINEN AND UNIFORM SUPPLY				<b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No. Admin:</b>	
<b>--Details--</b>					
<b>Waste Code:</b> 241					
<b>Waste Description:</b> HALOGENATED SOLVENTS					
<b>Waste Code:</b> 267					
<b>Waste Description:</b> ORGANIC ACIDS					
<b>Waste Code:</b> 123					
<b>Waste Description:</b> ALKALINE PHOSPHATES					
<b>Waste Code:</b> 262					
<b>Waste Description:</b> DETERGENTS/SOAPS					
<b>Waste Code:</b> 252					
<b>Waste Description:</b> WASTE OILS & LUBRICANTS					
<a href="#">204</a>	27 of 29	NW/257.5	120.7 / 6.84	<b>Bro Linen System</b> <b>15 shorncliffe rd</b> <b>Etobicoke ON M9B 3S4</b>	GEN
<b>Generator No.:</b> ON8508673 <b>Status:</b> Registered <b>Approval Years:</b> As of Dec 2017 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> <b>SIC Description:</b>				<b>PO Box No.:</b> <b>Country:</b> Canada <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No. Admin:</b>	
<b>--Details--</b>					
<b>Waste Code:</b> 262 L					
<b>Waste Description:</b> Detergents and soaps					
<a href="#">204</a>	28 of 29	NW/257.5	120.7 / 6.84	<b>Orlando Corporation</b> <b>15 Shorncliffe Road</b> <b>Toronto ON M9B 3S4</b>	GEN
<b>Generator No.:</b> ON7996900 <b>Status:</b> <b>Approval Years:</b> 2016 <b>Contam. Facility:</b> No <b>MHSW Facility:</b> No <b>SIC Code:</b> 812320 <b>SIC Description:</b> DRY CLEANING AND LAUNDRY SERVICES (EXCEPT COIN-OPERATED)				<b>PO Box No.:</b> <b>Country:</b> Canada <b>Choice of Contact:</b> CO_ADMIN <b>Co Admin:</b> Bernard Chan <b>Phone No. Admin:</b> 416-245-0011 Ext.251	
<b>--Details--</b>					
<b>Waste Code:</b> 241					
<b>Waste Description:</b> HALOGENATED SOLVENTS					
<a href="#">204</a>	29 of 29	NW/257.5	120.7 / 6.84	<b>K-BRO LINEN SYSTEMS (ONTARIO) LIMITED</b> <b>15 Shorncliffe Road</b> <b>Etobicoke ON M9B3S4</b>	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Generator No.:</b>	ON0275501			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2014			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	812330				
<b>SIC Description:</b>	LINEN AND UNIFORM SUPPLY				
<b>--Details--</b>					
<b>Waste Code:</b>	267				
<b>Waste Description:</b>	ORGANIC ACIDS				
<b>Waste Code:</b>	123				
<b>Waste Description:</b>	ALKALINE PHOSPHATES				
<b>Waste Code:</b>	241				
<b>Waste Description:</b>	HALOGENATED SOLVENTS				
<b>Waste Code:</b>	262				
<b>Waste Description:</b>	DETERGENTS/SOAPS				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<b>205</b>	<b>1 of 1</b>	<b>NNW/258.1</b>	<b>122.0 / 8.13</b>	<b>ON</b>	<b>WWIS</b>
<b>Well ID:</b>	7223054			<b>Data Entry Status:</b>	Yes
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>				<b>Date Received:</b>	7/3/2014
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>				<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7215
<b>Casing Material:</b>				<b>Form Version:</b>	8
<b>Audit No:</b>	C23542			<b>Owner:</b>	
<b>Tag:</b>	A152019			<b>Street Name:</b>	
<b>Construction Method:</b>				<b>County:</b>	YORK
<b>Elevation (m):</b>				<b>Municipality:</b>	ETOBICOKE BOROUGH
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1004897087			<b>Elevation:</b>	123.59
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	17
<b>Code OB:</b>				<b>East83:</b>	617646
<b>Code OB Desc:</b>				<b>Org CS:</b>	UTM83
<b>Open Hole:</b>				<b>North83:</b>	4832114
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	14-NOV-13			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Improvement Location Source:</b> <b>Improvement Location Method:</b> <b>Source Revision Comment:</b> <b>Supplier Comment:</b>					
<a href="#">206</a>	1 of 1	SSW/258.6	113.9 / 0.03	ON	BORE
<b>Borehole ID:</b>	642355			<b>Type:</b>	Borehole
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Status::</b>	
<b>Drill Method::</b>	Diamond Drill			<b>UTM Zone::</b>	17
<b>Easting::</b>	617825			<b>Northing::</b>	4830833
<b>Location Accuracy::</b>				<b>Orig. Ground Elev m::</b>	115
<b>Elev. Reliability Note::</b>				<b>DEM Ground Elev m::</b>	115
<b>Total Depth m::</b>	.9			<b>Primary Name::</b>	
<b>Township::</b>				<b>Concession::</b>	
<b>Lot::</b>				<b>Municipality:</b>	
<b>Completion Date::</b>	JUL-1961			<b>Static Water Level::</b>	-999.9
<b>Primary Water Use::</b>	Not Used			<b>Sec. Water Use::</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>	218499442			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	0.2			<b>Stratum Desc:</b>	FILL,SAND,ORGANIC. BROWN,MAN-MADE, AGE POST-GLACIAL.
<b>Stratum ID:</b>	218499443			<b>Top Depth(m):</b>	0.2
<b>Bottom Depth(m):</b>	0.5			<b>Stratum Desc:</b>	SOIL. BLACK,AGE POST-GLACIAL.
<b>Stratum ID:</b>	218499444			<b>Top Depth(m):</b>	0.5
<b>Bottom Depth(m):</b>	0.9			<b>Stratum Desc:</b>	CLAY,SILT,SHALE. GREY,BROWN,AGE GLACIAL. FEET.CLAY
<a href="#">207</a>	1 of 1	NW/261.7	122.1 / 8.26	Dundas St W and Shorncliffe Rd Toronto ON M9B1B5	EHS
<b>Order ID:</b>	431195			<b>Date Received:</b>	02-NOV-15
<b>Order No:</b>	20151102008			<b>Lot/Building Size:</b>	
<b>Customer ID:</b>	99327			<b>Municipality:</b>	
<b>Company ID:</b>	93			<b>Client Prov/State:</b>	ON
<b>Status:</b>	C			<b>Search Radius (km):</b>	.25
<b>Report Code:</b>	4CAN			<b>Large Radius:</b>	.3
<b>Report Type:</b>	Custom Report			<b>X:</b>	-79.542441
<b>Report Date:</b>	06-NOV-15			<b>Y:</b>	43.632515
<b>Report Requested by:</b>	Terraprobe Ltd				
<b>Nearest Intersection:</b>					
<b>Previous Site Name:</b>					
<b>Additional Info Ordered:</b>					
<a href="#">208</a>	1 of 18	W/265.2	119.8 / 6.00	80 Shorncliffe Rd Toronto ON M8Z 5K5	EHS
<b>Order ID:</b>	26930			<b>Date Received:</b>	2/20/03
<b>Order No:</b>	20030220002			<b>Lot/Building Size:</b>	
<b>Customer ID:</b>	21943			<b>Municipality:</b>	
<b>Company ID:</b>	132			<b>Client Prov/State:</b>	ON
<b>Status:</b>	C			<b>Search Radius (km):</b>	0.35
<b>Report Code:</b>	3CAN			<b>Large Radius:</b>	2.00
<b>Report Type:</b>	Complete Report			<b>X:</b>	-79.54361
<b>Report Date:</b>	2/28/03			<b>Y:</b>	43.626459
<b>Report Requested by:</b>	Aqua Terre Solutions Inc.				
<b>Nearest Intersection:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Previous Site Name:</b>					
<b>Additional Info Ordered:</b> Fire Insur. Maps and/or Site Plans and/or Inspection Reports; Aerials Photos and/or Topographical Maps					
<a href="#">208</a>	2 of 18	W/265.2	119.8 / 6.00	80 Shorncliffe Rd. Toronto ON M8Z 5K5	EHS
<b>Order ID:</b>	7610			<b>Date Received:</b>	12/10/01
<b>Order No:</b>	20011210024			<b>Lot/Building Size:</b>	
<b>Customer ID:</b>	9857			<b>Municipality:</b>	
<b>Company ID:</b>	313			<b>Client Prov/State:</b>	ON
<b>Status:</b>	C			<b>Search Radius (km):</b>	0.25
<b>Report Code:</b>	1CAN			<b>Large Radius:</b>	2.00
<b>Report Type:</b>	Site Report			<b>X:</b>	-79.542501
<b>Report Date:</b>	12/12/01			<b>Y:</b>	43.626704
<b>Report Requested by:</b>	CGI Information Systems & Management Consultants Inc.				
<b>Nearest Intersection:</b>	SW corner at Bramshott				
<b>Previous Site Name:</b>					
<b>Additional Info Ordered:</b>					
<a href="#">208</a>	3 of 18	W/265.2	119.8 / 6.00	ULTRAMAR CANADA INC 80 SHORNCLIFFE RD ETOBICOKE ON	EXP
<b>Instance No:</b>	10139832				
<b>Instance ID:</b>	12618				
<b>Instance Type:</b>	FS Facility				
<b>Description:</b>	FS Gasoline Station - Card/Keylock				
<b>Status:</b>	EXPIRED				
<b>TSSA Program Area:</b>					
<b>Maximum Hazard Rank:</b>					
<b>Facility Type:</b>					
<b>Expired Date:</b>					
<a href="#">208</a>	4 of 18	W/265.2	119.8 / 6.00	SUNOCO PETROLEUM 80 SHORNCLIFFE RD ETOBICOKE ON M8Z 5K5	FST
<b>Instance No:</b>	10749706				
<b>Cont Name:</b>					
<b>Instance Type:</b>	FS Liquid Fuel Tank				
<b>Fuel Type:</b>	Diesel				
<b>Status:</b>	Active				
<b>Capacity:</b>	45460				
<b>Tank Material:</b>	Steel				
<b>Corrosion Protection:</b>	Impressed Current				
<b>Tank Type:</b>	Single Wall UST				
<b>Install Year:</b>	1975				
<b>Parent Facility Type:</b>	Fuels Safety Private Fuel Outlet - Self Serve				
<b>Facility Type:</b>	FS Liquid Fuel Tank				
<a href="#">208</a>	5 of 18	W/265.2	119.8 / 6.00	SUNOCO PETROLEUM 80 SHORNCLIFFE RD ETOBICOKE ON M8Z 5K5	FSTH
<b>License Issue Date:</b>	10/22/1990				
<b>Tank Status:</b>	Licensed				
<b>Tank Status As Of:</b>	December 2008				
<b>Operation Type:</b>	Private Fuel Outlet				
<b>Facility Type:</b>	Gasoline Station - Self Serve				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>--Details--</b>					
Status:		Active			
Year of Installation:		1975			
Corrosion Protection:					
Capacity:		45460			
Tank Fuel Type:		Liquid Fuel Single Wall UST - Diesel			
<a href="#">208</a>	6 of 18	W/265.2	119.8 / 6.00	SUNOCO PETROLEUM 80 SHORNCLIFFE RD ETOBICOKE ON M8Z 5K5	FSTH
License Issue Date:		10/22/1990			
Tank Status:		Licensed			
Tank Status As Of:		August 2007			
Operation Type:		Private Fuel Outlet			
Facility Type:		Gasoline Station - Self Serve			
<b>--Details--</b>					
Status:		Active			
Year of Installation:		1975			
Corrosion Protection:					
Capacity:		45460			
Tank Fuel Type:		Liquid Fuel Single Wall UST - Diesel			
<a href="#">208</a>	7 of 18	W/265.2	119.8 / 6.00	ULTRAMAR CANADA LTD. 80 SHORNCLIFFE ROAD CARDLOCK SITE 02650 ETOBICOKE ON M8Z 5K5	GEN
Generator No.:	ON0177965			PO Box No.:	
Status:				Country:	
Approval Years:	95,96,97			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No. Admin:	
SIC Code:	3611				
SIC Description:		REFINED PETRO. PROD.			
<b>--Details--</b>					
Waste Code:		251			
Waste Description:		OIL SKIMMINGS & SLUDGES			
<a href="#">208</a>	8 of 18	W/265.2	119.8 / 6.00	WORK WEAR CORP OF CANADA LTD. 80 A SHORNCLIFFE ROAD TORONTO ON M8Z 5K5	GEN
Generator No.:	ON0190912			PO Box No.:	
Status:				Country:	
Approval Years:	86,87,88,89			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No. Admin:	
SIC Code:	0000				
SIC Description:		*** NOT DEFINED ***			
<b>--Details--</b>					
Waste Code:		213			
Waste Description:		PETROLEUM DISTILLATES			



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<a href="#">208</a>	9 of 18	W/265.2	119.8 / 6.00	<b>WORK WEAR (OUT OF BUS) 80A SHORNCLIFFE ROAD TORONTO ON M8Z 5K5</b>	42-289 <b>GEN</b>
<b>Generator No.:</b>	ON0190912			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	92,93,94,95,96,97			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	9721				
<b>SIC Description:</b>	POWER LAUND./CLEANER				
<b>--Details--</b>					
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<a href="#">208</a>	10 of 18	W/265.2	119.8 / 6.00	<b>TRUCK WATCH SERVICES INC. 80 SHORNCLIFFE ROAD ETOBICOKE ON M8K 5Z5</b>	<b>GEN</b>
<b>Generator No.:</b>	ON2353600			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	97,98,99			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	6351				
<b>SIC Description:</b>	GARAGES(GEN. REPAIR)				
<b>--Details--</b>					
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<a href="#">208</a>	11 of 18	W/265.2	119.8 / 6.00	<b>TRUCK (OUT OF BUSINESS)C. 80 SHORNCLIFFE ROAD ETOBICOKE ON M8K 5Z5</b>	<b>GEN</b>
<b>Generator No.:</b>	ON2353600			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	00,01			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>SIC Code:</b>	6351				
<b>SIC Description:</b>		GARAGES(GEN. REPAIR)			
<b>--Details--</b>					
<b>Waste Code:</b>	212				
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>	213				
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>	252				
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b><u>208</u></b>	12 of 18	W/265.2	119.8 / 6.00	<b>WORK WEAR CORPORATION (OUT OF BUSINESS) 80-A SHORNCLIFFE ROAD_ TORONTO ON M8Z 5K5</b>	<b>GEN</b>
<b>Generator No.:</b>	ON0190912			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	98			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	9721				
<b>SIC Description:</b>		POWER LAUND./CLEANERS			
<b>--Details--</b>					
<b>Waste Code:</b>	213				
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>	251				
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>	252				
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b><u>208</u></b>	13 of 18	W/265.2	119.8 / 6.00	<b>AL BECK TRUCKING 80 SHORNCLIFFE ROAD TORONTO ON M8Z 5K5</b>	<b>GEN</b>
<b>Generator No.:</b>	ON0776101			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	86,87			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	4561				
<b>SIC Description:</b>		GEN. FREIGHT TRUCK.			
<b>--Details--</b>					
<b>Waste Code:</b>	213				
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b><u>208</u></b>	14 of 18	W/265.2	119.8 / 6.00	<b>TRAFFIX 80 SHORNCLIFFE ROAD ETOBICOKE ON M8K 5Z5</b>	<b>GEN</b>
<b>Generator No.:</b>	ON2407600			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:	98,99,00,01,02,03,04,05  9999	OTHER SERVICES		Choice of Contact: Co Admin: Phone No. Admin:	
<b>--Details--</b>					
Waste Code: Waste Description:		212 ALIPHATIC SOLVENTS			
Waste Code: Waste Description:		213 PETROLEUM DISTILLATES			
Waste Code: Waste Description:		251 OIL SKIMMINGS & SLUDGES			
Waste Code: Waste Description:		252 WASTE OILS & LUBRICANTS			
<a href="#">208</a>	15 of 18	W/265.2	119.8 / 6.00	WORK WEAR CORP. OF CANADA LTD. 80A SHORNCLIFFE ROAD TORONTO ON M8Z 5K5	GEN
Generator No.: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:	ON0190912  90  9721	POWER LAUND./CLEANER		PO Box No.: Country: Choice of Contact: Co Admin: Phone No. Admin:	
<b>--Details--</b>					
Waste Code: Waste Description:		213 PETROLEUM DISTILLATES			
Waste Code: Waste Description:		251 OIL SKIMMINGS & SLUDGES			
Waste Code: Waste Description:		252 WASTE OILS & LUBRICANTS			
<a href="#">208</a>	16 of 18	W/265.2	119.8 / 6.00	D.K.M. Travel Services Limited 80 Shorncliffe Road Toronto ON M8Z 5K5	GEN
Generator No.: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:	ON2398192  05,07,08  485510	Charter Bus Industry		PO Box No.: Country: Choice of Contact: Co Admin: Phone No. Admin:	
<b>--Details--</b>					
Waste Code: Waste Description:		252 WASTE OILS & LUBRICANTS			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">208</a>	17 of 18	W/265.2	119.8 / 6.00	ULTRAMAR CANADA LTD. ULTRAMAR CARDLOCK - SITE 02650 80 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K5	GEN
<b>Generator No.:</b>	ON0177965			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	98,99,00,01			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	3611				
<b>SIC Description:</b>	REFINED PETRO. PROD.				
<b>--Details--</b>					
<b>Waste Code:</b>	251				
<b>Waste Description:</b>	OIL SKIMMINGS & SLUDGES				
<a href="#">208</a>	18 of 18	W/265.2	119.8 / 6.00	EAGLE CONCEPTS INC 80 SHORNCLIFFE RD ETOBICOKE ON M8Z 5K5	PRT
<b>Location ID:</b>	4748				
<b>Type:</b>	private				
<b>Expiry Date:</b>					
<b>Capacity (L):</b>	45460.00				
<b>Licence #:</b>	0001035352				
<a href="#">209</a>	1 of 1	ESE/266.2	112.8 / -1.00	ETOBICOKE ON	WWIS
<b>Well ID:</b>	7281240			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring			<b>Date Received:</b>	2/16/2017
<b>Sec. Water Use:</b>	Observation Wells			<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Observation Wells			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7360
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z239532			<b>Owner:</b>	
<b>Tag:</b>	A210317			<b>Street Name:</b>	15 NORTH QUEEN
<b>Construction Method:</b>				<b>County:</b>	YORK
<b>Elevation (m):</b>				<b>Municipality:</b>	ETOBICOKE BOROUGH
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1006354367			<b>Elevation:</b>	112.86
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	17
<b>Code OB:</b>				<b>East83:</b>	618555
<b>Code OB Desc:</b>				<b>Org CS:</b>	UTM83
<b>Open Hole:</b>				<b>North83:</b>	4831184
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	16-NOV-16			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Remarks:</b>				<b>Location Method:</b>	WWF
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1006582610			
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>					
<b>Formation End Depth:</b>					
<b>Formation End Depth UOM:</b>		ft			
<b>Formation ID:</b>		1006582609			
<b>Layer:</b>		1			
<b>Color:</b>		8			
<b>General Color:</b>		BLACK			
<b>Mat1:</b>		11			
<b>Most Common Material:</b>		GRAVEL			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>					
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1006582617			
<b>Layer:</b>		1			
<b>Plug From:</b>		2			
<b>Plug To:</b>		0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well</u></b>					
<b><u>Use</u></b>					
<b>Method Construction ID:</b>		1006582616			
<b>Method Construction Code:</b>		B			
<b>Method Construction:</b>		Other Method			
<b>Other Method Construction:</b>		AUGER			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1006582608			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Construction Record - Casing**

Casing ID: 1006582613  
 Layer: 1  
 Material: 5  
 Open Hole or Material: PLASTIC  
 Depth From: 0  
 Depth To: 4  
 Casing Diameter: 1.25  
 Casing Diameter UOM: inch  
 Casing Depth UOM: ft

**Construction Record - Screen**

Screen ID: 1006582614  
 Layer: 1  
 Slot: .10  
 Screen Top Depth: 4  
 Screen End Depth: 9  
 Screen Material: 5  
 Screen Depth UOM: ft  
 Screen Diameter UOM: inch  
 Screen Diameter: 1.25

**Water Details**

Water ID: 1006582612  
 Layer: 1  
 Kind Code:  
 Kind:  
 Water Found Depth: 6  
 Water Found Depth UOM: ft

**Hole Diameter**

Hole ID: 1006582611  
 Diameter: 6  
 Depth From: 0  
 Depth To: 10  
 Hole Depth UOM: ft  
 Hole Diameter UOM: inch

210    1 of 1    **NE/266.6**    **113.8 / 0.00**    **ON**    **BORE**

<b>Borehole ID:</b>	641610	<b>Type:</b>	Borehole
<b>Use:</b>	Geotechnical/Geological Investigation	<b>Status:</b>	
<b>Drill Method::</b>	Power auger	<b>UTM Zone::</b>	17
<b>Easting::</b>	618370	<b>Northing::</b>	4831788
<b>Location Accuracy::</b>		<b>Orig. Ground Elev m::</b>	117
<b>Elev. Reliability Note::</b>		<b>DEM Ground Elev m::</b>	115
<b>Total Depth m::</b>	6.4	<b>Primary Name::</b>	
<b>Township::</b>		<b>Concession::</b>	
<b>Lot::</b>		<b>Municipality:</b>	
<b>Completion Date::</b>	DEC-1971	<b>Static Water Level::</b>	.6
<b>Primary Water Use::</b>	Not Used	<b>Sec. Water Use::</b>	

**--Details--**

<b>Stratum ID:</b>	218496708	<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	0.1	<b>Stratum Desc:</b>	FILL,ASPHALT.

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Stratum ID:</b> <b>Bottom Depth(m):</b>	218496709 0.5			<b>Top Depth(m):</b> <b>Stratum Desc:</b>	0.1 SAND,SILT,ORGANIC. BROWN,COMPACT, AGE POST-GLACIAL.
<b>Stratum ID:</b> <b>Bottom Depth(m):</b>	218496710 1.8			<b>Top Depth(m):</b> <b>Stratum Desc:</b>	0.5 SILT,SAND,CLAY. BROWN,GLACIAL,COMPACT, AGE GLACIAL.
<b>Stratum ID:</b> <b>Bottom Depth(m):</b>	218496711 3.0			<b>Top Depth(m):</b> <b>Stratum Desc:</b>	1.8 TILL,SAND,SILT, GRAVEL. RUST,GLACIAL,DENSE, AGE GLACIAL, WATER STABLE AT 382.9 FEET.
<b>Stratum ID:</b> <b>Bottom Depth(m):</b>	218496712 6.4			<b>Top Depth(m):</b> <b>Stratum Desc:</b>	3.0 SILT,SAND,CLAY, GRAVEL. GREY,GLACIAL,VERY DENSE, AGE GLACIAL. 018 023

[211](#) 1 of 1 **NNE/270.3** **118.8 / 5.00** **ETOBICOKE ON** **WWIS**

<b>Well ID:</b>	7257895	<b>Data Entry Status:</b>	
<b>Construction Date:</b>		<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole	<b>Date Received:</b>	2/17/2016
<b>Sec. Water Use:</b>	0	<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Monitoring and Test Hole	<b>Abandonment Rec:</b>	
<b>Water Type:</b>		<b>Contractor:</b>	7241
<b>Casing Material:</b>		<b>Form Version:</b>	7
<b>Audit No:</b>	Z218004	<b>Owner:</b>	
<b>Tag:</b>	A188452	<b>Street Name:</b>	37 ADVANCE RD
<b>Construction Method:</b>		<b>County:</b>	YORK
<b>Elevation (m):</b>		<b>Municipality:</b>	ETOBICOKE BOROUGH
<b>Elevation Reliability:</b>		<b>Site Info:</b>	
<b>Depth to Bedrock:</b>		<b>Lot:</b>	
<b>Well Depth:</b>		<b>Concession:</b>	
<b>Overburden/Bedrock:</b>		<b>Concession Name:</b>	
<b>Pump Rate:</b>		<b>Easting NAD83:</b>	
<b>Static Water Level:</b>		<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>		<b>Zone:</b>	
<b>Flow Rate:</b>		<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>			

**Bore Hole Information**

<b>Bore Hole ID:</b>	1005888162	<b>Elevation:</b>	118.77
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	17
<b>Code OB:</b>		<b>East83:</b>	618179
<b>Code OB Desc:</b>		<b>Org CS:</b>	UTM83
<b>Open Hole:</b>		<b>North83:</b>	4832193
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	07-JAN-16	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock**  
**Materials Interval**

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation ID:</b>		1005983657			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		06			
<b>Other Materials:</b>		SILT			
<b>Mat3:</b>		77			
<b>Other Materials:</b>		LOOSE			
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		30			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005983666			
<b>Layer:</b>		2			
<b>Plug From:</b>		.5			
<b>Plug To:</b>		19			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1005983665			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		.5			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1005983667			
<b>Layer:</b>		3			
<b>Plug From:</b>		19			
<b>Plug To:</b>		30			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1005983664			
<b>Method Construction Code:</b>		D			
<b>Method Construction:</b>		Direct Push			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1005983656			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1005983660			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		20			
<b>Casing Diameter:</b>		0			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Construction Record - Screen**

**Screen ID:** 1005983661  
**Layer:** 1  
**Slot:** 10  
**Screen Top Depth:** 20  
**Screen End Depth:** 30  
**Screen Material:** 5  
**Screen Depth UOM:** ft  
**Screen Diameter UOM:** inch  
**Screen Diameter:** 2.25

**Water Details**

**Water ID:** 1005983659  
**Layer:**  
**Kind Code:**  
**Kind:**  
**Water Found Depth:**  
**Water Found Depth UOM:** ft

**Hole Diameter**

**Hole ID:** 1005983658  
**Diameter:** 6  
**Depth From:** 0  
**Depth To:** 30  
**Hole Depth UOM:** ft  
**Hole Diameter UOM:** inch

[212](#)    1 of 1    **NE/271.2**    **113.8 / 0.00**    **ETOBICOKE ON**    [WWIS](#)

**Well ID:** 7039432  
**Construction Date:**  
**Primary Water Use:**  
**Sec. Water Use:**  
**Final Well Status:** Observation Wells  
**Water Type:**  
**Casing Material:**  
**Audit No:** Z49051  
**Tag:** A041000  
**Construction Method:**  
**Elevation (m):**  
**Elevation Reliability:**  
**Depth to Bedrock:**  
**Well Depth:**  
**Overburden/Bedrock:**  
**Pump Rate:**  
**Static Water Level:**  
**Flowing (Y/N):**  
**Flow Rate:**  
**Clear/Cloudy:**

**Data Entry Status:**  
**Data Src:**  
**Date Received:** 1/16/2007  
**Selected Flag:** Yes  
**Abandonment Rec:**  
**Contractor:** 6607  
**Form Version:** 3  
**Owner:**  
**Street Name:** 800 KIPLING AVE  
**County:** YORK  
**Municipality:** ETOBICOKE BOROUGH  
**Site Info:**  
**Lot:**  
**Concession:**  
**Concession Name:**  
**Easting NAD83:**  
**Northing NAD83:**  
**Zone:**  
**UTM Reliability:**

**Bore Hole Information**

**Bore Hole ID:** 11762052    **Elevation:** 115.3  
**DP2BR:**    **Elevrc:**  
**Spatial Status:**    **Zone:** 17  
**Code OB:** o    **East83:** 618375  
**Code OB Desc:** Overburden    **Org CS:** UTM83

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Open Hole:</b> <b>Cluster Kind:</b> <b>Date Completed:</b> 14-JUN-06 <b>Remarks:</b> <b>Elevrc Desc:</b> <b>Location Source Date:</b> <b>Improvement Location Source:</b> <b>Improvement Location Method:</b> <b>Source Revision Comment:</b> <b>Supplier Comment:</b>				<b>North83:</b> 4831786 <b>UTMRC:</b> 3 <b>UTMRC Desc:</b> margin of error : 10 - 30 m <b>Location Method:</b> wwr	
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		933087533			
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		01			
<b>Most Common Material:</b>		FILL			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		.15			
<b>Formation End Depth:</b>		1.5			
<b>Formation End Depth UOM:</b>		m			
<b>Formation ID:</b>		933087534			
<b>Layer:</b>		3			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		06			
<b>Most Common Material:</b>		SILT			
<b>Mat2:</b>		34			
<b>Other Materials:</b>		TILL			
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		1.5			
<b>Formation End Depth:</b>		3.9			
<b>Formation End Depth UOM:</b>		m			
<b>Formation ID:</b>		933087532			
<b>Layer:</b>		1			
<b>Color:</b>		8			
<b>General Color:</b>		BLACK			
<b>Mat1:</b>					
<b>Most Common Material:</b>					
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		.15			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		933311742			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		.3			
<b>Plug Depth UOM:</b>		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Plug ID:** 933311743  
**Layer:** 2  
**Plug From:** .3  
**Plug To:** .85  
**Plug Depth UOM:** m

**Method of Construction & Well Use**

**Method Construction ID:** 967039432  
**Method Construction Code:** 6  
**Method Construction:** Boring  
**Other Method Construction:**

**Pipe Information**

**Pipe ID:** 11769532  
**Casing No:** 1  
**Comment:**  
**Alt Name:**

**Construction Record - Casing**

**Casing ID:** 930894229  
**Layer:** 1  
**Material:**  
**Open Hole or Material:**  
**Depth From:** 0  
**Depth To:** .9  
**Casing Diameter:** 5.1  
**Casing Diameter UOM:** cm  
**Casing Depth UOM:** m

**Construction Record - Screen**

**Screen ID:** 933422574  
**Layer:** 1  
**Slot:** 20  
**Screen Top Depth:** .9  
**Screen End Depth:** 3.9  
**Screen Material:**  
**Screen Depth UOM:** m  
**Screen Diameter UOM:** cm  
**Screen Diameter:** 6.4

**Hole Diameter**

**Hole ID:** 11847878  
**Diameter:** 21  
**Depth From:** 0  
**Depth To:** 3.9  
**Hole Depth UOM:** m  
**Hole Diameter UOM:** cm

<a href="#">213</a>	1 of 1	<b>N/271.7</b>	<b>129.3 / 15.44</b>	<b>Wilmar Rd Dundas St W Toronto ON</b>	<b>EHS</b>
<b>Order ID:</b>	454562			<b>Date Received:</b>	26-APR-16
<b>Order No:</b>	20160426143			<b>Lot/Building Size:</b>	
<b>Customer ID:</b>	114808			<b>Municipality:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Company ID:</b> 50 <b>Status:</b> C <b>Report Code:</b> 4CAN <b>Report Type:</b> Custom Report <b>Report Date:</b> 03-MAY-16 <b>Report Requested by:</b> Golder Associates Ltd. <b>Nearest Intersection:</b> <b>Previous Site Name:</b> <b>Additional Info Ordered:</b>				<b>Client Prov/State:</b> ON <b>Search Radius (km):</b> .03 <b>Large Radius:</b> .1 <b>X:</b> -79.538422 <b>Y:</b> 43.63354	

[214](#)    1 of 1    **SE/271.9**    **113.9 / 0.07**    **TORONTO ON**    **WWIS**

<b>Well ID:</b>	7217839	<b>Data Entry Status:</b>	
<b>Construction Date:</b>		<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring	<b>Date Received:</b>	3/18/2014
<b>Sec. Water Use:</b>		<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Observation Wells	<b>Abandonment Rec:</b>	
<b>Water Type:</b>		<b>Contractor:</b>	7383
<b>Casing Material:</b>		<b>Form Version:</b>	7
<b>Audit No:</b>	Z166188	<b>Owner:</b>	
<b>Tag:</b>	A144075	<b>Street Name:</b>	15 NORTH QUEEN ST.
<b>Construction Method:</b>		<b>County:</b>	YORK
<b>Elevation (m):</b>		<b>Municipality:</b>	ETOBICOKE BOROUGH
<b>Elevation Reliability:</b>		<b>Site Info:</b>	
<b>Depth to Bedrock:</b>		<b>Lot:</b>	
<b>Well Depth:</b>		<b>Concession:</b>	
<b>Overburden/Bedrock:</b>		<b>Concession Name:</b>	
<b>Pump Rate:</b>		<b>Easting NAD83:</b>	
<b>Static Water Level:</b>		<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>		<b>Zone:</b>	
<b>Flow Rate:</b>		<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>			

**Bore Hole Information**

<b>Bore Hole ID:</b>	1004721940	<b>Elevation:</b>	112.04
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	17
<b>Code OB:</b>		<b>East83:</b>	618544
<b>Code OB Desc:</b>		<b>Org CS:</b>	UTM83
<b>Open Hole:</b>		<b>North83:</b>	4831080
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	20-JUN-13	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	1005102324
<b>Layer:</b>	1
<b>Color:</b>	
<b>General Color:</b>	
<b>Mat1:</b>	
<b>Most Common Material:</b>	
<b>Mat2:</b>	

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		8			
<b>Formation End Depth UOM:</b>		ft			
<b>Formation ID:</b>		1005102325			
<b>Layer:</b>		2			
<b>Color:</b>					
<b>General Color:</b>					
<b>Mat1:</b>		05			
<b>Most Common Material:</b>		CLAY			
<b>Mat2:</b>		06			
<b>Other Materials:</b>		SILT			
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		8			
<b>Formation End Depth:</b>		15			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1005102334			
<b>Layer:</b>		3			
<b>Plug From:</b>		4			
<b>Plug To:</b>		15			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1005102333			
<b>Layer:</b>		2			
<b>Plug From:</b>		1			
<b>Plug To:</b>		4			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1005102332			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		1			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well</u></b>					
<b><u>Use</u></b>					
<b>Method Construction ID:</b>		1005102331			
<b>Method Construction Code:</b>		6			
<b>Method Construction:</b>		Boring			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1005102323			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1005102328			
<b>Layer:</b>		1			
<b>Material:</b>		5			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Open Hole or Material:</b>					
<b>Depth From:</b>		PLASTIC			
<b>Depth To:</b>		0			
<b>Casing Diameter:</b>		5			
<b>Casing Diameter UOM:</b>		2			
<b>Casing Depth UOM:</b>		inch			
		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1005102329			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		5			
<b>Screen End Depth:</b>		15			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		ft			
<b>Screen Diameter UOM:</b>		inch			
<b>Screen Diameter:</b>		2.375			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1005102327			
<b>Layer:</b>		1			
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>		10			
<b>Water Found Depth UOM:</b>		ft			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1005102326			
<b>Diameter:</b>		8.5			
<b>Depth From:</b>		0			
<b>Depth To:</b>		15			
<b>Hole Depth UOM:</b>		ft			
<b>Hole Diameter UOM:</b>		inch			
<b><u>215</u></b>	1 of 39	<b>WSW/272.2</b>	<b>119.8 / 6.00</b>	<b>Global Waste Services Inc. 90 Shorncliffe Road, Lot 34 of Registered P 2104 Toronto ON</b>	<b>CA</b>
<b>Certificate #:</b>		2470-5MSQR6			
<b>Application Year:</b>		2003			
<b>Issue Date:</b>		6/24/2003			
<b>Approval Type:</b>		Industrial Sewage Works			
<b>Status:</b>		Approved			
<b>Application Type:</b>					
<b>Client Name::</b>					
<b>Client Address::</b>					
<b>Client City::</b>					
<b>Client Postal Code::</b>					
<b>Project Description::</b>					
<b>Contaminants::</b>					
<b>Emission Control::</b>					
<b><u>215</u></b>	2 of 39	<b>WSW/272.2</b>	<b>119.8 / 6.00</b>	<b>King Recycling &amp; Waste Disposal Inc. 90 Shorncliffe Road, Lot 33 of Registered P 2104 Toronto ON</b>	<b>CA</b>
<b>Certificate #:</b>		2694-5MSNPA			
<b>Application Year:</b>		2003			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Issue Date:</b> <b>Approval Type:</b> <b>Status:</b> <b>Application Type:</b> <b>Client Name::</b> <b>Client Address::</b> <b>Client City::</b> <b>Client Postal Code::</b> <b>Project Description::</b> <b>Contaminants::</b> <b>Emission Control::</b>		6/24/2003 Industrial Sewage Works Approved			
<a href="#">215</a>	3 of 39	WSW/272.2	119.8 / 6.00	<b>King Recycling &amp; Waste Disposal Inc.</b> <b>90 Shorncliffe Road, Lot 34 of Registered P 2104</b> <b>Toronto ON</b>	CA
<b>Certificate #:</b> <b>Application Year:</b> <b>Issue Date:</b> <b>Approval Type:</b> <b>Status:</b> <b>Application Type:</b> <b>Client Name::</b> <b>Client Address::</b> <b>Client City::</b> <b>Client Postal Code::</b> <b>Project Description::</b> <b>Contaminants::</b> <b>Emission Control::</b>		A841699 2004 10/18/2004 Waste Management Systems Approved			
<a href="#">215</a>	4 of 39	WSW/272.2	119.8 / 6.00	<b>1558231 Ontario Inc.</b> <b>90 Shorncliffe Road, Lot 34 of Registered P 2104</b> <b>Toronto ON</b>	CA
<b>Certificate #:</b> <b>Application Year:</b> <b>Issue Date:</b> <b>Approval Type:</b> <b>Status:</b> <b>Application Type:</b> <b>Client Name::</b> <b>Client Address::</b> <b>Client City::</b> <b>Client Postal Code::</b> <b>Project Description::</b> <b>Contaminants::</b> <b>Emission Control::</b>		4833-5WCPCZ 2004 3/5/2004 Waste Management Systems Approved			
<a href="#">215</a>	5 of 39	WSW/272.2	119.8 / 6.00	<b>Global Waste Services Inc.</b> <b>90 Shorncliffe Road</b> <b>Toronto ON</b>	CONV
<b>File No.:</b> <b>Crown Brief No.:</b> <b>Publication City:</b> <b>Publication Title:</b> <b>Act:</b> <b>Act(s):</b> <b>First Matter:</b> <b>Second Matter:</b>		040101		<b>Location:</b> <b>Region:</b> <b>Ministry District:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Investigation 1:  
Investigation 2:  
Penalty Imposed:  
URL:  
Description:

On February 28, 2010, Global Waste Services Inc. and Philip Pinheiro were fined a total of \$24,000 for failing to comply with conditions of a Certificate of Approval for a waste disposal site. The Court heard that the company operates a waste transfer facility at 90 Shorncliffe Road in Toronto. Mr. Pinheiro was the operations manager and the company contact person. Multiple ministry inspections revealed that the company had violated the terms and conditions of the Certificate of Approval for the site, including: receiving and depositing liquid catch basin waste in the yard, exceeding the limit for the total amount of waste including recyclables stored on-site at any time and exceeding the total amount of tonnes per day of solid non-hazardous waste that may be accepted at the site. The company was charged following an investigation by the ministry's Investigations and Enforcement Branch. The company and Mr. Pinheiro were convicted of three violations each under the Environmental Protection Act relating to non-compliance with a Certificate of Approval. The company was fined a total of \$18,000, plus a victim fine surcharge and Mr. Pinheiro was fined a total of \$6,000 plus a victim fine surcharge. Both were given 180 days to pay.

Background:

--Details--

Publication Date:  
Count: 3  
Act: EPA  
Regulation:  
Section:  
Act/Regulation/Section: EPA  
Date of Conviction:  
Date of Offence:  
Date Charged: February 28, 2010  
Charge Disposition: fine, victim fine surcharge  
Fine: \$24,000

<a href="#">215</a>	6 of 39	WSW/272.2	119.8 / 6.00	Global Waste Services Inc. 90 Shorncliffe Road Toronto CITY OF TORONTO ON	EBR
---------------------	---------	-----------	--------------	---	-----

Company Name: Global Waste Services Inc.  
EBR Registry No.: 010-4721  
Ministry Ref. No.: 3911-7JBLD5  
Notice Type: Instrument Decision  
Notice Date: October 05, 2009  
Proposal Date: November 26, 2008  
Year: 2008  
Proponent Address: 90 Shorncliffe Road, Toronto Ontario, Canada M8Z 5K5  
Instrument Type: (EPA s. 27) - Approval for a waste disposal site.  
Location Other:

Location:

90 Shorncliffe Road Toronto CITY OF TORONTO

<a href="#">215</a>	7 of 39	WSW/272.2	119.8 / 6.00	Terra-Green Recycling & Transfer Inc. 90 Shorncliffe Road Toronto CITY OF TORONTO ON	EBR
---------------------	---------	-----------	--------------	--	-----

Company Name: Terra-Green Recycling & Transfer Inc.  
EBR Registry No.: 010-0292  
Ministry Ref. No.: 3177-6ZJP5C  
Notice Type: Instrument Decision  
Notice Date: April 30, 2008  
Proposal Date: April 11, 2007  
Year: 2007



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Proponent Address:</b>		86 Shorncliffe Road, Toronto Ontario, Canada M8Z 5K5			
<b>Instrument Type:</b>		(EPA s. 27) - Approval for a waste disposal site.			
<b>Location Other:</b>					
<b>Location:</b>					
90 Shorncliffe Road Toronto CITY OF TORONTO					
<a href="#">215</a>	8 of 39	WSW/272.2	119.8 / 6.00	<b>Global Waste Services Inc. 90 Shorncliffe Road, Lot 34 of Registered P 2104 Toronto Ontario Toronto ON</b>	<b>EBR</b>
<b>Company Name:</b>		Global Waste Services Inc.			
<b>EBR Registry No.:</b>		IA02E1333			
<b>Ministry Ref. No.:</b>		1482-5F7HGP			
<b>Notice Type:</b>		Instrument Decision			
<b>Notice Date:</b>		June 06, 2003			
<b>Proposal Date:</b>		October 29, 2002			
<b>Year:</b>		2002			
<b>Proponent Address:</b>		6160 Netherhart Road, Mississauga Ontario, L5T 2G6			
<b>Instrument Type:</b>		(EPA s. 27) - Approval for a waste disposal site.			
<b>Location Other:</b>					
<b>Location:</b>					
90 Shorncliffe Road, Lot 34 of Registered P 2104 Toronto Ontario Toronto					
<a href="#">215</a>	9 of 39	WSW/272.2	119.8 / 6.00	<b>Global Waste Services Inc. 90 Shornecliffe Road CITY OF TORONTO ON</b>	<b>EBR</b>
<b>Company Name:</b>		Global Waste Services Inc.			
<b>EBR Registry No.:</b>		IA03E0679			
<b>Ministry Ref. No.:</b>		8897-5JVS2E			
<b>Notice Type:</b>		Instrument Decision			
<b>Notice Date:</b>		October 24, 2003			
<b>Proposal Date:</b>		May 20, 2003			
<b>Year:</b>		2003			
<b>Proponent Address:</b>		90 Shorncliffe Road, Toronto Ontario, M8Z 5K5			
<b>Instrument Type:</b>		(EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)			
<b>Location Other:</b>					
<b>Location:</b>					
90 Shornecliffe Road CITY OF TORONTO					
<a href="#">215</a>	10 of 39	WSW/272.2	119.8 / 6.00	<b>King Recycling &amp; Waste Disposal Inc. 90 Shorncliffe Road CITY OF TORONTO ON</b>	<b>EBR</b>
<b>Company Name:</b>		King Recycling & Waste Disposal Inc.			
<b>EBR Registry No.:</b>		IA03E0680			
<b>Ministry Ref. No.:</b>		9751-5JVRY3			
<b>Notice Type:</b>		Instrument Decision			
<b>Notice Date:</b>		October 24, 2003			
<b>Proposal Date:</b>		May 20, 2003			
<b>Year:</b>		2003			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Proponent Address:</b>		90 Shorncliffe Road, Toronto Ontario, M8Z 5K5			
<b>Instrument Type:</b>		(EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)			
<b>Location Other:</b>					
<b>Location:</b>		90 Shorncliffe Road CITY OF TORONTO			
<a href="#">215</a>	11 of 39	WSW/272.2	119.8 / 6.00	<b>King Recycling &amp; Waste Disposal Inc. 90 Shorncliffe Road, Lot 33 of Registered P 2104 Toronto Ontario M8Z 5K5 Toronto ON</b>	<b>EBR</b>
<b>Company Name:</b>		King Recycling & Waste Disposal Inc.			
<b>EBR Registry No.:</b>		IA02E1325			
<b>Ministry Ref. No.:</b>		7815-5F7HY3			
<b>Notice Type:</b>		Instrument Decision			
<b>Notice Date:</b>		June 04, 2003			
<b>Proposal Date:</b>		October 25, 2002			
<b>Year:</b>		2002			
<b>Proponent Address:</b>		90 Shorncliffe Road, Toronto Ontario, M8Z 5K5			
<b>Instrument Type:</b>		(EPA s. 27) - Approval for a waste disposal site.			
<b>Location Other:</b>					
<b>Location:</b>		90 Shorncliffe Road, Lot 33 of Registered P 2104 Toronto Ontario M8Z 5K5 Toronto			
<a href="#">215</a>	12 of 39	WSW/272.2	119.8 / 6.00	<b>King Recycling &amp; Waste Disposal Inc. 90 Shorncliffe Road, Lot 33 of Registered P 2104 Toronto Ontario M8Z 5K5 Toronto ON</b>	<b>EBR</b>
<b>Company Name:</b>		King Recycling & Waste Disposal Inc.			
<b>EBR Registry No.:</b>		IA03E0029			
<b>Ministry Ref. No.:</b>		6588-5H8LC8			
<b>Notice Type:</b>		Instrument Decision			
<b>Notice Date:</b>		June 26, 2003			
<b>Proposal Date:</b>		January 09, 2003			
<b>Year:</b>		2003			
<b>Proponent Address:</b>		90 Shorncliffe Road, Toronto Ontario, M8Z 5K5			
<b>Instrument Type:</b>		(OWRA s. 53(1)) - Approval for sewage works			
<b>Location Other:</b>					
<b>Location:</b>		90 Shorncliffe Road, Lot 33 of Registered P 2104 Toronto Ontario M8Z 5K5 Toronto			
<a href="#">215</a>	13 of 39	WSW/272.2	119.8 / 6.00	<b>Global Waste Services Inc. 90 Shorncliffe Road, Lot 34 of Registered P 2104 Toronto Ontario Toronto ON</b>	<b>EBR</b>
<b>Company Name:</b>		Global Waste Services Inc.			
<b>EBR Registry No.:</b>		IA03E0028			
<b>Ministry Ref. No.:</b>		2382-5H4KG4			
<b>Notice Type:</b>		Instrument Decision			
<b>Notice Date:</b>		June 26, 2003			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Proposal Date:</b>		January 09, 2003			
<b>Year:</b>		2003			
<b>Proponent Address:</b>		90 Shorncliffe Road, Toronto Ontario, M8Z 5K5			
<b>Instrument Type:</b>		(OWRA s. 53(1)) - Approval for sewage works			
<b>Location Other:</b>					
<b>Location:</b>					
90 Shorncliffe Road, Lot 34 of Registered P 2104 Toronto Ontario Toronto					
<a href="#">215</a>	14 of 39	WSW/272.2	119.8 / 6.00	<b>1558231 Ontario Inc.</b> 90 Shorncliffe Road, Lot 34 of Registered P 2104 Toronto ON L5T 1B7	ECA
<b>Approval No:</b>		4833-5WCPCZ		<b>SWP Area Name:</b> Toronto	
<b>Approval Date:</b>		2004-03-05		<b>MOE District:</b> Toronto	
<b>Status:</b>		Approved		<b>City:</b> Toronto	
<b>Record Type:</b>		ECA		<b>Longitude:</b> -79.54342	
<b>Link Source:</b>		IDS		<b>Latitude:</b> 43.62575	
<b>Approval Type:</b>		ECA-WASTE MANAGEMENT SYSTEMS			
<b>Project Type:</b>		WASTE MANAGEMENT SYSTEMS			
<b>Address:</b>		90 Shorncliffe Road, Lot 34 of Registered P 2104			
<b>Full Address:</b>					
<b>Full PDF Link:</b>		<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/8586-5TPTZM-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/8586-5TPTZM-14.pdf</a>			
<a href="#">215</a>	15 of 39	WSW/272.2	119.8 / 6.00	<b>King Recycling &amp; Waste Disposal Inc.</b> 90 Shorncliffe Road, Lot 33 of Registered P 2104 Toronto ON M8Z 5K5	ECA
<b>Approval No:</b>		2694-5MSNPA		<b>SWP Area Name:</b> Toronto	
<b>Approval Date:</b>		2003-06-24		<b>MOE District:</b> Toronto	
<b>Status:</b>		Approved		<b>City:</b> Toronto	
<b>Record Type:</b>		ECA		<b>Longitude:</b> -79.54252	
<b>Link Source:</b>		IDS		<b>Latitude:</b> 43.62694	
<b>Approval Type:</b>		ECA-INDUSTRIAL SEWAGE WORKS			
<b>Project Type:</b>		INDUSTRIAL SEWAGE WORKS			
<b>Address:</b>		90 Shorncliffe Road, Lot 33 of Registered P 2104			
<b>Full Address:</b>					
<b>Full PDF Link:</b>		<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/6588-5H8LC8-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/6588-5H8LC8-14.pdf</a>			
<a href="#">215</a>	16 of 39	WSW/272.2	119.8 / 6.00	<b>Global Waste Services Inc.</b> 90 Shorncliffe Road, Lot 34 of Registered P 2104 Toronto ON M8Z 5K5	ECA
<b>Approval No:</b>		2470-5MSQR6		<b>SWP Area Name:</b> Toronto	
<b>Approval Date:</b>		2003-06-24		<b>MOE District:</b> Toronto	
<b>Status:</b>		Approved		<b>City:</b> Toronto	
<b>Record Type:</b>		ECA		<b>Longitude:</b> -79.54342	
<b>Link Source:</b>		IDS		<b>Latitude:</b> 43.62575	
<b>Approval Type:</b>		ECA-INDUSTRIAL SEWAGE WORKS			
<b>Project Type:</b>		INDUSTRIAL SEWAGE WORKS			
<b>Address:</b>		90 Shorncliffe Road, Lot 34 of Registered P 2104			
<b>Full Address:</b>					
<b>Full PDF Link:</b>		<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/2382-5H4KG4-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/2382-5H4KG4-14.pdf</a>			
<a href="#">215</a>	17 of 39	WSW/272.2	119.8 / 6.00	<b>King Recycling &amp; Waste Disposal Inc.</b> 90 Shorncliffe Road, Lot 34 of Registered P 2104 Toronto ON M8Z 5K5	ECA

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Approval No:</b>	A841699			<b>SWP Area Name:</b> Toronto	
<b>Approval Date:</b>	2004-10-18			<b>MOE District:</b> Toronto	
<b>Status:</b>	Approved			<b>City:</b> Toronto	
<b>Record Type:</b>	ECA			<b>Longitude:</b> -79.54342	
<b>Link Source:</b>	IDS			<b>Latitude:</b> 43.62575	
<b>Approval Type:</b>	ECA-WASTE MANAGEMENT SYSTEMS				
<b>Project Type:</b>	WASTE MANAGEMENT SYSTEMS				
<b>Address:</b>	90 Shorncliffe Road, Lot 34 of Registered P 2104				
<b>Full Address:</b>					
<b>Full PDF Link:</b>	<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/1760-648KAV-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/1760-648KAV-14.pdf</a>				

<a href="#">215</a>	18 of 39	WSW/272.2	119.8 / 6.00	<b>Global Waste Services Inc.</b> 90 Shorncliffe Road Toronto ON M8Z 5K5	GEN
<b>Generator No.:</b>	ON3333698			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b> Canada	
<b>Approval Years:</b>	2016			<b>Choice of Contact:</b> CO_OFFICIAL	
<b>Contam. Facility:</b>	No			<b>Co Admin:</b> Jose Pinheiro	
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b> 416-239-6399 Ext.	
<b>SIC Code:</b>	236210				
<b>SIC Description:</b>	INDUSTRIAL BUILDING AND STRUCTURE CONSTRUCTION				
<b>--Details--</b>					
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				

<a href="#">215</a>	19 of 39	WSW/272.2	119.8 / 6.00	<b>GLENGARRY (OUT OF BUSINESS)</b> 17-040 HYMUS DISTRIBUTION DIVISION 90 SHORNCLIFF ROAD TORONTO ON M8Z 5K5	GEN
<b>Generator No.:</b>	ON0238800			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	92,93,94,95,96,97			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	4561				
<b>SIC Description:</b>	GEN. FREIGHT TRUCK.				

<a href="#">215</a>	20 of 39	WSW/272.2	119.8 / 6.00	<b>GLENGARRY TRANSPORT LTD.</b> HYMUS DISTRIBUTION DIVISION 90 SHORNCLIFF ROAD TORONTO ON M8Z 5K5	GEN
<b>Generator No.:</b>	ON0238800			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	86,87			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	4561				
<b>SIC Description:</b>	GEN. FREIGHT TRUCK.				
<b>--Details--</b>					
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">215</a>	21 of 39	WSW/272.2	119.8 / 6.00	Global Waste Services Inc. 90 Shorncliffe Road Toronto ON	GEN
<b>Generator No.:</b>	ON3333698			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2013			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	236210				
<b>SIC Description:</b>	INDUSTRIAL BUILDING AND STRUCTURE CONSTRUCTION				
<b>--Details--</b>					
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<a href="#">215</a>	22 of 39	WSW/272.2	119.8 / 6.00	GLENGARRY (OUT OF BUSINESS) HYMUS DISTRIBUTION DIVISION 90 SHORNCLIFF ROAD TORONTO ON M8Z 5K5	GEN
<b>Generator No.:</b>	ON0238800			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	88,89,90			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	4561				
<b>SIC Description:</b>	GEN. FREIGHT TRUCK.				
<b>--Details--</b>					
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<a href="#">215</a>	23 of 39	WSW/272.2	119.8 / 6.00	Global Waste Services Inc. 90 Shorncliffe Road Toronto ON M8Z 5K5	GEN
<b>Generator No.:</b>	ON3333698			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2014			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	Jose Pinheiro
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b>	416-239-6399 Ext.
<b>SIC Code:</b>	236210				
<b>SIC Description:</b>	INDUSTRIAL BUILDING AND STRUCTURE CONSTRUCTION				
<b>--Details--</b>					
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<a href="#">215</a>	24 of 39	WSW/272.2	119.8 / 6.00	GLENGARRY TRANSPORT (OUT OF BUSINESS) HYMUS DISTRIBUTION DIVISION 90 SHORNCLIFF ROAD TORONTO ON M8Z 5K5	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Generator No.:</b> <b>Status:</b> <b>Approval Years:</b> <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> <b>SIC Description:</b>	ON0238800 98 4561	GEN. FREIGHT TRUCK.		<b>PO Box No.:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No. Admin:</b>	
<a href="#">215</a>	25 of 39	WSW/272.2	119.8 / 6.00	<b>Global Waste Services Inc.</b> 90 Shorncliffe Road Toronto ON M8Z 5K5	GEN
<b>Generator No.:</b> <b>Status:</b> <b>Approval Years:</b> <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> <b>SIC Description:</b>	ON3333698 Registered As of Dec 2017			<b>PO Box No.:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No. Admin:</b>	Canada
<b>--Details--</b> <b>Waste Code:</b> <b>Waste Description:</b>	252 L Waste crankcase oils and lubricants				
<a href="#">215</a>	26 of 39	WSW/272.2	119.8 / 6.00	<b>Global Waste Services Inc.</b> 90 Shorncliffe Road Toronto ON M8Z 5K5	GEN
<b>Generator No.:</b> <b>Status:</b> <b>Approval Years:</b> <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> <b>SIC Description:</b>	ON3333698 2015 No No 236210	INDUSTRIAL BUILDING AND STRUCTURE CONSTRUCTION		<b>PO Box No.:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No. Admin:</b>	Canada CO_OFFICIAL Jose Pinheiro 416-239-6399 Ext.
<b>--Details--</b> <b>Waste Code:</b> <b>Waste Description:</b>	252 WASTE OILS & LUBRICANTS				
<a href="#">215</a>	27 of 39	WSW/272.2	119.8 / 6.00	<b>G.T.L.-GLENGARRY TRANSPORT LTD.</b> 90 SHORNCLIFFE RD. TORONTO ON M8Z 5K5	GEN
<b>Generator No.:</b> <b>Status:</b> <b>Approval Years:</b> <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> <b>SIC Description:</b>	ON0084701 86,87,88,89,90,92,93,94 0000	*** NOT DEFINED ***		<b>PO Box No.:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No. Admin:</b>	
<a href="#">215</a>	28 of 39	WSW/272.2	119.8 / 6.00	<b>Global Waste Services Inc.</b> 90 Shorncliffe Road Toronto ON M8Z 5K5	GEN
<b>Generator No.:</b>	ON3333698			<b>PO Box No.:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	05,07,08			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	236210				
<b>SIC Description:</b>		Industrial Building and Structure Construction			
<b>--Details--</b>					
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<hr/>					
<a href="#">215</a>	29 of 39	WSW/272.2	119.8 / 6.00	Global Waste Services Inc. 90 Shorncliffe Road Toronto ON M8Z 5K5	GEN
<b>Generator No.:</b>	ON3333698			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2010			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	236210				
<b>SIC Description:</b>		Industrial Building and Structure Construction			
<b>--Details--</b>					
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<hr/>					
<a href="#">215</a>	30 of 39	WSW/272.2	119.8 / 6.00	Global Waste Services Inc. 90 Shorncliffe Road Toronto ON M8Z 5K5	GEN
<b>Generator No.:</b>	ON3333698			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2012			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	236210				
<b>SIC Description:</b>		Industrial Building and Structure Construction			
<b>--Details--</b>					
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<hr/>					
<a href="#">215</a>	31 of 39	WSW/272.2	119.8 / 6.00	Global Waste Services Inc. 90 Shorncliffe Road Toronto ON M8Z 5K5	GEN
<b>Generator No.:</b>	ON3333698			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2011			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	236210				
<b>SIC Description:</b>		Industrial Building and Structure Construction			
<b>--Details--</b>					
<b>Waste Code:</b>		252			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<a href="#">215</a>	32 of 39	WSW/272.2	119.8 / 6.00	KING RECYCLING & WASTE DISPOSAL INC. 90 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K5	GEN
<b>Generator No.:</b>	ON2148501			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	98,99,00,01,02,03,04			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	4214				
<b>SIC Description:</b>	EXCAVAT. & GRADING				
<b>--Details--</b>					
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<a href="#">215</a>	33 of 39	WSW/272.2	119.8 / 6.00	SHORNCLIFFE PROPERTIES 90 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K5	GEN
<b>Generator No.:</b>	ON2206800			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	97,98,99,00,01			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	6351				
<b>SIC Description:</b>	GARAGES(GEN. REPAIR)				
<b>--Details--</b>					
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<a href="#">215</a>	34 of 39	WSW/272.2	119.8 / 6.00	GLENGARRY TRANSPORT LTD. 90 SHORNCLIFF RD. GTL YARD TORONTO DEPOT 90 NORTH QUEEN STREET TORONTO CITY ON	SPL
<b>Ref No:</b>	968			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>	1/26/1988			<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	
<b>Incident Cause:</b>	OTHER CONTAINER LEAK			<b>Source Type:</b>	
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>				<b>Site Name:</b>	
<b>Contaminant Name:</b>				<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>				<b>Site Municipality:</b>	1106
<b>Nature of Impact:</b>				<b>Site Lot:</b>	
<b>Receiving Medium:</b>	LAND			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>Health/Env Conseq:</b>				<b>Easting:</b>	



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>MOE Response:</b> <b>Dt MOE Arvl on Scrn:</b> <b>MOE Reported Dt:</b> 1/26/1988 <b>Dt Document Closed:</b> <b>SAC Action Class:</b> <b>Incident Reason:</b> UNKNOWN <b>Incident Summary:</b> GLENGARRY TRANSPORT- SPILL OF 135 L OF ORTHO- BENZENE IN TRUCK AT YARD.				<b>Site Geo Ref Accu:</b> <b>Site Geo Ref Meth:</b> <b>Site Map Datum:</b>	

<a href="#">215</a>	35 of 39	WSW/272.2	119.8 / 6.00	<b>Global Waste Services Inc.</b> <b>90 Shorncliffe Road, Lot 34 of Registered P 2104</b> <b>Toronto ON</b>	<b>WDS</b>
<b>Certificate No:</b> 4088-5KKT8L <b>Mob Unit Cert No:</b> <b>EBR Registry No:</b> <b>Status:</b> Amended <b>Application Status:</b> <b>Issue Date:</b> 2003-05-27 <b>Input Date:</b> <b>Date Received:</b> <b>Record Type:</b> ECA <b>Project Type:</b> WASTE DISPOSAL SITES <b>Approval Type:</b> ECA-WASTE DISPOSAL SITES <b>SWP Area Name:</b> Toronto <b>MOE District:</b> Toronto <b>Latitude:</b> 43.62575 <b>Longitude:</b> -79.54342 <b>Link Source:</b> IDS <b>Proponent:</b> <b>Prop Address:</b> <b>Prop City:</b> <b>Prop Postal:</b> <b>Prop Phone:</b> <b>Proponent County/District:</b> <b>Site Lot:</b> <b>Full Address:</b> 90 Shorncliffe Road, Lot 34 of Registered P 2104 <b>Landfill Monitoring:</b> <b>Waste Type:</b> <b>Waste Type Other:</b> <b>Waste Class:</b> <b>Waste Class Code:</b> <b>Project Description:</b> <b>Municipalities Served:</b> <b>Site Closing Description:</b> <b>Approval Description:</b> <b>Waste Description:</b> <b>Other Approvals/Permits:</b> <b>PDF URL:</b> <a href="https://www.accessenvironment.ene.gov.on.ca/instruments/1482-5F7HGP-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/1482-5F7HGP-14.pdf</a>				<b>Facility Type:</b> <b>Site Concession:</b> <b>Site Region/County:</b> <b>Total Area (ha):</b> <b>Landfill Cap (m³):</b> <b>Landfill Ctrl Type:</b> <b>Est Closure Date:</b> <b>Transfer Area (ha):</b> <b>Transfer Cap (m³):</b> <b>Transfer Cert No:</b> <b>Inciner. Area (ha):</b> <b>Inciner. Cap (t):</b> <b>Process Area (m²):</b> <b>Process Cap (m³/d):</b> <b>Process Vol (m³):</b> <b>Process Feed (m³):</b> <b>Mobile Units:</b> <b>Mobile Description:</b> <b>Mobile Capacity:</b> <b>Serial Link:</b> <b>District Office:</b>	

<a href="#">215</a>	36 of 39	WSW/272.2	119.8 / 6.00	<b>King Recycling &amp; Waste Disposal Inc.</b> <b>90 Shorncliffe Road, Lot 33 of Registered P 2104</b> <b>Toronto ON M8Z 5K5</b>	<b>WDS</b>
<b>Certificate No:</b> 4912-5L9PJB <b>Mob Unit Cert No:</b> <b>EBR Registry No:</b> <b>Status:</b> Amended <b>Application Status:</b> <b>Issue Date:</b> 2003-05-27 <b>Input Date:</b> <b>Date Received:</b> <b>Record Type:</b> ECA				<b>Facility Type:</b> <b>Site Concession:</b> <b>Site Region/County:</b> <b>Total Area (ha):</b> <b>Landfill Cap (m³):</b> <b>Landfill Ctrl Type:</b> <b>Est Closure Date:</b> <b>Transfer Area (ha):</b> <b>Transfer Cap (m³):</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Project Type:</b>	WASTE DISPOSAL SITES			<b>Transfer Cert No:</b>	
<b>Approval Type:</b>	ECA-WASTE DISPOSAL SITES			<b>Inciner. Area (ha):</b>	
<b>SWP Area Name:</b>	Toronto			<b>Inciner. Cap (t):</b>	
<b>MOE District:</b>	Toronto			<b>Process Area (m³):</b>	
<b>Latitude:</b>	43.62694			<b>Process Cap (m³/d):</b>	
<b>Longitude:</b>	-79.54252			<b>Process Vol (m³):</b>	
<b>Link Source:</b>	IDS			<b>Process Feed (m³):</b>	
<b>Proponent:</b>				<b>Mobile Units:</b>	
<b>Prop Address:</b>				<b>Mobile Description:</b>	
<b>Prop City:</b>				<b>Mobile Capacity:</b>	
<b>Prop Postal:</b>				<b>Serial Link:</b>	
<b>Prop Phone:</b>				<b>District Office:</b>	
<b>Proponent County/District:</b>					
<b>Site Lot:</b>					
<b>Full Address:</b>	90 Shorncliffe Road, Lot 33 of Registered P 2104				
<b>Landfill Monitoring:</b>					
<b>Waste Type:</b>					
<b>Waste Type Other:</b>					
<b>Waste Class:</b>					
<b>Waste Class Code:</b>					
<b>Project Description:</b>					
<b>Municipalities Served:</b>					
<b>Site Closing Description:</b>					
<b>Approval Description:</b>					
<b>Waste Description:</b>					
<b>Other Approvals/Permits:</b>					
<b>PDF URL:</b>	<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/7815-5F7HY3-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/7815-5F7HY3-14.pdf</a>				

<a href="#">215</a>	37 of 39	WSW/272.2	119.8 / 6.00	Global Waste Services Inc. 90 Shorncliffe Rd Lot 34 of Registered P 2104 Toronto ON M8Z 5K5	WDS
<b>Certificate No:</b>	4088-5KKT8L			<b>Facility Type:</b>	
<b>Mob Unit Cert No:</b>				<b>Site Concession:</b>	
<b>EBR Registry No:</b>				<b>Site Region/County:</b>	
<b>Status:</b>	Approved			<b>Total Area (ha):</b>	
<b>Application Status:</b>				<b>Landfill Cap (m³):</b>	
<b>Issue Date:</b>	2009-09-22			<b>Landfill Ctrl Type:</b>	
<b>Input Date:</b>				<b>Est Closure Date:</b>	
<b>Date Received:</b>				<b>Transfer Area (ha):</b>	
<b>Record Type:</b>	ECA			<b>Transfer Cap (m³):</b>	
<b>Project Type:</b>	WASTE DISPOSAL SITES			<b>Transfer Cert No:</b>	
<b>Approval Type:</b>	ECA-WASTE DISPOSAL SITES			<b>Inciner. Area (ha):</b>	
<b>SWP Area Name:</b>	Toronto			<b>Inciner. Cap (t):</b>	
<b>MOE District:</b>	Toronto			<b>Process Area (m³):</b>	
<b>Latitude:</b>	43.62575			<b>Process Cap (m³/d):</b>	
<b>Longitude:</b>	-79.54342			<b>Process Vol (m³):</b>	
<b>Link Source:</b>	IDS			<b>Process Feed (m³):</b>	
<b>Proponent:</b>				<b>Mobile Units:</b>	
<b>Prop Address:</b>				<b>Mobile Description:</b>	
<b>Prop City:</b>				<b>Mobile Capacity:</b>	
<b>Prop Postal:</b>				<b>Serial Link:</b>	
<b>Prop Phone:</b>				<b>District Office:</b>	
<b>Proponent County/District:</b>					
<b>Site Lot:</b>					
<b>Full Address:</b>	90 Shorncliffe Rd Lot 34 of Registered P 2104				
<b>Landfill Monitoring:</b>					
<b>Waste Type:</b>					
<b>Waste Type Other:</b>					
<b>Waste Class:</b>					
<b>Waste Class Code:</b>					
<b>Project Description:</b>					
<b>Municipalities Served:</b>					
<b>Site Closing Description:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Approval Description:</b> <b>Waste Description:</b> <b>Other Approvals/Permits:</b> <b>PDF URL:</b> <a href="https://www.accessenvironment.ene.gov.on.ca/instruments/3911-7JBLD5-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/3911-7JBLD5-14.pdf</a>					

<a href="#">215</a>	38 of 39	WSW/272.2	119.8 / 6.00	King Recycling & Waste Disposal Inc. 90 Shorncliffe Road, Lot 34 of Registered P 2104 Toronto ON M8Z 5K5	WDS
<b>Certificate No:</b>	4912-5L9PJB			<b>Facility Type:</b>	
<b>Mob Unit Cert No:</b>				<b>Site Concession:</b>	
<b>EBR Registry No:</b>				<b>Site Region/County:</b>	
<b>Status:</b>	Approved			<b>Total Area (ha):</b>	
<b>Application Status:</b>				<b>Landfill Cap (m³):</b>	
<b>Issue Date:</b>	2006-11-23			<b>Landfill Ctrl Type:</b>	
<b>Input Date:</b>				<b>Est Closure Date:</b>	
<b>Date Received:</b>				<b>Transfer Area (ha):</b>	
<b>Record Type:</b>	ECA			<b>Transfer Cap (m³):</b>	
<b>Project Type:</b>	WASTE DISPOSAL SITES			<b>Transfer Cert No:</b>	
<b>Approval Type:</b>	ECA-WASTE DISPOSAL SITES			<b>Inciner. Area (ha):</b>	
<b>SWP Area Name:</b>	Toronto			<b>Inciner. Cap (t):</b>	
<b>MOE District:</b>	Toronto			<b>Process Area (m³):</b>	
<b>Latitude:</b>	43.62575			<b>Process Cap (m³/d):</b>	
<b>Longitude:</b>	-79.54342			<b>Process Vol (m³):</b>	
<b>Link Source:</b>	IDS			<b>Process Feed (m³):</b>	
<b>Proponent:</b>				<b>Mobile Units:</b>	
<b>Prop Address:</b>				<b>Mobile Description:</b>	
<b>Prop City:</b>				<b>Mobile Capacity:</b>	
<b>Prop Postal:</b>				<b>Serial Link:</b>	
<b>Prop Phone:</b>				<b>District Office:</b>	
<b>Proponent County/District:</b>					
<b>Site Lot:</b>					
<b>Full Address:</b>	90 Shorncliffe Road, Lot 34 of Registered P 2104				
<b>Landfill Monitoring:</b>					
<b>Waste Type:</b>					
<b>Waste Type Other:</b>					
<b>Waste Class:</b>					
<b>Waste Class Code:</b>					
<b>Project Description:</b>					
<b>Municipalities Served:</b>					
<b>Site Closing Description:</b>					
<b>Approval Description:</b>					
<b>Waste Description:</b>					
<b>Other Approvals/Permits:</b>					
<b>PDF URL:</b>	<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/8850-6JELGP-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/8850-6JELGP-14.pdf</a>				

<a href="#">215</a>	39 of 39	WSW/272.2	119.8 / 6.00	Terra-Green Recycling & Transfer Inc. 90 Shorncliffe Road, Lot 34 of Registered P 2104 Toronto ON M8Z 5K5	WDS
<b>Certificate No:</b>	4912-5L9PJB			<b>Facility Type:</b>	
<b>Mob Unit Cert No:</b>				<b>Site Concession:</b>	
<b>EBR Registry No:</b>				<b>Site Region/County:</b>	
<b>Status:</b>	Approved			<b>Total Area (ha):</b>	
<b>Application Status:</b>				<b>Landfill Cap (m³):</b>	
<b>Issue Date:</b>	2008-04-16			<b>Landfill Ctrl Type:</b>	
<b>Input Date:</b>				<b>Est Closure Date:</b>	
<b>Date Received:</b>				<b>Transfer Area (ha):</b>	
<b>Record Type:</b>	ECA			<b>Transfer Cap (m³):</b>	
<b>Project Type:</b>	WASTE DISPOSAL SITES			<b>Transfer Cert No:</b>	
<b>Approval Type:</b>	ECA-WASTE DISPOSAL SITES			<b>Inciner. Area (ha):</b>	
<b>SWP Area Name:</b>	Toronto			<b>Inciner. Cap (t):</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>MOE District:</b>	Toronto			<b>Process Area (m³):</b>	
<b>Latitude:</b>	43.62575			<b>Process Cap (m³/d):</b>	
<b>Longitude:</b>	-79.54342			<b>Process Vol (m³):</b>	
<b>Link Source:</b>	IDS			<b>Process Feed (m³):</b>	
<b>Proponent:</b>				<b>Mobile Units:</b>	
<b>Prop Address:</b>				<b>Mobile Description:</b>	
<b>Prop City:</b>				<b>Mobile Capacity:</b>	
<b>Prop Postal:</b>				<b>Serial Link:</b>	
<b>Prop Phone:</b>				<b>District Office:</b>	
<b>Proponent County/District:</b>					
<b>Site Lot:</b>					
<b>Full Address:</b>	90 Shorncliffe Road, Lot 34 of Registered P 2104				
<b>Landfill Monitoring:</b>					
<b>Waste Type:</b>					
<b>Waste Type Other:</b>					
<b>Waste Class:</b>					
<b>Waste Class Code:</b>					
<b>Project Description:</b>					
<b>Municipalities Served:</b>					
<b>Site Closing Description:</b>					
<b>Approval Description:</b>					
<b>Waste Description:</b>					
<b>Other Approvals/Permits:</b>					
<b>PDF URL:</b>	<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/3177-6ZJP5C-13.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/3177-6ZJP5C-13.pdf</a>				

<a href="#">216</a>	1 of 17	<b>WSW/272.4</b>	<b>119.8 / 6.00</b>	<b>2130299 Ontario Ltd. 86 Shorncliffe Rd Toronto ON M8Z 5K5</b>	<b>CA</b>
---------------------	---------	------------------	---------------------	--	-----------

**Certificate #:** 7003-7WZPR9  
**Application Year:** 2009  
**Issue Date:** 11/17/2009  
**Approval Type:** Waste Management Systems  
**Status:** Approved  
**Application Type:**  
**Client Name::**  
**Client Address::**  
**Client City::**  
**Client Postal Code::**  
**Project Description::**  
**Contaminants::**  
**Emission Control::**

<a href="#">216</a>	2 of 17	<b>WSW/272.4</b>	<b>119.8 / 6.00</b>	<b>Terra-Green Recycling &amp; Transfer Inc. 86 Shorncliffe Road Toronto CITY OF TORONTO ON</b>	<b>EBR</b>
---------------------	---------	------------------	---------------------	---	------------

**Company Name:** Terra-Green Recycling & Transfer Inc.  
**EBR Registry No.:** 010-7010  
**Ministry Ref. No.:** 4736-7T4R58  
**Notice Type:** Instrument Decision  
**Notice Date:** March 10, 2010  
**Proposal Date:** June 24, 2009  
**Year:** 2009  
**Proponent Address:** 86 Shorncliffe Road, Toronto Ontario, Canada M8Z 5K5  
**Instrument Type:** (EPA s. 27) - Approval for a waste disposal site.  
**Location Other:**

**Location:**

86 Shorncliffe Road Toronto CITY OF TORONTO

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">216</a>	3 of 17	WSW/272.4	119.8 / 6.00	<b>King Recycling &amp; Waste Disposal Inc.</b> 86 Shorncliffe Rd Lot 33 of Registered Plan 2104 Toronto ON M8Z 5K5	ECA
<b>Approval No:</b>	9369-5MTTJT			<b>SWP Area Name:</b> Toronto	
<b>Approval Date:</b>	2003-10-22			<b>MOE District:</b> Toronto	
<b>Status:</b>	Approved			<b>City:</b> Toronto	
<b>Record Type:</b>	ECA			<b>Longitude:</b> -79.54342	
<b>Link Source:</b>	IDS			<b>Latitude:</b> 43.62575	
<b>Approval Type:</b>	ECA-AIR				
<b>Project Type:</b>	AIR				
<b>Address:</b>	86 Shorncliffe Rd Lot 33 of Registered Plan 2104				
<b>Full Address:</b>					
<b>Full PDF Link:</b>	<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/9751-5JVR3-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/9751-5JVR3-14.pdf</a>				
<a href="#">216</a>	4 of 17	WSW/272.4	119.8 / 6.00	<b>2130299 Ontario Ltd.</b> 86 Shorncliffe Rd Toronto ON M1K 2E3	ECA
<b>Approval No:</b>	7003-7WZPR9			<b>SWP Area Name:</b>	
<b>Approval Date:</b>	2009-11-17			<b>MOE District:</b>	
<b>Status:</b>	Approved			<b>City:</b> Toronto	
<b>Record Type:</b>	ECA			<b>Longitude:</b>	
<b>Link Source:</b>	IDS			<b>Latitude:</b>	
<b>Approval Type:</b>	ECA-WASTE MANAGEMENT SYSTEMS				
<b>Project Type:</b>	WASTE MANAGEMENT SYSTEMS				
<b>Address:</b>	86 Shorncliffe Rd				
<b>Full Address:</b>					
<b>Full PDF Link:</b>	<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/4861-7W5NKV-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/4861-7W5NKV-14.pdf</a>				
<a href="#">216</a>	5 of 17	WSW/272.4	119.8 / 6.00	<b>KING RECYCLING &amp; WASTE DISPOSAL INC.</b> 86 SHORNCLIFFE ROAD TORONTO ON M8E 5K5	GEN
<b>Generator No.:</b>	ON2148501			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b> Canada	
<b>Approval Years:</b>	2016			<b>Choice of Contact:</b> CO_ADMIN	
<b>Contam. Facility:</b>	No			<b>Co Admin:</b> Melinda Coimbra	
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b> 416-235-5000 Ext.	
<b>SIC Code:</b>	811199				
<b>SIC Description:</b>	ALL OTHER AUTOMOTIVE REPAIR AND MAINTENANCE				
<b>--Details--</b>					
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<a href="#">216</a>	6 of 17	WSW/272.4	119.8 / 6.00	<b>KING RECYCLING &amp; WASTE DISPOSAL INC.</b> 86 SHORNCLIFFE ROAD TORONTO ON M8E 5K5	GEN
<b>Generator No.:</b>	ON2148501			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b> Canada	
<b>Approval Years:</b>	2015			<b>Choice of Contact:</b> CO_ADMIN	
<b>Contam. Facility:</b>	No			<b>Co Admin:</b> Melinda Coimbra	
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b> 416-235-5000 Ext.	
<b>SIC Code:</b>	811199				
<b>SIC Description:</b>	ALL OTHER AUTOMOTIVE REPAIR AND MAINTENANCE				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>--Details--</b>					
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<a href="#">216</a>	7 of 17	WSW/272.4	119.8 / 6.00	<b>KING RECYCLING &amp; WASTE DISPOSAL INC. 86 SHORNCLIFFE ROAD TORONTO ON M8E 5K5</b>	<b>GEN</b>
<b>Generator No.:</b>	ON2148501			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2014			<b>Choice of Contact:</b>	CO_ADMIN
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	Melinda Coimbra
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b>	416-235-5000 Ext.
<b>SIC Code:</b>	811199				
<b>SIC Description:</b>	ALL OTHER AUTOMOTIVE REPAIR AND MAINTENANCE				
<b>--Details--</b>					
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<a href="#">216</a>	8 of 17	WSW/272.4	119.8 / 6.00	<b>KING RECYCLING &amp; WASTE DISPOSAL INC. 86 SHORNCLIFFE ROAD TORONTO ON</b>	<b>GEN</b>
<b>Generator No.:</b>	ON2148501			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2013			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	811199				
<b>SIC Description:</b>	ALL OTHER AUTOMOTIVE REPAIR AND MAINTENANCE				
<b>--Details--</b>					
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<a href="#">216</a>	9 of 17	WSW/272.4	119.8 / 6.00	<b>KING RECYCLING &amp; WASTE DISPOSAL INC. 86 SHORNCLIFFE ROAD TORONTO ON M8Z 5K5</b>	<b>GEN</b>
<b>Generator No.:</b>	ON2148501			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2012			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	811199				
<b>SIC Description:</b>	All Other Automotive Repair and Maintenance				
<b>--Details--</b>					
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<a href="#">216</a>	10 of 17	WSW/272.4	119.8 / 6.00	<b>KING RECYCLING &amp; WASTE DISPOSAL INC. 86 SHORNCLIFFE ROAD</b>	<b>GEN</b>

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>TORONTO ON M8Z 5K5</b>					
<b>Generator No.:</b>	ON2148501			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2011			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	811199				
<b>SIC Description:</b>	All Other Automotive Repair and Maintenance				
<b>--Details--</b>					
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<a href="#">216</a>	11 of 17	<b>WSW/272.4</b>	<b>119.8 / 6.00</b>	<b>KING RECYCLING &amp; WASTE DISPOSAL INC. 86 SHORNCLIFFE ROAD TORONTO ON M8Z 5K5</b>	<b>GEN</b>
<b>Generator No.:</b>	ON2148501			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2010			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	811199				
<b>SIC Description:</b>	All Other Automotive Repair and Maintenance				
<b>--Details--</b>					
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<a href="#">216</a>	12 of 17	<b>WSW/272.4</b>	<b>119.8 / 6.00</b>	<b>KING RECYCLING &amp; WASTE DISPOSAL INC. 86 SHORNCLIFFE ROAD TORONTO ON M8Z 5K5</b>	<b>GEN</b>
<b>Generator No.:</b>	ON2148501			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	05,06,07,08			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	811199				
<b>SIC Description:</b>	All Other Automotive Repair and Maintenance				
<b>--Details--</b>					
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<a href="#">216</a>	13 of 17	<b>WSW/272.4</b>	<b>119.8 / 6.00</b>	<b>KING RECYCLING &amp; WASTE DISPOSAL INC. 86 SHORNCLIFFE ROAD TORONTO ON M8Z 5K5</b>	<b>GEN</b>
<b>Generator No.:</b>	ON2148501			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2009			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>MHSW Facility:</b> <b>SIC Code:</b> 811199 <b>SIC Description:</b> All Other Automotive Repair and Maintenance				<b>Phone No. Admin:</b>	
<b>--Details--</b>					
<b>Waste Code:</b> 252 <b>Waste Description:</b> WASTE OILS & LUBRICANTS					
<a href="#">216</a>	14 of 17	WSW/272.4	119.8 / 6.00	<b>KING RECYCLING &amp; WASTE DISPOSAL INC. 86 SHORNCLIFFE ROAD TORONTO ON M8E 5K5</b>	<b>GEN</b>
<b>Generator No.:</b> ON2148501 <b>Status:</b> Registered <b>Approval Years:</b> As of Dec 2017 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> <b>SIC Description:</b>				<b>PO Box No.:</b> <b>Country:</b> Canada <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No. Admin:</b>	
<b>--Details--</b>					
<b>Waste Code:</b> 252 L <b>Waste Description:</b> Waste crankcase oils and lubricants					
<a href="#">216</a>	15 of 17	WSW/272.4	119.8 / 6.00	<b>Terra-Green Recycling &amp; Transfer Inc. 86 Shorncliffe Road Lot 33 Toronto ON</b>	<b>WDS</b>
<b>Certificate No:</b> 4912-5L9PJB <b>Mob Unit Cert No:</b> <b>EBR Registry No:</b> <b>Status:</b> Approved <b>Application Status:</b> <b>Issue Date:</b> 3/11/15 <b>Input Date:</b> <b>Date Received:</b> <b>Record Type:</b> <b>Project Type:</b> <b>Approval Type:</b> <b>SWP Area Name:</b> <b>MOE District:</b> <b>Latitude:</b> 43.6258333333333257542108185589313507 <b>Longitude:</b> - 79.54333333333333655446040211245417594 90966796875				<b>Facility Type:</b> <b>Site Concession:</b> <b>Site Region/County:</b> Toronto <b>Total Area (ha):</b> <b>Landfill Cap (m³):</b> <b>Landfill Ctrl Type:</b> <b>Est Closure Date:</b> <b>Transfer Area (ha):</b> <b>Transfer Cap (m³):</b> <b>Transfer Cert No:</b> <b>Inciner. Area (ha):</b> <b>Inciner. Cap (t):</b> <b>Process Area (m³):</b> <b>Process Cap (m³/d):</b> <b>Process Vol (m³):</b> <b>Process Feed (m³):</b> <b>Mobile Units:</b> <b>Mobile Description:</b> <b>Mobile Capacity:</b> <b>Serial Link:</b> <b>District Office:</b>	
<b>Link Source:</b> <b>Proponent:</b> <b>Prop Address:</b> <b>Prop City:</b> <b>Prop Postal:</b> <b>Prop Phone:</b> <b>Proponent County/District:</b> <b>Site Lot:</b> <b>Full Address:</b> 86 Shorncliffe Road 86 Shorncliffe Rd Lot 33 of Registered P 2104 Toronto City, <b>Landfill Monitoring:</b> <b>Waste Type:</b> <b>Waste Type Other:</b> <b>Waste Class:</b> <b>Waste Class Code:</b> <b>Project Description:</b>					



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Municipalities Served:</b> <b>Site Closing Description:</b> <b>Approval Description:</b> <b>Waste Description:</b> <b>Other Approvals/Permits:</b> <b>PDF URL:</b>					
<a href="#">216</a>	16 of 17	WSW/272.4	119.8 / 6.00	Terra-Green Recycling & Transfer Inc. 86 Shorncliffe Rd Lot 33 of Registered P 2104 Toronto ON M8Z 5K5	WDS
<b>Certificate No:</b> 4912-5L9PJB <b>Mob Unit Cert No:</b> <b>EBR Registry No:</b> <b>Status:</b> Approved <b>Application Status:</b> <b>Issue Date:</b> 2015-03-11 <b>Input Date:</b> <b>Date Received:</b> <b>Record Type:</b> ECA <b>Project Type:</b> WASTE DISPOSAL SITES <b>Approval Type:</b> ECA-WASTE DISPOSAL SITES <b>SWP Area Name:</b> Toronto <b>MOE District:</b> Toronto <b>Latitude:</b> 43.62575 <b>Longitude:</b> -79.54342 <b>Link Source:</b> IDS <b>Proponent:</b> <b>Prop Address:</b> <b>Prop City:</b> <b>Prop Postal:</b> <b>Prop Phone:</b> <b>Proponent County/District:</b> <b>Site Lot:</b> <b>Full Address:</b> 86 Shorncliffe Rd Lot 33 of Registered P 2104 <b>Landfill Monitoring:</b> <b>Waste Type:</b> <b>Waste Type Other:</b> <b>Waste Class:</b> <b>Waste Class Code:</b> <b>Project Description:</b> <b>Municipalities Served:</b> <b>Site Closing Description:</b> <b>Approval Description:</b> <b>Waste Description:</b> <b>Other Approvals/Permits:</b> <b>PDF URL:</b> <a href="https://www.accessenvironment.ene.gov.on.ca/instruments/3492-9GAJ9V-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/3492-9GAJ9V-14.pdf</a>		<b>Facility Type:</b> <b>Site Concession:</b> <b>Site Region/County:</b> <b>Total Area (ha):</b> <b>Landfill Cap (m³):</b> <b>Landfill Ctrl Type:</b> <b>Est Closure Date:</b> <b>Transfer Area (ha):</b> <b>Transfer Cap (m³):</b> <b>Transfer Cert No:</b> <b>Inciner. Area (ha):</b> <b>Inciner. Cap (t):</b> <b>Process Area (m³):</b> <b>Process Cap (m³/d):</b> <b>Process Vol (m³):</b> <b>Process Feed (m³):</b> <b>Mobile Units:</b> <b>Mobile Description:</b> <b>Mobile Capacity:</b> <b>Serial Link:</b> <b>District Office:</b>			
<a href="#">216</a>	17 of 17	WSW/272.4	119.8 / 6.00	Terra-Green Recycling & Transfer Inc. 86 Shorncliffe Rd Lot 33 of Registered P 2104 Toronto ON M8Z 5K5	WDS
<b>Certificate No:</b> 4912-5L9PJB <b>Mob Unit Cert No:</b> <b>EBR Registry No:</b> <b>Status:</b> Approved <b>Application Status:</b> <b>Issue Date:</b> 2010-03-05 <b>Input Date:</b> <b>Date Received:</b> <b>Record Type:</b> ECA <b>Project Type:</b> WASTE DISPOSAL SITES		<b>Facility Type:</b> <b>Site Concession:</b> <b>Site Region/County:</b> <b>Total Area (ha):</b> <b>Landfill Cap (m³):</b> <b>Landfill Ctrl Type:</b> <b>Est Closure Date:</b> <b>Transfer Area (ha):</b> <b>Transfer Cap (m³):</b> <b>Transfer Cert No:</b>			



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">217</a>	3 of 3	SSE/273.1	110.8 / -3.00	DBS MECHANICAL 12 VANSO RD ETOBICOKE ON M8Z 5J4	VAR
<b>Incident No:</b>		063658467-001			
<b>Status:</b>		Variance Approved			
<b>Task Name:</b>		FS-Variance Review			
<b>Attribute:</b>		Abandon UST			
<a href="#">218</a>	1 of 1	ENE/273.7	113.8 / 0.00	ON	BORE
<b>Borehole ID:</b>		641613		<b>Type:</b> Borehole	
<b>Use:</b>		Geotechnical/Geological Investigation			
<b>Drill Method::</b>		Power auger			
<b>Easting::</b>		618405		<b>Status::</b>	
<b>Location Accuracy::</b>					
<b>Elev. Reliability Note::</b>					
<b>Total Depth m::</b>		5.9		<b>UTM Zone::</b> 17	
<b>Township::</b>					
<b>Lot::</b>					
<b>Completion Date::</b>		DEC-1971		<b>Northing::</b> 4831703	
<b>Primary Water Use::</b>		Not Used			
<b>Orig. Ground Elev m::</b>		116			
<b>DEM Ground Elev m::</b>		115			
<b>Primary Name::</b>					
<b>Concession::</b>					
<b>Municipality:</b>					
<b>Static Water Level::</b>		.6			
<b>Sec. Water Use::</b>					
<b>--Details--</b>					
<b>Stratum ID:</b>		218496728		<b>Top Depth(m):</b> 1.8	
<b>Bottom Depth(m):</b>		4.6		<b>Stratum Desc:</b> TILL,SILT,SAND, GRAVEL. GREY, GLACIAL, VERY DENSE, AGE GLACIAL, WATER STABLE AT 381.1 FEET.	
<b>Stratum ID:</b>		218496729		<b>Top Depth(m):</b> 4.6	
<b>Bottom Depth(m):</b>		5.9		<b>Stratum Desc:</b> SAND, GRAVEL. GREY, FLUVIO-GLACIAL, VERY DENSE, AGE GLACIAL. 017 014 007	
<b>Stratum ID:</b>		218496725		<b>Top Depth(m):</b> 0.0	
<b>Bottom Depth(m):</b>		0.1		<b>Stratum Desc:</b> FILL, ASPHALT. AGE QUATERNARY.	
<b>Stratum ID:</b>		218496726		<b>Top Depth(m):</b> 0.1	
<b>Bottom Depth(m):</b>		0.5		<b>Stratum Desc:</b> SILT, SAND, ORGANIC. YELLOW, COMPACT, AGE QUATERNARY.	
<b>Stratum ID:</b>		218496727		<b>Top Depth(m):</b> 0.5	
<b>Bottom Depth(m):</b>		1.8		<b>Stratum Desc:</b> SAND-MEDIUM, SILT, BOULDERS. BROWN, GLACIAL, COMPACT, AGE GLACIAL.	
<a href="#">219</a>	1 of 1	WNW/275.5	119.8 / 6.00	ON	WWIS
<b>Well ID:</b>		7288448			
<b>Construction Date:</b>					
<b>Primary Water Use:</b>					
<b>Sec. Water Use:</b>					
<b>Final Well Status:</b>					
<b>Water Type:</b>					
<b>Casing Material:</b>					
<b>Audit No:</b>		C38271		<b>Data Entry Status:</b> Yes	
<b>Tag:</b>		A216328		<b>Data Src:</b>	
<b>Construction Method:</b>					
				<b>Date Received:</b> 6/20/2017	
				<b>Selected Flag:</b> Yes	
				<b>Abandonment Rec:</b>	
				<b>Contractor:</b> 7147	
				<b>Form Version:</b> 8	
				<b>Owner:</b>	
				<b>Street Name:</b>	
				<b>County:</b> YORK	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Elevation (m):</b> <b>Elevation Reliability:</b> <b>Depth to Bedrock:</b> <b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>				<b>Municipality:</b> ETOBICOKE BOROUGH <b>Site Info:</b> <b>Lot:</b> <b>Concession:</b> <b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>	
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b> <b>DP2BR:</b> <b>Spatial Status:</b> <b>Code OB:</b> <b>Code OB Desc:</b> <b>Open Hole:</b> <b>Cluster Kind:</b> <b>Date Completed:</b> <b>Remarks:</b> <b>Elevrc Desc:</b> <b>Location Source Date:</b> <b>Improvement Location Source:</b> <b>Improvement Location Method:</b> <b>Source Revision Comment:</b> <b>Supplier Comment:</b>	1006549857			<b>Elevation:</b> 120.05 <b>Elevrc:</b> <b>Zone:</b> 17 <b>East83:</b> 617479 <b>Org CS:</b> UTM83 <b>North83:</b> 4831660 <b>UTMRC:</b> 4 <b>UTMRC Desc:</b> margin of error : 30 m - 100 m <b>Location Method:</b> wwr	
<b><u>220</u></b>	1 of 1	SSW/276.5	113.8 / -0.03	ON	BORE
<b>Borehole ID:</b> <b>Use:</b> <b>Drill Method::</b> <b>Easting::</b> <b>Location Accuracy::</b> <b>Elev. Reliability Note::</b> <b>Total Depth m::</b> <b>Township::</b> <b>Lot::</b> <b>Completion Date::</b> <b>Primary Water Use::</b>	642354 Geotechnical/Geological Investigation Power auger 617835			<b>Type:</b> Borehole <b>Status::</b> <b>UTM Zone::</b> 17 <b>Northing::</b> 4830808 <b>Orig. Ground Elev m::</b> 114 <b>DEM Ground Elev m::</b> 115 <b>Primary Name::</b> <b>Concession::</b> <b>Municipality:</b> <b>Static Water Level::</b> .1 <b>Sec. Water Use::</b>	
<b>--Details--</b>					
<b>Stratum ID:</b> <b>Bottom Depth(m):</b>	218499439 0.9			<b>Top Depth(m):</b> 0.0 <b>Stratum Desc:</b> FILL,CLAY,SHALE,SILTGREY,MAN-MADE, AGE POST-GLACIAL.	
<b>Stratum ID:</b> <b>Bottom Depth(m):</b>	218499440 1.1			<b>Top Depth(m):</b> 0.9 <b>Stratum Desc:</b> SOIL,LOAM,SAND-FINE TO MEDIUM. BLACK,AGE POST-GLACIAL, WATER STABLE AT 376.7 FEET.	
<b>Stratum ID:</b> <b>Bottom Depth(m):</b>	218499441 1.5			<b>Top Depth(m):</b> 1.1 <b>Stratum Desc:</b> CLAY,SILT. GREY,BROWN,AGE GLACIAL. 00001000054	
<b><u>221</u></b>	1 of 15	SW/280.0	117.8 / 4.00	NORTH QUEEN AUTO PARTS LTD 70 NORTH QUEEN ST ETOBICOKE ON M8Z 2C9	AUWR

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Headcode:</b>		00096400			
<b>Headcode Desc:</b>		AUTOMOBILE PARTS & SUPPLIES-USED & REBUILT			
<b>Phone:</b>					
<b>List Name:</b>					
<b>Description:</b>					
<a href="#">221</a>	2 of 15	SW/280.0	117.8 / 4.00	<b>AUTOMOTIVE RECYCLERS MANAGEMENT SERVICES LTD 70 NORTH QUEEN ST ETOBICOKE ON M8Z 2C9</b>	<b>AUWR</b>
<b>Headcode:</b>		98600			
<b>Headcode Desc:</b>		Automobile Wrecking & Recycling			
<b>Phone:</b>		4162318580			
<b>List Name:</b>					
<b>Description:</b>					
<a href="#">221</a>	3 of 15	SW/280.0	117.8 / 4.00	<b>NORTH QUEEN AUTO PARTS LTD 70 NORTH QUEEN ST ETOBICOKE ON M8Z2C9</b>	<b>AUWR</b>
<b>Headcode:</b>		00096400			
<b>Headcode Desc:</b>		AUTOMOBILE PARTS & SUPPLIES USED & REBU			
<b>Phone:</b>		4162335805			
<b>List Name:</b>					
<b>Description:</b>					
<a href="#">221</a>	4 of 15	SW/280.0	117.8 / 4.00	<b>NORTH QUEEN AUTO PARTS 70 NORTH QUEEN ST TORONTO ON M8Z2C9</b>	<b>AUWR</b>
<b>Headcode:</b>		00096400			
<b>Headcode Desc:</b>		AUTOMOBILE PARTS & SUPPLIES USED & REBU			
<b>Phone:</b>		4162335801			
<b>List Name:</b>					
<b>Description:</b>					
<a href="#">221</a>	5 of 15	SW/280.0	117.8 / 4.00	<b>70 North Queen Street Toronto ON M8Z 2C9</b>	<b>EHS</b>
<b>Order ID:</b>		204593		<b>Date Received:</b> 3/30/2012 12:02:23 PM	
<b>Order No:</b>		20120330020		<b>Lot/Building Size:</b>	
<b>Customer ID:</b>		90808		<b>Municipality:</b>	
<b>Company ID:</b>		93		<b>Client Prov/State:</b> ON	
<b>Status:</b>		C		<b>Search Radius (km):</b> 0.25	
<b>Report Code:</b>		3CAN		<b>Large Radius:</b> 2	
<b>Report Type:</b>		Standard Report		<b>X:</b> -79.541695	
<b>Report Date:</b>		4/24/2012		<b>Y:</b> 43.623635	
<b>Report Requested by:</b>		Terraprobe Ltd			
<b>Nearest Intersection:</b>					
<b>Previous Site Name:</b>					
<b>Additional Info Ordered:</b>		Fire Insur. Maps and/or Site Plans;			
<a href="#">221</a>	6 of 15	SW/280.0	117.8 / 4.00	<b>Triple M Metal LP 70 North Queen Street Toronto ON</b>	<b>GEN</b>

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB	
				<b>Generator No.:</b> ON3615637 <b>Status:</b> <b>Approval Years:</b> 2012 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> 418110 <b>SIC Description:</b> Recyclable Metal Wholesaler-Distributors	<b>PO Box No.:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No. Admin:</b>	
<a href="#">221</a>	7 of 15	SW/280.0	117.8 / 4.00	<b>Triple M Metal LP</b> <b>70 North Queen Street</b> <b>Toronto ON M8Z 2C9</b>	GEN	
				<b>Generator No.:</b> ON3615637 <b>Status:</b> <b>Approval Years:</b> 2015 <b>Contam. Facility:</b> No <b>MHSW Facility:</b> No <b>SIC Code:</b> 418110 <b>SIC Description:</b> RECYCLABLE METAL WHOLESALER-DISTRIBUTORS	<b>PO Box No.:</b> <b>Country:</b> Canada <b>Choice of Contact:</b> CO_ADMIN <b>Co Admin:</b> Ana-lyn Daquiz <b>Phone No. Admin:</b> 905-793-7083 Ext.236	
				<b>--Details--</b> <b>Waste Code:</b> 263 <b>Waste Description:</b> ORGANIC LABORATORY CHEMICALS  <b>Waste Code:</b> 331 <b>Waste Description:</b> WASTE COMPRESSED GASES  <b>Waste Code:</b> 242 <b>Waste Description:</b> HALOGENATED PESTICIDES  <b>Waste Code:</b> 148 <b>Waste Description:</b> INORGANIC LABORATORY CHEMICALS  <b>Waste Code:</b> 252 <b>Waste Description:</b> WASTE OILS & LUBRICANTS  <b>Waste Code:</b> 251 <b>Waste Description:</b> OIL SKIMMINGS & SLUDGES  <b>Waste Code:</b> 265 <b>Waste Description:</b> GRAPHIC ART WASTES		
<a href="#">221</a>	8 of 15	SW/280.0	117.8 / 4.00	<b>NORTH QUEEN AUTO PARTS LTD.</b> <b>70 NORTH QUEEN ST.</b> <b>TORONTO ON M8Z 2C9</b>	GEN	
				<b>Generator No.:</b> ON0233100 <b>Status:</b> <b>Approval Years:</b> 86,87,88,89,90 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> 0008 <b>SIC Description:</b> EXEMPT	<b>PO Box No.:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No. Admin:</b>	
<a href="#">221</a>	9 of 15	SW/280.0	117.8 / 4.00	<b>Metalogics Inc</b> <b>70 North Queen Street</b> <b>Etobicoke ON M8Z 2C9</b>	GEN	
				<b>Generator No.:</b> ON3115309 <b>Status:</b> Registered	<b>PO Box No.:</b> <b>Country:</b> Canada	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Approval Years:</b> As of Dec 2017 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> <b>SIC Description:</b>				<b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No. Admin:</b>	
<b>--Details--</b>					
<b>Waste Code:</b>		251 L			
<b>Waste Description:</b>		Waste oils/sludges (petroleum based)			

<a href="#">221</a>	10 of 15	SW/280.0	117.8 / 4.00	Triple M Metal LP 70 North Queen Street Toronto ON	GEN
<b>Generator No.:</b>		ON3615637		<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>		2013		<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>		418110			
<b>SIC Description:</b>		RECYCLABLE METAL WHOLESALER-DISTRIBUTORS			
<b>--Details--</b>					
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		242			
<b>Waste Description:</b>		HALOGENATED PESTICIDES			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			
<b>Waste Code:</b>		265			
<b>Waste Description:</b>		GRAPHIC ART WASTES			
<b>Waste Code:</b>		263			
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			

<a href="#">221</a>	11 of 15	SW/280.0	117.8 / 4.00	Triple M Metal LP 70 North Queen Street Toronto ON M8Z 2C9	GEN
<b>Generator No.:</b>		ON3615637		<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b> Canada	
<b>Approval Years:</b>		2014		<b>Choice of Contact:</b> CO_ADMIN	
<b>Contam. Facility:</b>		No		<b>Co Admin:</b> Ana-lyn Daquiz	
<b>MHSW Facility:</b>		No		<b>Phone No. Admin:</b> 905-793-7083 Ext.236	
<b>SIC Code:</b>		418110			
<b>SIC Description:</b>		RECYCLABLE METAL WHOLESALER-DISTRIBUTORS			
<b>--Details--</b>					
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			
<b>Waste Code:</b>		265			
<b>Waste Description:</b>		GRAPHIC ART WASTES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		242			
<b>Waste Description:</b>		HALOGENATED PESTICIDES			
<b>Waste Code:</b>		263			
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			
<a href="#">221</a>	12 of 15	SW/280.0	117.8 / 4.00	<b>NORTH QUEEN AUTO PARTS LTD. 70 NORTH QUEEN ST. TORONTO ON M8Z 2C9</b>	28-022 <b>GEN</b>
<b>Generator No.:</b>	ON0233100			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	92,93,94			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	0008				
<b>SIC Description:</b>	EXEMPT				
<a href="#">221</a>	13 of 15	SW/280.0	117.8 / 4.00	<b>Triple M Metal LP 70 NORTH QUEEN STREET NOT AVAILABLE TORONTO ON M8Z2C7</b>	<b>NPRI</b>
<b>NPRI ID:</b>	28762			<b>Org ID:</b>	107080
<b>Other ID:</b>				<b>Submit Date:</b>	5/13/2016
<b>No Other ID:</b>				<b>Last Modified:</b>	11/18/2016 8:28:05 AM
<b>Track ID:</b>	137102			<b>Contact ID:</b>	
<b>Report ID:</b>	70397			<b>Cont Type:</b>	
<b>Report Type:</b>	NPRI			<b>Contact Title:</b>	
<b>Rpt Type ID:</b>	1			<b>Cont First Name:</b>	
<b>Report Year:</b>	2015			<b>Cont Last Name:</b>	
<b>Not-Current Rpt?:</b>	No			<b>Contact Position:</b>	
<b>Yr of Last Filed Rpt:</b>	2014			<b>Contact Fax:</b>	
<b>Fac ID:</b>	227267			<b>Contact Ph.:</b>	
<b>Fac Name:</b>	NORTH QUEEN			<b>Cont Area Code:</b>	
<b>Fac Address1:</b>	70 NORTH QUEEN STREET			<b>Contact Tel.:</b>	
<b>Fac Address2:</b>	NOT AVAILABLE			<b>Contact Ext.:</b>	
<b>Fac Postal Zip:</b>	M8Z2C7			<b>Cont Fax Area Cde:</b>	
<b>Facility Lat:</b>	43.6228			<b>Contact Fax:</b>	
<b>Facility Long:</b>	-79.53877			<b>Contact Email:</b>	
<b>DLS (Last Filed Rpt):</b>				<b>Latitude:</b>	43.624061
<b>Facility DLS:</b>				<b>Longitude:</b>	-79.541883
<b>Datum:</b>	1983			<b>UTM Zone:</b>	
<b>Facility Cmnts:</b>				<b>UTM Northing:</b>	
<b>URL:</b>				<b>UTM Easting:</b>	
<b>No of Empl.:</b>	10			<b>Waste Streams:</b>	
<b>Parent Co.:</b>				<b>No Streams:</b>	
<b>No Parent Co.:</b>				<b>Waste Off Sites:</b>	
<b>Pollut Prev Cmnts:</b>				<b>No Off Sites:</b>	
<b>Stacks:</b>				<b>Shutdown:</b>	
<b>No of Stacks:</b>				<b>No of Shutdown:</b>	



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>	41				
<b>NAICS 2 Description:</b>	Wholesale trade				
<b>NAICS Code (4 digit):</b>	4181				
<b>NAICS 4 Description:</b>	Recyclable material merchant wholesalers				
<b>NAICS Code (6 digit):</b>	418110				
<b>NAICS 6 Description:</b>	Recyclable metal merchant wholesalers				
<b><u>Substance Release Report</u></b>					
<b>Category Type ID:</b>	6				
<b>Category Type Desc:</b>	Road dust				
<b>Category Type Desc (fr):</b>	Poussières de routes				
<b>Grouping:</b>	Total Air				
<b>Trans Code:</b>					
<b>Chem:</b>					
<b>Chem (fr):</b>					
<b>Quantity:</b>	.375				
<b>Unit:</b>	tonnes				
<b>Basis of Estimate Cd:</b>	O				
<b>Basis of Estimate Desc:</b>	O- Engineering Estimates				
<a href="#">221</a>	14 of 15	SW/280.0	117.8 / 4.00	NORTH QUEEN AUTO PARTS LTD 70 NORTH QUEEN ST TORONTO ON M8Z 2C9	PRT
<b>Location ID:</b>	15517				
<b>Type:</b>	private				
<b>Expiry Date:</b>					
<b>Capacity (L):</b>	9092.00				
<b>Licence #:</b>	0001000307				
<a href="#">221</a>	15 of 15	SW/280.0	117.8 / 4.00	METALOGICS INC. 70 NORTH QUEEN ST ETOBICOKE ON M8Z 2C9	WDS
<b>Certificate No:</b>	R-007-9659816142			<b>Facility Type:</b>	
<b>Mob Unit Cert No:</b>				<b>Site Concession:</b>	
<b>EBR Registry No:</b>				<b>Site Region/County:</b>	
<b>Status:</b>	REGISTERED			<b>Total Area (ha):</b>	
<b>Application Status:</b>				<b>Landfill Cap (m³):</b>	
<b>Issue Date:</b>	2016-09-30			<b>Landfill Ctrl Type:</b>	
<b>Input Date:</b>				<b>Est Closure Date:</b>	
<b>Date Received:</b>				<b>Transfer Area (ha):</b>	
<b>Record Type:</b>	EASR			<b>Transfer Cap (m³):</b>	
<b>Project Type:</b>	End-of-Life Vehicle Waste Disposal Sites			<b>Transfer Cert No:</b>	
<b>Approval Type:</b>	EASR-End-of-Life Vehicle Waste Disposal Sites			<b>Inciner. Area (ha):</b>	
<b>SWP Area Name:</b>	Toronto			<b>Inciner. Cap (t):</b>	
<b>MOE District:</b>	Toronto			<b>Process Area (m³):</b>	
<b>Latitude:</b>	43.62333333			<b>Process Cap (m³/d):</b>	
<b>Longitude:</b>	-79.54166667			<b>Process Vol (m³):</b>	
<b>Link Source:</b>	MOFA			<b>Process Feed (m³):</b>	
<b>Proponent:</b>				<b>Mobile Units:</b>	
<b>Prop Address:</b>				<b>Mobile Description:</b>	
<b>Prop City:</b>				<b>Mobile Capacity:</b>	
<b>Prop Postal:</b>				<b>Serial Link:</b>	
<b>Prop Phone:</b>				<b>District Office:</b>	
<b>Proponent County/District:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Site Lot:</b> <b>Full Address:</b> 70 NORTH QUEEN ST <b>Landfill Monitoring:</b> <b>Waste Type:</b> <b>Waste Type Other:</b> <b>Waste Class:</b> <b>Waste Class Code:</b> <b>Project Description:</b> <b>Municipalities Served:</b> <b>Site Closing Description:</b> <b>Approval Description:</b> <b>Waste Description:</b> <b>Other Approvals/Permits:</b> <b>PDF URL:</b> <a href="http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2025697">http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2025697</a>					

<a href="#">222</a>	1 of 1	ESE/282.6	112.8 / -1.00	ETOBICOKE ON	WWIS
<b>Well ID:</b> 7281257 <b>Construction Date:</b> <b>Primary Water Use:</b> Monitoring <b>Sec. Water Use:</b> <b>Final Well Status:</b> Observation Wells <b>Water Type:</b> <b>Casing Material:</b> <b>Audit No:</b> Z239533 <b>Tag:</b> A210268 <b>Construction Method:</b> <b>Elevation (m):</b> <b>Elevation Reliability:</b> <b>Depth to Bedrock:</b> <b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>					
<b>Data Entry Status:</b> <b>Data Src:</b> <b>Date Received:</b> 2/16/2017 <b>Selected Flag:</b> Yes <b>Abandonment Rec:</b> <b>Contractor:</b> 7360 <b>Form Version:</b> 7 <b>Owner:</b> <b>Street Name:</b> 15 NORTH QUEEN <b>County:</b> YORK <b>Municipality:</b> ETOBICOKE BOROUGH <b>Site Info:</b> <b>Lot:</b> <b>Concession:</b> <b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>					
<b>Bore Hole Information</b>					
<b>Bore Hole ID:</b> 1006354418 <b>DP2BR:</b> <b>Spatial Status:</b> <b>Code OB:</b> <b>Code OB Desc:</b> <b>Open Hole:</b> <b>Cluster Kind:</b> <b>Date Completed:</b> 16-NOV-16 <b>Remarks:</b> <b>Elevrc Desc:</b> <b>Location Source Date:</b> <b>Improvement Location Source:</b> <b>Improvement Location Method:</b> <b>Source Revision Comment:</b> <b>Supplier Comment:</b>					
<b>Elevation:</b> 112.94 <b>Elevrc:</b> <b>Zone:</b> 17 <b>East83:</b> 618566 <b>Org CS:</b> UTM83 <b>North83:</b> 4831230 <b>UTMRC:</b> 4 <b>UTMRC Desc:</b> margin of error : 30 m - 100 m <b>Location Method:</b> wwr					
<b>Overburden and Bedrock</b> <b>Materials Interval</b>					
<b>Formation ID:</b> 1006583019 <b>Layer:</b> 1					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		11			
<b>Most Common Material:</b>		GRAVEL			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>		28			
<b>Other Materials:</b>		SAND			
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>					
<b>Formation End Depth UOM:</b>		ft			
<b>Formation ID:</b>		1006583020			
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		84			
<b>Other Materials:</b>		SILTY			
<b>Mat3:</b>		91			
<b>Other Materials:</b>		WATER-BEARING			
<b>Formation Top Depth:</b>					
<b>Formation End Depth:</b>					
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1006583027			
<b>Layer:</b>		1			
<b>Plug From:</b>		2.5			
<b>Plug To:</b>		0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1006583026			
<b>Method Construction Code:</b>		6			
<b>Method Construction:</b>		Boring			
<b>Other Method Construction:</b>		AUGER			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1006583018			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1006583023			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		4.5			
<b>Casing Diameter:</b>		1.25			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Construction Record - Screen**

**Screen ID:** 1006583024  
**Layer:** 1  
**Slot:** .10  
**Screen Top Depth:** 4.5  
**Screen End Depth:** 5  
**Screen Material:** 5  
**Screen Depth UOM:** ft  
**Screen Diameter UOM:** inch  
**Screen Diameter:** 1.25

**Water Details**

**Water ID:** 1006583022  
**Layer:** 1  
**Kind Code:** 8  
**Kind:** Untested  
**Water Found Depth:** 4  
**Water Found Depth UOM:** ft

**Hole Diameter**

**Hole ID:** 1006583021  
**Diameter:** 6  
**Depth From:** 0  
**Depth To:** 9.5  
**Hole Depth UOM:** ft  
**Hole Diameter UOM:** inch

[223](#)    1 of 1    **SSW/282.6**    114.2 / 0.37    **ON**    **BORE**

<b>Borehole ID:</b> 642362	<b>Type:</b> Borehole
<b>Use:</b> Geotechnical/Geological Investigation	<b>Status::</b>
<b>Drill Method::</b> Diamond Drill	<b>UTM Zone::</b> 17
<b>Easting::</b> 617795	<b>Northing::</b> 4830823
<b>Location Accuracy::</b>	<b>Orig. Ground Elev m::</b> 115
<b>Elev. Reliability Note::</b>	<b>DEM Ground Elev m::</b> 115
<b>Total Depth m::</b> 1.5	<b>Primary Name::</b>
<b>Township::</b>	<b>Concession::</b>
<b>Lot::</b>	<b>Municipality:</b>
<b>Completion Date::</b> JUL-1961	<b>Static Water Level::</b> .1
<b>Primary Water Use::</b> Not Used	<b>Sec. Water Use::</b>

**--Details--**

<b>Stratum ID:</b> 218499460	<b>Top Depth(m):</b> 0.0
<b>Bottom Depth(m):</b> 0.3	<b>Stratum Desc:</b> SOIL,SAND. BLACK,AGE POST-GLACIAL.
<b>Stratum ID:</b> 218499461	<b>Top Depth(m):</b> 0.3
<b>Bottom Depth(m):</b> 1.5	<b>Stratum Desc:</b> CLAY,SAND,SHALE, ORGANIC. GREY,BROWN,AGE GLACIAL, WATER STABLE AT 377.0 FEET.0000300001

[224](#)    1 of 20    **WNW/283.0**    119.8 / 6.00    **WASTECORP PUMPS INC.  
50 SHORNCLIFFE RD  
ETOBICOKE ON M8Z 5K1**    **EASR**

<b>Approval No:</b> R-010-1110397678	<b>SWP Area Name:</b> Toronto
<b>Status:</b> REGISTERED	<b>MOE District:</b> Metro Toronto
<b>Date:</b> 2018-03-29	<b>City:</b> ETOBICOKE

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Record Type:</b> EASR <b>Link Source:</b> MOFA <b>Full Address:</b> <b>Project Type:</b> Air Emissions <b>Approval Type:</b> EASR-Air Emissions <b>Full PDF Link:</b> <a href="http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2054619">http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2054619</a>					
<a href="#">224</a>	2 of 20	WNW/283.0	119.8 / 6.00	50 Shorncliffe Rd Toronto ON M8Z5K1	EHS
<b>Order ID:</b> 507078 <b>Order No:</b> 20170328105 <b>Customer ID:</b> 127489 <b>Company ID:</b> 45625 <b>Status:</b> C <b>Report Code:</b> 3CAN <b>Report Type:</b> Standard Report <b>Report Date:</b> 04-APR-17 <b>Report Requested by:</b> Safetech Environmental <b>Nearest Intersection:</b> <b>Previous Site Name:</b> <b>Additional Info Ordered:</b> Fire Insur. Maps and/or Site Plans; Title Searches					
<b>Date Received:</b> 28-MAR-17 <b>Lot/Building Size:</b> <b>Municipality:</b> TORONTO <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> .25 <b>Large Radius:</b> .35 <b>X:</b> -79.543882 <b>Y:</b> 43.62874					
<a href="#">224</a>	3 of 20	WNW/283.0	119.8 / 6.00	Miniplex Developments Limited 101 - 50 Shorncliffe Rd Etobicoke ON M8Z 5K1	GEN
<b>Generator No.:</b> ON8498324 <b>Status:</b> <b>Approval Years:</b> 2014 <b>Contam. Facility:</b> No <b>MHSW Facility:</b> No <b>SIC Code:</b> 531120 <b>SIC Description:</b> LESSORS OF NON-RESIDENTIAL BUILDINGS (EXCEPT MINI-WAREHOUSES)					
<b>PO Box No.:</b> <b>Country:</b> Canada <b>Choice of Contact:</b> CO_OFFICIAL <b>Co Admin:</b> <b>Phone No. Admin:</b>					
<b>--Details--</b> <b>Waste Code:</b> 251 <b>Waste Description:</b> OIL SKIMMINGS & SLUDGES					
<a href="#">224</a>	4 of 20	WNW/283.0	119.8 / 6.00	Miniplex Developments Limited 101 - 50 Shorncliffe Rd Etobicoke ON M8Z 5K1	GEN
<b>Generator No.:</b> ON8498324 <b>Status:</b> Registered <b>Approval Years:</b> As of Dec 2017 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> <b>SIC Description:</b>					
<b>PO Box No.:</b> <b>Country:</b> Canada <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No. Admin:</b>					
<b>--Details--</b> <b>Waste Code:</b> 251 L <b>Waste Description:</b> Waste oils/sludges (petroleum based)					
<a href="#">224</a>	5 of 20	WNW/283.0	119.8 / 6.00	Miniplex Developments Limited 101 - 50 Shorncliffe Rd	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<i>Etobicoke ON M8Z 5K1</i>					
<b>Generator No.:</b>	ON8498324			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2016			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	531120				
<b>SIC Description:</b>	LESSORS OF NON-RESIDENTIAL BUILDINGS (EXCEPT MINI-WAREHOUSES)				
<b>--Details--</b>					
<b>Waste Code:</b>	251				
<b>Waste Description:</b>	OIL SKIMMINGS & SLUDGES				
<a href="#">224</a>	6 of 20	WNW/283.0	119.8 / 6.00	<b>Miniplex Developments Limited</b> 101 - 50 Shorncliffe Rd Etobicoke ON M8Z 5K1	GEN
<b>Generator No.:</b>	ON8498324			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2015			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	531120				
<b>SIC Description:</b>	LESSORS OF NON-RESIDENTIAL BUILDINGS (EXCEPT MINI-WAREHOUSES)				
<b>--Details--</b>					
<b>Waste Code:</b>	251				
<b>Waste Description:</b>	OIL SKIMMINGS & SLUDGES				
<a href="#">224</a>	7 of 20	WNW/283.0	119.8 / 6.00	<b>Power clean mobile wash</b> 50 Shorncliffe Rd unit 104 Toronto ON M8Z5K3	GEN
<b>Generator No.:</b>	ON5386946			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2016			<b>Choice of Contact:</b>	CO_ADMIN
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	Art Gesa
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b>	4162537627 Ext.
<b>SIC Code:</b>	483213				
<b>SIC Description:</b>	483213				
<b>--Details--</b>					
<b>Waste Code:</b>	254				
<b>Waste Description:</b>	TRANSFER STATION OILS WASTES				
<a href="#">224</a>	8 of 20	WNW/283.0	119.8 / 6.00	<b>Miniplex developments Limited</b> 101 - 50 Shorncliffe Rd Etobicoke ON M8Z 5K1	GEN
<b>Generator No.:</b>	ON8498324			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2011			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	531120				
<b>SIC Description:</b>	Lessors of Non-Residential Buildings (except Mini-Warehouses)				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>--Details--</b>					
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<a href="#">224</a>	9 of 20	WNW/283.0	119.8 / 6.00	Miniplex developments Limited 101 - 50 Shorncliffe Rd Etobicoke ON M8Z 5K1	GEN
<b>Generator No.:</b>	ON8498324			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2010			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	531120				
<b>SIC Description:</b>	Lessors of Non-Residential Buildings (except Mini-Warehouses)				
<b>--Details--</b>					
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<a href="#">224</a>	10 of 20	WNW/283.0	119.8 / 6.00	Miniplex developments Limited 101 - 50 Shorncliffe Rd Etobicoke ON M8Z 5K1	GEN
<b>Generator No.:</b>	ON8498324			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2009			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	531120				
<b>SIC Description:</b>	Lessors of Non-Residential Buildings (except Mini-Warehouses)				
<b>--Details--</b>					
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<a href="#">224</a>	11 of 20	WNW/283.0	119.8 / 6.00	MOLSON ONTARIO BREWERIES LIMITED 50 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K1	GEN
<b>Generator No.:</b>	ON0125204			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	86,87,88,89,90			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	1131				
<b>SIC Description:</b>	BREWERY PROD. IND.				
<b>--Details--</b>					
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">224</a>	12 of 20	WNW/283.0	119.8 / 6.00	IMPACT BUILDING MAINTENANCE SERVICES LTD 50 SHORNCLIFFE DRIVE ETOBICOKE ON M8Z 5K1	GEN
<b>Generator No.:</b>	ON2031101			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	01			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	4013				
<b>SIC Description:</b>	RESID. RENOVATION				
<b>--Details--</b>					
<b>Waste Code:</b>	145				
<b>Waste Description:</b>	PAINT/PIGMENT/COATING RESIDUES				
<b>Waste Code:</b>	251				
<b>Waste Description:</b>	OIL SKIMMINGS & SLUDGES				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<a href="#">224</a>	13 of 20	WNW/283.0	119.8 / 6.00	MOLSON ONTARIO BREWERIES LIMITED 50 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K1	GEN
<b>Generator No.:</b>	ON0125204			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	98			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	1131				
<b>SIC Description:</b>	BREWERY PROD. IND.				
<b>--Details--</b>					
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<a href="#">224</a>	14 of 20	WNW/283.0	119.8 / 6.00	MOLSON ONTARIO BREWERIES LIMITED 27-148 50 SHORNCLIFFE ROAD ETOBICOKE ON M8Z 5K1	GEN
<b>Generator No.:</b>	ON0125204			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	92,93,94,95,96,97			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	1131				
<b>SIC Description:</b>	BREWERY PROD. IND.				
<b>--Details--</b>					
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<a href="#">224</a>	15 of 20	WNW/283.0	119.8 / 6.00	Miniplex developments Limited 101 - 50 Shorncliffe rd Etobicoke ON M8Z 5K1	GEN
<b>Generator No.:</b>	ON8498324			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	02,03,04,05,06,07,08			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	531120				
<b>SIC Description:</b>	Lessors - Non-Res. Buildings (exc. Mini-Ware)				
<b>--Details--</b>					
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<a href="#">224</a>	16 of 20	WNW/283.0	119.8 / 6.00	Polaris Star Suites Inc. 50 Shorncliffe Road #107 Etobicoke ON M8Z 5K1	GEN
<b>Generator No.:</b>	ON3888362			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	02,03,04,05,06			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<b>--Details--</b>					
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<a href="#">224</a>	17 of 20	WNW/283.0	119.8 / 6.00	Miniplex Developments Limited 101 - 50 Shorncliffe Rd Etobicoke ON	GEN
<b>Generator No.:</b>	ON8498324			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2013			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	531120				
<b>SIC Description:</b>	LESSORS OF NON-RESIDENTIAL BUILDINGS (EXCEPT MINI-WAREHOUSES)				
<b>--Details--</b>					
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<a href="#">224</a>	18 of 20	WNW/283.0	119.8 / 6.00	Miniplex developments Limited 101 - 50 Shorncliffe Rd Etobicoke ON M8Z 5K1	GEN
<b>Generator No.:</b>	ON8498324			<b>PO Box No.:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Status:</b> <b>Approval Years:</b> 2012 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> 531120 <b>SIC Description:</b> Lessors of Non-Residential Buildings (except Mini-Warehouses)				<b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No. Admin:</b>	
<b>--Details--</b> <b>Waste Code:</b> 251 <b>Waste Description:</b> OIL SKIMMINGS & SLUDGES					
<a href="#">224</a>	19 of 20	WNW/283.0	119.8 / 6.00	<b>Auged Machine Shop</b> <b>50 Shorncliffe Rd Suite 105</b> <b>Etobicoke ON M8Z 5K1</b>	SCT
<b>Established:</b> 01-AUG-53 <b>Plant Size (ft²):</b> 7000 <b>Employment:</b>					
<b>--Details--</b> <b>Description:</b> All Other Miscellaneous Fabricated Metal Product Manufacturing <b>SIC/NAICS Code:</b> 332999  <b>Description:</b> Machine Shops <b>SIC/NAICS Code:</b> 332710					
<a href="#">224</a>	20 of 20	WNW/283.0	119.8 / 6.00	<b>Auged Engineering and Machine Shop</b> <b>50 Shorncliffe Rd</b> <b>Etobicoke ON M8Z 5K1</b>	SCT
<b>Established:</b> 1953 <b>Plant Size (ft²):</b> <b>Employment:</b> 3					
<b>--Details--</b> <b>Description:</b> Machine Shops <b>SIC/NAICS Code:</b> 332710					
<a href="#">225</a>	1 of 1	SE/285.4	113.8 / -0.08	<b>ETOBICOKE ON</b>	WWIS
<b>Well ID:</b> 7281259 <b>Construction Date:</b> <b>Primary Water Use:</b> Monitoring <b>Sec. Water Use:</b> <b>Final Well Status:</b> Observation Wells <b>Water Type:</b> <b>Casing Material:</b> <b>Audit No:</b> Z251770 <b>Tag:</b> A210306 <b>Construction Method:</b> <b>Elevation (m):</b> <b>Elevation Reliability:</b> <b>Depth to Bedrock:</b> <b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b>				<b>Data Entry Status:</b> <b>Data Src:</b> <b>Date Received:</b> 2/16/2017 <b>Selected Flag:</b> Yes <b>Abandonment Rec:</b> <b>Contractor:</b> 7360 <b>Form Version:</b> 7 <b>Owner:</b> <b>Street Name:</b> 15 NORTH QUEEN <b>County:</b> YORK <b>Municipality:</b> ETOBICOKE BOROUGH <b>Site Info:</b> <b>Lot:</b> <b>Concession:</b> <b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>				<b>Zone:</b> <b>UTM Reliability:</b>	
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b> 1006354424		<b>Elevation:</b> 111.99			
<b>DP2BR:</b>		<b>Elevrc:</b>			
<b>Spatial Status:</b>		<b>Zone:</b> 17			
<b>Code OB:</b>		<b>East83:</b> 618561			
<b>Code OB Desc:</b>		<b>Org CS:</b> UTM83			
<b>Open Hole:</b>		<b>North83:</b> 4831088			
<b>Cluster Kind:</b>		<b>UTMRC:</b> 4			
<b>Date Completed:</b> 11-NOV-16		<b>UTMRC Desc:</b> margin of error : 30 m - 100 m			
<b>Remarks:</b>		<b>Location Method:</b> wwr			
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b> 1006583054					
<b>Layer:</b> 1					
<b>Color:</b> 8					
<b>General Color:</b> BLACK					
<b>Mat1:</b>					
<b>Most Common Material:</b>					
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b> 0					
<b>Formation End Depth:</b>					
<b>Formation End Depth UOM:</b> ft					
<b>Formation ID:</b> 1006583055					
<b>Layer:</b> 2					
<b>Color:</b> 6					
<b>General Color:</b> BROWN					
<b>Mat1:</b> 11					
<b>Most Common Material:</b> GRAVEL					
<b>Mat2:</b> 28					
<b>Other Materials:</b> SAND					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>					
<b>Formation End Depth:</b>					
<b>Formation End Depth UOM:</b> ft					
<b>Formation ID:</b> 1006583056					
<b>Layer:</b> 3					
<b>Color:</b> 6					
<b>General Color:</b> BROWN					
<b>Mat1:</b> 28					
<b>Most Common Material:</b> SAND					
<b>Mat2:</b> 84					
<b>Other Materials:</b> SILTY					
<b>Mat3:</b> 91					
<b>Other Materials:</b> WATER-BEARING					
<b>Formation Top Depth:</b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation End Depth:</b>					
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1006583063			
<b>Layer:</b>		1			
<b>Plug From:</b>		2			
<b>Plug To:</b>		0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1006583062			
<b>Method Construction Code:</b>		B			
<b>Method Construction:</b>		Other Method			
<b>Other Method Construction:</b>		AUGER			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1006583053			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1006583059			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		4			
<b>Casing Diameter:</b>		1.25			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1006583060			
<b>Layer:</b>		1			
<b>Slot:</b>		.10			
<b>Screen Top Depth:</b>		4			
<b>Screen End Depth:</b>		9			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		ft			
<b>Screen Diameter UOM:</b>		inch			
<b>Screen Diameter:</b>		1.25			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1006583058			
<b>Layer:</b>		1			
<b>Kind Code:</b>		8			
<b>Kind:</b>		Untested			
<b>Water Found Depth:</b>		6			
<b>Water Found Depth UOM:</b>		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Hole Diameter</u></b>					
Hole ID:		1006583057			
Diameter:		6			
Depth From:		0			
Depth To:		10			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

<a href="#">226</a>	1 of 1	ESE/287.4	112.8 / -1.00	STAR WEB PRINTING LIMITED 10 North Queen Street Toronto ON M8Z2C4	NPRI
NPRI ID:	8800001844			Org ID:	
Other ID:				Submit Date:	
No Other ID:				Last Modified:	
Track ID:				Contact ID:	
Report ID:				Cont Type:	MED
Report Type:				Contact Title:	
Rpt Type ID:				Cont First Name:	
Report Year:	2004			Cont Last Name:	
Not-Current Rpt?:				Contact Position:	
Yr of Last Filed Rpt:				Contact Fax:	
Fac ID:				Contact Ph.:	
Fac Name:	N/A			Cont Area Code:	
Fac Address1:				Contact Tel.:	
Fac Address2:				Contact Ext.:	
Fac Postal Zip:				Cont Fax Area Cde:	
Facility Lat:				Contact Fax:	
Facility Long:				Contact Email:	
DLS (Last Filed Rpt):				Latitude:	
Facility DLS:				Longitude:	
Datum:				UTM Zone:	
Facility Cmnts:				UTM Northing:	
URL:				UTM Easting:	
No of Empl.:	90			Waste Streams:	
Parent Co.:				No Streams:	
No Parent Co.:				Waste Off Sites:	
Pollut Prev Cmnts:				No Off Sites:	
Stacks:				Shutdown:	
No of Stacks:				No of Shutdown:	
Canadian SIC Code (2 digit):					
Canadian SIC Code:					
SIC Code Description:					
American SIC Code:					
NAICS Code (2 digit):	31-33				
NAICS 2 Description:	Manufacturing				
NAICS Code (4 digit):	3231				
NAICS 4 Description:	Printing and Related Support Activities				
NAICS Code (6 digit):	323119				
NAICS 6 Description:	Other Printing				

**Substance Release Report**

CAS No:	NA - M09
Report ID:	
Rpt Period:	2004
Subst Released:	PM10 - Particulate Matter <= 10 Microns
Air:	
Water:	
Land:	
Total Releases:	
Units:	tonnes

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>CAS No:</b>		74-82-8			
<b>Report ID:</b>					
<b>Rpt Period:</b>		2004			
<b>Subst Released:</b>		Methane			
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>					
<b>Units:</b>		tonnes			
<b>CAS No:</b>		811-97-2			
<b>Report ID:</b>					
<b>Rpt Period:</b>		2004			
<b>Subst Released:</b>		HFC-134a Hydrofluorocarbon			
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>					
<b>Units:</b>		tonnes			
<b>CAS No:</b>		NA - M08			
<b>Report ID:</b>					
<b>Rpt Period:</b>		2004			
<b>Subst Released:</b>		PM - Total Particulate Matter			
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>					
<b>Units:</b>		tonnes			
<b>CAS No:</b>		NA - M10			
<b>Report ID:</b>					
<b>Rpt Period:</b>		2004			
<b>Subst Released:</b>		PM2.5 - Particulate Matter <= 2.5 Microns			
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>					
<b>Units:</b>		tonnes			
<b>CAS No:</b>		7446-09-5			
<b>Report ID:</b>					
<b>Rpt Period:</b>		2004			
<b>Subst Released:</b>		Sulphur dioxide			
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>					
<b>Units:</b>		tonnes			
<b>CAS No:</b>		124-38-9			
<b>Report ID:</b>					
<b>Rpt Period:</b>		2004			
<b>Subst Released:</b>		Carbon dioxide			
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>					
<b>Units:</b>		tonnes			
<b>CAS No:</b>		NA - M16			
<b>Report ID:</b>					
<b>Rpt Period:</b>		2004			
<b>Subst Released:</b>		Volatile Organic Compounds (VOCs)			
<b>Air:</b>					
<b>Water:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Land:</b>					
<b>Total Releases:</b>					
<b>Units:</b>		tonnes			
<b>CAS No:</b>		630-08-0			
<b>Report ID:</b>					
<b>Rpt Period:</b>		2004			
<b>Subst Released:</b>		Carbon monoxide			
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>					
<b>Units:</b>		tonnes			
<b>CAS No:</b>		10024-97-2			
<b>Report ID:</b>					
<b>Rpt Period:</b>		2004			
<b>Subst Released:</b>		Nitrous oxide			
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>					
<b>Units:</b>		tonnes			
<b>CAS No:</b>		11104-93-1			
<b>Report ID:</b>					
<b>Rpt Period:</b>		2004			
<b>Subst Released:</b>		Nitrogen oxides (expressed as NO2)			
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>					
<b>Units:</b>		tonnes			
<a href="#">227</a>	1 of 251	NE/287.6	113.7 / -0.12	ONTARIO HYDRO 800 KIPLING AVE. ETOBICOKE CITY ON M8Z 5S4	CA
<b>Certificate #:</b> 8-3044-87-					
<b>Application Year:</b> 87					
<b>Issue Date:</b> 8/24/1987					
<b>Approval Type:</b> Industrial air					
<b>Status:</b> Approved					
<b>Application Type:</b>					
<b>Client Name::</b>					
<b>Client Address::</b>					
<b>Client City::</b>					
<b>Client Postal Code::</b>					
<b>Project Description::</b> P.C.B. DESTRUCTION					
<b>Contaminants::</b> Polychlorinated Biphenyls					
<b>Emission Control::</b> Act. Charcoal Filter					
<a href="#">227</a>	2 of 251	NE/287.6	113.7 / -0.12	800 Kipling Avenue Toronto ON	CA
<b>Certificate #:</b> 8-3294-96-006					
<b>Application Year:</b> 00					
<b>Issue Date:</b> 8/22/00					
<b>Approval Type:</b> Industrial air					
<b>Status:</b> Approved					
<b>Application Type:</b> Notice					
<b>Client Name::</b> Kinectrics Inc.					
<b>Client Address::</b> 800 Kipling Avenue					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Client City::</b> <b>Client Postal Code::</b> <b>Project Description::</b> <b>Contaminants::</b> <b>Emission Control::</b>		Toronto M8Z 6C4 This application is for changing the company title from Ontario Hydro Technologies to "Kinectrics Inc."  			
<a href="#">227</a>	3 of 251	NE/287.6	113.7 / -0.12	800 Kipling Avenue Toronto ON	CA
<b>Certificate #:</b> <b>Application Year:</b> <b>Issue Date:</b> <b>Approval Type:</b> <b>Status:</b> <b>Application Type:</b> <b>Client Name::</b> <b>Client Address::</b> <b>Client City::</b> <b>Client Postal Code::</b> <b>Project Description::</b> <b>Contaminants::</b> <b>Emission Control::</b>		8-3277-93-006 00 8/21/00 Industrial air Approved Notice Kinectrics Inc. 800 Kipling Avenue Toronto M8Z 6C4 This application is for changing the company title from Ontario Hydro to "Kinectrics Inc."  			
<a href="#">227</a>	4 of 251	NE/287.6	113.7 / -0.12	800 Kipling Avenue Toronto ON	CA
<b>Certificate #:</b> <b>Application Year:</b> <b>Issue Date:</b> <b>Approval Type:</b> <b>Status:</b> <b>Application Type:</b> <b>Client Name::</b> <b>Client Address::</b> <b>Client City::</b> <b>Client Postal Code::</b> <b>Project Description::</b> <b>Contaminants::</b> <b>Emission Control::</b>		114/3/493 00 8/22/00 Industrial air Approved Notice Kinectrics Inc. 800 Kipling Avenue Toronto M8Z 6C4 This application is for changing the company title from Ontario Hydro to "Kinectrics Inc."  			
<a href="#">227</a>	5 of 251	NE/287.6	113.7 / -0.12	Kinectrics Inc. 800 Kipling Ave Toronto ON M8Z 6C4	CA
<b>Certificate #:</b> <b>Application Year:</b> <b>Issue Date:</b> <b>Approval Type:</b> <b>Status:</b> <b>Application Type:</b> <b>Client Name::</b> <b>Client Address::</b> <b>Client City::</b> <b>Client Postal Code::</b> <b>Project Description::</b> <b>Contaminants::</b> <b>Emission Control::</b>		3203-7S7PYP 2009 5/29/2009 Air Approved          			



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">227</a>	6 of 251	NE/287.6	113.7 / -0.12	ONTARIO HYDRO 800 KIPLING AVENUE ETOBICOKE CITY ON M8Z 5S4	CA
<b>Certificate #:</b> <b>Application Year:</b> <b>Issue Date:</b> <b>Approval Type:</b> <b>Status:</b> <b>Application Type:</b> <b>Client Name::</b> <b>Client Address::</b> <b>Client City::</b> <b>Client Postal Code::</b> <b>Project Description::</b> <b>Contaminants::</b> <b>Emission Control::</b>		8-3166-89-89 11/3/1989 Industrial air Approved  EXPERIMENTAL ETHYLENE GLYCOL SYNTHESIS Nitrogen Oxides Thermal Incineration			
<a href="#">227</a>	7 of 251	NE/287.6	113.7 / -0.12	ONTARIO HYDRO TECHNOLOGIES 800 KIPLING AVE., PORT. UNIT ETOBICOKE CITY ON M8Z 5S4	CA
<b>Certificate #:</b> <b>Application Year:</b> <b>Issue Date:</b> <b>Approval Type:</b> <b>Status:</b> <b>Application Type:</b> <b>Client Name::</b> <b>Client Address::</b> <b>Client City::</b> <b>Client Postal Code::</b> <b>Project Description::</b> <b>Contaminants::</b> <b>Emission Control::</b>		8-3594-94-94 11/23/1994 Industrial air Approved  MOBILE PCB DECONTAMINATION UNIT Methane (Incl. Hydrocarbons Expr. As Ch4 Act. Charcoal Filter			
<a href="#">227</a>	8 of 251	NE/287.6	113.7 / -0.12	800 Kipling Avenue Toronto ON	CA
<b>Certificate #:</b> <b>Application Year:</b> <b>Issue Date:</b> <b>Approval Type:</b> <b>Status:</b> <b>Application Type:</b> <b>Client Name::</b> <b>Client Address::</b> <b>Client City::</b> <b>Client Postal Code::</b> <b>Project Description::</b>  <b>Contaminants::</b> <b>Emission Control::</b>		0772-4RYR48 00 12/14/00 Industrial air Approved New Certificate of Approval Ontario Power Generation 1352 Lakeshore Road East Mississauga L5E 1E9 This application is for two furnace exhausts and two laboratory fumehood exhausts, which will be used for training purposes.   			
<a href="#">227</a>	9 of 251	NE/287.6	113.7 / -0.12	ONTARIO HYDRO TECH. SERVICES & NEW PROD. 800 KIPLING AVENUE TORONTO CITY ON	CA
<b>Certificate #:</b> <b>Application Year:</b>		8-3409-97-97			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Issue Date:</b> 11/27/1997 <b>Approval Type:</b> Industrial air <b>Status:</b> Approved <b>Application Type:</b> <b>Client Name::</b> <b>Client Address::</b> <b>Client City::</b> <b>Client Postal Code::</b> <b>Project Description::</b> THERMOGENICS BIOMASS GASIFIER <b>Contaminants::</b> <b>Emission Control::</b>					
<a href="#">227</a>	10 of 251	NE/287.6	113.7 / -0.12	1705686 Ontario Inc. 800 Kipling Ave Toronto ON M8Z 6C4	CA
<b>Certificate #:</b> 2515-7T6PQB <b>Application Year:</b> 2009 <b>Issue Date:</b> 7/12/2009 <b>Approval Type:</b> Air <b>Status:</b> Approved <b>Application Type:</b> <b>Client Name::</b> <b>Client Address::</b> <b>Client City::</b> <b>Client Postal Code::</b> <b>Project Description::</b> <b>Contaminants::</b> <b>Emission Control::</b>					
<a href="#">227</a>	11 of 251	NE/287.6	113.7 / -0.12	800 Kipling Avenue Toronto ON	CA
<b>Certificate #:</b> 0748-4M8PDA <b>Application Year:</b> 00 <b>Issue Date:</b> 7/17/00 <b>Approval Type:</b> Industrial air <b>Status:</b> Approved <b>Application Type:</b> New Certificate of Approval <b>Client Name::</b> Ontario Power Generation Inc. <b>Client Address::</b> 800 Kipling Avenue, KR-220 <b>Client City::</b> Toronto <b>Client Postal Code::</b> M8Z 6C4 <b>Project Description::</b> This application is for emissions to atmosphere from a proposed exhaust stack for a 20 kW solid oxide fuel cell generator capable of producing 250 kW of electrical energy. This demonstration project will serve as a "proof of concept" for commercial sized fuel cell power plants.  <b>Contaminants::</b> <b>Emission Control::</b>					
<a href="#">227</a>	12 of 251	NE/287.6	113.7 / -0.12	ONTARIO HYDRO 800 KIPLING AVE., KV-105 TORONTO CITY ON	CA
<b>Certificate #:</b> 8-3493-94- <b>Application Year:</b> 94 <b>Issue Date:</b> 10/13/1994 <b>Approval Type:</b> Industrial air <b>Status:</b> Cancelled <b>Application Type:</b> <b>Client Name::</b> <b>Client Address::</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Client City::</b> <b>Client Postal Code::</b> <b>Project Description::</b> WELD EXH-HOOD, EXH FOR P.S. BOOTH, ETC. <b>Contaminants::</b> <b>Emission Control::</b>					
<a href="#">227</a>	13 of 251	NE/287.6	113.7 / -0.12	ONTARIO HYDRO - KIPLING AVE. 800 KIPLING AVENUE ETOBICOKE CITY ON M8Z 5S4	CA
<b>Certificate #:</b> 8-3072-90-90 <b>Application Year:</b> 90 <b>Issue Date:</b> 5/31/1990 <b>Approval Type:</b> Industrial air <b>Status:</b> Approved <b>Application Type:</b> <b>Client Name::</b> <b>Client Address::</b> <b>Client City::</b> <b>Client Postal Code::</b> <b>Project Description::</b> ANALYTICAL CHEMISTRY LABORATORY <b>Contaminants::</b> Methylene Chloride, Styrene, Nitric Acid, Hydrogen Chloride <b>Emission Control::</b> No Controls					
<a href="#">227</a>	14 of 251	NE/287.6	113.7 / -0.12	Kinectrics Inc. 800 Kipling Ave Toronto ON M8Z 6C4	CA
<b>Certificate #:</b> 9630-7T4LSH <b>Application Year:</b> 2009 <b>Issue Date:</b> 6/30/2009 <b>Approval Type:</b> Air <b>Status:</b> Approved <b>Application Type:</b> <b>Client Name::</b> <b>Client Address::</b> <b>Client City::</b> <b>Client Postal Code::</b> <b>Project Description::</b> <b>Contaminants::</b> <b>Emission Control::</b>					
<a href="#">227</a>	15 of 251	NE/287.6	113.7 / -0.12	ONTARIO POWER GENERATION, BUILDING KJ 800 KIPLING AVE., ROOM KJ126 TORONTO CITY ON	CA
<b>Certificate #:</b> 8-3399-99-99 <b>Application Year:</b> 99 <b>Issue Date:</b> 12/1/1999 <b>Approval Type:</b> Industrial air <b>Status:</b> Cancelled <b>Application Type:</b> <b>Client Name::</b> <b>Client Address::</b> <b>Client City::</b> <b>Client Postal Code::</b> <b>Project Description::</b> VENT RADIOACTIVE MATERIALS LAB,8-3072-90 <b>Contaminants::</b> <b>Emission Control::</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">227</a>	16 of 251	NE/287.6	113.7 / -0.12	ONTARIO POWER GENERATION, PERFORMANCE & 800 KIPLING AVE., BUILDING KT TORONTO CITY ON	CA
<b>Certificate #:</b>		8-3375-99-			
<b>Application Year:</b>		99			
<b>Issue Date:</b>		1/7/2000			
<b>Approval Type:</b>		Industrial air			
<b>Status:</b>		Approved			
<b>Application Type:</b>					
<b>Client Name::</b>					
<b>Client Address::</b>					
<b>Client City::</b>					
<b>Client Postal Code::</b>					
<b>Project Description::</b>		2) FUME HOODS FOR LAB. EXHAUST SYSTEM			
<b>Contaminants::</b>					
<b>Emission Control::</b>					
<a href="#">227</a>	17 of 251	NE/287.6	113.7 / -0.12	Kinetrics, KG100 800 Kipling Avenue Toronto ON	CA
<b>Certificate #:</b>		6135-4UTKDE			
<b>Application Year:</b>		01			
<b>Issue Date:</b>		3/14/01			
<b>Approval Type:</b>		Industrial air			
<b>Status:</b>		Approved			
<b>Application Type:</b>		New Certificate of Approval			
<b>Client Name::</b>		Ontario Power Generation Inc.			
<b>Client Address::</b>		800 Kipling Avenue, KR-220			
<b>Client City::</b>		Toronto			
<b>Client Postal Code::</b>		M8Z 6C4			
<b>Project Description::</b>		The purpose of this project is to validate the PARCON plasma waste destruction unit as a suitable technology to destroy PCB's in an environmentally and economically friendly manner. The PARCON test unit is going to be transported from to Kinetrics from the EPA test site in North Carolina. After the system reliability has been achieved the unit will be operated with PCB surrogate materials such as tri-chlorobenzene at low feed rates, 1-2 kg/hr. The off-gas and scrubber solution will be monitored to determine the DRE of the system and the emission levels compared to Ontario MOE standards. If the tests are successful the feed rate will be increased to the maximum level of 10kg/hr to determine the limits of the operational parameters. At this point a decision will be made to either test actual PCB's or make modifications to the system to improve the emission rates.			
<b>Contaminants::</b>					
<b>Emission Control::</b>					
<a href="#">227</a>	18 of 251	NE/287.6	113.7 / -0.12	ONTARIO POWER TECH., DIV. OF ONTARIO POW 800 KIPLING AVE., ETOBICOKE TORONTO CITY ON	CA
<b>Certificate #:</b>		8-3299-99-			
<b>Application Year:</b>		99			
<b>Issue Date:</b>		1/12/2000			
<b>Approval Type:</b>		Industrial air			
<b>Status:</b>		Approved			
<b>Application Type:</b>					
<b>Client Name::</b>					
<b>Client Address::</b>					
<b>Client City::</b>					
<b>Client Postal Code::</b>					
<b>Project Description::</b>		TEST FACILITY FOR MICROTURBINES			
<b>Contaminants::</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Emission Control::</b>					
<a href="#">227</a>	19 of 251	NE/287.6	113.7 / -0.12	800 Kipling Avenue Toronto ON	CA
<b>Certificate #:</b>		8-3242-97-006			
<b>Application Year:</b>		00			
<b>Issue Date:</b>		8/22/00			
<b>Approval Type:</b>		Industrial air			
<b>Status:</b>		Approved			
<b>Application Type:</b>		Notice			
<b>Client Name::</b>		Kinectrics Inc.			
<b>Client Address::</b>		800 Kipling Avenue			
<b>Client City::</b>		Toronto			
<b>Client Postal Code::</b>		M8Z 6C4			
<b>Project Description::</b>		Change title of company from Ontario Hydro Technologies to "Kinectrics Inc."			
<b>Contaminants::</b>					
<b>Emission Control::</b>					
<a href="#">227</a>	20 of 251	NE/287.6	113.7 / -0.12	ONTARIO HYDRO TECHNOLOGIES 800 KIPLING AVENUE ETOBICOKE CITY ON M8Z 5S4	CA
<b>Certificate #:</b>		8-3340-97-			
<b>Application Year:</b>		97			
<b>Issue Date:</b>		10/21/1997			
<b>Approval Type:</b>		Industrial air			
<b>Status:</b>		Revised			
<b>Application Type:</b>					
<b>Client Name::</b>					
<b>Client Address::</b>					
<b>Client City::</b>					
<b>Client Postal Code::</b>					
<b>Project Description::</b>		FOUR PROTOTYPE COMBUSTION GAS BURNERS			
<b>Contaminants::</b>		Nitrogen Oxides			
<b>Emission Control::</b>					
<a href="#">227</a>	21 of 251	NE/287.6	113.7 / -0.12	Kinectrics Inc. 800 Kipling Avenue Toronto ON M8Z 6C4	CA
<b>Certificate #:</b>		A840426			
<b>Application Year:</b>		2000			
<b>Issue Date:</b>		8/21/2000			
<b>Approval Type:</b>		Waste Management Systems			
<b>Status:</b>		Approved			
<b>Application Type:</b>					
<b>Client Name::</b>					
<b>Client Address::</b>					
<b>Client City::</b>					
<b>Client Postal Code::</b>					
<b>Project Description::</b>					
<b>Contaminants::</b>					
<b>Emission Control::</b>					
<a href="#">227</a>	22 of 251	NE/287.6	113.7 / -0.12	Kinectrics Inc. 800 Kipling Ave Toronto ON M8Z 6C4	CA



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Client Address::</b> <b>Client City::</b> <b>Client Postal Code::</b> <b>Project Description::</b> <b>Contaminants::</b> <b>Emission Control::</b>					
<a href="#">227</a>	26 of 251	NE/287.6	113.7 / -0.12	<b>Purolator Courier Ltd.</b> <b>800 Kipling Avenue</b> <b>Toronto ON M8Z 6C4</b>	CA
<b>Certificate #:</b> 6105-65XPPH <b>Application Year:</b> 2004 <b>Issue Date:</b> 10/21/2004 <b>Approval Type:</b> Air <b>Status:</b> Revoked and/or Replaced <b>Application Type:</b> <b>Client Name::</b> <b>Client Address::</b> <b>Client City::</b> <b>Client Postal Code::</b> <b>Project Description::</b> <b>Contaminants::</b> <b>Emission Control::</b>					
<a href="#">227</a>	27 of 251	NE/287.6	113.7 / -0.12	<b>ONTARIO HYDRO - COMBUSTION RES.</b> <b>FACILITY</b> <b>800 KIPLING AVENUE</b> <b>TORONTO CITY ON</b>	CA
<b>Certificate #:</b> 8-3204-91- <b>Application Year:</b> 91 <b>Issue Date:</b> 10/17/1991 <b>Approval Type:</b> Industrial air <b>Status:</b> <b>Application Type:</b> <b>Client Name::</b> <b>Client Address::</b> <b>Client City::</b> <b>Client Postal Code::</b> <b>Project Description::</b> COAL GRINDING AND CONVEYING SYSTEM <b>Contaminants::</b> <b>Emission Control::</b>					
<a href="#">227</a>	28 of 251	NE/287.6	113.7 / -0.12	<b>ONTARIO HYDRO</b> <b>800 KIPLING AVENUE</b> <b>TORONTO CITY ON</b>	CA
<b>Certificate #:</b> 8-3439-93-006 <b>Application Year:</b> 93 <b>Issue Date:</b> 11/18/93 <b>Approval Type:</b> Industrial air <b>Status:</b> Approved <b>Application Type:</b> <b>Client Name::</b> <b>Client Address::</b> <b>Client City::</b> <b>Client Postal Code::</b> <b>Project Description::</b> AIR EXHAUST FOR VEH. INSPECTION STATION <b>Contaminants::</b> Nitrogen Oxides, Carbon Monoxide					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Emission Control::</b>					
<a href="#">227</a>	29 of 251	NE/287.6	113.7 / -0.12	800 Kipling Avenue Toronto ON	CA
<b>Certificate #:</b>		8-3709-98-996			
<b>Application Year:</b>		00			
<b>Issue Date:</b>		8/28/00			
<b>Approval Type:</b>		Industrial air			
<b>Status:</b>		Approved			
<b>Application Type:</b>		Notice			
<b>Client Name::</b>		Kinectrics Inc.			
<b>Client Address::</b>		800 Kipling Avenue			
<b>Client City::</b>		Toronto			
<b>Client Postal Code::</b>		M8Z 6C4			
<b>Project Description::</b>		This application is for changing the name of the Company from Ontario Hydro to "Kinectrics Inc."			
<b>Contaminants::</b>					
<b>Emission Control::</b>					
<a href="#">227</a>	30 of 251	NE/287.6	113.7 / -0.12	ONTARIO HYDRO TECHNOLOGIES 800 KIPLING AVENUE ETOBICOKE CITY ON M8Z 5S4	CA
<b>Certificate #:</b>		8-3242-97-			
<b>Application Year:</b>		97			
<b>Issue Date:</b>		7/10/1997			
<b>Approval Type:</b>		Industrial air			
<b>Status:</b>		Approved			
<b>Application Type:</b>					
<b>Client Name::</b>					
<b>Client Address::</b>					
<b>Client City::</b>					
<b>Client Postal Code::</b>					
<b>Project Description::</b>		INDUSTRIAL TYPE SPRAY BOOTH			
<b>Contaminants::</b>		Xylene, Other Contaminant			
<b>Emission Control::</b>		Panel Filter			
<a href="#">227</a>	31 of 251	NE/287.6	113.7 / -0.12	ONTARIO HYDRO 800 KIPLING AVE., KT BLDG. TORONTO CITY ON	CA
<b>Certificate #:</b>		8-3212-94-			
<b>Application Year:</b>		94			
<b>Issue Date:</b>		6/2/1994			
<b>Approval Type:</b>		Industrial air			
<b>Status:</b>		Approved			
<b>Application Type:</b>					
<b>Client Name::</b>					
<b>Client Address::</b>					
<b>Client City::</b>					
<b>Client Postal Code::</b>					
<b>Project Description::</b>		ELEC. ROT. FURNACE & M-WAVE HEATING FAC.			
<b>Contaminants::</b>					
<b>Emission Control::</b>					
<a href="#">227</a>	32 of 251	NE/287.6	113.7 / -0.12	KR Building 800 Kipling Avenue Toronto ON	CA



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<p><b>Certificate #:</b> 8985-557KA4  <b>Application Year:</b> 01  <b>Issue Date:</b> 12/20/01  <b>Approval Type:</b> Industrial air  <b>Status:</b> Approved  <b>Application Type:</b> New Certificate of Approval  <b>Client Name::</b> Kinectrics Inc.  <b>Client Address::</b> 800 Kipling Avenue  <b>Client City::</b> Toronto  <b>Client Postal Code::</b> M8Z 6C4  <b>Project Description::</b> This application is for an Air Certificate of Approval for the installation of seven (7) laboratory fume hoods in the KR Building at Kinectrics Inc. Each fume hood has a dedicated exhaust stack and emissions will be discharged to the natural environmental above the building roof at a stack height of 2.5 metres. The stack diameter for the seven (7) fume hoods ranges from 0.13 metres to 0.30 metres and the stack height above grade for each fume hood is 18.23 metres. The exhaust flow rate of each fume hood ranges from 0.19 to 0.57 cubic metres per second. There is no residential receptors within 500 metres of the building.  <b>Contaminants::</b>  <b>Emission Control::</b></p>					
<a href="#">227</a>	33 of 251	NE/287.6	113.7 / -0.12	800 Kipling Avenue Toronto ON	CA
<p><b>Certificate #:</b> 8-3072-90-997  <b>Application Year:</b> 00  <b>Issue Date:</b> 8/21/00  <b>Approval Type:</b> Industrial air  <b>Status:</b> Approved  <b>Application Type:</b> Notice  <b>Client Name::</b> Kinectrics Inc.  <b>Client Address::</b> 800 Kipling Avenue  <b>Client City::</b> Toronto  <b>Client Postal Code::</b> M8Z 6C4  <b>Project Description::</b> This application is for changing the company title from Ontario Power Generation Inc. to "Kinectrics Inc."  <b>Contaminants::</b>  <b>Emission Control::</b></p>					
<a href="#">227</a>	34 of 251	NE/287.6	113.7 / -0.12	ONTARIO HYDRO 800 KIPLING AVE., KR BLDG. TORONTO CITY ON	CA
<p><b>Certificate #:</b> 8-3366-94-94  <b>Application Year:</b> 94  <b>Issue Date:</b> 8/12/1994  <b>Approval Type:</b> Industrial air  <b>Status:</b> Approved  <b>Application Type:</b>  <b>Client Name::</b>  <b>Client Address::</b>  <b>Client City::</b>  <b>Client Postal Code::</b>  <b>Project Description::</b> INSTALL LAB. FUME HOOD  <b>Contaminants::</b> Other Contaminant  <b>Emission Control::</b></p>					
<a href="#">227</a>	35 of 251	NE/287.6	113.7 / -0.12	Kinectrics Inc. 800 Kipling Avenue Toronto ON M8Z 6C4	CA
<p><b>Certificate #:</b> 2139-5S6JDR  <b>Application Year:</b> 2003  <b>Issue Date:</b> 10/20/2003</p>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Approval Type:</b> <b>Status:</b> <b>Application Type:</b> <b>Client Name::</b> <b>Client Address::</b> <b>Client City::</b> <b>Client Postal Code::</b> <b>Project Description::</b> <b>Contaminants::</b> <b>Emission Control::</b>		Air Revoked and/or Replaced			
<a href="#">227</a>	36 of 251	NE/287.6	113.7 / -0.12	800 Kipling Avenue Toronto ON	CA
<b>Certificate #:</b> <b>Application Year:</b> <b>Issue Date:</b> <b>Approval Type:</b> <b>Status:</b> <b>Application Type:</b> <b>Client Name::</b> <b>Client Address::</b> <b>Client City::</b> <b>Client Postal Code::</b> <b>Project Description::</b> <b>Contaminants::</b> <b>Emission Control::</b>		8-3168-88-896 00 8/22/00 Industrial air Approved Notice Kinectrics Inc. 800 Kipling Avenue Toronto M8Z 6C4 This application is for changing the company title from Ontario Hydro Technologies to "Kinectrics Inc."			
<a href="#">227</a>	37 of 251	NE/287.6	113.7 / -0.12	Kinectrics Inc. 800 Kipling Ave Toronto ON M8Z 6C4	CA
<b>Certificate #:</b> <b>Application Year:</b> <b>Issue Date:</b> <b>Approval Type:</b> <b>Status:</b> <b>Application Type:</b> <b>Client Name::</b> <b>Client Address::</b> <b>Client City::</b> <b>Client Postal Code::</b> <b>Project Description::</b> <b>Contaminants::</b> <b>Emission Control::</b>		4517-6W7M3K 2006 12/6/2006 Air Approved			
<a href="#">227</a>	38 of 251	NE/287.6	113.7 / -0.12	800 Kipling Avenue Toronto ON	CA
<b>Certificate #:</b> <b>Application Year:</b> <b>Issue Date:</b> <b>Approval Type:</b> <b>Status:</b> <b>Application Type:</b> <b>Client Name::</b> <b>Client Address::</b> <b>Client City::</b> <b>Client Postal Code::</b> <b>Project Description::</b>		2272-4VVJH3 01 4/20/01 Industrial air Approved New Certificate of Approval Ontario Power Generation Inc. 800 Kipling Avenue Toronto M8Z 5S4 Applcaiton for the relocation ofa paint spray booth, from Orangeville to 800 Kipling Avenue in Toronto. The paint			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
				spray booth will be used to apply various protective coatings and will only be used for a total of approximately 100 hours per year.	
<b>Contaminants::</b>					
<b>Emission Control::</b>					
<a href="#">227</a>	39 of 251	NE/287.6	113.7 / -0.12	800 Kipling Avenue Toronto ON	CA
<b>Certificate #:</b>		8-3273-93-006			
<b>Application Year:</b>		00			
<b>Issue Date:</b>		8/21/00			
<b>Approval Type:</b>		Industrial air			
<b>Status:</b>		Approved			
<b>Application Type:</b>		Notice			
<b>Client Name::</b>		Kinectrics Inc.			
<b>Client Address::</b>		800 Kipling Avenue			
<b>Client City::</b>		Toronto			
<b>Client Postal Code::</b>		M8Z 6C4			
<b>Project Description::</b>		This application is for changing the company title from Ontario Hydro to "Kinectrics Inc."			
<b>Contaminants::</b>					
<b>Emission Control::</b>					
<a href="#">227</a>	40 of 251	NE/287.6	113.7 / -0.12	ONTARIO HYDRO TECHNOLOGIES, CUSTOMER POW 800 KIPLING AVE., BUILDING KB TORONTO ON	CA
<b>Certificate #:</b>		8-3709-98-			
<b>Application Year:</b>		98			
<b>Issue Date:</b>		//			
<b>Approval Type:</b>		Industrial air			
<b>Status:</b>		In progress			
<b>Application Type:</b>					
<b>Client Name::</b>					
<b>Client Address::</b>					
<b>Client City::</b>					
<b>Client Postal Code::</b>					
<b>Project Description::</b>		FUMEHOOD, CANOPIES, SIX COLL. POINTS			
<b>Contaminants::</b>					
<b>Emission Control::</b>					
<a href="#">227</a>	41 of 251	NE/287.6	113.7 / -0.12	800 Kipling Avenue Toronto ON	CA
<b>Certificate #:</b>		8-3299-99-006			
<b>Application Year:</b>		00			
<b>Issue Date:</b>		8/21/00			
<b>Approval Type:</b>		Industrial air			
<b>Status:</b>		Approved			
<b>Application Type:</b>		Notice			
<b>Client Name::</b>		Kinectrics Inc.			
<b>Client Address::</b>		800 Kipling Avenue			
<b>Client City::</b>		Toronto			
<b>Client Postal Code::</b>		M8Z 6C4			
<b>Project Description::</b>		This application is for changing the company title from Ontario Power Technologies to "Kinectrics Inc."			
<b>Contaminants::</b>					
<b>Emission Control::</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">227</a>	42 of 251	NE/287.6	113.7 / -0.12	ONTARIO HYDRO 800 KIPLING AVENUE TORONTO CITY ON	CA
Certificate #:		8-3439-93-			
Application Year:		93			
Issue Date:		9/28/1993			
Approval Type:		Industrial air			
Status:		Cancelled			
Application Type:					
Client Name::					
Client Address::					
Client City::					
Client Postal Code::					
Project Description::		AIR EXHAUST FOR VEH. INSPECTION STATION			
Contaminants::					
Emission Control::					
<a href="#">227</a>	43 of 251	NE/287.6	113.7 / -0.12	800 Kipling Avenue Toronto ON	CA
Certificate #:		8-3044-87-006			
Application Year:		00			
Issue Date:		8/22/00			
Approval Type:		Industrial air			
Status:		Approved			
Application Type:		Notice			
Client Name::		Kinectrics Inc.			
Client Address::		800 Kipling Avenue			
Client City::		Toronto			
Client Postal Code::		M8Z 6C4			
Project Description::		This application is for changing the Company title from Ontario Hydro to "Kinectrics Inc."			
Contaminants::					
Emission Control::					
<a href="#">227</a>	44 of 251	NE/287.6	113.7 / -0.12	ONTARIO HYDRO 800 KIPLING AVE., KT-135 ETOBICOKE CITY ON M8Z 5S4	CA
Certificate #:		8-3210-93-			
Application Year:		93			
Issue Date:		7/13/1993			
Approval Type:		Industrial air			
Status:		Approved			
Application Type:					
Client Name::					
Client Address::					
Client City::					
Client Postal Code::					
Project Description::		FUEL CELL TEST FAC. & (1) AIR EXHAUST			
Contaminants::		Phthalates			
Emission Control::					
<a href="#">227</a>	45 of 251	NE/287.6	113.7 / -0.12	800 Kipling Avenue Toronto ON	CA
Certificate #:		25/3/8			
Application Year:		00			
Issue Date:		8/22/00			
Approval Type:		Industrial air			
Status:		Approved			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Application Type:</b> Notice <b>Client Name::</b> Kinectrics Inc. <b>Client Address::</b> 800 Kipling Avenue <b>Client City::</b> Toronto <b>Client Postal Code::</b> M8Z 6C4 <b>Project Description::</b> This application is for changing the company title from Ontario Hydro to "Kinectrics Inc." <b>Contaminants::</b> <b>Emission Control::</b>					
<a href="#"><u>227</u></a>	46 of 251	<b>NE/287.6</b>	<b>113.7 / -0.12</b>	<b>800 Kipling Avenue Toronto ON</b>	<b>CA</b>
<b>Certificate #:</b> 8-3366-94-006 <b>Application Year:</b> 00 <b>Issue Date:</b> 8/21/00 <b>Approval Type:</b> Industrial air <b>Status:</b> Approved <b>Application Type:</b> Notice <b>Client Name::</b> Kinectrics Inc. <b>Client Address::</b> 800 Kipling Avenue <b>Client City::</b> Toronto <b>Client Postal Code::</b> M8Z 6C4 <b>Project Description::</b> This application is for changing the company title from Ontario Hydro to "Kinectrics Inc." <b>Contaminants::</b> <b>Emission Control::</b>					
<a href="#"><u>227</u></a>	47 of 251	<b>NE/287.6</b>	<b>113.7 / -0.12</b>	<b>800 Kipling Avenue Toronto ON</b>	<b>CA</b>
<b>Certificate #:</b> 8-3594-94-006 <b>Application Year:</b> 00 <b>Issue Date:</b> 8/22/00 <b>Approval Type:</b> Industrial air <b>Status:</b> Approved <b>Application Type:</b> Notice <b>Client Name::</b> Kinectrics Inc. <b>Client Address::</b> 800 Kipling Avenue <b>Client City::</b> Toronto <b>Client Postal Code::</b> M8Z 6C4 <b>Project Description::</b> This application is for changing the title of the Company from Ontario Hydro to Kinectrics Inc. <b>Contaminants::</b> <b>Emission Control::</b>					
<a href="#"><u>227</u></a>	48 of 251	<b>NE/287.6</b>	<b>113.7 / -0.12</b>	<b>Kinectrics Inc. 800 Kipling Avenue Toronto ON M8Z 6C4</b>	<b>CA</b>
<b>Certificate #:</b> 3262-6A6T36 <b>Application Year:</b> 2005 <b>Issue Date:</b> 3/6/2005 <b>Approval Type:</b> Air <b>Status:</b> Approved <b>Application Type:</b> <b>Client Name::</b> <b>Client Address::</b> <b>Client City::</b> <b>Client Postal Code::</b> <b>Project Description::</b> <b>Contaminants::</b> <b>Emission Control::</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">227</a>	49 of 251	NE/287.6	113.7 / -0.12	ONTARIO HYDRO TECHNOLOGIES 800 KIPLING AVENUE ETOBICOKE CITY ON M8Z 5S4	CA
<b>Certificate #:</b>		8-3294-96-			
<b>Application Year:</b>		96			
<b>Issue Date:</b>		8/14/1996			
<b>Approval Type:</b>		Industrial air			
<b>Status:</b>		Approved			
<b>Application Type:</b>					
<b>Client Name::</b>					
<b>Client Address::</b>					
<b>Client City::</b>					
<b>Client Postal Code::</b>					
<b>Project Description::</b>		SOLVENT EXTRACTION SYSTEM			
<b>Contaminants::</b>		Polychlorinated Biphenyls, Perchloroethylene			
<b>Emission Control::</b>		Act. Charcoal Filter,			
<a href="#">227</a>	50 of 251	NE/287.6	113.7 / -0.12	800 Kipling Avenue Toronto ON	CA
<b>Certificate #:</b>		8-3131-81-006			
<b>Application Year:</b>		00			
<b>Issue Date:</b>		8/21/00			
<b>Approval Type:</b>		Industrial air			
<b>Status:</b>		Approved			
<b>Application Type:</b>		Notice			
<b>Client Name::</b>		Kinectrics Inc.			
<b>Client Address::</b>		800 Kipling Avenue			
<b>Client City::</b>		Toronto			
<b>Client Postal Code::</b>		M8Z 6C4			
<b>Project Description::</b>		This application is for changing the title of the company from Ontario Hydro to "Kinectrics Inc."			
<b>Contaminants::</b>					
<b>Emission Control::</b>					
<a href="#">227</a>	51 of 251	NE/287.6	113.7 / -0.12	Ontario Power Generation Inc. 800 Kipling Ave Toronto ON M8Z 6C4	CA
<b>Certificate #:</b>		8867-7SUHMF			
<b>Application Year:</b>		2009			
<b>Issue Date:</b>		6/23/2009			
<b>Approval Type:</b>		Air			
<b>Status:</b>		Approved			
<b>Application Type:</b>					
<b>Client Name::</b>					
<b>Client Address::</b>					
<b>Client City::</b>					
<b>Client Postal Code::</b>					
<b>Project Description::</b>					
<b>Contaminants::</b>					
<b>Emission Control::</b>					
<a href="#">227</a>	52 of 251	NE/287.6	113.7 / -0.12	800 Kipling Avenue Toronto ON	CA
<b>Certificate #:</b>		8-3057-84-856			
<b>Application Year:</b>		00			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Issue Date:</b> <b>Approval Type:</b> <b>Status:</b> <b>Application Type:</b> <b>Client Name::</b> <b>Client Address::</b> <b>Client City::</b> <b>Client Postal Code::</b> <b>Project Description::</b> <b>Contaminants::</b> <b>Emission Control::</b>		8/22/00 Industrial air Approved Notice Kinectrics Inc. 800 Kipling Avenue Toronto M8Z 6C4 Change title of Company from Ontario Hydro to "Kinectrics Inc." Change title of Company from Ontario Hydro to "Kinectrics Inc."			
<a href="#">227</a>	53 of 251	NE/287.6	113.7 / -0.12	<b>Kinectrics Inc.</b> <b>800 Kipling Ave</b> <b>Toronto ON M8Z 6C4</b>	CA
<b>Certificate #:</b> <b>Application Year:</b> <b>Issue Date:</b> <b>Approval Type:</b> <b>Status:</b> <b>Application Type:</b> <b>Client Name::</b> <b>Client Address::</b> <b>Client City::</b> <b>Client Postal Code::</b> <b>Project Description::</b> <b>Contaminants::</b> <b>Emission Control::</b>		8217-7TDLJE 2009 6/30/2009 Air Approved			
<a href="#">227</a>	54 of 251	NE/287.6	113.7 / -0.12	<b>Ontario Power Generation Inc.</b> <b>800 Kipling Avenue Toronto Ontario M8Z 6C4</b> <b>Toronto</b> <b>ON</b>	EBR
<b>Company Name:</b> <b>EBR Registry No.:</b> <b>Ministry Ref. No.:</b> <b>Notice Type:</b> <b>Notice Date:</b> <b>Proposal Date:</b> <b>Year:</b> <b>Proponent Address:</b> <b>Instrument Type:</b> <b>Location Other:</b>  <b>Location:</b>  800 Kipling Avenue Toronto Ontario M8Z 6C4 Toronto		Ontario Power Generation Inc. IA06E1476 2693-6VLVN5 Instrument Decision July 02, 2009 November 28, 2006 2006 KR-220, 800 Kipling Avenue , 215, Toronto Ontario, M8Z 6C4 (EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)			
<a href="#">227</a>	55 of 251	NE/287.6	113.7 / -0.12	<b>Kinectrics Inc.</b> <b>800 Kipling Avenue Toronto M8Z 5S4 CITY OF</b> <b>TORONTO</b> <b>ON</b>	EBR
<b>Company Name:</b> <b>EBR Registry No.:</b> <b>Ministry Ref. No.:</b> <b>Notice Type:</b>		Kinectrics Inc. 011-2913 5622-8ECKAV Instrument Decision			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Notice Date:</b> July 18, 2011 <b>Proposal Date:</b> March 22, 2011 <b>Year:</b> 2011 <b>Proponent Address:</b> 800 Kipling avenue, Toronto Ontario, Canada M8Z 6C4 <b>Instrument Type:</b> (EPA s. 27) - Approval for a waste disposal site. <b>Location Other:</b>  <b>Location:</b>  800 Kipling Avenue Toronto M8Z 5S4 CITY OF TORONTO					
<a href="#">227</a>	56 of 251	NE/287.6	113.7 / -0.12	<b>Kinectrics Inc. 800 Kipling Avenue Unit 2 Toronto M8Z 6C4 CITY OF TORONTO ON</b>	<b>EBR</b>
<b>Company Name:</b> Kinectrics Inc. <b>EBR Registry No.:</b> 010-9005 <b>Ministry Ref. No.:</b> 2254-7Z2P34 <b>Notice Type:</b> Instrument Decision <b>Notice Date:</b> April 26, 2010 <b>Proposal Date:</b> January 29, 2010 <b>Year:</b> 2010 <b>Proponent Address:</b> 800 Kipling avenue, Toronto Ontario, Canada M8Z 6C4 <b>Instrument Type:</b> (EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air) <b>Location Other:</b>  <b>Location:</b>  800 Kipling Avenue Unit 2 Toronto M8Z 6C4 CITY OF TORONTO					
<a href="#">227</a>	57 of 251	NE/287.6	113.7 / -0.12	<b>Kinectrics Inc. 800 Kipling Avenue Toronto M8Z 6C4 CITY OF TORONTO ON</b>	<b>EBR</b>
<b>Company Name:</b> Kinectrics Inc. <b>EBR Registry No.:</b> 010-3272 <b>Ministry Ref. No.:</b> 2442-7DGQJD <b>Notice Type:</b> Instrument Decision <b>Notice Date:</b> July 06, 2009 <b>Proposal Date:</b> April 16, 2008 <b>Year:</b> 2008 <b>Proponent Address:</b> 800 Kipling avenue, Toronto Ontario, Canada M8Z 6C4 <b>Instrument Type:</b> (EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air) <b>Location Other:</b>  <b>Location:</b>  800 Kipling Avenue Toronto M8Z 6C4 CITY OF TORONTO					
<a href="#">227</a>	58 of 251	NE/287.6	113.7 / -0.12	<b>Kinectrics Inc. 800 Kipling Avenue Toronto M8Z 5G5 CITY OF TORONTO ON</b>	<b>EBR</b>
<b>Company Name:</b> Kinectrics Inc. <b>EBR Registry No.:</b> 012-4306					



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Ministry Ref. No.:</b>		3571-9SZL2K			
<b>Notice Type:</b>		Instrument Decision			
<b>Notice Date:</b>		November 23, 2015			
<b>Proposal Date:</b>		June 08, 2015			
<b>Year:</b>		2015			
<b>Proponent Address:</b>		800 Kipling avenue, Toronto Ontario, Canada M8Z 5G5			
<b>Instrument Type:</b>		(EPA Part II.1-waste) - Environmental Compliance Approval (project type: waste)			
<b>Location Other:</b>					
<b>Location:</b>		800 Kipling Avenue Toronto M8Z 5G5 CITY OF TORONTO			
<a href="#">227</a>	59 of 251	NE/287.6	113.7 / -0.12	<b>Kinectrics Inc.</b> 800 Kipling Avenue Toronto Ontario M8Z 6C4 Toronto ON	EBR
<b>Company Name:</b>		Kinectrics Inc.			
<b>EBR Registry No.:</b>		IA05E1431			
<b>Ministry Ref. No.:</b>		6000-6FRR3T			
<b>Notice Type:</b>		Instrument Decision			
<b>Notice Date:</b>		September 15, 2005			
<b>Proposal Date:</b>		September 09, 2005			
<b>Year:</b>		2005			
<b>Proponent Address:</b>		800 Kipling Avenue, Toronto Ontario, M8Z 6C4			
<b>Instrument Type:</b>		(EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)			
<b>Location Other:</b>					
<b>Location:</b>		800 Kipling Avenue Toronto Ontario M8Z 6C4 Toronto			
<a href="#">227</a>	60 of 251	NE/287.6	113.7 / -0.12	<b>Kinectrics Inc.</b> 800 Kipling Avenue Toronto Ontario M8Z 6C4 Toronto ON	EBR
<b>Company Name:</b>		Kinectrics Inc.			
<b>EBR Registry No.:</b>		IA01E1589			
<b>Ministry Ref. No.:</b>		3412-54ALSD			
<b>Notice Type:</b>		Instrument Decision			
<b>Notice Date:</b>		January 08, 2002			
<b>Proposal Date:</b>		November 16, 2001			
<b>Year:</b>		2001			
<b>Proponent Address:</b>		800 Kipling Avenue, Toronto Ontario, M8Z 6C4			
<b>Instrument Type:</b>		(EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)			
<b>Location Other:</b>					
<b>Location:</b>		800 Kipling Avenue Toronto Ontario M8Z 6C4 Toronto			
<a href="#">227</a>	61 of 251	NE/287.6	113.7 / -0.12	<b>Kinectrics Inc.</b> 800 Kipling Avenue Toronto Ontario M8Z 6C4 Toronto ON	EBR

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<p><b>Company Name:</b> Kinectrics Inc.  <b>EBR Registry No.:</b> IA04E1004  <b>Ministry Ref. No.:</b> 2667-622KVM  <b>Notice Type:</b> Instrument Decision  <b>Notice Date:</b> March 08, 2005  <b>Proposal Date:</b> July 08, 2004  <b>Year:</b> 2004  <b>Proponent Address:</b> 800 Kipling Avenue, Toronto Ontario, M8Z 6C4  <b>Instrument Type:</b> (EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)  <b>Location Other:</b></p> <p><b>Location:</b></p> <p>800 Kipling Avenue Toronto Ontario M8Z 6C4 Toronto</p>					
<a href="#">227</a>	62 of 251	NE/287.6	113.7 / -0.12	<b>Kinectrics, a Subsidiary of Ontario Power Generation Inc. 800 Kipling Avenue CITY OF TORONTO ON</b>	EBR
<p><b>Company Name:</b> Kinectrics, a Subsidiary of Ontario Power Generation Inc.  <b>EBR Registry No.:</b> IA01E0027  <b>Ministry Ref. No.:</b> 4467-4SFSY6  <b>Notice Type:</b> Instrument Exception  <b>Notice Date:</b> January 23, 2001  <b>Proposal Date:</b>  <b>Year:</b>  <b>Proponent Address:</b>  <b>Instrument Type:</b> (EPA s. 27) - Approval for a waste disposal site., (EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)  <b>Location Other:</b></p> <p><b>Location:</b></p> <p>800 Kipling Avenue CITY OF TORONTO</p>					
<a href="#">227</a>	63 of 251	NE/287.6	113.7 / -0.12	<b>Purolator Courier Ltd. 800 Kipling Avenue Toronto Ontario M8Z 6C4 Toronto ON</b>	EBR
<p><b>Company Name:</b> Purolator Courier Ltd.  <b>EBR Registry No.:</b> IA04E0808  <b>Ministry Ref. No.:</b> 2080-5Y3VXQ  <b>Notice Type:</b> Instrument Decision  <b>Notice Date:</b> October 23, 2006  <b>Proposal Date:</b> May 20, 2004  <b>Year:</b> 2004  <b>Proponent Address:</b> 5995 Avebury Road, Mississauga Ontario, L5R 3T8  <b>Instrument Type:</b> (EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)  <b>Location Other:</b></p> <p><b>Location:</b></p> <p>800 Kipling Avenue Toronto Ontario M8Z 6C4 Toronto</p>					
<a href="#">227</a>	64 of 251	NE/287.6	113.7 / -0.12	<b>Kinectrics Inc.</b>	EBR

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
				800 Kipling Avenue Unit Unit 2 Toronto M8Z 6C4 CITY OF TORONTO ON	
<p><b>Company Name:</b> Kinectrics Inc.  <b>EBR Registry No.:</b> 011-5096  <b>Ministry Ref. No.:</b> 9120-8MBKFB  <b>Notice Type:</b> Instrument Decision  <b>Notice Date:</b> February 03, 2016  <b>Proposal Date:</b> November 15, 2011  <b>Year:</b> 2011  <b>Proponent Address:</b> 800 Kipling avenue , Unit 2, Toronto Ontario, Canada M8Z 6C4  <b>Instrument Type:</b> (EPA Part II.1-air) - Environmental Compliance Approval (project type: air)  <b>Location Other:</b></p> <p><b>Location:</b></p> <p>800 Kipling Avenue Unit Unit 2 Toronto M8Z 6C4 CITY OF TORONTO</p>					
<a href="#">227</a>	65 of 251	NE/287.6	113.7 / -0.12	Kinectrics Inc. 800 Kipling Avenue Toronto Ontario M8Z 6C4 Toronto ON	EBR
<p><b>Company Name:</b> Kinectrics Inc.  <b>EBR Registry No.:</b> IA03E0892  <b>Ministry Ref. No.:</b> 6371-5NMKAK  <b>Notice Type:</b> Instrument Decision  <b>Notice Date:</b> October 22, 2003  <b>Proposal Date:</b> June 19, 2003  <b>Year:</b> 2003  <b>Proponent Address:</b> 800 Kipling Avenue, Toronto Ontario, M8Z 6C4  <b>Instrument Type:</b> (EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)  <b>Location Other:</b></p> <p><b>Location:</b></p> <p>800 Kipling Avenue Toronto Ontario M8Z 6C4 Toronto</p>					
<a href="#">227</a>	66 of 251	NE/287.6	113.7 / -0.12	Kinectrics Inc. 800 Kipling Avenue Toronto M8Z 6C4 CITY OF TORONTO ON	EBR
<p><b>Company Name:</b> Kinectrics Inc.  <b>EBR Registry No.:</b> 010-8763  <b>Ministry Ref. No.:</b> 6668-7YYRAJ  <b>Notice Type:</b> Instrument Decision  <b>Notice Date:</b> August 18, 2010  <b>Proposal Date:</b> January 08, 2010  <b>Year:</b> 2010  <b>Proponent Address:</b> 800 Kipling avenue, Toronto Ontario, Canada M8Z 6C4  <b>Instrument Type:</b> (EPA s. 27) - Approval for a waste disposal site.  <b>Location Other:</b></p> <p><b>Location:</b></p> <p>800 Kipling Avenue Toronto M8Z 6C4 CITY OF TORONTO</p>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">227</a>	67 of 251	NE/287.6	113.7 / -0.12	Ontario Hydro Technologies 800 KIPLING AVENUE, ETOBICOKE CITY Etobicoke ON	EBR
<p><b>Company Name:</b> Ontario Hydro Technologies  <b>EBR Registry No.:</b> IA7E0784  <b>Ministry Ref. No.:</b> 8324297 19970527  <b>Notice Type:</b> Instrument Decision  <b>Notice Date:</b> July 10, 1997  <b>Proposal Date:</b> June 02, 1997  <b>Year:</b> 1997  <b>Proponent Address:</b> 800 Kipling Avenue, Etobicoke Ontario, M8Z 5S4  <b>Instrument Type:</b> (EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)  <b>Location Other:</b></p> <p><b>Location:</b> 800 KIPLING AVENUE, ETOBICOKE CITY Etobicoke</p>					
<a href="#">227</a>	68 of 251	NE/287.6	113.7 / -0.12	Kinectrics Inc. 800 Kipling Avenue Toronto Ontario M8Z 6C4 Toronto ON	EBR
<p><b>Company Name:</b> Kinectrics Inc.  <b>EBR Registry No.:</b> IA03E1593  <b>Ministry Ref. No.:</b> 1325-5RQPL6  <b>Notice Type:</b> Instrument Decision  <b>Notice Date:</b> February 04, 2004  <b>Proposal Date:</b> November 12, 2003  <b>Year:</b> 2003  <b>Proponent Address:</b> 800 Kipling Avenue, Toronto Ontario, M8Z 6C4  <b>Instrument Type:</b> (EPA s. 27) - Approval for a waste disposal site.  <b>Location Other:</b></p> <p><b>Location:</b> 800 Kipling Avenue Toronto Ontario M8Z 6C4 Toronto</p>					
<a href="#">227</a>	69 of 251	NE/287.6	113.7 / -0.12	Kinectrics Inc. 800 Kipling Avenue Unit 2 Toronto M8Z 6C4 CITY OF TORONTO ON	EBR
<p><b>Company Name:</b> Kinectrics Inc.  <b>EBR Registry No.:</b> 011-5589  <b>Ministry Ref. No.:</b> 9760-8PSLY2  <b>Notice Type:</b> Instrument Decision  <b>Notice Date:</b> July 31, 2012  <b>Proposal Date:</b> January 19, 2012  <b>Year:</b> 2012  <b>Proponent Address:</b> 800 Kipling avenue, Toronto Ontario, Canada M8Z 6C4  <b>Instrument Type:</b> (EPA Part II.1-waste) - Environmental Compliance Approval (project type: waste)  <b>Location Other:</b></p> <p><b>Location:</b> 800 Kipling Avenue Unit 2 Toronto M8Z 6C4 CITY OF TORONTO</p>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">227</a>	70 of 251	NE/287.6	113.7 / -0.12	1705686 Ontario Inc. 800 Kipling Avenue, Toronto M8Z 6C4 CITY OF TORONTO ON	EBR
<p><b>Company Name:</b> 1705686 Ontario Inc.  <b>EBR Registry No.:</b> 010-5985  <b>Ministry Ref. No.:</b> 9163-7PDN29  <b>Notice Type:</b> Instrument Decision  <b>Notice Date:</b> July 17, 2009  <b>Proposal Date:</b> February 24, 2009  <b>Year:</b> 2009  <b>Proponent Address:</b> 800 Kipling avenue, Toronto Ontario, Canada M8Z 6C4  <b>Instrument Type:</b> (EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)  <b>Location Other:</b></p> <p><b>Location:</b> 800 Kipling Avenue, Toronto M8Z 6C4 CITY OF TORONTO</p>					
<a href="#">227</a>	71 of 251	NE/287.6	113.7 / -0.12	Kinectrics Inc. 800 Kipling Avenue Toronto M8Z 6C4 CITY OF TORONTO ON	EBR
<p><b>Company Name:</b> Kinectrics Inc.  <b>EBR Registry No.:</b> 010-2367  <b>Ministry Ref. No.:</b> 6237-79FPPU  <b>Notice Type:</b> Instrument Decision  <b>Notice Date:</b> June 04, 2009  <b>Proposal Date:</b> December 19, 2007  <b>Year:</b> 2007  <b>Proponent Address:</b> 800 Kipling avenue, Toronto Ontario, Canada M8Z 6C4  <b>Instrument Type:</b> (EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)  <b>Location Other:</b></p> <p><b>Location:</b> 800 Kipling Avenue Toronto M8Z 6C4 CITY OF TORONTO</p>					
<a href="#">227</a>	72 of 251	NE/287.6	113.7 / -0.12	Kinectrics Inc. 800 Kipling Avenue Toronto M8Z 6C4 CITY OF TORONTO ON	EBR
<p><b>Company Name:</b> Kinectrics Inc.  <b>EBR Registry No.:</b> 010-3273  <b>Ministry Ref. No.:</b> 3530-7D9KYA  <b>Notice Type:</b> Instrument Decision  <b>Notice Date:</b> July 06, 2009  <b>Proposal Date:</b> April 16, 2008  <b>Year:</b> 2008  <b>Proponent Address:</b> 800 Kipling avenue, Toronto Ontario, Canada M8Z 6C4  <b>Instrument Type:</b> (EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)  <b>Location Other:</b></p> <p><b>Location:</b></p>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
800 Kipling Avenue Toronto M8Z 6C4 CITY OF TORONTO					
<a href="#">227</a>	73 of 251	NE/287.6	113.7 / -0.12	Ontario Power Generation Inc. 800 Kipling Avenue Toronto M8Z 5S4 CITY OF TORONTO ON	EBR
<b>Company Name:</b>		Ontario Power Generation Inc.			
<b>EBR Registry No.:</b>		010-9607			
<b>Ministry Ref. No.:</b>		6863-83PL3G			
<b>Notice Type:</b>		Instrument Decision			
<b>Notice Date:</b>		March 19, 2013			
<b>Proposal Date:</b>		April 01, 2010			
<b>Year:</b>		2010			
<b>Proponent Address:</b>		800 Kipling avenue, Toronto Ontario, Canada M8Z 5S4			
<b>Instrument Type:</b>		(EPA Part II.1-air) - Environmental Compliance Approval (project type: air)			
<b>Location Other:</b>					
<b>Location:</b>					
800 Kipling Avenue Toronto M8Z 5S4 CITY OF TORONTO					
<a href="#">227</a>	74 of 251	NE/287.6	113.7 / -0.12	Kinectrics Inc. 800 Kipling Avenue Toronto Ontario M8Z 6C4 Toronto ON	EBR
<b>Company Name:</b>		Kinectrics Inc.			
<b>EBR Registry No.:</b>		IA06E1350			
<b>Ministry Ref. No.:</b>		9453-6URLCS			
<b>Notice Type:</b>		Instrument Decision			
<b>Notice Date:</b>		December 07, 2006			
<b>Proposal Date:</b>		November 01, 2006			
<b>Year:</b>		2006			
<b>Proponent Address:</b>		800 Kipling Avenue, Toronto Ontario, M8Z 6C4			
<b>Instrument Type:</b>		(EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)			
<b>Location Other:</b>					
<b>Location:</b>					
800 Kipling Avenue Toronto Ontario M8Z 6C4 Toronto					
<a href="#">227</a>	75 of 251	NE/287.6	113.7 / -0.12	Kinectrics Inc. 800 Kipling Avenue Toronto ON M8Z 6C4	ECA
<b>Approval No:</b>		8-3294-96-006		<b>SWP Area Name:</b>	
<b>Approval Date:</b>		2000-08-22		<b>MOE District:</b>	
<b>Status:</b>		Approved		<b>City:</b> Toronto	
<b>Record Type:</b>		ECA		<b>Longitude:</b>	
<b>Link Source:</b>		IDS		<b>Latitude:</b>	
<b>Approval Type:</b>		ECA-AIR			
<b>Project Type:</b>		AIR			
<b>Address:</b>		800 Kipling Avenue			
<b>Full Address:</b>					
<b>Full PDF Link:</b>		<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/8660-4N7QRX-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/8660-4N7QRX-14.pdf</a>			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">227</a>	76 of 251	NE/287.6	113.7 / -0.12	<b>Kinectrics Inc.</b> 800 Kipling Avenue Toronto ON M8Z 6C4	ECA
<b>Approval No:</b>	7500-A54RGK			<b>SWP Area Name:</b>	
<b>Approval Date:</b>	2016-01-26			<b>MOE District:</b>	
<b>Status:</b>	Approved			<b>City:</b>	Toronto
<b>Record Type:</b>	ECA			<b>Longitude:</b>	
<b>Link Source:</b>	IDS			<b>Latitude:</b>	
<b>Approval Type:</b>	ECA-AIR				
<b>Project Type:</b>	AIR				
<b>Address:</b>	800 Kipling Avenue				
<b>Full Address:</b>					
<b>Full PDF Link:</b>	<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/9120-8MBKFB-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/9120-8MBKFB-14.pdf</a>				
<a href="#">227</a>	77 of 251	NE/287.6	113.7 / -0.12	<b>Kinectrics Inc.</b> 800 Kipling Avenue Toronto ON M8Z 6C4	ECA
<b>Approval No:</b>	25/3/8			<b>SWP Area Name:</b>	
<b>Approval Date:</b>	2000-08-22			<b>MOE District:</b>	
<b>Status:</b>	Approved			<b>City:</b>	Toronto
<b>Record Type:</b>	ECA			<b>Longitude:</b>	
<b>Link Source:</b>	IDS			<b>Latitude:</b>	
<b>Approval Type:</b>	ECA-AIR				
<b>Project Type:</b>	AIR				
<b>Address:</b>	800 Kipling Avenue				
<b>Full Address:</b>					
<b>Full PDF Link:</b>	<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/3354-4N7RCN-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/3354-4N7RCN-14.pdf</a>				
<a href="#">227</a>	78 of 251	NE/287.6	113.7 / -0.12	<b>Kinectrics Inc.</b> 800 Kipling Avenue Toronto ON M8Z 6C4	ECA
<b>Approval No:</b>	8-3131-81-006			<b>SWP Area Name:</b>	
<b>Approval Date:</b>	2000-08-21			<b>MOE District:</b>	
<b>Status:</b>	Approved			<b>City:</b>	Toronto
<b>Record Type:</b>	ECA			<b>Longitude:</b>	
<b>Link Source:</b>	IDS			<b>Latitude:</b>	
<b>Approval Type:</b>	ECA-AIR				
<b>Project Type:</b>	AIR				
<b>Address:</b>	800 Kipling Avenue				
<b>Full Address:</b>					
<b>Full PDF Link:</b>	<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/4643-4N8HV9-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/4643-4N8HV9-14.pdf</a>				
<a href="#">227</a>	79 of 251	NE/287.6	113.7 / -0.12	<b>Ontario Power Generation Inc.</b> 800 Kipling Avenue Toronto ON M8Z 6C4	ECA
<b>Approval No:</b>	2272-4VVJH3			<b>SWP Area Name:</b>	
<b>Approval Date:</b>	2001-04-20			<b>MOE District:</b>	
<b>Status:</b>	Approved			<b>City:</b>	Toronto
<b>Record Type:</b>	ECA			<b>Longitude:</b>	
<b>Link Source:</b>	IDS			<b>Latitude:</b>	
<b>Approval Type:</b>	ECA-AIR				
<b>Project Type:</b>	AIR				
<b>Address:</b>	800 Kipling Avenue				
<b>Full Address:</b>					
<b>Full PDF Link:</b>	<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/1328-4UJNJC-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/1328-4UJNJC-14.pdf</a>				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">227</a>	80 of 251	NE/287.6	113.7 / -0.12	<b>Purolator Inc.</b> 800 Kipling Ave Toronto ON L5R 3T8	ECA
<b>Approval No:</b>	2249-9XUGFV			<b>SWP Area Name:</b>	
<b>Approval Date:</b>	2015-07-13			<b>MOE District:</b>	
<b>Status:</b>	Approved			<b>City:</b>	Toronto
<b>Record Type:</b>	ECA			<b>Longitude:</b>	
<b>Link Source:</b>	IDS			<b>Latitude:</b>	
<b>Approval Type:</b>	ECA-AIR				
<b>Project Type:</b>	AIR				
<b>Address:</b>	800 Kipling Ave				
<b>Full Address:</b>					
<b>Full PDF Link:</b>	<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/5424-9QCPHX-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/5424-9QCPHX-14.pdf</a>				
<a href="#">227</a>	81 of 251	NE/287.6	113.7 / -0.12	<b>Kinectrics Inc.</b> 800 Kipling Ave Toronto ON M8Z 6C4	ECA
<b>Approval No:</b>	6021-7PLJ3B			<b>SWP Area Name:</b>	
<b>Approval Date:</b>	2009-02-27			<b>MOE District:</b>	
<b>Status:</b>	Revoked and/or Replaced			<b>City:</b>	Toronto
<b>Record Type:</b>	ECA			<b>Longitude:</b>	
<b>Link Source:</b>	IDS			<b>Latitude:</b>	
<b>Approval Type:</b>	ECA-AIR				
<b>Project Type:</b>	AIR				
<b>Address:</b>	800 Kipling Ave				
<b>Full Address:</b>					
<b>Full PDF Link:</b>	<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/2851-7NYKPS-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/2851-7NYKPS-14.pdf</a>				
<a href="#">227</a>	82 of 251	NE/287.6	113.7 / -0.12	<b>1705686 Ontario Inc.</b> 800 Kipling Ave Toronto ON M8Z 6C4	ECA
<b>Approval No:</b>	2515-7T6PQB			<b>SWP Area Name:</b>	
<b>Approval Date:</b>	2009-07-12			<b>MOE District:</b>	
<b>Status:</b>	Revoked and/or Replaced			<b>City:</b>	Toronto
<b>Record Type:</b>	ECA			<b>Longitude:</b>	
<b>Link Source:</b>	IDS			<b>Latitude:</b>	
<b>Approval Type:</b>	ECA-AIR				
<b>Project Type:</b>	AIR				
<b>Address:</b>	800 Kipling Ave				
<b>Full Address:</b>					
<b>Full PDF Link:</b>	<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/9163-7PDN29-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/9163-7PDN29-14.pdf</a>				
<a href="#">227</a>	83 of 251	NE/287.6	113.7 / -0.12	<b>Kinectrics Inc.</b> 800 Kipling Avenue Toronto ON M8Z 6C4	ECA
<b>Approval No:</b>	8-3709-98-996			<b>SWP Area Name:</b>	
<b>Approval Date:</b>	2000-08-28			<b>MOE District:</b>	
<b>Status:</b>	Revoked and/or Replaced			<b>City:</b>	Toronto
<b>Record Type:</b>	ECA			<b>Longitude:</b>	
<b>Link Source:</b>	IDS			<b>Latitude:</b>	
<b>Approval Type:</b>	ECA-AIR				
<b>Project Type:</b>	AIR				
<b>Address:</b>	800 Kipling Avenue				
<b>Full Address:</b>					



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Full PDF Link:</b>		<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/1784-4NJH9Q-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/1784-4NJH9Q-14.pdf</a>			
<a href="#">227</a>	84 of 251	NE/287.6	113.7 / -0.12	<b>Kinectrics Inc. 800 Kipling Avenue Toronto ON M8Z 6C4</b>	<b>ECA</b>
<b>Approval No:</b>	A840426			<b>SWP Area Name:</b>	
<b>Approval Date:</b>	2000-08-21			<b>MOE District:</b>	
<b>Status:</b>	Revoked and/or Replaced			<b>City:</b>	Toronto
<b>Record Type:</b>	ECA			<b>Longitude:</b>	
<b>Link Source:</b>	IDS			<b>Latitude:</b>	
<b>Approval Type:</b>		ECA-WASTE MANAGEMENT SYSTEMS			
<b>Project Type:</b>		WASTE MANAGEMENT SYSTEMS			
<b>Address:</b>		800 Kipling Avenue			
<b>Full Address:</b>					
<b>Full PDF Link:</b>	<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/7400-4N8J8E-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/7400-4N8J8E-14.pdf</a>				
<a href="#">227</a>	85 of 251	NE/287.6	113.7 / -0.12	<b>Kinectrics Inc. 800 Kipling Avenue Toronto ON M8Z 6C4</b>	<b>ECA</b>
<b>Approval No:</b>	8-3242-97-006			<b>SWP Area Name:</b>	
<b>Approval Date:</b>	2000-08-22			<b>MOE District:</b>	
<b>Status:</b>	Approved			<b>City:</b>	Toronto
<b>Record Type:</b>	ECA			<b>Longitude:</b>	
<b>Link Source:</b>	IDS			<b>Latitude:</b>	
<b>Approval Type:</b>		ECA-AIR			
<b>Project Type:</b>		AIR			
<b>Address:</b>		800 Kipling Avenue			
<b>Full Address:</b>					
<b>Full PDF Link:</b>	<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/7651-4N7R3Y-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/7651-4N7R3Y-14.pdf</a>				
<a href="#">227</a>	86 of 251	NE/287.6	113.7 / -0.12	<b>Kinectrics Inc. 800 Kipling Avenue Toronto ON M8Z 6C4</b>	<b>ECA</b>
<b>Approval No:</b>	8-3057-84-856			<b>SWP Area Name:</b>	
<b>Approval Date:</b>	2000-08-22			<b>MOE District:</b>	
<b>Status:</b>	Approved			<b>City:</b>	Toronto
<b>Record Type:</b>	ECA			<b>Longitude:</b>	
<b>Link Source:</b>	IDS			<b>Latitude:</b>	
<b>Approval Type:</b>		ECA-AIR			
<b>Project Type:</b>		AIR			
<b>Address:</b>		800 Kipling Avenue			
<b>Full Address:</b>					
<b>Full PDF Link:</b>	<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/6333-4N7Q48-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/6333-4N7Q48-14.pdf</a>				
<a href="#">227</a>	87 of 251	NE/287.6	113.7 / -0.12	<b>Kinectrics Inc. 800 Kipling Avenue Toronto ON M8Z 6C4</b>	<b>ECA</b>
<b>Approval No:</b>	8-3299-99-006			<b>SWP Area Name:</b>	
<b>Approval Date:</b>	2000-08-21			<b>MOE District:</b>	
<b>Status:</b>	Approved			<b>City:</b>	Toronto
<b>Record Type:</b>	ECA			<b>Longitude:</b>	
<b>Link Source:</b>	IDS			<b>Latitude:</b>	
<b>Approval Type:</b>		ECA-AIR			
<b>Project Type:</b>		AIR			
<b>Address:</b>		800 Kipling Avenue			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Full Address:</b>					
<b>Full PDF Link:</b> <a href="https://www.accessenvironment.ene.gov.on.ca/instruments/1834-4N8J2H-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/1834-4N8J2H-14.pdf</a>					
<a href="#">227</a>	88 of 251	NE/287.6	113.7 / -0.12	<b>Kinectrics Inc.</b> 800 Kipling Avenue Toronto ON M8Z 6C4	ECA
<b>Approval No:</b>		8-3044-87-006		<b>SWP Area Name:</b>	
<b>Approval Date:</b>		2000-08-22		<b>MOE District:</b>	
<b>Status:</b>		Approved		<b>City:</b> Toronto	
<b>Record Type:</b>		ECA		<b>Longitude:</b>	
<b>Link Source:</b>		IDS		<b>Latitude:</b>	
<b>Approval Type:</b>		ECA-AIR			
<b>Project Type:</b>		AIR			
<b>Address:</b>		800 Kipling Avenue			
<b>Full Address:</b>					
<b>Full PDF Link:</b> <a href="https://www.accessenvironment.ene.gov.on.ca/instruments/0111-4N7Q8X-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/0111-4N7Q8X-14.pdf</a>					
<a href="#">227</a>	89 of 251	NE/287.6	113.7 / -0.12	<b>Kinectrics Inc.</b> 800 Kipling Ave Toronto ON M8Z 6C4	ECA
<b>Approval No:</b>		9630-7T4LSH		<b>SWP Area Name:</b>	
<b>Approval Date:</b>		2009-06-30		<b>MOE District:</b>	
<b>Status:</b>		Revoked and/or Replaced		<b>City:</b> Toronto	
<b>Record Type:</b>		ECA		<b>Longitude:</b>	
<b>Link Source:</b>		IDS		<b>Latitude:</b>	
<b>Approval Type:</b>		ECA-AIR			
<b>Project Type:</b>		AIR			
<b>Address:</b>		800 Kipling Ave			
<b>Full Address:</b>					
<b>Full PDF Link:</b> <a href="https://www.accessenvironment.ene.gov.on.ca/instruments/3530-7D9KYA-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/3530-7D9KYA-14.pdf</a>					
<a href="#">227</a>	90 of 251	NE/287.6	113.7 / -0.12	<b>Kinectrics Inc.</b> 800 Kipling Avenue Toronto ON M8Z 6C4	ECA
<b>Approval No:</b>		8-3594-94-006		<b>SWP Area Name:</b>	
<b>Approval Date:</b>		2000-08-24		<b>MOE District:</b>	
<b>Status:</b>		Approved		<b>City:</b> Toronto	
<b>Record Type:</b>		ECA		<b>Longitude:</b>	
<b>Link Source:</b>		IDS		<b>Latitude:</b>	
<b>Approval Type:</b>		ECA-AIR			
<b>Project Type:</b>		AIR			
<b>Address:</b>		800 Kipling Avenue			
<b>Full Address:</b>					
<b>Full PDF Link:</b> <a href="https://www.accessenvironment.ene.gov.on.ca/instruments/5078-4NGSEE-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/5078-4NGSEE-14.pdf</a>					
<a href="#">227</a>	91 of 251	NE/287.6	113.7 / -0.12	<b>Purolator Courier Ltd.</b> 800 Kipling Avenue Toronto ON M8Z 5S4	ECA
<b>Approval No:</b>		6105-65XPPH		<b>SWP Area Name:</b>	
<b>Approval Date:</b>		2004-10-21		<b>MOE District:</b>	
<b>Status:</b>		Revoked and/or Replaced		<b>City:</b> Toronto	
<b>Record Type:</b>		ECA		<b>Longitude:</b>	
<b>Link Source:</b>		IDS		<b>Latitude:</b>	
<b>Approval Type:</b>		ECA-AIR			
<b>Project Type:</b>		AIR			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Address:</b> <b>Full Address:</b> <b>Full PDF Link:</b>		800 Kipling Avenue  <a href="https://www.accessenvironment.ene.gov.on.ca/instruments/2080-5Y3VXQ-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/2080-5Y3VXQ-14.pdf</a>			
<a href="#">227</a>	92 of 251	NE/287.6	113.7 / -0.12	<b>Kinectrics Inc.</b> 800 Kipling Ave Toronto ON M8Z 6C4	ECA
<b>Approval No:</b> <b>Approval Date:</b> <b>Status:</b> <b>Record Type:</b> <b>Link Source:</b> <b>Approval Type:</b> <b>Project Type:</b> <b>Address:</b> <b>Full Address:</b> <b>Full PDF Link:</b>		8217-7TDLJE 2009-06-30 Approved ECA IDS ECA-AIR AIR 800 Kipling Ave  <a href="https://www.accessenvironment.ene.gov.on.ca/instruments/2442-7DGQJD-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/2442-7DGQJD-14.pdf</a>			
<b>SWP Area Name:</b> <b>MOE District:</b> <b>City:</b> <b>Longitude:</b> <b>Latitude:</b>		Toronto     			
<a href="#">227</a>	93 of 251	NE/287.6	113.7 / -0.12	<b>Kinectrics Inc.</b> 800 Kipling Ave Toronto ON M8Z 6C4	ECA
<b>Approval No:</b> <b>Approval Date:</b> <b>Status:</b> <b>Record Type:</b> <b>Link Source:</b> <b>Approval Type:</b> <b>Project Type:</b> <b>Address:</b> <b>Full Address:</b> <b>Full PDF Link:</b>		8985-557KA4 2001-12-20 Revoked and/or Replaced ECA IDS ECA-AIR AIR 800 Kipling Ave  <a href="https://www.accessenvironment.ene.gov.on.ca/instruments/3412-54ALSD-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/3412-54ALSD-14.pdf</a>			
<b>SWP Area Name:</b> <b>MOE District:</b> <b>City:</b> <b>Longitude:</b> <b>Latitude:</b>		Toronto     			
<a href="#">227</a>	94 of 251	NE/287.6	113.7 / -0.12	<b>Ontario Power Generation Inc.</b> 800 Kipling Avenue Toronto ON M8Z 6C4	ECA
<b>Approval No:</b> <b>Approval Date:</b> <b>Status:</b> <b>Record Type:</b> <b>Link Source:</b> <b>Approval Type:</b> <b>Project Type:</b> <b>Address:</b> <b>Full Address:</b> <b>Full PDF Link:</b>		0748-4M8PDA 2000-07-17 Approved ECA IDS ECA-AIR AIR 800 Kipling Avenue  <a href="https://www.accessenvironment.ene.gov.on.ca/instruments/5563-4K8QMS-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/5563-4K8QMS-14.pdf</a>			
<b>SWP Area Name:</b> <b>MOE District:</b> <b>City:</b> <b>Longitude:</b> <b>Latitude:</b>		Toronto     			
<a href="#">227</a>	95 of 251	NE/287.6	113.7 / -0.12	<b>Ontario Power Generation Inc.</b> 800 Kipling Ave Building KT Toronto ON M8Z 5S4	ECA
<b>Approval No:</b> <b>Approval Date:</b> <b>Status:</b> <b>Record Type:</b> <b>Link Source:</b> <b>Approval Type:</b>		9626-8VDPET 2013-03-13 Approved ECA IDS ECA-AIR			
<b>SWP Area Name:</b> <b>MOE District:</b> <b>City:</b> <b>Longitude:</b> <b>Latitude:</b>		Toronto     			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Project Type:</b>		AIR			
<b>Address:</b>		800 Kipling Ave Building KT			
<b>Full Address:</b>					
<b>Full PDF Link:</b>		https://www.accessenvironment.ene.gov.on.ca/instruments/6863-83PL3G-14.pdf			
<a href="#">227</a>	96 of 251	NE/287.6	113.7 / -0.12	<b>Kinectrics Inc. 800 Kipling Avenue Toronto ON M8Z 6C4</b>	<b>ECA</b>
<b>Approval No:</b>		8-3168-88-896		<b>SWP Area Name:</b>	
<b>Approval Date:</b>		2000-08-22		<b>MOE District:</b>	
<b>Status:</b>		Revoked and/or Replaced		<b>City:</b> Toronto	
<b>Record Type:</b>		ECA		<b>Longitude:</b>	
<b>Link Source:</b>		IDS		<b>Latitude:</b>	
<b>Approval Type:</b>		ECA-AIR			
<b>Project Type:</b>		AIR			
<b>Address:</b>		800 Kipling Avenue			
<b>Full Address:</b>					
<b>Full PDF Link:</b>		https://www.accessenvironment.ene.gov.on.ca/instruments/6278-4N7QKD-14.pdf			
<a href="#">227</a>	97 of 251	NE/287.6	113.7 / -0.12	<b>Kinectrics Inc. 800 Kipling Avenue Toronto ON M8Z 6C4</b>	<b>ECA</b>
<b>Approval No:</b>		114/3/493		<b>SWP Area Name:</b>	
<b>Approval Date:</b>		2000-08-22		<b>MOE District:</b>	
<b>Status:</b>		Approved		<b>City:</b> Toronto	
<b>Record Type:</b>		ECA		<b>Longitude:</b>	
<b>Link Source:</b>		IDS		<b>Latitude:</b>	
<b>Approval Type:</b>		ECA-AIR			
<b>Project Type:</b>		AIR			
<b>Address:</b>		800 Kipling Avenue			
<b>Full Address:</b>					
<b>Full PDF Link:</b>		https://www.accessenvironment.ene.gov.on.ca/instruments/0468-4N7R8A-14.pdf			
<a href="#">227</a>	98 of 251	NE/287.6	113.7 / -0.12	<b>Kinectrics Inc. 800 Kipling Ave Toronto ON M8Z 6C4</b>	<b>ECA</b>
<b>Approval No:</b>		4517-6W7M3K		<b>SWP Area Name:</b>	
<b>Approval Date:</b>		2006-12-06		<b>MOE District:</b>	
<b>Status:</b>		Approved		<b>City:</b> Toronto	
<b>Record Type:</b>		ECA		<b>Longitude:</b>	
<b>Link Source:</b>		IDS		<b>Latitude:</b>	
<b>Approval Type:</b>		ECA-AIR			
<b>Project Type:</b>		AIR			
<b>Address:</b>		800 Kipling Ave			
<b>Full Address:</b>					
<b>Full PDF Link:</b>		https://www.accessenvironment.ene.gov.on.ca/instruments/9453-6URLCS-14.pdf			
<a href="#">227</a>	99 of 251	NE/287.6	113.7 / -0.12	<b>Kinectrics Inc. 800 Kipling Avenue Toronto ON M8Z 6C4</b>	<b>ECA</b>
<b>Approval No:</b>		3262-6A6T36		<b>SWP Area Name:</b>	
<b>Approval Date:</b>		2005-03-06		<b>MOE District:</b>	
<b>Status:</b>		Approved		<b>City:</b> Toronto	
<b>Record Type:</b>		ECA		<b>Longitude:</b>	
<b>Link Source:</b>		IDS		<b>Latitude:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB	
<b>Approval Type:</b> <b>Project Type:</b> <b>Address:</b> <b>Full Address:</b> <b>Full PDF Link:</b>		ECA-AIR AIR 800 Kipling Avenue https://www.accessenvironment.ene.gov.on.ca/instruments/2667-622KVM-14.pdf				
<a href="#">227</a>	100 of 251	NE/287.6	113.7 / -0.12	<b>Ontario Power Generation Inc.</b> <b>800 Kipling Avenue</b> <b>Toronto ON L5E 1E9</b>	ECA	
<b>Approval No:</b> <b>Approval Date:</b> <b>Status:</b> <b>Record Type:</b> <b>Link Source:</b> <b>Approval Type:</b> <b>Project Type:</b> <b>Address:</b> <b>Full Address:</b> <b>Full PDF Link:</b>		0772-4RYR48 2000-12-14 Revoked and/or Replaced ECA IDS ECA-AIR AIR 800 Kipling Avenue https://www.accessenvironment.ene.gov.on.ca/instruments/4265-4NWJ3X-14.pdf			<b>SWP Area Name:</b> <b>MOE District:</b> <b>City:</b> <b>Longitude:</b> <b>Latitude:</b>	Toronto
<a href="#">227</a>	101 of 251	NE/287.6	113.7 / -0.12	<b>Kinectrics Inc.</b> <b>800 Kipling Avenue</b> <b>Toronto ON M8Z 6C4</b>	ECA	
<b>Approval No:</b> <b>Approval Date:</b> <b>Status:</b> <b>Record Type:</b> <b>Link Source:</b> <b>Approval Type:</b> <b>Project Type:</b> <b>Address:</b> <b>Full Address:</b> <b>Full PDF Link:</b>		8-3277-93-006 2000-08-21 Approved ECA IDS ECA-AIR AIR 800 Kipling Avenue https://www.accessenvironment.ene.gov.on.ca/instruments/7647-4N7S6T-14.pdf			<b>SWP Area Name:</b> <b>MOE District:</b> <b>City:</b> <b>Longitude:</b> <b>Latitude:</b>	Toronto
<a href="#">227</a>	102 of 251	NE/287.6	113.7 / -0.12	<b>Kinectrics Inc.</b> <b>800 Kipling Avenue</b> <b>Toronto ON M8Z 6C4</b>	ECA	
<b>Approval No:</b> <b>Approval Date:</b> <b>Status:</b> <b>Record Type:</b> <b>Link Source:</b> <b>Approval Type:</b> <b>Project Type:</b> <b>Address:</b> <b>Full Address:</b> <b>Full PDF Link:</b>		2139-5S6JDR 2003-10-20 Revoked and/or Replaced ECA IDS ECA-AIR AIR 800 Kipling Avenue https://www.accessenvironment.ene.gov.on.ca/instruments/6371-5NMKAK-14.pdf			<b>SWP Area Name:</b> <b>MOE District:</b> <b>City:</b> <b>Longitude:</b> <b>Latitude:</b>	Toronto
<a href="#">227</a>	103 of 251	NE/287.6	113.7 / -0.12	<b>Kinectrics Inc.</b> <b>800 Kipling Ave</b> <b>Toronto ON M8Z 6C4</b>	ECA	
<b>Approval No:</b> <b>Approval Date:</b> <b>Status:</b> <b>Record Type:</b>		3216-842LAZ 2010-04-19 Approved ECA			<b>SWP Area Name:</b> <b>MOE District:</b> <b>City:</b> <b>Longitude:</b>	Toronto

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Link Source:</b> <b>Approval Type:</b> <b>Project Type:</b> <b>Address:</b> <b>Full Address:</b> <b>Full PDF Link:</b>	IDS			<b>Latitude:</b>	
		ECA-AIR AIR 800 Kipling Ave			
		https://www.accessenvironment.ene.gov.on.ca/instruments/2254-7Z2P34-14.pdf			
<a href="#">227</a>	104 of 251	NE/287.6	113.7 / -0.12	<b>Ontario Power Generation Inc.</b> <b>800 Kipling Ave</b> <b>Toronto ON M8Z 6C4</b>	ECA
<b>Approval No:</b> <b>Approval Date:</b> <b>Status:</b> <b>Record Type:</b> <b>Link Source:</b> <b>Approval Type:</b> <b>Project Type:</b> <b>Address:</b> <b>Full Address:</b> <b>Full PDF Link:</b>	8867-7SUHHF 2009-06-23 Revoked and/or Replaced ECA IDS	ECA-AIR AIR 800 Kipling Ave		<b>SWP Area Name:</b> <b>MOE District:</b> <b>City:</b> <b>Longitude:</b> <b>Latitude:</b>	Toronto
		https://www.accessenvironment.ene.gov.on.ca/instruments/2693-6VLVN5-14.pdf			
<a href="#">227</a>	105 of 251	NE/287.6	113.7 / -0.12	<b>Kinectrics Inc.</b> <b>800 Kipling Avenue</b> <b>Toronto ON M8Z 6C4</b>	ECA
<b>Approval No:</b> <b>Approval Date:</b> <b>Status:</b> <b>Record Type:</b> <b>Link Source:</b> <b>Approval Type:</b> <b>Project Type:</b> <b>Address:</b> <b>Full Address:</b> <b>Full PDF Link:</b>	8-3366-94-006 2000-08-21 Revoked and/or Replaced ECA IDS	ECA-AIR AIR 800 Kipling Avenue		<b>SWP Area Name:</b> <b>MOE District:</b> <b>City:</b> <b>Longitude:</b> <b>Latitude:</b>	Toronto
		https://www.accessenvironment.ene.gov.on.ca/instruments/3836-4N7RP6-14.pdf			
<a href="#">227</a>	106 of 251	NE/287.6	113.7 / -0.12	<b>Purolator Courier Ltd.</b> <b>800 Kipling Ave</b> <b>Toronto ON L5R 3T8</b>	ECA
<b>Approval No:</b> <b>Approval Date:</b> <b>Status:</b> <b>Record Type:</b> <b>Link Source:</b> <b>Approval Type:</b> <b>Project Type:</b> <b>Address:</b> <b>Full Address:</b> <b>Full PDF Link:</b>	9407-7C8HVR 2008-03-05 Revoked and/or Replaced ECA IDS	ECA-AIR AIR 800 Kipling Ave		<b>SWP Area Name:</b> <b>MOE District:</b> <b>City:</b> <b>Longitude:</b> <b>Latitude:</b>	Toronto
		https://www.accessenvironment.ene.gov.on.ca/instruments/1091-7AAMEA-14.pdf			
<a href="#">227</a>	107 of 251	NE/287.6	113.7 / -0.12	<b>Kinectrics Inc.</b> <b>800 Kipling Avenue</b> <b>Toronto ON M8Z 6C4</b>	ECA
<b>Approval No:</b> <b>Approval Date:</b> <b>Status:</b>	8-3072-90-997 2000-08-21 Approved			<b>SWP Area Name:</b> <b>MOE District:</b> <b>City:</b>	Toronto

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Record Type:</b> <b>Link Source:</b> <b>Approval Type:</b> <b>Project Type:</b> <b>Address:</b> <b>Full Address:</b> <b>Full PDF Link:</b>	ECA IDS	ECA-AIR AIR 800 Kipling Avenue		<b>Longitude:</b> <b>Latitude:</b>	
<a href="#">227</a>	108 of 251	NE/287.6	113.7 / -0.12	<b>Kinectrics Inc.</b> 800 Kipling Avenue Toronto ON M8Z 6C4	ECA
<b>Approval No:</b> <b>Approval Date:</b> <b>Status:</b> <b>Record Type:</b> <b>Link Source:</b> <b>Approval Type:</b> <b>Project Type:</b> <b>Address:</b> <b>Full Address:</b> <b>Full PDF Link:</b>	8-3594-94-006 2000-08-22 Approved ECA IDS	ECA-AIR AIR 800 Kipling Avenue		<b>SWP Area Name:</b> <b>MOE District:</b> <b>City:</b> <b>Longitude:</b> <b>Latitude:</b>	Toronto
<a href="#">227</a>	109 of 251	NE/287.6	113.7 / -0.12	<b>Ontario Power Generation Inc.</b> 800 Kipling Avenue Toronto ON M8Z 6C4	ECA
<b>Approval No:</b> <b>Approval Date:</b> <b>Status:</b> <b>Record Type:</b> <b>Link Source:</b> <b>Approval Type:</b> <b>Project Type:</b> <b>Address:</b> <b>Full Address:</b> <b>Full PDF Link:</b>	6135-4UTKDE 2001-03-14 Approved ECA IDS	ECA-AIR AIR 800 Kipling Avenue		<b>SWP Area Name:</b> <b>MOE District:</b> <b>City:</b> <b>Longitude:</b> <b>Latitude:</b>	Toronto Toronto Toronto -79.4996099999999 43.621227
<a href="#">227</a>	110 of 251	NE/287.6	113.7 / -0.12	<b>Kinectrics Inc.</b> 800 Kipling Ave Toronto ON M8Z 6C4	ECA
<b>Approval No:</b> <b>Approval Date:</b> <b>Status:</b> <b>Record Type:</b> <b>Link Source:</b> <b>Approval Type:</b> <b>Project Type:</b> <b>Address:</b> <b>Full Address:</b> <b>Full PDF Link:</b>	3203-7S7PYP 2009-05-29 Revoked and/or Replaced ECA IDS	ECA-AIR AIR 800 Kipling Ave		<b>SWP Area Name:</b> <b>MOE District:</b> <b>City:</b> <b>Longitude:</b> <b>Latitude:</b>	Toronto
<a href="#">227</a>	111 of 251	NE/287.6	113.7 / -0.12	<b>Kinectrics Inc.</b> 800 Kipling Avenue Toronto ON M8Z 6C4	ECA
<b>Approval No:</b> <b>Approval Date:</b>	8-3273-93-006 2000-08-21			<b>SWP Area Name:</b> <b>MOE District:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Status:</b> Approved <b>Record Type:</b> ECA <b>Link Source:</b> IDS <b>Approval Type:</b> ECA-AIR <b>Project Type:</b> AIR <b>Address:</b> 800 Kipling Avenue <b>Full Address:</b> <b>Full PDF Link:</b> <a href="https://www.accessenvironment.ene.gov.on.ca/instruments/6373-4N7RWD-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/6373-4N7RWD-14.pdf</a>					
<a href="#">227</a>	112 of 251	NE/287.6	113.7 / -0.12	<b>PCB Containment Technology (Kitchener) Inc.</b> 800 Kipling Avenue Toronto ON N0B 1E0	ECA
<b>Approval No:</b> A840426 <b>Approval Date:</b> 2006-01-13 <b>Status:</b> Revoked and/or Replaced <b>Record Type:</b> ECA <b>Link Source:</b> IDS <b>Approval Type:</b> ECA-WASTE MANAGEMENT SYSTEMS <b>Project Type:</b> WASTE MANAGEMENT SYSTEMS <b>Address:</b> 800 Kipling Avenue <b>Full Address:</b> <b>Full PDF Link:</b>					
<b>SWP Area Name:</b> <b>MOE District:</b> <b>City:</b> Toronto <b>Longitude:</b> <b>Latitude:</b>					
<a href="#">227</a>	113 of 251	NE/287.6	113.7 / -0.12	<b>Ontario Power Generation Inc.</b> 800 Kipling Ave Building KT Toronto ON	ECA
<b>Approval No:</b> 9626-8VDPET <b>Approval Date:</b> 13-MAR-13 <b>Status:</b> Approved <b>Record Type:</b> <b>Link Source:</b> <b>Approval Type:</b> <b>Project Type:</b> Air/Noise <b>Address:</b> <b>Full Address:</b> <b>Full PDF Link:</b>					
<b>SWP Area Name:</b> <b>MOE District:</b> <b>City:</b> Toronto <b>Longitude:</b> <b>Latitude:</b>					
<a href="#">227</a>	114 of 251	NE/287.6	113.7 / -0.12	<b>800 Kipling Avenue</b> Etobicoke ON M8Z 5S4	EHS
<b>Order ID:</b> 43242 <b>Order No:</b> 20040601015w <b>Customer ID:</b> 9488 <b>Company ID:</b> 307 <b>Status:</b> C <b>Report Code:</b> 9CAN <b>Report Type:</b> Online Mapless <b>Report Date:</b> 6/1/04 <b>Report Requested by:</b> AIG Consultants, Inc. <b>Nearest Intersection:</b> <b>Previous Site Name:</b> <b>Additional Info Ordered:</b>					
<b>Date Received:</b> 6/1/04 <b>Lot/Building Size:</b> <b>Municipality:</b> <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> 0.25 <b>Large Radius:</b> 2.00 <b>X:</b> 0 <b>Y:</b> 0					
<a href="#">227</a>	115 of 251	NE/287.6	113.7 / -0.12	<b>800 Kipling Ave</b> Toronto ON	EHS
<b>Order ID:</b> 160996 <b>Date Received:</b> 12/11/2008					



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Order No:</b>	20081211004			<b>Lot/Building Size:</b>	
<b>Customer ID:</b>	55547			<b>Municipality:</b>	
<b>Company ID:</b>	247			<b>Client Prov/State:</b>	ON
<b>Status:</b>	C			<b>Search Radius (km):</b>	0.25
<b>Report Code:</b>	4CAN			<b>Large Radius:</b>	0.25
<b>Report Type:</b>	Custom Report			<b>X:</b>	-79.533014
<b>Report Date:</b>	12/19/2008			<b>Y:</b>	43.630693
<b>Report Requested by:</b>	Decommissioning Consulting Services Ltd.				
<b>Nearest Intersection:</b>	Queensway				
<b>Previous Site Name:</b>					
<b>Additional Info Ordered:</b>					

<a href="#">227</a>	116 of 251	NE/287.6	113.7 / -0.12	800 Kipling Avenue Toronto ON M8Z 6C4	EHS
<b>Order ID:</b>	73593			<b>Date Received:</b>	4/3/2006
<b>Order No:</b>	20060403032			<b>Lot/Building Size:</b>	
<b>Customer ID:</b>	45847			<b>Municipality:</b>	Toronto
<b>Company ID:</b>	229			<b>Client Prov/State:</b>	ON
<b>Status:</b>	C			<b>Search Radius (km):</b>	0.5
<b>Report Code:</b>	3CAN			<b>Large Radius:</b>	2
<b>Report Type:</b>	Complete Report			<b>X:</b>	-79.534298
<b>Report Date:</b>	4/7/2006			<b>Y:</b>	43.629842
<b>Report Requested by:</b>	Fasken Martineau Dumoulin LLP				
<b>Nearest Intersection:</b>					
<b>Previous Site Name:</b>					
<b>Additional Info Ordered:</b>					

<a href="#">227</a>	117 of 251	NE/287.6	113.7 / -0.12	ONTARIO HYDRO C/O R HUGHES KR258 800 KIPLING AVE UNIT 1 KP200 TORONTO ON M8Z 5G5	FST
<b>Instance No:</b>	11015852				
<b>Cont Name:</b>					
<b>Instance Type:</b>	FS Liquid Fuel Tank				
<b>Fuel Type:</b>	Diesel				
<b>Status:</b>	Active				
<b>Capacity:</b>	18184				
<b>Tank Material:</b>	Fiberglass (FRP)				
<b>Corrosion Protection:</b>	Fiberglass				
<b>Tank Type:</b>	Single Wall UST				
<b>Install Year:</b>	1988				
<b>Parent Facility Type:</b>	Fuels Safety Private Fuel Outlet - Self Serve				
<b>Facility Type:</b>	FS Liquid Fuel Tank				

<a href="#">227</a>	118 of 251	NE/287.6	113.7 / -0.12	ONTARIO HYDRO C/O R HUGHES KR258 800 KIPLING AVE UNIT 1 KP200 TORONTO ON M8Z 5G5	FST
<b>Instance No:</b>	11015830				
<b>Cont Name:</b>					
<b>Instance Type:</b>	FS Liquid Fuel Tank				
<b>Fuel Type:</b>	Gasoline				
<b>Status:</b>	Active				
<b>Capacity:</b>	18184				
<b>Tank Material:</b>	Fiberglass (FRP)				
<b>Corrosion Protection:</b>	Fiberglass				
<b>Tank Type:</b>	Single Wall UST				
<b>Install Year:</b>	1988				
<b>Parent Facility Type:</b>	Fuels Safety Private Fuel Outlet - Self Serve				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Facility Type:</b>		FS Liquid Fuel Tank			
<a href="#">227</a>	119 of 251	NE/287.6	113.7 / -0.12	ONTARIO HYDRO C/O R HUGHES KR258 800 KIPLING AVE UNIT 1 KP200 TORONTO ON M8Z 5G5	FST
<b>Instance No:</b>		11015796			
<b>Cont Name:</b>					
<b>Instance Type:</b>		FS Liquid Fuel Tank			
<b>Fuel Type:</b>		Gasoline			
<b>Status:</b>		Active			
<b>Capacity:</b>		13638			
<b>Tank Material:</b>		Steel			
<b>Corrosion Protection:</b>		Impressed Current			
<b>Tank Type:</b>		Single Wall UST			
<b>Install Year:</b>		1973			
<b>Parent Facility Type:</b>		Fuels Safety Private Fuel Outlet - Self Serve			
<b>Facility Type:</b>		FS Liquid Fuel Tank			
<a href="#">227</a>	120 of 251	NE/287.6	113.7 / -0.12	ONTARIO HYDRO C/O R HUGHES KR258 800 KIPLING AVE UNIT 1 KP200 TORONTO ON M8Z 5G5	FST
<b>Instance No:</b>		11015811			
<b>Cont Name:</b>					
<b>Instance Type:</b>		FS Liquid Fuel Tank			
<b>Fuel Type:</b>		Gasoline			
<b>Status:</b>		Active			
<b>Capacity:</b>		18184			
<b>Tank Material:</b>		Fiberglass (FRP)			
<b>Corrosion Protection:</b>		Fiberglass			
<b>Tank Type:</b>		Single Wall UST			
<b>Install Year:</b>		1988			
<b>Parent Facility Type:</b>		Fuels Safety Private Fuel Outlet - Self Serve			
<b>Facility Type:</b>		FS Liquid Fuel Tank			
<a href="#">227</a>	121 of 251	NE/287.6	113.7 / -0.12	ONTARIO HYDRO C/O R HUGHES KR258 800 KIPLING AV TORONTO ON	FSTH
<b>License Issue Date:</b>		10/3/1994			
<b>Tank Status:</b>		Licensed			
<b>Tank Status As Of:</b>		August 2007			
<b>Operation Type:</b>		Private Fuel Outlet			
<b>Facility Type:</b>		Gasoline Station - Self Serve			
<b>--Details--</b>					
<b>Status:</b>		Active			
<b>Year of Installation:</b>		1988			
<b>Corrosion Protection:</b>					
<b>Capacity:</b>		18184			
<b>Tank Fuel Type:</b>		Liquid Fuel Single Wall UST - Gasoline			
<b>Status:</b>		Active			
<b>Year of Installation:</b>		1988			
<b>Corrosion Protection:</b>					
<b>Capacity:</b>		18184			
<b>Tank Fuel Type:</b>		Liquid Fuel Single Wall UST - Diesel			
<b>Status:</b>		Active			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Year of Installation:</b> <b>Corrosion Protection:</b> <b>Capacity:</b> <b>Tank Fuel Type:</b>		1973  13638 Liquid Fuel Single Wall UST - Gasoline			
<b>Status:</b> <b>Year of Installation:</b> <b>Corrosion Protection:</b> <b>Capacity:</b> <b>Tank Fuel Type:</b>		Active 1988  18184 Liquid Fuel Single Wall UST - Gasoline			
<a href="#">227</a>	122 of 251	NE/287.6	113.7 / -0.12	ONTARIO HYDRO C/O R HUGHES KR258 800 KIPLING AV TORONTO ON	FSTH
<b>License Issue Date:</b> <b>Tank Status:</b> <b>Tank Status As Of:</b> <b>Operation Type:</b> <b>Facility Type:</b>		10/3/1994 Licensed December 2008 Private Fuel Outlet Gasoline Station - Self Serve			
<b>--Details--</b>					
<b>Status:</b> <b>Year of Installation:</b> <b>Corrosion Protection:</b> <b>Capacity:</b> <b>Tank Fuel Type:</b>		Active 1973  13638 Liquid Fuel Single Wall UST - Gasoline			
<b>Status:</b> <b>Year of Installation:</b> <b>Corrosion Protection:</b> <b>Capacity:</b> <b>Tank Fuel Type:</b>		Active 1988  18184 Liquid Fuel Single Wall UST - Gasoline			
<b>Status:</b> <b>Year of Installation:</b> <b>Corrosion Protection:</b> <b>Capacity:</b> <b>Tank Fuel Type:</b>		Active 1988  18184 Liquid Fuel Single Wall UST - Gasoline			
<b>Status:</b> <b>Year of Installation:</b> <b>Corrosion Protection:</b> <b>Capacity:</b> <b>Tank Fuel Type:</b>		Active 1988  18184 Liquid Fuel Single Wall UST - Diesel			
<a href="#">227</a>	123 of 251	NE/287.6	113.7 / -0.12	KINECTRICS INC. 800 KIPLING AVENUE TORONTO ON M8Z 6C4	GEN
<b>Generator No.:</b> <b>Status:</b> <b>Approval Years:</b> <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> <b>SIC Description:</b>		ON2552400  00,01  4911 ELECT. POWER SYS.		<b>PO Box No.:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No. Admin:</b>	
<b>--Details--</b>					
<b>Waste Code:</b> <b>Waste Description:</b>		112 ACID WASTE - HEAVY METALS			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Code:</b>			113		
<b>Waste Description:</b>			ACID WASTE - OTHER METALS		
<b>Waste Code:</b>			121		
<b>Waste Description:</b>			ALKALINE WASTES - HEAVY METALS		
<b>Waste Code:</b>			122		
<b>Waste Description:</b>			ALKALINE WASTES - OTHER METALS		
<b>Waste Code:</b>			145		
<b>Waste Description:</b>			PAINT/PIGMENT/COATING RESIDUES		
<b>Waste Code:</b>			146		
<b>Waste Description:</b>			OTHER SPECIFIED INORGANICS		
<b>Waste Code:</b>			213		
<b>Waste Description:</b>			PETROLEUM DISTILLATES		
<b>Waste Code:</b>			148		
<b>Waste Description:</b>			INORGANIC LABORATORY CHEMICALS		
<b>Waste Code:</b>			211		
<b>Waste Description:</b>			AROMATIC SOLVENTS		
<b>Waste Code:</b>			212		
<b>Waste Description:</b>			ALIPHATIC SOLVENTS		
<b>Waste Code:</b>			221		
<b>Waste Description:</b>			LIGHT FUELS		
<b>Waste Code:</b>			222		
<b>Waste Description:</b>			HEAVY FUELS		
<b>Waste Code:</b>			231		
<b>Waste Description:</b>			LATEX WASTES		
<b>Waste Code:</b>			232		
<b>Waste Description:</b>			POLYMERIC RESINS		
<b>Waste Code:</b>			233		
<b>Waste Description:</b>			OTHER POLYMERIC WASTES		
<b>Waste Code:</b>			241		
<b>Waste Description:</b>			HALOGENATED SOLVENTS		
<b>Waste Code:</b>			242		
<b>Waste Description:</b>			HALOGENATED PESTICIDES		
<b>Waste Code:</b>			243		
<b>Waste Description:</b>			PCB'S		
<b>Waste Code:</b>			251		
<b>Waste Description:</b>			OIL SKIMMINGS & SLUDGES		
<b>Waste Code:</b>			252		
<b>Waste Description:</b>			WASTE OILS & LUBRICANTS		
<b>Waste Code:</b>			253		
<b>Waste Description:</b>			EMULSIFIED OILS		
<b>Waste Code:</b>			254		
<b>Waste Description:</b>			TRANSFER STATION OILS WASTES		
<b>Waste Code:</b>			263		
<b>Waste Description:</b>			ORGANIC LABORATORY CHEMICALS		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Code:</b>		264			
<b>Waste Description:</b>		PHOTOPROCESSING WASTES			
<b>Waste Code:</b>		268			
<b>Waste Description:</b>		AMINES			
<b>Waste Code:</b>		269			
<b>Waste Description:</b>		NON-HALOGENATED PESTICIDES			
<b>Waste Code:</b>		270			
<b>Waste Description:</b>		OTHER SPECIFIED ORGANICS			
<b>Waste Code:</b>		312			
<b>Waste Description:</b>		PATHOLOGICAL WASTES			
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			

<a href="#">227</a>	124 of 251	NE/287.6	113.7 / -0.12	<b>ONTARIO POWER GENERATION 800 KIPLING AVENUE BUILDING KD118 ETOBICOKE ON M8Z 5G5</b>	<b>GEN</b>
<b>Generator No.:</b>	ON2409306			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2016			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	Ric L. Gimena
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b>	416-231-4111 Ext.6938
<b>SIC Code:</b>	531310				
<b>SIC Description:</b>	REAL ESTATE PROPERTY MANAGERS				
<b>--Details--</b>					
<b>Waste Code:</b>	251				
<b>Waste Description:</b>	OIL SKIMMINGS & SLUDGES				
<b>Waste Code:</b>	148				
<b>Waste Description:</b>	INORGANIC LABORATORY CHEMICALS				
<b>Waste Code:</b>	121				
<b>Waste Description:</b>	ALKALINE WASTES - HEAVY METALS				
<b>Waste Code:</b>	331				
<b>Waste Description:</b>	WASTE COMPRESSED GASES				
<b>Waste Code:</b>	146				
<b>Waste Description:</b>	OTHER SPECIFIED INORGANICS				
<b>Waste Code:</b>	267				
<b>Waste Description:</b>	ORGANIC ACIDS				
<b>Waste Code:</b>	212				
<b>Waste Description:</b>	ALIPHATIC SOLVENTS				
<b>Waste Code:</b>	221				
<b>Waste Description:</b>	LIGHT FUELS				
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<b>Waste Code:</b>	145				
<b>Waste Description:</b>	PAINT/PIGMENT/COATING RESIDUES				
<b>Waste Code:</b>	243				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Description:</b>		PCBS			
<b>Waste Code:</b>		112			
<b>Waste Description:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Code:</b>		241			
<b>Waste Description:</b>		HALOGENATED SOLVENTS			
<b>Waste Code:</b>		263			
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<a href="#"><u>227</u></a>	125 of 251	NE/287.6	113.7 / -0.12	<b>PUROLATOR INC. 800 KIPLING AVE TORONTO ON</b>	<b>GEN</b>
<b>Generator No.:</b>	ON7801197			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2011			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	492110				
<b>SIC Description:</b>	Couriers				
<b>--Details--</b>					
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		261			
<b>Waste Description:</b>		PHARMACEUTICALS			
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		242			
<b>Waste Description:</b>		HALOGENATED PESTICIDES			
<b>Waste Code:</b>		269			
<b>Waste Description:</b>		NON-HALOGENATED PESTICIDES			
<b>Waste Code:</b>		262			
<b>Waste Description:</b>		DETERGENTS/SOAPS			
<b>Waste Code:</b>		263			
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		312			
<b>Waste Description:</b>		PATHOLOGICAL WASTES			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<a href="#"><u>227</u></a>	126 of 251	<b>NE/287.6</b>	<b>113.7 / -0.12</b>	<b>PUROLATOR INC. 800 KIPLING AVE TORONTO ON</b>	<b>GEN</b>
<b>Generator No.:</b>	ON7801197			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2010			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	492110				
<b>SIC Description:</b>	Couriers				
<b>--Details--</b>					
<b>Waste Code:</b>		262			
<b>Waste Description:</b>		DETERGENTS/SOAPS			
<b>Waste Code:</b>		263			
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		269			
<b>Waste Description:</b>		NON-HALOGENATED PESTICIDES			
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		312			
<b>Waste Description:</b>		PATHOLOGICAL WASTES			
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			
<b>Waste Code:</b>		261			
<b>Waste Description:</b>		PHARMACEUTICALS			
<b>Waste Code:</b>		242			
<b>Waste Description:</b>		HALOGENATED PESTICIDES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<a href="#">227</a>	127 of 251	NE/287.6	113.7 / -0.12	ONTARIO HYDRO KIPLING COMPLEX 800 KIPLING AVENUE ETOBICOKE ON M8Z 5S4	45-003 <b>GEN</b>
<b>Generator No.:</b>	ON0018405			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	94,95,96			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	4911				
<b>SIC Description:</b>	ELECT. POWER SYS.				
<b>--Details--</b>					
<b>Waste Code:</b>	112				
<b>Waste Description:</b>	ACID WASTE - HEAVY METALS				
<b>Waste Code:</b>	113				
<b>Waste Description:</b>	ACID WASTE - OTHER METALS				
<b>Waste Code:</b>	121				
<b>Waste Description:</b>	ALKALINE WASTES - HEAVY METALS				
<b>Waste Code:</b>	122				
<b>Waste Description:</b>	ALKALINE WASTES - OTHER METALS				
<b>Waste Code:</b>	145				
<b>Waste Description:</b>	PAINT/PIGMENT/COATING RESIDUES				
<b>Waste Code:</b>	146				
<b>Waste Description:</b>	OTHER SPECIFIED INORGANICS				
<b>Waste Code:</b>	148				
<b>Waste Description:</b>	INORGANIC LABORATORY CHEMICALS				
<b>Waste Code:</b>	211				
<b>Waste Description:</b>	AROMATIC SOLVENTS				
<b>Waste Code:</b>	212				
<b>Waste Description:</b>	ALIPHATIC SOLVENTS				
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<b>Waste Code:</b>	231				
<b>Waste Description:</b>	LATEX WASTES				
<b>Waste Code:</b>	312				
<b>Waste Description:</b>	PATHOLOGICAL WASTES				
<b>Waste Code:</b>	331				
<b>Waste Description:</b>	WASTE COMPRESSED GASES				
<b>Waste Code:</b>	221				
<b>Waste Description:</b>	LIGHT FUELS				
<b>Waste Code:</b>	222				
<b>Waste Description:</b>	HEAVY FUELS				
<b>Waste Code:</b>	232				
<b>Waste Description:</b>	POLYMERIC RESINS				
<b>Waste Code:</b>	233				
<b>Waste Description:</b>	OTHER POLYMERIC WASTES				
<b>Waste Code:</b>	242				



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Description:</b>		HALOGENATED PESTICIDES			
<b>Waste Code:</b>		243			
<b>Waste Description:</b>		PCB'S			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		253			
<b>Waste Description:</b>		EMULSIFIED OILS			
<b>Waste Code:</b>		254			
<b>Waste Description:</b>		TRANSFER STATION OILS WASTES			
<b>Waste Code:</b>		263			
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		264			
<b>Waste Description:</b>		PHOTOPROCESSING WASTES			
<b>Waste Code:</b>		269			
<b>Waste Description:</b>		NON-HALOGENATED PESTICIDES			
<b>Waste Code:</b>		241			
<b>Waste Description:</b>		HALOGENATED SOLVENTS			

<a href="#"><u>227</u></a>	128 of 251	<b>NE/287.6</b>	<b>113.7 / -0.12</b>	<b>ONTARIO POWER GENERATION 800 KIPLING AVENUE BUILDING KD118 ETOBICOKE ON M8Z 5G5</b>	<b>GEN</b>
<b>Generator No.:</b>	ON2409306			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2014			<b>Choice of Contact:</b>	CO_ADMIN
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	Ric L. Gimena
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b>	416-231-4111 Ext.6938
<b>SIC Code:</b>	531310				
<b>SIC Description:</b>	REAL ESTATE PROPERTY MANAGERS				
<b>--Details--</b>					
<b>Waste Code:</b>		112			
<b>Waste Description:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		243			
<b>Waste Description:</b>		PCBS			
<b>Waste Code:</b>		267			
<b>Waste Description:</b>		ORGANIC ACIDS			
<b>Waste Code:</b>		146			
<b>Waste Description:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		241			
<b>Waste Description:</b>		HALOGENATED SOLVENTS			
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			
<b>Waste Code:</b>		121			
<b>Waste Description:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		263			
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			

<a href="#"><u>227</u></a>	129 of 251	<b>NE/287.6</b>	<b>113.7 / -0.12</b>	<b>ONTARIO HYDRO NETWORKS COMPANY INC. 800 KIPLING AVENUE KN 100 ETOBICOKE ON M8Z 5S4</b>	<b>GEN</b>
<b>Generator No.:</b>	ON0018405			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	99			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	4911				
<b>SIC Description:</b>	ELECT. POWER SYS.				
<b>--Details--</b>					
<b>Waste Code:</b>		112			
<b>Waste Description:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Code:</b>		113			
<b>Waste Description:</b>		ACID WASTE - OTHER METALS			
<b>Waste Code:</b>		121			
<b>Waste Description:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Code:</b>		122			
<b>Waste Description:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>		146			
<b>Waste Description:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		211			
<b>Waste Description:</b>		AROMATIC SOLVENTS			
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		222			
<b>Waste Description:</b>		HEAVY FUELS			
<b>Waste Code:</b>		231			
<b>Waste Description:</b>		LATEX WASTES			
<b>Waste Code:</b>		232			
<b>Waste Description:</b>		POLYMERIC RESINS			
<b>Waste Code:</b>		233			
<b>Waste Description:</b>		OTHER POLYMERIC WASTES			
<b>Waste Code:</b>		241			
<b>Waste Description:</b>		HALOGENATED SOLVENTS			
<b>Waste Code:</b>		242			
<b>Waste Description:</b>		HALOGENATED PESTICIDES			
<b>Waste Code:</b>		243			
<b>Waste Description:</b>		PCB'S			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		253			
<b>Waste Description:</b>		EMULSIFIED OILS			
<b>Waste Code:</b>		254			
<b>Waste Description:</b>		TRANSFER STATION OILS WASTES			
<b>Waste Code:</b>		263			
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		264			
<b>Waste Description:</b>		PHOTOPROCESSING WASTES			
<b>Waste Code:</b>		268			
<b>Waste Description:</b>		AMINES			
<b>Waste Code:</b>		269			
<b>Waste Description:</b>		NON-HALOGENATED PESTICIDES			
<b>Waste Code:</b>		312			
<b>Waste Description:</b>		PATHOLOGICAL WASTES			
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			

[227](#)

130 of 251

NE/287.6

113.7 / -0.12

vnv logistics express ltd  
800 kipling ave  
Etobicoke ON M8Z 6C4

GEN

Generator No.: ON3840087  
Status:

PO Box No.:  
Country: Canada

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Approval Years:</b>	2015			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	vladimir Vdooukhine
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b>	416-854-4431 Ext.
<b>SIC Code:</b>	493190				
<b>SIC Description:</b>		OTHER WAREHOUSING AND STORAGE			
<b>--Details--</b>					
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<a href="#">227</a>	131 of 251	NE/287.6	113.7 / -0.12	<b>PUROLATOR INC. 800 KIPLING AVE TORONTO ON M8Z5S4</b>	GEN
<b>Generator No.:</b>	ON7801197			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2015			<b>Choice of Contact:</b>	CO_ADMIN
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	MARIETTE LINCOLN
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b>	905-934-8799 Ext.
<b>SIC Code:</b>	492110				
<b>SIC Description:</b>		COURIERS			
<b>--Details--</b>					
<b>Waste Code:</b>		263			
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		242			
<b>Waste Description:</b>		HALOGENATED PESTICIDES			
<b>Waste Code:</b>		312			
<b>Waste Description:</b>		PATHOLOGICAL WASTES			
<b>Waste Code:</b>		269			
<b>Waste Description:</b>		NON-HALOGENATED PESTICIDES			
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		261			
<b>Waste Description:</b>		PHARMACEUTICALS			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Code:</b>		262			
<b>Waste Description:</b>		DETERGENTS/SOAPS			
<a href="#">227</a>	132 of 251	NE/287.6	113.7 / -0.12	<b>KINECTRICS INC.</b> 800 Kipling Avenue Toronto ON M8Z6S5G5	GEN
<b>Generator No.:</b>	ON2552400			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2015			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	541710, 541620, 541690				
<b>SIC Description:</b>	RESEARCH AND DEVELOPMENT IN THE PHYSICAL, ENGINEERING AND LIFE SCIENCES, ENVIRONMENTAL CONSULTING SERVICES, OTHER SCIENTIFIC AND TECHNICAL CONSULTING SERVICES				
<b>--Details--</b>					
<b>Waste Code:</b>		253			
<b>Waste Description:</b>		EMULSIFIED OILS			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		269			
<b>Waste Description:</b>		NON-HALOGENATED PESTICIDES			
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		222			
<b>Waste Description:</b>		HEAVY FUELS			
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		268			
<b>Waste Description:</b>		AMINES			
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		211			
<b>Waste Description:</b>		AROMATIC SOLVENTS			
<b>Waste Code:</b>		113			
<b>Waste Description:</b>		ACID WASTE - OTHER METALS			
<b>Waste Code:</b>		243			
<b>Waste Description:</b>		PCBS			
<b>Waste Code:</b>		231			
<b>Waste Description:</b>		LATEX WASTES			
<b>Waste Code:</b>		121			
<b>Waste Description:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Code:</b>		270			
<b>Waste Description:</b>		OTHER SPECIFIED ORGANICS			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Code:</b>		254			
<b>Waste Description:</b>		TRANSFER STATION OILS WASTES			
<b>Waste Code:</b>		263			
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		312			
<b>Waste Description:</b>		PATHOLOGICAL WASTES			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		233			
<b>Waste Description:</b>		OTHER POLYMERIC WASTES			
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>		241			
<b>Waste Description:</b>		HALOGENATED SOLVENTS			
<b>Waste Code:</b>		112			
<b>Waste Description:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		242			
<b>Waste Description:</b>		HALOGENATED PESTICIDES			
<b>Waste Code:</b>		232			
<b>Waste Description:</b>		POLYMERIC RESINS			
<b>Waste Code:</b>		122			
<b>Waste Description:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Code:</b>		264			
<b>Waste Description:</b>		PHOTOPROCESSING WASTES			
<b>Waste Code:</b>		267			
<b>Waste Description:</b>		ORGANIC ACIDS			
<b>Waste Code:</b>		146			
<b>Waste Description:</b>		OTHER SPECIFIED INORGANICS			

[227](#)    133 of 251    **NE/287.6**    113.7 / -0.12    **ONTARIO POWER GENERATION INC.**  
**800 KIPLING AVENUE**  
**ETOBICOKE ON M8Z 6C4**    **GEN**

<b>Generator No.:</b>	ON2409303	<b>PO Box No.:</b>	
<b>Status:</b>		<b>Country:</b>	
<b>Approval Years:</b>	99,00,01	<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>		<b>Co Admin:</b>	
<b>MHSW Facility:</b>		<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	4911		
<b>SIC Description:</b>	ELECT. POWER SYS.		

**--Details--**

<b>Waste Code:</b>	112
<b>Waste Description:</b>	ACID WASTE - HEAVY METALS
<b>Waste Code:</b>	113
<b>Waste Description:</b>	ACID WASTE - OTHER METALS

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Code:</b>			121		
<b>Waste Description:</b>			ALKALINE WASTES - HEAVY METALS		
<b>Waste Code:</b>			122		
<b>Waste Description:</b>			ALKALINE WASTES - OTHER METALS		
<b>Waste Code:</b>			145		
<b>Waste Description:</b>			PAINT/PIGMENT/COATING RESIDUES		
<b>Waste Code:</b>			146		
<b>Waste Description:</b>			OTHER SPECIFIED INORGANICS		
<b>Waste Code:</b>			148		
<b>Waste Description:</b>			INORGANIC LABORATORY CHEMICALS		
<b>Waste Code:</b>			211		
<b>Waste Description:</b>			AROMATIC SOLVENTS		
<b>Waste Code:</b>			212		
<b>Waste Description:</b>			ALIPHATIC SOLVENTS		
<b>Waste Code:</b>			213		
<b>Waste Description:</b>			PETROLEUM DISTILLATES		
<b>Waste Code:</b>			221		
<b>Waste Description:</b>			LIGHT FUELS		
<b>Waste Code:</b>			222		
<b>Waste Description:</b>			HEAVY FUELS		
<b>Waste Code:</b>			231		
<b>Waste Description:</b>			LATEX WASTES		
<b>Waste Code:</b>			232		
<b>Waste Description:</b>			POLYMERIC RESINS		
<b>Waste Code:</b>			233		
<b>Waste Description:</b>			OTHER POLYMERIC WASTES		
<b>Waste Code:</b>			241		
<b>Waste Description:</b>			HALOGENATED SOLVENTS		
<b>Waste Code:</b>			242		
<b>Waste Description:</b>			HALOGENATED PESTICIDES		
<b>Waste Code:</b>			243		
<b>Waste Description:</b>			PCB'S		
<b>Waste Code:</b>			251		
<b>Waste Description:</b>			OIL SKIMMINGS & SLUDGES		
<b>Waste Code:</b>			252		
<b>Waste Description:</b>			WASTE OILS & LUBRICANTS		
<b>Waste Code:</b>			253		
<b>Waste Description:</b>			EMULSIFIED OILS		
<b>Waste Code:</b>			254		
<b>Waste Description:</b>			TRANSFER STATION OILS WASTES		
<b>Waste Code:</b>			263		
<b>Waste Description:</b>			ORGANIC LABORATORY CHEMICALS		
<b>Waste Code:</b>			264		
<b>Waste Description:</b>			PHOTOPROCESSING WASTES		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Code:</b>		268			
<b>Waste Description:</b>		AMINES			
<b>Waste Code:</b>		269			
<b>Waste Description:</b>		NON-HALOGENATED PESTICIDES			
<b>Waste Code:</b>		312			
<b>Waste Description:</b>		PATHOLOGICAL WASTES			
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			

<a href="#">227</a>	134 of 251	NE/287.6	113.7 / -0.12	HYDRO ONE NETWORKS INC. INVESTMENT RECOVERY 800 KIPLING AVENUE ETOBICOKE ON M8Z 5S4	GEN
<b>Generator No.:</b>	ON0018405			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	01,02,03,04,05,06			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	4911				
<b>SIC Description:</b>	ELECT. POWER SYS.				
<b>--Details--</b>					
<b>Waste Code:</b>	232				
<b>Waste Description:</b>	POLYMERIC RESINS				
<b>Waste Code:</b>	233				
<b>Waste Description:</b>	OTHER POLYMERIC WASTES				
<b>Waste Code:</b>	241				
<b>Waste Description:</b>	HALOGENATED SOLVENTS				
<b>Waste Code:</b>	242				
<b>Waste Description:</b>	HALOGENATED PESTICIDES				
<b>Waste Code:</b>	243				
<b>Waste Description:</b>	PCB'S				
<b>Waste Code:</b>	251				
<b>Waste Description:</b>	OIL SKIMMINGS & SLUDGES				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Code:</b>	253				
<b>Waste Description:</b>	EMULSIFIED OILS				
<b>Waste Code:</b>	254				
<b>Waste Description:</b>	TRANSFER STATION OILS WASTES				
<b>Waste Code:</b>	263				
<b>Waste Description:</b>	ORGANIC LABORATORY CHEMICALS				
<b>Waste Code:</b>	264				
<b>Waste Description:</b>	PHOTOPROCESSING WASTES				
<b>Waste Code:</b>	268				
<b>Waste Description:</b>	AMINES				
<b>Waste Code:</b>	269				



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Description:</b>		NON-HALOGENATED PESTICIDES			
<b>Waste Code:</b>		312			
<b>Waste Description:</b>		PATHOLOGICAL WASTES			
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			
<b>Waste Code:</b>		231			
<b>Waste Description:</b>		LATEX WASTES			
<b>Waste Code:</b>		112			
<b>Waste Description:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Code:</b>		113			
<b>Waste Description:</b>		ACID WASTE - OTHER METALS			
<b>Waste Code:</b>		121			
<b>Waste Description:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Code:</b>		122			
<b>Waste Description:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>		146			
<b>Waste Description:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		211			
<b>Waste Description:</b>		AROMATIC SOLVENTS			
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		222			
<b>Waste Description:</b>		HEAVY FUELS			

**227**      135 of 251      **NE/287.6**      113.7 / -0.12      **KINECTRICS INC.**  
**800 Kipling Avenue**  
**Toronto ON M8Z6S5**      **GEN**

<b>Generator No.:</b>	ON2552400	<b>PO Box No.:</b>	
<b>Status:</b>		<b>Country:</b>	Canada
<b>Approval Years:</b>	2016	<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No	<b>Co Admin:</b>	
<b>MHSW Facility:</b>	No	<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	541710, 541620, 541690		
<b>SIC Description:</b>	RESEARCH AND DEVELOPMENT IN THE PHYSICAL, ENGINEERING AND LIFE SCIENCES, ENVIRONMENTAL CONSULTING SERVICES, OTHER SCIENTIFIC AND TECHNICAL CONSULTING SERVICES		

**--Details--**  
**Waste Code:** 269

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Description:</b>				NON-HALOGENATED PESTICIDES	
<b>Waste Code:</b>			148		
<b>Waste Description:</b>				INORGANIC LABORATORY CHEMICALS	
<b>Waste Code:</b>			312		
<b>Waste Description:</b>				PATHOLOGICAL WASTES	
<b>Waste Code:</b>			121		
<b>Waste Description:</b>				ALKALINE WASTES - HEAVY METALS	
<b>Waste Code:</b>			113		
<b>Waste Description:</b>				ACID WASTE - OTHER METALS	
<b>Waste Code:</b>			270		
<b>Waste Description:</b>				OTHER SPECIFIED ORGANICS	
<b>Waste Code:</b>			145		
<b>Waste Description:</b>				PAINT/PIGMENT/COATING RESIDUES	
<b>Waste Code:</b>			243		
<b>Waste Description:</b>				PCBS	
<b>Waste Code:</b>			233		
<b>Waste Description:</b>				OTHER POLYMERIC WASTES	
<b>Waste Code:</b>			212		
<b>Waste Description:</b>				ALIPHATIC SOLVENTS	
<b>Waste Code:</b>			251		
<b>Waste Description:</b>				OIL SKIMMINGS & SLUDGES	
<b>Waste Code:</b>			211		
<b>Waste Description:</b>				AROMATIC SOLVENTS	
<b>Waste Code:</b>			253		
<b>Waste Description:</b>				EMULSIFIED OILS	
<b>Waste Code:</b>			122		
<b>Waste Description:</b>				ALKALINE WASTES - OTHER METALS	
<b>Waste Code:</b>			232		
<b>Waste Description:</b>				POLYMERIC RESINS	
<b>Waste Code:</b>			254		
<b>Waste Description:</b>				TRANSFER STATION OILS WASTES	
<b>Waste Code:</b>			252		
<b>Waste Description:</b>				WASTE OILS & LUBRICANTS	
<b>Waste Code:</b>			268		
<b>Waste Description:</b>				AMINES	
<b>Waste Code:</b>			264		
<b>Waste Description:</b>				PHOTOPROCESSING WASTES	
<b>Waste Code:</b>			221		
<b>Waste Description:</b>				LIGHT FUELS	
<b>Waste Code:</b>			242		
<b>Waste Description:</b>				HALOGENATED PESTICIDES	
<b>Waste Code:</b>			331		
<b>Waste Description:</b>				WASTE COMPRESSED GASES	
<b>Waste Code:</b>			112		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Description:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		222			
<b>Waste Description:</b>		HEAVY FUELS			
<b>Waste Code:</b>		231			
<b>Waste Description:</b>		LATEX WASTES			
<b>Waste Code:</b>		267			
<b>Waste Description:</b>		ORGANIC ACIDS			
<b>Waste Code:</b>		241			
<b>Waste Description:</b>		HALOGENATED SOLVENTS			
<b>Waste Code:</b>		146			
<b>Waste Description:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Code:</b>		263			
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			

<a href="#">227</a>	136 of 251	NE/287.6	113.7 / -0.12	<b>PUROLATOR INC.</b> 800 KIPLING AVE TORONTO ON M8Z5S4	GEN
<b>Generator No.:</b>	ON7801197			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2014			<b>Choice of Contact:</b>	CO_ADMIN
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	MARIETTE LINCOLN
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b>	905-934-8799 Ext.
<b>SIC Code:</b>	492110				
<b>SIC Description:</b>	COURIERS				
<b>--Details--</b>					
<b>Waste Code:</b>	251				
<b>Waste Description:</b>	OIL SKIMMINGS & SLUDGES				
<b>Waste Code:</b>	242				
<b>Waste Description:</b>	HALOGENATED PESTICIDES				
<b>Waste Code:</b>	261				
<b>Waste Description:</b>	PHARMACEUTICALS				
<b>Waste Code:</b>	262				
<b>Waste Description:</b>	DETERGENTS/SOAPS				
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<b>Waste Code:</b>	331				
<b>Waste Description:</b>	WASTE COMPRESSED GASES				
<b>Waste Code:</b>	221				
<b>Waste Description:</b>	LIGHT FUELS				
<b>Waste Code:</b>	145				
<b>Waste Description:</b>	PAINT/PIGMENT/COATING RESIDUES				
<b>Waste Code:</b>	148				
<b>Waste Description:</b>	INORGANIC LABORATORY CHEMICALS				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		263			
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		269			
<b>Waste Description:</b>		NON-HALOGENATED PESTICIDES			
<b>Waste Code:</b>		312			
<b>Waste Description:</b>		PATHOLOGICAL WASTES			
<a href="#">227</a>	137 of 251	NE/287.6	113.7 / -0.12	vnv logistics express ltd 800 kipling ave Etobicoke ON M8Z 6C4	GEN
<b>Generator No.:</b>	ON3840087			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2016			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	vladimir Vdooukhine
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b>	416-854-4431 Ext.
<b>SIC Code:</b>	493190				
<b>SIC Description:</b>	OTHER WAREHOUSING AND STORAGE				
<b>--Details--</b>					
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<a href="#">227</a>	138 of 251	NE/287.6	113.7 / -0.12	ONTARIO HYDRO TRANSFER SITE 800 KIPLING AVENUE ETOBICOKE ON M8Z 5S4	GEN
<b>Generator No.:</b>	A280354			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	86			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	030				
<b>SIC Description:</b>					
<a href="#">227</a>	139 of 251	NE/287.6	113.7 / -0.12	ONTARIO POWER GENERATION 800 KIPLING AVENUE BUILDING KT110 ETOBICOKE ON M8Z 6C4	GEN
<b>Generator No.:</b>	ON2409306			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	00,01,02,03,04,05,06			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	4911				
<b>SIC Description:</b>	ELECT. POWER SYS.				
<b>--Details--</b>					
<b>Waste Code:</b>		112			
<b>Waste Description:</b>		ACID WASTE - HEAVY METALS			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Code:</b>		121			
<b>Waste Description:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		263			
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		146			
<b>Waste Description:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		241			
<b>Waste Description:</b>		HALOGENATED SOLVENTS			
<b>Waste Code:</b>		243			
<b>Waste Description:</b>		PCB'S			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		267			
<b>Waste Description:</b>		ORGANIC ACIDS			

<a href="#"><u>227</u></a>	140 of 251	NE/287.6	113.7 / -0.12	Canadian Restorations GTA Inc. 800 Kipling Ave Toronto ON	GEN
<b>Generator No.:</b>	ON5941493			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2011			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	811490				
<b>SIC Description:</b>					

<a href="#"><u>227</u></a>	141 of 251	NE/287.6	113.7 / -0.12	ONTARIO HYDRO 800 KIPLING AVENUE KN100 KIPLING COMPLEX ETOBICOKE ON M8Z 5S4	GEN
<b>Generator No.:</b>	ON0018405			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	92,93,97			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	4911				
<b>SIC Description:</b>	ELECT. POWER SYS.				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>--Details--</b>					
<b>Waste Code:</b>			252		
<b>Waste Description:</b>			WASTE OILS & LUBRICANTS		
<b>Waste Code:</b>			253		
<b>Waste Description:</b>			EMULSIFIED OILS		
<b>Waste Code:</b>			254		
<b>Waste Description:</b>			TRANSFER STATION OILS WASTES		
<b>Waste Code:</b>			263		
<b>Waste Description:</b>			ORGANIC LABORATORY CHEMICALS		
<b>Waste Code:</b>			264		
<b>Waste Description:</b>			PHOTOPROCESSING WASTES		
<b>Waste Code:</b>			268		
<b>Waste Description:</b>			AMINES		
<b>Waste Code:</b>			269		
<b>Waste Description:</b>			NON-HALOGENATED PESTICIDES		
<b>Waste Code:</b>			312		
<b>Waste Description:</b>			PATHOLOGICAL WASTES		
<b>Waste Code:</b>			331		
<b>Waste Description:</b>			WASTE COMPRESSED GASES		
<b>Waste Code:</b>			112		
<b>Waste Description:</b>			ACID WASTE - HEAVY METALS		
<b>Waste Code:</b>			113		
<b>Waste Description:</b>			ACID WASTE - OTHER METALS		
<b>Waste Code:</b>			121		
<b>Waste Description:</b>			ALKALINE WASTES - HEAVY METALS		
<b>Waste Code:</b>			122		
<b>Waste Description:</b>			ALKALINE WASTES - OTHER METALS		
<b>Waste Code:</b>			145		
<b>Waste Description:</b>			PAINT/PIGMENT/COATING RESIDUES		
<b>Waste Code:</b>			146		
<b>Waste Description:</b>			OTHER SPECIFIED INORGANICS		
<b>Waste Code:</b>			148		
<b>Waste Description:</b>			INORGANIC LABORATORY CHEMICALS		
<b>Waste Code:</b>			211		
<b>Waste Description:</b>			AROMATIC SOLVENTS		
<b>Waste Code:</b>			212		
<b>Waste Description:</b>			ALIPHATIC SOLVENTS		
<b>Waste Code:</b>			213		
<b>Waste Description:</b>			PETROLEUM DISTILLATES		
<b>Waste Code:</b>			221		
<b>Waste Description:</b>			LIGHT FUELS		
<b>Waste Code:</b>			222		
<b>Waste Description:</b>			HEAVY FUELS		
<b>Waste Code:</b>			231		
<b>Waste Description:</b>			LATEX WASTES		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Code:</b>		232			
<b>Waste Description:</b>		POLYMERIC RESINS			
<b>Waste Code:</b>		233			
<b>Waste Description:</b>		OTHER POLYMERIC WASTES			
<b>Waste Code:</b>		241			
<b>Waste Description:</b>		HALOGENATED SOLVENTS			
<b>Waste Code:</b>		242			
<b>Waste Description:</b>		HALOGENATED PESTICIDES			
<b>Waste Code:</b>		243			
<b>Waste Description:</b>		PCB'S			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			

<a href="#">227</a>	142 of 251	NE/287.6	113.7 / -0.12	<b>KINECTRICS INC.</b> 800 Kipling Avenue Toronto ON M8Z6S5	GEN
<b>Generator No.:</b>	ON2552400			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2014			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	541710, 541620, 541690				
<b>SIC Description:</b>	RESEARCH AND DEVELOPMENT IN THE PHYSICAL, ENGINEERING AND LIFE SCIENCES, ENVIRONMENTAL CONSULTING SERVICES, OTHER SCIENTIFIC AND TECHNICAL CONSULTING SERVICES				
<b>--Details--</b>					
<b>Waste Code:</b>		233			
<b>Waste Description:</b>		OTHER POLYMERIC WASTES			
<b>Waste Code:</b>		254			
<b>Waste Description:</b>		TRANSFER STATION OILS WASTES			
<b>Waste Code:</b>		232			
<b>Waste Description:</b>		POLYMERIC RESINS			
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		264			
<b>Waste Description:</b>		PHOTOPROCESSING WASTES			
<b>Waste Code:</b>		267			
<b>Waste Description:</b>		ORGANIC ACIDS			
<b>Waste Code:</b>		243			
<b>Waste Description:</b>		PCBS			
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		241			
<b>Waste Description:</b>		HALOGENATED SOLVENTS			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		222			
<b>Waste Description:</b>		HEAVY FUELS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		112			
<b>Waste Description:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Code:</b>		121			
<b>Waste Description:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Code:</b>		253			
<b>Waste Description:</b>		EMULSIFIED OILS			
<b>Waste Code:</b>		270			
<b>Waste Description:</b>		OTHER SPECIFIED ORGANICS			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		113			
<b>Waste Description:</b>		ACID WASTE - OTHER METALS			
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		211			
<b>Waste Description:</b>		AROMATIC SOLVENTS			
<b>Waste Code:</b>		242			
<b>Waste Description:</b>		HALOGENATED PESTICIDES			
<b>Waste Code:</b>		312			
<b>Waste Description:</b>		PATHOLOGICAL WASTES			
<b>Waste Code:</b>		122			
<b>Waste Description:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>		231			
<b>Waste Description:</b>		LATEX WASTES			
<b>Waste Code:</b>		263			
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		268			
<b>Waste Description:</b>		AMINES			
<b>Waste Code:</b>		146			
<b>Waste Description:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Code:</b>		269			
<b>Waste Description:</b>		NON-HALOGENATED PESTICIDES			
<b>227</b>	<b>143 of 251</b>	<b>NE/287.6</b>	<b>113.7 / -0.12</b>	<b>ONTARIO POWER GENERATION 800 KIPLING AVENUE BUILDING KD142 ETOBICOKE ON M8Z 5S4</b>	<b>GEN</b>



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Generator No.:</b>	ON2409306			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	07,08			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	531310				
<b>SIC Description:</b>		Real Estate Property Managers			
<b>--Details--</b>					
<b>Waste Code:</b>		112			
<b>Waste Description:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Code:</b>		121			
<b>Waste Description:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>		146			
<b>Waste Description:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		241			
<b>Waste Description:</b>		HALOGENATED SOLVENTS			
<b>Waste Code:</b>		243			
<b>Waste Description:</b>		PCB'S			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		263			
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		267			
<b>Waste Description:</b>		ORGANIC ACIDS			

[227](#)

144 of 251

NE/287.6

113.7 / -0.12

**KINETRICS INC.**  
**800 Kipling Avenue**  
**Toronto ON M8Z6G5**

GEN

**Generator No.:**

ON2552400

**Status:**

Registered

**Approval Years:**

As of Dec 2017

**Contam. Facility:****MHSW Facility:****SIC Code:****SIC Description:****PO Box No.:**

Unit 2

**Country:**

Canada

**Choice of Contact:****Co Admin:****Phone No. Admin:**

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>--Details--</b>					
<b>Waste Code:</b>		148 C			
<b>Waste Description:</b>		Misc. wastes and inorganic chemicals			
<b>Waste Code:</b>		148 T			
<b>Waste Description:</b>		Misc. wastes and inorganic chemicals			
<b>Waste Code:</b>		148 L			
<b>Waste Description:</b>		Misc. wastes and inorganic chemicals			
<b>Waste Code:</b>		212 L			
<b>Waste Description:</b>		Aliphatic solvents and residues			
<b>Waste Code:</b>		122 C			
<b>Waste Description:</b>		Alkaline slutions - containing other metals and non-metals (not cyanide)			
<b>Waste Code:</b>		148 B			
<b>Waste Description:</b>		Misc. wastes and inorganic chemicals			
<b>Waste Code:</b>		253 L			
<b>Waste Description:</b>		Emulsified oils			
<b>Waste Code:</b>		263 I			
<b>Waste Description:</b>		Misc. waste organic chemicals			
<b>Waste Code:</b>		331 I			
<b>Waste Description:</b>		Waste compressed gases including cylinders			
<b>Waste Code:</b>		331 H			
<b>Waste Description:</b>		Waste compressed gases including cylinders			
<b>Waste Code:</b>		121 L			
<b>Waste Description:</b>		Alkaline slutions - containing heavy metals			
<b>Waste Code:</b>		263 L			
<b>Waste Description:</b>		Misc. waste organic chemicals			
<b>Waste Code:</b>		312 P			
<b>Waste Description:</b>		Pathological wastes			
<b>Waste Code:</b>		252 L			
<b>Waste Description:</b>		Waste crankcase oils and lubricants			
<b>Waste Code:</b>		148 I			
<b>Waste Description:</b>		Misc. wastes and inorganic chemicals			
<b>Waste Code:</b>		148 A			
<b>Waste Description:</b>		Misc. wastes and inorganic chemicals			
<b>Waste Code:</b>		331 C			
<b>Waste Description:</b>		Waste compressed gases including cylinders			
<b>Waste Code:</b>		263 B			
<b>Waste Description:</b>		Misc. waste organic chemicals			

[227](#)

145 of 251

NE/287.6

113.7 / -0.12

**PUROLATOR INC.  
800 KIPLING AVE  
TORONTO ON M8Z5S4**

**GEN**

**Generator No.:** ON7801197

**Status:**

**Approval Years:** 2016

**PO Box No.:**

**Country:**

**Choice of Contact:**

Canada

CO\_ADMIN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Contam. Facility: MHSW Facility: SIC Code: SIC Description:	No No 492110	COURIERS		Co Admin: Phone No. Admin:	MARIETTE LINCOLN 905-934-8799 Ext.
<b>--Details--</b>					
Waste Code: Waste Description:		331 WASTE COMPRESSED GASES			
Waste Code: Waste Description:		262 DETERGENTS/SOAPS			
Waste Code: Waste Description:		261 PHARMACEUTICALS			
Waste Code: Waste Description:		242 HALOGENATED PESTICIDES			
Waste Code: Waste Description:		221 LIGHT FUELS			
Waste Code: Waste Description:		148 INORGANIC LABORATORY CHEMICALS			
Waste Code: Waste Description:		263 ORGANIC LABORATORY CHEMICALS			
Waste Code: Waste Description:		269 NON-HALOGENATED PESTICIDES			
Waste Code: Waste Description:		145 PAINT/PIGMENT/COATING RESIDUES			
Waste Code: Waste Description:		212 ALIPHATIC SOLVENTS			
Waste Code: Waste Description:		251 OIL SKIMMINGS & SLUDGES			
Waste Code: Waste Description:		312 PATHOLOGICAL WASTES			
Waste Code: Waste Description:		252 WASTE OILS & LUBRICANTS			
Waste Code: Waste Description:		213 PETROLEUM DISTILLATES			

[227](#)

146 of 251

NE/287.6

113.7 / -0.12

HYDRO ONE NETWORKS INC.  
800 KIPLING AVENUE KN 100  
ETOBICOKE ON M8Z 5S4

GEN

Generator No.: ON0018405  
Status:  
Approval Years: 00  
Contam. Facility:  
MHSW Facility:  
SIC Code: 4911  
SIC Description: ELECT. POWER SYS.

PO Box No.:  
Country:  
Choice of Contact:  
Co Admin:  
Phone No. Admin:

**--Details--**

Waste Code: 331

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Description:</b>				WASTE COMPRESSED GASES	
<b>Waste Code:</b>			268		
<b>Waste Description:</b>				AMINES	
<b>Waste Code:</b>			269		
<b>Waste Description:</b>				NON-HALOGENATED PESTICIDES	
<b>Waste Code:</b>			312		
<b>Waste Description:</b>				PATHOLOGICAL WASTES	
<b>Waste Code:</b>			253		
<b>Waste Description:</b>				EMULSIFIED OILS	
<b>Waste Code:</b>			112		
<b>Waste Description:</b>				ACID WASTE - HEAVY METALS	
<b>Waste Code:</b>			113		
<b>Waste Description:</b>				ACID WASTE - OTHER METALS	
<b>Waste Code:</b>			121		
<b>Waste Description:</b>				ALKALINE WASTES - HEAVY METALS	
<b>Waste Code:</b>			122		
<b>Waste Description:</b>				ALKALINE WASTES - OTHER METALS	
<b>Waste Code:</b>			145		
<b>Waste Description:</b>				PAINT/PIGMENT/COATING RESIDUES	
<b>Waste Code:</b>			146		
<b>Waste Description:</b>				OTHER SPECIFIED INORGANICS	
<b>Waste Code:</b>			148		
<b>Waste Description:</b>				INORGANIC LABORATORY CHEMICALS	
<b>Waste Code:</b>			211		
<b>Waste Description:</b>				AROMATIC SOLVENTS	
<b>Waste Code:</b>			212		
<b>Waste Description:</b>				ALIPHATIC SOLVENTS	
<b>Waste Code:</b>			213		
<b>Waste Description:</b>				PETROLEUM DISTILLATES	
<b>Waste Code:</b>			221		
<b>Waste Description:</b>				LIGHT FUELS	
<b>Waste Code:</b>			222		
<b>Waste Description:</b>				HEAVY FUELS	
<b>Waste Code:</b>			231		
<b>Waste Description:</b>				LATEX WASTES	
<b>Waste Code:</b>			232		
<b>Waste Description:</b>				POLYMERIC RESINS	
<b>Waste Code:</b>			233		
<b>Waste Description:</b>				OTHER POLYMERIC WASTES	
<b>Waste Code:</b>			241		
<b>Waste Description:</b>				HALOGENATED SOLVENTS	
<b>Waste Code:</b>			242		
<b>Waste Description:</b>				HALOGENATED PESTICIDES	
<b>Waste Code:</b>			243		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Waste Description:</i>		PCB'S			
<i>Waste Code:</i>		251			
<i>Waste Description:</i>		OIL SKIMMINGS & SLUDGES			
<i>Waste Code:</i>		252			
<i>Waste Description:</i>		WASTE OILS & LUBRICANTS			
<i>Waste Code:</i>		254			
<i>Waste Description:</i>		TRANSFER STATION OILS WASTES			
<i>Waste Code:</i>		263			
<i>Waste Description:</i>		ORGANIC LABORATORY CHEMICALS			
<i>Waste Code:</i>		264			
<i>Waste Description:</i>		PHOTOPROCESSING WASTES			
<a href="#">227</a>	147 of 251	NE/287.6	113.7 / -0.12	PUROLATOR INC. 800 KIPLING AVE TORONTO ON M8Z 5S4	GEN
<i>Generator No.:</i>		ON7801197		<i>PO Box No.:</i>	
<i>Status:</i>				<i>Country:</i>	
<i>Approval Years:</i>		2012		<i>Choice of Contact:</i>	
<i>Contam. Facility:</i>				<i>Co Admin:</i>	
<i>MHSW Facility:</i>				<i>Phone No. Admin:</i>	
<i>SIC Code:</i>		492110			
<i>SIC Description:</i>		Couriers			
<i>--Details--</i>					
<i>Waste Code:</i>		212			
<i>Waste Description:</i>		ALIPHATIC SOLVENTS			
<i>Waste Code:</i>		312			
<i>Waste Description:</i>		PATHOLOGICAL WASTES			
<i>Waste Code:</i>		263			
<i>Waste Description:</i>		ORGANIC LABORATORY CHEMICALS			
<i>Waste Code:</i>		252			
<i>Waste Description:</i>		WASTE OILS & LUBRICANTS			
<i>Waste Code:</i>		242			
<i>Waste Description:</i>		HALOGENATED PESTICIDES			
<i>Waste Code:</i>		145			
<i>Waste Description:</i>		PAINT/PIGMENT/COATING RESIDUES			
<i>Waste Code:</i>		331			
<i>Waste Description:</i>		WASTE COMPRESSED GASES			
<i>Waste Code:</i>		148			
<i>Waste Description:</i>		INORGANIC LABORATORY CHEMICALS			
<i>Waste Code:</i>		251			
<i>Waste Description:</i>		OIL SKIMMINGS & SLUDGES			
<i>Waste Code:</i>		261			
<i>Waste Description:</i>		PHARMACEUTICALS			
<i>Waste Code:</i>		269			
<i>Waste Description:</i>		NON-HALOGENATED PESTICIDES			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Code:</b> <b>Waste Description:</b>		213 PETROLEUM DISTILLATES			
<b>Waste Code:</b> <b>Waste Description:</b>		262 DETERGENTS/SOAPS			
<b>Waste Code:</b> <b>Waste Description:</b>		221 LIGHT FUELS			
<b>227</b>	<b>148 of 251</b>	<b>NE/287.6</b>	<b>113.7 / -0.12</b>	<b>ONTARIO POWER GENERATION 800 KIPLING AVENUE BUILDING KD142 ETOBICOKE ON</b>	<b>GEN</b>
<b>Generator No.:</b> <b>Status:</b> <b>Approval Years:</b> <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> <b>SIC Description:</b>	ON2409306  2009   531310	     Real Estate Property Managers		<b>PO Box No.:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No. Admin:</b>	
<b>--Details--</b>					
<b>Waste Code:</b> <b>Waste Description:</b>		112 ACID WASTE - HEAVY METALS			
<b>Waste Code:</b> <b>Waste Description:</b>		121 ALKALINE WASTES - HEAVY METALS			
<b>Waste Code:</b> <b>Waste Description:</b>		145 PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b> <b>Waste Description:</b>		146 OTHER SPECIFIED INORGANICS			
<b>Waste Code:</b> <b>Waste Description:</b>		148 INORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b> <b>Waste Description:</b>		212 ALIPHATIC SOLVENTS			
<b>Waste Code:</b> <b>Waste Description:</b>		213 PETROLEUM DISTILLATES			
<b>Waste Code:</b> <b>Waste Description:</b>		221 LIGHT FUELS			
<b>Waste Code:</b> <b>Waste Description:</b>		241 HALOGENATED SOLVENTS			
<b>Waste Code:</b> <b>Waste Description:</b>		243 PCBS			
<b>Waste Code:</b> <b>Waste Description:</b>		251 OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b> <b>Waste Description:</b>		252 WASTE OILS & LUBRICANTS			
<b>Waste Code:</b> <b>Waste Description:</b>		263 ORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b> <b>Waste Description:</b>		267 ORGANIC ACIDS			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">227</a>	149 of 251	NE/287.6	113.7 / -0.12	ONTARIO HYDRO (SERVICE CTR/STORAGE BLDG) 800 KIPLING AVE. C/O 700 UNIVERSITY AVE., TORONTO ETOBICOKE ON M8Z 5S4	GEN
<b>Generator No.:</b>	301-82A001			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	86			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	030				
<b>SIC Description:</b>					
<a href="#">227</a>	150 of 251	NE/287.6	113.7 / -0.12	ONTARIO HYDRO 800 KIPLING AVENUE TORONTO ON M8Z 5S4	GEN
<b>Generator No.:</b>	ON0018405			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	86,87,88			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	4911				
<b>SIC Description:</b>	ELECT. POWER SYS.				
<b>--Details--</b>					
<b>Waste Code:</b>	148				
<b>Waste Description:</b>	INORGANIC LABORATORY CHEMICALS				
<b>Waste Code:</b>	113				
<b>Waste Description:</b>	ACID WASTE - OTHER METALS				
<b>Waste Code:</b>	145				
<b>Waste Description:</b>	PAINT/PIGMENT/COATING RESIDUES				
<b>Waste Code:</b>	146				
<b>Waste Description:</b>	OTHER SPECIFIED INORGANICS				
<b>Waste Code:</b>	211				
<b>Waste Description:</b>	AROMATIC SOLVENTS				
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<b>Waste Code:</b>	221				
<b>Waste Description:</b>	LIGHT FUELS				
<b>Waste Code:</b>	241				
<b>Waste Description:</b>	HALOGENATED SOLVENTS				
<b>Waste Code:</b>	242				
<b>Waste Description:</b>	HALOGENATED PESTICIDES				
<b>Waste Code:</b>	251				
<b>Waste Description:</b>	OIL SKIMMINGS & SLUDGES				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Code:</b>		254			
<b>Waste Description:</b>		TRANSFER STATION OILS WASTES			
<b>Waste Code:</b>		263			
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		269			
<b>Waste Description:</b>		NON-HALOGENATED PESTICIDES			
<b>Waste Code:</b>		312			
<b>Waste Description:</b>		PATHOLOGICAL WASTES			
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			

<a href="#"><u>227</u></a>	151 of 251	<b>NE/287.6</b>	<b>113.7 / -0.12</b>	<b>PUROLATOR INC. 800 KIPLING AVE TORONTO ON</b>	<b>GEN</b>
<b>Generator No.:</b>	ON7801197			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2013			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	492110				
<b>SIC Description:</b>	COURIERS				
<b>--Details--</b>					
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<b>Waste Code:</b>	212				
<b>Waste Description:</b>	ALIPHATIC SOLVENTS				
<b>Waste Code:</b>	269				
<b>Waste Description:</b>	NON-HALOGENATED PESTICIDES				
<b>Waste Code:</b>	262				
<b>Waste Description:</b>	DETERGENTS/SOAPS				
<b>Waste Code:</b>	251				
<b>Waste Description:</b>	OIL SKIMMINGS & SLUDGES				
<b>Waste Code:</b>	261				
<b>Waste Description:</b>	PHARMACEUTICALS				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Code:</b>	263				
<b>Waste Description:</b>	ORGANIC LABORATORY CHEMICALS				
<b>Waste Code:</b>	242				
<b>Waste Description:</b>	HALOGENATED PESTICIDES				
<b>Waste Code:</b>	312				
<b>Waste Description:</b>	PATHOLOGICAL WASTES				
<b>Waste Code:</b>	221				
<b>Waste Description:</b>	LIGHT FUELS				
<b>Waste Code:</b>	331				
<b>Waste Description:</b>	WASTE COMPRESSED GASES				



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<b>227</b>	<b>152 of 251</b>	<b>NE/287.6</b>	<b>113.7 / -0.12</b>	<b>ONTARIO POWER GENERATION 800 KIPLING AVENUE BUILDING KD142 ETOBICOKE ON</b>	<b>GEN</b>
<b>Generator No.:</b>	ON2409306			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2010			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	531310				
<b>SIC Description:</b>	Real Estate Property Managers				
<b>--Details--</b>					
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		263			
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		146			
<b>Waste Description:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		121			
<b>Waste Description:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Code:</b>		267			
<b>Waste Description:</b>		ORGANIC ACIDS			
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>		241			
<b>Waste Description:</b>		HALOGENATED SOLVENTS			
<b>Waste Code:</b>		243			
<b>Waste Description:</b>		PCBS			
<b>Waste Code:</b>		112			
<b>Waste Description:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">227</a>	153 of 251	NE/287.6	113.7 / -0.12	ONTARIO HYDRO MOBILE DESTRUCTION FACILITY-800 KIPLING C/O 700 UNIVERSITY AVE.,TORONTO M5G1X6 ETOBICOKE ON M8Z 5S4	GEN
<b>Generator No.:</b>	A280358			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	86			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	050				
<b>SIC Description:</b>					
<a href="#">227</a>	154 of 251	NE/287.6	113.7 / -0.12	ONTARIO HYDRO SUPPLY SERVICES DIV 800 KIPLING AVE ETOBICOKE ON M8Z 5S4	GEN
<b>Generator No.:</b>	A280307			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	86			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	030				
<b>SIC Description:</b>					
<a href="#">227</a>	155 of 251	NE/287.6	113.7 / -0.12	ONTARIO POWER GENERATION 800 KIPLING AVENUE BUILDING KD142 ETOBICOKE ON	GEN
<b>Generator No.:</b>	ON2409306			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2013			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	531310				
<b>SIC Description:</b>	REAL ESTATE PROPERTY MANAGERS				
<b>--Details--</b>					
<b>Waste Code:</b>	148				
<b>Waste Description:</b>	INORGANIC LABORATORY CHEMICALS				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Code:</b>	146				
<b>Waste Description:</b>	OTHER SPECIFIED INORGANICS				
<b>Waste Code:</b>	241				
<b>Waste Description:</b>	HALOGENATED SOLVENTS				
<b>Waste Code:</b>	221				
<b>Waste Description:</b>	LIGHT FUELS				
<b>Waste Code:</b>	145				
<b>Waste Description:</b>	PAINT/PIGMENT/COATING RESIDUES				
<b>Waste Code:</b>	121				
<b>Waste Description:</b>	ALKALINE WASTES - HEAVY METALS				
<b>Waste Code:</b>	267				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Description:</b>		ORGANIC ACIDS			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		243			
<b>Waste Description:</b>		PCBS			
<b>Waste Code:</b>		112			
<b>Waste Description:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Code:</b>		263			
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			

<a href="#"><u>227</u></a>	156 of 251	<b>NE/287.6</b>	<b>113.7 / -0.12</b>	<b>KINECTRICS INC. 800 Kipling Avenue Toronto ON</b>	<b>GEN</b>
<b>Generator No.:</b>	ON2552400			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2013			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	541710, 541620, 541690				
<b>SIC Description:</b>	RESEARCH AND DEVELOPMENT IN THE PHYSICAL, ENGINEERING AND LIFE SCIENCES, ENVIRONMENTAL CONSULTING SERVICES, OTHER SCIENTIFIC AND TECHNICAL CONSULTING SERVICES				
<b>--Details--</b>					
<b>Waste Code:</b>	122				
<b>Waste Description:</b>	ALKALINE WASTES - OTHER METALS				
<b>Waste Code:</b>	242				
<b>Waste Description:</b>	HALOGENATED PESTICIDES				
<b>Waste Code:</b>	243				
<b>Waste Description:</b>	PCBS				
<b>Waste Code:</b>	211				
<b>Waste Description:</b>	AROMATIC SOLVENTS				
<b>Waste Code:</b>	254				
<b>Waste Description:</b>	TRANSFER STATION OILS WASTES				
<b>Waste Code:</b>	221				
<b>Waste Description:</b>	LIGHT FUELS				
<b>Waste Code:</b>	231				
<b>Waste Description:</b>	LATEX WASTES				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Code:</b>	232				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Description:</b>				POLYMERIC RESINS	
<b>Waste Code:</b>				146	
<b>Waste Description:</b>				OTHER SPECIFIED INORGANICS	
<b>Waste Code:</b>				241	
<b>Waste Description:</b>				HALOGENATED SOLVENTS	
<b>Waste Code:</b>				121	
<b>Waste Description:</b>				ALKALINE WASTES - HEAVY METALS	
<b>Waste Code:</b>				233	
<b>Waste Description:</b>				OTHER POLYMERIC WASTES	
<b>Waste Code:</b>				213	
<b>Waste Description:</b>				PETROLEUM DISTILLATES	
<b>Waste Code:</b>				212	
<b>Waste Description:</b>				ALIPHATIC SOLVENTS	
<b>Waste Code:</b>				253	
<b>Waste Description:</b>				EMULSIFIED OILS	
<b>Waste Code:</b>				222	
<b>Waste Description:</b>				HEAVY FUELS	
<b>Waste Code:</b>				268	
<b>Waste Description:</b>				AMINES	
<b>Waste Code:</b>				269	
<b>Waste Description:</b>				NON-HALOGENATED PESTICIDES	
<b>Waste Code:</b>				145	
<b>Waste Description:</b>				PAINT/PIGMENT/COATING RESIDUES	
<b>Waste Code:</b>				312	
<b>Waste Description:</b>				PATHOLOGICAL WASTES	
<b>Waste Code:</b>				267	
<b>Waste Description:</b>				ORGANIC ACIDS	
<b>Waste Code:</b>				251	
<b>Waste Description:</b>				OIL SKIMMINGS & SLUDGES	
<b>Waste Code:</b>				263	
<b>Waste Description:</b>				ORGANIC LABORATORY CHEMICALS	
<b>Waste Code:</b>				264	
<b>Waste Description:</b>				PHOTOPROCESSING WASTES	
<b>Waste Code:</b>				148	
<b>Waste Description:</b>				INORGANIC LABORATORY CHEMICALS	
<b>Waste Code:</b>				331	
<b>Waste Description:</b>				WASTE COMPRESSED GASES	
<b>Waste Code:</b>				112	
<b>Waste Description:</b>				ACID WASTE - HEAVY METALS	
<b>Waste Code:</b>				113	
<b>Waste Description:</b>				ACID WASTE - OTHER METALS	
<b>Waste Code:</b>				270	
<b>Waste Description:</b>				OTHER SPECIFIED ORGANICS	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">227</a>	157 of 251	NE/287.6	113.7 / -0.12	ONTARIO HYDRO 800 KIPLING AVENUE C/O 700 UNIVERSITY AVE. TORONTO ON M8Z 5S4	GEN
<b>Generator No.:</b>	ON0018405			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	89,90			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	4911				
<b>SIC Description:</b>		ELECT. POWER SYS.			
<b>--Details--</b>					
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			
<b>Waste Code:</b>		113			
<b>Waste Description:</b>		ACID WASTE - OTHER METALS			
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>		146			
<b>Waste Description:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		211			
<b>Waste Description:</b>		AROMATIC SOLVENTS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		222			
<b>Waste Description:</b>		HEAVY FUELS			
<b>Waste Code:</b>		231			
<b>Waste Description:</b>		LATEX WASTES			
<b>Waste Code:</b>		232			
<b>Waste Description:</b>		POLYMERIC RESINS			
<b>Waste Code:</b>		263			
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		269			
<b>Waste Description:</b>		NON-HALOGENATED PESTICIDES			
<b>Waste Code:</b>		312			
<b>Waste Description:</b>		PATHOLOGICAL WASTES			
<b>Waste Code:</b>		233			
<b>Waste Description:</b>		OTHER POLYMERIC WASTES			
<b>Waste Code:</b>		241			
<b>Waste Description:</b>		HALOGENATED SOLVENTS			
<b>Waste Code:</b>		242			
<b>Waste Description:</b>		HALOGENATED PESTICIDES			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		254			
<b>Waste Description:</b>		TRANSFER STATION OILS WASTES			
<b><u>227</u></b>	<b>158 of 251</b>	<b>NE/287.6</b>	<b>113.7 / -0.12</b>	<b>PUROLATOR COURIER LTD 800 KIPLING AVE TORONTO ON M8Z 5S4</b>	<b>GEN</b>
<b>Generator No.:</b>	ON7801197			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	04,05,06,07,08			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	492110				
<b>SIC Description:</b>	Couriers				
<b>--Details--</b>					
<b>Waste Code:</b>		231			
<b>Waste Description:</b>		LATEX WASTES			
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		242			
<b>Waste Description:</b>		HALOGENATED PESTICIDES			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		261			
<b>Waste Description:</b>		PHARMACEUTICALS			
<b>Waste Code:</b>		262			
<b>Waste Description:</b>		DETERGENTS/SOAPS			
<b>Waste Code:</b>		263			
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		269			
<b>Waste Description:</b>		NON-HALOGENATED PESTICIDES			
<b>Waste Code:</b>		312			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Description:</b>		PATHOLOGICAL WASTES			
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			
<a href="#"><u>227</u></a>	159 of 251	NE/287.6	113.7 / -0.12	KINECTRICS INC. 800Kipling Avenue Toronto ON	GEN
<b>Generator No.:</b>	ON2552400			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2011			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	541710, 541620, 541690				
<b>SIC Description:</b>	Research and Development in the Physical Engineering and Life Sciences, Environmental Consulting Services, Other Scientific and Technical Consulting Services				
<b>--Details--</b>					
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Code:</b>	263				
<b>Waste Description:</b>	ORGANIC LABORATORY CHEMICALS				
<b>Waste Code:</b>	233				
<b>Waste Description:</b>	OTHER POLYMERIC WASTES				
<b>Waste Code:</b>	221				
<b>Waste Description:</b>	LIGHT FUELS				
<b>Waste Code:</b>	146				
<b>Waste Description:</b>	OTHER SPECIFIED INORGANICS				
<b>Waste Code:</b>	254				
<b>Waste Description:</b>	TRANSFER STATION OILS WASTES				
<b>Waste Code:</b>	231				
<b>Waste Description:</b>	LATEX WASTES				
<b>Waste Code:</b>	232				
<b>Waste Description:</b>	POLYMERIC RESINS				
<b>Waste Code:</b>	148				
<b>Waste Description:</b>	INORGANIC LABORATORY CHEMICALS				
<b>Waste Code:</b>	145				
<b>Waste Description:</b>	PAINT/PIGMENT/COATING RESIDUES				
<b>Waste Code:</b>	211				
<b>Waste Description:</b>	AROMATIC SOLVENTS				
<b>Waste Code:</b>	268				
<b>Waste Description:</b>	AMINES				
<b>Waste Code:</b>	269				
<b>Waste Description:</b>	NON-HALOGENATED PESTICIDES				
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<b>Waste Code:</b>	331				
<b>Waste Description:</b>	WASTE COMPRESSED GASES				

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Waste Code:</i>		241			
<i>Waste Description:</i>		HALOGENATED SOLVENTS			
<i>Waste Code:</i>		242			
<i>Waste Description:</i>		HALOGENATED PESTICIDES			
<i>Waste Code:</i>		212			
<i>Waste Description:</i>		ALIPHATIC SOLVENTS			
<i>Waste Code:</i>		312			
<i>Waste Description:</i>		PATHOLOGICAL WASTES			
<i>Waste Code:</i>		112			
<i>Waste Description:</i>		ACID WASTE - HEAVY METALS			
<i>Waste Code:</i>		243			
<i>Waste Description:</i>		PCBS			
<i>Waste Code:</i>		253			
<i>Waste Description:</i>		EMULSIFIED OILS			
<i>Waste Code:</i>		251			
<i>Waste Description:</i>		OIL SKIMMINGS & SLUDGES			
<i>Waste Code:</i>		270			
<i>Waste Description:</i>		OTHER SPECIFIED ORGANICS			
<i>Waste Code:</i>		222			
<i>Waste Description:</i>		HEAVY FUELS			
<i>Waste Code:</i>		113			
<i>Waste Description:</i>		ACID WASTE - OTHER METALS			
<i>Waste Code:</i>		122			
<i>Waste Description:</i>		ALKALINE WASTES - OTHER METALS			
<i>Waste Code:</i>		267			
<i>Waste Description:</i>		ORGANIC ACIDS			
<i>Waste Code:</i>		121			
<i>Waste Description:</i>		ALKALINE WASTES - HEAVY METALS			
<i>Waste Code:</i>		264			
<i>Waste Description:</i>		PHOTOPROCESSING WASTES			

[227](#)    160 of 251    **NE/287.6**    113.7 / -0.12    **KINECTRICS INC.**  
**800Kipling Avenue**  
**Toronto ON**    **GEN**

<b>Generator No.:</b>	ON2552400	<b>PO Box No.:</b>	
<b>Status:</b>		<b>Country:</b>	
<b>Approval Years:</b>	2009	<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>		<b>Co Admin:</b>	
<b>MHSW Facility:</b>		<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	541710, 541620, 541690		
<b>SIC Description:</b>	Research and Development in the Physical Engineering and Life Sciences, Environmental Consulting Services, Other Scientific and Technical Consulting S		

**--Details--**  
**Waste Code:** 112  
**Waste Description:** ACID WASTE - HEAVY METALS



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Code:</b>			113		
<b>Waste Description:</b>			ACID WASTE - OTHER METALS		
<b>Waste Code:</b>			121		
<b>Waste Description:</b>			ALKALINE WASTES - HEAVY METALS		
<b>Waste Code:</b>			122		
<b>Waste Description:</b>			ALKALINE WASTES - OTHER METALS		
<b>Waste Code:</b>			145		
<b>Waste Description:</b>			PAINT/PIGMENT/COATING RESIDUES		
<b>Waste Code:</b>			146		
<b>Waste Description:</b>			OTHER SPECIFIED INORGANICS		
<b>Waste Code:</b>			148		
<b>Waste Description:</b>			INORGANIC LABORATORY CHEMICALS		
<b>Waste Code:</b>			211		
<b>Waste Description:</b>			AROMATIC SOLVENTS		
<b>Waste Code:</b>			212		
<b>Waste Description:</b>			ALIPHATIC SOLVENTS		
<b>Waste Code:</b>			213		
<b>Waste Description:</b>			PETROLEUM DISTILLATES		
<b>Waste Code:</b>			221		
<b>Waste Description:</b>			LIGHT FUELS		
<b>Waste Code:</b>			222		
<b>Waste Description:</b>			HEAVY FUELS		
<b>Waste Code:</b>			231		
<b>Waste Description:</b>			LATEX WASTES		
<b>Waste Code:</b>			232		
<b>Waste Description:</b>			POLYMERIC RESINS		
<b>Waste Code:</b>			233		
<b>Waste Description:</b>			OTHER POLYMERIC WASTES		
<b>Waste Code:</b>			241		
<b>Waste Description:</b>			HALOGENATED SOLVENTS		
<b>Waste Code:</b>			242		
<b>Waste Description:</b>			HALOGENATED PESTICIDES		
<b>Waste Code:</b>			243		
<b>Waste Description:</b>			PCBS		
<b>Waste Code:</b>			251		
<b>Waste Description:</b>			OIL SKIMMINGS & SLUDGES		
<b>Waste Code:</b>			252		
<b>Waste Description:</b>			WASTE OILS & LUBRICANTS		
<b>Waste Code:</b>			253		
<b>Waste Description:</b>			EMULSIFIED OILS		
<b>Waste Code:</b>			254		
<b>Waste Description:</b>			TRANSFER STATION OILS WASTES		
<b>Waste Code:</b>			263		
<b>Waste Description:</b>			ORGANIC LABORATORY CHEMICALS		

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Code:</b>		264			
<b>Waste Description:</b>		PHOTOPROCESSING WASTES			
<b>Waste Code:</b>		267			
<b>Waste Description:</b>		ORGANIC ACIDS			
<b>Waste Code:</b>		268			
<b>Waste Description:</b>		AMINES			
<b>Waste Code:</b>		269			
<b>Waste Description:</b>		NON-HALOGENATED PESTICIDES			
<b>Waste Code:</b>		270			
<b>Waste Description:</b>		OTHER SPECIFIED ORGANICS			
<b>Waste Code:</b>		312			
<b>Waste Description:</b>		PATHOLOGICAL WASTES			
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			
<b><u>227</u></b>	<b>161 of 251</b>	<b>NE/287.6</b>	<b>113.7 / -0.12</b>	<b>KINETRICS INC. 800Kipling Avenue Toronto ON</b>	<b>GEN</b>
<b>Generator No.:</b>	ON2552400			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2010			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	541710, 541620, 541690				
<b>SIC Description:</b>	Research and Development in the Physical Engineering and Life Sciences, Environmental Consulting Services, Other Scientific and Technical Consulting Services				
<b>--Details--</b>					
<b>Waste Code:</b>		233			
<b>Waste Description:</b>		OTHER POLYMERIC WASTES			
<b>Waste Code:</b>		232			
<b>Waste Description:</b>		POLYMERIC RESINS			
<b>Waste Code:</b>		253			
<b>Waste Description:</b>		EMULSIFIED OILS			
<b>Waste Code:</b>		146			
<b>Waste Description:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Code:</b>		121			
<b>Waste Description:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Code:</b>		269			
<b>Waste Description:</b>		NON-HALOGENATED PESTICIDES			
<b>Waste Code:</b>		254			
<b>Waste Description:</b>		TRANSFER STATION OILS WASTES			
<b>Waste Code:</b>		211			
<b>Waste Description:</b>		AROMATIC SOLVENTS			
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		145			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>		312			
<b>Waste Description:</b>		PATHOLOGICAL WASTES			
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		112			
<b>Waste Description:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		241			
<b>Waste Description:</b>		HALOGENATED SOLVENTS			
<b>Waste Code:</b>		264			
<b>Waste Description:</b>		PHOTOPROCESSING WASTES			
<b>Waste Code:</b>		242			
<b>Waste Description:</b>		HALOGENATED PESTICIDES			
<b>Waste Code:</b>		122			
<b>Waste Description:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Code:</b>		268			
<b>Waste Description:</b>		AMINES			
<b>Waste Code:</b>		267			
<b>Waste Description:</b>		ORGANIC ACIDS			
<b>Waste Code:</b>		270			
<b>Waste Description:</b>		OTHER SPECIFIED ORGANICS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		222			
<b>Waste Description:</b>		HEAVY FUELS			
<b>Waste Code:</b>		231			
<b>Waste Description:</b>		LATEX WASTES			
<b>Waste Code:</b>		263			
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		243			
<b>Waste Description:</b>		PCBS			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		113			
<b>Waste Description:</b>		ACID WASTE - OTHER METALS			
<b>227</b>	<b>162 of 251</b>	<b>NE/287.6</b>	<b>113.7 / -0.12</b>	<b>ONTARIO POWER GENERATION 800 KIPLING AVENUE BUILDING KD142</b>	<b>GEN</b>

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>ETOBICOKE ON M8Z 6C4</b>					
<b>Generator No.:</b>	ON2409306			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2012			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	531310				
<b>SIC Description:</b>	Real Estate Property Managers				
<b>--Details--</b>					
<b>Waste Code:</b>	112				
<b>Waste Description:</b>	ACID WASTE - HEAVY METALS				
<b>Waste Code:</b>	146				
<b>Waste Description:</b>	OTHER SPECIFIED INORGANICS				
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<b>Waste Code:</b>	121				
<b>Waste Description:</b>	ALKALINE WASTES - HEAVY METALS				
<b>Waste Code:</b>	251				
<b>Waste Description:</b>	OIL SKIMMINGS & SLUDGES				
<b>Waste Code:</b>	145				
<b>Waste Description:</b>	PAINT/PIGMENT/COATING RESIDUES				
<b>Waste Code:</b>	241				
<b>Waste Description:</b>	HALOGENATED SOLVENTS				
<b>Waste Code:</b>	148				
<b>Waste Description:</b>	INORGANIC LABORATORY CHEMICALS				
<b>Waste Code:</b>	221				
<b>Waste Description:</b>	LIGHT FUELS				
<b>Waste Code:</b>	243				
<b>Waste Description:</b>	PCBS				
<b>Waste Code:</b>	263				
<b>Waste Description:</b>	ORGANIC LABORATORY CHEMICALS				
<b>Waste Code:</b>	267				
<b>Waste Description:</b>	ORGANIC ACIDS				
<b>Waste Code:</b>	212				
<b>Waste Description:</b>	ALIPHATIC SOLVENTS				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				

<a href="#">227</a>	163 of 251	NE/287.6	113.7 / -0.12	<b>ONTARIO POWER GENERATION 800 KIPLING AVENUE BUILDING KD118 ETOBICOKE ON M8Z 5G5</b>	<b>GEN</b>
<b>Generator No.:</b>	ON2409306			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2015			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	Ric L. Gimena
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b>	416-231-4111 Ext.6938

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>SIC Code:</b>	531310				
<b>SIC Description:</b>		REAL ESTATE PROPERTY MANAGERS			
<b>--Details--</b>					
<b>Waste Code:</b>	251				
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>	263				
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>	241				
<b>Waste Description:</b>		HALOGENATED SOLVENTS			
<b>Waste Code:</b>	145				
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>	112				
<b>Waste Description:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Code:</b>	331				
<b>Waste Description:</b>		WASTE COMPRESSED GASES			
<b>Waste Code:</b>	212				
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>	243				
<b>Waste Description:</b>		PCBS			
<b>Waste Code:</b>	221				
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>	121				
<b>Waste Description:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Code:</b>	146				
<b>Waste Description:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Code:</b>	148				
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>	252				
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>	267				
<b>Waste Description:</b>		ORGANIC ACIDS			
<b>Waste Code:</b>	213				
<b>Waste Description:</b>		PETROLEUM DISTILLATES			

[227](#)

164 of 251

NE/287.6

113.7 / -0.12

**PUROLATOR INC.**  
**800 KIPLING AVE**  
**TORONTO ON M8Z5S4**

GEN

**Generator No.:** ON7801197  
**Status:** Registered  
**Approval Years:** As of Dec 2017  
**Contam. Facility:**  
**MHSW Facility:**  
**SIC Code:**  
**SIC Description:**

**PO Box No.:**  
**Country:** Canada  
**Choice of Contact:**  
**Co Admin:**  
**Phone No. Admin:**

**--Details--**

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Waste Code:</i>		221 L			
<i>Waste Description:</i>		Light fuels			
<i>Waste Code:</i>		252 L			
<i>Waste Description:</i>		Waste crankcase oils and lubricants			
<i>Waste Code:</i>		331 I			
<i>Waste Description:</i>		Waste compressed gases including cylinders			
<i>Waste Code:</i>		263 L			
<i>Waste Description:</i>		Misc. waste organic chemicals			
<i>Waste Code:</i>		263 C			
<i>Waste Description:</i>		Misc. waste organic chemicals			
<i>Waste Code:</i>		148 C			
<i>Waste Description:</i>		Misc. wastes and inorganic chemicals			
<i>Waste Code:</i>		213 I			
<i>Waste Description:</i>		Petroleum distillates			
<i>Waste Code:</i>		213 L			
<i>Waste Description:</i>		Petroleum distillates			
<i>Waste Code:</i>		212 L			
<i>Waste Description:</i>		Aliphatic solvents and residues			
<i>Waste Code:</i>		145 I			
<i>Waste Description:</i>		Wastes from the use of pigments, coatings and paints			
<i>Waste Code:</i>		213 T			
<i>Waste Description:</i>		Petroleum distillates			
<i>Waste Code:</i>		251 L			
<i>Waste Description:</i>		Waste oils/sludges (petroleum based)			
<i>Waste Code:</i>		261 L			
<i>Waste Description:</i>		Pharmaceuticals			
<i>Waste Code:</i>		148 L			
<i>Waste Description:</i>		Misc. wastes and inorganic chemicals			

[227](#)

165 of 251

NE/287.6

113.7 / -0.12

ONTARIO POWER GENERATION  
800 KIPLING AVENUE BUILDING KD118  
ETOBICOKE ON M8Z 5G5

GEN

**Generator No.:** ON2409306  
**Status:** Registered  
**Approval Years:** As of Dec 2017  
**Contam. Facility:**  
**MHSW Facility:**  
**SIC Code:**  
**SIC Description:**

**PO Box No.:**  
**Country:** Canada  
**Choice of Contact:**  
**Co Admin:**  
**Phone No. Admin:**

--Details--

**Waste Code:** 148 B  
**Waste Description:** Misc. wastes and inorganic chemicals

**Waste Code:** 252 L  
**Waste Description:** Waste crankcase oils and lubricants

**Waste Code:** 331 I  
**Waste Description:** Waste compressed gases including cylinders

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Code:</b>		263 L			
<b>Waste Description:</b>		Misc. waste organic chemicals			
<b>Waste Code:</b>		121 C			
<b>Waste Description:</b>		Alkaline slutions - containing heavy metals			
<b>Waste Code:</b>		243 D			
<b>Waste Description:</b>		PCB			
<b>Waste Code:</b>		251 L			
<b>Waste Description:</b>		Waste oils/sludges (petroleum based)			
<b>Waste Code:</b>		148 L			
<b>Waste Description:</b>		Misc. wastes and inorganic chemicals			
<b>Waste Code:</b>		148 C			
<b>Waste Description:</b>		Misc. wastes and inorganic chemicals			
<b>Waste Code:</b>		252 T			
<b>Waste Description:</b>		Waste crankcase oils and lubricants			
<b>Waste Code:</b>		145 I			
<b>Waste Description:</b>		Wastes from the use of pigments, coatings and paints			
<b>Waste Code:</b>		212 L			
<b>Waste Description:</b>		Aliphatic solvents and residues			
<b>Waste Code:</b>		221 I			
<b>Waste Description:</b>		Light fuels			
<b>Waste Code:</b>		241 L			
<b>Waste Description:</b>		Halogenated solvents and residues			
<b>Waste Code:</b>		251 T			
<b>Waste Description:</b>		Waste oils/sludges (petroleum based)			
<b>Waste Code:</b>		213 T			
<b>Waste Description:</b>		Petroleum distillates			
<b>Waste Code:</b>		146 T			
<b>Waste Description:</b>		Other specified inorganic sludges, slurries or solids			
<b>Waste Code:</b>		263 A			
<b>Waste Description:</b>		Misc. waste organic chemicals			
<b>Waste Code:</b>		112 C			
<b>Waste Description:</b>		Acid solutions - containing heavy metals			
<b>Waste Code:</b>		213 I			
<b>Waste Description:</b>		Petroleum distillates			

<a href="#">227</a>	166 of 251	NE/287.6	113.7 / -0.12	<b>KINETRICS INC.</b> 800 Kipling Avenue Toronto ON	<b>GEN</b>
<b>Generator No.:</b>	ON2552400			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2012			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	541710, 541620, 541690				
<b>SIC Description:</b>	Research and Development in the Physical Engineering and Life Sciences, Environmental Consulting Services, Other Scientific and Technical Consulting Services				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>--Details--</b>					
<b>Waste Code:</b>			113		
<b>Waste Description:</b>			ACID WASTE - OTHER METALS		
<b>Waste Code:</b>			222		
<b>Waste Description:</b>			HEAVY FUELS		
<b>Waste Code:</b>			121		
<b>Waste Description:</b>			ALKALINE WASTES - HEAVY METALS		
<b>Waste Code:</b>			213		
<b>Waste Description:</b>			PETROLEUM DISTILLATES		
<b>Waste Code:</b>			267		
<b>Waste Description:</b>			ORGANIC ACIDS		
<b>Waste Code:</b>			268		
<b>Waste Description:</b>			AMINES		
<b>Waste Code:</b>			112		
<b>Waste Description:</b>			ACID WASTE - HEAVY METALS		
<b>Waste Code:</b>			331		
<b>Waste Description:</b>			WASTE COMPRESSED GASES		
<b>Waste Code:</b>			231		
<b>Waste Description:</b>			LATEX WASTES		
<b>Waste Code:</b>			232		
<b>Waste Description:</b>			POLYMERIC RESINS		
<b>Waste Code:</b>			233		
<b>Waste Description:</b>			OTHER POLYMERIC WASTES		
<b>Waste Code:</b>			221		
<b>Waste Description:</b>			LIGHT FUELS		
<b>Waste Code:</b>			252		
<b>Waste Description:</b>			WASTE OILS & LUBRICANTS		
<b>Waste Code:</b>			211		
<b>Waste Description:</b>			AROMATIC SOLVENTS		
<b>Waste Code:</b>			212		
<b>Waste Description:</b>			ALIPHATIC SOLVENTS		
<b>Waste Code:</b>			242		
<b>Waste Description:</b>			HALOGENATED PESTICIDES		
<b>Waste Code:</b>			270		
<b>Waste Description:</b>			OTHER SPECIFIED ORGANICS		
<b>Waste Code:</b>			146		
<b>Waste Description:</b>			OTHER SPECIFIED INORGANICS		
<b>Waste Code:</b>			263		
<b>Waste Description:</b>			ORGANIC LABORATORY CHEMICALS		
<b>Waste Code:</b>			145		
<b>Waste Description:</b>			PAINT/PIGMENT/COATING RESIDUES		
<b>Waste Code:</b>			312		
<b>Waste Description:</b>			PATHOLOGICAL WASTES		



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Code:</b>		254			
<b>Waste Description:</b>		TRANSFER STATION OILS WASTES			
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		241			
<b>Waste Description:</b>		HALOGENATED SOLVENTS			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		122			
<b>Waste Description:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Code:</b>		269			
<b>Waste Description:</b>		NON-HALOGENATED PESTICIDES			
<b>Waste Code:</b>		243			
<b>Waste Description:</b>		PCBS			
<b>Waste Code:</b>		264			
<b>Waste Description:</b>		PHOTOPROCESSING WASTES			
<b>Waste Code:</b>		253			
<b>Waste Description:</b>		EMULSIFIED OILS			

---

**227**    167 of 251    **NE/287.6**    **113.7 / -0.12**    **ONTARIO POWER GENERATION**  
**800 KIPLING AVENUE BUILDING KD142**    **GEN**  
**ETOBICOKE ON**

<b>Generator No.:</b>	ON2409306	<b>PO Box No.:</b>	
<b>Status:</b>		<b>Country:</b>	
<b>Approval Years:</b>	2011	<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>		<b>Co Admin:</b>	
<b>MHSW Facility:</b>		<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	531310		
<b>SIC Description:</b>	Real Estate Property Managers		

**--Details--**

<b>Waste Code:</b>	251
<b>Waste Description:</b>	OIL SKIMMINGS & SLUDGES
<b>Waste Code:</b>	148
<b>Waste Description:</b>	INORGANIC LABORATORY CHEMICALS
<b>Waste Code:</b>	146
<b>Waste Description:</b>	OTHER SPECIFIED INORGANICS
<b>Waste Code:</b>	121
<b>Waste Description:</b>	ALKALINE WASTES - HEAVY METALS
<b>Waste Code:</b>	145
<b>Waste Description:</b>	PAINT/PIGMENT/COATING RESIDUES
<b>Waste Code:</b>	221
<b>Waste Description:</b>	LIGHT FUELS
<b>Waste Code:</b>	243
<b>Waste Description:</b>	PCBS
<b>Waste Code:</b>	252
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Code:</b>		267			
<b>Waste Description:</b>		ORGANIC ACIDS			
<b>Waste Code:</b>		112			
<b>Waste Description:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Code:</b>		263			
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		241			
<b>Waste Description:</b>		HALOGENATED SOLVENTS			
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			

<a href="#"><u>227</u></a>	168 of 251	<b>NE/287.6</b>	<b>113.7 / -0.12</b>	<b>KINECTRICS INC. 800Kipling Avenue Toronto ON M8Z 5S4</b>	<b>GEN</b>
<b>Generator No.:</b>	ON2552400			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	02,03,04,05,06,07,08			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<b>--Details--</b>					
<b>Waste Code:</b>		112			
<b>Waste Description:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Code:</b>		113			
<b>Waste Description:</b>		ACID WASTE - OTHER METALS			
<b>Waste Code:</b>		121			
<b>Waste Description:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Code:</b>		122			
<b>Waste Description:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>		146			
<b>Waste Description:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		211			
<b>Waste Description:</b>		AROMATIC SOLVENTS			
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		231			
<b>Waste Description:</b>		LATEX WASTES			
<b>Waste Code:</b>		213			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Waste Description:</i>		PETROLEUM DISTILLATES			
<i>Waste Code:</i>		221			
<i>Waste Description:</i>		LIGHT FUELS			
<i>Waste Code:</i>		222			
<i>Waste Description:</i>		HEAVY FUELS			
<i>Waste Code:</i>		232			
<i>Waste Description:</i>		POLYMERIC RESINS			
<i>Waste Code:</i>		233			
<i>Waste Description:</i>		OTHER POLYMERIC WASTES			
<i>Waste Code:</i>		241			
<i>Waste Description:</i>		HALOGENATED SOLVENTS			
<i>Waste Code:</i>		242			
<i>Waste Description:</i>		HALOGENATED PESTICIDES			
<i>Waste Code:</i>		251			
<i>Waste Description:</i>		OIL SKIMMINGS & SLUDGES			
<i>Waste Code:</i>		252			
<i>Waste Description:</i>		WASTE OILS & LUBRICANTS			
<i>Waste Code:</i>		253			
<i>Waste Description:</i>		EMULSIFIED OILS			
<i>Waste Code:</i>		254			
<i>Waste Description:</i>		TRANSFER STATION OILS WASTES			
<i>Waste Code:</i>		263			
<i>Waste Description:</i>		ORGANIC LABORATORY CHEMICALS			
<i>Waste Code:</i>		264			
<i>Waste Description:</i>		PHOTOPROCESSING WASTES			
<i>Waste Code:</i>		268			
<i>Waste Description:</i>		AMINES			
<i>Waste Code:</i>		269			
<i>Waste Description:</i>		NON-HALOGENATED PESTICIDES			
<i>Waste Code:</i>		270			
<i>Waste Description:</i>		OTHER SPECIFIED ORGANICS			
<i>Waste Code:</i>		312			
<i>Waste Description:</i>		PATHOLOGICAL WASTES			
<i>Waste Code:</i>		331			
<i>Waste Description:</i>		WASTE COMPRESSED GASES			
<i>Waste Code:</i>		243			
<i>Waste Description:</i>		PCB'S			

[227](#)

169 of 251

NE/287.6

113.7 / -0.12

PUROLATOR COURIER LTD  
800 KIPLING AVE  
TORONTO ON

GEN

*Generator No.:* ON7801197  
*Status:*  
*Approval Years:* 2009  
*Contam. Facility:*

*PO Box No.:*  
*Country:*  
*Choice of Contact:*  
*Co Admin:*

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	492110				
<b>SIC Description:</b>		Couriers			
<b>--Details--</b>					
<b>Waste Code:</b>		269			
<b>Waste Description:</b>		NON-HALOGENATED PESTICIDES			
<b>Waste Code:</b>		312			
<b>Waste Description:</b>		PATHOLOGICAL WASTES			
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		242			
<b>Waste Description:</b>		HALOGENATED PESTICIDES			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		261			
<b>Waste Description:</b>		PHARMACEUTICALS			
<b>Waste Code:</b>		262			
<b>Waste Description:</b>		DETERGENTS/SOAPS			
<b>Waste Code:</b>		263			
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			

**227**    170 of 251    **NE/287.6**    113.7 / -0.12    **ONTARIO HYDRO**  
**800 KIPLING AVENUE KN100 KN 100**  
**ETOBICOKE ON M8Z 5S4**    **GEN**

**Generator No.:** ON0018405    **PO Box No.:**  
**Status:**    **Country:**  
**Approval Years:** 98    **Choice of Contact:**  
**Contam. Facility:**    **Co Admin:**  
**MHSW Facility:**    **Phone No. Admin:**  
**SIC Code:** 4911  
**SIC Description:** ELECT. POWER SYS.

**--Details--**  
**Waste Code:** 112  
**Waste Description:** ACID WASTE - HEAVY METALS

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Code:</b>			113		
<b>Waste Description:</b>			ACID WASTE - OTHER METALS		
<b>Waste Code:</b>			121		
<b>Waste Description:</b>			ALKALINE WASTES - HEAVY METALS		
<b>Waste Code:</b>			122		
<b>Waste Description:</b>			ALKALINE WASTES - OTHER METALS		
<b>Waste Code:</b>			145		
<b>Waste Description:</b>			PAINT/PIGMENT/COATING RESIDUES		
<b>Waste Code:</b>			146		
<b>Waste Description:</b>			OTHER SPECIFIED INORGANICS		
<b>Waste Code:</b>			148		
<b>Waste Description:</b>			INORGANIC LABORATORY CHEMICALS		
<b>Waste Code:</b>			211		
<b>Waste Description:</b>			AROMATIC SOLVENTS		
<b>Waste Code:</b>			212		
<b>Waste Description:</b>			ALIPHATIC SOLVENTS		
<b>Waste Code:</b>			213		
<b>Waste Description:</b>			PETROLEUM DISTILLATES		
<b>Waste Code:</b>			221		
<b>Waste Description:</b>			LIGHT FUELS		
<b>Waste Code:</b>			222		
<b>Waste Description:</b>			HEAVY FUELS		
<b>Waste Code:</b>			231		
<b>Waste Description:</b>			LATEX WASTES		
<b>Waste Code:</b>			232		
<b>Waste Description:</b>			POLYMERIC RESINS		
<b>Waste Code:</b>			233		
<b>Waste Description:</b>			OTHER POLYMERIC WASTES		
<b>Waste Code:</b>			241		
<b>Waste Description:</b>			HALOGENATED SOLVENTS		
<b>Waste Code:</b>			242		
<b>Waste Description:</b>			HALOGENATED PESTICIDES		
<b>Waste Code:</b>			243		
<b>Waste Description:</b>			PCB'S		
<b>Waste Code:</b>			251		
<b>Waste Description:</b>			OIL SKIMMINGS & SLUDGES		
<b>Waste Code:</b>			252		
<b>Waste Description:</b>			WASTE OILS & LUBRICANTS		
<b>Waste Code:</b>			253		
<b>Waste Description:</b>			EMULSIFIED OILS		
<b>Waste Code:</b>			254		
<b>Waste Description:</b>			TRANSFER STATION OILS WASTES		
<b>Waste Code:</b>			263		
<b>Waste Description:</b>			ORGANIC LABORATORY CHEMICALS		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Code:</b>		264			
<b>Waste Description:</b>		PHOTOPROCESSING WASTES			
<b>Waste Code:</b>		268			
<b>Waste Description:</b>		AMINES			
<b>Waste Code:</b>		269			
<b>Waste Description:</b>		NON-HALOGENATED PESTICIDES			
<b>Waste Code:</b>		312			
<b>Waste Description:</b>		PATHOLOGICAL WASTES			
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			
<a href="#">227</a>	171 of 251	NE/287.6	113.7 / -0.12	ONTARIO HYDRO 800 KIPLING AVE ELECTRICAL RESEARCH Toronto ON	NPCB
<b>Company Code:</b>		O0870			
<b>Industry:</b>		Utility			
<b>Site Status:</b>		Stored for Disposal			
<b>Transaction Date:</b>		11/9/1989			
<b>Inspection Date:</b>					
<b>--Details--</b>					
<b>Label:</b>					
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		Askarel/Askarel			
<b>Location:</b>					
<b>Item/State:</b>					
<b>No. of Items:</b>					
<b>Manufacturer:</b>					
<b>Status:</b>		Stored for disposal			
<b>Contents:</b>					
<a href="#">227</a>	172 of 251	NE/287.6	113.7 / -0.12	ONTARIO HYDRO - ETOBICOKE RESEARCH CENTRE, LOCATION 3; 800 KIPLING AVE ETOBICOKE ON	NPCB
<b>Company Code:</b>		F0726			
<b>Industry:</b>					
<b>Site Status:</b>					
<b>Transaction Date:</b>					
<b>Inspection Date:</b>					
<b>--Details--</b>					
<b>Label:</b>					
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		Askarel			
<b>Location:</b>					
<b>Item/State:</b>					
<b>No. of Items:</b>					
<b>Manufacturer:</b>					
<b>Status:</b>		Stored for Disposal			
<b>Contents:</b>		0.00 KG			
<b>Label:</b>					
<b>Serial No.:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>PCB Type/Code:</b> Unknown concentration <b>Location:</b> <b>Item/State:</b> <b>No. of Items:</b> <b>Manufacturer:</b> <b>Status:</b> Stored for Disposal <b>Contents:</b> 1109.00 KG  <b>Label:</b> <b>Serial No.:</b> <b>PCB Type/Code:</b> Low 50 - 10,000 ppm <b>Location:</b> <b>Item/State:</b> <b>No. of Items:</b> <b>Manufacturer:</b> <b>Status:</b> Stored for Disposal <b>Contents:</b> 17550.00 KG  <b>Label:</b> <b>Serial No.:</b> <b>PCB Type/Code:</b> Unknown concentration <b>Location:</b> <b>Item/State:</b> <b>No. of Items:</b> <b>Manufacturer:</b> <b>Status:</b> Stored for Disposal <b>Contents:</b> 38914.00 KG					
<a href="#">227</a>	173 of 251	NE/287.6	113.7 / -0.12	ONTARIO HYDRO ELECTRICAL RESEARCH; 800 KIPLING AVE TORONTO ON	NPCB
<b>Company Code:</b> O0870 <b>Industry:</b> Utility <b>Site Status:</b> <b>Transaction Date:</b> 5/26/1988 <b>Inspection Date:</b>					
<a href="#">227</a>	174 of 251	NE/287.6	113.7 / -0.12	ELECTRICAL RESEARCH 800 KIPLING AVE TORONTO ON	NPCB
<b>Company Code:</b> O0870 <b>Industry:</b> <b>Site Status:</b> <b>Transaction Date:</b> 5/26/1988 <b>Inspection Date:</b>					
<a href="#">227</a>	175 of 251	NE/287.6	113.7 / -0.12	ONTARIO HYDRO (SERVICE CENTRE RM KN100) 800 KIPLING AVE.; STORAGE BLDG ETOBICOKE ON M8Z 5S4	NPCB
<b>Company Code:</b> F0672 <b>Industry:</b> <b>Site Status:</b> <b>Transaction Date:</b> 1/29/1996 <b>Inspection Date:</b>					
<u>--Details--</u>					
<b>Label:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Serial No.:</b> <b>PCB Type/Code:</b> Askarel <b>Location:</b> <b>Item/State:</b> <b>No. of Items:</b> <b>Manufacturer:</b> <b>Status:</b> Stored for Disposal <b>Contents:</b> 45.00 KG					
<a href="#">227</a>	176 of 251	NE/287.6	113.7 / -0.12	ONTARIO HYDRO SERVICES COMPANY 800 KIPLING AVENUE TORONTO ON M8Z 5S4	NPCB
<b>Company Code:</b> F0608 <b>Industry:</b> UNDEFINED <b>Site Status:</b> <b>Transaction Date:</b> <b>Inspection Date:</b>					
<a href="#">227</a>	177 of 251	NE/287.6	113.7 / -0.12	ONTARIO HYDRO RESEARCH CENTER 800 KIPLING AVE 800 KIPLING AVE ON M8Z 5S4	NPCB
<b>Company Code:</b> O0929 <b>Industry:</b> UTILITY <b>Site Status:</b> <b>Transaction Date:</b> 5/31/1988 <b>Inspection Date:</b>					
<a href="#">227</a>	178 of 251	NE/287.6	113.7 / -0.12	ONTARIO HYDRO 800 KIPLING AVENUE TORONTO ON M8ZS4	NPCB
<b>Company Code:</b> F0644 <b>Industry:</b> <b>Site Status:</b> <b>Transaction Date:</b> 1/29/1996 <b>Inspection Date:</b>					
<b>--Details--</b>					
<b>Label:</b>					
<b>Serial No.:</b>					
<b>PCB Type/Code:</b> Unknown concentration					
<b>Location:</b>					
<b>Item/State:</b>					
<b>No. of Items:</b>					
<b>Manufacturer:</b>					
<b>Status:</b> Stored for Disposal					
<b>Contents:</b> 2393.00 KG					
<b>Label:</b>					
<b>Serial No.:</b>					
<b>PCB Type/Code:</b> Low 50 - 10,000 ppm					
<b>Location:</b>					
<b>Item/State:</b>					
<b>No. of Items:</b>					
<b>Manufacturer:</b>					
<b>Status:</b> Stored for Disposal					
<b>Contents:</b> 5100.00 KG					



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<p>Label: Serial No.: PCB Type/Code: Low 50 - 10,000 ppm Location: Item/State: No. of Items: Manufacturer: Status: Stored for Disposal Contents: 70350.00 KG</p> <p>Label: Serial No.: PCB Type/Code: Low 50 - 10,000 ppm Location: Item/State: No. of Items: Manufacturer: Status: Stored for Disposal Contents: 6062890.00 KG</p>					
<a href="#">227</a>	179 of 251	NE/287.6	113.7 / -0.12	ONTARIO HYDRO ELECTRICAL RESEARCH 800 KIPLING AVE TORONTO ON M8Z 5S4	NPCB
<p>Company Code: O0870 Industry: UTILITY Site Status: Transaction Date: 10/2/1992 Inspection Date:</p> <p>--Details-- Label: OH00079 Serial No.: PCB Type/Code: ASKAREL/ASKAREL Location: Item/State: CAPACITOR/FULL No. of Items: 4 Manufacturer: Status: STORED FOR DISPOSAL Contents: 18 L</p>					
<a href="#">227</a>	180 of 251	NE/287.6	113.7 / -0.12	ONTARIO HYDRO RESEARCH CENTER; 800 KIPLING AVE TORONTO ON M8Z 5S4	NPCB
<p>Company Code: O0929 Industry: Utility Site Status: Transaction Date: 5/31/1988 Inspection Date:</p>					
<a href="#">227</a>	181 of 251	NE/287.6	113.7 / -0.12	ONTARIO HYDRO-ETOBICOKE INVESTMENT RECOVERY & WASTE MANAGEMENT 800 KIPLING AVE ETOBICOKE ON M8Z 5S4	NPCB
<p>Company Code: F0712 Industry: UNDEFINED Site Status: Transaction Date:</p>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<i>Inspection Date:</i>					
<a href="#">227</a>	182 of 251	NE/287.6	113.7 / -0.12	ONTARIO HYDRO - ETOBICOKE RESEARCH CENTRE, LOCATION 3 800 KIPLING AVE ETOBICOKE ON M8Z 5S4	OPCB
<i>Year:</i>		1995			
<i>Site Number:</i>		30188A024			
<i>Name Owner:</i>					
<i>Additional Site Information:</i>					
<i>--Details--</i>					
<i>Quantity:</i>		102.00			
<i>Address Site:</i>					
<i>Description:</i>		Number of Capacitors with High Level PCBs (>1000 ppm)			
<i>Quantity:</i>		38914.00			
<i>Address Site:</i>					
<i>Description:</i>		Weight of Bulk Liquid with Low Level PCBs (< 1000 ppm) kg			
<i>Quantity:</i>		1109.00			
<i>Address Site:</i>					
<i>Description:</i>		Weight of Liquid in Transformers with Low Level PCBs (< 1000 ppm) kg			
<i>Quantity:</i>		2.00			
<i>Address Site:</i>					
<i>Description:</i>		Number of Transformers with Low Level PCBs (< 1000 ppm) kg			
<i>Quantity:</i>		117.00			
<i>Address Site:</i>					
<i>Description:</i>		Number of Drums of Other Material with Low Level PCBs (< 1000 ppm) kg			
<i>Quantity:</i>		17550.00			
<i>Address Site:</i>					
<i>Description:</i>		Weight of Drums of Other Material with Low Level PCBs (< 1000 ppm) kg			
<a href="#">227</a>	183 of 251	NE/287.6	113.7 / -0.12	ONTARIO HYDRO - ETOBICOKE INVESTMENT RECOVERY & WASTE MANAGEMENT 800 KIPLING AVE ETOBICOKE ON M8Z 5S4	OPCB
<i>Year:</i>		2000			
<i>Site Number:</i>		30188A024			
<i>Name Owner:</i>					
<i>Additional Site Information:</i>					
<a href="#">227</a>	184 of 251	NE/287.6	113.7 / -0.12	ONTARIO HYDRO - ETOBICOKE INVESTMENT RECOVERY & WASTE MANAGEMENT 800 KIPLING AVE ETOBICOKE ON M8Z 5S4	OPCB
<i>Year:</i>		1999			
<i>Site Number:</i>		30188A024			
<i>Name Owner:</i>					
<i>Additional Site Information:</i>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<a href="#">227</a>	185 of 251	NE/287.6	113.7 / -0.12	ONTARIO HYDRO SERVICES COMPANY 800 KIPLING AVENUE TORONTO ON M8Z 5S4	OPCB
Year:		2003			
Site Number:		30182A001			
Name Owner:					
Additional Site Information:					
<a href="#">227</a>	186 of 251	NE/287.6	113.7 / -0.12	ONTARIO HYDRO 800 KIPLING AVENUE TORONTO ON M8Z 5S4	OPCB
Year:		1999			
Site Number:		30182A001			
Name Owner:					
Additional Site Information:					
<b>--Details--</b>					
Quantity:		2.00			
Address Site:					
Description:		Number of Drums of Ballasts with High Level PCBs (>1000 ppm)			
Quantity:		400.00			
Address Site:					
Description:		Calculated Weight (Kg) of Drums of Ballasts with High Level PCBs (>1000 ppm)			
Quantity:		4.00			
Address Site:					
Description:		Weight of Drums of Other Material with Low Level PCBs (< 1000 ppm) kg			
<a href="#">227</a>	187 of 251	NE/287.6	113.7 / -0.12	ONTARIO HYDRO SERVICES COMPANY 800 KIPLING AVENUE TORONTO ON M8Z 5S4	OPCB
Year:		2000			
Site Number:		30182A001			
Name Owner:					
Additional Site Information:					
<b>--Details--</b>					
Quantity:		2.00			
Address Site:					
Description:		Number of Drums of Ballasts with High Level PCBs (>1000 ppm)			
Quantity:		400.00			
Address Site:					
Description:		Calculated Weight (Kg) of Drums of Ballasts with High Level PCBs (>1000 ppm)			
<a href="#">227</a>	188 of 251	NE/287.6	113.7 / -0.12	ONTARIO HYDRO SERVICES COMPANY 800 KIPLING AVENUE TORONTO ON M8Z 5S4	OPCB
Year:		2004			
Site Number:		30182A001			
Name Owner:					
Additional Site Information:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">227</a>	189 of 251	NE/287.6	113.7 / -0.12	ONTARIO HYDRO 800 KIPLING AVENUE TORONTO ON M8Z 5S4	OPCB
Year:		1998			
Site Number:		30182A001			
Name Owner:					
Additional Site Information:					
<b>--Details--</b>					
Quantity:		1.00			
Address Site:					
Description:		Number of Drums of Ballasts with High Level PCBs (>1000 ppm)			
Quantity:		200.00			
Address Site:					
Description:		Calculated Weight (Kg) of Drums of Ballasts with High Level PCBs (>1000 ppm)			
<a href="#">227</a>	190 of 251	NE/287.6	113.7 / -0.12	ONTARIO HYDRO 800 KIPLING AVENUE TORONTO ON M8Z 5S4	OPCB
Year:		1995			
Site Number:		30182A001			
Name Owner:					
Additional Site Information:					
<b>--Details--</b>					
Quantity:		42573.00			
Address Site:					
Description:		Weight of Bulk Liquid with High Level PCBs (>1000 ppm) kg			
Quantity:		48.00			
Address Site:					
Description:		Number of Drums of Other Material with High Level PCBs (>1000 ppm)			
Quantity:		7200.00			
Address Site:					
Description:		Weight of Drums of Other Material with High Level PCBs (>1000 ppm) kg			
<a href="#">227</a>	191 of 251	NE/287.6	113.7 / -0.12	ONTARIO HYDRO (SERVICE CENTRE RM KN100) 800 KIPLING AVE. STORAGE BLDG ETOBICOKE ON M8Z 5S4	OPCB
Year:		1995			
Site Number:		30183A015			
Name Owner:					
Additional Site Information:					
<b>--Details--</b>					
Quantity:		65008.00			
Address Site:					
Description:		Weight of Bulk Liquid with High Level PCBs (>1000 ppm) kg			
<a href="#">227</a>	192 of 251	NE/287.6	113.7 / -0.12	ONTARIO HYDRO DON LEWIS 800 KIPLING AV	PRT

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>ETOBICOKE ON M8Z 5S4</b>					
<b>Location ID:</b> <b>Type:</b> <b>Expiry Date:</b> <b>Capacity (L):</b> <b>Licence #:</b>		15458 private  68190.00 0001065775			
<a href="#">227</a>	193 of 251	NE/287.6	113.7 / -0.12	<b>ONTARIO HYDRO</b> <b>MOBILE DESTRUCTION FACILITY-800 KIPLING</b> <b>C/O 700 UNIVERSITY AVE.,TORONTO M5G1X6</b> <b>ETOBICOKE ON M8Z 5S4</b>	REC
<b>Rec Op Div:</b> <b>Co Admin:</b> <b>Phone No Admin:</b> <b>Rec Div:</b> <b>Rec Op Name:</b> <b>Choice of Contact:</b> <b>Site Bldg:</b> <b>Site PO Box:</b> <b>Receiver #::</b> <b>Facility Type:</b> <b>Approval Yrs::</b>		        A280358 RECLAIM 87,88,89,90,92,93,94,95,96,97,98			
<a href="#">227</a>	194 of 251	NE/287.6	113.7 / -0.12	<b>KINECTRICS INC.</b> <b>800 KIPLING AVE., SUITE 2</b> <b>TORONTO ON M8Z 6C4</b>	REC
<b>Rec Op Div:</b> <b>Co Admin:</b> <b>Phone No Admin:</b> <b>Rec Div:</b> <b>Rec Op Name:</b> <b>Choice of Contact:</b> <b>Site Bldg:</b> <b>Site PO Box:</b> <b>Receiver #::</b> <b>Facility Type:</b> <b>Approval Yrs::</b>		        4059-84YJY4 TRANSFER STN - PROCESSING 2009			
<a href="#">227</a>	195 of 251	NE/287.6	113.7 / -0.12	<b>ONTARIO HYDRO</b> <b>800 KIPLING AVENUE</b> <b>ETOBICOKE ON M8Z 5S4</b>	REC
<b>Rec Op Div:</b> <b>Co Admin:</b> <b>Phone No Admin:</b> <b>Rec Div:</b> <b>Rec Op Name:</b> <b>Choice of Contact:</b> <b>Site Bldg:</b> <b>Site PO Box:</b> <b>Receiver #::</b> <b>Facility Type:</b> <b>Approval Yrs::</b>		        A280307 TRANSFER STATION 86,96,97,98,99			
<b>--Details--</b> <b>Waste Code:</b>		213			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		243			
<b>Waste Description:</b>		PCB'S			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		263			
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			

[227](#)      196 of 251      **NE/287.6**      **113.7 / -0.12**      **HYDRO ONE INC.  
800 KIPLING AVENUE  
ETOBICOKE ON M8Z 6C4**      **REC**

**Rec Op Div:**  
**Co Admin:**  
**Phone No Admin:**  
**Rec Div:**  
**Rec Op Name:**  
**Choice of Contact:**  
**Site Bldg:**  
**Site PO Box:**  
**Receiver #::**                      A280354  
**Facility Type:**                TRANSFER STATION  
**Approval Yrs::**                00,01

**--Details--**

**Waste Code:**                      242  
**Waste Description:**            HALOGENATED PESTICIDES

**Waste Code:**                      251  
**Waste Description:**            OIL SKIMMINGS & SLUDGES

**Waste Code:**                      252  
**Waste Description:**            WASTE OILS & LUBRICANTS

**Waste Code:**                      253  
**Waste Description:**            EMULSIFIED OILS

**Waste Code:**                      254  
**Waste Description:**            TRANSFER STATION OILS WASTES

**Waste Code:**                      263  
**Waste Description:**            ORGANIC LABORATORY CHEMICALS

**Waste Code:**                      264  
**Waste Description:**            PHOTOPROCESSING WASTES

**Waste Code:**                      331  
**Waste Description:**            WASTE COMPRESSED GASES

**Waste Code:**                      241  
**Waste Description:**            HALOGENATED SOLVENTS

**Waste Code:**                      112  
**Waste Description:**            ACID WASTE - HEAVY METALS

**Waste Code:**                      121  
**Waste Description:**            ALKALINE WASTES - HEAVY METALS

**Waste Code:**                      122  
**Waste Description:**            ALKALINE WASTES - OTHER METALS

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>		146			
<b>Waste Description:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		211			
<b>Waste Description:</b>		AROMATIC SOLVENTS			
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		222			
<b>Waste Description:</b>		HEAVY FUELS			

[227](#)    197 of 251    **NE/287.6**    113.7 / -0.12    **KINECTRICS INC.  
800 KIPLING AVE.  
TORONTO ON M8Z 6C4**    REC

**Rec Op Div:**  
**Co Admin:**  
**Phone No Admin:**  
**Rec Div:**  
**Rec Op Name:** KINECTRICS INC.  
**Choice of Contact:** CO\_ADMIN  
**Site Bldg:**  
**Site PO Box:**  
**Receiver #.:** 4059-84YJY4  
**Facility Type:** TRANSFER STN - PROCESSING  
**Approval Yrs.:** 2016

**--Details--**

**Waste Code:** 122  
**Waste Description:** ALKALINE WASTES - OTHER METALS

**Waste Code:** 145  
**Waste Description:** PAINT/PIGMENT/COATING RESIDUES

**Waste Code:** 112  
**Waste Description:** ACID WASTE - HEAVY METALS

**Waste Code:** 113  
**Waste Description:** ACID WASTE - OTHER METALS

**Waste Code:** 254  
**Waste Description:** TRANSFER STATION OILS WASTES

**Waste Code:** 263  
**Waste Description:** ORGANIC LABORATORY CHEMICALS

**Waste Code:** 262  
**Waste Description:** DETERGENTS/SOAPS

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Code:</b>		114			
<b>Waste Description:</b>		OTHER INORGANIC ACID WASTES			
<b>Waste Code:</b>		253			
<b>Waste Description:</b>		EMULSIFIED OILS			
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		150			
<b>Waste Description:</b>		INERT INORGANIC WASTES			
<b>Waste Code:</b>		232			
<b>Waste Description:</b>		POLYMERIC RESINS			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		121			
<b>Waste Description:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Code:</b>		222			
<b>Waste Description:</b>		HEAVY FUELS			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		267			
<b>Waste Description:</b>		ORGANIC ACIDS			
<b>Waste Code:</b>		135			
<b>Waste Description:</b>		REACTIVE ANION WASTES			
<b>Waste Code:</b>		241			
<b>Waste Description:</b>		HALOGENATED SOLVENTS			
<b>Waste Code:</b>		211			
<b>Waste Description:</b>		AROMATIC SOLVENTS			
<b>Waste Code:</b>		243			
<b>Waste Description:</b>		PCBS			
<b>Waste Code:</b>		131			
<b>Waste Description:</b>		NEUTRALIZED WASTES - HEAVY METALS			
<b>Waste Code:</b>		270			
<b>Waste Description:</b>		OTHER SPECIFIED ORGANICS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		146			
<b>Waste Description:</b>		OTHER SPECIFIED INORGANICS			

[227](#)

198 of 251

NE/287.6

113.7 / -0.12

ONTARIO HYDRO (SERVICE CTR/STORAGE  
BLDG)  
800 KIPLING AVE.  
ETOBICOKE ON M8Z 5S4

REC

Rec Op Div:  
Co Admin:



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Phone No Admin:</b> <b>Rec Div:</b> <b>Rec Op Name:</b> <b>Choice of Contact:</b> <b>Site Bldg:</b> <b>Site PO Box:</b> <b>Receiver #::</b> 301-82A001 <b>Facility Type:</b> PCB STORAGE SITE <b>Approval Yrs::</b> 01,02,03,04,05,06,07,08,09					
<b>--Details--</b>					
<b>Waste Code:</b> 243					
<b>Waste Description:</b> PCB'S					
<a href="#">227</a>	199 of 251	NE/287.6	113.7 / -0.12	KINECTRICS INC. 800 KIPLING AVENUE TORONTO ON M8Z 6C4	REC
<b>Rec Op Div:</b> <b>Co Admin:</b> <b>Phone No Admin:</b> <b>Rec Div:</b> <b>Rec Op Name:</b> <b>Choice of Contact:</b> <b>Site Bldg:</b> <b>Site PO Box:</b> <b>Receiver #::</b> A280307 <b>Facility Type:</b> TRANSFER STATION - PROCESSING <b>Approval Yrs::</b> 06,07,08					
<a href="#">227</a>	200 of 251	NE/287.6	113.7 / -0.12	ONTARIO HYDRO (SERVICE CTR/STORAGE BLDG) 800 KIPLING AVE. ETOBICOKE ON	REC
<b>Rec Op Div:</b> <b>Co Admin:</b> <b>Phone No Admin:</b> <b>Rec Div:</b> <b>Rec Op Name:</b> <b>Choice of Contact:</b> CO_ADMIN <b>Site Bldg:</b> <b>Site PO Box:</b> <b>Receiver #::</b> 301-82A001 <b>Facility Type:</b> PCB STORAGE SITE <b>Approval Yrs::</b> 2014					
<b>--Details--</b>					
<b>Waste Code:</b> 243					
<b>Waste Description:</b> PCBS					
<a href="#">227</a>	201 of 251	NE/287.6	113.7 / -0.12	ONTARIO HYDRO (SERVICE CTR/STORAGE BLDG) 800 KIPLING AVE. ETOBICOKE ON	REC
<b>Rec Op Div:</b> <b>Co Admin:</b> <b>Phone No Admin:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Rec Div:</b> <b>Rec Op Name:</b> <b>Choice of Contact:</b> CO_ADMIN <b>Site Bldg:</b> <b>Site PO Box:</b> <b>Receiver #::</b> 301-82A001 <b>Facility Type:</b> PCB STORAGE SITE <b>Approval Yrs::</b> 2015  <b>--Details--</b> <b>Waste Code:</b> 243 <b>Waste Description:</b> PCBS					

<a href="#">227</a>	202 of 251	NE/287.6	113.7 / -0.12	KINECTRICS INC. 800 KIPLING AVE. TORONTO ON M8Z 6C4	REC
---------------------	------------	----------	---------------	---	-----

**Rec Op Div:**  
**Co Admin:**  
**Phone No Admin:**  
**Rec Div:**  
**Rec Op Name:** KINECTRICS INC.  
**Choice of Contact:** CO\_ADMIN  
**Site Bldg:**  
**Site PO Box:**  
**Receiver #::** 4059-84YJY4  
**Facility Type:** TRANSFER STN - PROCESSING  
**Approval Yrs::** 2014  
  
**--Details--**  
**Waste Code:** 121  
**Waste Description:** ALKALINE WASTES - HEAVY METALS  
  
**Waste Code:** 114  
**Waste Description:** OTHER INORGANIC ACID WASTES  
  
**Waste Code:** 135  
**Waste Description:** REACTIVE ANION WASTES  
  
**Waste Code:** 212  
**Waste Description:** ALIPHATIC SOLVENTS  
  
**Waste Code:** 251  
**Waste Description:** OIL SKIMMINGS & SLUDGES  
  
**Waste Code:** 263  
**Waste Description:** ORGANIC LABORATORY CHEMICALS  
  
**Waste Code:** 213  
**Waste Description:** PETROLEUM DISTILLATES  
  
**Waste Code:** 112  
**Waste Description:** ACID WASTE - HEAVY METALS  
  
**Waste Code:** 122  
**Waste Description:** ALKALINE WASTES - OTHER METALS  
  
**Waste Code:** 232  
**Waste Description:** POLYMERIC RESINS  
  
**Waste Code:** 241  
**Waste Description:** HALOGENATED SOLVENTS

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		267			
<b>Waste Description:</b>		ORGANIC ACIDS			
<b>Waste Code:</b>		146			
<b>Waste Description:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Code:</b>		222			
<b>Waste Description:</b>		HEAVY FUELS			
<b>Waste Code:</b>		262			
<b>Waste Description:</b>		DETERGENTS/SOAPS			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		270			
<b>Waste Description:</b>		OTHER SPECIFIED ORGANICS			
<b>Waste Code:</b>		211			
<b>Waste Description:</b>		AROMATIC SOLVENTS			
<b>Waste Code:</b>		150			
<b>Waste Description:</b>		INERT INORGANIC WASTES			
<b>Waste Code:</b>		131			
<b>Waste Description:</b>		NEUTRALIZED WASTES - HEAVY METALS			
<b>Waste Code:</b>		254			
<b>Waste Description:</b>		TRANSFER STATION OILS WASTES			
<b>Waste Code:</b>		243			
<b>Waste Description:</b>		PCBS			
<b>Waste Code:</b>		253			
<b>Waste Description:</b>		EMULSIFIED OILS			
<b>Waste Code:</b>		113			
<b>Waste Description:</b>		ACID WASTE - OTHER METALS			
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			

**227**    203 of 251    **NE/287.6**    113.7 / -0.12    **ONTARIO HYDRO (SERVICE CTR/STORAGE BLDG)  
800 KIPLING AVE. C/O 700 UNIVERSITY AVE.,  
TORONTO  
ETOBICOKE ON M8Z 5S4**    **REC**

**Rec Op Div:**  
**Co Admin:**  
**Phone No Admin:**  
**Rec Div:**  
**Rec Op Name:**  
**Choice of Contact:**  
**Site Bldg:**  
**Site PO Box:**  
**Receiver #::** 301-82A001  
**Facility Type:** TRANSFER STATION  
**Approval Yrs::** 86,87,88,89,90,92,94,95,96,97,98,99,00

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>--Details--</b>					
<b>Waste Code:</b>		243			
<b>Waste Description:</b>		PCB'S			
<a href="#">227</a>	204 of 251	NE/287.6	113.7 / -0.12	ONTARIO HYDRO (SERVICE CTR/STORAGE BLDG) 800 KIPLING AVE. ETOBICOKE ON	REC
<b>Rec Op Div:</b>					
<b>Co Admin:</b>					
<b>Phone No Admin:</b>					
<b>Rec Div:</b>					
<b>Rec Op Name:</b>					
<b>Choice of Contact:</b>		CO_ADMIN			
<b>Site Bldg:</b>					
<b>Site PO Box:</b>					
<b>Receiver #::</b>		301-82A001			
<b>Facility Type:</b>		PCB STORAGE SITE			
<b>Approval Yrs::</b>		2016			
<b>--Details--</b>					
<b>Waste Code:</b>		243			
<b>Waste Description:</b>		PCBS			
<a href="#">227</a>	205 of 251	NE/287.6	113.7 / -0.12	KINETRICS INC. 800 KIPLING AVE. TORONTO ON M8Z 6C4	REC
<b>Rec Op Div:</b>					
<b>Co Admin:</b>					
<b>Phone No Admin:</b>					
<b>Rec Div:</b>					
<b>Rec Op Name:</b>		KINETRICS INC.			
<b>Choice of Contact:</b>		CO_ADMIN			
<b>Site Bldg:</b>					
<b>Site PO Box:</b>					
<b>Receiver #::</b>		4059-84YJY4			
<b>Facility Type:</b>		TRANSFER STN - PROCESSING			
<b>Approval Yrs::</b>		2015			
<b>--Details--</b>					
<b>Waste Code:</b>		211			
<b>Waste Description:</b>		AROMATIC SOLVENTS			
<b>Waste Code:</b>		122			
<b>Waste Description:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Code:</b>		131			
<b>Waste Description:</b>		NEUTRALIZED WASTES - HEAVY METALS			
<b>Waste Code:</b>		241			
<b>Waste Description:</b>		HALOGENATED SOLVENTS			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		254			
<b>Waste Description:</b>		TRANSFER STATION OILS WASTES			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Code:</b>		121			
<b>Waste Description:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Code:</b>		222			
<b>Waste Description:</b>		HEAVY FUELS			
<b>Waste Code:</b>		270			
<b>Waste Description:</b>		OTHER SPECIFIED ORGANICS			
<b>Waste Code:</b>		112			
<b>Waste Description:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Code:</b>		263			
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		253			
<b>Waste Description:</b>		EMULSIFIED OILS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>		262			
<b>Waste Description:</b>		DETERGENTS/SOAPS			
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		113			
<b>Waste Description:</b>		ACID WASTE - OTHER METALS			
<b>Waste Code:</b>		267			
<b>Waste Description:</b>		ORGANIC ACIDS			
<b>Waste Code:</b>		114			
<b>Waste Description:</b>		OTHER INORGANIC ACID WASTES			
<b>Waste Code:</b>		150			
<b>Waste Description:</b>		INERT INORGANIC WASTES			
<b>Waste Code:</b>		243			
<b>Waste Description:</b>		PCBS			
<b>Waste Code:</b>		146			
<b>Waste Description:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Code:</b>		135			
<b>Waste Description:</b>		REACTIVE ANION WASTES			
<b>Waste Code:</b>		232			
<b>Waste Description:</b>		POLYMERIC RESINS			
<b><u>227</u></b>	<b>206 of 251</b>	<b>NE/287.6</b>	<b>113.7 / -0.12</b>	<b>ONTARIO HYDRO TRANSFER SITE 800 KIPLING AVENUE ETOBICOKE ON M8Z 5S4</b>	<b>REC</b>

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Rec Op Div:</b>					
<b>Co Admin:</b>					
<b>Phone No Admin:</b>					
<b>Rec Div:</b>					
<b>Rec Op Name:</b>					
<b>Choice of Contact:</b>					
<b>Site Bldg:</b>					
<b>Site PO Box:</b>					
<b>Receiver #::</b>		A280354			
<b>Facility Type:</b>		TRANSFER STATION			
<b>Approval Yrs::</b>		86,87,88,89,90,92,93,94,95,96,97,98			
<b>--Details--</b>					
<b>Waste Code:</b>		112			
<b>Waste Description:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Code:</b>		113			
<b>Waste Description:</b>		ACID WASTE - OTHER METALS			
<b>Waste Code:</b>		121			
<b>Waste Description:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Code:</b>		122			
<b>Waste Description:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>		146			
<b>Waste Description:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		211			
<b>Waste Description:</b>		AROMATIC SOLVENTS			
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		232			
<b>Waste Description:</b>		POLYMERIC RESINS			
<b>Waste Code:</b>		241			
<b>Waste Description:</b>		HALOGENATED SOLVENTS			
<b>Waste Code:</b>		242			
<b>Waste Description:</b>		HALOGENATED PESTICIDES			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		253			
<b>Waste Description:</b>		EMULSIFIED OILS			
<b>Waste Code:</b>		254			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Description:</b>		TRANSFER STATION OILS WASTES			
<b>Waste Code:</b>	263				
<b>Waste Description:</b>	ORGANIC LABORATORY CHEMICALS				
<b>Waste Code:</b>	264				
<b>Waste Description:</b>	PHOTOPROCESSING WASTES				
<b>Waste Code:</b>	269				
<b>Waste Description:</b>	NON-HALOGENATED PESTICIDES				
<b>Waste Code:</b>	312				
<b>Waste Description:</b>	PATHOLOGICAL WASTES				
<b>Waste Code:</b>	331				
<b>Waste Description:</b>	WASTE COMPRESSED GASES				
<a href="#">227</a>	207 of 251	NE/287.6	113.7 / -0.12	KINETRICS INC. 800 KIPLING AVENUE TORONTO ON M8Z 6C4	REC
<b>Rec Op Div:</b>					
<b>Co Admin:</b>					
<b>Phone No Admin:</b>					
<b>Rec Div:</b>					
<b>Rec Op Name:</b>					
<b>Choice of Contact:</b>					
<b>Site Bldg:</b>					
<b>Site PO Box:</b>					
<b>Receiver #:</b>		A280307			
<b>Facility Type:</b>		TRANSFER STATION - PROCESSING			
<b>Approval Yrs::</b>		00,01,02			
<b>--Details--</b>					
<b>Waste Code:</b>	243				
<b>Waste Description:</b>	PCB'S				
<a href="#">227</a>	208 of 251	NE/287.6	113.7 / -0.12	KINECTRIED INC. 800 KIPLING AVENUE ETOBICOKE ON M8Z 5S4	REC
<b>Rec Op Div:</b>					
<b>Co Admin:</b>					
<b>Phone No Admin:</b>					
<b>Rec Div:</b>					
<b>Rec Op Name:</b>					
<b>Choice of Contact:</b>					
<b>Site Bldg:</b>					
<b>Site PO Box:</b>					
<b>Receiver #:</b>		A280307			
<b>Facility Type:</b>		TRANSFER STATION - PROCESSING			
<b>Approval Yrs::</b>		03,04,05			
<b>--Details--</b>					
<b>Waste Code:</b>	243				
<b>Waste Description:</b>	PCB'S				
<a href="#">227</a>	209 of 251	NE/287.6	113.7 / -0.12	KINECTRICS INC. 800 KIPLING AVE.	REC

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>TORONTO ON</b>					
<b>Rec Op Div:</b>					
<b>Co Admin:</b>					
<b>Phone No Admin:</b>					
<b>Rec Div:</b>					
<b>Rec Op Name:</b>					
<b>Choice of Contact:</b>					
<b>Site Bldg:</b>					
<b>Site PO Box:</b>					
<b>Receiver #::</b>			4059-84YJY4		
<b>Facility Type:</b>			TRANSFER STN - PROCESSING		
<b>Approval Yrs::</b>			2011		
<b>--Details--</b>					
<b>Waste Code:</b>			270		
<b>Waste Description:</b>			OTHER SPECIFIED ORGANICS		
<b>Waste Code:</b>			112		
<b>Waste Description:</b>			ACID WASTE - HEAVY METALS		
<b>Waste Code:</b>			262		
<b>Waste Description:</b>			DETERGENTS/SOAPS		
<b>Waste Code:</b>			263		
<b>Waste Description:</b>			ORGANIC LABORATORY CHEMICALS		
<b>Waste Code:</b>			213		
<b>Waste Description:</b>			PETROLEUM DISTILLATES		
<b>Waste Code:</b>			113		
<b>Waste Description:</b>			ACID WASTE - OTHER METALS		
<b>Waste Code:</b>			251		
<b>Waste Description:</b>			OIL SKIMMINGS & SLUDGES		
<b>Waste Code:</b>			114		
<b>Waste Description:</b>			OTHER INORGANIC ACID WASTES		
<b>Waste Code:</b>			121		
<b>Waste Description:</b>			ALKALINE WASTES - HEAVY METALS		
<b>Waste Code:</b>			145		
<b>Waste Description:</b>			PAINT/PIGMENT/COATING RESIDUES		
<b>Waste Code:</b>			222		
<b>Waste Description:</b>			HEAVY FUELS		
<b>Waste Code:</b>			122		
<b>Waste Description:</b>			ALKALINE WASTES - OTHER METALS		
<b>Waste Code:</b>			146		
<b>Waste Description:</b>			OTHER SPECIFIED INORGANICS		
<b>Waste Code:</b>			232		
<b>Waste Description:</b>			POLYMERIC RESINS		
<b>Waste Code:</b>			252		
<b>Waste Description:</b>			WASTE OILS & LUBRICANTS		
<b>Waste Code:</b>			148		
<b>Waste Description:</b>			INORGANIC LABORATORY CHEMICALS		
<b>Waste Code:</b>			253		



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Description:</b>		EMULSIFIED OILS			
<b>Waste Code:</b>		150			
<b>Waste Description:</b>		INERT INORGANIC WASTES			
<b>Waste Code:</b>		211			
<b>Waste Description:</b>		AROMATIC SOLVENTS			
<b>Waste Code:</b>		241			
<b>Waste Description:</b>		HALOGENATED SOLVENTS			
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		243			
<b>Waste Description:</b>		PCBS			
<b>Waste Code:</b>		254			
<b>Waste Description:</b>		TRANSFER STATION OILS WASTES			
<b>Waste Code:</b>		135			
<b>Waste Description:</b>		REACTIVE ANION WASTES			
<b>Waste Code:</b>		267			
<b>Waste Description:</b>		ORGANIC ACIDS			
<b>Waste Code:</b>		131			
<b>Waste Description:</b>		NEUTRALIZED WASTES - HEAVY METALS			

---

<a href="#"><u>227</u></a>	210 of 251	<b>NE/287.6</b>	<b>113.7 / -0.12</b>	<b>ONTARIO HYDRO (SERVICE CTR/STORAGE BLDG) 800 KIPLING AVE. ETOBICOKE ON</b>	<b>REC</b>
----------------------------	------------	-----------------	----------------------	---	------------

**Rec Op Div:**  
**Co Admin:**  
**Phone No Admin:**  
**Rec Div:**  
**Rec Op Name:**  
**Choice of Contact:**  
**Site Bldg:**  
**Site PO Box:**  
**Receiver #::** 301-82A001  
**Facility Type:** PCB STORAGE SITE  
**Approval Yrs::** 2011

**--Details--**  
**Waste Code:** 243  
**Waste Description:** PCBS

---

<a href="#"><u>227</u></a>	211 of 251	<b>NE/287.6</b>	<b>113.7 / -0.12</b>	<b>KINETRICS INC. 800 KIPLING AVE., UNIT 2 TORONTO ON M8Z 5G5</b>	<b>REC</b>
----------------------------	------------	-----------------	----------------------	---	------------

**Rec Op Div:**  
**Co Admin:**  
**Phone No Admin:**  
**Rec Div:**  
**Rec Op Name:**  
**Choice of Contact:**  
**Site Bldg:**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Site PO Box:</b>					
<b>Receiver #::</b>		4059-84YJY4			
<b>Facility Type:</b>		TRANSFER STN - PROCESSING			
<b>Approval Yrs::</b>		2010			
<b>--Details--</b>					
<b>Waste Code:</b>		241			
<b>Waste Description:</b>		HALOGENATED SOLVENTS			
<b>Waste Code:</b>		243			
<b>Waste Description:</b>		PCBS			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		253			
<b>Waste Description:</b>		EMULSIFIED OILS			
<b>Waste Code:</b>		254			
<b>Waste Description:</b>		TRANSFER STATION OILS WASTES			
<b>Waste Code:</b>		211			
<b>Waste Description:</b>		AROMATIC SOLVENTS			
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			

---

<a href="#">227</a>	212 of 251	<b>NE/287.6</b>	<b>113.7 / -0.12</b>	<b>ONTARIO HYDRO (SERVICE CTR/STORAGE BLDG) 800 KIPLING AVE. ETOBICOKE ON</b>	<b>REC</b>
---------------------	------------	-----------------	----------------------	---	------------

**Rec Op Div:**  
**Co Admin:**  
**Phone No Admin:**  
**Rec Div:**  
**Rec Op Name:**  
**Choice of Contact:**  
**Site Bldg:**  
**Site PO Box:**  
**Receiver #::** 301-82A001  
**Facility Type:** PCB STORAGE SITE  
**Approval Yrs::** 2010

**--Details--**  
**Waste Code:** 243  
**Waste Description:** PCBS

---

<a href="#">227</a>	213 of 251	<b>NE/287.6</b>	<b>113.7 / -0.12</b>	<b>KINECTRICS INC. 800 KIPLING AVE. TORONTO ON</b>	<b>REC</b>
---------------------	------------	-----------------	----------------------	--	------------

**Rec Op Div:**  
**Co Admin:**  
**Phone No Admin:**  
**Rec Div:**  
**Rec Op Name:**  
**Choice of Contact:**

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Site Bldg:</b>					
<b>Site PO Box:</b>					
<b>Receiver #::</b> 4059-84YJY4					
<b>Facility Type:</b> TRANSFER STN - PROCESSING					
<b>Approval Yrs::</b> 2013					
<b>--Details--</b>					
<b>Waste Code:</b> 148					
<b>Waste Description:</b> INORGANIC LABORATORY CHEMICALS					
<b>Waste Code:</b> 267					
<b>Waste Description:</b> ORGANIC ACIDS					
<b>Waste Code:</b> 270					
<b>Waste Description:</b> OTHER SPECIFIED ORGANICS					
<b>Waste Code:</b> 150					
<b>Waste Description:</b> INERT INORGANIC WASTES					
<b>Waste Code:</b> 211					
<b>Waste Description:</b> AROMATIC SOLVENTS					
<b>Waste Code:</b> 212					
<b>Waste Description:</b> ALIPHATIC SOLVENTS					
<b>Waste Code:</b> 213					
<b>Waste Description:</b> PETROLEUM DISTILLATES					
<b>Waste Code:</b> 112					
<b>Waste Description:</b> ACID WASTE - HEAVY METALS					
<b>Waste Code:</b> 222					
<b>Waste Description:</b> HEAVY FUELS					
<b>Waste Code:</b> 113					
<b>Waste Description:</b> ACID WASTE - OTHER METALS					
<b>Waste Code:</b> 232					
<b>Waste Description:</b> POLYMERIC RESINS					
<b>Waste Code:</b> 114					
<b>Waste Description:</b> OTHER INORGANIC ACID WASTES					
<b>Waste Code:</b> 121					
<b>Waste Description:</b> ALKALINE WASTES - HEAVY METALS					
<b>Waste Code:</b> 241					
<b>Waste Description:</b> HALOGENATED SOLVENTS					
<b>Waste Code:</b> 122					
<b>Waste Description:</b> ALKALINE WASTES - OTHER METALS					
<b>Waste Code:</b> 243					
<b>Waste Description:</b> PCBS					
<b>Waste Code:</b> 131					
<b>Waste Description:</b> NEUTRALIZED WASTES - HEAVY METALS					
<b>Waste Code:</b> 251					
<b>Waste Description:</b> OIL SKIMMINGS & SLUDGES					
<b>Waste Code:</b> 252					
<b>Waste Description:</b> WASTE OILS & LUBRICANTS					
<b>Waste Code:</b> 135					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Description:</b>		REACTIVE ANION WASTES			
<b>Waste Code:</b>		253			
<b>Waste Description:</b>		EMULSIFIED OILS			
<b>Waste Code:</b>		254			
<b>Waste Description:</b>		TRANSFER STATION OILS WASTES			
<b>Waste Code:</b>		262			
<b>Waste Description:</b>		DETERGENTS/SOAPS			
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>		263			
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		146			
<b>Waste Description:</b>		OTHER SPECIFIED INORGANICS			
<a href="#">227</a>	214 of 251	NE/287.6	113.7 / -0.12	ONTARIO HYDRO (SERVICE CTR/STORAGE BLDG) 800 KIPLING AVE. ETOBICOKE ON	REC
<b>Rec Op Div:</b>					
<b>Co Admin:</b>					
<b>Phone No Admin:</b>					
<b>Rec Div:</b>					
<b>Rec Op Name:</b>					
<b>Choice of Contact:</b>					
<b>Site Bldg:</b>					
<b>Site PO Box:</b>					
<b>Receiver #::</b>		301-82A001			
<b>Facility Type:</b>		PCB STORAGE SITE			
<b>Approval Yrs::</b>		2013			
<b>--Details--</b>					
<b>Waste Code:</b>		243			
<b>Waste Description:</b>		PCBS			
<a href="#">227</a>	215 of 251	NE/287.6	113.7 / -0.12	KINETRICS INC. 800 KIPLING AVE. TORONTO ON	REC
<b>Rec Op Div:</b>					
<b>Co Admin:</b>					
<b>Phone No Admin:</b>					
<b>Rec Div:</b>					
<b>Rec Op Name:</b>					
<b>Choice of Contact:</b>					
<b>Site Bldg:</b>					
<b>Site PO Box:</b>					
<b>Receiver #::</b>		4059-84YJY4			
<b>Facility Type:</b>		TRANSFER STN - PROCESSING			
<b>Approval Yrs::</b>		2012			
<b>--Details--</b>					
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Code:</b>			112		
<b>Waste Description:</b>			ACID WASTE - HEAVY METALS		
<b>Waste Code:</b>			113		
<b>Waste Description:</b>			ACID WASTE - OTHER METALS		
<b>Waste Code:</b>			222		
<b>Waste Description:</b>			HEAVY FUELS		
<b>Waste Code:</b>			114		
<b>Waste Description:</b>			OTHER INORGANIC ACID WASTES		
<b>Waste Code:</b>			232		
<b>Waste Description:</b>			POLYMERIC RESINS		
<b>Waste Code:</b>			121		
<b>Waste Description:</b>			ALKALINE WASTES - HEAVY METALS		
<b>Waste Code:</b>			122		
<b>Waste Description:</b>			ALKALINE WASTES - OTHER METALS		
<b>Waste Code:</b>			241		
<b>Waste Description:</b>			HALOGENATED SOLVENTS		
<b>Waste Code:</b>			243		
<b>Waste Description:</b>			PCBS		
<b>Waste Code:</b>			131		
<b>Waste Description:</b>			NEUTRALIZED WASTES - HEAVY METALS		
<b>Waste Code:</b>			251		
<b>Waste Description:</b>			OIL SKIMMINGS & SLUDGES		
<b>Waste Code:</b>			252		
<b>Waste Description:</b>			WASTE OILS & LUBRICANTS		
<b>Waste Code:</b>			135		
<b>Waste Description:</b>			REACTIVE ANION WASTES		
<b>Waste Code:</b>			253		
<b>Waste Description:</b>			EMULSIFIED OILS		
<b>Waste Code:</b>			254		
<b>Waste Description:</b>			TRANSFER STATION OILS WASTES		
<b>Waste Code:</b>			145		
<b>Waste Description:</b>			PAINT/PIGMENT/COATING RESIDUES		
<b>Waste Code:</b>			262		
<b>Waste Description:</b>			DETERGENTS/SOAPS		
<b>Waste Code:</b>			263		
<b>Waste Description:</b>			ORGANIC LABORATORY CHEMICALS		
<b>Waste Code:</b>			146		
<b>Waste Description:</b>			OTHER SPECIFIED INORGANICS		
<b>Waste Code:</b>			148		
<b>Waste Description:</b>			INORGANIC LABORATORY CHEMICALS		
<b>Waste Code:</b>			267		
<b>Waste Description:</b>			ORGANIC ACIDS		
<b>Waste Code:</b>			150		
<b>Waste Description:</b>			INERT INORGANIC WASTES		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Code:</b> 211 <b>Waste Description:</b> AROMATIC SOLVENTS					
<b>Waste Code:</b> 270 <b>Waste Description:</b> OTHER SPECIFIED ORGANICS					
<b>Waste Code:</b> 212 <b>Waste Description:</b> ALIPHATIC SOLVENTS					
<a href="#">227</a>	216 of 251	NE/287.6	113.7 / -0.12	ONTARIO HYDRO SUPPLY SERVICES DIV 800 KIPLING AVE ETOBICOKE ON M8Z 5S4	REC
<b>Rec Op Div:</b> <b>Co Admin:</b> <b>Phone No Admin:</b> <b>Rec Div:</b> <b>Rec Op Name:</b> <b>Choice of Contact:</b> <b>Site Bldg:</b> <b>Site PO Box:</b> <b>Receiver #::</b> A280307 <b>Facility Type:</b> TRANSFER STATION <b>Approval Yrs::</b> 87,88,89,90,92,93,94,95					
<b>--Details--</b> <b>Waste Code:</b> 252 <b>Waste Description:</b> WASTE OILS & LUBRICANTS					
<a href="#">227</a>	217 of 251	NE/287.6	113.7 / -0.12	ONTARIO HYDRO (SERVICE CTR/STORAGE BLDG) 800 KIPLING AVE. ETOBICOKE ON M8Z 5S4	REC
<b>Rec Op Div:</b> <b>Co Admin:</b> <b>Phone No Admin:</b> <b>Rec Div:</b> <b>Rec Op Name:</b> <b>Choice of Contact:</b> <b>Site Bldg:</b> <b>Site PO Box:</b> <b>Receiver #::</b> 301-82A001 <b>Facility Type:</b> PCB STORAGE SITE <b>Approval Yrs::</b> 2012					
<b>--Details--</b> <b>Waste Code:</b> 243 <b>Waste Description:</b> PCBS					
<a href="#">227</a>	218 of 251	NE/287.6	113.7 / -0.12	HYDRO ONE NETWORKS INC. 800 KIPLING AVENUE TORONTO ON M8Z 6C4	REC
<b>Rec Op Div:</b> <b>Co Admin:</b> <b>Phone No Admin:</b> <b>Rec Div:</b> <b>Rec Op Name:</b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Choice of Contact:</b>					
<b>Site Bldg:</b>					
<b>Site PO Box:</b>					
<b>Receiver #::</b> A280354					
<b>Facility Type:</b> TRANSFER STATION					
<b>Approval Yrs::</b> 02,03,04,05,06,07,08					
<b>--Details--</b>					
<b>Waste Code:</b> 112					
<b>Waste Description:</b> ACID WASTE - HEAVY METALS					
<b>Waste Code:</b> 121					
<b>Waste Description:</b> ALKALINE WASTES - HEAVY METALS					
<b>Waste Code:</b> 122					
<b>Waste Description:</b> ALKALINE WASTES - OTHER METALS					
<b>Waste Code:</b> 145					
<b>Waste Description:</b> PAINT/PIGMENT/COATING RESIDUES					
<b>Waste Code:</b> 146					
<b>Waste Description:</b> OTHER SPECIFIED INORGANICS					
<b>Waste Code:</b> 148					
<b>Waste Description:</b> INORGANIC LABORATORY CHEMICALS					
<b>Waste Code:</b> 211					
<b>Waste Description:</b> AROMATIC SOLVENTS					
<b>Waste Code:</b> 212					
<b>Waste Description:</b> ALIPHATIC SOLVENTS					
<b>Waste Code:</b> 213					
<b>Waste Description:</b> PETROLEUM DISTILLATES					
<b>Waste Code:</b> 221					
<b>Waste Description:</b> LIGHT FUELS					
<b>Waste Code:</b> 222					
<b>Waste Description:</b> HEAVY FUELS					
<b>Waste Code:</b> 241					
<b>Waste Description:</b> HALOGENATED SOLVENTS					
<b>Waste Code:</b> 242					
<b>Waste Description:</b> HALOGENATED PESTICIDES					
<b>Waste Code:</b> 251					
<b>Waste Description:</b> OIL SKIMMINGS & SLUDGES					
<b>Waste Code:</b> 252					
<b>Waste Description:</b> WASTE OILS & LUBRICANTS					
<b>Waste Code:</b> 253					
<b>Waste Description:</b> EMULSIFIED OILS					
<b>Waste Code:</b> 254					
<b>Waste Description:</b> TRANSFER STATION OILS WASTES					
<b>Waste Code:</b> 263					
<b>Waste Description:</b> ORGANIC LABORATORY CHEMICALS					
<b>Waste Code:</b> 264					
<b>Waste Description:</b> PHOTOPROCESSING WASTES					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			

[227](#)    219 of 251    **NE/287.6**    **113.7 / -0.12**    **ONTARIO HYDRO  
800 KIPLING AVENUE  
ETOBICOKE ON M8Z 6C4**    **REC**

**Rec Op Div:**  
**Co Admin:**  
**Phone No Admin:**  
**Rec Div:**  
**Rec Op Name:**  
**Choice of Contact:**  
**Site Bldg:**  
**Site PO Box:**  
**Receiver #::** A280354  
**Facility Type:** TRANSFER STATION  
**Approval Yrs::** 99

**--Details--**

**Waste Code:** 112  
**Waste Description:** ACID WASTE - HEAVY METALS

**Waste Code:** 121  
**Waste Description:** ALKALINE WASTES - HEAVY METALS

**Waste Code:** 122  
**Waste Description:** ALKALINE WASTES - OTHER METALS

**Waste Code:** 145  
**Waste Description:** PAINT/PIGMENT/COATING RESIDUES

**Waste Code:** 146  
**Waste Description:** OTHER SPECIFIED INORGANICS

**Waste Code:** 148  
**Waste Description:** INORGANIC LABORATORY CHEMICALS

**Waste Code:** 211  
**Waste Description:** AROMATIC SOLVENTS

**Waste Code:** 212  
**Waste Description:** ALIPHATIC SOLVENTS

**Waste Code:** 213  
**Waste Description:** PETROLEUM DISTILLATES

**Waste Code:** 221  
**Waste Description:** LIGHT FUELS

**Waste Code:** 222  
**Waste Description:** HEAVY FUELS

**Waste Code:** 241  
**Waste Description:** HALOGENATED SOLVENTS

**Waste Code:** 242  
**Waste Description:** HALOGENATED PESTICIDES

**Waste Code:** 251  
**Waste Description:** OIL SKIMMINGS & SLUDGES

**Waste Code:** 252



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		253			
<b>Waste Description:</b>		EMULSIFIED OILS			
<b>Waste Code:</b>		254			
<b>Waste Description:</b>		TRANSFER STATION OILS WASTES			
<b>Waste Code:</b>		263			
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		264			
<b>Waste Description:</b>		PHOTOPROCESSING WASTES			
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			

<a href="#">227</a>	220 of 251	NE/287.6	113.7 / -0.12	ONTARIO HYDRO MOBILE DESTRUCTION FACILITY 800 KIPLING AVENUE ETOBICOKE ON M8Z 5S4	REC
<b>Rec Op Div:</b>					
<b>Co Admin:</b>					
<b>Phone No Admin:</b>					
<b>Rec Div:</b>					
<b>Rec Op Name:</b>					
<b>Choice of Contact:</b>					
<b>Site Bldg:</b>					
<b>Site PO Box:</b>					
<b>Receiver #::</b>		A280358			
<b>Facility Type:</b>					
<b>Approval Yrs::</b>		06,07,08			

<a href="#">227</a>	221 of 251	NE/287.6	113.7 / -0.12	800 Kipling Avenue Toronto ON	SPL
<b>Ref No:</b>	6138-6JCRXK		<b>Discharger Report:</b> 0		
<b>Site No:</b>			<b>Material Group:</b> Gases/Particulate		
<b>Incident Dt:</b>	11/21/2005		<b>Client Type:</b>		
<b>Year:</b>			<b>Sector Type:</b> Other		
<b>Incident Cause:</b>			<b>Source Type:</b>		
<b>Incident Event:</b>			<b>Nearest Watercourse:</b>		
<b>Contaminant Code:</b>			<b>Site Name:</b> 800 Kipling Avenue		
<b>Contaminant Name:</b>	NATURAL GAS (METHANE)		<b>Site Address:</b>		
<b>Contaminant Limit 1:</b>			<b>Site District Office:</b> Toronto		
<b>Contam Limit Freq 1:</b>			<b>Site County/District:</b>		
<b>Contaminant UN No 1:</b>			<b>Site Postal Code:</b>		
<b>Contaminant Qty:</b>	unknown		<b>Site Region:</b>		
<b>Environment Impact:</b>	Not Anticipated		<b>Site Municipality:</b> Toronto		
<b>Nature of Impact:</b>			<b>Site Lot:</b>		
<b>Receiving Medium:</b>	Air		<b>Site Conc:</b>		
<b>Receiving Env:</b>			<b>Northing:</b> NA		
<b>Health/Env Conseq:</b>			<b>Easting:</b> NA		
<b>MOE Response:</b>			<b>Site Geo Ref Accu:</b>		
<b>Dt MOE Arvl on Scn:</b>			<b>Site Geo Ref Meth:</b>		
<b>MOE Reported Dt:</b>	11/21/2005		<b>Site Map Datum:</b>		
<b>Dt Document Closed:</b>					
<b>SAC Action Class:</b>	Air Spills - Gases and Vapours				
<b>Incident Reason:</b>					
<b>Incident Summary:</b>	TSSA: gas line leak				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">227</a>	222 of 251	NE/287.6	113.7 / -0.12	ONTARIO HYDRO 800 KIPLING TRANSFORMER TORONTO CITY ON	SPL
<b>Ref No:</b>	37754			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>	7/15/1990			<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	
<b>Incident Cause:</b>	COOLING SYSTEM LEAK			<b>Source Type:</b>	
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>				<b>Site Name:</b>	
<b>Contaminant Name:</b>				<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>	CONFIRMED			<b>Site Municipality:</b>	01106
<b>Nature of Impact:</b>	Soil contamination			<b>Site Lot:</b>	
<b>Receiving Medium:</b>	LAND			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>Health/Env Conseq:</b>				<b>Easting:</b>	
<b>MOE Response:</b>				<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	7/15/1990			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>					
<b>SAC Action Class:</b>					
<b>Incident Reason:</b>	DAMAGE BY MOVING EQUIPMENT				
<b>Incident Summary:</b>	ONTARIO HYDRO-TRANSFORMERLEAK IN YARD, OVER 30 LTROIL (PCB UNKNOWN) SPILLED				
<a href="#">227</a>	223 of 251	NE/287.6	113.7 / -0.12	Seawy Marine Transport 800 Kipling Ave. Etobicoke PUROLATOR COURIER GARAGE<UNOFFICIAL> Toronto ON	SPL
<b>Ref No:</b>	7275-6UWLU3			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	Chemicals
<b>Incident Dt:</b>	5/16/2006			<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	Other Motor Vehicle
<b>Incident Cause:</b>	Other Discharges			<b>Source Type:</b>	
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>	24			<b>Site Name:</b>	
<b>Contaminant Name:</b>	ETHYLENE GLYCOL (ANTIFREEZE)			<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	Peterborough
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>	20 L			<b>Site Region:</b>	
<b>Environment Impact:</b>	Possible			<b>Site Municipality:</b>	Cramahe
<b>Nature of Impact:</b>	Soil Contamination; Surface Water Pollution			<b>Site Lot:</b>	
<b>Receiving Medium:</b>	Land & Water			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>Health/Env Conseq:</b>				<b>Easting:</b>	
<b>MOE Response:</b>				<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	5/16/2006			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>					
<b>SAC Action Class:</b>					
<b>Incident Reason:</b>	Unknown - Reason not determined				
<b>Incident Summary:</b>	Purolator, Etobicoke- TT leaked 20 L of coolant to sewer				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">227</a>	224 of 251	NE/287.6	113.7 / -0.12	ONTARIO HYDRO 800 KIPLING AVE., BUILDING KJ TORONTO CITY ON	SPL
<b>Ref No:</b>	106078			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>	//			<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	
<b>Incident Cause:</b>	PIPE/HOSE LEAK			<b>Source Type:</b>	
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>				<b>Site Name:</b>	
<b>Contaminant Name:</b>				<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>	POSSIBLE			<b>Site Municipality:</b>	1106
<b>Nature of Impact:</b>	Soil contamination			<b>Site Lot:</b>	
<b>Receiving Medium:</b>	LAND			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>Health/Env Conseq:</b>				<b>Easting:</b>	
<b>MOE Response:</b>				<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	10/7/1994			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>					
<b>SAC Action Class:</b>					
<b>Incident Reason:</b>	UNKNOWN				
<b>Incident Summary:</b>	ONTARIO HYDRO.: 760 L OF ETHYLENE GLYCOL TO SOIL FROM LEAK IN HEAT PUMP.				
<a href="#">227</a>	225 of 251	NE/287.6	113.7 / -0.12	ONTARIO HYDRO ONTARIO HYDRO, 800 KIPLING AVE. KIPLING COMPLEX 800 KIPLING AVENUE TORONTO CITY ON	SPL
<b>Ref No:</b>	117043			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>	8/11/1995			<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	
<b>Incident Cause:</b>	VALVE/FITTING LEAK OR FAILURE			<b>Source Type:</b>	
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>				<b>Site Name:</b>	
<b>Contaminant Name:</b>				<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>	POSSIBLE			<b>Site Municipality:</b>	1106
<b>Nature of Impact:</b>	Soil contamination			<b>Site Lot:</b>	
<b>Receiving Medium:</b>	LAND			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>Health/Env Conseq:</b>				<b>Easting:</b>	
<b>MOE Response:</b>				<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	8/11/1995			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>					
<b>SAC Action Class:</b>					
<b>Incident Reason:</b>	EQUIPMENT FAILURE				
<b>Incident Summary:</b>	ONT HYDRO - GLYCOL LEAK TO SOIL HYDRO INVESTIGATING				
<a href="#">227</a>	226 of 251	NE/287.6	113.7 / -0.12	ONTARIO HYDRO SERVICES COMPANY KIPLING COMPLEX 800 KIPLING AVENUE TORONTO CITY ON	SPL

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
	169438			<b>Discharger Report:</b> <b>Material Group:</b> <b>Client Type:</b> <b>Sector Type:</b> <b>Source Type:</b> <b>Nearest Watercourse:</b> <b>Site Name:</b> <b>Site Address:</b> <b>Site District Office:</b> <b>Site County/District:</b> <b>Site Postal Code:</b> <b>Site Region:</b> <b>Site Municipality:</b> 1106 <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> <b>Site Geo Ref Accu:</b> <b>Site Geo Ref Meth:</b> <b>Site Map Datum:</b>	
	6/25/1999				
	PIPE/HOSE LEAK				
	NOT ANTICIPATED				
	LAND				
	6/25/1999				
		EQUIPMENT FAILURE			
		HYDRO-REPORTS TRUCK SPILL OF 18 L OF HYDRAULIC OIL TO YARD- CLEAN UP COMPL.			
<a href="#">227</a>	227 of 251	NE/287.6	113.7 / -0.12	<b>ONTARIO HYDRO</b> <b>800 KIPLING AVE KIPLING COMPLEX 800</b> <b>KIPLING AVENUE</b> <b>TORONTO CITY ON</b>	<b>SPL</b>
	140996			<b>Discharger Report:</b> <b>Material Group:</b> <b>Client Type:</b> <b>Sector Type:</b> <b>Source Type:</b> <b>Nearest Watercourse:</b> <b>Site Name:</b> <b>Site Address:</b> <b>Site District Office:</b> <b>Site County/District:</b> <b>Site Postal Code:</b> <b>Site Region:</b> <b>Site Municipality:</b> 01106 <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> ETOBICOKE WORKS <b>Site Geo Ref Accu:</b> <b>Site Geo Ref Meth:</b> <b>Site Map Datum:</b>	
	5/21/1997				
	OTHER CONTAINER LEAK				
	POSSIBLE				
	Water course or lake				
	LAND				
	5/21/1997				
		ERROR			
		ONTARIO HYDRO- MAX OF 40LBATTERY ACID TO GROUND AND DRAIN.			
<a href="#">227</a>	228 of 251	NE/287.6	113.7 / -0.12	<b>ONTARIO HYDRO</b> <b>ONTARIO HYDRO WAREHOUSE YARD 800</b> <b>KIPLING AVE MOTOR VEHICLE (OPERATING FLUID)</b> <b>TORONTO CITY ON</b>	<b>SPL</b>

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Ref No:</b> <b>Site No:</b> <b>Incident Dt:</b> <b>Year:</b> <b>Incident Cause:</b> <b>Incident Event:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Contaminant Qty:</b> <b>Environment Impact:</b> <b>Nature of Impact:</b> <b>Receiving Medium:</b> <b>Receiving Env:</b> <b>Health/Env Conseq:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> <b>Dt Document Closed:</b> <b>SAC Action Class:</b> <b>Incident Reason:</b> <b>Incident Summary:</b>	80547 // VALVE/FITTING LEAK OR FAILURE			<b>Discharger Report:</b> <b>Material Group:</b> <b>Client Type:</b> <b>Sector Type:</b> <b>Source Type:</b> <b>Nearest Watercourse:</b> <b>Site Name:</b> <b>Site Address:</b> <b>Site District Office:</b> <b>Site County/District:</b> <b>Site Postal Code:</b> <b>Site Region:</b> <b>Site Municipality:</b> 01106 <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> <b>Site Geo Ref Accu:</b> <b>Site Geo Ref Meth:</b> <b>Site Map Datum:</b>	
		OTHER		ONTARIO HYDRO- <5L DIESEL ON TONTO WAREHOUSE PAVED YARD FROM TRUCK SADDLE TANK.	

[227](#)    229 of 251    NE/287.6    113.7 / -0.12    **ONTARIO HYDRO  
800 KIPLING AVE KIPLING COMPLEX 800  
KIPLING AVENUE  
TORONTO CITY ON**    **SPL**

<b>Ref No:</b> <b>Site No:</b> <b>Incident Dt:</b> <b>Year:</b> <b>Incident Cause:</b> <b>Incident Event:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Contaminant Qty:</b> <b>Environment Impact:</b> <b>Nature of Impact:</b> <b>Receiving Medium:</b> <b>Receiving Env:</b> <b>Health/Env Conseq:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> <b>Dt Document Closed:</b> <b>SAC Action Class:</b> <b>Incident Reason:</b> <b>Incident Summary:</b>	145517 8/20/1997 OTHER CONTAINER LEAK			<b>Discharger Report:</b> <b>Material Group:</b> <b>Client Type:</b> <b>Sector Type:</b> <b>Source Type:</b> <b>Nearest Watercourse:</b> <b>Site Name:</b> <b>Site Address:</b> <b>Site District Office:</b> <b>Site County/District:</b> <b>Site Postal Code:</b> <b>Site Region:</b> <b>Site Municipality:</b> 01106 <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> <b>Site Geo Ref Accu:</b> <b>Site Geo Ref Meth:</b> <b>Site Map Datum:</b>	
		ERROR		ONTARIO HYDRO: 45 L OF MINERAL OIL TO GROUND, CONTAINED AND CLEANED UP.	

[227](#)    230 of 251    NE/287.6    113.7 / -0.12    **ONTARIO HYDRO SERVICES COMPANY  
KIPLING COMPLEX 800 KIPLING AVENUE  
TORONTO CITY ON**    **SPL**

<b>Ref No:</b> <b>Site No:</b> <b>Incident Dt:</b>	170097 //			<b>Discharger Report:</b> <b>Material Group:</b> <b>Client Type:</b>	
--	--------------	--	--	--	--

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Year:</b>				<b>Sector Type:</b>	
<b>Incident Cause:</b>	PIPE/HOSE LEAK			<b>Source Type:</b>	
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>				<b>Site Name:</b>	
<b>Contaminant Name:</b>				<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>	CONFIRMED			<b>Site Municipality:</b>	1106
<b>Nature of Impact:</b>	Soil contamination			<b>Site Lot:</b>	
<b>Receiving Medium:</b>	LAND			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>Health/Env Conseq:</b>				<b>Easting:</b>	
<b>MOE Response:</b>				<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	7/12/1999			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>					
<b>SAC Action Class:</b>					
<b>Incident Reason:</b>	OTHER				
<b>Incident Summary:</b>	ONTARIO HYDRO - 25 L OF BREAKER OIL TO GROUND FROM UNDERGROUND LINE.				

<a href="#">227</a>	231 of 251	NE/287.6	113.7 / -0.12	ONTARIO HYDRO 800 KIPLING AVE. KIPLING COMPLEX 800 KIPLING AVENUE TORONTO CITY ON	SPL
<b>Ref No:</b>	133854			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>	11/4/1996			<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	
<b>Incident Cause:</b>	UNDERGROUND TANK LEAK			<b>Source Type:</b>	
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>				<b>Site Name:</b>	
<b>Contaminant Name:</b>				<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>	CONFIRMED			<b>Site Municipality:</b>	01106
<b>Nature of Impact:</b>	Soil contamination			<b>Site Lot:</b>	
<b>Receiving Medium:</b>	LAND			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>Health/Env Conseq:</b>				<b>Easting:</b>	
<b>MOE Response:</b>				<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	11/4/1996			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>					
<b>SAC Action Class:</b>					
<b>Incident Reason:</b>	CORROSION				
<b>Incident Summary:</b>	ONTARIO HYDRO - 15 L OF FURNACE OIL TO GROUND FROM UNDERGROUND TANK.				

<a href="#">227</a>	232 of 251	NE/287.6	113.7 / -0.12	ONTARIO HYDRO 800 KIPLING AVE. TRANSFORMER TORONTO CITY ON	SPL
<b>Ref No:</b>	115418			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>	7/7/1995			<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	
<b>Incident Cause:</b>	COOLING SYSTEM LEAK			<b>Source Type:</b>	
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Contaminant Code:</b> <b>Contaminant Name:</b> <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Contaminant Qty:</b> <b>Environment Impact:</b> POSSIBLE <b>Nature of Impact:</b> Soil contamination <b>Receiving Medium:</b> LAND <b>Receiving Env:</b> <b>Health/Env Conseq:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 7/7/1995 <b>Dt Document Closed:</b> <b>SAC Action Class:</b> <b>Incident Reason:</b> ERROR <b>Incident Summary:</b> ONTARIO HYDRO: 1 L OF MINERAL OIL TO GROUND, CLEANED UP.				<b>Site Name:</b> <b>Site Address:</b> <b>Site District Office:</b> <b>Site County/District:</b> <b>Site Postal Code:</b> <b>Site Region:</b> <b>Site Municipality:</b> 1106 <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> <b>Site Geo Ref Accu:</b> <b>Site Geo Ref Meth:</b> <b>Site Map Datum:</b>	

<a href="#">227</a>	233 of 251	NE/287.6	113.7 / -0.12	Ontario Power Generation Inc. 800 Kipling Ave Building KT Toronto ON M8Z 5S4	SPL
<b>Ref No:</b> 5306-8LJFUS <b>Site No:</b> <b>Incident Dt:</b> 9/9/2011 <b>Year:</b> <b>Incident Cause:</b> Tank (Above Ground) Leak <b>Incident Event:</b> <b>Contaminant Code:</b> 13 <b>Contaminant Name:</b> DIESEL FUEL <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Contaminant Qty:</b> 5 L <b>Environment Impact:</b> Confirmed <b>Nature of Impact:</b> Other Impact(s) <b>Receiving Medium:</b> <b>Receiving Env:</b> <b>Health/Env Conseq:</b> <b>MOE Response:</b> No Field Response <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 9/9/2011 <b>Dt Document Closed:</b> 9/13/2011 <b>SAC Action Class:</b> TSSA - Fuel Safety Branch <b>Incident Reason:</b> Corrosion - All forms of internal/external corrosion <b>Incident Summary:</b> TSSAfsb-OPG Rusty Tank causing 5L diesel Spill				<b>Discharger Report:</b> <b>Material Group:</b> <b>Client Type:</b> <b>Sector Type:</b> Other <b>Source Type:</b> <b>Nearest Watercourse:</b> <b>Site Name:</b> 800 Kipling Avenue <b>Site Address:</b> 800 Kipling Ave Building KT <b>Site District Office:</b> <b>Site County/District:</b> <b>Site Postal Code:</b> <b>Site Region:</b> <b>Site Municipality:</b> Toronto <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> NA <b>Easting:</b> NA <b>Site Geo Ref Accu:</b> <b>Site Geo Ref Meth:</b> <b>Site Map Datum:</b>	

<a href="#">227</a>	234 of 251	NE/287.6	113.7 / -0.12	ONTARIO HYDRO KIPLING COMPLEX 800 KIPLING AVENUE TORONTO CITY ON	SPL
<b>Ref No:</b> 149597 <b>Site No:</b> <b>Incident Dt:</b> 11/24/1997 <b>Year:</b> <b>Incident Cause:</b> PIPE/HOSE LEAK <b>Incident Event:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b>				<b>Discharger Report:</b> <b>Material Group:</b> <b>Client Type:</b> <b>Sector Type:</b> <b>Source Type:</b> <b>Nearest Watercourse:</b> <b>Site Name:</b> <b>Site Address:</b> <b>Site District Office:</b> <b>Site County/District:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Contaminant UN No 1:</b> <b>Contaminant Qty:</b> <b>Environment Impact:</b> POSSIBLE <b>Nature of Impact:</b> Water course or lake <b>Receiving Medium:</b> LAND <b>Receiving Env:</b> <b>Health/Env Conseq:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 11/25/1997 <b>Dt Document Closed:</b> <b>SAC Action Class:</b> <b>Incident Reason:</b> EQUIPMENT FAILURE <b>Incident Summary:</b> ONTARIO HYDRO:160L ETHYLENE GLYCOL LEAKED INTO SEWER.				<b>Site Postal Code:</b> <b>Site Region:</b> <b>Site Municipality:</b> 01106 <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> <b>Site Geo Ref Accu:</b> <b>Site Geo Ref Meth:</b> <b>Site Map Datum:</b>	
<a href="#">227</a>	235 of 251	NE/287.6	113.7 / -0.12	<b>Purolator Courier Ltd.</b> 800 Kipling Ave Toronto ON	SPL
<b>Ref No:</b> 2671-7KE3W6 <b>Site No:</b> <b>Incident Dt:</b> <b>Year:</b> <b>Incident Cause:</b> Tank (Above Ground) Leak <b>Incident Event:</b> <b>Contaminant Code:</b> 13 <b>Contaminant Name:</b> DIESEL FUEL <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Contaminant Qty:</b> 250 L <b>Environment Impact:</b> Possible <b>Nature of Impact:</b> Human Health/Safety; Surface Water Pollution <b>Receiving Medium:</b> <b>Receiving Env:</b> <b>Health/Env Conseq:</b> <b>MOE Response:</b> No Field Response <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 10/13/2008 <b>Dt Document Closed:</b> <b>SAC Action Class:</b> Land Spills <b>Incident Reason:</b> <b>Incident Summary:</b> Purolator (Etobicoke): diesel to grd				<b>Discharger Report:</b> <b>Material Group:</b> <b>Client Type:</b> <b>Sector Type:</b> Other Motor Vehicle <b>Source Type:</b> <b>Nearest Watercourse:</b> <b>Site Name:</b> Purolator Courier Ltd.<UNOFFICIAL> <b>Site Address:</b> <b>Site District Office:</b> Toronto - District <b>Site County/District:</b> <b>Site Postal Code:</b> <b>Site Region:</b> <b>Site Municipality:</b> Toronto <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> <b>Site Geo Ref Accu:</b> <b>Site Geo Ref Meth:</b> <b>Site Map Datum:</b>	
<a href="#">227</a>	236 of 251	NE/287.6	113.7 / -0.12	<b>ONTARIO HYDRO</b> 800 KIPLING AVE MOTOR VEHICLE (OPERATING FLUID) TORONTO CITY ON	SPL
<b>Ref No:</b> 112771 <b>Site No:</b> <b>Incident Dt:</b> 5/5/1995 <b>Year:</b> <b>Incident Cause:</b> PIPE/HOSE LEAK <b>Incident Event:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Contaminant Qty:</b> <b>Environment Impact:</b> NOT ANTICIPATED				<b>Discharger Report:</b> <b>Material Group:</b> <b>Client Type:</b> <b>Sector Type:</b> <b>Source Type:</b> <b>Nearest Watercourse:</b> <b>Site Name:</b> <b>Site Address:</b> <b>Site District Office:</b> <b>Site County/District:</b> <b>Site Postal Code:</b> <b>Site Region:</b> <b>Site Municipality:</b> 1106	



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Nature of Impact:</b> <b>Receiving Medium:</b> WATER <b>Receiving Env:</b> <b>Health/Env Conseq:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 5/5/1995 <b>Dt Document Closed:</b> <b>SAC Action Class:</b> <b>Incident Reason:</b> <b>Incident Summary:</b> EQUIPMENT FAILURE ONTARIO HYDRO-15-20 L OF DURSBAN INSECTICIDE USE SOLUTION TO LAND & C/B.				<b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> ETOBICOKE WORKS <b>Site Geo Ref Accu:</b> <b>Site Geo Ref Meth:</b> <b>Site Map Datum:</b>	

<a href="#">227</a>	237 of 251	NE/287.6	113.7 / -0.12	ONTARIO HYDRO SERVICES COMPANY AT ONTARIO HYDRO AT 800 KIPLING AVE. TORONTO CITY ON	SPL
<b>Ref No:</b> 169112 <b>Site No:</b> <b>Incident Dt:</b> 6/14/1999 <b>Year:</b> <b>Incident Cause:</b> PIPE/HOSE LEAK <b>Incident Event:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Contaminant Qty:</b> <b>Environment Impact:</b> CONFIRMED <b>Nature of Impact:</b> Soil contamination <b>Receiving Medium:</b> LAND <b>Receiving Env:</b> <b>Health/Env Conseq:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 6/17/1999 <b>Dt Document Closed:</b> <b>SAC Action Class:</b> <b>Incident Reason:</b> <b>Incident Summary:</b> EQUIPMENT FAILURE ONTARIO HYDRO - UNKNOWN AMOUNT OF ETHYLENE GLYCOL TO SOIL FROM PIPE.				<b>Discharger Report:</b> <b>Material Group:</b> <b>Client Type:</b> <b>Sector Type:</b> <b>Source Type:</b> <b>Nearest Watercourse:</b> <b>Site Name:</b> <b>Site Address:</b> <b>Site District Office:</b> <b>Site County/District:</b> <b>Site Postal Code:</b> <b>Site Region:</b> <b>Site Municipality:</b> 1106 <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> TSSA <b>Site Geo Ref Accu:</b> <b>Site Geo Ref Meth:</b> <b>Site Map Datum:</b>	

<a href="#">227</a>	238 of 251	NE/287.6	113.7 / -0.12	1705686 Ontario Inc. Unit 2 - 800 Kipling Ave Toronto ON	SPL
<b>Ref No:</b> 0486-9BEJ3V <b>Site No:</b> <b>Incident Dt:</b> 2013/08/18 <b>Year:</b> <b>Incident Cause:</b> Dumping <b>Incident Event:</b> <b>Contaminant Code:</b> 28 <b>Contaminant Name:</b> SODIUM PHOSPHATE (MONOBASIC) <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Contaminant Qty:</b> 205 L <b>Environment Impact:</b> Not Anticipated <b>Nature of Impact:</b> Surface Water Pollution <b>Receiving Medium:</b> <b>Receiving Env:</b> <b>Health/Env Conseq:</b>				<b>Discharger Report:</b> <b>Material Group:</b> <b>Client Type:</b> <b>Sector Type:</b> Container/Drum/Tote <b>Source Type:</b> <b>Nearest Watercourse:</b> <b>Site Name:</b> 800 Kipling Avenue <b>Site Address:</b> Unit 2 - 800 Kipling Ave <b>Site District Office:</b> <b>Site County/District:</b> <b>Site Postal Code:</b> <b>Site Region:</b> <b>Site Municipality:</b> Toronto <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> 4831865 <b>Easting:</b> 618470	





Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Description:</b>					
<b>Other Approvals/Permits:</b>					
<b>PDF URL:</b> <a href="https://www.accessenvironment.ene.gov.on.ca/instruments/1325-5RQPL6-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/1325-5RQPL6-14.pdf</a>					
<a href="#">227</a>	242 of 251	NE/287.6	113.7 / -0.12	Hydro One Inc. 800 Kipling Avenue Toronto ON M8Z 2R7	WDS
<b>Certificate No:</b>	A280354			<b>Facility Type:</b>	
<b>Mob Unit Cert No:</b>				<b>Site Concession:</b>	
<b>EBR Registry No:</b>				<b>Site Region/County:</b>	Municipality Of Metropolitan Toronto
<b>Status:</b>	Revoked and/or Replaced			<b>Total Area (ha):</b>	0.0001
<b>Application Status:</b>				<b>Landfill Cap (m³):</b>	
<b>Issue Date:</b>	2000-09-01			<b>Landfill Ctrl Type:</b>	
<b>Input Date:</b>				<b>Est Closure Date:</b>	
<b>Date Received:</b>				<b>Transfer Area (ha):</b>	
<b>Record Type:</b>	ECA			<b>Transfer Cap (m³):</b>	
<b>Project Type:</b>	WASTE DISPOSAL SITES			<b>Transfer Cert No:</b>	
<b>Approval Type:</b>	ECA-WASTE DISPOSAL SITES			<b>Inciner. Area (ha):</b>	
<b>SWP Area Name:</b>				<b>Inciner. Cap (t):</b>	
<b>MOE District:</b>				<b>Process Area (m³):</b>	
<b>Latitude:</b>				<b>Process Cap (m³/d):</b>	
<b>Longitude:</b>				<b>Process Vol (m³):</b>	
<b>Link Source:</b>	IDS			<b>Process Feed (m³):</b>	
<b>Proponent:</b>	Hydro One Inc.			<b>Mobile Units:</b>	
<b>Prop Address:</b>	30 Lockport Avenue			<b>Mobile Description:</b>	
<b>Prop City:</b>	Toronto			<b>Mobile Capacity:</b>	
<b>Prop Postal:</b>	M8Z 2R7			<b>Serial Link:</b>	
<b>Prop Phone:</b>				<b>District Office:</b>	
<b>Proponent County/District:</b>	Municipality Of Metropolitan Toronto				
<b>Site Lot:</b>					
<b>Full Address:</b>	800 Kipling Avenue				
<b>Landfill Monitoring:</b>					
<b>Waste Type:</b>					
<b>Waste Type Other:</b>					
<b>Waste Class:</b>					
<b>Waste Class Code:</b>					
<b>Project Description:</b>	Company name change from Ontario Hydro Services Company Inc. to Hydro One Inc.				
<b>Municipalities Served:</b>	Ontario				
<b>Site Closing Description:</b>					
<b>Approval Description:</b>					
<b>Waste Description:</b>					
<b>Other Approvals/Permits:</b>					
<b>PDF URL:</b>	<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/0657-4NAPZT-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/0657-4NAPZT-14.pdf</a>				

<a href="#">227</a>	243 of 251	NE/287.6	113.7 / -0.12	Kinectrics Inc. 800 Kipling Avenue Toronto ON M8Z 6C4	WDS
<b>Certificate No:</b>	A280307			<b>Facility Type:</b>	
<b>Mob Unit Cert No:</b>				<b>Site Concession:</b>	
<b>EBR Registry No:</b>				<b>Site Region/County:</b>	Municipality Of Metropolitan Toronto
<b>Status:</b>	Revoked and/or Replaced			<b>Total Area (ha):</b>	0.1
<b>Application Status:</b>				<b>Landfill Cap (m³):</b>	
<b>Issue Date:</b>	2000-08-21			<b>Landfill Ctrl Type:</b>	
<b>Input Date:</b>				<b>Est Closure Date:</b>	
<b>Date Received:</b>				<b>Transfer Area (ha):</b>	
<b>Record Type:</b>	ECA			<b>Transfer Cap (m³):</b>	
<b>Project Type:</b>	WASTE DISPOSAL SITES			<b>Transfer Cert No:</b>	
<b>Approval Type:</b>	ECA-WASTE DISPOSAL SITES			<b>Inciner. Area (ha):</b>	
<b>SWP Area Name:</b>	Toronto			<b>Inciner. Cap (t):</b>	
<b>MOE District:</b>	Toronto			<b>Process Area (m³):</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Latitude:</b> <b>Longitude:</b> <b>Link Source:</b> IDS <b>Proponent:</b> Kinectrics Inc. <b>Prop Address:</b> 800 Kipling Avenue <b>Prop City:</b> Toronto <b>Prop Postal:</b> M8Z 6C4 <b>Prop Phone:</b> <b>Proponent County/District:</b> Municipality Of Metropolitan Toronto <b>Site Lot:</b> <b>Full Address:</b> 800 Kipling Avenue <b>Landfill Monitoring:</b> <b>Waste Type:</b> <b>Waste Type Other:</b> <b>Waste Class:</b> Polychlorinated biphenyls (PCBs) <b>Waste Class Code:</b> <b>Project Description:</b> This application is for changing the Company title from Ontario Hydro to "Kinectrics Inc." <b>Municipalities Served:</b> N/A <b>Site Closing Description:</b> <b>Approval Description:</b> <b>Waste Description:</b> <b>Other Approvals/Permits:</b> <b>PDF URL:</b> <a href="https://www.accessenvironment.ene.gov.on.ca/instruments/8585-4N8GQS-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/8585-4N8GQS-14.pdf</a>				<b>Process Cap (m³/d):</b> <b>Process Vol (m³):</b> <b>Process Feed (m³):</b> <b>Mobile Units:</b> <b>Mobile Description:</b> <b>Mobile Capacity:</b> <b>Serial Link:</b> <b>District Office:</b>	

<a href="#">227</a>	244 of 251	NE/287.6	113.7 / -0.12	Kinectrics Inc. 800 Kipling Ave Suite 2 Toronto ON M8Z 6C4	WDS
<b>Certificate No:</b> 4059-84YJY4 <b>Mob Unit Cert No:</b> <b>EBR Registry No:</b> <b>Status:</b> Amended <b>Application Status:</b> <b>Issue Date:</b> 2010-08-13 <b>Input Date:</b> <b>Date Received:</b> <b>Record Type:</b> ECA <b>Project Type:</b> WASTE DISPOSAL SITES <b>Approval Type:</b> ECA-WASTE DISPOSAL SITES <b>SWP Area Name:</b> <b>MOE District:</b> <b>Latitude:</b> <b>Longitude:</b> <b>Link Source:</b> IDS <b>Proponent:</b> <b>Prop Address:</b> <b>Prop City:</b> <b>Prop Postal:</b> <b>Prop Phone:</b> <b>Proponent County/District:</b> <b>Site Lot:</b> <b>Full Address:</b> 800 Kipling Ave Suite 2 <b>Landfill Monitoring:</b> <b>Waste Type:</b> <b>Waste Type Other:</b> <b>Waste Class:</b> <b>Waste Class Code:</b> <b>Project Description:</b> <b>Municipalities Served:</b> <b>Site Closing Description:</b> <b>Approval Description:</b> <b>Waste Description:</b> <b>Other Approvals/Permits:</b> <b>PDF URL:</b> <a href="https://www.accessenvironment.ene.gov.on.ca/instruments/6668-7YYRAJ-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/6668-7YYRAJ-14.pdf</a>				<b>Facility Type:</b> <b>Site Concession:</b> <b>Site Region/County:</b> <b>Total Area (ha):</b> <b>Landfill Cap (m³):</b> <b>Landfill Ctrl Type:</b> <b>Est Closure Date:</b> <b>Transfer Area (ha):</b> <b>Transfer Cap (m³):</b> <b>Transfer Cert No:</b> <b>Inciner. Area (ha):</b> <b>Inciner. Cap (t):</b> <b>Process Area (m³):</b> <b>Process Cap (m³/d):</b> <b>Process Vol (m³):</b> <b>Process Feed (m³):</b> <b>Mobile Units:</b> <b>Mobile Description:</b> <b>Mobile Capacity:</b> <b>Serial Link:</b> <b>District Office:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">227</a>	245 of 251	NE/287.6	113.7 / -0.12	Kinectrics Inc. 800 Kipling Avenue Toronto ON M8Z 6C4	WDS
<b>Certificate No:</b>	A280307			<b>Facility Type:</b>	
<b>Mob Unit Cert No:</b>				<b>Site Concession:</b>	
<b>EBR Registry No:</b>				<b>Site Region/County:</b>	Municipality Of Metropolitan Toronto
<b>Status:</b>	Revoked and/or Replaced			<b>Total Area (ha):</b>	0.001
<b>Application Status:</b>				<b>Landfill Cap (m³):</b>	
<b>Issue Date:</b>	2001-03-14			<b>Landfill Ctrl Type:</b>	
<b>Input Date:</b>				<b>Est Closure Date:</b>	
<b>Date Received:</b>				<b>Transfer Area (ha):</b>	
<b>Record Type:</b>	ECA			<b>Transfer Cap (m³):</b>	
<b>Project Type:</b>	WASTE DISPOSAL SITES			<b>Transfer Cert No:</b>	
<b>Approval Type:</b>	ECA-WASTE DISPOSAL SITES			<b>Inciner. Area (ha):</b>	
<b>SWP Area Name:</b>	Toronto			<b>Inciner. Cap (t):</b>	
<b>MOE District:</b>	Toronto			<b>Process Area (m³):</b>	
<b>Latitude:</b>	43.621227			<b>Process Cap (m³/d):</b>	
<b>Longitude:</b>	-79.4996099999999			<b>Process Vol (m³):</b>	
<b>Link Source:</b>	IDS			<b>Process Feed (m³):</b>	
<b>Proponent:</b>	Kinectrics Inc.			<b>Mobile Units:</b>	
<b>Prop Address:</b>	800 Kipling Avenue			<b>Mobile Description:</b>	
<b>Prop City:</b>	Toronto			<b>Mobile Capacity:</b>	
<b>Prop Postal:</b>	M8Z 6C4			<b>Serial Link:</b>	
<b>Prop Phone:</b>				<b>District Office:</b>	
<b>Proponent County/District:</b>					
<b>Site Lot:</b>					
<b>Full Address:</b>	800 Kipling Avenue				
<b>Landfill Monitoring:</b>					
<b>Waste Type:</b>					
<b>Waste Type Other:</b>					
<b>Waste Class:</b>	Polychlorinated biphenyls (PCBs)				
<b>Waste Class Code:</b>					
<b>Project Description:</b>	Kinectrics Inc. a subsidiary of Ontario Power Generation is requesting a temporary amendment to the existing waste disposal Certificate of Approval (A280307) to allow for a series of tests on a plasma destruction technology. These tests will first evaluate the equipment for a PCB surrogate material, tri chlorobenzene. If successful the process will be tested on concentrated PCB material The air emission will be monitored for each test to ensure successful destruction.				
<b>Municipalities Served:</b>	Ontario				
<b>Site Closing Description:</b>					
<b>Approval Description:</b>					
<b>Waste Description:</b>					
<b>Other Approvals/Permits:</b>					
<b>PDF URL:</b>	<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/4467-4SFSY6-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/4467-4SFSY6-14.pdf</a>				

<a href="#">227</a>	246 of 251	NE/287.6	113.7 / -0.12	Kinectrics Inc. 800 Kipling Ave Toronto ON M8Z 6C4	WDS
<b>Certificate No:</b>	4059-84YJY4			<b>Facility Type:</b>	
<b>Mob Unit Cert No:</b>				<b>Site Concession:</b>	
<b>EBR Registry No:</b>				<b>Site Region/County:</b>	Toronto
<b>Status:</b>	Approved			<b>Total Area (ha):</b>	
<b>Application Status:</b>				<b>Landfill Cap (m³):</b>	
<b>Issue Date:</b>	2012-07-24			<b>Landfill Ctrl Type:</b>	
<b>Input Date:</b>				<b>Est Closure Date:</b>	
<b>Date Received:</b>				<b>Transfer Area (ha):</b>	
<b>Record Type:</b>	ECA			<b>Transfer Cap (m³):</b>	
<b>Project Type:</b>	WASTE DISPOSAL SITES			<b>Transfer Cert No:</b>	
<b>Approval Type:</b>	ECA-WASTE DISPOSAL SITES			<b>Inciner. Area (ha):</b>	
<b>SWP Area Name:</b>				<b>Inciner. Cap (t):</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>MOE District:</b> <b>Latitude:</b> <b>Longitude:</b> <b>Link Source:</b> <b>Proponent:</b> <b>Prop Address:</b> <b>Prop City:</b> <b>Prop Postal:</b> <b>Prop Phone:</b> <b>Proponent County/District:</b> <b>Site Lot:</b> <b>Full Address:</b> <b>Landfill Monitoring:</b> <b>Waste Type:</b> <b>Waste Type Other:</b> <b>Waste Class:</b> <b>Waste Class Code:</b> <b>Project Description:</b> <b>Municipalities Served:</b> <b>Site Closing Description:</b> <b>Approval Description:</b> <b>Waste Description:</b> <b>Other Approvals/Permits:</b> <b>PDF URL:</b>	IDS	800 Kipling Ave		<b>Process Area (m³):</b> <b>Process Cap (m³/d):</b> <b>Process Vol (m³):</b> <b>Process Feed (m³):</b> <b>Mobile Units:</b> <b>Mobile Description:</b> <b>Mobile Capacity:</b> <b>Serial Link:</b> <b>District Office:</b>	
				<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/9760-8PSLY2-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/9760-8PSLY2-14.pdf</a>	

<a href="#">227</a>	247 of 251	NE/287.6	113.7 / -0.12	<b>Hydro One Inc.</b> <b>800 Kipling Avenue</b> <b>Toronto ON M8Z 2R7</b>	WDS
<b>Certificate No:</b> <b>Mob Unit Cert No:</b> <b>EBR Registry No:</b> <b>Status:</b> <b>Application Status:</b> <b>Issue Date:</b> <b>Input Date:</b> <b>Date Received:</b> <b>Record Type:</b> <b>Project Type:</b> <b>Approval Type:</b> <b>SWP Area Name:</b> <b>MOE District:</b> <b>Latitude:</b> <b>Longitude:</b> <b>Link Source:</b> <b>Proponent:</b> <b>Prop Address:</b> <b>Prop City:</b> <b>Prop Postal:</b> <b>Prop Phone:</b> <b>Proponent County/District:</b> <b>Site Lot:</b> <b>Full Address:</b> <b>Landfill Monitoring:</b> <b>Waste Type:</b> <b>Waste Type Other:</b> <b>Waste Class:</b> <b>Waste Class Code:</b> <b>Project Description:</b> <b>Municipalities Served:</b> <b>Site Closing Description:</b> <b>Approval Description:</b> <b>Waste Description:</b> <b>Other Approvals/Permits:</b>	A280354	Revoked and/or Replaced		<b>Facility Type:</b> <b>Site Concession:</b> <b>Site Region/County:</b> <b>Total Area (ha):</b> <b>Landfill Cap (m³):</b> <b>Landfill Ctrl Type:</b> <b>Est Closure Date:</b> <b>Transfer Area (ha):</b> <b>Transfer Cap (m³):</b> <b>Transfer Cert No:</b> <b>Inciner. Area (ha):</b> <b>Inciner. Cap (t):</b> <b>Process Area (m³):</b> <b>Process Cap (m³/d):</b> <b>Process Vol (m³):</b> <b>Process Feed (m³):</b> <b>Mobile Units:</b> <b>Mobile Description:</b> <b>Mobile Capacity:</b> <b>Serial Link:</b> <b>District Office:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>PDF URL:</b>					
<a href="#">227</a>	248 of 251	NE/287.6	113.7 / -0.12	ONTARIO HYDRO 800 KIPLING AVENEUE YORK ON	WDS
<b>Certificate No:</b>	A280307			<b>Facility Type:</b>	Transfer Station
<b>Mob Unit Cert No:</b>				<b>Site Concession:</b>	
<b>EBR Registry No:</b>				<b>Site Region/County:</b>	
<b>Status:</b>	Revision in Progress			<b>Total Area (ha):</b>	0
<b>Application Status:</b>				<b>Landfill Cap (m³):</b>	0
<b>Issue Date:</b>	12/31/1999			<b>Landfill Ctrl Type:</b>	
<b>Input Date:</b>	11/12/98			<b>Est Closure Date:</b>	
<b>Date Received:</b>	10/30/98			<b>Transfer Area (ha):</b>	0
<b>Record Type:</b>				<b>Transfer Cap (m³):</b>	0
<b>Project Type:</b>				<b>Transfer Cert No:</b>	
<b>Approval Type:</b>				<b>Inciner. Area (ha):</b>	0
<b>SWP Area Name:</b>				<b>Inciner. Cap (t):</b>	0
<b>MOE District:</b>				<b>Process Area (m³):</b>	0
<b>Latitude:</b>				<b>Process Cap (m³/d):</b>	0
<b>Longitude:</b>				<b>Process Vol (m³):</b>	0
<b>Link Source:</b>				<b>Process Feed (m³):</b>	0
<b>Proponent:</b>	ONTARIO HYDRO			<b>Mobile Units:</b>	
<b>Prop Address:</b>	800 KIPLING AVE.			<b>Mobile Description:</b>	
<b>Prop City:</b>	TORONTO, ONTARIO			<b>Mobile Capacity:</b>	0
<b>Prop Postal:</b>	M8Z-5S4			<b>Serial Link:</b>	280307
<b>Prop Phone:</b>	416-207-6865			<b>District Office:</b>	Toronto
<b>Proponent County/District:</b>					
<b>Site Lot:</b>					
<b>Full Address:</b>					
<b>Landfill Monitoring:</b>					
<b>Waste Type:</b>					
<b>Waste Type Other:</b>	No				
<b>Waste Class:</b>					
<b>Waste Class Code:</b>					
<b>Project Description:</b>					
<b>Municipalities Served:</b>					
<b>Site Closing Description:</b>					
<b>Approval Description:</b>					
<b>Waste Description:</b>					
<b>Other Approvals/Permits:</b>					
<b>PDF URL:</b>					

<a href="#">227</a>	249 of 251	NE/287.6	113.7 / -0.12	Kinectrics Inc. 800 Kipling Avenue Toronto ON M8Z 6C4	WDS
<b>Certificate No:</b>	A280307			<b>Facility Type:</b>	
<b>Mob Unit Cert No:</b>				<b>Site Concession:</b>	
<b>EBR Registry No:</b>				<b>Site Region/County:</b>	
<b>Status:</b>	Revoked and/or Replaced			<b>Total Area (ha):</b>	
<b>Application Status:</b>				<b>Landfill Cap (m³):</b>	
<b>Issue Date:</b>	2005-05-26			<b>Landfill Ctrl Type:</b>	
<b>Input Date:</b>				<b>Est Closure Date:</b>	
<b>Date Received:</b>				<b>Transfer Area (ha):</b>	
<b>Record Type:</b>	ECA			<b>Transfer Cap (m³):</b>	
<b>Project Type:</b>	WASTE DISPOSAL SITES			<b>Transfer Cert No:</b>	
<b>Approval Type:</b>	ECA-WASTE DISPOSAL SITES			<b>Inciner. Area (ha):</b>	
<b>SWP Area Name:</b>	Toronto			<b>Inciner. Cap (t):</b>	
<b>MOE District:</b>	Toronto			<b>Process Area (m³):</b>	
<b>Latitude:</b>				<b>Process Cap (m³/d):</b>	
<b>Longitude:</b>				<b>Process Vol (m³):</b>	



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Link Source:</b> <b>Proponent:</b> <b>Prop Address:</b> <b>Prop City:</b> <b>Prop Postal:</b> <b>Prop Phone:</b> <b>Proponent County/District:</b> <b>Site Lot:</b> <b>Full Address:</b> <b>Landfill Monitoring:</b> <b>Waste Type:</b> <b>Waste Type Other:</b> <b>Waste Class:</b> <b>Waste Class Code:</b> <b>Project Description:</b> <b>Municipalities Served:</b> <b>Site Closing Description:</b> <b>Approval Description:</b> <b>Waste Description:</b> <b>Other Approvals/Permits:</b> <b>PDF URL:</b>	IDS			<b>Process Feed (m³):</b> <b>Mobile Units:</b> <b>Mobile Description:</b> <b>Mobile Capacity:</b> <b>Serial Link:</b> <b>District Office:</b>	
<b>227</b>	250 of 251	NE/287.6	113.7 / -0.12	<b>Kinectrics Inc.</b> <b>800 Kipling Ave Building KT</b> <b>Toronto ON M8Z 6C4</b>	WDS
<b>Certificate No:</b> <b>Mob Unit Cert No:</b> <b>EBR Registry No:</b> <b>Status:</b> <b>Application Status:</b> <b>Issue Date:</b> <b>Input Date:</b> <b>Date Received:</b> <b>Record Type:</b> <b>Project Type:</b> <b>Approval Type:</b> <b>SWP Area Name:</b> <b>MOE District:</b> <b>Latitude:</b> <b>Longitude:</b> <b>Link Source:</b> <b>Proponent:</b> <b>Prop Address:</b> <b>Prop City:</b> <b>Prop Postal:</b> <b>Prop Phone:</b> <b>Proponent County/District:</b> <b>Site Lot:</b> <b>Full Address:</b> <b>Landfill Monitoring:</b> <b>Waste Type:</b> <b>Waste Type Other:</b> <b>Waste Class:</b> <b>Waste Class Code:</b> <b>Project Description:</b> <b>Municipalities Served:</b> <b>Site Closing Description:</b> <b>Approval Description:</b> <b>Waste Description:</b> <b>Other Approvals/Permits:</b> <b>PDF URL:</b>	4059-84YJY4  Approved  2011-07-12  ECA WASTE DISPOSAL SITES ECA-WASTE DISPOSAL SITES  IDS			<b>Facility Type:</b> <b>Site Concession:</b> <b>Site Region/County:</b> <b>Total Area (ha):</b> <b>Landfill Cap (m³):</b> <b>Landfill Ctrl Type:</b> <b>Est Closure Date:</b> <b>Transfer Area (ha):</b> <b>Transfer Cap (m³):</b> <b>Transfer Cert No:</b> <b>Inciner. Area (ha):</b> <b>Inciner. Cap (t):</b> <b>Process Area (m³):</b> <b>Process Cap (m³/d):</b> <b>Process Vol (m³):</b> <b>Process Feed (m³):</b> <b>Mobile Units:</b> <b>Mobile Description:</b> <b>Mobile Capacity:</b> <b>Serial Link:</b> <b>District Office:</b>	https://www.accessenvironment.ene.gov.on.ca/instruments/5622-8ECKAV-14.pdf

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">227</a>	251 of 251	NE/287.6	113.7 / -0.12	Kinectrics Inc. 800 Kipling Ave Toronto ON M8Z 6C4	WDS
<b>Certificate No:</b> A280307 <b>Mob Unit Cert No:</b> <b>EBR Registry No:</b> <b>Status:</b> Revoked and/or Replaced <b>Application Status:</b> <b>Issue Date:</b> 2007-10-26 <b>Input Date:</b> <b>Date Received:</b> <b>Record Type:</b> ECA <b>Project Type:</b> WASTE DISPOSAL SITES <b>Approval Type:</b> ECA-WASTE DISPOSAL SITES <b>SWP Area Name:</b> Toronto <b>MOE District:</b> Toronto <b>Latitude:</b> <b>Longitude:</b> <b>Link Source:</b> IDS <b>Proponent:</b> <b>Prop Address:</b> <b>Prop City:</b> <b>Prop Postal:</b> <b>Prop Phone:</b> <b>Proponent County/District:</b> <b>Site Lot:</b> <b>Full Address:</b> 800 Kipling Ave <b>Landfill Monitoring:</b> <b>Waste Type:</b> <b>Waste Type Other:</b> <b>Waste Class:</b> <b>Waste Class Code:</b> <b>Project Description:</b> <b>Municipalities Served:</b> <b>Site Closing Description:</b> <b>Approval Description:</b> <b>Waste Description:</b> <b>Other Approvals/Permits:</b> <b>PDF URL:</b> <a href="https://www.accessenvironment.ene.gov.on.ca/instruments/2328-77KQ67-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/2328-77KQ67-14.pdf</a>		<b>Facility Type:</b> <b>Site Concession:</b> <b>Site Region/County:</b> <b>Total Area (ha):</b> <b>Landfill Cap (m³):</b> <b>Landfill Ctrl Type:</b> <b>Est Closure Date:</b> <b>Transfer Area (ha):</b> <b>Transfer Cap (m³):</b> <b>Transfer Cert No:</b> <b>Inciner. Area (ha):</b> <b>Inciner. Cap (t):</b> <b>Process Area (m²):</b> <b>Process Cap (m³/d):</b> <b>Process Vol (m³):</b> <b>Process Feed (m³):</b> <b>Mobile Units:</b> <b>Mobile Description:</b> <b>Mobile Capacity:</b> <b>Serial Link:</b> <b>District Office:</b>			

<a href="#">228</a>	1 of 1	ESE/289.7	112.8 / -1.00	WEST STAR PRINTING LTD. 10 NORTH QUEEN STREET NOT AVAILABLE TORONTO ON M8Z2C4	NPRI
<b>NPRI ID:</b> 11078 <b>Other ID:</b> <b>No Other ID:</b> <b>Track ID:</b> 110273 <b>Report ID:</b> 24326 <b>Report Type:</b> DNMC <b>Rpt Type ID:</b> 2 <b>Report Year:</b> 2012 <b>Not-Current Rpt?:</b> No <b>Yr of Last Filed Rpt:</b> 2012 <b>Fac ID:</b> 156317 <b>Fac Name:</b> WEST STAR PRINTING LIMITED <b>Fac Address1:</b> 10 NORTH QUEEN STREET <b>Fac Address2:</b> NOT AVAILABLE <b>Fac Postal Zip:</b> M8Z2C4 <b>Facility Lat:</b> 43.6254 <b>Facility Long:</b> -79.5306 <b>DLS (Last Filed Rpt):</b>		<b>Org ID:</b> 73252 <b>Submit Date:</b> 8/28/2013 <b>Last Modified:</b> 5/29/2015 3:28:24 PM <b>Contact ID:</b> <b>Cont Type:</b> <b>Contact Title:</b> <b>Cont First Name:</b> <b>Cont Last Name:</b> <b>Contact Position:</b> <b>Contact Fax:</b> <b>Contact Ph.:</b> <b>Cont Area Code:</b> <b>Contact Tel.:</b> <b>Contact Ext.:</b> <b>Cont Fax Area Cde:</b> <b>Contact Fax:</b> <b>Contact Email:</b> <b>Latitude:</b> 43.6254			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Facility DLS:</b> <b>Datum:</b> <b>Facility Cmnts:</b> <b>URL:</b> <b>No of Empl.:</b> <b>Parent Co.:</b> <b>No Parent Co.:</b> <b>Pollut Prev Cmnts:</b> <b>Stacks:</b> <b>No of Stacks:</b> <b>Canadian SIC Code (2 digit):</b> <b>Canadian SIC Code:</b> <b>SIC Code Description:</b> <b>American SIC Code:</b> <b>NAICS Code (2 digit):</b> <b>NAICS 2 Description:</b> <b>NAICS Code (4 digit):</b> <b>NAICS 4 Description:</b> <b>NAICS Code (6 digit):</b> <b>NAICS 6 Description:</b>	1983			<b>Longitude:</b> <b>UTM Zone:</b> <b>UTM Northing:</b> <b>UTM Easting:</b> <b>Waste Streams:</b> <b>No Streams:</b> <b>Waste Off Sites:</b> <b>No Off Sites:</b> <b>Shutdown:</b> <b>No of Shutdown:</b>	-79.5306
		32 Manufacturing 3231 Printing and related support activities 323119 Other printing			

[229](#)

1 of 1

WSW/290.2

119.8 / 6.00

ON

WWIS

<b>Well ID:</b> <b>Construction Date:</b> <b>Primary Water Use:</b> <b>Sec. Water Use:</b> <b>Final Well Status:</b> <b>Water Type:</b> <b>Casing Material:</b> <b>Audit No:</b> <b>Tag:</b> <b>Construction Method:</b> <b>Elevation (m):</b> <b>Elevation Reliability:</b> <b>Depth to Bedrock:</b> <b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>	7188819	C18383 A129833	<b>Data Entry Status:</b> <b>Data Src:</b> <b>Date Received:</b> <b>Selected Flag:</b> <b>Abandonment Rec:</b> <b>Contractor:</b> <b>Form Version:</b> <b>Owner:</b> <b>Street Name:</b> <b>County:</b> <b>Municipality:</b> <b>Site Info:</b> <b>Lot:</b> <b>Concession:</b> <b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>	Yes  7/31/2012 Yes  7230 8  YORK ETOBICOKE BOROUGH          
--	---------	-------------------	---	---

**Bore Hole Information**

<b>Bore Hole ID:</b> <b>DP2BR:</b> <b>Spatial Status:</b> <b>Code OB:</b> <b>Code OB Desc:</b> <b>Open Hole:</b> <b>Cluster Kind:</b> <b>Date Completed:</b> <b>Remarks:</b> <b>Elevrc Desc:</b> <b>Location Source Date:</b> <b>Improvement Location Source:</b> <b>Improvement Location Method:</b> <b>Source Revision Comment:</b> <b>Supplier Comment:</b>	1004197809	06-JUN-12	<b>Elevation:</b> <b>Elevrc:</b> <b>Zone:</b> <b>East83:</b> <b>Org CS:</b> <b>North83:</b> <b>UTMRC:</b> <b>UTMRC Desc:</b> <b>Location Method:</b>	117.28  17 617565 UTM83 4831233 4 margin of error : 30 m - 100 m wwr
--	------------	-----------	--	--

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">230</a>	1 of 2	N/294.5	118.8 / 5.00	ONTARIO HYDRO MANBY ST. STATION, OUTSIDE THE SHOP. TRANSFORMER TORONTO CITY ON	SPL
<b>Ref No:</b>	9353			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>	9/14/1988			<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	
<b>Incident Cause:</b>	COOLING SYSTEM LEAK			<b>Source Type:</b>	
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>				<b>Site Name:</b>	
<b>Contaminant Name:</b>				<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>				<b>Site Municipality:</b>	1106
<b>Nature of Impact:</b>				<b>Site Lot:</b>	
<b>Receiving Medium:</b>	LAND			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>Health/Env Conseq:</b>				<b>Easting:</b>	
<b>MOE Response:</b>				<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	9/14/1988			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>					
<b>SAC Action Class:</b>					
<b>Incident Reason:</b>	ERROR				
<b>Incident Summary:</b>	ONTARIO HYDRO - CAPACITOR OIL TO GROUND, 1 LITRE.				
<a href="#">230</a>	2 of 2	N/294.5	118.8 / 5.00	ONTARIO HYDRO MANBY STN. TRANSFORMER TORONTO CITY ON	SPL
<b>Ref No:</b>	10953			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>	10/27/1988			<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	
<b>Incident Cause:</b>	VALVE/FITTING LEAK OR FAILURE			<b>Source Type:</b>	
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>				<b>Site Name:</b>	
<b>Contaminant Name:</b>				<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>				<b>Site Municipality:</b>	1106
<b>Nature of Impact:</b>				<b>Site Lot:</b>	
<b>Receiving Medium:</b>	LAND			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>Health/Env Conseq:</b>				<b>Easting:</b>	
<b>MOE Response:</b>				<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	10/27/1988			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>					
<b>SAC Action Class:</b>					
<b>Incident Reason:</b>	ERROR				
<b>Incident Summary:</b>	ONT. HYDRO -1,130 L. TRANSFORMER OIL TO GROUND.				
<a href="#">231</a>	1 of 1	WNW/295.1	119.8 / 6.00	Toronto ON	WWIS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Well ID:</b>	7170911			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>				<b>Date Received:</b>	11/2/2011
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Abandoned-Other			<b>Abandonment Rec:</b>	Yes
<b>Water Type:</b>				<b>Contractor:</b>	7215
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z137022			<b>Owner:</b>	
<b>Tag:</b>				<b>Street Name:</b>	60 SHORNCLIFFE RD.
<b>Construction Method:</b>				<b>County:</b>	YORK
<b>Elevation (m):</b>				<b>Municipality:</b>	ETOBICOKE BOROUGH
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**Bore Hole Information**

<b>Bore Hole ID:</b>	1003594121			<b>Elevation:</b>	120.06
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	17
<b>Code OB:</b>				<b>East83:</b>	617456
<b>Code OB Desc:</b>				<b>Org CS:</b>	UTM83
<b>Open Hole:</b>				<b>North83:</b>	4831632
<b>Cluster Kind:</b>				<b>UTMRC:</b>	5
<b>Date Completed:</b>	02-SEP-11			<b>UTMRC Desc:</b>	margin of error : 100 m - 300 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					

**Annular Space/Abandonment Sealing Record**

<b>Plug ID:</b>	1004001562
<b>Layer:</b>	1
<b>Plug From:</b>	0
<b>Plug To:</b>	6
<b>Plug Depth UOM:</b>	ft

**Method of Construction & Well Use**

<b>Method Construction ID:</b>	1004001561
<b>Method Construction Code:</b>	
<b>Method Construction:</b>	
<b>Other Method Construction:</b>	

**Pipe Information**

<b>Pipe ID:</b>	1004001555
<b>Casing No:</b>	0
<b>Comment:</b>	
<b>Alt Name:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Construction Record - Casing</u></b>					
Casing ID:		1004001559			
Layer:					
Material:					
Open Hole or Material:					
Depth From:					
Depth To:					
Casing Diameter:					
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<b><u>Construction Record - Screen</u></b>					
Screen ID:		1004001560			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:					
<b><u>Water Details</u></b>					
Water ID:		1004001558			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<b><u>Hole Diameter</u></b>					
Hole ID:		1004001557			
Diameter:		4			
Depth From:		0			
Depth To:		6			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

<a href="#">232</a>	1 of 1	SW/295.9	119.7 / 5.87	ETOBICOKE ON	WWIS
Well ID:	7278893			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring			Date Received:	1/11/2017
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Observation Wells			Abandonment Rec:	
Water Type:				Contractor:	7424
Casing Material:				Form Version:	7
Audit No:	Z248544			Owner:	
Tag:	A119563			Street Name:	80 NORTH QUEEN ST
Construction Method:				County:	YORK
Elevation (m):				Municipality:	ETOBICOKE BOROUGH
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB	
<b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>				<b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>		
<b><u>Bore Hole Information</u></b>						
<b>Bore Hole ID:</b> <b>DP2BR:</b> <b>Spatial Status:</b> <b>Code OB:</b> <b>Code OB Desc:</b> <b>Open Hole:</b> <b>Cluster Kind:</b> <b>Date Completed:</b> <b>Remarks:</b> <b>Elevrc Desc:</b> <b>Location Source Date:</b> <b>Improvement Location Source:</b> <b>Improvement Location Method:</b> <b>Source Revision Comment:</b> <b>Supplier Comment:</b>	1006331576			<b>Elevation:</b> <b>Elevrc:</b> <b>Zone:</b> <b>East83:</b> <b>Org CS:</b> <b>North83:</b> <b>UTMRC:</b> <b>UTMRC Desc:</b> <b>Location Method:</b>	116.9 17 617588 UTM83 4831141 4 margin of error : 30 m - 100 m wwr	
<b><u>Overburden and Bedrock</u></b>						
<b><u>Materials Interval</u></b>						
<b>Formation ID:</b> <b>Layer:</b> <b>Color:</b> <b>General Color:</b> <b>Mat1:</b> <b>Most Common Material:</b> <b>Mat2:</b> <b>Other Materials:</b> <b>Mat3:</b> <b>Other Materials:</b> <b>Formation Top Depth:</b> <b>Formation End Depth:</b> <b>Formation End Depth UOM:</b>	1006502250					
<b>Formation ID:</b> <b>Layer:</b> <b>Color:</b> <b>General Color:</b> <b>Mat1:</b> <b>Most Common Material:</b> <b>Mat2:</b> <b>Other Materials:</b> <b>Mat3:</b> <b>Other Materials:</b> <b>Formation Top Depth:</b> <b>Formation End Depth:</b> <b>Formation End Depth UOM:</b>	1006502249					
<b>Formation ID:</b> <b>Layer:</b> <b>Color:</b> <b>General Color:</b> <b>Mat1:</b> <b>Most Common Material:</b> <b>Mat2:</b> <b>Other Materials:</b> <b>Mat3:</b> <b>Other Materials:</b>	1006502248					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		.5			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1006502257			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		4			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1006502256			
<b>Method Construction Code:</b>		6			
<b>Method Construction:</b>		Boring			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1006502247			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1006502253			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		5			
<b>Casing Diameter:</b>		2			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1006502254			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		5			
<b>Screen End Depth:</b>		10			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		ft			
<b>Screen Diameter UOM:</b>		inch			
<b>Screen Diameter:</b>		2			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1006502252			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		ft			



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1006502251			
<b>Diameter:</b>					
<b>Depth From:</b>					
<b>Depth To:</b>					
<b>Hole Depth UOM:</b>		ft			
<b>Hole Diameter UOM:</b>		inch			
<b><u>233</u></b>	<b>1 of 2</b>	<b>NW/296.2</b>	<b>122.8 / 9.00</b>	<b>5481 Dundas Street West Etobicoke ON M9B 1B5</b>	<b>EHS</b>
<b>Order ID:</b>	168526			<b>Date Received:</b>	10/5/2009
<b>Order No:</b>	20091005017			<b>Lot/Building Size:</b>	
<b>Customer ID:</b>	53307			<b>Municipality:</b>	
<b>Company ID:</b>	5			<b>Client Prov/State:</b>	ON
<b>Status:</b>	C			<b>Search Radius (km):</b>	0.25
<b>Report Code:</b>	3CAN			<b>Large Radius:</b>	2
<b>Report Type:</b>	Standard Report			<b>X:</b>	-79.543464
<b>Report Date:</b>	10/15/2009			<b>Y:</b>	43.632458
<b>Report Requested by:</b>	WESA				
<b>Nearest Intersection:</b>	Dundas & Shorncliffe Rd				
<b>Previous Site Name:</b>					
<b>Additional Info Ordered:</b>	Fire Insur. Maps and/or Sire Plans				
<b><u>233</u></b>	<b>2 of 2</b>	<b>NW/296.2</b>	<b>122.8 / 9.00</b>	<b>www.onsiteview.ca 5481 Dundas St W Floor 2 Etobicoke ON M9B 1B5</b>	<b>SCT</b>
<b>Established:</b>	2001				
<b>Plant Size (ft²):</b>	1500				
<b>Employment:</b>	5				
<b>--Details--</b>					
<b>Description:</b>	Software Publishers				
<b>SIC/NAICS Code:</b>	511210				
<b>Description:</b>	Data Processing, Hosting, and Related Services				
<b>SIC/NAICS Code:</b>	518210				
<b>Description:</b>	Computer Systems Design and Related Services				
<b>SIC/NAICS Code:</b>	541510				
<b>Description:</b>	Other Management Consulting Services				
<b>SIC/NAICS Code:</b>	541619				
<b>Description:</b>	Computer Training				
<b>SIC/NAICS Code:</b>	611420				
<b><u>234</u></b>	<b>1 of 1</b>	<b>NW/297.8</b>	<b>123.0 / 9.16</b>	<b>BUDGET RENT A CAR O/A S&amp;R CAR 05-717 RENTALS TORONTO (CENTRAL) LIMITED 5475 DUNDAS ST. WEST ISLINGTON ON M9B 1B5</b>	<b>GEN</b>
<b>Generator No.:</b>	ON0386623			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	92,93,94,95,96,97,98			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	9921				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>SIC Description:</b>		AUTO./TRUCK RENTAL			
<b>--Details--</b>					
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			

<u>235</u>	1 of 1	SE/298.2	114.8 / 0.95	TORONTO ON	WWIS
<b>Well ID:</b>	7217841			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring			<b>Date Received:</b>	3/18/2014
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Observation Wells			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7383
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z166187			<b>Owner:</b>	
<b>Tag:</b>	A144070			<b>Street Name:</b>	15 NORTH QUEEN ST.
<b>Construction Method:</b>				<b>County:</b>	YORK
<b>Elevation (m):</b>				<b>Municipality:</b>	ETOBICOKE BOROUGH
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**Bore Hole Information**

<b>Bore Hole ID:</b>	1004721946	<b>Elevation:</b>	112.64
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	17
<b>Code OB:</b>		<b>East83:</b>	618525
<b>Code OB Desc:</b>		<b>Org CS:</b>	UTM83
<b>Open Hole:</b>		<b>North83:</b>	4830992
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	17-JUN-13	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	1005102364
<b>Layer:</b>	2
<b>Color:</b>	
<b>General Color:</b>	
<b>Mat1:</b>	05
<b>Most Common Material:</b>	CLAY
<b>Mat2:</b>	06
<b>Other Materials:</b>	SILT
<b>Mat3:</b>	
<b>Other Materials:</b>	

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation Top Depth:</b>		8			
<b>Formation End Depth:</b>		15			
<b>Formation End Depth UOM:</b>		ft			
<b>Formation ID:</b>		1005102363			
<b>Layer:</b>		1			
<b>Color:</b>					
<b>General Color:</b>					
<b>Mat1:</b>					
<b>Most Common Material:</b>					
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		8			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1005102372			
<b>Layer:</b>		2			
<b>Plug From:</b>		1			
<b>Plug To:</b>		4			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1005102371			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		1			
<b>Plug Depth UOM:</b>		ft			
<b>Plug ID:</b>		1005102373			
<b>Layer:</b>		3			
<b>Plug From:</b>		4			
<b>Plug To:</b>		15			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well</u></b>					
<b><u>Use</u></b>					
<b>Method Construction ID:</b>		1005102370			
<b>Method Construction Code:</b>		6			
<b>Method Construction:</b>		Boring			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1005102362			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1005102367			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		5			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Casing Diameter:</b>		2			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1005102368			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		5			
<b>Screen End Depth:</b>		15			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		ft			
<b>Screen Diameter UOM:</b>		inch			
<b>Screen Diameter:</b>		2.375			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1005102366			
<b>Layer:</b>		1			
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>		10			
<b>Water Found Depth UOM:</b>		ft			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1005102365			
<b>Diameter:</b>		8.5			
<b>Depth From:</b>		0			
<b>Depth To:</b>		15			
<b>Hole Depth UOM:</b>		ft			
<b>Hole Diameter UOM:</b>		inch			

<a href="#">236</a>	1 of 41	NW/298.7	120.7 / 6.84	10 Shorncliffe Rd., Ste. 220 Etobicoke ON M9B 3S3	EHS
<b>Order ID:</b>	2485			<b>Date Received:</b>	4/9/01
<b>Order No:</b>	20010409009			<b>Lot/Building Size:</b>	
<b>Customer ID:</b>	9714			<b>Municipality:</b>	
<b>Company ID:</b>	122			<b>Client Prov/State:</b>	ON
<b>Status:</b>	C			<b>Search Radius (km):</b>	0.25
<b>Report Code:</b>	1CAN			<b>Large Radius:</b>	0.00
<b>Report Type:</b>	Site Report			<b>X:</b>	-79.543869
<b>Report Date:</b>	4/10/01			<b>Y:</b>	43.631056
<b>Report Requested by:</b>	McCarthy Tétrault				
<b>Nearest Intersection:</b>					
<b>Previous Site Name:</b>					
<b>Additional Info Ordered:</b>					

<a href="#">236</a>	2 of 41	NW/298.7	120.7 / 6.84	10 Shorncliffe Rd., 220 Etobicoke ON M9B 3S3	EHS
<b>Order ID:</b>	22412			<b>Date Received:</b>	11/27/02
<b>Order No:</b>	20021127010			<b>Lot/Building Size:</b>	
<b>Customer ID:</b>	9744			<b>Municipality:</b>	
<b>Company ID:</b>	122			<b>Client Prov/State:</b>	ON
<b>Status:</b>	C			<b>Search Radius (km):</b>	0.25
<b>Report Code:</b>	1CAN			<b>Large Radius:</b>	2.00
<b>Report Type:</b>	Site Report			<b>X:</b>	-79.543861
<b>Report Date:</b>	11/28/02			<b>Y:</b>	43.631077

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Report Requested by:</b>		McCarthy Tétraut			
<b>Nearest Intersection:</b>					
<b>Previous Site Name:</b>					
<b>Additional Info Ordered:</b>					
<a href="#">236</a>	3 of 41	NW/298.7	120.7 / 6.84	2283643 ONTARIO INC 10 SHORCLIFFE RD,UNIT1 ETOBICOKE ON M9B 3S3	GEN
<b>Generator No.:</b>	ON6262850			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2014			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	311614				
<b>SIC Description:</b>	RENDERING AND MEAT PROCESSING FROM CARCASSES				
<b>--Details--</b>					
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<a href="#">236</a>	4 of 41	NW/298.7	120.7 / 6.84	ETOBICOLD STORAGE 10 SHORNCLIFFE ROAD ETOBICOKE ON M9B 3S3	GEN
<b>Generator No.:</b>	ON2134500			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	99,00,01			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	3999				
<b>SIC Description:</b>	OTHER MANU. PROD.				
<b>--Details--</b>					
<b>Waste Code:</b>	122				
<b>Waste Description:</b>	ALKALINE WASTES - OTHER METALS				
<b>Waste Code:</b>	133				
<b>Waste Description:</b>	BRINES, CHLOR-ALKALI WASTES				
<b>Waste Code:</b>	150				
<b>Waste Description:</b>	INERT INORGANIC WASTES				
<b>Waste Code:</b>	243				
<b>Waste Description:</b>	PCB'S				
<b>Waste Code:</b>	251				
<b>Waste Description:</b>	OIL SKIMMINGS & SLUDGES				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<a href="#">236</a>	5 of 41	NW/298.7	120.7 / 6.84	PURE FOODS MEAT SOLUTIONS INC. 10 SHORNCLIFFE ROAD UNIT #5, SUITE 202 TORONTO ON M9B 3S3	GEN
<b>Generator No.:</b>	ON4072077			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2016			<b>Choice of Contact:</b>	CO_OFFICIAL

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> <b>SIC Description:</b>	No No 311990			<b>Co Admin:</b> <b>Phone No. Admin:</b>  ALL OTHER FOOD MANUFACTURING	
<b>--Details--</b>					
<b>Waste Code:</b> <b>Waste Description:</b>			133	BRINES, CHLOR-ALKALI WASTES	
<b>Waste Code:</b> <b>Waste Description:</b>			150	INERT INORGANIC WASTES	
<a href="#">236</a>	6 of 41	NW/298.7	120.7 / 6.84	<b>ETOBICOLD STORAGE</b> <b>ETOBICOLD STORAGE LTD. 10 SHORNCLIFFE ROAD</b> <b>ETOBICOKE ON M9B 3S3</b>	GEN
<b>Generator No.:</b> <b>Status:</b> <b>Approval Years:</b> <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> <b>SIC Description:</b>	ON2134500  02,03,04			<b>PO Box No.:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No. Admin:</b>	
<b>--Details--</b>					
<b>Waste Code:</b> <b>Waste Description:</b>			251	OIL SKIMMINGS & SLUDGES	
<a href="#">236</a>	7 of 41	NW/298.7	120.7 / 6.84	<b>ETOBICOLD STORAGE/1184631 ONTARIO LTD.</b> <b>10 SHORNCLIFFE ROAD</b> <b>ETOBICOKE ON M9B 3S3</b>	GEN
<b>Generator No.:</b> <b>Status:</b> <b>Approval Years:</b> <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> <b>SIC Description:</b>	ON2134500  96,97,98  3999			<b>PO Box No.:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No. Admin:</b>	
<b>--Details--</b>					
<b>Waste Code:</b> <b>Waste Description:</b>			122	ALKALINE WASTES - OTHER METALS	
<b>Waste Code:</b> <b>Waste Description:</b>			133	BRINES, CHLOR-ALKALI WASTES	
<b>Waste Code:</b> <b>Waste Description:</b>			150	INERT INORGANIC WASTES	
<b>Waste Code:</b> <b>Waste Description:</b>			243	PCB'S	
<b>Waste Code:</b> <b>Waste Description:</b>			251	OIL SKIMMINGS & SLUDGES	
<b>Waste Code:</b> <b>Waste Description:</b>			252	WASTE OILS & LUBRICANTS	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">236</a>	8 of 41	NW/298.7	120.7 / 6.84	2283643 ONTARIO INC 10 SHORCLIFFE RD,UNIT1 ETOBICOKE ON M9B 3S3	GEN
<b>Generator No.:</b>	ON6262850			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2015			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	311614				
<b>SIC Description:</b>	RENDERING AND MEAT PROCESSING FROM CARCASSES				
<b>--Details--</b>					
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<a href="#">236</a>	9 of 41	NW/298.7	120.7 / 6.84	LAKE SIMCOE (SEE & USE ON2134500) 24-154 10 SHORNCLIFFE ROAD ETOBICOKE ON M9B 3S3	GEN
<b>Generator No.:</b>	ON0111900			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	92,93,96,97			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	3999				
<b>SIC Description:</b>	OTHER MANU. PROD.				
<b>--Details--</b>					
<b>Waste Code:</b>	122				
<b>Waste Description:</b>	ALKALINE WASTES - OTHER METALS				
<b>Waste Code:</b>	133				
<b>Waste Description:</b>	BRINES, CHLOR-ALKALI WASTES				
<b>Waste Code:</b>	150				
<b>Waste Description:</b>	INERT INORGANIC WASTES				
<b>Waste Code:</b>	243				
<b>Waste Description:</b>	PCB'S				
<b>Waste Code:</b>	251				
<b>Waste Description:</b>	OIL SKIMMINGS & SLUDGES				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<a href="#">236</a>	10 of 41	NW/298.7	120.7 / 6.84	Etobicold Storage Ltd. 10 Shorncliffe Rd. Unit 4 Toronto ON M9B 3S3	GEN
<b>Generator No.:</b>	ON3072539			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2010			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	493120				
<b>SIC Description:</b>	Refrigerated Warehousing and Storage				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>--Details--</b>					
Waste Code:		243			
Waste Description:		PCBS			
<a href="#">236</a>	11 of 41	NW/298.7	120.7 / 6.84	2283643 ONTARIO INC 10 SHORCLIFFE RD,UNIT1 ETOBICOKE ON M9B 3S3	GEN
Generator No.:	ON6262850			PO Box No.:	
Status:				Country:	Canada
Approval Years:	2016			Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No			Co Admin:	
MHSW Facility:	No			Phone No. Admin:	
SIC Code:	311614				
SIC Description:	RENDERING AND MEAT PROCESSING FROM CARCASSES				
<b>--Details--</b>					
Waste Code:		252			
Waste Description:		WASTE OILS & LUBRICANTS			
<a href="#">236</a>	12 of 41	NW/298.7	120.7 / 6.84	PURE FOODS MEAT SOLUTIONS INC. 10 SHORNCLIFFE ROAD UNIT #5, SUITE 202 TORONTO ON M9B 3S3	GEN
Generator No.:	ON4072077			PO Box No.:	
Status:	Registered			Country:	Canada
Approval Years:	As of Dec 2017			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No. Admin:	
SIC Code:					
SIC Description:					
<b>--Details--</b>					
Waste Code:		133 L			
Waste Description:		Brine, chlor-alkali sludges			
Waste Code:		150 L			
Waste Description:		Inert organic wastes			
<a href="#">236</a>	13 of 41	NW/298.7	120.7 / 6.84	Tasty Chip Steak Products Limited 10 Shorncliffe road Toronto ON M9B 3S3	GEN
Generator No.:	ON4171162			PO Box No.:	
Status:				Country:	
Approval Years:	05			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No. Admin:	
SIC Code:	311990				
SIC Description:	All Other Food Manufacturing				
<a href="#">236</a>	14 of 41	NW/298.7	120.7 / 6.84	2283643 ONTARIO INC 10 SHORCLIFFE RD,UNIT1 ETOBICOKE ON M9B 3S3	GEN
Generator No.:	ON6262850			PO Box No.:	



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Status:</b> Registered <b>Approval Years:</b> As of Dec 2017 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> <b>SIC Description:</b>					
<b>Country:</b> Canada <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No. Admin:</b>					
<b>--Details--</b>					
<b>Waste Code:</b> 252 L					
<b>Waste Description:</b> Waste crankcase oils and lubricants					
<a href="#">236</a>	15 of 41	NW/298.7	120.7 / 6.84	2283643 ONTARIO INC 10 SHORCLIFFE RD,UNIT1 ETOBICOKE ON	GEN
<b>Generator No.:</b> ON6262850					
<b>Status:</b>					
<b>Approval Years:</b> 2013					
<b>Contam. Facility:</b>					
<b>MHSW Facility:</b>					
<b>SIC Code:</b> 311614					
<b>SIC Description:</b> RENDERING AND MEAT PROCESSING FROM CARCASSES					
<b>--Details--</b>					
<b>Waste Code:</b> 252					
<b>Waste Description:</b> WASTE OILS & LUBRICANTS					
<a href="#">236</a>	16 of 41	NW/298.7	120.7 / 6.84	LAKE SIMCOE ENTERPRISES LTD. 10 SHORNCLIFFE ROAD ETOBICOKE ON M9B 3S3	GEN
<b>Generator No.:</b> ON0111900					
<b>Status:</b>					
<b>Approval Years:</b> 86,87,88,89,90					
<b>Contam. Facility:</b>					
<b>MHSW Facility:</b>					
<b>SIC Code:</b> 3999					
<b>SIC Description:</b> OTHER MANU. PROD.					
<b>--Details--</b>					
<b>Waste Code:</b> 122					
<b>Waste Description:</b> ALKALINE WASTES - OTHER METALS					
<b>Waste Code:</b> 133					
<b>Waste Description:</b> BRINES, CHLOR-ALKALI WASTES					
<b>Waste Code:</b> 150					
<b>Waste Description:</b> INERT INORGANIC WASTES					
<b>Waste Code:</b> 251					
<b>Waste Description:</b> OIL SKIMMINGS & SLUDGES					
<b>Waste Code:</b> 252					
<b>Waste Description:</b> WASTE OILS & LUBRICANTS					
<a href="#">236</a>	17 of 41	NW/298.7	120.7 / 6.84	LAKE SIMCOE (SEE & USE ON2134500) 10 SHORNCLIFFE ROAD ETOBICOKE ON M9B 3S3	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Generator No.:</b>	ON0111900			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	98			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	3999				
<b>SIC Description:</b>		OTHER MANU. PROD.			
<b>--Details--</b>					
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		122			
<b>Waste Description:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Code:</b>		133			
<b>Waste Description:</b>		BRINES, CHLOR-ALKALI WASTES			
<b>Waste Code:</b>		150			
<b>Waste Description:</b>		INERT INORGANIC WASTES			
<b>Waste Code:</b>		243			
<b>Waste Description:</b>		PCB'S			
<a href="#">236</a>	18 of 41	NW/298.7	120.7 / 6.84	LAKE SIMCOE ENTERPRISES LTD. 10 SHORNCLIFFE ROAD ETOBICOKE ON M9B 3S3	24-154 GEN
<b>Generator No.:</b>	ON0111900			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	94,95			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	3999				
<b>SIC Description:</b>		OTHER MANU. PROD.			
<b>--Details--</b>					
<b>Waste Code:</b>		122			
<b>Waste Description:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Code:</b>		133			
<b>Waste Description:</b>		BRINES, CHLOR-ALKALI WASTES			
<b>Waste Code:</b>		150			
<b>Waste Description:</b>		INERT INORGANIC WASTES			
<b>Waste Code:</b>		243			
<b>Waste Description:</b>		PCB'S			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<a href="#">236</a>	19 of 41	NW/298.7	120.7 / 6.84	LAKE SIMCOE ENTERPRISES LIMITED CHIEF OPERATOR; 10 SHORNCLIFFE ROAD	NPCB

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

ISLINGTON ON M9B 3S3

Company Code: O0769  
 Industry: Other  
 Site Status:  
 Transaction Date: 9/26/1990  
 Inspection Date: 1/25/1989

--Details--

Label:  
 Serial No.:  
 PCB Type/Code: Askarel  
 Location:  
 Item/State:  
 No. of Items:  
 Manufacturer:  
 Status: In-Use  
 Contents: 10.00 L

<a href="#">236</a>	20 of 41	NW/298.7	120.7 / 6.84	ETOBICOLD STORAGE 10 SHORNCLIFFE ROAD ETOBICOKE ON M9B 3S3	NPCB
---------------------	----------	----------	--------------	--	------

Company Code: O0769  
 Industry: OTHER  
 Site Status: INSPECTED SITES (NON FEDERAL)  
 Transaction Date: 5/24/2000  
 Inspection Date: 1/25/1989

--Details--

Label: DO05020  
 Serial No.: B31S0714  
 PCB Type/Code: UNKNOWN/UNKNOWN  
 Location: OUTSIDE SE CORNER OF BLDG  
 Item/State: TRANSFORMER/FULL  
 No. of Items: 1  
 Manufacturer: WESTINGHOUSE  
 Status: IN-USE  
 Contents: 1500 L

<a href="#">236</a>	21 of 41	NW/298.7	120.7 / 6.84	LAKE SIMCOE ENTERPRISES LTD. 10 SHORNCLIFFE ROAD ETOBICOKE ON M9B 3S3	NPCB
---------------------	----------	----------	--------------	---	------

Company Code: F0666  
 Industry: UNDEFINED  
 Site Status:  
 Transaction Date:  
 Inspection Date:

--Details--

Label: F065600  
 Serial No.:  
 PCB Type/Code: MINERAL OIL/UNKNOWN  
 Location:  
 Item/State: BARREL MINERAL OIL/FULL  
 No. of Items: 1  
 Manufacturer:  
 Status: STORED FOR DISPOSAL

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Contents:		140 KG			
<a href="#">236</a>	22 of 41	NW/298.7	120.7 / 6.84	LAKE SIMCOE ENTERPRISES LTD. 10 SHORNCILFFE ROAD ETOBICOKE ON	NPCB
Company Code:		F0710			
Industry:					
Site Status:					
Transaction Date:		1/29/1996			
Inspection Date:					
<b>--Details--</b>					
Label:					
Serial No.:					
PCB Type/Code:		Askarel			
Location:					
Item/State:					
No. of Items:					
Manufacturer:					
Status:		Stored for Disposal			
Contents:		3800.00 KG			
Label:					
Serial No.:					
PCB Type/Code:		Askarel			
Location:					
Item/State:					
No. of Items:					
Manufacturer:					
Status:		Stored for Disposal			
Contents:		5265.00 KG			
Label:					
Serial No.:					
PCB Type/Code:		High > 10,000 ppm			
Location:					
Item/State:					
No. of Items:					
Manufacturer:					
Status:		Stored for Disposal			
Contents:		38000.00 KG			
Label:					
Serial No.:					
PCB Type/Code:		Askarel			
Location:					
Item/State:					
No. of Items:					
Manufacturer:					
Status:		Stored for Disposal			
Contents:		0.00 KG			
<a href="#">236</a>	23 of 41	NW/298.7	120.7 / 6.84	ETOBICOLD STORAGE 10 SHORNCLIFFE ROAD SHORNCLIFFE ROAD ISLINGTON ON M9B 3S3	NPCB
Company Code:		O0769			
Industry:					
Site Status:					
Transaction Date:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<i>Inspection Date:</i>					
<b>--Details--</b>					
<i>Label:</i>					
<i>Serial No.:</i>					
<i>PCB Type/Code:</i>					
<i>Location:</i>					
<i>Item/State:</i>					
<i>No. of Items:</i>					
<i>Manufacturer:</i>					
<i>Status:</i> In-Storage					
<i>Contents:</i>					
<i>Label:</i>					
<i>Serial No.:</i>					
<i>PCB Type/Code:</i>					
<i>Location:</i>					
<i>Item/State:</i>					
<i>No. of Items:</i>					
<i>Manufacturer:</i>					
<i>Status:</i> In-Use					
<i>Contents:</i>					
<a href="#">236</a>	24 of 41	NW/298.7	120.7 / 6.84	LAKE SIMCOE ENTERPRISES LTD. 10 SHORNCILFFE ROAD ETOBICOKE ON M9B 3S3	OPCB
<i>Year:</i> 1998					
<i>Site Number:</i> 30186A017					
<i>Name Owner:</i>					
<i>Additional Site Information:</i>					
<b>--Details--</b>					
<i>Quantity:</i> 7.00					
<i>Address Site:</i>					
<i>Description:</i> Number of Capacitors with High Level PCBs (>1000 ppm)					
<a href="#">236</a>	25 of 41	NW/298.7	120.7 / 6.84	LAKE SIMCOE ENTERPRISES LTD. 10 SHORNCILFFE ROAD ETOBICOKE ON M9B 3S3	OPCB
<i>Year:</i> 1995					
<i>Site Number:</i> 30186A017					
<i>Name Owner:</i>					
<i>Additional Site Information:</i>					
<b>--Details--</b>					
<i>Quantity:</i> 9.00					
<i>Address Site:</i>					
<i>Description:</i> Number of Capacitors with High Level PCBs (>1000 ppm)					
<a href="#">236</a>	26 of 41	NW/298.7	120.7 / 6.84	LAKE SIMCOE ENTERPRISES LTD. 10 SHORNCILFFE ROAD ETOBICOKE ON M9B 3S3	OPCB
<i>Year:</i> 1999					
<i>Site Number:</i> 30186A017					
<i>Name Owner:</i>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<i>Additional Site Information:</i>					
<i>--Details--</i>					
		Quantity:	7.00		
		Address Site:			
		Description:	Number of Capacitors with High Level PCBs (>1000 ppm)		
<a href="#">236</a>	27 of 41	NW/298.7	120.7 / 6.84	LAKE SIMCOE ENTERPRISES LTD. 10 SHORNCILFFE ROAD ETOBICOKE ON M9B 3S3	OPCB
		Year:	2000		
		Site Number:	30186A017		
		Name Owner:			
		Additional Site Information:			
<a href="#">236</a>	28 of 41	NW/298.7	120.7 / 6.84	OLYMEL & CO. 10 SHORNCILFFE RD SUITE 210 ETOBICOKE ON M9B 3S3	SCT
		Established:	1953		
		Plant Size (ft²):	600		
		Employment:	3		
		<i>--Details--</i>			
		Description:	PACKAGED FROZEN FOODS		
		SIC/NAICS Code:	5142		
		Description:	MEATS AND MEAT PRODUCTS		
		SIC/NAICS Code:	5147		
<a href="#">236</a>	29 of 41	NW/298.7	120.7 / 6.84	Tasty Chip (2008) Inc. 10 Shorncliffe Rd Suite 202 Toronto ON M9B 3S3	SCT
		Established:	01-JUN-08		
		Plant Size (ft²):	16000		
		Employment:			
		<i>--Details--</i>			
		Description:	Rendering and Meat Processing from Carcasses		
		SIC/NAICS Code:	311614		
		Description:	Rendering and Meat Processing from Carcasses		
		SIC/NAICS Code:	311614		
<a href="#">236</a>	30 of 41	NW/298.7	120.7 / 6.84	Olymel & Co. Ltd. 10 Shorncliffe Rd Suite 210 Etobicoke ON M9B 3S3	SCT
		Established:	1953		
		Plant Size (ft²):	600		
		Employment:	3		
		<i>--Details--</i>			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Description:</b>		Red Meat and Meat Product Wholesaler-Distributors			
<b>SIC/NAICS Code:</b>		413160			
<a href="#">236</a>	31 of 41	NW/298.7	120.7 / 6.84	TASTY CHIP STEAK PRODUCTS LTD 10 SHORNCLIFFE RD ETOBICOKE ON M9B 3S3	SCT
<b>Established:</b>		1958			
<b>Plant Size (ft²):</b>		16000			
<b>Employment:</b>		45			
<b>--Details--</b>					
<b>Description:</b>		SAUSAGES AND OTHER PREPARED MEAT PRODUCTS			
<b>SIC/NAICS Code:</b>		2013			
<a href="#">236</a>	32 of 41	NW/298.7	120.7 / 6.84	NEW ZEALAND LAMB PROCESSING PL 10 SHORNCLIFFE RD ETOBICOKE ON M9B 3S3	SCT
<b>Established:</b>		1993			
<b>Plant Size (ft²):</b>		50000			
<b>Employment:</b>		40			
<b>--Details--</b>					
<b>Description:</b>		Animal (except Poultry) Slaughtering			
<b>SIC/NAICS Code:</b>		311611			
<b>Description:</b>		Rendering and Meat Processing from Carcasses			
<b>SIC/NAICS Code:</b>		311614			
<b>Description:</b>		Red Meat and Meat Product Wholesaler-Distributors			
<b>SIC/NAICS Code:</b>		413160			
<b>Description:</b>		Other Specialty-Line Food Wholesaler-Distributors			
<b>SIC/NAICS Code:</b>		413190			
<a href="#">236</a>	33 of 41	NW/298.7	120.7 / 6.84	Tasty Chip Steak Products Ltd. 10 Shorncliffe Rd Suite 202 Toronto ON M9B 3S3	SCT
<b>Established:</b>		1958			
<b>Plant Size (ft²):</b>		16000			
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>		Rendering and Meat Processing from Carcasses			
<b>SIC/NAICS Code:</b>		311614			
<a href="#">236</a>	34 of 41	NW/298.7	120.7 / 6.84	NEW ZEALAND LAMB 10 Shorncliffe Rd Etobicoke ON M9B 3S3	SCT
<b>Established:</b>		1993			
<b>Plant Size (ft²):</b>		50000			
<b>Employment:</b>		40			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>--Details--</b>					
<b>Description:</b>				Animal (except Poultry) Slaughtering	
<b>SIC/NAICS Code:</b>				311611	
<b>Description:</b>				Rendering and Meat Processing from Carcasses	
<b>SIC/NAICS Code:</b>				311614	

<a href="#">236</a>	35 of 41	NW/298.7	120.7 / 6.84	ONTARIO HYDRO 10 SHORNECLIFFE RD. TRANSFORMER TORONTO CITY ON	SPL
<b>Ref No:</b>	139769			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>	4/21/1997			<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	
<b>Incident Cause:</b>	COOLING SYSTEM LEAK			<b>Source Type:</b>	
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>				<b>Site Name:</b>	
<b>Contaminant Name:</b>				<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>	POSSIBLE			<b>Site Municipality:</b>	01106
<b>Nature of Impact:</b>	Soil contamination			<b>Site Lot:</b>	
<b>Receiving Medium:</b>	LAND			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>Health/Env Conseq:</b>				<b>Easting:</b>	EPS.
<b>MOE Response:</b>				<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	4/21/1997			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>					
<b>SAC Action Class:</b>					
<b>Incident Reason:</b>	EQUIPMENT FAILURE				
<b>Incident Summary:</b>	ONT. HYDRO-3L OF PCB OIL TO GROUND AT PLANT. CLEANING.				

<a href="#">236</a>	36 of 41	NW/298.7	120.7 / 6.84	ETOBICOLD STORAGE 10 SHORNCLIFFE ROAD, ETOBICOKE STORAGE ETOBICOKE PLANT, 10 SHORNCLIFFE RD. TORONTO CITY ON M9B 3S3	SPL
<b>Ref No:</b>	139033			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>	4/4/1997			<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	
<b>Incident Cause:</b>	OTHER CONTAINER LEAK			<b>Source Type:</b>	
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>				<b>Site Name:</b>	
<b>Contaminant Name:</b>				<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>	POSSIBLE			<b>Site Municipality:</b>	01106
<b>Nature of Impact:</b>	Multi Media Pollution			<b>Site Lot:</b>	
<b>Receiving Medium:</b>	WATER / AIR			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>Health/Env Conseq:</b>				<b>Easting:</b>	F.D.,POLICE,OPP,EMO,WORKS,MOEE,H.U.
<b>MOE Response:</b>				<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Meth:</b>	



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>MOE Reported Dt:</b> 4/4/1997 <b>Site Map Datum:</b> <b>Dt Document Closed:</b> <b>SAC Action Class:</b> <b>Incident Reason:</b> FIRE/EXPLOSION <b>Incident Summary:</b> ETOBICOKE STORAGE: PLANT ON FIRE, ANHYDROUS AMMONIATO AIR, RUNNOF TO STORM.					
<a href="#">236</a>	37 of 41	NW/298.7	120.7 / 6.84	LAKE SIMCOE ENTERPRISES ROOF OF BLDG LAKE SIMCOE ENT TORONTO CITY ON	SPL
<b>Ref No:</b> 19539 <b>Discharger Report:</b> <b>Site No:</b> <b>Material Group:</b> <b>Incident Dt:</b> 5/13/1988 <b>Client Type:</b> <b>Year:</b> <b>Sector Type:</b> <b>Incident Cause:</b> PIPE/HOSE LEAK <b>Source Type:</b> <b>Incident Event:</b> <b>Nearest Watercourse:</b> <b>Contaminant Code:</b> <b>Site Name:</b> <b>Contaminant Name:</b> <b>Site Address:</b> <b>Contaminant Limit 1:</b> <b>Site District Office:</b> <b>Contam Limit Freq 1:</b> <b>Site County/District:</b> <b>Contaminant UN No 1:</b> <b>Site Postal Code:</b> <b>Contaminant Qty:</b> <b>Site Region:</b> <b>Environment Impact:</b> NOT ANTICIPATED <b>Site Municipality:</b> 01106 <b>Nature of Impact:</b> <b>Site Lot:</b> <b>Receiving Medium:</b> LAND / WATER <b>Site Conc:</b> <b>Receiving Env:</b> <b>Northing:</b> <b>Health/Env Conseq:</b> <b>Easting:</b> ETOB WORKS/ETOB FD/METRO WORKS <b>MOE Response:</b> <b>Site Geo Ref Accu:</b> <b>Dt MOE Arvl on Scn:</b> <b>Site Geo Ref Meth:</b> <b>MOE Reported Dt:</b> 5/13/1988 <b>Site Map Datum:</b> <b>Dt Document Closed:</b> <b>SAC Action Class:</b> <b>Incident Reason:</b> ERROR <b>Incident Summary:</b> BACKENTRY - L SIMCOE ENT EST 250 LTR MURIATIC ACID TO GROUND AND SEWER					
<a href="#">236</a>	38 of 41	NW/298.7	120.7 / 6.84	Newco<UNOFFICIAL> 10 Shorncliffe Rd, Etobicoke Toronto ON	SPL
<b>Ref No:</b> 3344-8RJLTY <b>Discharger Report:</b> <b>Site No:</b> <b>Material Group:</b> <b>Incident Dt:</b> 11-FEB-12 <b>Client Type:</b> <b>Year:</b> <b>Sector Type:</b> <b>Incident Cause:</b> <b>Source Type:</b> <b>Incident Event:</b> <b>Nearest Watercourse:</b> <b>Contaminant Code:</b> <b>Site Name:</b> Chiller<UNOFFICIAL> <b>Contaminant Name:</b> <b>Site Address:</b> 10 Shorncliffe Rd, Etobicoke <b>Contaminant Limit 1:</b> <b>Site District Office:</b> <b>Contam Limit Freq 1:</b> <b>Site County/District:</b> <b>Contaminant UN No 1:</b> <b>Site Postal Code:</b> <b>Contaminant Qty:</b> <b>Site Region:</b> <b>Environment Impact:</b> <b>Site Municipality:</b> Toronto <b>Nature of Impact:</b> <b>Site Lot:</b> <b>Receiving Medium:</b> Sewage - Municipal/Private and Commercial <b>Site Conc:</b> <b>Receiving Env:</b> <b>Northing:</b> <b>Health/Env Conseq:</b> <b>Easting:</b> <b>MOE Response:</b> No Field Response <b>Site Geo Ref Accu:</b> <b>Dt MOE Arvl on Scn:</b> <b>Site Geo Ref Meth:</b> <b>MOE Reported Dt:</b> 16-FEB-12 <b>Site Map Datum:</b> <b>Dt Document Closed:</b> 20-APR-12 <b>SAC Action Class:</b> Primary Assessment of Incident <b>Incident Reason:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Incident Summary:</b>		Newco - chiller release of 100 Lbs of ammonia			
<a href="#">236</a>	39 of 41	NW/298.7	120.7 / 6.84	ETOBICOLD STORAGE 10 SHORNCLIFF RD ETOBICOKE PLANT, 10 SHORNCLIFFE RD. TORONTO CITY ON	SPL
<b>Ref No:</b>	155680			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>	5/15/1998			<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	
<b>Incident Cause:</b>	PIPE/HOSE LEAK			<b>Source Type:</b>	
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>				<b>Site Name:</b>	
<b>Contaminant Name:</b>				<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>	POSSIBLE			<b>Site Municipality:</b>	01106
<b>Nature of Impact:</b>	Air Pollution			<b>Site Lot:</b>	
<b>Receiving Medium:</b>	AIR			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>Health/Env Conseq:</b>				<b>Easting:</b>	FIRE DEPT, WORKS,MOE
<b>MOE Response:</b>				<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	5/15/1998			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>					
<b>SAC Action Class:</b>					
<b>Incident Reason:</b>	DAMAGE BY MOVING EQUIPMENT				
<b>Incident Summary:</b>	ETOBICOLD STORAGE:80L ANHYDROUS AMMONIA LEAKED INTO PLANT AND TO ATM.				
<a href="#">236</a>	40 of 41	NW/298.7	120.7 / 6.84	LAKE SIMCOE ENTERPRISES 10 SHORNCLIFFE TORONTO CITY ON M9B 3S3	SPL
<b>Ref No:</b>	98041			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>	4/2/1994			<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	
<b>Incident Cause:</b>	PIPE/HOSE LEAK			<b>Source Type:</b>	
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>				<b>Site Name:</b>	
<b>Contaminant Name:</b>				<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>	CONFIRMED			<b>Site Municipality:</b>	1106
<b>Nature of Impact:</b>	Air Pollution			<b>Site Lot:</b>	
<b>Receiving Medium:</b>	AIR			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>Health/Env Conseq:</b>				<b>Easting:</b>	FIRE, WORKS
<b>MOE Response:</b>				<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	4/2/1994			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>					
<b>SAC Action Class:</b>					
<b>Incident Reason:</b>	INTENTIONAL/PLANNED				
<b>Incident Summary:</b>	LAKE SIMCOE ENT.: AMMONIA EMITTED TO AIR				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">236</a>	41 of 41	NW/298.7	120.7 / 6.84	LAKE SIMCOE ENTERPRISES 10 SHORNCLIFFE RD. TORONTO CITY ON M9B 3S3	SPL
<b>Ref No:</b>	67424			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>	2/26/1992			<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	
<b>Incident Cause:</b>	VALVE/FITTING LEAK OR FAILURE			<b>Source Type:</b>	
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>				<b>Site Name:</b>	
<b>Contaminant Name:</b>				<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>	CONFIRMED			<b>Site Municipality:</b>	01106
<b>Nature of Impact:</b>	Human Health or Safety			<b>Site Lot:</b>	
<b>Receiving Medium:</b>	AIR			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>Health/Env Conseq:</b>				<b>Easting:</b>	MOE, FD, MOL, MOH
<b>MOE Response:</b>				<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	2/26/1992			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>					
<b>SAC Action Class:</b>					
<b>Incident Reason:</b>	EQUIPMENT FAILURE				
<b>Incident Summary:</b>	LAKE SIMCOE ENTERPRISES: AMMONIA RELEASED TO ATM FROM BROKEN VALVE.				

<a href="#">237</a>	1 of 1	SSW/298.9	113.8 / -0.06	ON	BORE
<b>Borehole ID:</b>	642363			<b>Type:</b>	Borehole
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Status::</b>	
<b>Drill Method::</b>	Diamond Drill			<b>UTM Zone::</b>	17
<b>Easting::</b>	617805			<b>Northing::</b>	4830798
<b>Location Accuracy::</b>				<b>Orig. Ground Elev m::</b>	114
<b>Elev. Reliability Note::</b>				<b>DEM Ground Elev m::</b>	115
<b>Total Depth m::</b>	1.2			<b>Primary Name::</b>	
<b>Township::</b>				<b>Concession::</b>	
<b>Lot::</b>				<b>Municipality:</b>	
<b>Completion Date::</b>	JUL-1961			<b>Static Water Level::</b>	.1
<b>Primary Water Use::</b>	Not Used			<b>Sec. Water Use::</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>	218499462			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	1.0			<b>Stratum Desc:</b>	FILL,SOIL,SHALE,CLAYGREY,BROWN,MAN-MADE, AGE POST-GLACIAL.
<b>Stratum ID:</b>	218499463			<b>Top Depth(m):</b>	1.0
<b>Bottom Depth(m):</b>	1.2			<b>Stratum Desc:</b>	CLAY,SILT,SHALE. GREY,BROWN,AGE GLACIAL, WATER STABLE AT 376.3 FEET.00002

# Unplottable Summary

Total: **87** Unplottable sites

DB	Company Name/Site Name	Address	City	Postal
AUWR	ATLAS INDUSTRIAL RECYCLING LTD		ETOBICOKE ON	M8Z2C4
CA	TORONTO CITY DUNDAS ST. W. DR. #D-348	DUNDAS STREET	TORONTO CITY ON	
CA	Petro-Canada	Part of Lot 21, Concession 2	Toronto ON	
CA	Suncor Energy Products Inc.		Toronto ON	
CA	ETOBICOKE CITY JOB. NO. A- 6751	VANSCO RD.	ETOBICOKE CITY ON	
CA	City of Toronto	North Queen St , (between The East Mall and Vansco Road)	Toronto ON	
CA	MARKPAL HOLDINGS LTD. JOB NO.23390	STREET A KIPLING AVE. ST. A	ETOBICOKE CITY ON	
CA	MARKPAL HOLDINGS LTD.JOB. NO. 25404	STREET A KIPLING AVE.	ETOBICOKE CITY ON	
CA	ETOBICOKE CITY JOB#A-6771 REXDALE BLVD.	KIPLING AVE.	ETOBICOKE CITY ON	
CA	MARKPAL HOLDINGS LTD. JOB. NO. 24410	KIPLING AVE.	ETOBICOKE CITY ON	
CA	ANGELO QUATTROCIOCCHI	S. OF DUNDAS ST. WEST	TORONTO CITY ON	
CA	VICTOR ROSA	LANE N. OF DUNDAS ST. W.	TORONTO CITY ON	
CA	LAMBTON VILLA C/O MR. TOM FALLUS	DUNDAS STREET WEST	YORK CITY ON	
CA	MCDONALD'S REST. OF CANADA LTD.	DUNDAS ST.W., SIX POINTS PLAZA	ETOBICOKE CITY ON	
CA	CITY	DUNDAS ST.W.	TORONTO ON	
CA	VICTOR ROSA	DUNDAS ST. W.	TORONTO CITY ON	
CA	YORK CITY	DUNDAS ST. W.	YORK CITY ON	

CA	TORONTO CITY LA-1166	S. OF DUNDAS STREET	TORONTO CITY ON	
CONV	COLLEGE DISPOSAL SERVICES LTD.		ON	
CONV	PUROLATOR COURIER LTD.		ON	
CONV	KING RECYCLING & WASTE DISPOSAL		ON	
CONV	Best Waste Solutions Inc.		Toronto ON	
FST	CP RAIL	TORONTO YARDFACILITY	AGINCOURT ON	NULL
FST	CANADIAN PACIFIC RAILWAY TORONTO DIVISION	LOT 35 CON 2	TORONTO ON	NULL
FSTH	CANADIAN PACIFIC RAILWAY TORONTO DIVISION	LOT 35 CON 2	TORONTO ON	
FSTH	CP RAIL	TORONTO YARD FACILITY	AGINCOURT ON	
FSTH	CP RAIL	TORONTO YARD FACILITY	AGINCOURT ON	
FSTH	CANADIAN PACIFIC RAILWAY TORONTO DIVISION	LOT 35 CON 2	TORONTO ON	
GEN	CANADIAN PACIFIC RAILWAYS	WEST TORONTO SHOP C/O 65 FRONT STREET, RM 354	TORONTO ON	M5J 1E8
GEN	ULTRAMAR CANADA INC.	PR #1 LOT 16 CONC. 2, YORK C/O 2550 VICTORIA PARK AVE. SUITE 200	NORTH YORK ON	M2J 5A9
GEN	ULTRAMAR CANADA INC. 39-380	PR #1 LOT 16 CONC. 2, YORK C/O 2550 VICTORIA PARK AVE. SUITE 200	NORTH YORK ON	M2J 5A9
GEN	Imperial Oil	Toronto City Centre Airport	Toronto ON	
NPCB	CANADIAN PACIFIC RAILWAY	UNION STATION C.P., EASTERN REGION, RM 339	TORONTO ON	M5G 1E8
PRT	CANADIAN PACIFIC RAILWAY TORONTO DIVISION	LOT 35 CON 2	TORONTO ON	
RST	ESSO HOME HEAT		TORONTO ON	
RST	DART PETROLIUM SERVICES		TORONTO ON	
RST	PETRO-CANADA		TORONTO ON	
SPL	CANADIAN PACIFIC RAILWAYS	CP RAIL LINE IN 5 LOCATIONS BETWEEN TORONTO AND LONDON. TRAIN	TORONTO CITY ON	
SPL	CANADIAN PACIFIC RAILWAYS	KEATING YARD CP TRAIN	TORONTO CITY ON	

SPL	CANADIAN PACIFIC RAILWAYS	WESTON AREA TRAIN	TORONTO CITY ON
SPL	Canadian Pacific Railway Company	Toronto Yard, CP Rail<UNOFFICIAL>	Toronto ON
SPL	CANADIAN PACIFIC RAILWAYS	CP RAIL TORONTO YARD,DIESEL SHOP.	TORONTO CITY ON
SPL	CONSUMERS GAS	NORTH QUEEN STREET REGULATOR/COMPRESSOR STATION	TORONTO CITY ON
SPL	Canadian Pacific Railway Company	CPR ETOBICOKE YARD, MILEPOST 9.6 ON THE GALT SUBDIVISION, ETOBICOKE.<UNOFFICIAL>	Toronto ON
SPL	Canadian Pacific Railway Company	Agincourt	Toronto ON
SPL	Canadian Pacific Railway Company	Galt Subdivision, Mile 6.7, Track 3	Toronto ON
SPL	SUNOCO	IN TRIPLE GARAGE, SOME TO PAVEMENT OUTSIDE. SERVICE STATION	TORONTO CITY ON
SPL	SWISS CHALET	KIPLING QUEENSWAY MALL, SWISS CHALET, CB @ NW OF PARKING LOT GENERIC LOCATION	TORONTO CITY ON
SPL	CANADIAN PACIFIC RAILWAYS	LAMBTON YARD TRAIN	TORONTO CITY ON
SPL	CANADIAN PACIFIC RAILWAYS	LAMPTON YARD. TRAIN	TORONTO CITY ON
SPL	CANADIAN PACIFIC RAILWAYS	MILE 7, GALT SUB, IN SHED AT THE LAMBTON YARD TRAIN	TORONTO CITY ON
SPL	Canadian Pacific Railway Company	Mile 9 on Galt subdivision	Toronto ON
SPL	Canadian Pacific Railway Company	Mile Marker 5.65 Main Track 2	Toronto ON
SPL	Canadian Pacific Railway Company	Mile Marker 9.6, Galt Subdivision in Etobicoke	Toronto ON
SPL	Canadian Pacific Railway Company	Mileage 5.9 on the North Toronto Subdivision <UNOFFICIAL>	Toronto ON
SPL	Petro-Canada Head Office	PETRO-CANADA CARD-LOCK STATION <UNOFFICIAL>	Toronto ON
SPL	CANADIAN PACIFIC RAILWAYS		TORONTO CITY ON
SPL	Purolator Courier Ltd.		Toronto ON
SPL	Canadian Pacific Railway Company		Toronto ON
SPL	Canadian Pacific Railway Company		Toronto ON

SPL	ESSO CHEMICAL	TANK TRUCK (CARGO)	TORONTO CITY ON
SPL	CANADIAN PACIFIC RAILWAYS	TRAIN	TORONTO CITY ON
SPL	IMPERIAL OIL	ESSO SERVICE STATION	TORONTO CITY ON
SPL	IMPERIAL OIL	ESSO SERVICE STATION	TORONTO CITY ON
SPL	ESSO PETROLEUM	SERVICE STATION	TORONTO CITY ON
SPL	PETRO-CANADA	SERVICE STATION	TORONTO CITY ON
SPL	PETRO-CANADA	SERVICE STATION	TORONTO CITY ON
SPL	ESSO PETROLEUM CANADA	SERVICE STATION	TORONTO CITY ON
SPL	PETRO-CANADA	SERVICE STATION	TORONTO CITY ON
SPL	PETRO-CANADA	SERVICE STATION	TORONTO CITY ON
SPL	ESSO PETROLEUM CANADA	SERVICE STATION	TORONTO CITY ON
SPL	ESSO PETROLEUM	TANK TRUCK (CARGO)	TORONTO CITY ON
SPL	ESSO CHEMICAL	TANK TRUCK (CARGO)	TORONTO CITY ON
SPL	ESSO PETROLEUM CANADA	TANK TRUCK (CARGO)	TORONTO CITY ON
SPL	ESSO PETROLEUM CANADA	TANK TRUCK (CARGO)	TORONTO CITY ON
SPL	HARPER DETROIT DIESEL LTD.	LAKE ONTARIO OUTFALL AT FOOT OF KIPLING ST. ETOBICOKE PLANT 10 DIESEL ROAD	TORONTO CITY ON
SPL	TRANSPORT TRUCK	KIPLING AVE NORTH OF QUEENSWAY TRANSPORT TRUCK (CARGO)	TORONTO CITY ON
SPL	Toronto Transit Commission	CB AT WESTBOUND AT THE WESTWAY @ KIPLING<UNOFFICIAL>	Toronto ON
SPL	G Zavitz Ltd.<UNOFFICIAL>	@ Dundas St	Toronto ON
SPL	PETRO-CANADA	UNDERGROUND FUEL TANK SERVICE STATION	TORONTO CITY ON
SPL	CANADIAN PACIFIC RAILWAYS	AT CP RAIL'S TORONTO YARD TRAIN	TORONTO CITY ON
SPL	CANADIAN PACIFIC RAILWAYS	ALONG RAIL TRACKS FROM TORONTO TO THE GUELPH JUNCTION TO WELLAND TRAIN	TORONTO CITY ON

SPL	CANADIAN PACIFIC EXPRESS & TRA	TRANSPORT TRUCK TRANSPORT TRUCK (CARGO)	TORONTO CITY ON	
SPL	PUROLATOR COURIER LTD.	PUROLATOR DEPOT, BAY #62 WAREHOUSE	TORONTO CITY ON	
SPL	CANADIAN PACIFIC RAILWAYS	PIER #35 TRAIN	TORONTO CITY ON	
SRDS	IMPERIAL OIL LIMITED		TORONTO ON	
WDS	Kinectrics Inc.	Mobile Facility	Toronto ON	M8Z 6C4



# Unplottable Report

---

**Site:** ATLAS INDUSTRIAL RECYCLING LTD  
ETOBICOKE ON M8Z2C4

**Database:**  
AUWR

**Headcode:** 01169400  
**Headcode Desc:** SCRAP METALS  
**Phone:** 4162342852  
**List Name:**  
**Description:**

---

**Site:** TORONTO CITY DUNDAS ST. W. DR. #D-348  
DUNDAS STREET TORONTO CITY ON

**Database:**  
CA

**Certificate #:** 3-0445-88-  
**Application Year:** 88  
**Issue Date:** 5/10/1988  
**Approval Type:** Municipal sewage  
**Status:** Approved  
**Application Type:**  
**Client Name::**  
**Client Address::**  
**Client City::**  
**Client Postal Code::**  
**Project Description::**  
**Contaminants::**  
**Emission Control::**

---

**Site:** Petro-Canada  
Part of Lot 21, Concession 2 Toronto ON

**Database:**  
CA

**Certificate #:** 6110-5XKM86  
**Application Year:** 2004  
**Issue Date:** 4/28/2004  
**Approval Type:** Industrial Sewage Works  
**Status:** Approved  
**Application Type:**  
**Client Name::**  
**Client Address::**  
**Client City::**  
**Client Postal Code::**  
**Project Description::**  
**Contaminants::**  
**Emission Control::**

---

**Site:** Suncor Energy Products Inc.  
Toronto ON

**Database:**  
CA

**Certificate #:** 0845-6FHK5G  
**Application Year:** 2007  
**Issue Date:** 12/10/2007  
**Approval Type:** Industrial Sewage Works  
**Status:** Revoked and/or Replaced  
**Application Type:**  
**Client Name::**  
**Client Address::**  
**Client City::**

**Client Postal Code::**  
**Project Description::**  
**Contaminants::**  
**Emission Control::**

---

**Site:** **ETOBICOKE CITY JOB. NO. A-6751**  
**VANSCO RD. ETOBICOKE CITY ON**

**Database:**  
**CA**

**Certificate #:** 7-0098-87-  
**Application Year:** 87  
**Issue Date:** 2/27/1987  
**Approval Type:** Municipal water  
**Status:** Approved  
**Application Type:**  
**Client Name::**  
**Client Address::**  
**Client City::**  
**Client Postal Code::**  
**Project Description::**  
**Contaminants::**  
**Emission Control::**

---

**Site:** **City of Toronto**  
**North Queen St , (between The East Mall and Vansco Road) Toronto ON**

**Database:**  
**CA**

**Certificate #:** 1414-85VP2K  
**Application Year:** 2010  
**Issue Date:** 5/31/2010  
**Approval Type:** Municipal and Private Sewage Works  
**Status:** Approved  
**Application Type:**  
**Client Name::**  
**Client Address::**  
**Client City::**  
**Client Postal Code::**  
**Project Description::**  
**Contaminants::**  
**Emission Control::**

---

**Site:** **MARKPAL HOLDINGS LTD. JOB NO.23390**  
**STREET A KIPLING AVE. ST. A ETOBICOKE CITY ON**

**Database:**  
**CA**

**Certificate #:** 3-1345-86-  
**Application Year:** 86  
**Issue Date:** 10/3/1986  
**Approval Type:** Municipal sewage  
**Status:** Approved  
**Application Type:**  
**Client Name::**  
**Client Address::**  
**Client City::**  
**Client Postal Code::**  
**Project Description::**  
**Contaminants::**  
**Emission Control::**

---

**Site:** **MARKPAL HOLDINGS LTD. JOB. NO. 25404**  
**STREET A KIPLING AVE. ETOBICOKE CITY ON**

**Database:**  
**CA**

**Certificate #:** 7-1071-86-  
**Application Year:** 86  
**Issue Date:** 10/3/1986

**Approval Type:** Municipal water  
**Status:** Approved  
**Application Type:**  
**Client Name::**  
**Client Address::**  
**Client City::**  
**Client Postal Code::**  
**Project Description::**  
**Contaminants::**  
**Emission Control::**

---

**Site:** **ETOBICOKE CITY JOB#A-6771 REXDALE BLVD.  
KIPLING AVE. ETOBICOKE CITY ON**

**Database:**  
**CA**

**Certificate #:** 7-0346-89-  
**Application Year:** 89  
**Issue Date:** 4/19/1989  
**Approval Type:** Municipal water  
**Status:** Approved  
**Application Type:**  
**Client Name::**  
**Client Address::**  
**Client City::**  
**Client Postal Code::**  
**Project Description::**  
**Contaminants::**  
**Emission Control::**

---

**Site:** **MARKPAL HOLDINGS LTD. JOB. NO. 24410  
KIPLING AVE. ETOBICOKE CITY ON**

**Database:**  
**CA**

**Certificate #:** 3-1347-86-  
**Application Year:** 86  
**Issue Date:** 9/18/1986  
**Approval Type:** Municipal sewage  
**Status:** Approved  
**Application Type:**  
**Client Name::**  
**Client Address::**  
**Client City::**  
**Client Postal Code::**  
**Project Description::**  
**Contaminants::**  
**Emission Control::**

---

**Site:** **ANGELO QUATTROCIOCCHI  
S. OF DUNDAS ST. WEST TORONTO CITY ON**

**Database:**  
**CA**

**Certificate #:** 3-0064-88-  
**Application Year:** 88  
**Issue Date:** 2/9/1988  
**Approval Type:** Municipal sewage  
**Status:** Approved  
**Application Type:**  
**Client Name::**  
**Client Address::**  
**Client City::**  
**Client Postal Code::**  
**Project Description::**  
**Contaminants::**  
**Emission Control::**

---

**Site:** VICTOR ROSA  
LANE N. OF DUNDAS ST. W. TORONTO CITY ON

**Database:**  
CA

**Certificate #:** 3-0736-89-  
**Application Year:** 89  
**Issue Date:** 5/12/1989  
**Approval Type:** Municipal sewage  
**Status:** Approved  
**Application Type:**  
**Client Name::**  
**Client Address::**  
**Client City::**  
**Client Postal Code::**  
**Project Description::**  
**Contaminants::**  
**Emission Control::**

---

**Site:** LAMBTON VILLA C/O MR. TOM FALLUS  
DUNDAS STREET WEST YORK CITY ON

**Database:**  
CA

**Certificate #:** 7-1060-89-  
**Application Year:** 89  
**Issue Date:** 8/4/1989  
**Approval Type:** Municipal water  
**Status:** Approved  
**Application Type:**  
**Client Name::**  
**Client Address::**  
**Client City::**  
**Client Postal Code::**  
**Project Description::**  
**Contaminants::**  
**Emission Control::**

---

**Site:** MCDONALD'S REST. OF CANADA LTD.  
DUNDAS ST.W., SIX POINTS PLAZA ETOBICOKE CITY ON

**Database:**  
CA

**Certificate #:** 8-3619-95-006  
**Application Year:** 95  
**Issue Date:** 11/27/95  
**Approval Type:** Industrial air  
**Status:** Approved  
**Application Type:**  
**Client Name::**  
**Client Address::**  
**Client City::**  
**Client Postal Code::**  
**Project Description::** COMMERCIAL KITCHEN EXHAUST HOOD  
**Contaminants::**  
**Emission Control::**

---

**Site:** CITY  
DUNDAS ST.W. TORONTO ON

**Database:**  
CA

**Certificate #:** 3-0003-85-006  
**Application Year:** 85  
**Issue Date:** 2/18/85  
**Approval Type:** Municipal sewage  
**Status:** Approved  
**Application Type:**  
**Client Name::**  
**Client Address::**  
**Client City::**  
**Client Postal Code::**

**Project Description::**  
**Contaminants::**  
**Emission Control::**

---

**Site:** VICTOR ROSA  
DUNDAS ST. W. TORONTO CITY ON

**Database:**  
CA

**Certificate #:** 7-0641-89-  
**Application Year:** 89  
**Issue Date:** 5/12/1989  
**Approval Type:** Municipal water  
**Status:** Approved  
**Application Type:**  
**Client Name::**  
**Client Address::**  
**Client City::**  
**Client Postal Code::**  
**Project Description::**  
**Contaminants::**  
**Emission Control::**

---

**Site:** YORK CITY  
DUNDAS ST. W. YORK CITY ON

**Database:**  
CA

**Certificate #:** 7-0777-87-  
**Application Year:** 87  
**Issue Date:** 7/9/1987  
**Approval Type:** Municipal water  
**Status:** Approved  
**Application Type:**  
**Client Name::**  
**Client Address::**  
**Client City::**  
**Client Postal Code::**  
**Project Description::**  
**Contaminants::**  
**Emission Control::**

---

**Site:** TORONTO CITY LA-1166  
S. OF DUNDAS STREET TORONTO CITY ON

**Database:**  
CA

**Certificate #:** 3-0797-87-  
**Application Year:** 87  
**Issue Date:** 6/15/1987  
**Approval Type:** Municipal sewage  
**Status:** Approved  
**Application Type:**  
**Client Name::**  
**Client Address::**  
**Client City::**  
**Client Postal Code::**  
**Project Description::**  
**Contaminants::**  
**Emission Control::**

---

**Site:** COLLEGE DISPOSAL SERVICES LTD.  
ON

**Database:**  
CONV

**File No.:**  
**Crown Brief No.:** 95-0195-0027  
**Publication City:**  
**Publication Title:**

**Location:**  
**Region:** CENTRAL REGION  
**Ministry District:** METRO

**Act:**  
**Act(s):**  
**First Matter:**  
**Second Matter:**  
**Investigation 1:**  
**Investigation 2:**  
**Penalty Imposed:**  
**URL:**

**Description:** ESTABLISH, ACCEPT WASTE, TRANSFER, PROCESS AND STORE WASTE EITHER WITHOUT AN APPROVAL AND/OR NOT IN ACCORDANCE TO AN APPROVAL ISSUED.

**Background:**

**--Details--**

**Publication Date:**  
**Count:** 1  
**Act:** EPA  
**Regulation:**  
**Section:** 186(2)  
**Act/Regulation/Section:** EPA- -186(2)  
**Date of Conviction:**  
**Date of Offence:**  
**Date Charged:** 1/12/98  
**Charge Disposition:** SUSPENDED SENTENCE  
**Fine:** \$3,000.00

**Publication Date:**  
**Count:** 1  
**Act:** EPA  
**Regulation:**  
**Section:** 27(1) (A)  
**Act/Regulation/Section:** EPA- -27(1) (A)  
**Date of Conviction:**  
**Date of Offence:**  
**Date Charged:** 1/12/98  
**Charge Disposition:** SUSPENDED SENTENCE  
**Fine:** \$3,000.00

**Publication Date:**  
**Count:** 1  
**Act:** EPA  
**Regulation:**  
**Section:** 27(1) (A)  
**Act/Regulation/Section:** EPA- -27(1) (A)  
**Date of Conviction:**  
**Date of Offence:**  
**Date Charged:** 1/12/98  
**Charge Disposition:** SUSPENDED SENTENCE  
**Fine:** \$3,000.00

**Publication Date:**  
**Count:** 1  
**Act:** EPA  
**Regulation:**  
**Section:** 27 (1) (B)  
**Act/Regulation/Section:** EPA- -27 (1) (B)  
**Date of Conviction:**  
**Date of Offence:**  
**Date Charged:** 1/12/98  
**Charge Disposition:** SUSPENDED SENTENCE  
**Fine:** \$3,000.00

**Publication Date:**  
**Count:** 1  
**Act:** EPA  
**Regulation:**  
**Section:** 27 (1) (B)  
**Act/Regulation/Section:** EPA- -27 (1) (B)  
**Date of Conviction:**

**Date of Offence:**  
**Date Charged:** 1/12/98  
**Charge Disposition:** SUSPENDED SENTENCE  
**Fine:** \$3,000.00

---

**Site:** PUROLATOR COURIER LTD.  
ON

**Database:**  
CONV

**File No.:**  
**Crown Brief No.:** 99-0022-0138  
**Publication City:**  
**Publication Title:**  
**Act:**  
**Act(s):**  
**First Matter:**  
**Second Matter:**  
**Investigation 1:**  
**Investigation 2:**  
**Penalty Imposed:**  
**URL:**  
**Description:** FAILURE TO NOTIFY THE MINISTRY OF A DISCHARGE OF DIESEL FUEL, OUT OF THE NORMAL COURSE OF EVENTS, INTO THE NATURAL ENVIRONMENT.  
**Background:**

**Location:**  
**Region:** CENTRAL REGION  
**Ministry District:** METRO

**--Details--**

**Publication Date:**  
**Count:** 1  
**Act:** EPA  
**Regulation:**  
**Section:** 15(1)  
**Act/Regulation/Section:** EPA- -15(1)  
**Date of Conviction:**  
**Date of Offence:**  
**Date Charged:** 10/13/99  
**Charge Disposition:** SUSPENDED SENTENCE  
**Fine:** \$1,800.00

---

**Site:** KING RECYCLING & WASTE DISPOSAL  
ON

**Database:**  
CONV

**File No.:**  
**Crown Brief No.:** 97-0123-0135  
**Publication City:**  
**Publication Title:**  
**Act:**  
**Act(s):**  
**First Matter:**  
**Second Matter:**  
**Investigation 1:**  
**Investigation 2:**  
**Penalty Imposed:**  
**URL:**  
**Description:** ILLEGAL USE OF A FACILITY (LAND), VEHICLE FOR DISPOSAL OF WASTE, WASTE DISPOSAL AND WASTE MANAGEMENT SYSTEM WITHOUT OBTAINING ANY APPROVALS.  
**Background:**

**Location:**  
**Region:** CENTRAL REGION  
**Ministry District:** METRO

**--Details--**

**Publication Date:**  
**Count:** 1  
**Act:** EPA  
**Regulation:**  
**Section:** 27(1) (A)  
**Act/Regulation/Section:** EPA- -27(1) (A)  
**Date of Conviction:**

**Date of Offence:**  
**Date Charged:** 4/7/99  
**Charge Disposition:** SUSPENDED SENTENCE  
**Fine:** \$4,000.00

**Publication Date:**  
**Count:** 1  
**Act:** EPA  
**Regulation:**  
**Section:** 27 (1) (B)  
**Act/Regulation/Section:** EPA- -27 (1) (B)  
**Date of Conviction:**  
**Date of Offence:**  
**Date Charged:** 4/7/99  
**Charge Disposition:** SUSPENDED SENTENCE  
**Fine:** \$6,000.00

---

**Site:** **Best Waste Solutions Inc.**  
**Toronto ON**

**Database:**  
**CONV**

**File No.:** 096292

**Location:**  
**Region:**  
**Ministry District:**

**Crown Brief No.:**  
**Publication City:**  
**Publication Title:**  
**Act:**  
**Act(s):**  
**First Matter:**  
**Second Matter:**  
**Investigation 1:**  
**Investigation 2:**  
**Penalty Imposed:**  
**URL:**

**Description:** On March 26, 2012, Best Waste Solutions Inc. and Pasquale Difrancio were sentenced on three violations each under the Environmental Protection Act, for a conviction that was registered on January 20, 2012. On December 15, 2011, Gary Best was convicted on four violations under the Environmental Protection Act. These convictions relate to failing to comply with a Certificate of Approval involving illegal waste activities. The Court heard that the company operates a waste management facility located at in Toronto, under a Certificate of Approval issued by the ministry. Mr. Best and Mr. Difrancio are the Directors of the company. The ministry conducted numerous inspections and site visits at the facility to assess compliance of site operations. During the inspections, ministry staff observed waste materials being stored outdoors and daily logs were not made available to the ministry. There was also a significant discrepancy in the amount of waste observed on-site compared to the log entries. Due to the non-compliance issues at the site, the ministry issued a Provincial Officer's Order, that required them to carry out a cleanup plan and to ensure that all waste transported from the site was transported according to ministry regulations. The order was not complied with. The company, Mr. Best and Mr. Difrancio were fined a total of \$49,000 plus victim fine surcharges. The company and Mr. Difrancio were given 180 days to pay their fines and Mr. Best was given one year to pay his fine.

**Background:**

**--Details--**

**Publication Date:**  
**Count:** 10  
**Act:** EPA  
**Regulation:**  
**Section:**  
**Act/Regulation/Section:** EPA  
**Date of Conviction:**  
**Date of Offence:**  
**Date Charged:** March 26, 2012  
**Charge Disposition:** fine, victim fine surcharge  
**Fine:** \$49,000

---

**Site:** **CP RAIL**  
**TORONTO YARDFACILITY AGINCOURT ON NULL**

**Database:**  
**FST**

**Instance No:** 10526929



**Cont Name:**  
**Instance Type:** FS Liquid Fuel Tank  
**Fuel Type:** Gasoline  
**Status:** Active  
**Capacity:** 4540  
**Tank Material:** Steel  
**Corrosion Protection:** Impressed Current  
**Tank Type:** Single Wall UST  
**Install Year:** 1981  
**Parent Facility Type:** Fuels Safety Private Fuel Outlet - Self Serve  
**Facility Type:** FS Liquid Fuel Tank

---

**Site:** CANADIAN PACIFIC RAILWAY TORONTO DIVISION  
LOT 35 CON 2 TORONTO ON NULL

**Database:**  
FST

**Instance No:** 11016626  
**Cont Name:**  
**Instance Type:** FS Liquid Fuel Tank  
**Fuel Type:** Gasoline  
**Status:** Active  
**Capacity:** 2273  
**Tank Material:** Fiberglass (FRP)  
**Corrosion Protection:** Fiberglass  
**Tank Type:** Single Wall UST  
**Install Year:** 1987  
**Parent Facility Type:** Fuels Safety Private Fuel Outlet - Self Serve  
**Facility Type:** FS Liquid Fuel Tank

---

**Site:** CANADIAN PACIFIC RAILWAY TORONTO DIVISION  
LOT 35 CON 2 TORONTO ON

**Database:**  
FSTH

**License Issue Date:** 1/24/1991  
**Tank Status:** Licensed  
**Tank Status As Of:** December 2008  
**Operation Type:** Private Fuel Outlet  
**Facility Type:** Gasoline Station - Self Serve

**--Details--**

**Status:** Active  
**Year of Installation:** 1987  
**Corrosion Protection:**  
**Capacity:** 2273  
**Tank Fuel Type:** Liquid Fuel Single Wall UST - Gasoline

---

**Site:** CP RAIL  
TORONTO YARD FACILITY AGINCOURT ON

**Database:**  
FSTH

**License Issue Date:** 6/28/1991  
**Tank Status:** Licensed  
**Tank Status As Of:** December 2008  
**Operation Type:** Private Fuel Outlet  
**Facility Type:** Gasoline Station - Self Serve

**--Details--**

**Status:** Active  
**Year of Installation:** 1981  
**Corrosion Protection:**  
**Capacity:** 4540  
**Tank Fuel Type:** Liquid Fuel Single Wall UST - Gasoline

---

**Site:** CP RAIL

**Database:**

**TORONTO YARD FACILITY AGINCOURT ON****FSTH**

**License Issue Date:** 6/28/1991  
**Tank Status:** Licensed  
**Tank Status As Of:** August 2007  
**Operation Type:** Private Fuel Outlet  
**Facility Type:** Gasoline Station - Self Serve

**--Details--**

**Status:** Active  
**Year of Installation:** 1981  
**Corrosion Protection:**  
**Capacity:** 4540  
**Tank Fuel Type:** Liquid Fuel Single Wall UST - Gasoline

**Site:** **CANADIAN PACIFIC RAILWAY TORONTO DIVISION**  
**LOT 35 CON 2 TORONTO ON**

**Database:**  
**FSTH**

**License Issue Date:** 1/24/1991  
**Tank Status:** Licensed  
**Tank Status As Of:** August 2007  
**Operation Type:** Private Fuel Outlet  
**Facility Type:** Gasoline Station - Self Serve

**--Details--**

**Status:** Active  
**Year of Installation:** 1987  
**Corrosion Protection:**  
**Capacity:** 2273  
**Tank Fuel Type:** Liquid Fuel Single Wall UST - Gasoline

**Site:** **CANADIAN PACIFIC RAILWAYS**  
**WEST TORONTO SHOP C/O 65 FRONT STREET, RM 354 TORONTO ON M5J 1E8**

**Database:**  
**GEN**

<b>Generator No.:</b> ON0048120	<b>PO Box No.:</b>
<b>Status:</b>	<b>Country:</b>
<b>Approval Years:</b> 86,87,88,89	<b>Choice of Contact:</b>
<b>Contam. Facility:</b>	<b>Co Admin:</b>
<b>MHSW Facility:</b>	<b>Phone No. Admin:</b>
<b>SIC Code:</b> 4531	
<b>SIC Description:</b> RAILWAY TRANS. IND.	

**--Details--**

**Waste Code:** 251  
**Waste Description:** OIL SKIMMINGS & SLUDGES

**Waste Code:** 252  
**Waste Description:** WASTE OILS & LUBRICANTS

**Site:** **ULTRAMAR CANADA INC.**  
**PR #1 LOT 16 CONC. 2, YORK C/O 2550 VICTORIA PARK AVE. SUITE 200 NORTH YORK ON M2J 5A9**

**Database:**  
**GEN**

<b>Generator No.:</b> ON0177943	<b>PO Box No.:</b>
<b>Status:</b>	<b>Country:</b>
<b>Approval Years:</b> 90	<b>Choice of Contact:</b>
<b>Contam. Facility:</b>	<b>Co Admin:</b>
<b>MHSW Facility:</b>	<b>Phone No. Admin:</b>
<b>SIC Code:</b> 3611	
<b>SIC Description:</b> REFINED PETRO. PROD.	

**--Details--**

Waste Code: 221  
Waste Description: LIGHT FUELS

---

**Site:** ULTRAMAR CANADA INC. 39-380  
PR #1 LOT 16 CONC. 2, YORK C/O 2550 VICTORIA PARK AVE. SUITE 200 NORTH YORK ON M2J 5A9

**Database:**  
GEN

Generator No.: ON0177943  
Status:  
Approval Years: 94  
Contam. Facility:  
MHSW Facility:  
SIC Code: 3611  
SIC Description: REFINED PETRO. PROD.

PO Box No.:  
Country:  
Choice of Contact:  
Co Admin:  
Phone No. Admin:

**--Details--**

Waste Code: 221  
Waste Description: LIGHT FUELS

---

**Site:** Imperial Oil  
Toronto City Centre Airport Toronto ON

**Database:**  
GEN

Generator No.: ON7504667  
Status:  
Approval Years: 06,07,08  
Contam. Facility:  
MHSW Facility:  
SIC Code: 447190 481110  
SIC Description: Other Gasoline Stations, Scheduled Air Transportation

PO Box No.:  
Country:  
Choice of Contact:  
Co Admin:  
Phone No. Admin:

**--Details--**

Waste Code: 221  
Waste Description: LIGHT FUELS

Waste Code: 251  
Waste Description: OIL SKIMMINGS & SLUDGES

---

**Site:** CANADIAN PACIFIC RAILWAY  
UNION STATION C.P., EASTERN REGION, RM 339 TORONTO ON M5G 1E8

**Database:**  
NPCB

Company Code: 03156  
Industry: RAIL  
Site Status: DELETED FEDERAL SITES  
Transaction Date: 7/12/1994  
Inspection Date:

---

**Site:** CANADIAN PACIFIC RAILWAY TORONTO DIVISION  
LOT 35 CON 2 TORONTO ON

**Database:**  
PRT

Location ID: 15484  
Type: private  
Expiry Date:  
Capacity (L): 2273.00  
Licence #: 0001058866

---

**Site:** ESSO HOME HEAT  
TORONTO ON

**Database:**  
RST

Headcode: 00924800  
Headcode Desc: FUEL OIL

Phone: 4164816141  
List Name:  
Description:

---

**Site:** DART PETROLIUM SERVICES  
TORONTO ON

**Database:**  
RST

**Headcode:** 01186800  
**Headcode Desc:** SERVICE STATIONS GASOLINE OIL & NATURAL  
**Phone:** 4162079955  
**List Name:**  
**Description:**

---

**Site:** PETRO-CANADA  
TORONTO ON

**Database:**  
RST

**Headcode:** 01186800  
**Headcode Desc:** SERVICE STATIONS GASOLINE OIL & NATURAL  
**Phone:** 4162484893  
**List Name:**  
**Description:**

---

**Site:** CANADIAN PACIFIC RAILWAYS  
CP RAIL LINE IN 5 LOCATIONS BETWEEN TORONTO AND LONDON. TRAIN TORONTO CITY ON

**Database:**  
SPL

<b>Ref No:</b>	158372	<b>Discharger Report:</b>	
<b>Site No:</b>		<b>Material Group:</b>	
<b>Incident Dt:</b>	7/26/1998	<b>Client Type:</b>	
<b>Year:</b>		<b>Sector Type:</b>	
<b>Incident Cause:</b>	OTHER CONTAINER LEAK	<b>Source Type:</b>	
<b>Incident Event:</b>		<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>		<b>Site Name:</b>	
<b>Contaminant Name:</b>		<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>		<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>		<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>		<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>		<b>Site Region:</b>	
<b>Environment Impact:</b>	NOT ANTICIPATED	<b>Site Municipality:</b>	01106
<b>Nature of Impact:</b>		<b>Site Lot:</b>	
<b>Receiving Medium:</b>	LAND	<b>Site Conc:</b>	
<b>Receiving Env:</b>		<b>Northing:</b>	
<b>Health/Env Conseq:</b>		<b>Easting:</b>	
<b>MOE Response:</b>		<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>		<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	7/26/1998	<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>			
<b>SAC Action Class:</b>			
<b>Incident Reason:</b>	EQUIPMENT FAILURE		
<b>Incident Summary:</b>	CP RAIL: POTASH SPILLED TO TRACKS IN FIVE LOCATIONS		

---

**Site:** CANADIAN PACIFIC RAILWAYS  
KEATING YARD CP TRAIN TORONTO CITY ON

**Database:**  
SPL

<b>Ref No:</b>	50674	<b>Discharger Report:</b>	
<b>Site No:</b>		<b>Material Group:</b>	
<b>Incident Dt:</b>	5/16/1991	<b>Client Type:</b>	
<b>Year:</b>		<b>Sector Type:</b>	
<b>Incident Cause:</b>	OTHER CONTAINER LEAK	<b>Source Type:</b>	
<b>Incident Event:</b>		<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>		<b>Site Name:</b>	
<b>Contaminant Name:</b>		<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>		<b>Site District Office:</b>	

**Contam Limit Freq 1:**  
**Contaminant UN No 1:**  
**Contaminant Qty:**  
**Environment Impact:** POSSIBLE  
**Nature of Impact:** Soil contamination  
**Receiving Medium:** LAND  
**Receiving Env:**  
**Health/Env Conseq:**  
**MOE Response:**  
**Dt MOE Arvl on Scn:**  
**MOE Reported Dt:** 5/16/1991  
**Dt Document Closed:**  
**SAC Action Class:**  
**Incident Reason:** WELD/SEAM FAILURE  
**Incident Summary:** CANADIAN PACIFIC RAILWAY -HYDROGEN PEROXIDE LEAK FROM TANK CAR IN YARD

**Site County/District:**  
**Site Postal Code:**  
**Site Region:**  
**Site Municipality:** 01106  
**Site Lot:**  
**Site Conc:**  
**Northing:**  
**Easting:** TORONTO FD  
**Site Geo Ref Accu:**  
**Site Geo Ref Meth:**  
**Site Map Datum:**

**Site:** CANADIAN PACIFIC RAILWAYS  
 WESTON AREA TRAIN TORONTO CITY ON

**Database:**  
 SPL

**Ref No:** 114522  
**Site No:**  
**Incident Dt:** 6/16/1995  
**Year:**  
**Incident Cause:** OTHER CONTAINER LEAK  
**Incident Event:**  
**Contaminant Code:**  
**Contaminant Name:**  
**Contaminant Limit 1:**  
**Contam Limit Freq 1:**  
**Contaminant UN No 1:**  
**Contaminant Qty:**  
**Environment Impact:** NOT ANTICIPATED  
**Nature of Impact:**  
**Receiving Medium:** LAND  
**Receiving Env:**  
**Health/Env Conseq:**  
**MOE Response:**  
**Dt MOE Arvl on Scn:**  
**MOE Reported Dt:** 6/16/1995  
**Dt Document Closed:**  
**SAC Action Class:**  
**Incident Reason:** UNKNOWN  
**Incident Summary:** CP RAIL: VEGETABLE OIL TO TRACK

**Discharger Report:**  
**Material Group:**  
**Client Type:**  
**Sector Type:**  
**Source Type:**  
**Nearest Watercourse:**  
**Site Name:**  
**Site Address:**  
**Site District Office:**  
**Site County/District:**  
**Site Postal Code:**  
**Site Region:**  
**Site Municipality:** 1106  
**Site Lot:**  
**Site Conc:**  
**Northing:**  
**Easting:**  
**Site Geo Ref Accu:**  
**Site Geo Ref Meth:**  
**Site Map Datum:**

**Site:** Canadian Pacific Railway Company  
 Toronto Yard, CP Rail<UNOFFICIAL> Toronto ON

**Database:**  
 SPL

**Ref No:** 4122-7AQLB6  
**Site No:**  
**Incident Dt:**  
**Year:**  
**Incident Cause:**  
**Incident Event:**  
**Contaminant Code:** 27  
**Contaminant Name:** FLAMMABLE LIQUIDS, N.O.S.  
**Contaminant Limit 1:**  
**Contam Limit Freq 1:**  
**Contaminant UN No 1:**  
**Contaminant Qty:** 1 L  
**Environment Impact:** Possible  
**Nature of Impact:** Soil Contamination  
**Receiving Medium:**  
**Receiving Env:**  
**Health/Env Conseq:**  
**MOE Response:** No Field Response  
**Dt MOE Arvl on Scn:**

**Discharger Report:**  
**Material Group:**  
**Client Type:**  
**Sector Type:** Train  
**Source Type:**  
**Nearest Watercourse:**  
**Site Name:** Toronto Yard, CP Rail<UNOFFICIAL>  
**Site Address:**  
**Site District Office:** Toronto - District  
**Site County/District:**  
**Site Postal Code:**  
**Site Region:**  
**Site Municipality:** Toronto  
**Site Lot:**  
**Site Conc:**  
**Northing:**  
**Easting:**  
**Site Geo Ref Accu:**  
**Site Geo Ref Meth:**

**MOE Reported Dt:** 1/10/2008  
**Dt Document Closed:** 4/10/2008  
**SAC Action Class:** Land Spills  
**Incident Reason:**  
**Incident Summary:** Canutec Report: CP Rail Toronto Yard

**Site Map Datum:**

---

**Site:** CANADIAN PACIFIC RAILWAYS  
CP RAIL TORONTO YARD,DIESEL SHOP. TORONTO CITY ON

**Database:**  
SPL

**Ref No:** 165757  
**Site No:**  
**Incident Dt:** 3/23/1999  
**Year:**  
**Incident Cause:** PIPE/HOSE LEAK  
**Incident Event:**  
**Contaminant Code:**  
**Contaminant Name:**  
**Contaminant Limit 1:**  
**Contam Limit Freq 1:**  
**Contaminant UN No 1:**  
**Contaminant Qty:**  
**Environment Impact:** POSSIBLE  
**Nature of Impact:** Soil contamination  
**Receiving Medium:** LAND  
**Receiving Env:**  
**Health/Env Conseq:**  
**MOE Response:**  
**Dt MOE Arvl on Scn:**  
**MOE Reported Dt:** 3/23/1999  
**Dt Document Closed:**  
**SAC Action Class:**  
**Incident Reason:** EQUIPMENT FAILURE  
**Incident Summary:** ST.LAWRENCE & HUDSON-UKN QTY LUBE OIL TO GROUND FROM PIPE LEAK,CONTAINED.

**Discharger Report:**  
**Material Group:**  
**Client Type:**  
**Sector Type:**  
**Source Type:**  
**Nearest Watercourse:**  
**Site Name:**  
**Site Address:**  
**Site District Office:**  
**Site County/District:**  
**Site Postal Code:**  
**Site Region:**  
**Site Municipality:** 1106  
**Site Lot:**  
**Site Conc:**  
**Northing:**  
**Easting:**  
**Site Geo Ref Accu:**  
**Site Geo Ref Meth:**  
**Site Map Datum:**

---

**Site:** CONSUMERS GAS  
NORTH QUEEN STREET REGULATOR/COMPRESSOR STATION TORONTO CITY ON

**Database:**  
SPL

**Ref No:** 6402  
**Site No:**  
**Incident Dt:** 7/11/1988  
**Year:**  
**Incident Cause:** UNKNOWN  
**Incident Event:**  
**Contaminant Code:**  
**Contaminant Name:**  
**Contaminant Limit 1:**  
**Contam Limit Freq 1:**  
**Contaminant UN No 1:**  
**Contaminant Qty:**  
**Environment Impact:**  
**Nature of Impact:**  
**Receiving Medium:** AIR  
**Receiving Env:**  
**Health/Env Conseq:**  
**MOE Response:**  
**Dt MOE Arvl on Scn:**  
**MOE Reported Dt:** 7/11/1988  
**Dt Document Closed:**  
**SAC Action Class:**  
**Incident Reason:** UNKNOWN  
**Incident Summary:** CONSUMERS GAS - NATURAL GAS TO AIR

**Discharger Report:**  
**Material Group:**  
**Client Type:**  
**Sector Type:**  
**Source Type:**  
**Nearest Watercourse:**  
**Site Name:**  
**Site Address:**  
**Site District Office:**  
**Site County/District:**  
**Site Postal Code:**  
**Site Region:**  
**Site Municipality:** 1106  
**Site Lot:**  
**Site Conc:**  
**Northing:**  
**Easting:**  
**Site Geo Ref Accu:**  
**Site Geo Ref Meth:**  
**Site Map Datum:**

---

**Site:** Canadian Pacific Railway Company  
CPR ETOBICOKE YARD, MILEPOST 9.6 ON THE GALT SUBDIVISION, ETOBICOKE.<UNOFFICIAL> Toronto ON

**Database:**  
SPL

<b>Ref No:</b>	7108-64HEK3	<b>Discharger Report:</b>	
<b>Site No:</b>		<b>Material Group:</b>	Oil
<b>Incident Dt:</b>	9/4/2004	<b>Client Type:</b>	
<b>Year:</b>		<b>Sector Type:</b>	Other
<b>Incident Cause:</b>	Pipe Or Hose Leak	<b>Source Type:</b>	
<b>Incident Event:</b>		<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>	13	<b>Site Name:</b>	CPR ETOBICOKE YARD, MILEPOST 9.6 ON THE GALT SUBDIVISION, ETOBICOKE.<UNOFFICIAL>
<b>Contaminant Name:</b>	DIESEL FUEL	<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>		<b>Site District Office:</b>	Toronto
<b>Contam Limit Freq 1:</b>		<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>		<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>	91 L	<b>Site Region:</b>	Central
<b>Environment Impact:</b>	Confirmed	<b>Site Municipality:</b>	Toronto
<b>Nature of Impact:</b>	Soil Contamination	<b>Site Lot:</b>	
<b>Receiving Medium:</b>	Land	<b>Site Conc:</b>	
<b>Receiving Env:</b>		<b>Northing:</b>	
<b>Health/Env Conseq:</b>		<b>Easting:</b>	
<b>MOE Response:</b>		<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>		<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	9/4/2004	<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>			
<b>SAC Action Class:</b>	M.C.B.S. - Fuel Safety; Spill to Land		
<b>Incident Reason:</b>	Other - Reason not otherwise defined		
<b>Incident Summary:</b>	CPR-20 Gal Diesel onto tracks.		

**Site:** Canadian Pacific Railway Company Agincourt Toronto ON **Database:** SPL

<b>Ref No:</b>	8423-9C6EP3	<b>Discharger Report:</b>	
<b>Site No:</b>		<b>Material Group:</b>	
<b>Incident Dt:</b>	2013/10/04	<b>Client Type:</b>	
<b>Year:</b>		<b>Sector Type:</b>	Tank - Above Ground
<b>Incident Cause:</b>	Overflow/Surcharge	<b>Source Type:</b>	
<b>Incident Event:</b>		<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>	15	<b>Site Name:</b>	CP Toronto Yard <UNOFFICIAL>
<b>Contaminant Name:</b>	OIL (PETROLEUM BASED, NOT SPECIFIED)	<b>Site Address:</b>	Agincourt
<b>Contaminant Limit 1:</b>		<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>		<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>		<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>	900 L	<b>Site Region:</b>	
<b>Environment Impact:</b>	Not Anticipated	<b>Site Municipality:</b>	Toronto
<b>Nature of Impact:</b>	Soil Contamination	<b>Site Lot:</b>	
<b>Receiving Medium:</b>		<b>Site Conc:</b>	
<b>Receiving Env:</b>		<b>Northing:</b>	
<b>Health/Env Conseq:</b>		<b>Easting:</b>	
<b>MOE Response:</b>	No Field Response	<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>		<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	2013/10/04	<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>	2013/10/11		
<b>SAC Action Class:</b>	Land Spills		
<b>Incident Reason:</b>	Unknown / N/A		
<b>Incident Summary:</b>	CP Rail: overflow of oily water at yard, clling		

**Site:** Canadian Pacific Railway Company Galt Subdivision, Mile 6.7, Track 3 Toronto ON **Database:** SPL

<b>Ref No:</b>	3420-7VHNVR	<b>Discharger Report:</b>	
<b>Site No:</b>		<b>Material Group:</b>	
<b>Incident Dt:</b>		<b>Client Type:</b>	
<b>Year:</b>		<b>Sector Type:</b>	Train
<b>Incident Cause:</b>	Other Discharges	<b>Source Type:</b>	
<b>Incident Event:</b>		<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>	13	<b>Site Name:</b>	Galt Subdivision, Mile 6.7, Track

**Contaminant Name:** DIESEL FUEL  
**Contaminant Limit 1:**  
**Contam Limit Freq 1:**  
**Contaminant UN No 1:**  
**Contaminant Qty:** 76 L  
**Environment Impact:** Not Anticipated  
**Nature of Impact:** Soil Contamination  
**Receiving Medium:**  
**Receiving Env:**  
**Health/Env Conseq:**  
**MOE Response:** Deferred Field Response  
**Dt MOE Arvl on Scn:** 9/24/2009  
**MOE Reported Dt:** 9/2/2009  
**Dt Document Closed:** 9/28/2009  
**SAC Action Class:** Primary Assessment of Spills  
**Incident Reason:** Spill  
**Incident Summary:** CPR: ~76 L diesel to railway

**Site Address:**  
**Site District Office:**  
**Site County/District:**  
**Site Postal Code:**  
**Site Region:**  
**Site Municipality:**  
**Site Lot:**  
**Site Conc:**  
**Northing:**  
**Easting:**  
**Site Geo Ref Accu:**  
**Site Geo Ref Meth:**  
**Site Map Datum:**

**Site:** **SUNOCO**  
**IN TRIPLE GARAGE, SOME TO PAVEMENT OUTSIDE. SERVICE STATION TORONTO CITY ON**

**Database:**  
**SPL**

**Ref No:** 35740  
**Site No:**  
**Incident Dt:** 6/3/1990  
**Year:**  
**Incident Cause:** PIPE/HOSE LEAK  
**Incident Event:**  
**Contaminant Code:**  
**Contaminant Name:**  
**Contaminant Limit 1:**  
**Contam Limit Freq 1:**  
**Contaminant UN No 1:**  
**Contaminant Qty:**  
**Environment Impact:** NOT ANTICIPATED  
**Nature of Impact:**  
**Receiving Medium:** LAND  
**Receiving Env:**  
**Health/Env Conseq:**  
**MOE Response:**  
**Dt MOE Arvl on Scn:**  
**MOE Reported Dt:** 6/3/1990  
**Dt Document Closed:**  
**SAC Action Class:**  
**Incident Reason:** MATERIAL FAILURE  
**Incident Summary:** SUNOCO-13500 L WATER AND OIL TO GARAGE AND SOME TO OUTSIDE PAVEMENT

**Discharger Report:**  
**Material Group:**  
**Client Type:**  
**Sector Type:**  
**Source Type:**  
**Nearest Watercourse:**  
**Site Name:**  
**Site Address:**  
**Site District Office:**  
**Site County/District:**  
**Site Postal Code:**  
**Site Region:**  
**Site Municipality:** 01106  
**Site Lot:**  
**Site Conc:**  
**Northing:**  
**Easting:**  
**Site Geo Ref Accu:**  
**Site Geo Ref Meth:**  
**Site Map Datum:**

**Site:** **SWISS CHALET**  
**KIPLING QUEENSWAY MALL, SWISS CHALET, CB @ NW OF PARKING LOT GENERIC LOCATION TORONTO CITY ON**

**Database:**  
**SPL**

**Ref No:** 120533  
**Site No:**  
**Incident Dt:** 11/7/1995  
**Year:**  
**Incident Cause:** OTHER CAUSE (N.O.S.)  
**Incident Event:**  
**Contaminant Code:**  
**Contaminant Name:**  
**Contaminant Limit 1:**  
**Contam Limit Freq 1:**  
**Contaminant UN No 1:**  
**Contaminant Qty:**  
**Environment Impact:** POSSIBLE  
**Nature of Impact:** Water course or lake  
**Receiving Medium:** WATER

**Discharger Report:**  
**Material Group:**  
**Client Type:**  
**Sector Type:**  
**Source Type:**  
**Nearest Watercourse:**  
**Site Name:**  
**Site Address:**  
**Site District Office:**  
**Site County/District:**  
**Site Postal Code:**  
**Site Region:**  
**Site Municipality:** 1106  
**Site Lot:**  
**Site Conc:**



Receiving Env:  
Health/Env Conseq:  
MOE Response:  
Dt MOE Arvl on Scn:  
MOE Reported Dt: 11/7/1995  
Dt Document Closed:  
SAC Action Class:  
Incident Reason: INTENTIONAL/PLANNED  
Incident Summary: SWISS CHALET-USED COOKINGGREASE & SOAP ONTO GROUNDWASHED INTO CATCH BASIN.

Northing:  
Easting: WORKS  
Site Geo Ref Accu:  
Site Geo Ref Meth:  
Site Map Datum:

**Site:** CANADIAN PACIFIC RAILWAYS  
LAMBTON YARD TRAIN TORONTO CITY ON

**Database:**  
SPL

Ref No: 53624  
Site No:  
Incident Dt: 7/7/1991  
Year:  
Incident Cause: OTHER CONTAINER LEAK  
Incident Event:  
Contaminant Code:  
Contaminant Name:  
Contaminant Limit 1:  
Contam Limit Freq 1:  
Contaminant UN No 1:  
Contaminant Qty:  
Environment Impact: POSSIBLE  
Nature of Impact: Soil contamination  
Receiving Medium: LAND  
Receiving Env:  
Health/Env Conseq:  
MOE Response:  
Dt MOE Arvl on Scn:  
MOE Reported Dt: 7/7/1991  
Dt Document Closed:  
SAC Action Class:  
Incident Reason: DAMAGE BY MOVING EQUIPMENT  
Incident Summary: CP RAIL: DIESEL ENGINE TANK LEAK

Discharger Report:  
Material Group:  
Client Type:  
Sector Type:  
Source Type:  
Nearest Watercourse:  
Site Name:  
Site Address:  
Site District Office:  
Site County/District:  
Site Postal Code:  
Site Region:  
Site Municipality: 01106  
Site Lot:  
Site Conc:  
Northing:  
Easting:  
Site Geo Ref Accu:  
Site Geo Ref Meth:  
Site Map Datum:

**Site:** CANADIAN PACIFIC RAILWAYS  
LAMPTON YARD. TRAIN TORONTO CITY ON

**Database:**  
SPL

Ref No: 138975  
Site No:  
Incident Dt: 4/2/1997  
Year:  
Incident Cause: PIPE/HOSE LEAK  
Incident Event:  
Contaminant Code:  
Contaminant Name:  
Contaminant Limit 1:  
Contam Limit Freq 1:  
Contaminant UN No 1:  
Contaminant Qty:  
Environment Impact: NOT ANTICIPATED  
Nature of Impact:  
Receiving Medium: LAND  
Receiving Env:  
Health/Env Conseq:  
MOE Response:  
Dt MOE Arvl on Scn:  
MOE Reported Dt: 4/2/1997  
Dt Document Closed:  
SAC Action Class:  
Incident Reason: ERROR  
Incident Summary: CP RAIL-SMALL QTY LUBE OIL TO BALLAST,CAP LOOSE,CAP TIGHTENED.

Discharger Report:  
Material Group:  
Client Type:  
Sector Type:  
Source Type:  
Nearest Watercourse:  
Site Name:  
Site Address:  
Site District Office:  
Site County/District:  
Site Postal Code:  
Site Region:  
Site Municipality: 01106  
Site Lot:  
Site Conc:  
Northing:  
Easting:  
Site Geo Ref Accu:  
Site Geo Ref Meth:  
Site Map Datum:

**Site:** CANADIAN PACIFIC RAILWAYS  
MILE 7, GALT SUB, IN SHED AT THE LAMBTON YARD TRAIN TORONTO CITY ON

**Database:**  
SPL

**Ref No:** 151748  
**Site No:**  
**Incident Dt:** 1/23/1998  
**Year:**  
**Incident Cause:** DERAILEMENT  
**Incident Event:**  
**Contaminant Code:**  
**Contaminant Name:**  
**Contaminant Limit 1:**  
**Contam Limit Freq 1:**  
**Contaminant UN No 1:**  
**Contaminant Qty:**  
**Environment Impact:** POSSIBLE  
**Nature of Impact:** Soil contamination  
**Receiving Medium:** LAND  
**Receiving Env:**  
**Health/Env Conseq:**  
**MOE Response:**  
**Dt MOE Arvl on Scn:**  
**MOE Reported Dt:** 1/23/1998  
**Dt Document Closed:**  
**SAC Action Class:**  
**Incident Reason:** UNKNOWN  
**Incident Summary:** CP RAIL:1800 L DIESEL TO RAILBED FROM DERAILED CAR,UNRECOVERABLE.

**Discharger Report:**  
**Material Group:**  
**Client Type:**  
**Sector Type:**  
**Source Type:**  
**Nearest Watercourse:**  
**Site Name:**  
**Site Address:**  
**Site District Office:**  
**Site County/District:**  
**Site Postal Code:**  
**Site Region:**  
**Site Municipality:** 01106  
**Site Lot:**  
**Site Conc:**  
**Northing:**  
**Easting:** EPS  
**Site Geo Ref Accu:**  
**Site Geo Ref Meth:**  
**Site Map Datum:**

**Site:** Canadian Pacific Railway Company  
Mile 9 on Galt subdivision Toronto ON

**Database:**  
SPL

**Ref No:** 0442-7SQ26G  
**Site No:**  
**Incident Dt:**  
**Year:**  
**Incident Cause:** Other Discharges  
**Incident Event:**  
**Contaminant Code:**  
**Contaminant Name:**  
**Contaminant Limit 1:**  
**Contam Limit Freq 1:**  
**Contaminant UN No 1:**  
**Contaminant Qty:**  
**Environment Impact:** Confirmed  
**Nature of Impact:** Soil Contamination  
**Receiving Medium:**  
**Receiving Env:**  
**Health/Env Conseq:**  
**MOE Response:** No Field Response  
**Dt MOE Arvl on Scn:**  
**MOE Reported Dt:** 6/4/2009  
**Dt Document Closed:**  
**SAC Action Class:** Land Spills  
**Incident Reason:** Negligence (Apparent) - Caused by lack of diligence  
**Incident Summary:** CPR: unkn material/quantity spilled. Clnd

**Discharger Report:**  
**Material Group:**  
**Client Type:**  
**Sector Type:** Storage Depot  
**Source Type:**  
**Nearest Watercourse:**  
**Site Name:** Obico (Container Facility)<UNOFFICIAL>  
**Site Address:**  
**Site District Office:**  
**Site County/District:**  
**Site Postal Code:**  
**Site Region:**  
**Site Municipality:** Toronto  
**Site Lot:**  
**Site Conc:**  
**Northing:**  
**Easting:**  
**Site Geo Ref Accu:**  
**Site Geo Ref Meth:**  
**Site Map Datum:**

**Site:** Canadian Pacific Railway Company  
Mile Marker 5.65 Main Track 2 Toronto ON

**Database:**  
SPL

**Ref No:** 7114-7K7LK3  
**Site No:**  
**Incident Dt:**  
**Year:**  
**Incident Cause:** Pipe Or Hose Leak

**Discharger Report:**  
**Material Group:**  
**Client Type:**  
**Sector Type:** Train  
**Source Type:**

**Incident Event:**  
**Contaminant Code:** 15  
**Contaminant Name:** HYDRAULIC OIL  
**Contaminant Limit 1:**  
**Contam Limit Freq 1:**  
**Contaminant UN No 1:**  
**Contaminant Qty:** 400 L  
**Environment Impact:** Possible  
**Nature of Impact:** Soil Contamination  
**Receiving Medium:**  
**Receiving Env:**  
**Health/Env Conseq:**  
**MOE Response:** No Field Response  
**Dt MOE Arvl on Scn:**  
**MOE Reported Dt:** 10/7/2008  
**Dt Document Closed:**  
**SAC Action Class:** Derailment / Railway Spills  
**Incident Reason:** Spill  
**Incident Summary:** CP Rail: 400 L Hyd Oil to rail bed, Toronto

**Nearest Watercourse:**  
**Site Name:** Rail Yard <UNOFFICIAL>  
**Site Address:**  
**Site District Office:** Toronto - District  
**Site County/District:**  
**Site Postal Code:**  
**Site Region:**  
**Site Municipality:** Toronto  
**Site Lot:**  
**Site Conc:**  
**Northing:**  
**Easting:**  
**Site Geo Ref Accu:**  
**Site Geo Ref Meth:**  
**Site Map Datum:**

**Site:** Canadian Pacific Railway Company  
 Mile Marker 9.6, Galt Subdivision in Etobicoke Toronto ON

**Database:**  
 SPL

**Ref No:** 3430-8NP2TW  
**Site No:**  
**Incident Dt:** 11/16/2011  
**Year:**  
**Incident Cause:** Container Leak (Fuel Tank Barrels)  
**Incident Event:**  
**Contaminant Code:** 15  
**Contaminant Name:** HYDRAULIC OIL  
**Contaminant Limit 1:**  
**Contam Limit Freq 1:**  
**Contaminant UN No 1:**  
**Contaminant Qty:** 10 L  
**Environment Impact:** Not Anticipated  
**Nature of Impact:**  
**Receiving Medium:** Sewage - Municipal/Private and Commercial  
**Receiving Env:**  
**Health/Env Conseq:**  
**MOE Response:** No Field Response  
**Dt MOE Arvl on Scn:**  
**MOE Reported Dt:** 11/16/2011  
**Dt Document Closed:** 11/21/2011  
**SAC Action Class:** Land Spills  
**Incident Reason:** Equipment Failure  
**Incident Summary:** CP Rail - 10 L of hydraulic oil to ground.

**Discharger Report:**  
**Material Group:**  
**Client Type:**  
**Sector Type:** Other  
**Source Type:**  
**Nearest Watercourse:**  
**Site Name:** Obico Yard <UNOFFICIAL>  
**Site Address:** Mile Marker 9.6, Galt Subdivision in Etobicoke  
**Site District Office:**  
**Site County/District:**  
**Site Postal Code:**  
**Site Region:**  
**Site Municipality:** Toronto  
**Site Lot:**  
**Site Conc:**  
**Northing:**  
**Easting:**  
**Site Geo Ref Accu:**  
**Site Geo Ref Meth:**  
**Site Map Datum:**

**Site:** Canadian Pacific Railway Company  
 Mileage 5.9 on the North Toronto Subdivision <UNOFFICIAL> Toronto ON

**Database:**  
 SPL

**Ref No:** 0414-6XQTMX  
**Site No:**  
**Incident Dt:**  
**Year:**  
**Incident Cause:** Other Discharges  
**Incident Event:**  
**Contaminant Code:** 27  
**Contaminant Name:** ORGANIC MATERIAL  
**Contaminant Limit 1:**  
**Contam Limit Freq 1:**  
**Contaminant UN No 1:**  
**Contaminant Qty:** Unknown other - see incident description  
**Environment Impact:** Possible  
**Nature of Impact:** Soil Contamination

**Discharger Report:**  
**Material Group:** Chemicals  
**Client Type:**  
**Sector Type:** Other  
**Source Type:**  
**Nearest Watercourse:**  
**Site Name:** Mileage 5.9 on the North Toronto Subdivision <UNOFFICIAL>  
**Site Address:**  
**Site District Office:**  
**Site County/District:**  
**Site Postal Code:**  
**Site Region:**  
**Site Municipality:** Toronto  
**Site Lot:**

**Receiving Medium:** Land  
**Receiving Env:**  
**Health/Env Conseq:**  
**MOE Response:**  
**Dt MOE Arvl on Scn:**  
**MOE Reported Dt:** 1/23/2007  
**Dt Document Closed:**  
**SAC Action Class:**  
**Incident Reason:** Unknown - Reason not determined  
**Incident Summary:** CPR: Toronto- oily substance to ground

**Site Conc:**  
**Northing:**  
**Easting:**  
**Site Geo Ref Accu:**  
**Site Geo Ref Meth:**  
**Site Map Datum:**

---

**Site:** **Petro-Canada Head Office**  
**PETRO-CANADA CARD-LOCK STATION <UNOFFICIAL> Toronto ON**

**Database:**  
**SPL**

**Ref No:** 2565-5VQ3JW  
**Site No:**  
**Incident Dt:** 1/29/2004  
**Year:**  
**Incident Cause:**  
**Incident Event:**  
**Contaminant Code:** 15  
**Contaminant Name:** MOTOR OIL  
**Contaminant Limit 1:**  
**Contam Limit Freq 1:**  
**Contaminant UN No 1:**  
**Contaminant Qty:** 50 L  
**Environment Impact:**  
**Nature of Impact:**  
**Receiving Medium:** Land  
**Receiving Env:**  
**Health/Env Conseq:**  
**MOE Response:**  
**Dt MOE Arvl on Scn:**  
**MOE Reported Dt:** 1/30/2004  
**Dt Document Closed:**  
**SAC Action Class:**  
**Incident Reason:**  
**Incident Summary:** Petro-Canada Station - 50 L motor oil to ground.

**Discharger Report:**  
**Material Group:** Oil  
**Client Type:**  
**Sector Type:**  
**Source Type:**  
**Nearest Watercourse:**  
**Site Name:** PETRO-CANADA CARD-LOCK STATION <UNOFFICIAL>  
**Site Address:**  
**Site District Office:** Toronto  
**Site County/District:**  
**Site Postal Code:**  
**Site Region:** Central  
**Site Municipality:** Toronto  
**Site Lot:**  
**Site Conc:**  
**Northing:**  
**Easting:**  
**Site Geo Ref Accu:**  
**Site Geo Ref Meth:**  
**Site Map Datum:**

---

**Site:** **CANADIAN PACIFIC RAILWAYS**  
**TORONTO CITY ON**

**Database:**  
**SPL**

**Ref No:** 97750  
**Site No:**  
**Incident Dt:** //  
**Year:**  
**Incident Cause:** UNKNOWN  
**Incident Event:**  
**Contaminant Code:**  
**Contaminant Name:**  
**Contaminant Limit 1:**  
**Contam Limit Freq 1:**  
**Contaminant UN No 1:**  
**Contaminant Qty:**  
**Environment Impact:** POSSIBLE  
**Nature of Impact:** Water course or lake  
**Receiving Medium:** LAND / WATER  
**Receiving Env:**  
**Health/Env Conseq:**  
**MOE Response:**  
**Dt MOE Arvl on Scn:**  
**MOE Reported Dt:** 3/24/1994  
**Dt Document Closed:**  
**SAC Action Class:**  
**Incident Reason:** UNKNOWN

**Discharger Report:**  
**Material Group:**  
**Client Type:**  
**Sector Type:**  
**Source Type:**  
**Nearest Watercourse:**  
**Site Name:**  
**Site Address:**  
**Site District Office:**  
**Site County/District:**  
**Site Postal Code:**  
**Site Region:**  
**Site Municipality:** 1106  
**Site Lot:**  
**Site Conc:**  
**Northing:**  
**Easting:** WORKS, FIRE, METRO  
**Site Geo Ref Accu:**  
**Site Geo Ref Meth:**  
**Site Map Datum:**

**Incident Summary:**

CANADIAN PACIFIC RAILWAYS-DIESEL FUEL TO CREEK FROM UNKNOWN SOURCE

**Site:** Purolator Courier Ltd.  
Toronto ON**Database:**  
SPL**Ref No:** 7588-9695UK**Site No:****Incident Dt:** 28-MAR-13**Year:****Incident Cause:** Leak/Break**Incident Event:****Contaminant Code:** 13**Contaminant Name:** DIESEL FUEL**Contaminant Limit 1:****Contam Limit Freq 1:****Contaminant UN No 1:****Contaminant Qty:** 100 L**Environment Impact:** Confirmed**Nature of Impact:** Soil Contamination**Receiving Medium:****Receiving Env:****Health/Env Conseq:****MOE Response:** No Field Response**Dt MOE Arvl on Scn:****MOE Reported Dt:** 28-MAR-13**Dt Document Closed:****SAC Action Class:** Primary Assessment of Incident**Incident Reason:** Unknown / N/A**Incident Summary:** Purolator: 100L dsl spill along stretch of road**Discharger Report:****Material Group:****Client Type:****Sector Type:** Truck - Transport/Hauling**Source Type:****Nearest Watercourse:****Site Name:** Queensway and Atomic and North Queen  
Sts<UNOFFICIAL>**Site Address:****Site District Office:****Site County/District:****Site Postal Code:****Site Region:****Site Municipality:** Toronto**Site Lot:****Site Conc:****Northing:****Easting:****Site Geo Ref Accu:****Site Geo Ref Meth:****Site Map Datum:****Site:** Canadian Pacific Railway Company  
Toronto ON**Database:**  
SPL**Ref No:** 3728-9L9MU3**Site No:** NA**Incident Dt:** 2014/06/20**Year:****Incident Cause:** Leak/Break**Incident Event:****Contaminant Code:** 13**Contaminant Name:** DIESEL FUEL**Contaminant Limit 1:****Contam Limit Freq 1:****Contaminant UN No 1:****Contaminant Qty:** 758 L**Environment Impact:** Confirmed**Nature of Impact:** Soil Contamination**Receiving Medium:****Receiving Env:****Health/Env Conseq:****MOE Response:****Dt MOE Arvl on Scn:****MOE Reported Dt:** 2014/06/20**Dt Document Closed:****SAC Action Class:** Land Spills**Incident Reason:** Unknown / N/A**Incident Summary:** CP Railway: 758 L of diesel to soil**Discharger Report:****Material Group:****Client Type:****Sector Type:** Train**Source Type:****Nearest Watercourse:****Site Name:** on the railway ballast, located just west of the  
intersection of Dundas St. West and Scarlett  
Rd. <UNOFFICIAL>**Site Address:****Site District Office:****Site County/District:****Site Postal Code:****Site Region:****Site Municipality:** Toronto**Site Lot:****Site Conc:****Northing:****Easting:****Site Geo Ref Accu:****Site Geo Ref Meth:****Site Map Datum:****Site:** Canadian Pacific Railway Company  
Toronto ON**Database:**  
SPL

**Ref No:** 5517-97H5BG  
**Site No:**  
**Incident Dt:** 06-MAY-13  
**Year:**  
**Incident Cause:** Leak/Break  
**Incident Event:**  
**Contaminant Code:** 11  
**Contaminant Name:** CRUDE OIL  
**Contaminant Limit 1:**  
**Contam Limit Freq 1:**  
**Contaminant UN No 1:**  
**Contaminant Qty:** 1 L  
**Environment Impact:** Not Anticipated  
**Nature of Impact:** Soil Contamination  
**Receiving Medium:**  
**Receiving Env:**  
**Health/Env Conseq:**  
**MOE Response:** No Field Response  
**Dt MOE Arvl on Scn:**  
**MOE Reported Dt:** 06-MAY-13  
**Dt Document Closed:** 21-JUN-13  
**SAC Action Class:** Land Spills  
**Incident Reason:** Equipment Failure  
**Incident Summary:** C.P. Rail - <1 L of crude oil to ground from rail car.

**Discharger Report:**  
**Material Group:**  
**Client Type:**  
**Sector Type:** Train  
**Source Type:**  
**Nearest Watercourse:**  
**Site Name:** C.P. Rail Yard <UNOFFICIAL>  
**Site Address:**  
**Site District Office:**  
**Site County/District:**  
**Site Postal Code:**  
**Site Region:**  
**Site Municipality:** Toronto  
**Site Lot:**  
**Site Conc:**  
**Northing:**  
**Easting:**  
**Site Geo Ref Accu:**  
**Site Geo Ref Meth:**  
**Site Map Datum:**

---

**Site:** **ESSO CHEMICAL**  
**TANK TRUCK (CARGO) TORONTO CITY ON**

**Database:**  
**SPL**

**Ref No:** 24174  
**Site No:**  
**Incident Dt:** 8/24/1989  
**Year:**  
**Incident Cause:** PIPE/HOSE LEAK  
**Incident Event:**  
**Contaminant Code:**  
**Contaminant Name:**  
**Contaminant Limit 1:**  
**Contam Limit Freq 1:**  
**Contaminant UN No 1:**  
**Contaminant Qty:**  
**Environment Impact:**  
**Nature of Impact:**  
**Receiving Medium:** LAND  
**Receiving Env:**  
**Health/Env Conseq:**  
**MOE Response:**  
**Dt MOE Arvl on Scn:**  
**MOE Reported Dt:** 8/24/1989  
**Dt Document Closed:**  
**SAC Action Class:**  
**Incident Reason:** MATERIAL FAILURE  
**Incident Summary:** ESSO CHEMICAL - 75 L SOLVESSO-100 TO GROUND (AROMATIC SOLVENT).

**Discharger Report:**  
**Material Group:**  
**Client Type:**  
**Sector Type:**  
**Source Type:**  
**Nearest Watercourse:**  
**Site Name:**  
**Site Address:**  
**Site District Office:**  
**Site County/District:**  
**Site Postal Code:**  
**Site Region:**  
**Site Municipality:** 01106  
**Site Lot:**  
**Site Conc:**  
**Northing:**  
**Easting:**  
**Site Geo Ref Accu:**  
**Site Geo Ref Meth:**  
**Site Map Datum:**

---

**Site:** **CANADIAN PACIFIC RAILWAYS**  
**TRAIN TORONTO CITY ON**

**Database:**  
**SPL**

**Ref No:** 134613  
**Site No:**  
**Incident Dt:** 11/24/1996  
**Year:**  
**Incident Cause:** CONTAINER OVERFLOW  
**Incident Event:**  
**Contaminant Code:**  
**Contaminant Name:**  
**Contaminant Limit 1:**  
**Contam Limit Freq 1:**

**Discharger Report:**  
**Material Group:**  
**Client Type:**  
**Sector Type:**  
**Source Type:**  
**Nearest Watercourse:**  
**Site Name:**  
**Site Address:**  
**Site District Office:**  
**Site County/District:**

**Contaminant UN No 1:**  
**Contaminant Qty:**  
**Environment Impact:** POSSIBLE  
**Nature of Impact:** Water course or lake  
**Receiving Medium:** LAND / WATER  
**Receiving Env:**  
**Health/Env Conseq:**  
**MOE Response:**  
**Dt MOE Arvl on Scn:**  
**MOE Reported Dt:** 11/24/1996  
**Dt Document Closed:**  
**SAC Action Class:**  
**Incident Reason:** ERROR  
**Incident Summary:** CPR-100L DIESEL TO CONC- RETE PAD & CATCH BASIN.

**Site Postal Code:**  
**Site Region:**  
**Site Municipality:** 01106  
**Site Lot:**  
**Site Conc:**  
**Northing:**  
**Easting:** MCCR-FSB, MOEE  
**Site Geo Ref Accu:**  
**Site Geo Ref Meth:**  
**Site Map Datum:**

**Site:** **IMPERIAL OIL**  
**ESSO SERVICE STATION TORONTO CITY ON**

**Database:**  
**SPL**

**Ref No:** 14737  
**Site No:**  
**Incident Dt:** 2/9/1989  
**Year:**  
**Incident Cause:** CONTAINER OVERFLOW  
**Incident Event:**  
**Contaminant Code:**  
**Contaminant Name:**  
**Contaminant Limit 1:**  
**Contam Limit Freq 1:**  
**Contaminant UN No 1:**  
**Contaminant Qty:**  
**Environment Impact:**  
**Nature of Impact:**  
**Receiving Medium:** LAND  
**Receiving Env:**  
**Health/Env Conseq:**  
**MOE Response:**  
**Dt MOE Arvl on Scn:**  
**MOE Reported Dt:** 2/13/1989  
**Dt Document Closed:**  
**SAC Action Class:**  
**Incident Reason:** ERROR  
**Incident Summary:** ESSO SERVICE STATION

**Discharger Report:**  
**Material Group:**  
**Client Type:**  
**Sector Type:**  
**Source Type:**  
**Nearest Watercourse:**  
**Site Name:**  
**Site Address:**  
**Site District Office:**  
**Site County/District:**  
**Site Postal Code:**  
**Site Region:**  
**Site Municipality:** 01106  
**Site Lot:**  
**Site Conc:**  
**Northing:**  
**Easting:**  
**Site Geo Ref Accu:**  
**Site Geo Ref Meth:**  
**Site Map Datum:**

**Site:** **IMPERIAL OIL**  
**ESSO SERVICE STATION TORONTO CITY ON**

**Database:**  
**SPL**

**Ref No:** 110205  
**Site No:**  
**Incident Dt:** 2/18/1995  
**Year:**  
**Incident Cause:** VALVE/FITTING LEAK OR FAILURE  
**Incident Event:**  
**Contaminant Code:**  
**Contaminant Name:**  
**Contaminant Limit 1:**  
**Contam Limit Freq 1:**  
**Contaminant UN No 1:**  
**Contaminant Qty:**  
**Environment Impact:** NOT ANTICIPATED  
**Nature of Impact:**  
**Receiving Medium:** LAND  
**Receiving Env:**  
**Health/Env Conseq:**  
**MOE Response:**  
**Dt MOE Arvl on Scn:**  
**MOE Reported Dt:** 2/20/1995

**Discharger Report:**  
**Material Group:**  
**Client Type:**  
**Sector Type:**  
**Source Type:**  
**Nearest Watercourse:**  
**Site Name:**  
**Site Address:**  
**Site District Office:**  
**Site County/District:**  
**Site Postal Code:**  
**Site Region:**  
**Site Municipality:** 1106  
**Site Lot:**  
**Site Conc:**  
**Northing:**  
**Easting:**  
**Site Geo Ref Accu:**  
**Site Geo Ref Meth:**  
**Site Map Datum:**

**Dt Document Closed:**  
**SAC Action Class:**  
**Incident Reason:** MATERIAL FAILURE  
**Incident Summary:** IMPERIAL OIL: 8-12 L GAS CONTAINED UNDER PUMP CAVITY

---

**Site:** **ESSO PETROLEUM**  
**SERVICE STATION TORONTO CITY ON**

**Database:**  
**SPL**

**Ref No:** 4934  
**Site No:**  
**Incident Dt:** 1/16/1988  
**Year:**  
**Incident Cause:** CONTAINER OVERFLOW  
**Incident Event:**  
**Contaminant Code:**  
**Contaminant Name:**  
**Contaminant Limit 1:**  
**Contam Limit Freq 1:**  
**Contaminant UN No 1:**  
**Contaminant Qty:**  
**Environment Impact:**  
**Nature of Impact:**  
**Receiving Medium:** LAND  
**Receiving Env:**  
**Health/Env Conseq:**  
**MOE Response:**  
**Dt MOE Arvl on Scn:**  
**MOE Reported Dt:** 1/16/1988  
**Dt Document Closed:**  
**SAC Action Class:**  
**Incident Reason:** EQUIPMENT FAILURE  
**Incident Summary:** ESSO SERVICE STATION - 18 L GASOLINE TO GROUND

**Discharger Report:**  
**Material Group:**  
**Client Type:**  
**Sector Type:**  
**Source Type:**  
**Nearest Watercourse:**  
**Site Name:**  
**Site Address:**  
**Site District Office:**  
**Site County/District:**  
**Site Postal Code:**  
**Site Region:**  
**Site Municipality:** 1106  
**Site Lot:**  
**Site Conc:**  
**Northing:**  
**Easting:**  
**Site Geo Ref Accu:**  
**Site Geo Ref Meth:**  
**Site Map Datum:**

---

**Site:** **PETRO-CANADA**  
**SERVICE STATION TORONTO CITY ON**

**Database:**  
**SPL**

**Ref No:** 33377  
**Site No:**  
**Incident Dt:** 4/19/1990  
**Year:**  
**Incident Cause:** PIPE/HOSE LEAK  
**Incident Event:**  
**Contaminant Code:**  
**Contaminant Name:**  
**Contaminant Limit 1:**  
**Contam Limit Freq 1:**  
**Contaminant UN No 1:**  
**Contaminant Qty:**  
**Environment Impact:**  
**Nature of Impact:**  
**Receiving Medium:** LAND  
**Receiving Env:**  
**Health/Env Conseq:**  
**MOE Response:**  
**Dt MOE Arvl on Scn:**  
**MOE Reported Dt:** 4/19/1990  
**Dt Document Closed:**  
**SAC Action Class:**  
**Incident Reason:** OVERSTRESS/OVERPRESSURE  
**Incident Summary:** PETRO CANADA-10 L DIESEL FUEL TO PAVEMENT.

**Discharger Report:**  
**Material Group:**  
**Client Type:**  
**Sector Type:**  
**Source Type:**  
**Nearest Watercourse:**  
**Site Name:**  
**Site Address:**  
**Site District Office:**  
**Site County/District:**  
**Site Postal Code:**  
**Site Region:**  
**Site Municipality:** 01106  
**Site Lot:**  
**Site Conc:**  
**Northing:**  
**Easting:**  
**Site Geo Ref Accu:**  
**Site Geo Ref Meth:**  
**Site Map Datum:**

---

**Site:** **PETRO-CANADA**  
**SERVICE STATION TORONTO CITY ON**

**Database:**  
**SPL**



**Ref No:** 35893  
**Site No:**  
**Incident Dt:** 6/6/1990  
**Year:**  
**Incident Cause:** VALVE/FITTING LEAK OR FAILURE  
**Incident Event:**  
**Contaminant Code:**  
**Contaminant Name:**  
**Contaminant Limit 1:**  
**Contam Limit Freq 1:**  
**Contaminant UN No 1:**  
**Contaminant Qty:**  
**Environment Impact:** NOT ANTICIPATED  
**Nature of Impact:**  
**Receiving Medium:** LAND / WATER  
**Receiving Env:**  
**Health/Env Conseq:**  
**MOE Response:**  
**Dt MOE Arvl on Scn:**  
**MOE Reported Dt:** 6/7/1990  
**Dt Document Closed:**  
**SAC Action Class:**  
**Incident Reason:** EQUIPMENT FAILURE  
**Incident Summary:** PETRO-CANADA SERVICE STA.100 L GAS TO ASHPHALT; GAS FILTER BLEW.

**Discharger Report:**  
**Material Group:**  
**Client Type:**  
**Sector Type:**  
**Source Type:**  
**Nearest Watercourse:**  
**Site Name:**  
**Site Address:**  
**Site District Office:**  
**Site County/District:**  
**Site Postal Code:**  
**Site Region:**  
**Site Municipality:** 01106  
**Site Lot:**  
**Site Conc:**  
**Northing:**  
**Easting:**  
**Site Geo Ref Accu:**  
**Site Geo Ref Meth:**  
**Site Map Datum:**

**Site:** **ESSO PETROLEUM CANADA**  
**SERVICE STATION TORONTO CITY ON**

**Database:**  
**SPL**

**Ref No:** 44046  
**Site No:**  
**Incident Dt:** 11/17/1990  
**Year:**  
**Incident Cause:** OTHER CONTAINER LEAK  
**Incident Event:**  
**Contaminant Code:**  
**Contaminant Name:**  
**Contaminant Limit 1:**  
**Contam Limit Freq 1:**  
**Contaminant UN No 1:**  
**Contaminant Qty:**  
**Environment Impact:** NOT ANTICIPATED  
**Nature of Impact:**  
**Receiving Medium:** LAND  
**Receiving Env:**  
**Health/Env Conseq:**  
**MOE Response:**  
**Dt MOE Arvl on Scn:**  
**MOE Reported Dt:** 11/17/1990  
**Dt Document Closed:**  
**SAC Action Class:**  
**Incident Reason:** EQUIPMENT FAILURE  
**Incident Summary:** ESSO SERVICE STATION-20 LOF GASOLINE TO PAVEMENT.

**Discharger Report:**  
**Material Group:**  
**Client Type:**  
**Sector Type:**  
**Source Type:**  
**Nearest Watercourse:**  
**Site Name:**  
**Site Address:**  
**Site District Office:**  
**Site County/District:**  
**Site Postal Code:**  
**Site Region:**  
**Site Municipality:** 01106  
**Site Lot:**  
**Site Conc:**  
**Northing:**  
**Easting:** FIRE DEPT  
**Site Geo Ref Accu:**  
**Site Geo Ref Meth:**  
**Site Map Datum:**

**Site:** **PETRO-CANADA**  
**SERVICE STATION TORONTO CITY ON**

**Database:**  
**SPL**

**Ref No:** 80004  
**Site No:**  
**Incident Dt:** 12/17/1992  
**Year:**  
**Incident Cause:** VALVE/FITTING LEAK OR FAILURE  
**Incident Event:**  
**Contaminant Code:**  
**Contaminant Name:**  
**Contaminant Limit 1:**  
**Contam Limit Freq 1:**

**Discharger Report:**  
**Material Group:**  
**Client Type:**  
**Sector Type:**  
**Source Type:**  
**Nearest Watercourse:**  
**Site Name:**  
**Site Address:**  
**Site District Office:**  
**Site County/District:**

**Contaminant UN No 1:**  
**Contaminant Qty:**  
**Environment Impact:** NOT ANTICIPATED  
**Nature of Impact:**  
**Receiving Medium:** LAND  
**Receiving Env:**  
**Health/Env Conseq:**  
**MOE Response:**  
**Dt MOE Arvl on Scn:**  
**MOE Reported Dt:** 12/17/1992  
**Dt Document Closed:**  
**SAC Action Class:**  
**Incident Reason:** GASKET/JOINT  
**Incident Summary:** PETRO-CANADA - 5 LITRE GASOLINE SPILL DURING UNLOADING OF FUEL TRUCK

**Site Postal Code:**  
**Site Region:**  
**Site Municipality:** 01106  
**Site Lot:**  
**Site Conc:**  
**Northing:**  
**Easting:**  
**Site Geo Ref Accu:**  
**Site Geo Ref Meth:**  
**Site Map Datum:**

---

**Site:** **PETRO-CANADA**  
**SERVICE STATION TORONTO CITY ON**

**Database:**  
**SPL**

**Ref No:** 136013  
**Site No:**  
**Incident Dt:** 1/9/1997  
**Year:**  
**Incident Cause:** PIPE/HOSE LEAK  
**Incident Event:**  
**Contaminant Code:**  
**Contaminant Name:**  
**Contaminant Limit 1:**  
**Contam Limit Freq 1:**  
**Contaminant UN No 1:**  
**Contaminant Qty:**  
**Environment Impact:** POSSIBLE  
**Nature of Impact:** Multi Media Pollution  
**Receiving Medium:** LAND  
**Receiving Env:**  
**Health/Env Conseq:**  
**MOE Response:**  
**Dt MOE Arvl on Scn:**  
**MOE Reported Dt:** 1/9/1997  
**Dt Document Closed:**  
**SAC Action Class:**  
**Incident Reason:** ERROR  
**Incident Summary:** PETRO-CANADA: SERVICE STN150L OF GASOLINE TO SNOW & GROUND

**Discharger Report:**  
**Material Group:**  
**Client Type:**  
**Sector Type:**  
**Source Type:**  
**Nearest Watercourse:**  
**Site Name:**  
**Site Address:**  
**Site District Office:**  
**Site County/District:**  
**Site Postal Code:**  
**Site Region:**  
**Site Municipality:** 01106  
**Site Lot:**  
**Site Conc:**  
**Northing:**  
**Easting:**  
**Site Geo Ref Accu:**  
**Site Geo Ref Meth:**  
**Site Map Datum:**

---

**Site:** **ESSO PETROLEUM CANADA**  
**SERVICE STATION TORONTO CITY ON**

**Database:**  
**SPL**

**Ref No:** 122134  
**Site No:**  
**Incident Dt:** 12/30/1995  
**Year:**  
**Incident Cause:** VALVE/FITTING LEAK OR FAILURE  
**Incident Event:**  
**Contaminant Code:**  
**Contaminant Name:**  
**Contaminant Limit 1:**  
**Contam Limit Freq 1:**  
**Contaminant UN No 1:**  
**Contaminant Qty:**  
**Environment Impact:** NOT ANTICIPATED  
**Nature of Impact:**  
**Receiving Medium:** LAND  
**Receiving Env:**  
**Health/Env Conseq:**  
**MOE Response:**  
**Dt MOE Arvl on Scn:**  
**MOE Reported Dt:** 12/30/1995

**Discharger Report:**  
**Material Group:**  
**Client Type:**  
**Sector Type:**  
**Source Type:**  
**Nearest Watercourse:**  
**Site Name:**  
**Site Address:**  
**Site District Office:**  
**Site County/District:**  
**Site Postal Code:**  
**Site Region:**  
**Site Municipality:** 1106  
**Site Lot:**  
**Site Conc:**  
**Northing:**  
**Easting:**  
**Site Geo Ref Accu:**  
**Site Geo Ref Meth:**  
**Site Map Datum:**

**Dt Document Closed:**  
**SAC Action Class:**  
**Incident Reason:** EQUIPMENT FAILURE  
**Incident Summary:** ESSO:20L GASOLINE LEAKED TO GROUND FROM LEAKING PUMP.CLEANED UP.

---

**Site:** **ESSO PETROLEUM**  
**TANK TRUCK (CARGO) TORONTO CITY ON**

**Database:**  
**SPL**

<b>Ref No:</b>	28792	<b>Discharger Report:</b>	
<b>Site No:</b>		<b>Material Group:</b>	
<b>Incident Dt:</b>	12/12/1989	<b>Client Type:</b>	
<b>Year:</b>		<b>Sector Type:</b>	
<b>Incident Cause:</b>	PIPE/HOSE LEAK	<b>Source Type:</b>	
<b>Incident Event:</b>		<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>		<b>Site Name:</b>	
<b>Contaminant Name:</b>		<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>		<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>		<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>		<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>		<b>Site Region:</b>	
<b>Environment Impact:</b>		<b>Site Municipality:</b>	01106
<b>Nature of Impact:</b>		<b>Site Lot:</b>	
<b>Receiving Medium:</b>	LAND	<b>Site Conc:</b>	
<b>Receiving Env:</b>		<b>Northing:</b>	
<b>Health/Env Conseq:</b>		<b>Easting:</b>	MCCR
<b>MOE Response:</b>		<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>		<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	12/12/1989	<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>			
<b>SAC Action Class:</b>			
<b>Incident Reason:</b>	EQUIPMENT FAILURE		
<b>Incident Summary:</b>	ESSO PETROLEUM - 50 L OF VARSOL TO CEMENT WHILE OFF-LOADING TANK TRUCK.		

---

**Site:** **ESSO CHEMICAL**  
**TANK TRUCK (CARGO) TORONTO CITY ON**

**Database:**  
**SPL**

<b>Ref No:</b>	21541	<b>Discharger Report:</b>	
<b>Site No:</b>		<b>Material Group:</b>	
<b>Incident Dt:</b>	7/5/1989	<b>Client Type:</b>	
<b>Year:</b>		<b>Sector Type:</b>	
<b>Incident Cause:</b>	OTHER CONTAINER LEAK	<b>Source Type:</b>	
<b>Incident Event:</b>		<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>		<b>Site Name:</b>	
<b>Contaminant Name:</b>		<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>		<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>		<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>		<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>		<b>Site Region:</b>	
<b>Environment Impact:</b>		<b>Site Municipality:</b>	01106
<b>Nature of Impact:</b>		<b>Site Lot:</b>	
<b>Receiving Medium:</b>	LAND	<b>Site Conc:</b>	
<b>Receiving Env:</b>		<b>Northing:</b>	
<b>Health/Env Conseq:</b>		<b>Easting:</b>	
<b>MOE Response:</b>		<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>		<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	7/5/1989	<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>			
<b>SAC Action Class:</b>			
<b>Incident Reason:</b>	OVERSTRESS/OVERPRESSURE		
<b>Incident Summary:</b>	ESSO CHEMICAL - LID OF TANKER TRUCK BLOWN OFF 40L TOLUENE TO GROUND		

---

**Site:** **ESSO PETROLEUM CANADA**  
**TANK TRUCK (CARGO) TORONTO CITY ON**

**Database:**  
**SPL**

**Ref No:** 48558  
**Site No:**  
**Incident Dt:** 4/4/1991  
**Year:**  
**Incident Cause:** CONTAINER OVERFLOW  
**Incident Event:**  
**Contaminant Code:**  
**Contaminant Name:**  
**Contaminant Limit 1:**  
**Contam Limit Freq 1:**  
**Contaminant UN No 1:**  
**Contaminant Qty:**  
**Environment Impact:** NOT ANTICIPATED  
**Nature of Impact:**  
**Receiving Medium:** LAND  
**Receiving Env:**  
**Health/Env Conseq:**  
**MOE Response:**  
**Dt MOE Arvl on Scn:**  
**MOE Reported Dt:** 4/4/1991  
**Dt Document Closed:**  
**SAC Action Class:**  
**Incident Reason:** ERROR  
**Incident Summary:** ESSO-10 LITRES FURNACE OIL TO GRND,TRUCK OVER FILLED,CLEANED-UP

**Discharger Report:**  
**Material Group:**  
**Client Type:**  
**Sector Type:**  
**Source Type:**  
**Nearest Watercourse:**  
**Site Name:**  
**Site Address:**  
**Site District Office:**  
**Site County/District:**  
**Site Postal Code:**  
**Site Region:**  
**Site Municipality:** 01106  
**Site Lot:**  
**Site Conc:**  
**Northing:**  
**Easting:**  
**Site Geo Ref Accu:**  
**Site Geo Ref Meth:**  
**Site Map Datum:**

**Site:** **ESSO PETROLEUM CANADA**  
**TANK TRUCK (CARGO) TORONTO CITY ON**

**Database:**  
**SPL**

**Ref No:** 59567  
**Site No:**  
**Incident Dt:** 11/8/1991  
**Year:**  
**Incident Cause:** OTHER CONTAINER LEAK  
**Incident Event:**  
**Contaminant Code:**  
**Contaminant Name:**  
**Contaminant Limit 1:**  
**Contam Limit Freq 1:**  
**Contaminant UN No 1:**  
**Contaminant Qty:**  
**Environment Impact:** NOT ANTICIPATED  
**Nature of Impact:**  
**Receiving Medium:** LAND  
**Receiving Env:**  
**Health/Env Conseq:**  
**MOE Response:**  
**Dt MOE Arvl on Scn:**  
**MOE Reported Dt:** 11/9/1991  
**Dt Document Closed:**  
**SAC Action Class:**  
**Incident Reason:** EQUIPMENT FAILURE  
**Incident Summary:** ESSO PETROLEUM: 4L GASOLINE BACKFLOW WHEN DUMP VALVE MALFUNCTIONED

**Discharger Report:**  
**Material Group:**  
**Client Type:**  
**Sector Type:**  
**Source Type:**  
**Nearest Watercourse:**  
**Site Name:**  
**Site Address:**  
**Site District Office:**  
**Site County/District:**  
**Site Postal Code:**  
**Site Region:**  
**Site Municipality:** 01106  
**Site Lot:**  
**Site Conc:**  
**Northing:**  
**Easting:**  
**Site Geo Ref Accu:**  
**Site Geo Ref Meth:**  
**Site Map Datum:**

**Site:** **HARPER DETROIT DIESEL LTD.**  
**LAKE ONTARIO OUTFALL AT FOOT OF KIPLING ST. ETOBICOKE PLANT 10 DIESEL ROAD TORONTO CITY ON**

**Database:**  
**SPL**

**Ref No:** 48900  
**Site No:**  
**Incident Dt:** 3/19/1991  
**Year:**  
**Incident Cause:** UNDERGROUND TANK LEAK  
**Incident Event:**  
**Contaminant Code:**  
**Contaminant Name:**  
**Contaminant Limit 1:**  
**Contam Limit Freq 1:**

**Discharger Report:**  
**Material Group:**  
**Client Type:**  
**Sector Type:**  
**Source Type:**  
**Nearest Watercourse:**  
**Site Name:**  
**Site Address:**  
**Site District Office:**  
**Site County/District:**

**Contaminant UN No 1:**  
**Contaminant Qty:**  
**Environment Impact:** NOT ANTICIPATED  
**Nature of Impact:** Soil contamination  
**Receiving Medium:** WATER  
**Receiving Env:**  
**Health/Env Conseq:**  
**MOE Response:**  
**Dt MOE Arvl on Scn:**  
**MOE Reported Dt:** 4/9/1991  
**Dt Document Closed:**  
**SAC Action Class:**  
**Incident Reason:** CORROSION  
**Incident Summary:** HARPER DETROIT DIESEL - UNKNOW AMT. OF DIESEL TO L. ONTARIO FROM TANK.

**Site Postal Code:**  
**Site Region:**  
**Site Municipality:** 01106  
**Site Lot:**  
**Site Conc:**  
**Northing:**  
**Easting:** MCCR, METRO WORKS  
**Site Geo Ref Accu:**  
**Site Geo Ref Meth:**  
**Site Map Datum:**

**Site:** **TRANSPORT TRUCK**  
**KIPLING AVE NORTH OF QUEENSWAY TRANSPORT TRUCK (CARGO) TORONTO CITY ON**

**Database:**  
**SPL**

**Ref No:** 101330  
**Site No:**  
**Incident Dt:** 6/16/1994  
**Year:**  
**Incident Cause:** OTHER CONTAINER LEAK  
**Incident Event:**  
**Contaminant Code:**  
**Contaminant Name:**  
**Contaminant Limit 1:**  
**Contam Limit Freq 1:**  
**Contaminant UN No 1:**  
**Contaminant Qty:**  
**Environment Impact:** NOT ANTICIPATED  
**Nature of Impact:**  
**Receiving Medium:** LAND / WATER  
**Receiving Env:**  
**Health/Env Conseq:**  
**MOE Response:**  
**Dt MOE Arvl on Scn:**  
**MOE Reported Dt:** 6/16/1994  
**Dt Document Closed:**  
**SAC Action Class:**  
**Incident Reason:** ERROR  
**Incident Summary:** FAIRWAY CARTAGE -1274 KGSLATEX GLUE ALONG ROAD & INTO SEWER,CLEANING UP.

**Discharger Report:**  
**Material Group:**  
**Client Type:**  
**Sector Type:**  
**Source Type:**  
**Nearest Watercourse:**  
**Site Name:**  
**Site Address:**  
**Site District Office:**  
**Site County/District:**  
**Site Postal Code:**  
**Site Region:**  
**Site Municipality:** 1106  
**Site Lot:**  
**Site Conc:**  
**Northing:**  
**Easting:** WORKS  
**Site Geo Ref Accu:**  
**Site Geo Ref Meth:**  
**Site Map Datum:**

**Site:** **Toronto Transit Commission**  
**CB AT WESTBOUND AT THE WESTWAY @ KIPLING<UNOFFICIAL> Toronto ON**

**Database:**  
**SPL**

**Ref No:** 2561-6LKRAU  
**Site No:**  
**Incident Dt:** 1/31/2006  
**Year:**  
**Incident Cause:** Discharge Or Bypass To A Watercourse  
**Incident Event:**  
**Contaminant Code:** 24  
**Contaminant Name:** ETHYLENE GLYCOL (ANTIFREEZE)  
**Contaminant Limit 1:**  
**Contam Limit Freq 1:**  
**Contaminant UN No 1:**  
**Contaminant Qty:** 1 L  
**Environment Impact:** Possible  
**Nature of Impact:** Surface Water Pollution  
**Receiving Medium:** Water  
**Receiving Env:**  
**Health/Env Conseq:**  
**MOE Response:**  
**Dt MOE Arvl on Scn:**  
**MOE Reported Dt:** 1/31/2006

**Discharger Report:**  
**Material Group:** Chemicals  
**Client Type:**  
**Sector Type:** Other Motor Vehicle  
**Source Type:**  
**Nearest Watercourse:**  
**Site Name:**  
**Site Address:**  
**Site District Office:** Toronto - District  
**Site County/District:**  
**Site Postal Code:**  
**Site Region:**  
**Site Municipality:** Toronto  
**Site Lot:**  
**Site Conc:**  
**Northing:**  
**Easting:**  
**Site Geo Ref Accu:**  
**Site Geo Ref Meth:**  
**Site Map Datum:**

**Dt Document Closed:**  
**SAC Action Class:**  
**Incident Reason:** Other - Reason not otherwise defined  
**Incident Summary:** TTC: 1 L coolant to cb from bus

**Site:** G Zavitz Ltd.<UNOFFICIAL>  
@ Dundas St Toronto ON

**Database:**  
SPL

<b>Ref No:</b>	6578-9GYL6X	<b>Discharger Report:</b>	
<b>Site No:</b>	NA	<b>Material Group:</b>	
<b>Incident Dt:</b>	2014/03/07	<b>Client Type:</b>	
<b>Year:</b>		<b>Sector Type:</b>	Truck - Only Saddle Tanks
<b>Incident Cause:</b>	Unknown / N/A	<b>Source Type:</b>	
<b>Incident Event:</b>		<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>	13	<b>Site Name:</b>	Hwy 427 <UNOFFICIAL>
<b>Contaminant Name:</b>	DIESEL FUEL	<b>Site Address:</b>	@ Dundas St
<b>Contaminant Limit 1:</b>		<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>		<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>		<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>	100 L	<b>Site Region:</b>	
<b>Environment Impact:</b>	Not Anticipated	<b>Site Municipality:</b>	Toronto
<b>Nature of Impact:</b>	Soil Contamination	<b>Site Lot:</b>	
<b>Receiving Medium:</b>		<b>Site Conc:</b>	
<b>Receiving Env:</b>		<b>Northing:</b>	
<b>Health/Env Conseq:</b>		<b>Easting:</b>	
<b>MOE Response:</b>	No Field Response	<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>		<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	2014/03/07	<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>	2015/01/28		
<b>SAC Action Class:</b>	Land Spills		
<b>Incident Reason:</b>	Unknown / N/A		
<b>Incident Summary:</b>	GZavitz: 100L dsl to Hwy427		

**Site:** PETRO-CANADA  
UNDERGROUND FUEL TANK SERVICE STATION TORONTO CITY ON

**Database:**  
SPL

<b>Ref No:</b>	19573	<b>Discharger Report:</b>	
<b>Site No:</b>		<b>Material Group:</b>	
<b>Incident Dt:</b>	9/27/1988	<b>Client Type:</b>	
<b>Year:</b>		<b>Sector Type:</b>	
<b>Incident Cause:</b>	ABOVE-GROUND TANK LEAK	<b>Source Type:</b>	
<b>Incident Event:</b>		<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>		<b>Site Name:</b>	
<b>Contaminant Name:</b>		<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>		<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>		<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>		<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>		<b>Site Region:</b>	
<b>Environment Impact:</b>	POSSIBLE	<b>Site Municipality:</b>	01106
<b>Nature of Impact:</b>		<b>Site Lot:</b>	
<b>Receiving Medium:</b>	LAND	<b>Site Conc:</b>	
<b>Receiving Env:</b>		<b>Northing:</b>	
<b>Health/Env Conseq:</b>		<b>Easting:</b>	
<b>MOE Response:</b>		<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>		<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	9/27/1988	<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>			
<b>SAC Action Class:</b>			
<b>Incident Reason:</b>	NEGLIGENCE (APPARENT)		
<b>Incident Summary:</b>	BACKENTRY - PETRO-CANADA 65 000-75 000 LTRS FUEL FROM UNDERGROUND TANK		

**Site:** CANADIAN PACIFIC RAILWAYS  
AT CP RAIL'S TORONTO YARD TRAIN TORONTO CITY ON

**Database:**  
SPL

**Ref No:** 204392  
**Site No:**  
**Incident Dt:** 6/26/2001  
**Year:**  
**Incident Cause:** VALVE/FITTING LEAK OR FAILURE  
**Incident Event:**  
**Contaminant Code:**  
**Contaminant Name:**  
**Contaminant Limit 1:**  
**Contam Limit Freq 1:**  
**Contaminant UN No 1:**  
**Contaminant Qty:**  
**Environment Impact:** Possible  
**Nature of Impact:** Air Pollution  
**Receiving Medium:** Air  
**Receiving Env:**  
**Health/Env Conseq:**  
**MOE Response:**  
**Dt MOE Arvl on Scn:**  
**MOE Reported Dt:** 6/26/2001  
**Dt Document Closed:**  
**SAC Action Class:**  
**Incident Reason:** OTHER  
**Incident Summary:** C.P.RAIL-UKN QTY METHANOL TO ATMOSPHERE DUE TO SAFETY VALVE LEAK.

**Discharger Report:**  
**Material Group:**  
**Client Type:**  
**Sector Type:**  
**Source Type:**  
**Nearest Watercourse:**  
**Site Name:**  
**Site Address:**  
**Site District Office:**  
**Site County/District:**  
**Site Postal Code:**  
**Site Region:**  
**Site Municipality:** 01106  
**Site Lot:**  
**Site Conc:**  
**Northing:**  
**Easting:**  
**Site Geo Ref Accu:**  
**Site Geo Ref Meth:**  
**Site Map Datum:**

---

**Site:** CANADIAN PACIFIC RAILWAYS  
ALONG RAIL TRACKS FROM TORONTO TO THE GUELPH JUNCTION TO WELLAND TRAIN TORONTO CITY ON

**Database:**  
SPL

**Ref No:** 172974  
**Site No:**  
**Incident Dt:** 9/21/1999  
**Year:**  
**Incident Cause:** OTHER CONTAINER LEAK  
**Incident Event:**  
**Contaminant Code:**  
**Contaminant Name:**  
**Contaminant Limit 1:**  
**Contam Limit Freq 1:**  
**Contaminant UN No 1:**  
**Contaminant Qty:**  
**Environment Impact:** NOT ANTICIPATED  
**Nature of Impact:** Other  
**Receiving Medium:** LAND  
**Receiving Env:**  
**Health/Env Conseq:**  
**MOE Response:**  
**Dt MOE Arvl on Scn:**  
**MOE Reported Dt:** 9/22/1999  
**Dt Document Closed:**  
**SAC Action Class:**  
**Incident Reason:** UNKNOWN  
**Incident Summary:** C.P. RAIL-UNKNOWN AMOUNT GROUND CORN TO RAIL BED FROM HOPPER CAR.

**Discharger Report:**  
**Material Group:**  
**Client Type:**  
**Sector Type:**  
**Source Type:**  
**Nearest Watercourse:**  
**Site Name:**  
**Site Address:**  
**Site District Office:**  
**Site County/District:**  
**Site Postal Code:**  
**Site Region:**  
**Site Municipality:** 1106  
**Site Lot:**  
**Site Conc:**  
**Northing:**  
**Easting:** CANUTEC, EPS  
**Site Geo Ref Accu:**  
**Site Geo Ref Meth:**  
**Site Map Datum:**

---

**Site:** CANADIAN PACIFIC EXPRESS & TRA  
TRANSPORT TRUCK TRANSPORT TRUCK (CARGO) TORONTO CITY ON

**Database:**  
SPL

**Ref No:** 46383  
**Site No:**  
**Incident Dt:** 2/6/1991  
**Year:**  
**Incident Cause:** OTHER CONTAINER LEAK  
**Incident Event:**  
**Contaminant Code:**  
**Contaminant Name:**  
**Contaminant Limit 1:**  
**Contam Limit Freq 1:**

**Discharger Report:**  
**Material Group:**  
**Client Type:**  
**Sector Type:**  
**Source Type:**  
**Nearest Watercourse:**  
**Site Name:**  
**Site Address:**  
**Site District Office:**  
**Site County/District:**

**Contaminant UN No 1:**  
**Contaminant Qty:**  
**Environment Impact:** NOT ANTICIPATED  
**Nature of Impact:**  
**Receiving Medium:** LAND  
**Receiving Env:**  
**Health/Env Conseq:**  
**MOE Response:**  
**Dt MOE Arvl on Scn:**  
**MOE Reported Dt:** 2/6/1991  
**Dt Document Closed:**  
**SAC Action Class:**  
**Incident Reason:** NEGLIGENCE (APPARENT)  
**Incident Summary:** CP EXPRESS-100 L METHANOL SPILLED FROM PUNCTURED DRUM IN BACK OF TRUCK

**Site Postal Code:**  
**Site Region:**  
**Site Municipality:** 01106  
**Site Lot:**  
**Site Conc:**  
**Northing:**  
**Easting:**  
**Site Geo Ref Accu:**  
**Site Geo Ref Meth:**  
**Site Map Datum:**

**Site:** PUROLATOR COURIER LTD.  
 PUROLATOR DEPOT, BAY #62 WAREHOUSE TORONTO CITY ON

**Database:**  
 SPL

**Ref No:** 28360  
**Site No:**  
**Incident Dt:** 11/30/1989  
**Year:**  
**Incident Cause:** OTHER CONTAINER LEAK  
**Incident Event:**  
**Contaminant Code:**  
**Contaminant Name:**  
**Contaminant Limit 1:**  
**Contam Limit Freq 1:**  
**Contaminant UN No 1:**  
**Contaminant Qty:**  
**Environment Impact:**  
**Nature of Impact:**  
**Receiving Medium:** LAND  
**Receiving Env:**  
**Health/Env Conseq:**  
**MOE Response:**  
**Dt MOE Arvl on Scn:**  
**MOE Reported Dt:** 11/30/1989  
**Dt Document Closed:**  
**SAC Action Class:**  
**Incident Reason:** UNKNOWN  
**Incident Summary:** PUROLATOR- 1 LTR OF ACID (SULFURIC) SPILLED TO GROUND

**Discharger Report:**  
**Material Group:**  
**Client Type:**  
**Sector Type:**  
**Source Type:**  
**Nearest Watercourse:**  
**Site Name:**  
**Site Address:**  
**Site District Office:**  
**Site County/District:**  
**Site Postal Code:**  
**Site Region:**  
**Site Municipality:** 01106  
**Site Lot:**  
**Site Conc:**  
**Northing:**  
**Easting:** CANUTEC  
**Site Geo Ref Accu:**  
**Site Geo Ref Meth:**  
**Site Map Datum:**

**Site:** CANADIAN PACIFIC RAILWAYS  
 PIER #35 TRAIN TORONTO CITY ON

**Database:**  
 SPL

**Ref No:** 36501  
**Site No:**  
**Incident Dt:** 6/19/1990  
**Year:**  
**Incident Cause:** OTHER CONTAINER LEAK  
**Incident Event:**  
**Contaminant Code:**  
**Contaminant Name:**  
**Contaminant Limit 1:**  
**Contam Limit Freq 1:**  
**Contaminant UN No 1:**  
**Contaminant Qty:**  
**Environment Impact:** POSSIBLE  
**Nature of Impact:** Soil contamination  
**Receiving Medium:** LAND  
**Receiving Env:**  
**Health/Env Conseq:**  
**MOE Response:**  
**Dt MOE Arvl on Scn:**  
**MOE Reported Dt:** 6/19/1990

**Discharger Report:**  
**Material Group:**  
**Client Type:**  
**Sector Type:**  
**Source Type:**  
**Nearest Watercourse:**  
**Site Name:**  
**Site Address:**  
**Site District Office:**  
**Site County/District:**  
**Site Postal Code:**  
**Site Region:**  
**Site Municipality:** 01106  
**Site Lot:**  
**Site Conc:**  
**Northing:**  
**Easting:**  
**Site Geo Ref Accu:**  
**Site Geo Ref Meth:**  
**Site Map Datum:**



**Dt Document Closed:**

**SAC Action Class:**

**Incident Reason:**

**Incident Summary:**

DAMAGE BY MOVING EQUIPMENT

CP RAIL: 40L DIESEL FUEL TO GROUND FROM DIESEL UNIT

---

**Site:** **IMPERIAL OIL LIMITED**  
**TORONTO ON**

**Database:**  
**SRDS**

**Company Code:**

**Works ID:**

**Sector:**

PETROLEUM REFINING

**Report Year:**

1990-1994

**SIC:**

**SIC Desc:**

**SIC1:**

**SIC1 Desc:**

**SIC2:**

**SIC2 Desc:**

**SIC3:**

**SIC3 Desc:**

**Body of Water:**

**Terminal Stream:**

**Minor Basin:**

**Major Basin:**

**Region:**

**District:**

**Mailing Address:**

**Corp Address:**

**UTM Zone:**

**UTM Easting:**

**UTM Northing:**

**UTM Precision:**

---

**Site:** **Kinectrics Inc.**  
**Mobile Facility Toronto ON M8Z 6C4**

**Database:**  
**WDS**

**Certificate No:**

4860-55HQFU

**Mob Unit Cert No:**

**EBR Registry No:**

**Status:**

Approved

**Application Status:**

**Issue Date:**

2002-01-09

**Input Date:**

**Date Received:**

**Record Type:**

ECA

**Project Type:**

WASTE DISPOSAL SITES

**Approval Type:**

ECA-WASTE DISPOSAL SITES

**SWP Area Name:**

**MOE District:**

**Latitude:**

**Longitude:**

**Link Source:**

IDS

**Proponent:**

Kinectrics Inc.

**Prop Address:**

800 Kipling Avenue

**Prop City:**

Toronto

**Prop Postal:**

M8Z 6C4

**Prop Phone:**

**Proponent County/District:**

Municipality Of Metropolitan Toronto

**Site Lot:**

**Full Address:**

Mobile Facility

**Landfill Monitoring:**

**Waste Type:**

**Waste Type Other:**

**Waste Class:**

Polychlorinated biphenyls (PCBs)

**Waste Class Code:**

**Project Description:**

Amendment to Increase the amount of PCB Contaminated Oil be treated

**Municipalities Served:**

**Site Closing Description:**

**Approval Description:**

**Waste Description:**

**Other Approvals/Permits:**

**PDF URL:**

<https://www.accessenvironment.ene.gov.on.ca/instruments/5528-557R7P-14.pdf>



# Appendix: Database Descriptions

Environmental Risk Information Services (ERIS) can search the following databases. The extent of historical information varies with each database and current information is determined by what is publicly available to ERIS at the time of update. **Note:** Databases denoted with " \* " indicates that the database will no longer be updated. See the individual database description for more information.

## **Abandoned Aggregate Inventory:**

Provincial [AAGR](#)

The MAAP Program maintains a database of abandoned pits and quarries. Please note that the database is only referenced by lot and concession and city/town location. The database provides information regarding the location, type, size, land use, status and general comments.\*

**Government Publication Date: Sept 2002\***

## **Aggregate Inventory:**

Provincial [AGR](#)

The Ontario Ministry of Natural Resources maintains a database of all active pits and quarries. The database provides information regarding the registered owner/operator, location name, operation type, approval type, and maximum annual tonnage.

**Government Publication Date: Up to Sep 2017**

## **Abandoned Mine Information System:**

Provincial [AMIS](#)

The Abandoned Mines Information System contains data on known abandoned and inactive mines located on both Crown and privately held lands. The information was provided by the Ministry of Northern Development and Mines (MNDM), with the following disclaimer: "the database provided has been compiled from various sources, and the Ministry of Northern Development and Mines makes no representation and takes no responsibility that such information is accurate, current or complete". Reported information includes official mine name, status, background information, mine start/end date, primary commodity, mine features, hazards and remediation.

**Government Publication Date: 1800-Nov 2016**

## **Anderson's Waste Disposal Sites:**

Private [ANDR](#)

The information provided in this database was collected by examining various historical documents which aimed to characterize the likely position of former waste disposal sites from 1860 to present. The research initiative behind the creation of this database was to identify those sites that are missing from the Ontario MOE Waste Disposal Site Inventory, as well as to provide revisions and corrections to the positions and descriptions of sites currently listed in the MOE inventory. In addition to historic waste disposal facilities, the database also identifies certain auto wreckers and scrap yards that have been extrapolated from documentary sources. Please note that the data is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

**Government Publication Date: 1860s-Present**

## **Automobile Wrecking & Supplies:**

Private [AUWR](#)

This database provides an inventory of known locations that are involved in the scrap metal, automobile wrecking/recycling, and automobile parts & supplies industry. Information is provided on the company name, location and business type.

**Government Publication Date: 1999-Jan 31, 2018**

## **Borehole:**

Provincial [BORE](#)

A borehole is the generalized term for any narrow shaft drilled in the ground, either vertically or horizontally. The information here includes geotechnical investigations or environmental site assessments, mineral exploration, or as a pilot hole for installing piers or underground utilities. Information is from many sources such as the Ministry of Transportation (MTO) boreholes from engineering reports and projects from the 1950 to 1990's in Southern Ontario. Boreholes from the Ontario Geological Survey (OGS) including The Urban Geology Analysis Information System (UGAIS) and the York Peel Durham Toronto (YPDT) database of the Conservation Authority Moraine Coalition. This database will include fields such as location, stratigraphy, depth, elevation, year drilled, etc. For all water well data or oil and gas well data for Ontario please refer to WWIS and OOGW.

**Government Publication Date: 1875-Jul 2014**

## **Certificates of Approval:**

Provincial [CA](#)

This database contains the following types of approvals: Air & Noise, Industrial Sewage, Municipal & Private Sewage, Waste Management Systems and Renewable Energy Approvals. The MOE in Ontario states that any facility that releases emissions to the atmosphere, discharges contaminants to ground or surface water, provides potable water supplies, or stores, transports or disposes of waste, must have a Certificate of Approval before it can operate lawfully. Fields include approval number, business name, address, approval date, approval type and status. This database will no longer be updated, as CofA's have been replaced by either Environmental Activity and Sector Registry (EASR) or Environmental Compliance Approval (ECA). Please refer to those individual databases for any information after Oct.31, 2011.

**Government Publication Date: 1985-Oct 30, 2011\***

**Commercial Fuel Oil Tanks:**

Provincial **CFOT**

Since May 2002, Ontario developed a new act where it became mandatory for fuel oil tanks to be registered with Technical Standards & Safety Authority (TSSA). This data would include all commercial underground fuel oil tanks in Ontario with fields such as location, registration number, tank material, age of tank and tank size.

**Government Publication Date: Feb 28, 2017**

**Chemical Register:**

Private **CHEM**

This database includes information from both a one time study conducted in 1992 and private source and is a listing of facilities that manufacture or distribute chemicals. The production of these chemical substances may involve one or more chemical reactions and/or chemical separation processes (i.e. fractionation, solvent extraction, crystallization, etc.).

**Government Publication Date: 1999-Jan 31, 2018**

**Compressed Natural Gas Stations:**

Private **CNG**

Canada has a network of public access compressed natural gas (CNG) refuelling stations. These stations dispense natural gas in compressed form at 3,000 pounds per square inch (psi), the pressure which is allowed within the current Canadian codes and standards. The majority of natural gas refuelling is located at existing retail gasoline that have a separate refuelling island for natural gas. This list of stations is made available by the Canadian Natural Gas Vehicle Alliance.

**Government Publication Date: Dec 31, 2012**

**Inventory of Coal Gasification Plants and Coal Tar Sites:**

Provincial **COAL**

This inventory includes both the "Inventory of Coal Gasification Plant Waste Sites in Ontario-April 1987" and the Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario-November 1988) collected by the MOE. It identifies industrial sites that produced and continue to produce or use coal tar and other related tars. Detailed information is available and includes: facility type, size, land use, information on adjoining properties, soil condition, site operators/occupants, site description, potential environmental impacts and historic maps available. This was a one-time inventory.\*

**Government Publication Date: Apr 1987 and Nov 1988\***

**Compliance and Convictions:**

Provincial **CONV**

This database summarizes the fines and convictions handed down by the Ontario courts beginning in 1989. Companies and individuals named here have been found guilty of environmental offenses in Ontario courts of law.

**Government Publication Date: 1989-Apr 2018**

**Certificates of Property Use:**

Provincial **CPU**

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all CPU's on the registry such as (EPA s. 168.6) - Certificate of Property Use.

**Government Publication Date: 1994-Apr 30, 2018**

**Drill Hole Database:**

Provincial **DRL**

The Ontario Drill Hole Database contains information on more than 113,000 percussion, overburden, sonic and diamond drill holes from assessment files on record with the department of Mines and Minerals. Please note that limited data is available for southern Ontario, as it was the last area to be completed. The database was created when surveys submitted to the Ministry were converted in the Assessment File Research Image Database (AFRI) project. However, the degree of accuracy (coordinates) as to the exact location of drill holes is dependent upon the source document submitted to the MNDM. Levels of accuracy used to locate holes are: centering on the mining claim; a sketch of the mining claim; a 1:50,000 map; a detailed company map; or from submitted a "Report of Work".

**Government Publication Date: 1886-Nov 30, 2017**

**Dry Cleaning Facilities:**

Federal **DRYCLEANERS**

List of dry cleaning facilities made available by Environment and Climate Change Canada. Environment and Climate Change Canada's Tetrachloroethylene (Use in Dry Cleaning and Reporting Requirements) Regulations (SOR/2003-79) are intended to reduce releases of tetrachloroethylene to the environment from dry cleaning facilities.

**Government Publication Date: Jan 2004-Dec 2016**

**Environmental Activity and Sector Registry:**

Provincial **EASR**

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. The EASR allows businesses to register certain activities with the ministry, rather than apply for an approval. The registry is available for common systems and processes, to which preset rules of operation can be applied. The EASR is currently available for: heating systems, standby power systems and automotive refinishing. Businesses whose activities aren't subject to the EASR may apply for an ECA (Environmental Compliance Approval), Please see our ECA database.

**Government Publication Date: Oct 2011-Jun 30, 2018**

**Environmental Registry:**Provincial **EBR**

The Environmental Registry lists proposals, decisions and exceptions regarding policies, Acts, instruments, or regulations that could significantly affect the environment. Through the Registry, thirteen provincial ministries notify the public of upcoming proposals and invite their comments. For example, if a local business is requesting a permit, license, or certificate of approval to release substances into the air or water; these are notified on the registry. Data includes: Approval for discharge into the natural environment other than water (i.e. Air) - EPA s. 9, Approval for sewage works - OWRA s. 53(1), and EPA s. 27 - Approval for a waste disposal site. For information regarding Permit to Take Water (PTTW), Certificate of Property Use (CPU) and (ORD) Orders please refer to those individual databases.

**Government Publication Date: 1994-Apr 30, 2018****Environmental Compliance Approval:**Provincial **ECA**

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. In the past, a business had to apply for multiple approvals (known as certificates of approval) for individual processes and pieces of equipment. Today, a business either registers itself, or applies for a single approval, depending on the types of activities it conducts. Businesses whose activities aren't subject to the EASR may apply for an ECA. A single ECA addresses all of a business's emissions, discharges and wastes. Separate approvals for air, noise and waste are no longer required. This database will also include Renewable Energy Approvals. For certificates of approval prior to Nov 1st, 2011, please refer to the CA database. For all Waste Disposal Sites please refer to the WDS database.

**Government Publication Date: Oct 2011-Jun 30, 2018****Environmental Effects Monitoring:**Federal **EEM**

The Environmental Effects Monitoring program assesses the effects of effluent from industrial or other sources on fish, fish habitat and human usage of fisheries resources. Since 1992, pulp and paper mills have been required to conduct EEM studies under the Pulp and Paper Effluent Regulations. This database provides information on the mill name, geographical location and sub-lethal toxicity data.

**Government Publication Date: 1992-2007\*****ERIS Historical Searches:**Private **EHS**

ERIS has compiled a database of all environmental risk reports completed since March 1999. Available fields for this database include: site location, date of report, type of report, and search radius. As per all other databases, the ERIS database can be referenced on both the map and "Statistical Profile" page.

**Government Publication Date: 1999-Feb 28, 2018****Environmental Issues Inventory System:**Federal **EIIS**

The Environmental Issues Inventory System was developed through the implementation of the Environmental Issues and Remediation Plan. This plan was established to determine the location and severity of contaminated sites on inhabited First Nation reserves, and where necessary, to remediate those that posed a risk to health and safety; and to prevent future environmental problems. The EIIS provides information on the reserve under investigation, inventory number, name of site, environmental issue, site action (Remediation, Site Assessment), and date investigation completed.

**Government Publication Date: 1992-2001\*****Emergency Management Historical Event:**Provincial **EMHE**

List of locations of historical occurrences of emergency events, including those assigned to the Ministry of Natural Resources by Order-In-Council (OIC) under the Emergency Management and Civil Protection Act, as well as events where MNR provided requested emergency response assistance. Many of these events will have involved community evacuations, significant structural loss, and/or involvement of MNR emergency response staff. These events fall into one of ten (10) type categories: Dam Failure; Drought / Low Water; Erosion; Flood; Forest Fire; Soil and Bedrock Instability; Petroleum Resource Center Event, EMO Requested Assistance, Continuity of Operations Event, Other Requested Assistance. EMHE record details are reproduced by ERIS under License with the Ontario Ministry of Natural Resources © Queen's Printer for Ontario, 2017.

**Government Publication Date: Dec 31, 2016****List of TSSA Expired Facilities:**Provincial **EXP**

List of facilities with removed tanks which were once registered with the Fuels Safety Program of the Technical Standards and Safety Authority (TSSA). Includes private fuel outlets, bulk plants, fuel oil tanks, gasoline stations, marinas, propane filling stations, liquid fuel tanks, piping systems, etc. Tanks which have been removed automatically fall under the expired facilities inventory held by TSSA.

**Government Publication Date: Feb 28, 2017****Federal Convictions:**Federal **FCON**

Environment Canada maintains a database referred to as the "Environmental Registry" that details prosecutions under the Canadian Environmental Protection Act (CEPA) and the Fisheries Act (FA). Information is provided on the company name, location, charge date, offence and penalty.

**Government Publication Date: 1988-Jun 2007\***

**Contaminated Sites on Federal Land:**

Federal

FCS

The Federal Contaminated Sites Inventory includes information on known federal contaminated sites under the custodianship of departments, agencies and consolidated Crown corporations as well as those that are being or have been investigated to determine whether they have contamination arising from past use that could pose a risk to human health or the environment. The inventory also includes non-federal contaminated sites for which the Government of Canada has accepted some or all financial responsibility. It does not include sites where contamination has been caused by, and which are under the control of, enterprise Crown corporations, private individuals, firms or other levels of government.

**Government Publication Date: Jun 2000-May 2018**

**Fisheries & Oceans Fuel Tanks:**

Federal

FOFT

Fisheries & Oceans Canada maintains an inventory of aboveground & underground fuel storage tanks located on Fisheries & Oceans property or controlled by DFO. Our inventory provides information on the site name, location, tank owner, tank operator, facility type, storage tank location, tank contents & capacity, and date of tank installation.

**Government Publication Date: 1964-Sep 2017**

**Fuel Storage Tank:**

Provincial

FST

The Technical Standards & Safety Authority (TSSA), under the Technical Standards & Safety Act of 2000 maintains a database of registered private and retail fuel storage tanks in Ontario with fields such as location, tank status, license date, tank type, tank capacity, fuel type, installation year and facility type.

**Government Publication Date: Feb 28, 2017**

**Fuel Storage Tank - Historic:**

Provincial

FSTH

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks. Public records of private fuel storage tanks are only available since the registration became effective in September 1989. This information is now collected by the Technical Standards and Safety Authority.

**Government Publication Date: Pre-Jan 2010\***

**Ontario Regulation 347 Waste Generators Summary:**

Provincial

GEN

Regulation 347 of the Ontario EPA defines a waste generation site as any site, equipment and/or operation involved in the production, collection, handling and/or storage of regulated wastes. A generator of regulated waste is required to register the waste generation site and each waste produced, collected, handled, or stored at the site. This database contains the registration number, company name and address of registered generators including the types of hazardous wastes generated. It includes data on waste generating facilities such as: drycleaners, waste treatment and disposal facilities, machine shops, electric power distribution etc. This information is a summary of all years from 1986 including the most currently available data. Some records may contain, within the company name, the phrase "See & Use..." followed by a series of letters and numbers. This occurs when one company is amalgamated with or taken over by another registered company. The number listed as "See & Use", refers to the new ownership and the other identification number refers to the original ownership. This phrase serves as a link between the 2 companies until operations have been fully transferred.

**Government Publication Date: 1986-December 31, 2017**

**Greenhouse Gas Emissions from Large Facilities:**

Federal

GHG

List of greenhouse gas emissions from large facilities made available by Environment Canada. Greenhouse gas emissions in kilotonnes of carbon dioxide equivalents (kt CO2 eq).

**Government Publication Date: 2013-Dec 2016**

**TSSA Historic Incidents:**

Provincial

HINC

This database will cover all incidences recorded by TSSA with their older system, before they moved to their new management system. TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. The TSSA works to protect the public, the environment and property from fuel-related hazards such as spills, fires and explosions. This database will include spills and leaks from pipelines, diesel, fuel oil, gasoline, natural gas, propane and hydrogen recorded by the TSSA.

**Government Publication Date: 2006-June 2009\***

**Indian & Northern Affairs Fuel Tanks:**

Federal

IAFT

The Department of Indian & Northern Affairs Canada (INAC) maintains an inventory of aboveground & underground fuel storage tanks located on both federal and crown land. Our inventory provides information on the reserve name, location, facility type, site/facility name, tank type, material & ID number, tank contents & capacity, and date of tank installation.

**Government Publication Date: 1950-Aug 2003\***

**TSSA Incidents:**

Provincial [INC](#)

TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. Includes incidents from fuel-related hazards such as spills, fires and explosions. This database will include spills and leaks from diesel, fuel oil, gasoline, natural gas, propane and hydrogen recorded by the TSSA.

**Government Publication Date: Feb 28, 2017**

**Landfill Inventory Management Ontario:**

Provincial [LIMO](#)

The Landfill Inventory Management Ontario (LIMO) database is updated every year, as the ministry compiles new and updated information. The inventory will include small and large landfills. Additionally, each year the ministry will request operators of the larger landfills complete a landfill data collection form that will be used to update LIMO and will include the following information from the previous operating year. This will include additional information such as estimated amount of total waste received, landfill capacity, estimated total remaining landfill capacity, fill rates, engineering designs, reporting and monitoring details, size of location, service area, approved waste types, leachate of site treatment, contaminant attenuation zone and more. The small landfills will include information such as site owner, site location and certificate of approval # and status.

**Government Publication Date: Dec 31, 2013**

**Canadian Mine Locations:**

Private [MINE](#)

This information is collected from the Canadian & American Mines Handbook. The Mines database is a national database that provides over 290 listings on mines (listed as public companies) dealing primarily with precious metals and hard rocks. Listed are mines that are currently in operation, closed, suspended, or are still being developed (advanced projects). Their locations are provided as geographic coordinates (x, y and/or longitude, latitude). As of 2002, data pertaining to Canadian smelters and refineries has been appended to this database.

**Government Publication Date: 1998-2009\***

**Environmental Penalty Annual Report:**

Provincial [MISA PENALTY](#)

This database contains data from Ontario's annual environmental penalty report published by the Ministry of the Environment and Climate Change. These reports provide information on environmental penalties for land or water violations issued to companies in one of the nine industrial sectors covered by the Municipal Industrial Strategy for Abatement (MISA) regulations.

**Government Publication Date: Jan 1, 2011 - Dec 31, 2017**

**Mineral Occurrences:**

Provincial [MNR](#)

In the early 70's, the Ministry of Northern Development and Mines created an inventory of approximately 19,000 mineral occurrences in Ontario, in regard to metallic and industrial minerals, as well as some information on building stones and aggregate deposits. Please note that the "Horizontal Positional Accuracy" is approximately +/- 200 m. Many reference elements for each record were derived from field sketches using pace or chain/tape measurements against claim posts or topographic features in the area. The primary limiting factor for the level of positional accuracy is the scale of the source material. The testing of horizontal accuracy of the source materials was accomplished by comparing the plan metric (X and Y) coordinates of that point with the coordinates of the same point as defined from a source of higher accuracy.

**Government Publication Date: 1846-Jan 2018**

**National Analysis of Trends in Emergencies System (NATES):**

Federal [NATE](#)

In 1974 Environment Canada established the National Analysis of Trends in Emergencies System (NATES) database, for the voluntary reporting of significant spill incidents. The data was to be used to assist in directing the work of the emergencies program. NATES ran from 1974 to 1994. Extensive information is available within this database including company names, place where the spill occurred, date of spill, cause, reason and source of spill, damage incurred, and amount, concentration, and volume of materials released.

**Government Publication Date: 1974-1994\***

**Non-Compliance Reports:**

Provincial [NCPL](#)

The Ministry of the Environment provides information about non-compliant discharges of contaminants to air and water that exceed legal allowable limits, from regulated industrial and municipal facilities. A reported non-compliance failure may be in regard to a Control Order, Certificate of Approval, Sectoral Regulation or specific regulation/act.

**Government Publication Date: Dec 31, 2016**

**National Defense & Canadian Forces Fuel Tanks:**

Federal [NDFT](#)

The Department of National Defense and the Canadian Forces maintains an inventory of all aboveground & underground fuel storage tanks located on DND lands. Our inventory provides information on the base name, location, tank type & capacity, tank contents, tank class, date of tank installation, date tank last used, and status of tank as of May 2001. This database will no longer be updated due to the new National Security protocols which have prohibited any release of this database.

**Government Publication Date: Up to May 2001\***

**National Defense & Canadian Forces Spills:**

Federal

NDSP

The Department of National Defense and the Canadian Forces maintains an inventory of spills to land and water. All spill sites have been classified under the "Transportation of Dangerous Goods Act - 1992". Our inventory provides information on the facility name, location, spill ID #, spill date, type of spill, as well as the quantity of substance spilled & recovered.

**Government Publication Date: Mar 1999-Apr 2018**

**National Defence & Canadian Forces Waste Disposal Sites:**

Federal

NDWD

The Department of National Defence and the Canadian Forces maintains an inventory of waste disposal sites located on DND lands. Where available, our inventory provides information on the base name, location, type of waste received, area of site, depth of site, year site opened/closed and status.

**Government Publication Date: 2001-Apr 2007\***

**National Energy Board Pipeline Incidents:**

Federal

NEBI

Locations of pipeline incidents from 2008 to present, made available by the National Energy Board (NEB). Includes incidents reported under the Onshore Pipeline Regulations and the Processing Plant Regulations related to pipelines under federal jurisdiction, does not include incident data related to pipelines under provincial or territorial jurisdiction.

**Government Publication Date: 2008-Mar 31, 2018**

**National Energy Board Wells:**

Federal

NEBW

The NEBW database contains information on onshore & offshore oil and gas wells that are outside provincial jurisdiction(s) and are thereby regulated by the National Energy Board. Data is provided regarding the operator, well name, well ID No./UWI, status, classification, well depth, spud and release date.

**Government Publication Date: 1920-Feb 2003\***

**National Environmental Emergencies System (NEES):**

Federal

NEES

In 2000, the Emergencies program implemented NEES, a reporting system for spills of hazardous substances. For the most part, this system only captured data from the Atlantic Provinces, some from Quebec and Ontario and a portion from British Columbia. Data for Alberta, Saskatchewan, Manitoba and the Territories was not captured. However, NEES is also a repository for previous Environment Canada spill datasets. NEES is composed of the historic datasets ' or Trends ' which dates from approximately 1974 to present. NEES Trends is a compilation of historic databases, which were merged and includes data from NATES (National Analysis of Trends in Emergencies System), ARTS (Atlantic Regional Trends System), and NEES. In 2001, the Emergencies Program determined that variations in reporting regimes and requirements between federal and provincial agencies made national spill reporting and trend analysis difficult to achieve. As a consequence, the department has focused efforts on capturing data on spills of substances which fall under its legislative authority only (CEPA and FA). As such, the NEES database will be decommissioned in December 2004.

**Government Publication Date: 1974-2003\***

**National PCB Inventory:**

Federal

NPCB

Environment Canada's National PCB inventory includes information on in-use PCB containing equipment in Canada including federal, provincial and private facilities. Federal out-of-service PCB containing equipment and PCB waste owned by the federal government or by federally regulated industries such as airlines, railway companies, broadcasting companies, telephone and telecommunications companies, pipeline companies, etc. are also listed. Although it is not Environment Canada's mandate to collect data on non-federal PCB waste, the National PCB inventory includes some information on provincial and private PCB waste and storage sites. Some addresses provided may be Head Office addresses and are not necessarily the location of where the waste is being used or stored.

**Government Publication Date: 1988-2008\***

**National Pollutant Release Inventory:**

Federal

NPRI

Environment Canada has defined the National Pollutant Release Inventory ("NPRI") as a federal government initiative designed to collect comprehensive national data regarding releases to air, water, or land, and waste transfers for recycling for more than 300 listed substances.

**Government Publication Date: 1993-May 2017**

**Oil and Gas Wells:**

Private

OGW

The Nickle's Energy Group (publisher of the Daily Oil Bulletin) collects information on drilling activity including operator and well statistics. The well information database includes name, location, class, status and depth. The main Nickle's database is updated on a daily basis, however, this database is updated on a monthly basis. More information is available at [www.nickles.com](http://www.nickles.com).

**Government Publication Date: 1988-April 30, 2018**

**Ontario Oil and Gas Wells:**

Provincial

OGGW

In 1998, the MNR handed over to the Ontario Oil, Gas and Salt Resources Corporation, the responsibility of maintaining a database of oil and gas wells drilled in Ontario. The OGSRLibrary has over 20,000+ wells in their database. Information available for all wells in the ERIS database include well owner/operator, location, permit issue date, and well cap date, license No., status, depth and the primary target (rock unit) of the well being drilled. All geology/stratigraphy table information, plus all water table information is also provide for each well record.

**Government Publication Date: 1800-May 2018**



**Inventory of PCB Storage Sites:**

Provincial [OPCB](#)

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of PCB storage sites within the province. Ontario Regulation 11/82 (Waste Management - PCB) and Regulation 347 (Generator Waste Management) under the Ontario EPA requires the registration of inactive PCB storage equipment and/or disposal sites of PCB waste with the Ontario Ministry of Environment. This database contains information on: 1) waste quantities; 2) major and minor sites storing liquid or solid waste; and 3) a waste storage inventory.

**Government Publication Date: 1987-Oct 2004; 2012-Dec 2013**

**Orders:**

Provincial [ORD](#)

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all Orders on the registry such as (EPA s. 17) - Order for remedial work, (EPA s. 18) - Order for preventative measures, (EPA s. 43) - Order for removal of waste and restoration of site, (EPA s. 44) - Order for conformity with Act for waste disposal sites, (EPA s. 136) - Order for performance of environmental measures.

**Government Publication Date: 1994-Apr 30, 2018**

**Canadian Pulp and Paper:**

Private [PAP](#)

This information is part of the Pulp and Paper Canada Directory. The Directory provides a comprehensive listing of the locations of pulp and paper mills and the products that they produce.

**Government Publication Date: 1999, 2002, 2004, 2005, 2009-2014**

**Parks Canada Fuel Storage Tanks:**

Federal [PCFT](#)

Canadian Heritage maintains an inventory of known fuel storage tanks operated by Parks Canada, in both National Parks and at National Historic Sites. The database details information on site name, location, tank install/removal date, capacity, fuel type, facility type, tank design and owner/operator.

**Government Publication Date: 1920-Jan 2005\***

**Pesticide Register:**

Provincial [PES](#)

The Ontario Ministry of the Environment and Climate Change maintains a database of licensed operators and vendors of registered pesticides.

**Government Publication Date: 1988-Mar 2018**

**TSSA Pipeline Incidents:**

Provincial [PINC](#)

TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. This database will include spills, strike and leaks from recorded by the TSSA.

**Government Publication Date: Feb 28, 2017**

**Private and Retail Fuel Storage Tanks:**

Provincial [PRT](#)

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks and licensed retail fuel outlets. This database includes an inventory of locations that have gasoline, oil, waste oil, natural gas and/or propane storage tanks on their property. The MCCR no longer collects this information. This information is now collected by the Technical Standards and Safety Authority (TSSA).

**Government Publication Date: 1989-1996\***

**Permit to Take Water:**

Provincial [PTTW](#)

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all PTTW's on the registry such as OWRA s. 34 - Permit to take water.

**Government Publication Date: 1994-Apr 30, 2018**

**Ontario Regulation 347 Waste Receivers Summary:**

Provincial [REC](#)

Part V of the Ontario Environmental Protection Act ("EPA") regulates the disposal of regulated waste through an operating waste management system or a waste disposal site operated or used pursuant to the terms and conditions of a Certificate of Approval or a Provisional Certificate of Approval. Regulation 347 of the Ontario EPA defines a waste receiving site as any site or facility to which waste is transferred by a waste carrier. A receiver of regulated waste is required to register the waste receiving facility. This database represents registered receivers of regulated wastes, identified by registration number, company name and address, and includes receivers of waste such as: landfills, incinerators, transfer stations, PCB storage sites, sludge farms and water pollution control plants. This information is a summary of all years from 1986 including the most currently available data.

**Government Publication Date: 1986-2016**

<b><u>Record of Site Condition:</u></b>	Provincial	<b>RSC</b>
The Record of Site Condition (RSC) is part of the Ministry of the Environment's Brownfields Environmental Site Registry. Protection from environmental cleanup orders for property owners is contingent upon documentation known as a record of site condition (RSC) being filed in the Environmental Site Registry. In order to file an RSC, the property must have been properly assessed and shown to meet the soil, sediment and groundwater standards appropriate for the use (such as residential) proposed to take place on the property. The Record of Site Condition Regulation (O. Reg. 153/04) details requirements related to site assessment and clean up. RSCs filed after July 1, 2011 will also be included as part of the new (O.Reg. 511/09).		
<b>Government Publication Date: 1997-Sept 2001, Oct 2004-Apr 2018</b>		
<b><u>Retail Fuel Storage Tanks:</u></b>	Private	<b>RST</b>
This database includes an inventory of retail fuel outlet locations (including marinas) that have on their property gasoline, oil, waste oil, natural gas and / or propane storage tanks.		
<b>Government Publication Date: 1999-Jan 31, 2018</b>		
<b><u>Scott's Manufacturing Directory:</u></b>	Private	<b>SCT</b>
Scott's Directories is a data bank containing information on over 200,000 manufacturers across Canada. Even though Scott's listings are voluntary, it is the most comprehensive database of Canadian manufacturers available. Information concerning a company's address, plant size, and main products are included in this database.		
<b>Government Publication Date: 1992-Mar 2011*</b>		
<b><u>Ontario Spills:</u></b>	Provincial	<b>SPL</b>
This database identifies information such as location (approximate), type and quantity of contaminant, date of spill, environmental impact, cause, nature of impact, etc. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X.		
<b>Government Publication Date: 1988-May 2018</b>		
<b><u>Wastewater Discharger Registration Database:</u></b>	Provincial	<b>SRDS</b>
Information under this heading is combination of the following 2 programs. The Municipal/Industrial Strategy for Abatement (MISA) division of the Ontario Ministry of Environment maintained a database of all direct dischargers of toxic pollutants within nine sectors including: Electric Power Generation; Mining; Petroleum Refining; Organic Chemicals; Inorganic Chemicals; Pulp & Paper; Metal Casting; Iron & Steel; and Quarries. All sampling information is now collected and stored within the Sample Result Data Store (SRDS).		
<b>Government Publication Date: 1990-Dec 31, 2016</b>		
<b><u>Anderson's Storage Tanks:</u></b>	Private	<b>TANK</b>
The information provided in this database was collected by examining various historical documents, which identified the location of former storage tanks, containing substances such as fuel, water, gas, oil, and other various types of miscellaneous products. Information is available in regard to business operating at tank site, tank location, permit year, permit & installation type, no. of tanks installed & configuration and tank capacity. Data contained within this database pertains only to the city of Toronto and is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.		
<b>Government Publication Date: 1915-1953*</b>		
<b><u>Transport Canada Fuel Storage Tanks:</u></b>	Federal	<b>TCFT</b>
List of fuel storage tanks currently or previously owned or operated by Transport Canada. This inventory also includes tanks on The Pickering Lands, which refers to 7,530 hectares (18,600 acres) of land in Pickering, Markham, and Uxbridge owned by the Government of Canada since 1972; properties on this land has been leased by the government since 1975, and falls under the Site Management Policy of Transport Canada, but is administered by Public Works and Government Services Canada. This inventory provides information on the site name, location, tank age, capacity and fuel type.		
<b>Government Publication Date: 1970-Aug 2017</b>		
<b><u>TSSA Variances for Abandonment of Underground Storage Tanks:</u></b>	Provincial	<b>VAR</b>
List of variances granted for abandoned tanks. Under the Technical Standards and Safety Authority (TSSA) Liquid Fuels Handling Code and Fuel Oil Code, all underground storage tanks must be removed within two years of disuse. If removal of a tank is not feasible, an application may be sought for a variance from this code requirement.		
<b>Government Publication Date: Feb 28, 2017</b>		
<b><u>Waste Disposal Sites - MOE CA Inventory:</u></b>	Provincial	<b>WDS</b>
The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of known open (active or inactive) and closed disposal sites in the Province of Ontario. Active sites maintain a Certificate of Approval, are approved to receive and are receiving waste. Inactive sites maintain Certificate(s) of Approval but are not receiving waste. Closed sites are not receiving waste. The data contained within this database was compiled from the MOE's Certificate of Approval database. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number. All new Environmental Compliance Approvals handed out after Oct 31, 2011 for Waste Disposal Sites will still be found in this database.		
<b>Government Publication Date: Oct 2011-Jun 30, 2018</b>		

**Waste Disposal Sites - MOE 1991 Historical Approval Inventory:**

Provincial

[WDSH](#)

In June 1991, the Ontario Ministry of Environment, Waste Management Branch, published the "June 1991 Waste Disposal Site Inventory", of all known active and closed waste disposal sites as of October 30st, 1990. For each "active" site as of October 31st 1990, information is provided on site location, site/CA number, waste type, site status and site classification. For each "closed" site as of October 31st 1990, information is provided on site location, site/CA number, closure date and site classification. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number.

**Government Publication Date: Up to Oct 1990\***

**Water Well Information System:**

Provincial

[WWIS](#)

This database describes locations and characteristics of water wells found within Ontario in accordance with Regulation 903. It includes such information as coordinates, construction date, well depth, primary and secondary use, pump rate, static water level, well status, etc. Also included are detailed stratigraphy information, approximate depth to bedrock and the approximate depth to the water table.

**Government Publication Date: Dec 31, 2017**

# Definitions

**Database Descriptions:** This section provides a detailed explanation for each database including: source, information available, time coverage, and acronyms used. They are listed in alphabetic order.

**Detail Report:** This is the section of the report which provides the most detail for each individual record. Records are summarized by location, starting with the project property followed by records in closest proximity.

**Distance:** The distance value is the distance between plotted points, not necessarily the distance between the sites' boundaries. All values are an approximation.

**Direction:** The direction value is the compass direction of the site in respect to the project property and/or center point of the report.

**Elevation:** The elevation value is taken from the location at which the records for the site address have been plotted. All values are an approximation. Source: Google Elevation API.

**Executive Summary:** This portion of the report is divided into 3 sections:

'Report Summary'- Displays a chart indicating how many records fall on the project property and, within the report search radii.

'Site Report Summary'-Project Property'- This section lists all the records which fall on the project property. For more details, see the 'Detail Report' section.

'Site Report Summary-Surrounding Properties'- This section summarizes all records on adjacent properties, listing them in order of proximity from the project property. For more details, see the 'Detail Report' section.


**Map Key:** The map key number is assigned according to closest proximity from the project property. Map Key numbers always start at #1. The project property will always have a map key of '1' if records are available. If there is a number in brackets beside the main number, this will indicate the number of records on that specific property. If there is no number in brackets, there is only one record for that property.

The symbol and colour used indicates 'elevation': the red inverted triangle will dictate 'ERIS Sites with Lower Elevation', the yellow triangle will dictate 'ERIS Sites with Higher Elevation' and the orange square will dictate 'ERIS Sites with Same Elevation.'

**Unplottables:** These are records that could not be mapped due to various reasons, including limited geographic information. These records may or may not be in your study area, and are included as reference.

# APPENDIX

## C SUMMARY OF CITY DIRECTORY SEARCH





<b>City Directory Information Source</b>
Polk's Etobicoke, ON, City Directory

<b>PROJECT NUMBER:</b> 20180716058	
<b>Site Address:</b>	30 Newbridge Road, Etobicoke, Ontario
<b>Year:</b> 2000	
<b>Site Listing:</b>	-Address not listed
<b>Adjacent Properties:</b>	
<b>Newbridge Road (1-30)</b>	12-Village masonry 16-Energy saving corp. -Sienna foods 17-Global egg 20-Coolio wines 24-North star landscaping
<b>Bramshott Road (5-10)</b>	-Street not listed

**Lockport Avenue (1-30)**

- 11-Star salt inc.
- 12-Blue jay tire
- Oklahoma tire
- 14-Danny & vince auto
- 15-Octanorm Can.
- 18-Ecuacar auto
- People's choice auto
- Ruta collision & car repair
- Starter king parts
- 24-Acheson equip.
- Inland tracked equip.

**Shorncliffe Road (65-115)**

- 65-Evans lincole
- 66-Normapac Inc.
- 67-Arizon disposal svc
- 80-TFX intl.
- Traffix modem line
- Truck watch svc
- 81-Leading edge auto
- 85-Hep sur machine
- 87-Queensway towing
- West end auto
- 89-Impact demolition
- Planland contr.
- 90-Global waste svc
- King recycling
- Tiger demolition & waste

	<p>96-Church</p> <p>99-Helmitin Inc.</p> <p>107-Clark elect.</p> <p>-Kingsway used car</p> <p>109-Horizon mechanical contr.</p> <p>-Horizon sheet metal</p> <p>111-MTL repairs svc</p> <p>115-Institute of technical trades</p>
--	---

<b>PROJECT NUMBER:</b> 20180716058	
<b>Site Address:</b>	30 Newbridge Road, Etobicoke, Ontario
<b>Year:</b> 1996	
<b>Site Listing:</b>	<p>-Interlink freight syst</p> <p>-Pickups</p>
<b>Adjacent Properties:</b>	
<b>Newbridge Road (1-30)</b>	<p>12-Village contr.</p> <p>16-Sienna foods</p> <p>17-Dominion egg</p> <p>20-Colio wines</p> <p>24-Mimico constr.</p> <p>25-Tayco office screens</p> <p>30-Site listed</p>



<b>Bramshott Road (5-10)</b>	-Street not listed
<b>Lockport Avenue (1-30)</b>	11-Samson produce 12-Blue jay tire -OK tire stores 14-Danny & vince auto 15-Octanorm Can. 18-Ecuacar auto -People's choice auto -Ruta collision & car repair -Starter king parts 24-Acheson equip. -Inland tracked equip.
<b>Shorncliffe Road (65-115)</b>	65-Evans Lincoln mercury 66-Domtar Inc. 67-Arizon disposal svc 80-TFX intl. -Traffix -St. Pierre svc -Modem transport 81-Rock auto collision 85-Hep sur machine 87-West end auto 89-Impact demolition -Planland contr. 90-Tiger demolition & waste

	<p>96-Church</p> <p>99-Helmitin Inc.</p> <p>105-Cameron compressor</p> <p>-Gibbins grant equip.</p> <p>107-Clark elect.</p> <p>109-Horizon sheet metal</p> <p>111-MTL repairs svc</p> <p>115-Institute of technical trades</p>
--	--

<b>PROJECT NUMBER:</b> 20180716058	
<b>Site Address:</b>	30 Newbridge Road, Etobicoke, Ontario
<b>Year:</b> 1991	
<b>Site Listing:</b>	<p>-Can. Pacific express</p> <p>-Can. Customs office</p>
<b>Adjacent Properties:</b>	
<b>Newbridge Road (1-30)</b>	<p>12-Village contr.</p> <p>-Deluca masonry</p> <p>15-Vanguard floors</p> <p>17-Dominion egg</p> <p>21-Excel store fixtures</p> <p>25-Tayco Panlink</p> <p>30-Site listed</p>

<b>Bramshott Road (5-10)</b>	-Address not listed
<b>Lockport Avenue (1-30)</b>	11-Samson produce 12-Croft's tire 14-Danny & vince auto 15-Octanorm Can. 18-Lockport auto -People's choice auto -Accurate auto -Protech -Starter king parts 25-Inland tracked equip. 30-Cp express and trans.
<b>Shorncliffe Road (65-115)</b>	65-Evans Lincoln mercury 66-Domtar Inc. -Litho laminate div 67-Cronkwright trans. -Sprem truck repair 72-Domtar 79-Hep-sur machine 80-JM Schneider meats -Work wear corp 81-Unicar auto 85-Hep sur machine 87-West end auto 89-Wetmore welding

	<p>90-Shorncliff-business ctr.</p> <p>95-99-Helmitin Inc.</p> <p>101-Four seasons ceramics</p> <p>105-Cameron compressor</p> <p>109-Horizon sheet metal</p> <p>115-Institute of technical trades</p>
--	--

<b>PROJECT NUMBER:</b> 20180716058	
<b>Site Address:</b>	30 Newbridge Road, Etobicoke, Ontario
<b>Year:</b> 1985/86	
<b>Site Listing:</b>	<p>-Can. Pacific express</p> <p>-Can. Customs office</p>
<b>Adjacent Properties:</b>	
<b>Newbridge Road (1-30)</b>	<p>11-Helmitin Can.</p> <p>12-Village contr.</p> <p>-Deluca masonry</p> <p>15-Vanguard floors</p> <p>16-Sienna foods</p> <p>17-Lee &amp; martin indstr.</p> <p>20-21-Dor-seal</p> <p>24-Mimico constr.</p> <p>25-Dor-seal</p> <p>30-Site listed</p>

<b>Bramshott Road (5-10)</b>	-Address not listed
<b>Lockport Avenue (1-30)</b>	11-Samson produce 12-Croft's tire 14-COD tires 15-Octanorm Can. 18-Starter king parts 20-Montgomery elevator Co 25-Alton truck -Osin constr.
<b>Shorncliffe Road (65-115)</b>	65-Evans Lincoln mercury 66-Domtar Inc. -Litho laminate div 67-Cronkwright trans. -Sprem truck repair 72-Domtar 79-Hep-sur machine 80-Natco -Link svc 81-Unicar auto 85-Hep sur machine 87-West end auto 89-Wetmore welding 90-Glengarry trans 95-99-Helmitin Inc.

	<p>101-Four seasons ceramics</p> <p>105-Cameron compressor</p> <p>107-Daacco mechanical</p> <p>109-Inland tracked equip</p> <p>111-TO cycle savage</p> <p>113-Metro indstr.</p> <p>115-Institute of technical trades</p>
--	--

<b>PROJECT NUMBER:</b> 20180716058	
<b>Site Address:</b>	30 Newbridge Road, Etobicoke, Ontario
<b>Year:</b> 1978/79	
<b>Site Listing:</b>	<p>-Can. Pacific express</p> <p>-Can. Customs office</p>
<b>Adjacent Properties:</b>	
<b>Newbridge Road (1-30)</b>	<p>11-Clarke roller coaster</p> <p>12-Village contr.</p> <p>-Deluca masonry</p> <p>15-Vanguard floors</p> <p>-Continental concrete</p> <p>16-Sienna foods</p> <p>17-Guthrie containers</p> <p>21-Argosy bearings</p> <p>24-Mimico constr.</p>

	<p>25-Dor-seal</p> <p>30-Site listed</p>
<b>Bramshott Road (5-10)</b>	-Address not listed
<b>Lockport Avenue (1-30)</b>	<p>11-Dominion processing produce</p> <p>12-Mitchell dick heating</p> <p>-Telecon controls</p> <p>- Touchette express</p> <p>14-Despress &amp; mcdougall</p> <p>15-Can, duff Norton co</p> <p>18-Starter king parts</p> <p>-Mellon elect.</p> <p>20-Montgomery elevator Co</p> <p>25-Alton truck</p> <p>-Osin constr.</p>
<b>Shorncliffe Road (65-115)</b>	<p>65-Evans Lincoln mercury</p> <p>66-J&amp;F leasing</p> <p>67-Hendrie &amp; Co</p> <p>72-Multicut Ltd.</p> <p>74-Super disposal svc</p> <p>79-Hep-sur machine</p> <p>80-CW Henderson cartage</p> <p>85-Hep sur machine</p> <p>87-West end auto</p> <p>89-Wetmore welding</p>

	<p>90-Glengarry trans</p> <p>95-99-Helmitin Inc.</p> <p>101-Biogram foods</p> <p>105-Cameron compressor</p> <p>107-Kendall tom oil</p> <p>109-Hi reach equips.</p> <p>111-Broft's tire</p> <p>113-Astral bldg. Co</p>
--	---

<b>PROJECT NUMBER:</b> 20180716058	
<b>Site Address:</b>	30 Newbridge Road, Etobicoke, Ontario
<b>Year:</b> 1972	
<b>Site Listing:</b>	-Address not listed
<b>Adjacent Properties:</b>	
<b>Newbridge Road (1-30)</b>	<p>11-Clarke roller coaster</p> <p>15-Tri can fitting</p> <p>16-Sienna foods</p> <p>-Globe contr.</p> <p>-Village contr.</p> <p>-Tibero contr.</p> <p>-Vanguard concrete</p> <p>17-Guthrie containers</p> <p>18-DelUCA masonry</p>



	<p>20-Beckett paper prods.</p> <p>21-Argosy bearings</p> <p>25-Dor-seal</p>
<b>Bramshott Road (5-10)</b>	-Address not listed
<b>Lockport Avenue (1-30)</b>	<p>11-Dominion marsh</p> <p>12-Mitchell dick heating</p> <p>-Telecon controls</p> <p>15-Can, duff Norton co</p> <p>18-Stephen RW Ltd.</p> <p>20-Mellon elect.</p> <p>25-Alton truck</p> <p>-Osin constr.</p> <p>-Lockport constr.</p>
<b>Shorncliffe Road (65-115)</b>	<p>65-Cloverdale auto</p> <p>66-Argier bros</p> <p>67-Commercia cartage</p> <p>72-Besteel Ltd.</p> <p>74-Nimis disposal</p> <p>80-81Maslin trans.</p> <p>85-Hep sur machine</p> <p>87-West end auto</p> <p>89-Wetmore welding</p> <p>90-Triad truckways</p> <p>95-99-Helmitin Inc.</p>

	<p>101-Rainier HG Co</p> <p>105-Cameron compressor</p> <p>107-Kendall tom oil</p> <p>109-Eichley corp.</p> <p>111-Flying D tire mart</p> <p>113-Astral bldg. Co</p>
--	---

<b>PROJECT NUMBER:</b> 20180716058	
<b>Site Address:</b>	30 Newbridge Road, Etobicoke, Ontario
<b>Year:</b> 1965	
<b>Site Listing:</b>	-Address not listed
<b>Adjacent Properties:</b>	
<b>Newbridge Road (1-30)</b>	<p>11-Clarke roller coaster</p> <p>12-Sun oil Co</p> <p>15-Griswold engineering</p> <p>-Astral Constr.</p> <p>16-Sienna foods</p> <p>-Deluca masonry</p> <p>-Village contr.</p> <p>-Tibero contr.</p> <p>17-Guthrie containers</p> <p>18-Can. Duff-Norton Co</p> <p>20-Beckett paper prods.</p>

	<p>25-Dor-seal</p> <p>-Doric door</p>
<b>Bramshott Road (5-10)</b>	-Address not listed
<b>Lockport Avenue (1-30)</b>	<p>11-Dominion marsh</p> <p>12-Mitchell dick heating</p> <p>-Telecon controls</p> <p>14-George bros</p> <p>16-Diesel &amp; auto</p> <p>18-20-Mellon elect.</p>
<b>Shorncliffe Road (65-115)</b>	<p>65-Cloverdale auto</p> <p>66-J&amp;B cartage</p> <p>67-TO Ottawa valley express</p> <p>-Trove trans.</p> <p>72-Humphreys jack</p> <p>74-Ninis disposal</p> <p>80-argosy carriers</p> <p>81-Maislin svc</p> <p>82-Pacific inland express</p> <p>85-Hep sur machine</p> <p>-Falcon chemicals</p> <p>-Futurmill</p> <p>87-Gallagher WG constr.</p> <p>89-Wetmore welding</p> <p>90-Triad truckways</p>

	<p>95-Origena pizza</p> <p>97-99-Helmitin Inc.</p> <p>101-Rainier HG Co</p> <p>-Nu age bjorganic prods.</p> <p>105-Cameron compressor</p> <p>107-Kendall tom oil</p> <p>109-Acheson bros</p> <p>111-Stgandard auto glass</p> <p>113-Resco chemicals</p> <p>115-Great lakes elect.</p>
--	---

<b>PROJECT NUMBER:</b> 20180716058	
<b>Site Address:</b>	30 Newbridge Road, Etobicoke, Ontario
<b>Year:</b> 1960	
<b>Site Listing:</b>	-Address not listed
<b>Adjacent Properties:</b>	
<b>Newbridge Road (1-30)</b>	-No listings within desired radius
<b>Bramshott Road (5-10)</b>	-Address not listed
<b>Lockport Avenue (1-30)</b>	-No listings within desired radius
<b>Shorncliffe Road (65-115)</b>	69-Portland cement

	80-argosy carriers -Hanover trans. 87-Gallagher WG constr. 107-Sharp Edwards sales 109-Acheson bros
--	---

<b>PROJECT NUMBER:</b> 20180716058	
<b>Site Address:</b>	30 Newbridge Road, Etobicoke, Ontario
<b>Year:</b> 1955	
<b>Site Listing:</b>	-Address not listed
<b>Adjacent Properties:</b>	
<b>Newbridge Road (1-30)</b>	-No listings within desired radius
<b>Bramshott Road (5-10)</b>	-Address not listed
<b>Lockport Avenue (1-30)</b>	-No listings within desired radius
<b>Shorncliffe Road (65-115)</b>	-No listings within desired radius

<b>PROJECT NUMBER:</b> 20180716058	
<b>Site Address:</b>	30 Newbridge Road, Etobicoke, Ontario
<b>Year:</b> 1950	


<b>Site Listing:</b>	-Address not listed
<b>Adjacent Properties:</b>	
<b>Newbridge Road (1-30)</b>	-No listings within desired radius
<b>Bramshott Road (5-10)</b>	-Address not listed
<b>Lockport Avenue (1-30)</b>	-No listings within desired radius
<b>Shorncliffe Road (65-115)</b>	-No listings within desired radius

-All listings for businesses were listed as they are in the city directory.

-Listings that are residential are listed as “residential” with the number of tenants. The name of the residential tenant is not listed in the above city directory

# APPENDIX

## D MECP FOI AND TSSA REQUESTS



Ministry of the Environment,  
Conservation and Parks

Access and Privacy Office  
12<sup>th</sup> Floor  
40 St. Clair Avenue West  
Toronto ON M4V 1M2  
Tel: (416) 314-4075  
Fax: (416) 314-4285

Ministère de l'Environnement, de  
la Protection de la nature et des  
Parcs

Bureau de l'accès à l'information et  
de la protection de la vie privée  
12<sup>e</sup> étage  
40, avenue St. Clair ouest  
Toronto ON M4V 1M2  
Tél. : (416) 314-4075  
Télééc.: (416) 314-4285



November 30, 2018

Shawna Lundrigan  
WSP Canada  
51 Constellation Court  
Toronto, ON M9W 1K4

Dear Shawna Lundrigan:

RE: ***Freedom of Information and Protection of Privacy Act Request***  
**Our File # A-2018-07983, Your Reference 181-10974-00**

The Ministry is in receipt of your request made pursuant to the *Freedom of Information and Protection of Privacy Act* and has received your payment in the amount of \$5.00 (non-refundable application fee), along with your \$30.00 deposit.

**The search is being conducted on the following: 30 Lockport Avenue & 30 Newbridge Road & 36 North Queen Street, Toronto. If there is any discrepancy please contact us immediately.**

You may expect a reply or additional communication as your request is processed. For your information, the Ministry charges for search, copying and preparation time.

If you have any questions regarding this matter, please contact Jennifer Lee at [jennifer.lee7@ontario.ca](mailto:jennifer.lee7@ontario.ca).

Yours truly,

**ORIGINAL SIGNED BY**

Janet Dadufalza  
Manager, Access and Privacy



Ministry of the Environment,  
Conservation and Parks

Ministère de l'Environnement, de  
la Protection de la nature et des  
Parcs



Access and Privacy Office  
12<sup>th</sup> Floor  
40 St. Clair Avenue West  
Toronto ON M4V 1M2  
Tel: (416) 314-4075  
Fax: (416) 314-4285

Bureau de l'accès à l'information et  
de la protection de la vie privée  
12<sup>e</sup> étage  
40, avenue St. Clair ouest  
Toronto ON M4V 1M2  
Tél. : (416) 314-4075

December 11, 2018

Shawna Lundrigan  
WSP Canada  
51 Constellation Court  
Toronto, ON M9W 1K4

Dear Shawna Lundrigan:

**RE: *Freedom of Information and Protection of Privacy Act* Request  
Our File #: A-2018-07983, Your Reference #: 181-10974-00**

This letter is in response to your request made pursuant to the *Freedom of Information and Protection of Privacy Act* relating to 30 Lockport Avenue & 30 Newbridge Road & 36 North Queen Street, Toronto.

After a search of the Ministry's Toronto District Office, Investigations and Enforcement Branch, Environmental Monitoring and Reporting Branch, Sector Compliance Branch and Safe Drinking Water Branch, records were located in response to your request. It is my preliminary decision to provide partial access to the information as the identity of complainants will be removed to protect privacy (Section 21(1)(f) of the Act). As well, corporate confidential information will require notice to the third party (Section 17(1)(a), (c) of the Act).

In accordance with Section 57 of the *Freedom of Information and Protection of Privacy Act*, the estimated fee is:

• Search Time 1 hour @ \$30/hour	\$30.00
• CD	10.00
• Preparation Time approx. 0.50 hour @ \$30/hour	15.00
• Delivery	3.00
• <b>Total</b>	<b>\$58.00</b>
• Deposit Received	- 30.00
• <b>Balance Due</b>	<b>\$28.00</b>

Due to the volume, the records will be provided to you electronically on a CD. The Ministry has relied on Order PO-3621 by the Office of the Information and Privacy Commission (IPC) in order to calculate the estimated fees. Order PO-3621 states that the Ministry may charge a preparation fee of \$30.00 per hour for every 1,200 pages of scanned records. The breakdown of the approximate preparation fee is as follows: an estimated 0.50 hours to convert approximately 600 pages to electronic format. Please note, that upon completion of the Ministry's review, additional preparation charges may be applied to account for any severances made to the records in accordance with the exemptions under the Act. These severances will be charged at a rate of \$30.00 per hour, calculated at a rate of two minutes per page.

## Lundrigan, Shawna

---

**From:** Public Information Services <publicinformationsservices@tssa.org>  
**Sent:** November-02-18 2:49 PM  
**To:** Lundrigan, Shawna  
**Subject:** RE: ASTs/USTs

### Record Found (Fuels only)

Hello Shawna. Thank you for your request for confirmation of public information.

I have searched the below noted address(es) and I have located the following record:

Inst Number	Context	Address	City	Province	Postal Code	Status
9228778	FS PRIVATE FUEL OUTLET - SELF SERVE	30 NEWBRIDGE RD	ETOBICOKE	ON	M8Z 2L7	EXPIRED
9378556	FS PRIVATE FUEL OUTLET - SELF SERVE	30 NEWBRIDGE RD	ETOBICOKE	ON	M8Z 2L7	EXPIRED
10180961	FS PRIVATE FUEL OUTLET - SELF SERVE	30 NEWBRIDGE RD	ETOBICOKE	ON	M8Z 2L7	EXPIRED
11483036	FS Liquid Fuel Tank	30 NEWBRIDGE RD	ETOBICOKE	ON	M8Z 2L7	EXPIRED
10748743	FS Liquid Fuel Tank	30 NEWBRIDGE RD	ETOBICOKE	ON	M8Z 2L7	EXPIRED
10748758	FS Liquid Fuel Tank	30 NEWBRIDGE RD	ETOBICOKE	ON	M8Z 2L7	EXPIRED
10748776	FS Liquid Fuel Tank	30 NEWBRIDGE RD	ETOBICOKE	ON	M8Z 2L7	EXPIRED
10748796	FS Liquid Fuel Tank	30 NEWBRIDGE RD	ETOBICOKE	ON	M8Z 2L7	EXPIRED
11482997	FS Liquid Fuel Tank	30 NEWBRIDGE RD	ETOBICOKE	ON	M8Z 2L7	EXPIRED
11483016	FS Liquid Fuel Tank	30 NEWBRIDGE RD	ETOBICOKE	ON	M8Z 2L7	EXPIRED
9413279	FS PRIVATE FUEL OUTLET - SELF SERVE	36 NORTH QUEEN ST	ETOBICOKE	ON	M8Z 2C4	Active
10749075	FS Liquid Fuel Tank	36 NORTH QUEEN ST	ETOBICOKE	ON	M8Z 2C4	Active
10749092	FS Liquid Fuel Tank	36 NORTH QUEEN ST	ETOBICOKE	ON	M8Z 2C4	Active
10749110	FS Liquid Fuel Tank	36 NORTH QUEEN ST	ETOBICOKE	ON	M8Z 2C4	Active

For a further search in our archives please complete our release of public information form found at <https://www.tssa.org/en/about-tssa/release-of-public-information.aspx?mid=392> and email the completed form to [publicinformationsservices@tssa.org](mailto:publicinformationsservices@tssa.org) or through mail along with a fee of \$56.50 (including HST) per location. The fee is payable with credit card (Visa or MasterCard) or with a Cheque made payable to TSSA.

Although TSSA believes the information provided pursuant to your request is accurate, please note that TSSA does not warrant this information in any way whatsoever.

Kind regards,

Gaya

---

**From:** Lundrigan, Shawna <Shawna.Lundrigan@wsp.com>  
**Sent:** November 2, 2018 2:16 PM  
**To:** Public Information Services <publicinformationsservices@tssa.org>  
**Subject:** ASTs/USTs

Good afternoon,

I was looking to search your database for any ASTs or USTs at the following addresses in Toronto, Ontario:

30 Newbridge Road

36 North Queen Street  
32 North Queen Street  
41 Shorncliffe Road  
18 Lockport Avenue  
20 Lockport Avenue  
30 Lockport Avenue  
25 Lockport Avenue  
24 Newbridge Road  
25 Newbridge Road

Thank you,

**Shawna Lundrigan, B.Sc.**

Environmental Scientist  
Environment



T+ 1 647-730-7092  
M+ 1 437-216-2974

51 Constellation Court  
Toronto, Ontario,  
M9W 1K4 Canada

[wsp.com](http://wsp.com)

---

NOTICE: This communication and any attachments ("this message") may contain information which is privileged, confidential, proprietary or otherwise subject to restricted disclosure under applicable law. This message is for the sole use of the intended recipient(s). Any unauthorized use, disclosure, viewing, copying, alteration, dissemination or distribution of, or reliance on, this message is strictly prohibited. If you have received this message in error, or you are not an authorized or intended recipient, please notify the sender immediately by replying to this message, delete this message and all copies from your e-mail system and destroy any printed copies. You are receiving this communication because you are listed as a current WSP contact. Should you have any questions regarding WSP's electronic communications policy, please consult our Anti-Spam Commitment at [www.wsp.com/casl](http://www.wsp.com/casl). For any concern or if you believe you should not be receiving this message, please forward this message to [caslcompliance@wsp.com](mailto:caslcompliance@wsp.com) so that we can promptly address your request. Note that not all messages sent by WSP qualify as commercial electronic messages.


AVIS : Ce message, incluant tout fichier l'accompagnant (« le message »), peut contenir des renseignements ou de l'information privilégiés, confidentiels, propriétaires ou à divulgation restreinte en vertu de la loi. Ce message est destiné à l'usage exclusif du/des destinataire(s) voulu(s). Toute utilisation non permise, divulgation, lecture, reproduction, modification, diffusion ou distribution est interdite. Si vous avez reçu ce message par erreur, ou que vous n'êtes pas un destinataire autorisé ou voulu, veuillez en aviser l'expéditeur immédiatement et détruire le message et toute copie électronique ou imprimée. Vous recevez cette communication car vous faites partie des contacts de WSP. Si vous avez des questions concernant la politique de communications électroniques de WSP, veuillez consulter notre Engagement anti-pourriel au [www.wsp.com/lcap](http://www.wsp.com/lcap). Pour toute question ou si vous croyez que vous ne devriez pas recevoir ce message, prière de le transférer au [conformitelcap@wsp.com](mailto:conformitelcap@wsp.com) afin que nous puissions rapidement traiter votre demande. Notez que ce ne sont pas tous les messages transmis par WSP qui constituent des messages électroniques commerciaux.

-LAErnHhHzdJzBITWfa4Hgs7pbKl

This electronic message and any attached documents are intended only for the named recipients. This communication from the Technical Standards and Safety Authority may contain information that is privileged, confidential or otherwise protected from disclosure and it must not be disclosed, copied, forwarded or distributed without authorization. If you have received this message in error, please notify the sender immediately and delete the original message.

# APPENDIX

## **E** AERIAL PHOTOGRAPHS





APPROXIMATE  
SITE LOCATION



51 CONSTELLATION COURT  
TORONTO, ONTARIO CANADA M9W 1K4  
TEL.: 416-798-0065 | FAX: 416-798-0518 | WWW.WSP.COM

SOURCE: County Atlas Project

CLIENT:	TORONTO TRANSIT COMMISSION	PROJECT NO:	181-10974-00	FIGURE NO:	D-1
TITLE:	1878 YORK COUNTY ATLAS - ETOBICOKE	DRAWN BY:	OB	CHECKED BY:	RO
PROJECT:	PHASE ONE ENVIRONMENTAL SITE ASSESSMENT 30 NEWBRIDGE ROAD, TORONTO, ON	DATE:	February 2019	SCALE:	NTS
		ORIGINAL SIZE:	Letter	REV. #	0

\\Ca\Tor3\Environmental\000-181-00000-00\181-10974-00 - 30 Newbridge Road, TTC\Phase One ESA Template Folder (O.Reg. 153)\10 Appendix E - Aerial Photographs\181-10974-00 30 - Aerial photographs.dwg



51 CONSTELLATION COURT  
 TORONTO, ONTARIO CANADA M9W 1K4  
 TEL.: 416-798-0065 | FAX: 416-798-0518 | WWW.WSP.COM


**LEGEND**

Site Boundary

**SOURCE:** City of Toronto Archives

CLIENT:	TORONTO TRANSIT COMMISSION	PROJECT NO:	181-10974-00	FIGURE NO:	D-2
TITLE:	1947 AERIAL PHOTOGRAPH	DRAWN BY:	OB	CHECKED BY:	RO
PROJECT:	PHASE ONE ENVIRONMENTAL SITE ASSESSMENT 30 NEWBRIDGE ROAD, TORONTO, ON	DATE:	February 2019	SCALE:	as shown
		ORIGINAL SIZE:	Letter	REV. #	0

\\CaTor3Data01\CatOr3\Environmental\000\181-00000-00\181-10974-00 - 30 Newbridge Road, TTC\Phase One ESA Template Folder (O.Reg. 153)\10 Appendix E - Aerial Photographs\181-10974-00 30 - Aerial photographs.dwg




51 CONSTELLATION COURT  
 TORONTO, ONTARIO CANADA M9W 1K4  
 TEL.: 416-798-0065 | FAX: 416-798-0518 | WWW.WSP.COM

**LEGEND**

 Site Boundary

**SOURCE:** City of Toronto Archives

CLIENT:	TORONTO TRANSIT COMMISSION	PROJECT NO:	181-10974-00	FIGURE NO:	D-3
TITLE:	1950 AERIAL PHOTOGRAPH	DRAWN BY:	OB	CHECKED BY:	RO
PROJECT:	PHASE ONE ENVIRONMENTAL SITE ASSESSMENT 30 NEWBRIDGE ROAD, TORONTO, ON	DATE:	February 2019	SCALE:	as shown
		ORIGINAL SIZE:	Letter	REV. #	0



\\CaTor3Data01\CatOr3\Environmental\000-181-00000-00\181-10974-00 - 30 Newbridge Road, TTC\Phase One ESA Template Folder (O.Reg. 153)\10 Appendix E - Aerial Photographs\181-10974-00 30 - Aerial photographs.dwg



51 CONSTELLATION COURT  
 TORONTO, ONTARIO CANADA M9W 1K4  
 TEL.: 416-798-0065 | FAX: 416-798-0518 | WWW.WSP.COM


**LEGEND**

- - - Site Boundary

**SOURCE:** City of Toronto Archives

CLIENT:	TORONTO TRANSIT COMMISSION	PROJECT NO:	181-10974-00	FIGURE NO:	D-4
TITLE:	1959 AERIAL PHOTOGRAPH	DRAWN BY:	OB	CHECKED BY:	RO
PROJECT:	PHASE ONE ENVIRONMENTAL SITE ASSESSMENT 30 NEWBRIDGE ROAD, TORONTO, ON	DATE:	February 2019	SCALE:	as shown
		ORIGINAL SIZE:	Letter	REV. #	0





51 CONSTELLATION COURT  
 TORONTO, ONTARIO CANADA M9W 1K4  
 TEL.: 416-798-0065 | FAX: 416-798-0518 | WWW.WSP.COM


**LEGEND**

Site Boundary

**SOURCE:** City of Toronto Archives

CLIENT:	TORONTO TRANSIT COMMISSION	PROJECT NO: 181-10974-00	FIGURE NO: D-5
TITLE:	1970 AERIAL PHOTOGRAPH	DRAWN BY: OB	CHECKED BY: RO
PROJECT:	PHASE ONE ENVIRONMENTAL SITE ASSESSMENT 30 NEWBRIDGE ROAD, TORONTO, ON	DATE: February 2019	SCALE: as shown
		ORIGINAL SIZE: Letter	REV. # 0

\\CaTor3Data01\CatOr3\Environmental\000-181-00000-00\181-10974-00 - 30 Newbridge Road, TTC\Phase One ESA Template Folder (O.Reg. 153)\10 Appendix E - Aerial Photographs\181-10974-00 30 - Aerial photographs.dwg




51 CONSTELLATION COURT  
 TORONTO, ONTARIO CANADA M9W 1K4  
 TEL.: 416-798-0065 | FAX: 416-798-0518 | WWW.WSP.COM

**LEGEND**

Site Boundary

**SOURCE:** City of Toronto Archives

CLIENT:	TORONTO TRANSIT COMMISSION	PROJECT NO:	181-10974-00	FIGURE NO:	D-6
TITLE:	1983 AERIAL PHOTOGRAPH	DRAWN BY:	OB	CHECKED BY:	RO
PROJECT:	PHASE ONE ENVIRONMENTAL SITE ASSESSMENT 30 NEWBRIDGE ROAD, TORONTO, ON	DATE:	February 2019	SCALE:	as shown
		ORIGINAL SIZE:	Letter	REV. #	0



\\CaTor3Data01\Cat0r3\Environmental\000-181-00000-00\181-10974-00 - 30 Newbridge Road, TTC\Phase One ESA Template Folder (O.Reg. 153)\10 Appendix E - Aerial Photographs\181-10974-00 30 - Aerial photographs.dwg




51 CONSTELLATION COURT  
 TORONTO, ONTARIO CANADA M9W 1K4  
 TEL.: 416-798-0065 | FAX: 416-798-0518 | WWW.WSP.COM

**LEGEND**

- - - - - Site Boundary

**SOURCE:** City of Toronto Archives

CLIENT:	TORONTO TRANSIT COMMISSION	PROJECT NO:	181-10974-00	FIGURE NO:	D-7
TITLE:	1992 AERIAL PHOTOGRAPH	DRAWN BY:	OB	CHECKED BY:	RO
PROJECT:	PHASE ONE ENVIRONMENTAL SITE ASSESSMENT 30 NEWBRIDGE ROAD, TORONTO, ON	DATE:	February 2019	SCALE:	as shown
		ORIGINAL SIZE:	Letter	REV. #	0



\\CaTor3Data01\CatOr3\Environmental\000-181-00000-00\181-10974-00 - 30 Newbridge Road, TTC\Phase One ESA Template Folder (O.Reg. 153)\10 Appendix E - Aerial Photographs\181-10974-00 30 - Aerial photographs.dwg



51 CONSTELLATION COURT  
 TORONTO, ONTARIO CANADA M9W 1K4  
 TEL.: 416-798-0065 | FAX: 416-798-0518 | WWW.WSP.COM


**LEGEND**

- - - - - Site Boundary

**SOURCE:** Google Earth

CLIENT:	TORONTO TRANSIT COMMISSION	PROJECT NO:	181-10974-00	FIGURE NO:	D-8
TITLE:	2005 SATELLITE IMAGE	DRAWN BY:	OB	CHECKED BY:	RO
PROJECT:	PHASE ONE ENVIRONMENTAL SITE ASSESSMENT 30 NEWBRIDGE ROAD, TORONTO, ON	DATE:	February 2019	SCALE:	as shown
		ORIGINAL SIZE:	Letter	REV. #	0

\\Ca\Tor3\Environmental\000-181-00000-00\181-10974-00 - 30 Newbridge Road, TTC\Phase One ESA Template Folder (O.Reg. 153)\10 Appendix E - Aerial Photographs\181-10974-00 30 - Aerial photographs.dwg



51 CONSTELLATION COURT  
 TORONTO, ONTARIO CANADA M9W 1K4  
 TEL.: 416-798-0065 | FAX: 416-798-0518 | WWW.WSP.COM

**LEGEND**


Site Boundary

**SOURCE:** Google Earth

CLIENT:	TORONTO TRANSIT COMMISSION	PROJECT NO:	181-10974-00	FIGURE NO:	D-9
TITLE:	2017 SATELLITE IMAGE	DRAWN BY:	OB	CHECKED BY:	RO
PROJECT:	PHASE ONE ENVIRONMENTAL SITE ASSESSMENT 30 NEWBRIDGE ROAD, TORONTO, ON	DATE:	February 2019	SCALE:	as shown
		ORIGINAL SIZE:	Letter	REV. #	0

# APPENDIX

## F UTILITY LOCATES





**OnSite  
LOCATES**

1-800-805-6155  
digsafe@onsitelocates.ca  
www.onsitelocates.ca

# PRIVATE UTILITY LOCATE REPORT

v. 10/16

Auxiliary Locate Sheet (not valid unless accompanied by a Primary Locate Sheet)


DATE: **JAN 3, 2018** Valid for 30 days from the date of this report PAGE 2 OF 6

CLIENT COMPANY: **WSP**

SITE ADDRESS / NEAREST INTERSECTION: **30 NEWBRIDGE RD, ETOBICOKE, ONTARIO**

LOCATE AREA / LIMIT OF LOCATE: FROM: **1.0m RADIUS AROUND EACH BOREHOLE** TO:

LEGEND	
LIMIT OF LOCATE	LOL
BOREHOLE	⊕
TEST PIT	⊞
BUILDING LINE	▬▬▬▬
PROPERTY LINE	PL
FENCE LINE	—FL—
STANDARD IRON BAR	SIB
BOLLARD	B
POST INDICATOR VALVE	PV
FACE CURB LINE	FC
ROAD EDGE	RE
BUILDING LINE	BL
CRITICAL ZONE	CZ
RAILWAY	++++
SIDEWALK	SW
HYDRO POLE	HP
LIGHT STANDARD	LS
SIGN POST	SP
MANHOLE	MH
HAND HOLE	HH
CATCH BASIN	CB
FIRE HYDRANT	FH
TRANSFORMER	TX or □
Vault	V
WATER VALVE	WV
HAND WELL	HW
WATER	—WS—
HYDRO	—H—
GAS	—G—
ELECTRICAL	—E—
COMMUNICATION	—C—
FIBRE OPTIC	—FO—
TELEPHONE	—T—
CABLE TV	—TV—
SEWER	—S—
SPRINKLER PIPELINE	—SP—
SANITARY	SAN
STORM	STM
UNKNOWN TYPE	—?—
KIOSK	K
OVERHEAD	OH
PHONE BOOTH	PB
BELL PEDESTAL	⊞



ANY PUBLIC UTILITIES SHOWN HERE ARE FOR REFERENCE ONLY. THESE PUBLIC UTILITIES HAVE BEEN MARKED BY OTHERS OR MARKED BY ONSITE LOCATES WITH PINK PAINT. UTILITIES MARKED IN PINK WITHIN THE LOCATE AREA, ARE FOR SURVEY PURPOSES ONLY, AND REQUIRE A PUBLIC LOCATE

PLEASE SEE THE PRIMARY LOCATE SHEET (PAGE 1) FOR ANY NOTES OR LIMITATIONS WITH REGARDS TO THIS REPORT.

Client Representative's Signature \_\_\_\_\_  
Locate Technician Signature \_\_\_\_\_

MUST BE SIGNED BY CLIENT TO BE VALID. THE CLIENT IS IN AGREEMENT AND ACKNOWLEDGES THE TERMS OF THIS REPORT IF THIS REPORT WAS EMANATED AND NOT SIGNED. A COPY OF THIS LOCATE REPORT MUST BE ON-SITE AND IN THE HANDS OF THE PERSON EXCAVATING DURING WORK OPERATIONS.



**OnSite  
LOCATES**

1-800-805-6155  
digsafe@onsitelocates.ca  
www.onsitelocates.ca

# PRIVATE UTILITY LOCATE REPORT

v. 10/16


Auxiliary Locate Sheet (not valid unless accompanied by a Primary Locate Sheet)

DATE: JAN 03 / 2019 Valid for 30 days from the date of this report PAGE 3 OF 6

CLIENT COMPANY: WSP

SITE ADDRESS / NEAREST INTERSECTION: 36 N QUEEN ST, ETOBICOKE ONT

LOCATE AREA / LIMIT OF LOCATE:	FROM: 10M RADII'S AROUND BEREH-LE MARKINGS.	FROM:
	TO: (7) BOREHOLES IN TOTAL	TO:



PLEASE SEE THE PRIMARY LOCATE SHEET (PAGE 1) FOR ANY NOTES OR LIMITATIONS WITH REGARDS TO THIS REPORT.

E-MAIL  
Client Representative's Signature

Locate Technician Signature

MUST BE SIGNED BY CLIENT TO BE VALID. THE CLIENT IS IN AGREEMENT AND ACKNOWLEDGES THE TERMS OF THIS REPORT IF THIS REPORT WAS EMAILED AND NOT SIGNED. A COPY OF THIS LOCATE REPORT MUST BE ON-SITE AND IN THE HANDS OF THE PERSON EXCAVATING DURING WORK OPERATIONS.





**OnSite  
LOCATES**

1-800-805-6155  
digsafe@onsitelocates.ca  
www.onsitelocates.ca

# PRIVATE UTILITY LOCATE REPORT

v. 10/16


Auxiliary Locate Sheet (not valid unless accompanied by a Primary Locate Sheet)

DATE: JAN 03 2019 Valid for 30 days from the date of this report PAGE 4 OF 5

CLIENT COMPANY: WSP

SITE ADDRESS / NEAREST INTERSECTION: 36 N QUEEN ST, ETOBICOKE ONT

LOCATE AREA / LIMIT OF LOCATE: FROM: 1.0M RADIUS AROUND BOREHOLE MARKINGS TO: (8) BOREHOLES IN TOTAL



PLEASE SEE THE PRIMARY LOCATE SHEET (PAGE 1) FOR ANY NOTES OR LIMITATIONS WITH REGARDS TO THIS REPORT.

Client Representative's Signature

Locate Technician Signature

MUST BE SIGNED BY CLIENT TO BE VALID. THE CLIENT IS IN AGREEMENT AND ACKNOWLEDGES THE TERMS OF THIS REPORT IF THIS REPORT WAS EMAILED AND NOT SIGNED. A COPY OF THIS LOCATE REPORT MUST BE ON-SITE AND IN THE HANDS OF THE PERSON EXCAVATING DURING WORK OPERATIONS.



**OnSite  
LOCATES**

1-800-805-6155  
digsafe@onsitelocates.ca  
www.onsitelocates.ca

# PRIVATE UTILITY LOCATE REPORT

v. 10/16

Auxiliary Locate Sheet (not valid unless accompanied by a Primary Locate Sheet)

DATE: JAN 03 2019 Valid for 30 days from the date of this report PAGE 5 OF 8


CLIENT COMPANY: WSP

SITE ADDRESS / NEAREST INTERSECTION: 30 NEWBRIDGE RD, ETOBICOKE ONT

LOCATE AREA / LIMIT OF LOCATE:	FROM: <u>1.0M RADIUS AROUND BORE HOLE</u>	FROM: <u>MARKINGS</u>
	TO: <u>(4) BOREHOLES IN TOTAL</u>	TO:

**LEGEND**

LIMIT OF LOCATE	LOL
BOREHOLE	⊕
TEST PIT	⊗
BUILDING LINE	▬▬▬▬
PROPERTY LINE	PL
FENCE LINE	→ FL →
STANDARD IRON BAR	SIB
BOLLARD	B
POST INDICATOR	PIV
FACE CURB LINE	FC
ROAD EDGE	RE
BUILDING LINE	BL
CRITICAL ZONE	CZ
RAILWAY	++++
SIDEWALK	SW
HYDRO POLE	HP
LIGHT STANDARD	LS
SIGN POST	SP
MANHOLE	MH
HAND HOLE	HH
CATCH BASIN	CB
FIRE HYDRANT	⊙ FH
TRANSFORMER	TX or ⊠
Vault	V
WATER VALVE	WV
HAND WELL	HW
WATER	— WS —
HYDRO	— H —
GAS	— G —
ELECTRICAL	— E —
COMMUNICATION	— C —
FIBRE OPTIC	— FO —
TELEPHONE	— T —
CABLE TV	— TV —
SEWER	— S —
SPRINKLER	— SP —
PIPELINE	— P —
SANITARY	SAN
STORM	STM
UNKNOWN TYPE	— ? —
KIOSK	K
OVERHEAD	OH
PHONE BOOTH	PB
BELL PEDESTAL	⊠



ANY PUBLIC UTILITIES SHOWN HERE ARE FOR REFERENCE ONLY. THESE PUBLIC UTILITIES HAVE BEEN MARKED BY OTHERS OR MARKED BY ONSITE LOCATES WITH PINK PAINT. UTILITIES MARKED IN PINK WITHIN THE LOCATE AREA, ARE FOR SURVEY PURPOSES ONLY, AND REQUIRE A PUBLIC LOCATE.

PLEASE SEE THE PRIMARY LOCATE SHEET (PAGE 1) FOR ANY NOTES OR LIMITATIONS WITH REGARDS TO THIS REPORT.


Client Representative's Signature \_\_\_\_\_

Locate Technician Signature [Signature]

MUST BE SIGNED BY CLIENT TO BE VALID, THE CLIENT IS IN AGREEMENT AND ACKNOWLEDGES THE TERMS OF THIS REPORT IF THIS REPORT WAS EMAILED AND NOT SIGNED. A COPY OF THIS LOCATE REPORT MUST BE ON-SITE AND IN THE HANDS OF THE PERSON EXCAVATING DURING WORK OPERATIONS.

# APPENDIX

# G SITE PHOTOGRAPHS






1. View of building located on the central portion of 30 Newbridge Road, facing northeast.



2. View of the interior of the southern portion of the warehouse located within the site building located on the central portion of 30 Newbridge Road.



3. View of the interior of the site building located on the central portion of 30 Newbridge Road.



4. View of the sump pump located within the site building located on the central portion of 30 Newbridge Road.




5. View of the roof of the site building located on the central portion of 30 Newbridge Road.



6. View of the fill piles located to the east of the site building located on the central portion of 30 Newbridge Road.



7. View of the interior of the site building located at 30A Newbridge Road.



8. View of the drain observed within the interior of the site building located at 30A Newbridge Road.



9. View of the northern portion of 30 Newbridge road and the exterior of the site building located at 30A Newbridge Road, facing north.



10. View of the central portion of 30 Newbridge Road, facing south.





11. View of the building located on 36 North Queen Street, facing southeast.



12. View of the auto garage located on the south central portion of 36 North Queen Street, facing northeast.



13. View of surficial staining and oil totes located to the north of the on-site garage, facing east.



14. View of the interior of the on-site garage, facing east.



15. View of the diesel AST located on the south central portion of 36 North Queen Street, facing southwest.



16. View of the transformer located on the southwestern portion of 36 North Queen Street, facing east.



17. View of the transformer located on the north-central portion of 36 North Queen Street, facing north.



18. View of the salt hut located on the northern portion of 30 Newbridge Road, facing north.



19. View of the west adjacent property, facing southwest.



20. View of Helmitin Adhesives, an adhesives manufacturing company, located to the west of the Site, facing east.



21. View of the Hydro One Site located to the west of the Site, facing northwest.



22. View of the gasoline service station located at 58 North Queen Street, to the west of the Site, facing north.



23. View of an auto body shop located at 14 Lockport Avenue, to the west of the Site, facing north.



24. View of OK Tire, an auto garage, located on the northeast corner of the intersection of Lockport Avenue and Shorncliffe Road, to the west of the Site, facing northeast.



PHASE TWO ENVIRONMENTAL SITE ASSESSMENT  
30 NEWBRIDGE ROAD,  
TORONTO, ONTARIO

TORONTO TRANSIT COMMISSION

VERSION 1

PROJECT NO.: 181-10974-01  
DATE: FEBRUARY 2019

WSP  
51 CONSTELLATION COURT  
TORONTO, ON, CANADA M9W 1K4

WSP.COM





51 CONSTELLATION COURT  
TORONTO, ON, CANADA M9W 1K4

wsp.com

February 8, 2019

Mr. Andrew Drevininkas

TORONTO TRANSIT COMMISSION  
5160 Yonge Street, Suite 1300  
Toronto, Ontario  
M2N 6L9

Subject: Phase Two Environmental Site Assessment  
30 Newbridge Road, Toronto, Ontario  
Project No.: 181-10974-01

WSP Canada Inc. is pleased to present our Phase Two Environmental Site Assessment report for the above-noted property. This Phase Two Environmental Site Assessment was completed in accordance with Ontario Regulation 153/04, as amended. As such, this report may be used to support a Record of Site Condition application for the property. The report describes the interpreted environmental conditions at the property and provides conclusions for your consideration.

We trust that this information is sufficient for your current needs. If you have any questions or require further information, please contact us.

Yours truly,

A handwritten signature in blue ink, appearing to read 'Rodney Obdeyn', written over a light blue circular stamp.

Rodney Obdeyn, P.Eng., QP<sub>ESA</sub>  
Principal Engineer

WSP ref.: 181-10974-01

---

# SIGNATURES

## PREPARED BY



Michelle Locke, P.Eng., QP<sub>ESA</sub>  
Environmental Engineer

## REVIEWED BY



Rodney Obdeyn, P.Eng. QP<sub>ESA</sub>  
Principal Engineer

This report was prepared by WSP for the account of TORONTO TRANSIT COMMISSION, in accordance with the professional services agreement. The disclosure of any information contained in this report is the sole responsibility of the intended recipient. The material in it reflects WSP's best judgement in light of the information available to it at the time of preparation. Any use which a third party makes of this report, or any reliance on or decisions to be made based on it, are the responsibility of such third parties. WSP accepts no responsibility for damages, if any, suffered by any third party as a result of decisions made or actions based on this report. This limitations statement is considered part of this report.

The original of the technology-based document sent herewith has been authenticated and will be retained by WSP for a minimum of ten years. Since the file transmitted is now out of WSP's control and its integrity can no longer be ensured, no guarantee may be given with regards to any modifications made to this document.



# TABLE OF CONTENTS

1	EXECUTIVE SUMMARY .....	1
2	INTRODUCTION .....	8
2.1	Site Description .....	8
2.2	Property Ownership .....	9
2.3	Current and Proposed Future Uses .....	9
2.4	Applicable Site Condition Standard .....	9
3	BACKGROUND INFORMATION .....	10
3.1	Physical Setting .....	10
3.2	Past Assessments and Investigations .....	10
4	SCOPE OF INVESTIGATION .....	12
4.1	Overview of Site Investigation .....	12
4.1.1	Sampling and Analysis Plan .....	12
4.2	Media Investigation.....	13
4.3	Phase One Conceptual Site Model.....	13
4.4	Deviations from the sampling and analysis plan .....	14
4.5	Impediments .....	14
5	INVESTIGATION METHOD .....	15
5.1	General.....	15
5.2	Drilling .....	15
5.3	Soil.....	16
5.3.1	Soil Sampling.....	16
5.3.2	Field Screening Measurements .....	16
5.4	Groundwater .....	17
5.4.1	Groundwater Monitoring and Well Installation .....	17
5.4.2	Groundwater Field Measurement of Water Quality Parameters .....	17
5.4.3	Groundwater Sampling .....	17
5.5	Sediment Sampling .....	17
5.6	Analytical Testing .....	17
5.7	Residue Management Procedures.....	18
5.8	Elevation Survey .....	18



<b>5.9</b>	<b>Quality Assurance and Quality Control Measures .....</b>	<b>18</b>
<b>6</b>	<b>REVIEW AND EVALUATION .....</b>	<b>20</b>
<b>6.1</b>	<b>Geology/Soil Stratigraphy .....</b>	<b>20</b>
<b>6.2</b>	<b>Hydrogeology.....</b>	<b>20</b>
6.2.1	Elevations and Flow Direction.....	20
6.2.2	Hydraulic Gradients .....	20
<b>6.3</b>	<b>Results of Analysis .....</b>	<b>20</b>
6.3.1	Soil Texture Analysis.....	21
6.3.2	Field Screening .....	21
6.3.3	Soil Chemical Quality .....	21
6.3.4	Soil – Metals and Other Regulated Parameters .....	21
6.3.5	Soil – Petroleum Hydrocarbons and BTEX .....	21
6.3.6	Soil – Volatile Organic Compounds .....	21
6.3.7	Soil – Polycyclic Aromatic Hydrocarbons.....	22
6.3.8	Soil – Polychlorinated biphenyls .....	22
6.3.9	Groundwater Chemical Quality .....	22
6.3.10	Groundwater – Metals and Other Regulated Parameters .....	22
6.3.11	Groundwater - Petroleum Hydrocarbons and BTEX .....	22
6.3.12	Groundwater– Volatile Organic Compounds.....	23
6.3.13	Groundwater– Polycyclic Aromatic HydroCompounds .....	23
6.3.14	Groundwater– Polychlorinated biphenyls .....	23
6.3.15	Sediment Quality .....	23
<b>6.4</b>	<b>Quality Assurance and Quality Control Results .....</b>	<b>23</b>
<b>6.5</b>	<b>Phase Two Conceptual Site Model .....</b>	<b>25</b>
<b>7</b>	<b>CONCLUSIONS .....</b>	<b>51</b>
<b>7.1</b>	<b>Qualifier .....</b>	<b>52</b>
<b>7.2</b>	<b>Qualifications of the Assessors .....</b>	<b>52</b>
<b>8</b>	<b>REFERENCES .....</b>	<b>53</b>



**TABLES (WITHIN BODY OF REPORT)**

TABLE 1.1	SUMMARY OF APECS IDENTIFIED IN PHASE ONE ESA.....	1
TABLE 2.1	PROPERTY INFORMATION .....	8
TABLE 2.2	PROPERTY OWNERSHIP INFORMATION .....	9
TABLE 3.1	SUMMARY OF PHYSICAL SETTING.....	10
TABLE 4.1	LIST OF STANDARD OPERATING PROCEDURES USED IN FIELD INVESTIGATION.....	12
TABLE 5.1	SUMMARY OF DRILLING .....	15
TABLE 5.2	SUMMARY OF FIELD SCREENING INFORMATION.....	16
TABLE 5.3	SUMMARY OF RESIDUE MANAGEMENT PROCEDURES .....	18
TABLE 5.4	QUALITY ASSURANCE AND QUALITY CONTROL MEASURES .....	18
TABLE 6.2	SUMMARY OF ORP EXCEEDANCES IN SOIL .....	21
TABLE 6.3	SUMMARY OF ORP EXCEEDANCES IN GROUNDWATER .....	22
TABLE 6.4	SUMMARY OF PHC EXCEEDANCES IN GROUNDWATER .....	22
TABLE 6.5	SUMMARY OF VOC EXCEEDANCES IN GROUNDWATER .....	23
TABLE 6.6	SUMMARY OF QA/QC RESULTS .....	24
TABLE 6.7	SUMMARY OF PCAS IDENTIFIED IN THE PHASE ONE ESA .....	25
TABLE 6.8	SUMMARY OF APECS IDENTIFIED IN PHASE ONE ESA.....	39
TABLE 6.9	SUMMARY OF PHASE TWO CSM.....	46

---

**TABLES (APPENDED TO REPORT)**

Table 1	Monitoring Well Installation and Groundwater Levels
Table 2	Summary of Soil Samples Submitted for Chemical Analysis
Table 3	Summary of Groundwater Samples Submitted for Chemical Analysis
Table 4	Soil Analytical Results - Metals and ORPs
Table 5	Soil Analytical Results - PHCs and BTEX
Table 6	Soil Analytical Results - VOCs
Table 7	Soil Analytical Results - PAHs
Table 8	Soil Analytical Results - PCBs
Table 9	Groundwater Analytical Results - Metals and ORPs
Table 10	Groundwater Analytical Results – PHCs and BTEX
Table 11	Groundwater Analytical Results - VOCs
Table 12	Groundwater Analytical Results - PAHs
Table 13	Groundwater Analytical Results - PCBs
Table 14	Summary of Maximum Concentrations in Soil
Table 15	Summary of Maximum Concentrations in Groundwater

---

**FIGURES (APPENDED TO REPORT)**

Figure 1	Phase One Conceptual Site Model
Figure 2	Areas of Potential Environmental Concern
Figure 3	Borehole Location Plan
Figure 4	Groundwater Contours and Groundwater Flow
Figure 5	Summary of Chemical Analysis in Soil
Figure 6	Chemical Exceedances in Soil – ORPs
Figure 7	Summary of Chemical Analysis in Groundwater
Figure 8	Chemical Exceedances in Groundwater – ORPs
Figure 9	Chemical Exceedances in Groundwater – PHCs
Figure 10	Chemical Exceedances in Groundwater – VOCs
Figure 11	Cross Section A-A' with Chemical Exceedances in Soil - ORPs
Figure 12	Cross Section B-B' with Chemical Exceedances in Soil - ORPs
Figure 13	Cross Section A-A' with Chemical Exceedances in Groundwater – ORPs
Figure 14	Cross Section B-B' with Chemical Exceedances in Groundwater – ORPs
Figure 15	Cross Section A-A' with Chemical Exceedances in Groundwater – PHCs
Figure 16	Cross Section B-B' with Chemical Exceedances in Groundwater – PHCs
Figure 17	Cross Section A-A' with Chemical Exceedances in Groundwater – VOCs
Figure 18	Cross Section B-B' with Chemical Exceedances in Groundwater – VOCs
Figure 19	Contaminant Transport Diagram

---

## ***APPENDICES***

TABLES

FIGURES

- A** LEGAL SURVEY
- B** SAMPLING AND ANALYSIS PLAN
- C** BOREHOLE LOGS
- D** CERTIFICATES OF ANALYSIS
  - D-1** Soil
  - D-2** Groundwater

---

# ACRONYMS AND ABBREVIATIONS

µm	micrometre(s)
APEC	area(s) of potential environmental concern as defined in O.Reg. 153/04, “the area on, in or under a phase one property where one or more contaminants are potentially present, as determined through the phase one environmental site assessment, including through (a) identification of past or present uses on, in or under the phase one property, and (b) identification of potentially contaminating activity”
As	arsenic
B-HWS	boron (hot water soluble)
BTEX	benzene, toluene, ethylbenzene, and xylenes
CALA	Canadian Association for Laboratory Accreditation
Cl-	chlorine
CN-	cyanide
Cr (VI)	hexavalent chromium
CSM	conceptual site model
DNAPL	dense non-aqueous phase liquid(s)
EC	electrical conductivity
ESA	environmental site assessment
ha	hectare(s)
Hg	mercury
ICC	Industrial/Commercial/Community
km	kilometre(s)
L	litre(s)
LNAPL	light non-aqueous phase liquid(s)
m	metre(s)
masl	metres above sea level
mbgs	metres below ground surface
MDL	method detection limit
MNRF	Ministry of Natural Resources and Forestry
MECP	Ministry of the Environment, Conservation and Parks
N/S	Not Specified
Na	sodium
O.Reg. 153/04	Ontario Regulation 153/04, as amended
O.Reg. 347	Ontario Regulation 347, as amended



O.Reg. 903	Ontario Regulation 903, as amended
ORPs	other regulated parameters
PAH	polycyclic aromatic hydrocarbon
PCA	potentially contaminating activity as defined in O.Reg. 153/04, “a use or activity set out in Column A of Table 2 of Schedule D that is occurring or has occurred in a Phase One study area”
PCB	polychlorinated biphenyls
PCOC	potential contaminant(s) of concern
PHC	petroleum hydrocarbon
PID	photoionization detector
PIN	property identification number
ppm	parts per million
QA	quality assurance
QC	quality control
QPESA	Qualified Person for ESAs according to MECP O.Reg. 153/04
RA	Risk Assessment
RDL	reporting detection limit
RPI	Residential/Parkland/Institution
RPIICC	Residential/Parkland/Institution/Industrial/Commercial/Community
RSC	Record of Site Condition
SAP	Sampling and Analysis Plan
SAR	sodium adsorption ratio
Sb	antimony
Se	selenium
SOP	standard operating procedure(s)
SCS	Site Condition Standard
THM	trihalomethane
TOV	total organic vapours
UST	underground storage tank
VOC	volatile organic compound

# 1 EXECUTIVE SUMMARY

WSP was retained by Mr. Andrew Drevininkas of the Toronto Transit Commission (TTC) to conduct a Phase Two ESA for due diligence purposes. The Phase Two ESA was conducted in general compliance with Ontario Regulation (O.Reg.) 153/04; however, it is understood that a Record of Site Condition will not be required for the Site.

The Phase Two Property or Site is located on the eastern end of Newbridge Road in a mixed commercial and industrial area in the City of Toronto, Ontario, approximately 200 m east of the intersection of Newbridge Road and Shorncliffe Road. The Site is irregular in shape, and occupied an area of approximately 29.5 ha (73 acres) and includes properties with the municipal addresses 30 Newbridge Road, 30A Newbridge Road, and 36 North Queen Street. The property located at 30 Newbridge Road is occupied by a mixed multi-tenant commercial and industrial building. 30A Newbridge Road is occupied by a commercial building which is occupied by Humberview Group, a retail car dealership. The eastern portion of 30 Newbridge Road is vacant of any structures and is occupied by Hansen Releasing Company Inc. as a car storage lot. The property listed as 36 North Queen Street is occupied by a commercial building which is occupied by Canada Pacific and is utilized as a commercial trucking and container terminal. An auto repair garage is located on the south-central portion of 36 North Queen Street.

Based on the Phase One ESA completed by WSP in February 2019, the Phase Two Property is considered to have the following areas of potential environmental concern (APEC):

**Table 1.1 Summary of APECs Identified in Phase One ESA**

AREA OF POTENTIAL ENVIRONMENTAL CONCERN	LOCATION OF POTENTIAL ENVIRONMENTAL CONCERN ON PHASE ONE PROPERTY	POTENTIALLY CONTAMINATING ACTIVITY	LOCATION OF PCA (ON-SITE OR OFF-SITE)	POTENTIAL CONTAMINANTS OF CONCERN	MEDIA POTENTIALLY IMPACTED (GROUND WATER, SOIL AND/OR SEDIMENT)
APEC-1	Northern and Western portion of the Phase One Property	PCA No. 2 Adhesive and Resin Manufacturing, Processing and Bulk Storage	Off-site	VOCs, BTEX, Metals, Sb, Se, Cr (VI), Hg, B-HWS, low or high pH	Soil & Groundwater
		PCA No. 10 Commercial Autobody Shops		Metals, As, Cr (VI), Hg, Se, PHCs, VOCs	
		PCA No. 11 Commercial Trucking and Container Terminals		PHCs, BTEX, PAHs, metals	
		PCA No. 12 Concrete, Cement, and Lime Manufacturing		Ca, Na, low or high pH	

APEC-1	Northern and Western portion of the Phase One Property	PCA No. 18 Electricity Generation, Transformation, and Power Stations	Off-site	PCBs, PHCs, Metals	Soil & Groundwater
		PCA No. 27 Garages and Maintenance and Repair of Railcars, Marine Vehicles, and Aviation Vehicles		PHCs, VOCs, metals, As, Cr (VI), Hg, Sb, Se	
		PCA No. 28 Gasoline and Associated Products Storage in Fixed Tanks		PHCs, BTEX, Metals, PAHs	
		PCA No. 31 Ink Manufacturing, Processing and Bulk Storage		metals, PHC, BTEX, VOC, high or low pH	
		PCA No. 34 Metal Fabrication		VOCs, Metals, Sb, Se, CN-, Cr (VI), Hg, low or high pH	
		PCA No. 45 Pulp, Paper and Paperboard Manufacturing and Processing		metals, PHC, BTEX, VOC, high or low pH	
		PCA No. 47 Rubber Manufacturing and Processing		metals, PHC, BTEX, VOC	
		PCA No. 57 Vehicles and Associated Parts Manufacturing		metals, PHC, BTEX, VOC	
		PCA No. 58 Waste Disposal and Waste Management, including thermal treatment. Landfilling and transfer of waste, other than use of biosoils as soil conditioners		PHCs, BTEX, VOCs, metals, As, Hg, Sb, Se, PCBs	

APEC-1	Northern and Western portion of the Phase One Property	PCA No. N/S (A) Spills	Off-site	High or low pH	Soil & Groundwater
APEC-2	Southwestern portion of the Phase One Property	PCA No. 10 Commercial Autobody Shops	Off-site	Metals, As, Cr (VI), Hg, Se, PHCs, VOCs	Soil & Groundwater
		PCA No. 12 Concrete, Cement and Lime Manufacturing		Ca, Na, low or high pH	
		PCA No. 27 Garages and Maintenance and Repair of Railcars, Marine Vehicles, and Aviation Vehicles		PHCs, VOCs, metals, As, Cr (VI), Hg, Sb, Se	
		PCA No. 28 Gasoline and Associated Products Storage in Fixed Tanks		PHCs, BTEX, Metals, PAHs	
		PCA No. 40 Pesticides (including Herbicides, Fungicides, and Anti-Fouling Agents) Manufacturing, Processing, Bulk Storage and Large-Scale Applications		OCs	
		PCA No. 49 Salvage Yard, including automobile wrecking		metals, PHC, BTEX, VOC	
		PCA No. 58 Waste Disposal and Waste Management, including thermal treatment. Landfilling and transfer of waste, other than use of biosoils as soil conditioners		PHCs, BTEX, VOCs, metals, As, Hg, Sb, Se	
		PCA No. N/S (A) Spills		PHCs, BTEX, Metals, PAHs	

APEC-3	Entire Phase One Property	PCA No. 11 Commercial Trucking and Container Terminals	On-site	PHCs, BTEX, PAHs, metals	Soil & Groundwater
APEC-4	Western Portion of the Phase One Property	PCA No. 18 Electricity Generation, Transformation, and Power Stations	On-site	PCBs, PHCs, Metals	Soil & Groundwater
APEC-5	South-central portion of 36 North Queen Street (Phase One Property)	PCA No. 27 Garages and Maintenance and Repair of Railcars, Marine Vehicles, and Aviation Vehicles	On-site	PHCs, VOCs, metals, As, Cr (VI), Hg, Sb, Se	Soil & Groundwater
APEC-6	Central portion of 36 North Queen Street (Phase One Property)	PCA No. 28 Gasoline and Associated Products Storage in Fixed Tanks	On-site	PHCs, BTEX, Metals, PAHs	Soil & Groundwater
APEC-7	South-central portion of 36 North Queen Street (Phase One Property)	PCA No. 28 Gasoline and Associated Products Storage in Fixed Tanks	On-site	PHCs, BTEX, Metals, PAHs	Soil & Groundwater
APEC-8	Area surrounding AST located on the South-central portion of 36 North Queen Street (Phase One Property)	PCA No. 28 Gasoline and Associated Products Storage in Fixed Tanks	On-site	PHCs, BTEX, Metals, PAHs	Soil & Groundwater
APEC-9	Central Portion of 30 Newbridge Road (Phase One Property)	PCA No. 28 Gasoline and Associated Products Storage in Fixed Tanks	On-site	PHCs, BTEX, Metals, PAHs	Soil & Groundwater
APEC-10	Entire Phase One Property	PCA No. 30 Importation of Fill Material of Unknown Quality	On-site	PAHs, SAR, B-HWS, CN-, metals, As, Cr (VI), Hg, Sb, Se, low or high pH, electrical conductivity	Soil
APEC-11	Eastern portion of the Phase One Property	PCA No. 46 Rail Yards, Tracks and Spurs	On-site	PHCs, BTEX, PAHs, metals, Cr (VI), Hg, Se	Soil & Groundwater
APEC-12	North-central portion of 30A Newbridge Road (Phase One Property)	PCA No. 48 Salt Manufacturing, Processing and Bulk Storage	On-site	Electrical conductivity, SAR, CL-, NA	Soil & Groundwater

APEC-13	West-central portion of the Phase One Property	PCA No. 55 Transformer Manufacturing, Processing and Use	On-site	PCBs	Soil & Groundwater
APEC-14	Central portion of 36 North Queen Street (Phase One Property)	PCA No. 55 Transformer Manufacturing, Processing and Use	On-site	PCBs	Soil & Groundwater
APEC-15	Southeastern portion of the Phase One Property	PCA No. 55 Transformer Manufacturing, Processing and Use	On-site	PCBs	Soil & Groundwater
APEC-16	Area surrounding the site building located at 30 Newbridge Road	PCA No. 58 Waste Disposal and Waste Management, including thermal treatment. Landfilling and transfer of waste, other than use of biosoils as soil conditioners	On-site	PHCs, BTEX, VOCs, metals, As, Hg, Sb, Se, PCBs	Soil & Groundwater
APEC-17	Area surrounding the site building located at 36 North Queen Street	PCA No. 58 Waste Disposal and Waste Management, including thermal treatment. Landfilling and transfer of waste, other than use of biosoils as soil conditioners	On-site	PHCs, BTEX, VOCs, metals, As, Hg, Sb, Se, PCBs	Soil & Groundwater
APEC-18	Entire Phase One Property	PCA No. N/S (A) Spills	On-site	PHCs, BTEX, VOCs, PAHs, PCBs, metals, As, B-HWS, Ca, CN, Sb, Se, Mg	Soil & Groundwater
APEC-19	Northwestern portion of the Phase One Property	PCA N/S (C) Hydraulic Model Laboratory	On-site	PHCs, PCBs, metals	Soil & Groundwater
APEC-20	Northwestern portion of the Phase One Property	PCA No. N/S (D) Known Soil Contamination	On-site	PHCs	Soil & Groundwater
APEC-21	South -central portion of the Phase One Property	PCA No. N/S (D) Known Soil Contamination	On-site	PHCs	Soil & Groundwater
APEC-22	Southeastern portion of the Phase One Property	PCA No. N/S (D) Known Soil Contamination	On-site	PHCs	Soil & Groundwater

APEC-23	Entire Phase One Property	PCA No. N/S (D) Known Soil Contamination	On-site	Electrical Conductivity, SAR, NA, Cl-	Soil & Groundwater
---------	---------------------------	---	---------	---------------------------------------	--------------------

During the Phase Two ESA, a total of twenty (20) boreholes were advanced to a maximum depth of 7.9 metres below ground surface (mbgs) between January 7 and 11, 2019 under the supervision of WSP personnel. Ten (10) of the twenty (20) boreholes were converted into monitoring wells for the purpose of groundwater sampling, which took place on January 15, 2019. The borehole locations were selected based on the findings of the Phase One ESA (WSP, 2018). Soil and groundwater samples were submitted for analysis of potential contaminants of concern (PCOCs) including: metals and other regulated parameters (ORPs), petroleum hydrocarbons (PHCs), volatile organic compounds (VOCs), polycyclic aromatic hydrocarbons (PAHs), and polychlorinated biphenyls (PCBs).

Based on the Phase Two ESA, WSP presents the following findings:

- Fill material ranging in depth from approximately 0.8 to 2.4 mbgs was encountered in all twenty (20) of the boreholes (BH19-1 to BH19-20) advanced as part of this investigation. The fill material consisted of sandy gravel, silty sand and clayey silt. Crusher run limestone was encountered within the fill material in nine (9) of the boreholes and trace asphalt and organics were encountered in some of the boreholes. Native interbedded layers of clayey silt till and sandy silt till was encountered below the fill materials and layers of silty sand were also encountered in boreholes BH19-7, BH19-8, BH19-9, BH19-11, BH19-13, BH19-16, and BH19-17. A layer of gravelly sand was also identified in BH19-9 and BH19-11. Shale bedrock was encountered in seven (7) of the boreholes at depths ranging from approximately 4 to 7.9 mbgs.
- The depth to groundwater was recorded in nine (9) of the ten (10) monitoring wells installed during the investigation (BH19-15 was found to be dry). The groundwater levels were found to range between 0.91 and 3.27 mbgs and the groundwater elevations ranged between 112.3 to 118.4 masl. Based on the levels recorded, the groundwater flow direction appears to be southeast across the Site. Groundwater flow direction can be influenced by seasonal fluctuation, utility services, and other subsurface features and can only be confirmed with long term monitoring.
- The soil and groundwater analytical results were compared to 2011 Ministry of Environment, Conservation, and Parks (MECP) Table 3 Full Depth Generic site condition standards (SCS) in a Non-Potable Groundwater Condition for industrial/commercial/community (ICC) land use.
- On May 20, 2016, a total of eighty-one (81) soil samples, and eleven (11) QA/QC samples, were submitted to the laboratory and analysed for PCOCs including: metals and ORPs, PAHs, PHCs, VOCs, and PCBs. The results of the analyses indicated three (3) of the twenty-one (21) soil samples submitted for metals and ORPs, at depths ranging between 0.0 to 2.1 mbgs, exceeded the applicable Table 3 SCS for SAR, and one (1) soil sample exceeded the applicable Table 3 SCS for cyanide at a depth of 1.5 to 2.1 mbgs.
- On January 15 and 16, 2019, groundwater samples were obtained from nine (9) monitoring wells on the Site and submitted for analysis of metals and ORPs, PHCs, VOCs, PAHs and PCBs. The results of the analyses indicated that two (2) of the nine (9) samples exceeded the Table 3 SCS for chloride, one (1) of the samples (BH19-9) exceeded the Table 3 SCS for PHC fraction F4 and one (1) sample (BH19-2) exceeded the Table 3 SCS for cis-1,2-dichloroethylene.

In addition to the current findings of the WSP's Phase Two ESA, previous investigation of the Site identified petroleum hydrocarbon (PHC) impacted soil and/or groundwater in the northwestern portion of the Site - identified as APEC 20 in WSP's 2019 Phase One ESA, the south-central portion of the Site - identified as APEC 21, and the east-central portion of the Site - identified as APEC 22. Boreholes BH19-4 and BH19-18 were advanced in the vicinity of these PHC impacts at APECs 20 and 21 and borehole BH19-19 was advanced to the south of APEC 22 during WSP's current investigation. These boreholes did not identify any PHC impacts in soil or groundwater at the borehole locations. In addition to the PHC impacts, the previous investigations identified salt related impacts in soil (electrical conductivity and sodium adsorption ratio) and groundwater (sodium and chloride) across the Site. WSP's current investigation identified SAR impacts in soil on the southern portion of the Site and chloride impacts in groundwater on the northwestern portion of the Site.

Based on the findings of this Phase Two ESA, WSP presents the following conclusions:

- Soils impacted with elevated SAR were identified at three (3) of the twenty (20) borehole locations and were found at depths ranging from 0.0 to 2.1 mbgs.
- Soils impacted with elevated cyanide levels were identified in one (1) of the twenty (20) boreholes locations at a depth of 1.5 to 2.1 mbgs.
- Groundwater with elevated chloride was found in two (2) of the nine (9) monitoring wells analyzed. It is noted that groundwater was found at depths of 0.91 and 1.1 mbgs and non-impacted soils were found at 0.8 to 1.4 mbgs at these locations.
- Groundwater with elevated PHC fraction F4 above the Table 3 SCS was found in one (1) of the nine (9) monitoring wells analyzed and groundwater with elevated cis-1,2-dichloroethylene above the Table 3 SCS was found in one (1) of the nine (9) monitoring wells analyzed. These impacts in groundwater could be a result of operations on the Phase Two Property or from operations on properties within the surrounding area given the current and historical industrial property use of the Site and industrial uses of the surrounding area.
- Previous site investigation also identified the presence of hydrocarbon impacts in soil and/or groundwater in the northwestern, south-central and east-central portions of the Site.

Should compliance with the site condition standards be required, remediation and/or risk assessment would be required. For either scenario, additional delineation sampling may be required. It is noted, however, that the Site is not proposed for redevelopment to a more sensitive land use and thus remediation or risk assessment is not required by O. Reg. 153/04.



## 2 INTRODUCTION

WSP was retained by Mr. Andrew Drevininkas of the Toronto Transit Commission (TTC) to conduct a Phase Two ESA for due diligence purposes. The Phase Two ESA was conducted in general compliance with Ontario Regulation (O.Reg.) 153/04; however, it is understood that a Record of Site Condition will not be required for the Site.

### 2.1 SITE DESCRIPTION

The Phase Two Property or Site is located on the eastern end of Newbridge Road in a mixed commercial and industrial area in the City of Toronto, Ontario, approximately 200 m east of the intersection of Newbridge Road and Shorncliffe Road. The Site is irregular in shape, and occupied an area of approximately 29.5 ha (73 acres) and includes properties with the municipal addresses 30 Newbridge Road, 30A Newbridge Road, and 36 North Queen Street. The property located at 30 Newbridge Road is occupied by a mixed multi-tenant commercial and industrial building. 30A Newbridge Road is occupied by a commercial building which is occupied by Humberview Group, a retail car dealership. The eastern portion of 30 Newbridge Road is vacant of any structures and is occupied by Hansen Releasing Company Inc. as a car storage lot. The property listed as 36 North Queen Street is occupied by a commercial building which is occupied by Canada Pacific and is utilized as a commercial trucking and container terminal. An auto repair garage is located on the south-central portion of 36 North Queen Street. The location of the structures on the Phase Two Property and the location of the Phase Two Property are depicted in Figure 1.

Property information for the Site is provided in the table below:

**Table 2.1** Property Information

CRITERION	DESCRIPTION
Municipal Address	30 Newbridge Road, Toronto, ON 36 North Queen Street, Toronto, ON
Property Identification Numbers (PINs)	07459-0055 (LT) 07459-0113 (LT)
Legal Description	Part 1, Plan 64R-6124 of Part of Lot 7, Concession 4, Colonel Smith's Tract (Geographic Township of Etobicoke) City of Toronto

A Plan of Survey was included within the report titled "Draft Environmental Strategy for Planned Redevelopment Canadian Pacific Obico Rail Yard", which was provided to WSP for review, a copy of which is provided in Appendix A.

---

## 2.2 PROPERTY OWNERSHIP

Property ownership information for the Site is provided in the table below:

**Table 2.2 Property Ownership Information**

CRITERION	DESCRIPTION
Current Site Owner	Canadian Pacific
Phase One Representative	Mr. Andrew Drevininkas 5140 Yonge Street, 6th Floor Toronto, ON M2N 6L6 Email: andrew.drevininkas@ttc.ca

---

## 2.3 CURRENT AND PROPOSED FUTURE USES

The Phase Two Property is currently occupied by multiple tenants and is used for mixed industrial and commercial purposes. There are currently three (3) structures present on the Site. No specific plans for future site use were provided to WSP.

---

## 2.4 APPLICABLE SITE CONDITION STANDARD

Analytical results were compared to the 2011 MECP Table 3 Full Depth Generic SCS in a Non-Potable Groundwater Condition for ICC property uses set out in the MECP publication *Soil, Groundwater and Sediment Standards for Use Under Part XV.1 of the Environmental Protection Act* (April 15, 2011). This evaluation standard for the Phase Two Property was selected for comparison purposes based on the following:

- The City of Toronto obtains its potable water from Lake Ontario, and does not rely on groundwater as a potable water source.
- The Phase Two Property is not considered an “environmentally sensitive” site, as defined by O.Reg. 153/04
- The Phase Two Property is currently used for mixed industrial and commercial purposes and no change in property use is currently proposed
- The Phase Two Property is not situated within 30 m of a water body
- The pH of the soil samples analysed during this investigation from the twenty (20) boreholes ranged from 6.61 to 8.04, which falls within the acceptable range stated in O.Reg. 153/04
- Bedrock was not encountered within 2 m of the ground surface

# 3 BACKGROUND INFORMATION

## 3.1 PHYSICAL SETTING

A summary of the Site’s physical setting, determined through the Phase One ESA is included in table below:

**Table 3.1 Summary of Physical Setting**

CRITERIA	DESCRIPTION
i. Water Bodies and Areas of Natural Significance	<p>Etobicoke Creek is located approximately 2.2 km west of the Phase One Property, oriented in a northwest to southeast direction and the Humber River is located approximately 2.7 km east of the Site, oriented in a northwest to southeast direction.</p> <p>No areas of natural significance were identified in the Phase One Study Area.</p>
ii. Topography, Hydrology, Geology	<p>The Phase One Property gently slopes to the southeast with an elevation ranging from approximately 115 to 120 masl. The topography in the vicinity of the Phase One Property also slopes to the southeast. The inferred shallow groundwater flow direction of the Phase One Study Area is to the southeast towards Humber River, which is located approximately 2.7 km east of the Site. The groundwater flow direction on the Phase One Property can only be confirmed through long-term groundwater monitoring.</p> <p>The Site is situated within a sand plain physiographic region. The surficial geology in the vicinity of the Site is described as “sand, gravel, minor silt and clay and Foreshore and basinal deposits derived from coarse-textured glaciolacustrine deposits”. The underlying bedrock within the area generally consists of shale, limestone, dolostone, and siltstone of the Georgian Bay Formation; Blue Mountain Formation; Billings Formation; Collingwood Member; Eastview Member. Based on this Phase Two ESA, bedrock was encountered during drilling at depths ranging between 4 and 7.9 mbgs.</p>

## 3.2 PAST ASSESSMENTS AND INVESTIGATIONS

A Phase One ESA was completed by WSP in January 2019 and is referenced throughout this report. The Phase One CSM can be found in Section 4.3 below.

WSP was provided with a report titled “Draft Environmental Strategy for Planned Redevelopment Canadian Pacific Obico Rail Yard” prepared by Watters Environmental Group Inc. (Watters) for Aird & Berlis LLP dated November 22, 2017. The report prepared by Watters included a review and summary of two (2) previous environmental investigations listed below for purposes of preparing cost estimates for remediation associated with the proposed redevelopment of the Site.

*Phase II Environmental Site Assessment. CP Obico Yard, Mile 9.6 Galt Subdivision, 36 North Queen Street, Etobicoke, Ontario*, prepared by Dillon Consulting Limited, dated March 2012; and

*Phase II Environmental Site Assessment. Canadian Pacific Obico Rail Yard, 36 North Queen Street and 30 Newbridge Road, Toronto, Ontario*, prepared by Golder Associates for Canadian Pacific, dated September 2016.

The salient information from the previous Phase II ESA reports is summarized below:

- The 2012 investigation involved the advancement of twenty-two (22) boreholes across the Site to depths of approximately 8.3 mbgs, eight (8) of which were converted to monitoring wells. Soil and groundwater samples were analyzed for PHCs, BTEX, VOCs and metals.
  - Electrical conductivity (EC) and sodium adsorption ratio (SAR) exceedances in soil were identified in five (5) locations at depths of 0 to 2.1 mbgs.

- PHC fractions F1 to F3 exceedances in soil were identified in three (3) locations at depths of 0 to 3.0 mbgs.
- Sodium and chloride exceedances in groundwater were identified in three (3) of the monitoring wells at depths ranging from 1.4 to 2.1 mbgs.
- The 2016 investigation involved the advancement of thirty-three (33) boreholes, thirty (30) of which were converted into monitoring wells. Six (6) test pits were also excavated within the area of salt storage and former snow dump. Soil and groundwater samples were analyzed for PHCs, BTEX, VOCs, PCBs, semi-VOCs, glycol metals and inorganics. The following soil and groundwater exceedances above the 2011 MECP Table 3 Standards were identified:
  - EC and SAR exceedances in soil were identified in seven (7) locations at depths ranging from 0 to 1.8 mbgs.
  - PHC fractions F1 and F2 exceedances in soil were identified in one (1) location, and PHC fraction F4 exceedance was identified in one (1) locations;
  - Chloride exceedances in groundwater were identified in three (3) of the monitoring wells at depths ranging from 1.3 to 2.7 mbgs; and
  - PHC fraction F2 exceedances in groundwater were identified in two (2) monitoring wells at depths ranging from 1.0 to 1.3 mbgs.

# 4 SCOPE OF INVESTIGATION

## 4.1 OVERVIEW OF SITE INVESTIGATION

The Phase Two ESA involved intrusive investigation in the areas determined in the Phase One ESA to be APECs. The Phase Two ESA was carried out according to O. Reg. 153/04. The Site investigation activities were limited to visible and accessible locations of the Site and did not include borehole investigation within the structures on site. Subsurface investigations, testing, sampling, and laboratory analyses were completed based on finding of Phase One ESA, accessibility to each APEC, and site observations.

The site investigation program included the following:

- Clearance of public and private underground utilities and services prior to commencement of intrusive investigation activities.
- Preparation of a Health and Safety Plan and safe execution of all proposed work.
- Advancement of twenty (20) boreholes on the Phase Two Property, to an approximate maximum depth of 7.9 mbgs using a truck-mounted drill rig. The soil lithology from each borehole was logged in the field and samples were screened for TOV and combustible vapours with a dual photoionization detector/combustible gas detector (PID/CGD). The location of the boreholes was selected to investigate any APECs identified during the Phase One ESA.
- Based on field screening and visual/olfactory observations, worst-case/representative soil samples from the boreholes were submitted for laboratory testing of relevant PCOCs.
- Groundwater monitoring wells were installed within ten (10) of the twenty (20) boreholes to assess groundwater quality below the Site and determine the direction of groundwater flow.
- The groundwater levels in the wells were measured to determine the groundwater table elevation. The wells were surveyed to a geodetic benchmark to determine groundwater flow direction.
- The groundwater wells were purged to remove stagnant water and sampled for laboratory testing of relevant parameters of concern.
- Both soil and groundwater samples were submitted for chemical analysis by a CALA certified laboratory in accordance with the MECP standards and requirements of O.Reg. 153/04 under the Environmental Protection Act.

### 4.1.1 SAMPLING AND ANALYSIS PLAN

The sampling and analysis plan (SAP) is provided in Appendix B. Per O.Reg. 153/04 Schedule E. Condition 3(5), WSP developed the standard operating procedures (SOPs) used in the field investigation.

Fieldwork for this Phase Two ESA was undertaken following the SOPs. Deviations from the SAP and SOPs, if any, are detailed in Section 4.4. The list of SOPs is presented in the table below.

**Table 4.1 List of Standard Operating Procedures Used in Field Investigation**

CATEGORY	SOP
i. Drilling	Auger/Boring Rigs Monitoring Well Hollow Stem Auger Advancement Soil Sample Material Descriptions

CATEGORY	SOP
ii. Soil Sampling	Continuous Sampling Field Soil Sampling for VOC and PHC Analysis
iii. Soil Field Testing	Odour Identification Field Screening of Samples for Organic Vapours
iv. Monitoring Well Construction	Monitoring Well Construction Monitoring Well Development
v. Field Measurement of Water Quality Indicators	Temperature Measurement Conductivity Measurement pH Measurement Dissolved Oxygen Measurement
vi. Groundwater Monitoring/Sampling	Water Level Monitoring Non-Aqueous Phase Liquid Level Monitoring Monitoring Well Purging Monitoring Well Sampling Volatile Organic Sampling
vii. QA/QC Program	Quality Assurance Quality Control

## 4.2 MEDIA INVESTIGATION

A summary of the media investigated during the Phase Two ESA is provided in Table 2 and Table 3, attached.

## 4.3 PHASE ONE CONCEPTUAL SITE MODEL

A Phase One CSM was presented in the Phase One ESA report by WSP and is presented in this report as Figure 1. The Phase One CSM identified the PCAs and APECs for the Site, as described in Section 6.5.

---

## 4.4 DEVIATIONS FROM THE SAMPLING AND ANALYSIS PLAN

The Phase Two ESA was completed in general accordance with the SAP. The total number of soil and groundwater samples submitted for laboratory analysis differed slightly from the numbers specified in the SAP following a review of the information obtained during the Phase One ESA; however, all soil samples submitted for laboratory analysis address the associated APECs exterior to the buildings and provide Site coverage.

---

## 4.5 IMPEDIMENTS

WSP was not able to address noted APECs within the buildings on the Phase Two Property due to access restrictions. In addition, access to the east exterior portion of the property at 30 Newbridge Road was not available due to the operations of one of the tenants at this property. As this Phase Two ESA was carried out for due diligence purposes, the impediments encountered did not limit WSP's ability to carry out this Phase Two ESA in general accordance with O.Reg. 153/04, as amended; however, should an RSC be required for the Site in the future, additional boreholes may be required within the Site buildings to address on-site concerns as well as to collect additional samples at greater depths than were obtained during this investigation.

# 5 INVESTIGATION METHOD

## 5.1 GENERAL

This section provides a brief description of all methods employed in undertaking this Phase Two ESA. Where the method differs from the associated standard operating procedure, a detailed description of the method used and a rationale for the change in method is provided in the appropriate subsection below.

## 5.2 DRILLING

WSP staff inspected the Site and identified the preferred borehole locations based on the APECs identified in the most recent Phase One ESA by WSP (January 2019), as shown on Figure 2. The borehole locations are shown on the Borehole Location Plan in Figure 3. The location of underground services and utilities within the Site were cleared prior to the commencement of the drilling program. WSP arranged for the service locates to be completed through Ontario One Call and OnSite Locators. A summary of the drilling events is presented in the table below.

**Table 5.1 Summary of Drilling**

INFORMATION PARAMETER	DETAILS
Name of Drilling Contractor	Davis Drilling Ltd.
Drilling Equipment Used	Truck-mounted CME 75
Measures taken to minimize the potential for cross-contamination	A 50-mm stainless steel split spoon sampler was used to collect soil samples from the boreholes. The split spoon sampler was brushed clean of soil, washed in municipal water containing phosphate free detergent, rinsed in municipal water, and then rinsed with distilled water for each sampling interval in order to reduce the potential for cross contamination.
Frequency of sample collection	Every 0.6 m per 0.8 m for the first 3.1 m followed by 0.6 m per 1.5 m to the termination of the borehole.

Between January 7 and 11, 2019, twenty (20) boreholes (BH19-1 to BH19-20) were drilled on the Site using a truck-mounted CME 75 drill rig provided by Davis Drilling of Milton, Ontario. The boreholes were advanced to a maximum depth of 7.6 mbgs. Soil samples were collected from the fill material and native silty sand till/sandy silt till using a 50-mm diameter, 0.61-m long stainless-steel split spoon sampler.



---

## 5.3 SOIL

---

### 5.3.1 SOIL SAMPLING

Disposable nitrile gloves were used during sample collection and changed between each sample to minimize the potential for cross-contamination. Soil samples were described in the field by WSP staff and observations were recorded in a dedicated field book. Soil samples were collected directly into laboratory-supplied 120-mL amber glass jars and 40-mL methanol-preserved vials and were stored at a temperature of less than 10°C. Samples selected for laboratory analysis were handled under standard chain of custody procedures until received at the laboratory. The soil samples selected for laboratory analysis were considered representative of worst-case conditions in the boreholes based on field screening results and visual and olfactory observations.

All soil samples were submitted to Maxxam Analytics in Mississauga, Ontario. The soil samples submitted for chemical analysis are summarized in Table 2, appended.

---

### 5.3.2 FIELD SCREENING MEASUREMENTS

Soil samples collected from the boreholes were field screened for total VOCs and CH<sub>4</sub> using an Eagle 2 RKI dual CGD/PID. In addition to visual and olfactory observations, the results of field screening were used to determine worst-case samples in order to select those to submit to the laboratory for analysis of volatile parameters. Additional samples may have been analysed for delineation purposes, if required. A summary of field screening measurements is provided in the table below.

**Table 5.2 Summary of Field Screening Information**

CRITERIA	DESCRIPTION
i. Make and Model of Field Screening Instrument	Eagle 2 RKI, Serial Number E2G087
ii. Chemicals that Field Screening Instrument Detects and Respective Detection Limits	VOCs with dynamic range of 0 ppm to 20,000 ppm and CH <sub>4</sub> with dynamic range of 0% to 100% LEL or 0 ppm to 50,000 ppm.
iii. Precision of the Measurements	1 significant figures
iv. Accuracy of the Measurements	± 5% display reading or ± 2% LEL
v. Calibration Reference Standards	Isobutylene and Hexane
vi. Calibration Procedures	The PID is factory-calibrated on an annual basis and the calibration was checked on a daily basis both prior to and after use in the field using 100 ppm isobutylene according to manufacturer procedures.

Field screening measurements (PID readings) are discussed in Section 6.3.1.2 and presented on the finalized borehole logs, included in Appendix C.

---

## 5.4 GROUNDWATER

---

### 5.4.1 GROUNDWATER MONITORING AND WELL INSTALLATION

Groundwater monitoring wells were installed at ten (10) of the twenty (20) borehole locations (BH19-1, BH19-2, BH19-5, BH19-7, BH19-9, BH19-13, BH19-15, BH19-17, BH19-18, and BH19-20) by Davis Drilling. A truck-mounted drill rig was used for the installation of monitoring wells between January 7 and 11, 2019 upon completion of soil sampling activities. Nitrile gloves were used to handle the well casings and screens during installation to minimize the potential for cross contamination during installation.

All Monitoring wells were screened to intersect the suspected local groundwater table, based on observed conditions in the soil horizon (i.e. brown to grey colour change and/or observed change in moisture content) during the drilling and soil sampling activities. The wells were constructed using 50-millimetre (mm) Schedule 40 PVC riser and included a 3.1-m well screen (slot 10). A sand pack was placed in the borehole annulus around the well screen from the bottom of the well to approximately 0.3 m above the well screen. Bentonite holeplug seal was placed above the sand pack to surface. The wells were completed with flush mount casings with the exception of BH19-2 which was completed with a monument casing. The monitoring well construction details are shown on the attached borehole logs included as Appendix C.

---

### 5.4.2 GROUNDWATER FIELD MEASUREMENT OF WATER QUALITY PARAMETERS

The monitoring wells were purged using 13 mm LDPE Waterra tubing and an inertial pump (foot valve). The wells were purged by removing three well volumes or by purging the well dry three times. The wells were sampled on January 15, 2019 using the Waterra tubing. Field measurements of water quality parameters were collected using a Hanna multi-meter as part of this assessment including field pH, EC, and temperature. Field groundwater quality measurements were obtained after the removal of each well volume and were recorded in a dedicated field book. This data has been archived and is available upon request.

---

### 5.4.3 GROUNDWATER SAMPLING

On January 15, 2019, following purging of the wells, groundwater samples were collected from the newly-installed wells BH19-1, BH19-2, BH19-5, BH19-7, BH19-9, BH19-13, BH19-17, BH19-18 and BH19-20. Monitoring well BH19-15 was found to be dry at the time of sampling.

The samples were collected in laboratory-supplied bottles and stored in an ice-filled cooler. The groundwater samples were submitted under proper chain of custody procedures to Maxxam Analytics in Mississauga for analysis of metals and ORPs, PHCs, VOCs, PAHs, and PCBs.

---

## 5.5 SEDIMENT SAMPLING

Sediment sampling was not conducted as part of this Phase Two ESA.

---

## 5.6 ANALYTICAL TESTING

Soil and groundwater samples were submitted to Maxxam Analytics in Mississauga, Ontario, for chemical analysis for the above listed parameters. Maxxam Analytics is certified by CALA.

## 5.7 RESIDUE MANAGEMENT PROCEDURES

The management of residues such as soil cuttings, purge and development groundwater, and fluids from equipment cleaning was conducted as indicated in the table below.

**Table 5.3 Summary of Residue Management Procedures**

RESIDUE	MANAGEMENT PROCEDURE
i. Soil cuttings from drilling and excavations	Soil cuttings were drummed and left on the Phase Two Property.
ii. Water from well development and purging	Groundwater from the development and purging of the monitoring wells was drummed and left on the Phase Two Property.
iii. Fluids from equipment cleaning.	Equipment cleaning water was emptied onto the ground downstream of the wells.

## 5.8 ELEVATION SURVEY

The existing ground surface and top of pipe (well casing) elevations of the groundwater monitoring wells were surveyed with a reference to a local Toronto Benchmark (Station 12020080022) with a known elevation of 114.908 masl in January 2019. The ground surface elevations can be found on the borehole logs presented in Appendix C.

## 5.9 QUALITY ASSURANCE AND QUALITY CONTROL MEASURES

The project-specific QA/QC measures are described in the table below.

**Table 5.4 Quality Assurance and Quality Control Measures**

QA/QC MEASURE	DESCRIPTION
i. Sample containers, preservation, labelling, handling, and custody for samples submitted for laboratory analysis, including any deviations from the SAP.	<p>Soil samples from the boreholes were collected in 40 mL methanol-preserved vials for PHC F1/VOCs/BTEX analysis, and 120 mL glass jars without preservative for analysis of all other parameters at the sample locations.</p> <p>Groundwater samples from the monitoring wells were collected using the following laboratory supplied containers:</p> <ul style="list-style-type: none"> <li>VOCs – three (3) 40 mL glass vials preserved with a sodium bisulphate tablet</li> <li>PHC F1/BTEX – two (2) 40 mL glass vials preserved with a sodium bisulphate tablet</li> <li>PHC F2-F4 – two (2) 250 mL amber glass bottles preserved with a sodium bisulphate tablet</li> <li>PAHs – one (1) 500 mL amber glass bottle, no preservative</li> <li>PCBs/OCPs – one (1) 500 mL amber glass bottle, no preservative</li> <li>Inorganics – one (1) 500 mL plastic ‘general’ bottle, no preservation</li> <li>Dissolved metals – one (1) 125 mL plastic bottle, HNO<sub>3</sub> preservative</li> <li>Mercury – one (1) 100 mL clear glass bottle, HCl preservative</li> </ul>

## QA/QC MEASURE

## DESCRIPTION

	<p>Chromium VI – one (1) 125 mL plastic bottle, preserved with Ammonium Sulfate/Ammonium Hydroxide</p> <p>Cyanide – one (1) 125 mL plastic bottle, preserved with Sodium Hydroxide</p> <p>Groundwater samples were collected using dedicated sampling equipment for each well. Groundwater samples collected for dissolved metals, mercury, and chromium (VI) analysis were field filtered using a dedicated 0.45-micron filter. Groundwater containers used for PHC F1/BTEX and VOC analysis were filled to achieve zero headspace. Sample containers were labelled with unique sample identification, the project number, and the sampling date. A laboratory-supplied chain of custody was completed. A copy was sent with the samples to the laboratory, and one (1) copy was retained for the project file.</p>
ii. Equipment cleaning procedures during sampling	<p>Nitrile gloves were replaced after each sample was collected to reduce the potential for cross-contamination of the samples.</p> <p>Field equipment was cleaned with soap and water, and was rinsed with distilled water between samples.</p>
iii. Field QC measures	<p>Blind field duplicate samples of soil and groundwater were collected and submitted for laboratory analysis as part of this investigation. A laboratory-prepared VOC trip blank was brought to the Site during the groundwater sampling and was submitted to the laboratory for analysis.</p>
iv. Deviations from the procedures set out in the QA/QC program set out in the SAP.	None

Field duplicate samples were assessed as part of the QA/QC program through a comparison of the analytical results of the original samples to the field duplicate samples. Field duplicates measure the cumulative effects of both field and laboratory precision and hence provide an indication of overall precision. Therefore, field duplicates may have greater variability than laboratory duplicates which measure only laboratory precision. It is also expected that non-aqueous matrices will have a greater variance than aqueous matrices due to the heterogeneity of most non-aqueous samples (such as soil/sediment samples). Field duplicates were evaluated based on the relative percent difference (RPD) in parameter concentrations.

The RPD was calculated in accordance with the *Protocol for Analytical Methods Used in the Assessment of Properties under Part XV.1 of the Environmental Protection Act* (July 1, 2011). The calculated RPD was assessed against the recommended performance criteria outlined in the 2011 Protocol where the measured concentration was greater than 5 times the MDL.

Maxxam Analytics also performed QA/QC procedures as outlined in their CALA procedures. These procedures included analysis of lab duplicates and blanks as well as analysis of surrogate recovery as outlined in the Certificates of Analysis provided in Appendix D.

# 6 REVIEW AND EVALUATION

---

## 6.1 GEOLOGY/SOIL STRATIGRAPHY

A brief summary of the subsurface conditions encountered at the Site is presented below. Detailed borehole logs are included in Appendix C.

All boreholes with the exception of BH19-2, BH19-4, BH19-5, BH19-6 and BH19-7 were advanced through a layer of 80 to 280 mm of asphalt. The boreholes listed above were advanced through a layer of gravel ranging in thickness from 80 to 300mm. Underlying the asphalt or gravel, fill material generally consisting of sandy gravel, silty sand and clayey silt was encountered in the boreholes and extended to depths ranging from approximately 0.8 to 2.4 mbgs. Recycled crusher run limestone was encountered within the fill material in BH19-6, BH19-7, BH19-8, BH19-9, BH19-11, BH19-14, BH19-16, BH19-17 and BH19-20. Trace asphalt and organics were also encountered in some of the boreholes.

Native interbedded layers of clayey silt till and sandy silt till was encountered below the fill materials and layers of silty sand were also encountered in boreholes BH19-7, BH19-8, BH19-9, BH19-11, BH19-13, BH19-16, and BH19-17. A layer of gravelly sand was identified in BH19-9 and BH19-11. Shale bedrock was encountered in seven (7) of the boreholes (BH19-1 to BH19-5, BH19-17, BH19-19, and BH19-20) at depths ranging from approximately 4 to 7.9 m mbgs.

---

## 6.2 HYDROGEOLOGY

---

### 6.2.1 ELEVATIONS AND FLOW DIRECTION

The groundwater levels in the monitoring wells ranged from 0.91 to 3.27 mbgs on January 15, 2019 in the nine (9) monitoring wells installed during the current investigation (BH19-15 was found to be dry). The screens were generally 3.05 m in length with the exception of BH19-1, BH19-2 and BH19-20, and were installed in the native sandy silt, clayey silt, and/or silty sand till. The water level was reported to be above the screen in all monitoring wells.

Groundwater elevations were measured on January 15, 2019 at BH19-1, BH19-2, BH19-5, BH19-7, BH19-9, BH19-13, BH19-17, BH19-18 and BH19-20. A summary of the groundwater elevations is presented in Table 1 and groundwater elevations from January 15, 2019 and inferred groundwater flow direction are presented on Figure 4. The January 15, 2019 groundwater elevations in the monitoring wells screened in the till ranged from 112.3 to 118.4 masl. The inferred groundwater flow direction is to the southeast across the Site, towards the Humber River and Lake Ontario.

Neither LNAPL nor DNAPL were found to be present in any of the monitoring wells on the Site.

---

### 6.2.2 HYDRAULIC GRADIENTS

The hydraulic gradient was calculated based on the January 15, 2019 groundwater elevations. The average horizontal hydraulic gradient was calculated to be 0.0054 based upon these measurements.

---

## 6.3 RESULTS OF ANALYSIS

The results of the laboratory analysis are discussed in the following sub-sections.

---

### 6.3.1 SOIL TEXTURE ANALYSIS

Soil texture analysis was not completed as part of this Phase Two ESA. As such, laboratory results were compared to the more conservative coarse-textured soil condition standards.

---

### 6.3.2 FIELD SCREENING

One hundred forty-two (142) soil samples were screened for TOV and combustible vapours using a dual PID/CGD. The TOV concentrations ranged from non-detect (0 ppm) to 82 ppm, while the average concentration was 1.5 ppm. The combustible vapour concentrations were all 0 ppm. The TOV and combustible vapours readings are included on the borehole logs included in Appendix C.

---

### 6.3.3 SOIL CHEMICAL QUALITY

The soil analytical results from the present investigation are presented in Tables 4 through Table 8 (appended) and summarized on Figure 5. The chemical exceedances in soil are presented in Figure 6.

The Laboratory Certificates of Analysis for the soil analysis completed during the present investigation are provided in Appendix D.

---

### 6.3.4 SOIL – METALS AND OTHER REGULATED PARAMETERS

Twenty-one (21) soil samples were collected and submitted for analysis of metals and ORPs. The soil analytical results for metals and ORPs are provided in Table 4. Laboratory analysis indicated the following parameter exceedances of Table 3 SCS for ORPs in the fill and native material on Site, as summarized in Figure 6.

**Table 6.1 Summary of ORP Exceedances in Soil**

SAMPLE ID	DEPTH (MBGS)	PARAMETER	UNITS	TABLE 3 SCS	ANALYTICAL RESULT
BH19-13 SS3	1.5 – 2.1	Cyanide	µg/g	0.051	0.09
BH19-15 SS3	1.5 – 2.1	SAR	-	12	21
BH19-19 SS3	1.5 – 2.1	SAR	-	12	17
BH19-20 SS1	0 – 0.6	SAR	-	12	14

---

### 6.3.5 SOIL – PETROLEUM HYDROCARBONS AND BTEX

Fifty-three (53) soil samples, including eight (8) blind field duplicates for QA/QC purposes, were collected and submitted for analysis of PHCs and BTEX. The soil analytical results for PHCs and BTEX are provided in Table 5 and the results of the laboratory analyses indicated that all samples analysed met the applicable Table 3 SCS.

---

### 6.3.6 SOIL – VOLATILE ORGANIC COMPOUNDS

Fifty-three (53) soil samples, including eight (8) blind field duplicates for QA/QC purposes, were collected and submitted for analysis of VOCs. The soil analytical results for VOCs are provided in Table 6 and the results of the laboratory analysis indicated that all samples analysed met the applicable Table 3 SCS.

---

### 6.3.7 SOIL – POLYCYCLIC AROMATIC HYDROCARBONS

Twenty-one (21) soil samples, including one (1) blind field duplicate for QA/QC purposes, were collected and submitted for analysis of PAHs. The soil analytical results for PAHs are provided in Table 7 and the results of the laboratory analyses indicated that all samples analysed met the applicable Table 3 SCS.

---

### 6.3.8 SOIL – POLYCHLORINATED BIPHENYLS

Twenty (20) soil samples, including two (2) blind field duplicates for QA/QC purposes, were collected and submitted for analysis of PCBs. The soil analytical results for PCBs are provided in Table 8 and the results of the laboratory analyses indicated that all samples analysed met the applicable Table 3 SCS.

---

### 6.3.9 GROUNDWATER CHEMICAL QUALITY

The groundwater analytical results from the January 2019 sampling events are presented in Tables 9 through 13 (appended) and are summarized on Figure 7. The chemical exceedances in groundwater are presented in Figures 8 to 10.

The Laboratory Certificates of Analysis for the groundwater analysis completed during the present Phase Two ESA are provided in Appendix D.

---

### 6.3.10 GROUNDWATER – METALS AND OTHER REGULATED PARAMETERS

Nine (9) groundwater samples were collected and submitted for analysis of metals and ORPs. The groundwater analytical results for metals and ORPs are provided in Table 9. Laboratory analytical results indicated the following Table 3 SCS exceedances for ORPs in the groundwater on Site, as summarized on Figure 8:

**Table 6.2 Summary of ORP Exceedances in Groundwater**

SAMPLE ID	SCREEN DEPTH (MBGS)	PARAMETER	UNITS	TABLE 3 SCS	ANALYTICAL RESULT
BH19-5	3.1 – 6.1	Chloride	µg/L	2,300,000	3,200,000
BH19-7	4.6 – 7.6	Chloride		2,300,000	3,200,000

---

### 6.3.11 GROUNDWATER - PETROLEUM HYDROCARBONS AND BTEX

Thirteen (13) groundwater samples, including four (4) blind field duplicates were collected and submitted for the analysis of PHCs and BTEX. The groundwater analytical results for PHCs are provided in Table 10 Laboratory analytical results indicated the following Table 3 SCS exceedances, as summarized on Figure 9:

**Table 6.3 Summary of PHC Exceedances in Groundwater**

SAMPLE ID	SCREEN DEPTH (MBGS)	PARAMETER	UNITS	TABLE 3 SCS	ANALYTICAL RESULT
BH19-9	4.6 – 7.6	PHC F4	µg/L	500	590

---

### 6.3.12 GROUNDWATER– VOLATILE ORGANIC COMPOUNDS

Thirteen (13) groundwater samples, including four (4) blind field duplicates for QA/QC purposes, were collected and submitted for the analysis of VOCs. The groundwater analytical results for VOCs are provided in Table 11. Laboratory analytical results indicated the following Table 3 SCS exceedances, as summarized on Figure 10:

**Table 6.4 Summary of VOC Exceedances in Groundwater**

SAMPLE ID	SCREEN DEPTH (MBGS)	PARAMETER	UNITS	TABLE 3 SCS	ANALYTICAL RESULT
BH19-2	2.7 – 4.3	cis 1,2-Dichloroethylene	µg/L	1.6	4

---

### 6.3.13 GROUNDWATER– POLYCYCLIC AROMATIC HYDROCOMPOUNDS

Nine (9) groundwater samples were collected and submitted for the analysis of PAHs. The groundwater analytical results for PAHs are provided in Table 12 and the results of the laboratory analyses indicated that all samples analysed met the applicable Table 3 SCS.

---

### 6.3.14 GROUNDWATER– POLYCHLORINATED BIPHENYLS

Nine (9) groundwater samples were collected and submitted for the analysis of PCBs. The groundwater analytical results for PCBs are provided in Table 13 and the results of the laboratory analyses indicated that all samples analysed met the applicable Table 3 SCS.

---

### 6.3.15 SEDIMENT QUALITY

Sediment testing was not a part of this scope of work.

---

## 6.4 QUALITY ASSURANCE AND QUALITY CONTROL RESULTS

Proper field protocols for sample collection and handling were followed by all WSP personnel in general accordance with the MECP *Guidance on Sampling and Analytical Methods for Use at Contaminated Sites in Ontario*. All field equipment was decontaminated before and between sample collection and clean nitrile gloves were used for each sample to eliminate the potential for cross contamination of samples. All soil and groundwater samples were collected directly into laboratory-supplied containers, preserved as required, and stored and shipped in ice-filled coolers. Proper chain of custody procedures were followed by WSP and the laboratory during sample transfer.

The RPDs for the analyzed parameters in duplicate samples (where the RPD could be calculated) were within the 2011 Protocol performance criteria. As such, it is WSP's opinion that the laboratory analytical data is reliable and reproducible.

A summary of the field duplicate soil and groundwater samples, and the results of the QA/QC comparisons of the duplicate samples indicating that the results can be interpreted with confidence.



**Table 6.5 Summary of QA/QC Results**

DATE	MEDIA	SAMPLE ID	FIELD DUPLICATE ID	PARAMETERS	QA/QC RESULTS
2019-01-07	Soil	BH19-9 SS3	QA/QC S1	PCBs	All results were within the 2011 Protocol criteria for RPD
		BH19-11 SS6	QA/QC S2	PHCs & VOCs	All results were within the 2011 Protocol criteria for RPD
2019-01-08		BH19-14 SS4	QA/QC S3	PHCs & VOCs	All results were within the 2011 Protocol criteria for RPD
		BH19-7 SS5	QA/QC S4	PHCs & VOCs	All results were within the 2011 Protocol criteria for RPD
2019-01-09		BH19-5 SS6	QA/QC S5	PHCs & VOCs	All results were within the 2011 Protocol criteria for RPD
		BH19-2 SS2	QA/QC S6	PAHs	All results were within the 2011 Protocol criteria for RPD
2019-01-10		BH19-20 SS2	QA/QC S7	PCBs	All results were within the 2011 Protocol criteria for RPD
		BH19-18 SS4	QA/QC S8	PHCs & VOCs	All results were within the 2011 Protocol criteria for RPD
		BH19-15 SS7	QA/QC S9	PHCs & VOCs	All results were within the 2011 Protocol criteria for RPD
2019-01-11		BH19-17 SS3	QA/QC S10	PHCs & VOCs	All results were within the 2011 Protocol criteria for RPD
		BH19-19 SS5	QA/QC S11	PHCs & VOCs	All results were within the 2011 Protocol criteria for RPD
2019-01-15	Groundwater	BH19-1	QA/QC GW1	PHCs & VOCs	All results were within the 2011 Protocol criteria for RPD
		BH19-7	QA/QC GW2	PHCs & VOCs	All results were within the 2011 Protocol criteria for RPD
		BH19-17	QA/QC GW3	PHCs & VOCs	All results were within the 2011 Protocol criteria for RPD
2019-01-16		BH19-18	QA/QC GW4	PHCs & VOCs	All results were within the 2011 Protocol criteria for RPD

A laboratory prepared trip blank travelled along with the January 2019 groundwater samples and was analysed by the laboratory for VOCs and F1. All concentrations were below the RDL, indicating no contamination from the sample containers, preservatives, transportation, and storage conditions. The results also indicate that the laboratory instrument was not detecting false interference.

Maxxam Analytics carried out internal QA/QC measures including process recoveries, blanks, and replicate samples. The laboratory QA/QC results are provided on the Certificates of Analysis in Appendix D. The results were acceptable and therefore suitable for interpretation.

With respect to subsection 47 (3) of O.Reg. 153/04, all certificates of analysis of analytical reports received pursuant to clause 47 (2) (b) of the regulation comply with subsection 47(3), a certificate of analysis of analytical report has been received for each sample submitted for analysis, and all certificates of analysis or analytical reports received have been included in full in Appendix C to the Phase Two ESA report.

## 6.5 PHASE TWO CONCEPTUAL SITE MODEL

Through analysis and interpretation of the Phase One ESA, Phase One CSM, and field data gathered during this Phase Two ESA, a Phase Two CSM was developed.

Based on information obtained as part of the Phase One ESA, PCAs that occurred on the Site or within the Phase One Study Area are summarized in the table below. All PCAs including the number and location (if known) of USTs are illustrated on the Phase One CSM provided as Figure 1 and Figure 2.

**Table 6.6 Summary of PCAs Identified in the Phase One ESA**

PCAS	DESCRIPTION
PCA No. 2 Adhesive and Resins Manufacturing, Processing and Bulk Storage	<b><u>Phase One Property</u></b> – Based on a review of the city directories, 11 Newbridge Road was listed as an adhesive manufacturing operation in 1985/1986 ( <b>APEC 1</b> ). Based on the records review and site reconnaissance, an adhesives manufacturing operation (Helmitin Inc.) is located at 99 Shorncliffe Road, approximately 100 m west of the Site ( <b>APEC 1</b> ).
PCA No. 5 Asphalt and Bitumen Manufacturing	<b><u>Phase One Study Area</u></b> – Based on the records review, an asphalt manufacturer (Ultraseal Water Proof/SealTech) historically operated at 15 North Queen Street, located approximately 80 m southeast of the Site and was listed in the chemical register. Based on the location relative to inferred groundwater flow direction, and distance of the PCA from the Site, this operation was not considered to be contributing to an APEC on-site.
PCA No. 8 Chemical Manufacturing, Processing, and Bulk Storage	<b><u>Phase One Study Area</u></b> – Based on the records review, Hanson Inc., located at 45 Vansco Road, approximately 155 m south of the Site, was listed in the chemical register. The records review also identified Ultraseal Water Proof/Seal Tech, located at 15 North Queen Street, approximately 80 m southeast of the Site, as a chemical manufacturing facility. Based on a review of the city directories, 113 Shorncliffe Road, approximately 140 m west of the Site, was listed as Resco Chemicals in 1965 and 85 Shorncliffe Road, approximately 120 m west of the Site, was listed as Falcon Chemicals in 1965. Based on the location relative to inferred groundwater flow direction, and/or distance of the PCAs from the Site, these operations were not considered to be contributing to an APEC on-site.

<p>PCA No. 10 Commercial Autobody Shops</p>	<p><b>Phase One Study Area</b> – Based on a review of the city directories, an auto body shop was historically located at 18 Lockport Avenue, approximately 60 m west of the Site, from at least 1978 until 2000 (<b>APEC 1</b>).</p> <p>Based on the records review, an auto body shop was also historically located at 50 North Queen Street, approximately 35 m west of the Site (<b>APEC 2</b>).</p> <p>During the site reconnaissance, autobody shops were observed at 81 Shorncliffe Road (A2Z Car Care) and 87 Shorncliffe Road (Simplicity Car Care/West End Autobody), approximately 120 m west of the Site, 55 Shorncliffe Road (Fix Auto) approximately 150 m west of the Site, 66 North Queen Street (Total), approximately 175 m west of the Site, 64 North Queen Street (North Queen Auto Centre), approximately 155 m west of the Site, Additional auto body shops were identified in the records review as being historically located at 65 Shorncliffe Road and 131 Shorncliffe Road, approximately 150 m west and 140 m west of the Site, respectively. The 1954 FIP also identified an auto refinishing and spraying facility along the eastern portion of 800 Kipling Avenue, located approximately 35 m east of the Site.</p> <p>Based on the location relative to inferred groundwater flow direction, and distance of the PCAs from the Site, these operations were not considered to be contributing to an APEC on-site.</p>
<p>PCA No. 11 Commercial Trucking and Container Terminals</p>	<p><b>Phase One Property</b> – During the site reconnaissance, 36 North Queen Street was occupied by CP Rail Obico Yard, a commercial trucking and container terminal and 30 Newbridge Road was listed in the city directories as Canadian Pacific Express, a commercial trucking company, from at least 1978 until 1991 (<b>APEC 3</b>).</p> <p>Based on a review of the city directories, 24 and 30 Lockport Avenue, located immediately west and north of the Site, was listed as CP Express and Transportation, a commercial trucking company from at least 1991 until 2001 (<b>APEC 1</b>).</p> <p>Additionally, 80 Shorncliffe Road, located approximately 220 m west of the Site, and 109 Shorncliffe Road, located approximately 120 m west of the Site, were listed in the city directories as having historically operated as trucking companies in 1965 and 1985/1986, respectively; however, given the distance of these PCAs from the Site, these operations were not considered to be contributing to an APEC on-site.</p>
<p>PCA No. 12 Concrete, Cement and Lime Manufacturing</p>	<p><b>Phase One Study Area</b> – Based on the records review, a concrete manufacturer historically operated at 51 Shorncliffe Road, located approximately 25 m from the Site (<b>APEC 1</b>). Two Star Design, a concrete manufacturing operation, was historically located at 46 North Queen Street, immediately west of the Site (<b>APEC 2</b>).</p>

<p>PCA No. 18 Electricity Generation, Transformation, and Power Stations</p>	<p><b><u>Phase One Study Area</u></b> – Based on a review of the 1954 FIP, the site was historically owned and occupied by Hydro Electric Power Commission of Ontario, which contained a pole storage area on the western portion of the Site (<b>APEC 4</b>).</p> <p>Based on the records review and the site reconnaissance, Hydro One Networks Inc., an electric power distribution company, is located at 30 Lockport Avenue, immediately north and west of the Site (<b>APEC 1</b>).</p> <p>Based on a review on the 1954 FIP, the east neighboring property (800 Kipling Avenue) was owned and occupied by Hydro Electric Power Commission of Ontario, including a switch area and regulator transfer track along the northern portion of the Site. Based on the location relative to inferred groundwater flow direction, and barrier of the CP Rail between the Site and this off-site property, this operation was not considered to be contributing to an APEC on-site.</p>
<p>PCA No. 19 Electronic and Computer Equipment Manufacturing</p>	<p><b><u>Phase One Study Area</u></b> – Based on the records review, a computer component manufacturer historically operated at 115 Shorncliffe Road, located approximately 120 m west of the Site and a medical devices/controlling devices manufacturer historically operated at 25 Shorncliffe Road, approximately 180 m northwest of the Site.</p> <p>Based on the location relative to inferred groundwater flow direction, and/or distance of these PCAs from the Site, these operations were not considered to be contributing to an APEC on-site.</p>
<p>PCA No. 27 Garages and Maintenance and Repair of Railcars, Marine Vehicles, and Aviation Vehicles</p>	<p><b><u>Phase One Property</u></b> – During the site reconnaissance, an auto garage was located along the south-central portion of 36 North Queen Street (<b>APEC 5</b>).</p> <p><b><u>Phase One Study Area</u></b> – Based on a review of the city directories, auto garages were historically located at 12 Lockport Avenue (from at least 1985 until 2000), 14 Lockport Avenue (from at least 1985 until 2001), and 25 Lockport Avenue (from at least 1972 until 1986), located approximately 115 m west, 95 m west, and west adjacent to the Phase One Property (<b>APEC 1</b>).</p> <p>During the site reconnaissance, auto garages were observed at 18 Lockport Avenue (High Revolution Auto-Performance), 11 Lockport Avenue (Niki Auto Motor), located 60 m and 85 m west of the Site, respectively (<b>APEC 1</b>).</p> <p>Based on records review, a historical auto garage was located at 39 Shorncliffe Road, located approximately 25 m west of the Site (<b>APEC 1</b>) and at 60 North Queen Street, located approximately 90 m west of the Site (<b>APEC 2</b>).</p> <p>Additional auto garages were identified during the records review, within the city directories, and/or observed during the site reconnaissance at 61 Shorncliffe Road, 65 Shorncliffe Road, 67 Shorncliffe Road, and 79 Shorncliffe Road (approximately 125 m west of the Site), 79 Shorncliffe Road, 81 Shorncliffe Road and 87 Shorncliffe Road (approximately 120 m west of the Site), 111 Shorncliffe Road, approximately 140 m west of the Site), 78 Shorncliffe Road, 80 Shorncliffe Road, and 86 Shorncliffe Road (approximately 220 m west of the Site), and 800 Kipling Avenue (approximately 35 m east of the site).</p> <p>Based on the location relative to inferred groundwater flow direction, and distance of the PCAs from the Site, these operations were not considered to be contributing to an APEC on-site.</p>

PCA No. 28  
Gasoline and Associated Products Storage in  
Fixed Tanks

**Phase One Property** – The following tanks were identified at the Phase One Property

- Based on a review of the 1954 FIP, a UST was located along the central portion of 36 North Queen Street (**APEC 6**);
- 30 Newbridge Road was listed as an expired self-serve private fuel outlet with associated tanks. TSSA had seven (7) instances of liquid fuel tanks registered at this property. The List of Expired TSSA Facilities included Interlink Freight Systems Inc., located at 30 Newbridge Road, as an expired self-serve private fuel outlet in 1997 with associated piping and four (4) liquid fuel tanks (**APEC 7**);
- One (1) 4,500 L steel double walled diesel AST was observed on the south-central portion of 36 North Queen Street (**APEC 8**); and
- 36 North Queen Street was listed as an active self-serve private fuel outlet with associated tanks. TSSA had three (3) instances of liquid fuel tanks registered at this property. The FST database listed CP Rail, located at 36 North Queen Street, as a self-serve private fuel outlet with one (1) 9,000-L single wall diesel UST (1977), one (1) 9,000L single wall gasoline UST (1977), and one (1) 4,450-L single wall gasoline UST (1971) (**APEC 9**).

**Phase One Study Area** – Based on the records review, the installation of the following tanks were registered to properties within the surrounding study area to the west of the Site in the anticipated upgradient direction of groundwater flow (**APEC 1**):

- The property located at 16 Newbridge Road, approximately 45 m west of the Site, was listed in the FST, FSTH, and PRT databases as a private fuel outlet with one (1) 13,638-L double wall diesel UST, installed in 1978 and one (1) 13,638-L single wall diesel UST, installed in 1984;
- The property located at 39 Shorncliffe Road, approximately 30 m west of the Site, was listed in the TSSA Expired Facilities database and the FSTH, PRT, and RST databases as a retail fuel outlet with three (3) 50,000-L single wall gasoline USTs, which were installed in 1987; and
- The property located at 39 Shorncliffe Road, approximately 30 m west of the Site, was listed in the TSSA Expired Facilities database and the FSTH, PRT, and RST databases as a retail fuel outlet with two (2) expired liquid fuel tanks and associated piping.

The installation of the following tanks were registered to the properties within the surrounding area to the west of the southern portion of the Site in the anticipated upgradient direction of groundwater flow (**APEC 2**):

- The property located at 48 North Queen Street, approximately 45 m west of the Site, was listed within the FST, FSTH and PRT databases as having historically operated as a private fuel outlet with (2) 22,730 single wall diesel USTs, which were installed in 1981; and
- The property located at 58 North Queen Street, approximately 55 m west of the Site, was listed within the TSSA Expired Facilities, the FST, FSTH, RST, and PRT databases as a retail fuel outlet with (3) 50,000-L double wall diesel UST, installed in 2004 and four (4)

	<p>historical 50,000-L single wall diesel USTs, which were removed in 2002.</p> <p>Ten (10) additional records corresponding to the installation of tanks on properties within the Study Area were identified; however, based on the location relative to inferred groundwater flow direction, and/or the distance of the PCAs from the Site, tanks associated with these records were not considered to be contributing to an APEC on-site.</p> <p>Based on a review of the 1954 FIP, two (2) USTs (oil) were located on the northwestern portion of 800 Kipling Avenue and one (1) UST was located on the central-west portion of 800 Kipling Avenue, located approximately 35 m east of the Site.</p>
<p>PCA No. 30 Importation of Fill Material of Unknown Quality</p>	<p><b><u>Phase One Property</u></b> – Based on a report entitled “Draft Environmental Strategy for Planned Redevelopment Canadian Pacific Obico Rail Yard” that was reviewed by WSP, fill material consisting of sand and gravel was identified across the Site. In addition, WSP observed piles of fill material that were placed on Site by the City of Toronto (according to the facilities manager) to the east of the building located at 30 Newbridge Road (<b>APEC 10</b>)</p>
<p>PCA No. 31 Ink Manufacturing, Processing and Bulk Storage</p>	<p><b><u>Phase One Study Area</u></b> – Based on the records review, a newspaper publisher was historically located at 51 Shorncliffe Road, located approximately 25 m west of the Site (<b>APEC 1</b>).</p> <p>A printing operation was also identified in the records review to have historically operated at 14 Vansco Road, located approximately 190 m south of the Site. Based on the location relative to inferred groundwater flow direction, and distance of the PCA from the Site, this operation was not considered to be contributing to an APEC on-site.</p>
<p>PCA No. 33 Metal Treatment, Coating, Plating, and Finishing</p>	<p><b><u>Phase One Study Area</u></b> – Based on the records review, a metal finishing facility historically operated at 15 North Queen Street (C&amp;W Metal Finishers Limited), located approximately 80 m southeast of the Site. Based on the location relative to inferred groundwater flow direction, and distance of the PCA from the Site, this operation was not considered to be contributing to an APEC on-site.</p>
<p>PCA No. 34 Metal Fabrication</p>	<p><b><u>Phase One Study Area</u></b> – Based on the records review, Inland Tracked Equipment, a construction machinery manufacturer and general-purpose machinery manufacturer, historically operated at 25 Lockport Avenue, immediately west of the Site (<b>APEC 1</b>).</p> <p>Based on the records review and/or city directories, historical machine shops were located at 30 Vansco Road, located approximately 120 m south of the Site, 85 Shorncliffe Road, located approximately 120 m west of the Site, 75 North Queen Street, located approximately 235 m west of the Site, 50 Shorncliffe Road, located approximately 240 m west of the Site. Sheet metal work facilities historically operated at 14 Vansco Road, located approximately 190 m south of the Site and 109 Shorncliffe Road, located approximately 120 m west of the Site.</p> <p>Based on the location relative to inferred groundwater flow direction, and distance of the PCAs from the Site, these operations were not considered to be contributing to an APEC on-site.</p>

<p>PCA No. 35 Mining, Smelting, and Refining; Ore Processing; Tailings Storage</p>	<p><b><u>Phase One Study Area</u></b> – Based on the records review, a historical metal refining facility historically operated at 45 Vansco Road, located approximately 140 m south of the Site. Based on the location relative to inferred groundwater flow direction, and distance of the PCA from the Site, this operation was not considered to be contributing to an APEC on-site.</p>
<p>PCA No. 37 Operation of Dry Cleaning Equipment (where chemicals are used)</p>	<p><b><u>Phase One Study Area</u></b> – Based on the records review, dry cleaning facilities historically operated at 15 Shorncliffe Road (K-Bro/Brighton Laundry Limited and Gentletouch Drycleaners), located approximately 180 m northwest of the Site. Based on the distance of the PCA from the Site, this operation was not considered to be contributing to an APEC on-site.</p>
<p>PCA No. 39 Paints Manufacturing, Processing and Bulk Storage</p>	<p><b><u>Phase One Study Area</u></b> – Based on a review of the 1954 FIP, a painting maintenance shop was historically located approximately 100 m north of the Site. Based on the distance of the PCA from the Site, this operation not considered to be contributing to an APEC on-site.</p>
<p>PCA No. 40 Pesticides (including Herbicides, Fungicides, and Anti-Fouling Agents) Manufacturing, Processing, Bulk Storage and Large-Scale Applications</p>	<p><b><u>Phase One Study Area</u></b> – Based on the records review, 46 North Queen Street, located immediately west of the Site was listed in the pesticide register database as an operator (Clintar Groundskeeping Services and J.F. Larsen Limited) (<b>APEC 2</b>).</p> <p>135 Shorncliffe Road was also listed in the pesticide register database as an operator (Crystal Lawn Care Inc.), however, this property is located approximately 160 m west of the Site and is not considered to be contributing to an APEC.</p>
<p>PCA No. 45 Pulp, Paper and Paperboard Manufacturing and Processing</p>	<p><b><u>Phase One Study Area</u></b> – Based on a review of the city directories, 20 Newbridge Road, approximately 25 m west of the Site, was listed as a paper product manufacturing operation (Beckett Paper Products) in 1972 (<b>APEC 1</b>).</p>
<p>PCA Item No. 46 Rail Yards, Tracks, and Spurs</p>	<p><b><u>Phase One Property</u></b> – Based on a review of aerial photographs, as well as the site reconnaissance, historical rail tracks and spurs were located on the northeastern portion of the Phase One Property (<b>APEC 11</b>).</p> <p>Based on a review of aerial photographs, as well as the site reconnaissance, the CP Rail is located to the east and 190 m north of the Site. Based on the location relative to inferred groundwater flow direction, and distance of these PCAs from the Site, these operations were not considered to be contributing to an APEC on-site.</p>
<p>PCA Item No. 47 Rubber Manufacturing and Processing</p>	<p><b><u>Phase One Study Area</u></b> – Based on a review of the city directories, 11 Newbridge Road, approximately 100 m west of the Site, was listed as a rubber manufacturing operation from at least 1965 until 1978/79 (<b>APEC 1</b>).</p>
<p>PCA No. 48 Salt Manufacturing, Processing and Bulk Storage</p>	<p><b><u>Phase One Property</u></b> – During the site reconnaissance, a salt hut was observed on the north-central portion of 30A Newbridge Road (<b>APEC 12</b>).</p>
<p>PCA No. 49 Salvage Yard, including automobile wrecking</p>	<p><b><u>Phase One Study Area</u></b> – Based on the records review, Atlas Industrial Recycling Ltd., a scrap metals operation, was historically operated at 46 North Queen Street, immediately west of the Site (<b>APEC 2</b>).</p> <p>Automotive Recyclers Management Services Ltd., an automobile wrecking and recycling operation was also identified at 70 North Queen Street, approximately 235 m west of the Site. Based on the location relative to inferred groundwater flow direction, and distance of the PCA from the Site, this operation was not considered to be contributing to an APEC on-site.</p>

<p>PCA No. 54 Textile Manufacturing and Processing</p>	<p><b><u>Phase One Study Area</u></b> – Based on the records review, a furniture/upholstery manufacturer historically operated at 113 Shorncliffe Road, located approximately 120 m west of the Site. Based on the location relative to inferred groundwater flow direction, and distance of the PCA from the Site, this operation was not considered to be contributing to an APEC on-site.</p>
<p>PCA 55 Transformer Manufacturing, Processing and Use</p>	<p><b><u>Phase One Property</u></b> – During the site reconnaissance, three (3) transformers were observed on site, one (1) was observed on the western property boundary at 30 Newbridge Road (<b>APEC 13</b>), a second was observed along the north-central property boundary of 36 North Queen Street (<b>APEC 14</b>), and the third transformer was observed to the south of the site building located at 36 North Queen Street (<b>APEC 15</b>).</p> <p>Based on a review of the available 1954 FIP and aerial photographs, several transformers were located at 800 Kipling Avenue, located approximately 35 m east of the Site, across the CP Rail. Based on the location relative to inferred groundwater flow direction, and barrier of the CP Rail between the Site and this off-site property, this operation was not considered to be contributing to an APEC on-site.</p>
<p>PCA No. 57 Vehicles and Associated Parts Manufacturing</p>	<p><b><u>Phase One Study Area</u></b> – Based on records review, an automobile parts manufacturer historically operated at 25 Lockport Avenue, located immediately west of the Site (<b>APEC 1</b>).</p>



PCA No. 58

Waste Disposal and Waste Management, including thermal treatment. Landfilling and transfer of waste, other than use of biosoils as soil conditioners

**Phase One Property** - The ERIS report identified thirty-two (32) O. Reg. 347 Waste Generator/Receiver Summary Records for the Phase One Property, as summarized below:

- Canadian Pacific Railway Company located at 30 Newbridge Road was registered under generator number ON2674452 in 2006 for the generation, use, and/or storage of alkaline wastes – other metals, paints, pigments, and coating residues, light fuels, and waste oils and lubricants;
- Interlink Freight Systems/3028241 Canada Limited located at 30 Newbridge Road was registered under generator number ON1890800 in 1994 until 1999 for the generation, use, and/or storage of inorganic laboratory chemicals, petroleum distillates, oil skimmings & sludges, waste oils & lubricants, and organic laboratory chemicals;
- Canadian Pacific Railway, a mainline freight rail transportation company located at 30 Newbridge Road, was registered under generator number ON8476083 in 2004 until 2016 for the generation, use, and/or storage of waste oils & lubricants, emulsified oils, waste compressed gases, acid wastes – heavy metals, organic laboratory chemicals, alkaline wastes – heavy metals, oil skimmings & sludges, inorganic laboratory chemicals, and paint/pigment/coating residues;
- Canadian Pacific Railways, Canadian Pacific Express & Transport located at 30 Newbridge Road was registered under generator number ON0048103 in 1986 until 1990 for the generation, use, and/or storage of waste oils and lubricants and oil skimmings & sludges and in 1992 until 2001 for the generation, use and/or storage of inorganic laboratory chemicals, petroleum distillates, light fuels, oil skimmings & sludges, waste oils & lubricants, and organic laboratory chemicals;
- VNV Logistics Express Ltd. located at 30 Newbridge Road was registered under generator number ON6204776 in 2017 for the generation, use, and/or storage of waste oils & lubricants; and
- Canadian Pacific Railway Company, a mainline freight rail transportation company located at 36 North Queen Street, was registered under generator number ON0048108 in 1986 – 1990, 1994 – 2016 for the generation, use, and/or storage of light fuels, waste compressed gases, alkaline wastes – other metals, inorganic laboratory chemicals, petroleum distillates, alkaline wastes – heavy metals, acid waste – other metals, waste oils & lubricants, aliphatic solvents, organic acids, oil skimmings & sludges, and acid waste – heavy metals, paint/pigment/coating residues, organic acids, and/or other specified inorganics.

The waste generation at 30 Newbridge is considered to be contributing to **APEC 16** and the waste generation at 36 North Queen Street is considered to be contributing to **APEC 17**.

**Phase One Study Area:** The ERIS report identified O.Reg. 347 Waste Generator/Receiver Summary Records for twenty-eight (28) properties located within the Phase One Study Area, including:

- E. Valentine Holdings Ltd., a real estate property manager located at 46 North Queen Street, west adjacent to the Phase One property,

was registered for the generation, use, and/or storage of light fuels in 2013 (**APEC 2**);

- J.F. Larsen Ltd. located at 46 North Queen Street, west adjacent to the Phase One property, was registered for the generation, use, and/or storage of waste oils and lubricants in 1992 through 2001 (**APEC 2**);
- North Star Landscaping Inc., a landscaping services operation located at 24 Newbridge Road, west adjacent to the Phase One property, was registered under generator number ON8595976 for the generation, use, and/or storage of oil skimmings and sludges in 2003 through 2017 (**APEC 1**);
- Mimico Construction Co. Ltd. located at 24 Newbridge Road, west adjacent to the Phase One property, was registered under generator number ON1654900 for the generation, use, and/or storage of alkaline wastes – heavy metals and waste oils & lubricants in 1992 through 1998 (**APEC 1**);
- Hydro One Networks Inc., an electric power distribution company located at 30 Lockport Avenue, west adjacent to the Phase One Property, was registered under generator number ON204401 for the generation, use, and/or storage of PCBs, phenolic wastes, acid waste – heavy metals, alkaline wastes – heavy metals, aliphatic solvents, light fuels, halogenated solvents, oil skimmings & sludges, waste oils & lubricants, organic laboratory chemicals, waste compressed gases, paint/pigment/coating residues, other specified inorganics, inorganic laboratory chemicals, alkaline wastes – other metals, petroleum distillates, and non-halogenated pesticides in 2002 through 2017 (**APEC 1**);
- Inland Tracked Equipment located at 25 Lockport Avenue, west adjacent to the Phase One Property, was registered under generator number ON0445701 for the generation, use, and/or storage of waste oils and lubricants in 1986 through 1990 and in 1992 through 2001 (**APEC 1**);
- Cargill Kitchen Solutions/ Global Egg Corporation, a frozen food manufacturing operation located at 25 Newbridge Road, west adjacent to the Phase One Property, was registered under generator number ON7927653 for the generation, use, and/or storage of waste oils & lubricants, detergents/soaps, aliphatic solvents, and organic laboratory chemicals in 2006 through 2017 (**APEC 1**);
- Dor-Seal Limited, a metal door and window manufacturing operation located at 25 Newbridge Road, west adjacent to the Phase One Property, was registered under generator number ON0480900 for the generation, use, and/or storage of aliphatic solvents, polymeric resins, and halogenated solvents in 1986 through 1989 and in 1992 through 1998 (**APEC 1**);
- General Cartage & Express Co. Ltd., a gen. freight truck company located at 48 North Queen Street, approximately 20 m west of the Phase One Property, was registered under generator number ON0679800 for the generation, use, and/or storage of petroleum distillates, light fuels, oil skimmings & sludges, and/or waste oils & lubricants in 1986 through 1990, in 1992 through 1998 and in 2009, and 2011 through 2017 (**APEC 1**);

- Canadian Dis, a truck/transport operation located at 48 North Queen Street, approximately 20 m west of the Phase One Property, was registered under generator number ON1596800 for the generation, use, and/or storage of aliphatic solvents, petroleum distillates, and waste oils & lubricants in 1992 through 1998 **(APEC 1)**;
- BTL Transport Leasing Ltd., an auto/truck rental company located at 18 Lockport Avenue, approximately 60 m west of the Phase One Property, was registered under generator number ON1093100 for the generation, use, and/or storage of waste oils & lubricants in 1988 through 1990 **(APEC 1)**;
- Suncor Energy, a petroleum product wholesaler and distributor located at 58 North Queen Street, was registered under generator number ON2727392 for the generation, use, and/or storage of light fuels in 2012 through 2017 **(APEC 2)**;
- Siena Foods, a food manufacturer located at 16 Newbridge Road, approximately 45 m west of the Phase One Property, was registered under generator number ON8310600 for the generation, use, and/or storage of inorganic laboratory chemicals in 2009 **(APEC 1)**;
- Global Egg Corporation, a chicken egg production operation located at 17 Newbridge Road, approximately 70 m west of the Phase One Property, was registered under generator number ON2654700 for the generation, use, and/or storage of waste oils and lubricants in 2001 and in 2003 through 2008 **(APEC 1)**;
- Village Contractors, a masonry work company and general automotive repair garage located at 12 Newbridge Road, approximately 100 m west of the Phase One Property, was registered under generator number ON0633500 for the generation, use, and/or storage of petroleum distillates and waste oils & lubricants in 1986 through 1990, in 1992 through 2011 **(APEC 1)**;
- North Queen Truck & Equipment Repair, a waste management services company located at 60 North Queen Street, approximately 90 m west of the Phase One Property, was registered under generator number ON9762193 for the generation, use, and/or storage of waste oils & lubricants in 2015 through 2017 **(APEC 2)**;
- 1076284 Ontario Inc., an automotive repair and maintenance garage located at 60 North Queen Street, approximately 90 m west of the Phase One Property, was registered under generator number ON0468202 for the generation, use, and/or storage of petroleum distillates, oil skimmings & sludges, and waste oils & lubricants in 2002 through 2009 and in 2013 through 2017 **(APEC 2)**;
- Penetang-Midland located at 60 North Queen Street, approximately 90 m west of the Phase One Property, was registered under generator number ON0138908 for the generation, use, and/or storage of petroleum distillates, light fuels, oil skimmings & sludges, and waste oils & lubricants in 1992 through 1998 **(APEC 2)**;
- Versatile Contrail Limited, a commercial trailer company located at 60 North Queen Street, approximately 80 m west of the Phase One Property, was registered under generator number ON0619400 for

the generation, use, and/or storage of petroleum distillates in 1986 through 1990 (**APEC 2**);

- Universal Truck and Equipment Service, a tire store located at 60 North Queen Street, approximately 90 m west of the Phase One Property, was registered under generator number ON2047100 for the generation, use, and/or storage of petroleum distillates, light fuels, oil skimmings & sludges, and waste oils & lubricants in 1995 through 1998 (**APEC 2**);
- Hub Equipment located at 60 North Queen Street, approximately 90 m west of the Phase One Property, was registered under generator number ON0468202 for the generation, use, and/or storage of petroleum distillates, oil skimmings & sludges, and waste oils & lubricants in 1996 through 2001 (**APEC 2**);
- Vanguard Floors Limited, a concrete pouring and finishing company located at 15 Newbridge Road, was registered under generator number ON0670400 for the generation, use, and/or storage of petroleum distillates in 1986 through 1990 and in 1992 through 1998 (**APEC 1**);
- Helmitin Canada Inc./Helmitin Inc., an adhesives manufacturing operation located at 99 Shorncliffe Road, approximately 100 m west of the Phase One Property, was registered under generator number ON0409200 for the generation, use, and/or storage of aromatic solvents in 1986 and 1987, of aromatic solvents and latex wastes in 1988 through 1990, and of inorganic laboratory chemicals, aromatic solvents, other specified inorganics, organic laboratory chemicals, polymeric resins, graphic art wastes, waste oils & lubricants, aliphatic solvents, latex wastes, waste compressed gases, halogenated solvents, and/or other specified organics in 1992 through 2017 (**APEC 1**);
- Imperial Oil Limited, a gasoline service station located at 39 Shorncliffe Road, approximately 30 m west of the Phase One Property, was registered under generator number ON8369738 for the generation, use, and/or storage of light fuels and oil skimmings & sludges in 2009 (**APEC 1**);
- Imperial Oil Limited, a gasoline service station located at 39 Shorncliffe Road, approximately 30 m west of the Phase One Property, was registered under generator number ON1586224 for the generation, use, and/or storage of other specified inorganics, light fuels, oil skimmings & sludges, and waste oils & lubricants in 1999 and in 2002 through 2008 (**APEC 1**);
- West End Truck Center Limited, a commercial and industrial machinery and equipment company located at 39 Shorncliffe Road, approximately 30 m west of the Phase One Property, was registered under generator number ON5055142 for the generation, use, and/or storage of waste oils & lubricants in 2006 through 2008, and in 2010 and 2011 (**APEC 1**);
- Best Waste Solutions Inc., a waste management services company located at 51 Shorncliffe Road, approximately 30 m west of the Site, was registered under generator number ON2161500 for the generation, use, and/or storage of waste oils & lubricants in 2004 through 2009 (**APEC 1**);

- Cathcart Truck Lines (Tor) Ltd., a gen. freight truck company located at 51 Shorncliffe Road, approximately 30 m west of the Site, was registered under generator number ON005200 for the generation, use, and/or storage of petroleum distillates and waste oils & lubricants in 1986 through 2001 **(APEC 1)**;
- 1281906 Ontario Inc./Danyle Group Inc., a dry bulk materials trucking company located at 51 Shorncliffe Road, approximately 30 m west of the Phase One Property, was registered under generator number ON9683441 for the generation, use, and/or storage of waste oils & lubricants in 2010 through 2017 **(APEC 1)**;
- First Choice Limo Service Ltd., a taxi service company located at 51 Shorncliffe Road, approximately 30 m west of the Phase One Property, was registered under generator number ON8897225 for the generation, use, and/or storage of waste oils & lubricants in 2004 through 2006 **(APEC 1)**;
- Metro Ready Mix & Building Products Ltd., a ready-mix concrete manufacturing operation located at 51 Shorncliffe Road, approximately 30 m west of the Site, was registered under generator number ON7458502 for the generation, use, and/or storage of waste oils & lubricants in 2007 and 2008 **(APEC 1)**;
- College Disposal Services located at 51 Shorncliffe Road, approximately 30 m west of the Site, was registered under generator number ON2161500 for the generation, use, and/or storage of waste oils & lubricants in 1996 through 2003 **(APEC 1)**; and
- Bruell Contracting Limited, a highway, street, and bridge construction company located at 37 Shorncliffe Road, approximately 30 m west of the Phase One Property, was registered under generator number ON1354500 for the generation, use, and/or storage of waste oils & lubricants, petroleum distillates, and oil skimmings & sludges in 1990, and in 1992 through 2017 **(APEC 1)**.

Due to distance from the Phase One Property, anticipated direction of groundwater flow, and the nature of waste products identified, the remaining properties within the Study Area registered in the 347 Waste Generators/Receivers Records were not anticipated to have impacted the environmental quality of the Site.

Based on the records review, Danyle Group Inc., located at 51 Shorncliffe, approximately 30 m west of the Site, was registered as a waste disposal site (certificate number 5010-98JKZE) from at least 2014 until 2018 and Best Waste Solutions Inc./1595066 Ontario Limited, located at 51 Shorncliffe Road, approximately 30 m of the Site, was registered as a waste disposal site (certificate number A680236) in 2004, 2006, and 2007 **(APEC 1)**.

Eight (8) additional waste disposal sites were identified within the study area, however, due to distance from the Phase One Property and anticipated direction of groundwater flow, the remaining properties within the Study Area identified as waste disposal sites were not anticipated to have impacted the environmental quality of the Site.

PCA N/S (A)  
Spills

**Phase One Property** – Based on the records review, fifty-four (54) spills occurred on the Phase One Property. Of the 54 spills, the following were considered to be contributing to an APEC (**APEC 18**):

- In April 1996, as a result of a container leak, 100 L of diesel fuel was released onto the shipping yard and to a catch basin at 30 Newbridge Road;
- In January 1995, approximately 45 L of diesel fuel was released onto the gravel and storm sewer at 30 Newbridge Road;
- In June 1997, an unknown quantity of diesel fuel was released into Etobicoke Creek by Interlink Freight Systems at 30 Newbridge Road;
- In October 1995, as a result of a container leak, approximately 12-L of naphthalene was released to the ground at 30 Newbridge Road;
- In April 1995, as a result of a container leak, approximately 205-L of water based paint was released onto the ground and into the storm sewer at 30 Newbridge Road;
- In April 1996, as a result of a container leak, approximately 3-L of waste type 6 (UN 9306) was released onto the concrete at 30 Newbridge Road;
- In December 1994, as a result of a cooling system leak, approximately 25-L of non-PCB transformer oil was released onto the ground at 30 Newbridge Road;
- In August 1994, as a result of a container leak, approximately 20-L of sulphuric acid was release onto the ground at 30 Newbridge Road;
- In December 1993, as a result of a pipe/hose leak, approximately 30 L of diesel was released onto the ground at 30 Newbridge Road;
- In April 1992, as a result of a container leak, approximately 4 L of trichloroethane and solvoplast was released onto the yard at 30 Newbridge Road;
- In February 1995, as a result of a container leak, approximately 25 L of resin adhesive was released to the asphalt at 30 Newbridge Road;
- In January 1990, as a result of a container leak, approximately 23 L of hydrochloric acid was released to the ground at 30 Newbridge Road;
- In September 1994, as a result of a container leak, approximately 205 L of hydraulic oil was released onto the ground at 30 Newbridge Road;
- In March 1998, as a result of a container leak, approximately 150 L of xylene was released to the pavement at 30 Newbridge Road;
- In July 1993, as a result of a pipe/hose leak, approximately 340 L of lube oil was released to the rail tracks at 36 North queen Street;
- In March 1995, as a result of a transportation accident, approximately 100 L of diesel was released onto the ground at 36 North Queen Street;
- In June 2010, as a result of discharging, approximately 50 L of hydraulic oil was released onto the asphalt at 36 North Queen Street;

- In April 2011, as a result of discharging, approximately 125 L of hydraulic oil was released onto the ground at 36 North Queen Street;
- In July 2010, as a result of a process upset, approximately 50 L of hydraulic oil was released onto the ground at 36 North Queen Street;
- In July 1994, as a result of a pipe/hose leak, approximately 51 L of diesel was released onto the ground at 36 North Queen Street;
- In June 2007, as a result of a pipe/hose leak, approximately 600 L of hydraulic oil was released onto the ground at 36 North Queen Street;
- In May 2003, approximately 100 L of hydraulic oil was released onto the land at 36 North Queen Street;
- In October 2000, an unknown amount of fuel oil was released onto the ground at 36 North Queen Street during delivery;
- In March 2006, an unknown amount of diesel fuel was released onto the ground at 36 North Queen Street;
- In October 2000, as a result of a fire/explosion, approximately 230 L of diesel and 180 L of hydraulic oil burned/was released onto the ground at 36 North Queen Street;
- In July 2011, as a result of discharging, approximately 50-100 L of hydraulic oil was released onto the ground at 36 North Queen Street;
- In 1995, as a result of a pipe/hose leak, approximately 100-L of diesel was released onto the ground at 36 North Queen Street;
- In May 1992, as a result of an AST leak, approximately 270 L of diesel was released to the ground at 36 North Queen Street;
- In January 2006, as a result of discharging, approximately 400 L of hydraulic oil was released onto the asphalt at 36 North Queen Street;
- In June 1998, as a result of a transportation accident, approximately 463 L of diesel and 45 gallons of glycol was released to the parking lot at 36 North Queen Street;
- In August 1991, as a result of a pipe/hose leak, approximately 100 L of diesel fuel was released to the railway bed from an AST;
- In April 2002, as a result of a pipe/hose leak, approximately 150 L of diesel was released to the rail yard at 36 North Queen Street;
- In July 1997, as a result of a container leak, an unknown amount of diesel was released onto the ground at 36 North Queen Street;
- In July 2011, approximately 10 L of hydraulic oil was released onto the ground at 36 North Queen Street;
- In February 2006, approximately 50 – 100 L of stove oil (clear or dyed) was released to the ground;
- In March 2011, approximately 50 L of hydraulic oil was released to the ground at 36 North Queen Street; and
- In July 2009, as a result of an AST leak, approximately 50 – 100 L of diesel was released to the CP rail located at 36 North Queen Street.

	<p><b>Phase One Study Area</b> – Several records pertaining to spills on properties within the Phase One Study Area were identified in the Ontario Spills database, including one (1) spill involving 2,000 L of ammonia to the property located at 25 Lockport Avenue, west adjacent to the Site (<b>APEC 1</b>), and a spill including diesel to the property located at 58 North Queen Street, approximately 55 m west of the Site (<b>APEC 2</b>).</p> <p>The remaining spills identified through the records review were not considered to be contributing to an APEC on-Site due to distance of the PCAs from the Phase One Property, the location relative to the anticipated direction of groundwater flow, and the nature of the products involved in the spill.</p>
<p>PCA N/S (B) PCB Storage Site</p>	<p><b>Phase One Study Area</b> Based on the records review, PCB Storage Sites were registered at 45 Vansco Road, approximately 155 m south of the Site, 15 North Queen Street, approximately 60 m southeast of the Site, and 800 Kipling Avenue, approximately 110 m east of the Site. Based on the location relative to inferred groundwater flow direction, and distance of the PCAs from the Site, these operations were not considered to be contributing to an APEC on-site.</p>
<p>PCA N/S (C) Hydraulic Model Laboratory</p>	<p><b>Phase One Property</b> – Based on a review of the available FIPs, a hydraulic model laboratory was historically located on the northwestern portion of the Site (<b>APEC 19</b>).</p>
<p>PCA N/S (D) Known Soil Contamination</p>	<p><b>Phase One Property</b> – Soil impacts with PHC F4 above the applicable MECP Table 3 SCS were identified in one (1) test pit advanced on the northwestern portion of the Phase One Property. In addition, PHC F2 impacted groundwater was identified in one (1) monitoring well located within the northwestern portion of the Site (<b>APEC 20</b>).</p> <p>PHC F1 through F3 impacted soils were identified to a maximum depth of 3.0 mbgs within the south-central portion of the Site (<b>APEC 21</b>) and the southeast portion of the Site (<b>APEC 22</b>). In addition, PHC F2 impacted groundwater was identified in one (1) previously installed monitoring well, within the south-central portion of the Site (<b>APEC 21</b>)</p> <p>Salt related impacts were also identified within soil (EC and SAR) and groundwater (sodium and chloride) across the Site during previous soil and groundwater investigations (<b>APEC 23</b>).</p>

N/S - not specified in Table 2, Schedule D, of O.Reg. 153/04

Based on a review of the above-noted PCAs, the following APECs were identified on the Site. The table of APECs presented in the form as approved by the Director is provided below. The table was prepared in accordance with clause 16(2) (a), Schedule D, O.Reg. 153/04.

**Table 6.7 Summary of APECs Identified in Phase One ESA**



AREA OF POTENTIAL ENVIRONMENTAL CONCERN	LOCATION OF POTENTIAL ENVIRONMENTAL CONCERN ON PHASE ONE PROPERTY	POTENTIALLY CONTAMINATING ACTIVITY	LOCATION OF PCA (ON-SITE OR OFF-SITE)	POTENTIAL CONTAMINANTS OF CONCERN	MEDIA POTENTIALLY IMPACTED (GROUND WATER, SOIL AND/OR SEDIMENT)
APEC-1	Northern and Western portion of the Phase One Property	PCA No. 2 Adhesive and Resin Manufacturing, Processing and Bulk Storage	Off-site	VOCs, BTEX, Metals, Sb, Se, Cr (VI), Hg, B-HWS, low or high pH	Soil & Groundwater
		PCA No. 10 Commercial Autobody Shops		Metals, As, Cr (VI), Hg, Se, PHCs, VOCs	
		PCA No. 11 Commercial Trucking and Container Terminals		PHCs, BTEX, PAHs, metals	
		PCA No. 12 Concrete, Cement, and Lime Manufacturing		Ca, Na, low or high pH	
		PCA No. 18 Electricity Generation, Transformation, and Power Stations		PCBs, PHCs, Metals	
		PCA No. 27 Garages and Maintenance and Repair of Railcars, Marine Vehicles, and Aviation Vehicles		PHCs, VOCs, metals, As, Cr (VI), Hg, Sb, Se	
		PCA No. 28 Gasoline and Associated Products Storage in Fixed Tanks		PHCs, BTEX, Metals, PAHs	
		PCA No. 31 Ink Manufacturing, Processing and Bulk Storage		metals, PHC, BTEX, VOC, high or low pH	
APEC-1	Northern and Western portion of Phase One Property	PCA No. 34 Metal Fabrication	Off-site	VOCs, Metals, Sb, Se, CN-, Cr (VI), Hg, low or high pH	Soil & Groundwater

		PCA No. 45 Pulp, Paper and Paperboard Manufacturing and Processing		metals, PHC, BTEX, VOC, high or low pH	
		PCA No. 47 Rubber Manufacturing and Processing		metals, PHC, BTEX, VOC	
		PCA No. 57 Vehicles and Associated Parts Manufacturing		metals, PHC, BTEX, VOC	
		PCA No. 58 Waste Disposal and Waste Management, including thermal treatment. Landfilling and transfer of waste, other than use of biosoils as soil conditioners		PHCs, BTEX, VOCs, metals, As, Hg, Sb, Se, PCBs	
		PCA No. N/S (A) Spills		High or low pH	
APEC-2	Southwestern portion of the Phase One Property	PCA No. 10 Commercial Autobody Shops	Off-site	Metals, As, Cr (VI), Hg, Se, PHCs, VOCs	Soil & Groundwater
		PCA No. 12 Concrete, Cement and Lime Manufacturing		Ca, Na, low or high pH	
		PCA No. 27 Garages and Maintenance and Repair of Railcars, Marine Vehicles, and Aviation Vehicles		PHCs, VOCs, metals, As, Cr (VI), Hg, Sb, Se	
		PCA No. 28 Gasoline and Associated Products Storage in Fixed Tanks		PHCs, BTEX, Metals, PAHs	
APEC-2	Southwestern portion of the Phase One Property	PCA No. 40 Pesticides (including Herbicides, Fungicides, and Anti-Fouling Agents) Manufacturing, Processing, Bulk	Off-site	OCs	Soil & Groundwater

		Storage and Large-Scale Applications			
		PCA No. 49 Salvage Yard, including automobile wrecking		metals, PHC, BTEX, VOC	
		PCA No. 58 Waste Disposal and Waste Management, including thermal treatment. Landfilling and transfer of waste, other than use of biosoils as soil conditioners		PHCs, BTEX, VOCs, metals, As, Hg, Sb, Se	
		PCA No. N/S (A) Spills		PHCs, BTEX, Metals, PAHs	
APEC-3	Entire Phase One Property	PCA No. 11 Commercial Trucking and Container Terminals	On-site	PHCs, BTEX, PAHs, metals	Soil & Groundwater
APEC-4	Western Portion of the Phase One Property	PCA No. 18 Electricity Generation, Transformation, and Power Stations	On-site	PCBs, PHCs, Metals	Soil & Groundwater
APEC-5	South-central portion of 36 North Queen Street (Phase One Property)	PCA No. 27 Garages and Maintenance and Repair of Railcars, Marine Vehicles, and Aviation Vehicles	On-site	PHCs, VOCs, metals, As, Cr (VI), Hg, Sb, Se	Soil & Groundwater
APEC-6	Central portion of 36 North Queen Street (Phase One Property)	PCA No. 28 Gasoline and Associated Products Storage in Fixed Tanks	On-site	PHCs, BTEX, Metals, PAHs	Soil & Groundwater
APEC-7	South-central portion of 36 North Queen Street (Phase One Property)	PCA No. 28 Gasoline and Associated Products Storage in Fixed Tanks	On-site	PHCs, BTEX, Metals, PAHs	Soil & Groundwater

APEC-8	Area surrounding AST located on the South-central portion of 36 North Queen Street (Phase One Property)	PCA No. 28 Gasoline and Associated Products Storage in Fixed Tanks	On-site	PHCs, BTEX, Metals, PAHs	Soil & Groundwater
APEC-9	Central Portion of 30 Newbridge Road (Phase One Property)	PCA No. 28 Gasoline and Associated Products Storage in Fixed Tanks	On-site	PHCs, BTEX, Metals, PAHs	Soil & Groundwater
APEC-10	Entire Phase One Property	PCA No. 30 Importation of Fill Material of Unknown Quality	On-site	PAHs, SAR, B-HWS, CN-, metals, As, Cr (VI), Hg, Sb, Se, low or high pH, electrical conductivity	Soil
APEC-11	Eastern portion of the Phase One Property	PCA No. 46 Rail Yards, Tracks and Spurs	On-site	PHCs, BTEX, PAHs, metals, Cr (VI), Hg, Se	Soil & Groundwater
APEC-12	North-central portion of 30A Newbridge Road (Phase One Property)	PCA No. 48 Salt Manufacturing, Processing and Bulk Storage	On-site	Electrical conductivity, SAR, CL-, NA	Soil & Groundwater
APEC-13	West-central portion of the Phase One Property	PCA No. 55 Transformer Manufacturing, Processing and Use	On-site	PCBs	Soil & Groundwater
APEC-14	Central portion of 36 North Queen Street (Phase One Property)	PCA No. 55 Transformer Manufacturing, Processing and Use	On-site	PCBs	Soil & Groundwater
APEC-15	Southeastern portion of the Phase One Property	PCA No. 55 Transformer Manufacturing, Processing and Use	On-site	PCBs	Soil & Groundwater

APEC-16	Area surrounding the site building located at 30 Newbridge Road	PCA No. 58 Waste Disposal and Waste Management, including thermal treatment. Landfilling and transfer of waste,	On-site	PHCs, BTEX, VOCs, metals, As, Hg, Sb, Se, PCBs	Soil & Groundwater
---------	---	--	---------	--	--------------------

		other than use of biosoils as soil conditioners			
APEC-17	Area surrounding the site building located at 36 North Queen Street	PCA No. 58 Waste Disposal and Waste Management, including thermal treatment. Landfilling and transfer of waste, other than use of biosoils as soil conditioners	On-site	PHCs, BTEX, VOCs, metals, As, Hg, Sb, Se, PCBs	Soil & Groundwater
APEC-18	Entire Phase One Property	PCA No. N/S (A) Spills	On-site	PHCs, BTEX, VOCs, PAHs, PCBs, metals, As, B-HWS, Ca, CN, Sb, Se, Mg	Soil & Groundwater
APEC-19	Northwestern portion of the Phase One Property	PCA N/S (C) Hydraulic Model Laboratory	On-site	PHCs, PCBs, metals	Soil & Groundwater
APEC-20	Northwestern portion of the Phase One Property	PCA No. N/S (D) Known Soil Contamination	On-site	PHCs	Soil & Groundwater
APEC-21	South -central portion of the Phase One Property	PCA No. N/S (D) Known Soil Contamination	On-site	PHCs	Soil & Groundwater
APEC-22	Southeastern portion of the Phase One Property	PCA No. N/S (D) Known Soil Contamination	On-site	PHCs	Soil & Groundwater
APEC-23	Entire Phase One Property	PCA No. N/S (D) Known Soil Contamination	On-site	Electrical Conductivity, SAR, NA, Cl-	Soil & Groundwater

N/S - not specified in Table 2, Schedule D, of O.Reg. 153/04

The Phase One CSM (Figure 1 and Figure 2) and the Phase Two CSM (Figure 3 through Figure 18) prepared for the Site incorporates the information and data collected as part of the Phase One and Phase Two ESAs. The following table provides a summary discussion of the interpreted field data that is incorporated into the CSM.

**Table 6.8 Summary of Phase Two CSM**

CRITERIA	DISCUSSION
<ul style="list-style-type: none"> <li>i. a description and assessment of,                             <ul style="list-style-type: none"> <li>a. areas where a PCA have occurred,</li> <li>b. APECs, and</li> <li>c. any subsurface structures and utilities on, in or under the phase two property that may affect contaminant distribution and transport.</li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li>a. The Phase One ESA completed by WSP (February 2019) identified PCAs on the Site and within the Phase One Study Area, as outlined in Table 6.7 above, and depicted on Figure 1 and Figure 2.</li> <li>b. The PCAs that were identified as contributing to on-site APECs are discussed in Table 6.7 above. The table of APECs presented in the form as approved by the Director is provided in Table 6.8, above.</li> <li>c. Underground utilities can affect contaminant distribution and transport. Trenches excavated to install utility services, and the associated granular backfill may provide preferential pathways for horizontal contaminant migration in the shallow subsurface.</li> </ul>
<ul style="list-style-type: none"> <li>ii. a description of and, as appropriate, figures illustrating, the physical setting of the phase two property and any areas under it including,                             <ul style="list-style-type: none"> <li>a. stratigraphy from ground surface to the deepest aquifer or aquitard investigated,</li> <li>b. hydrogeological characteristics, including aquifers, aquitards and, in each hydrostratigraphic unit where one or more contaminants is present at concentrations above the applicable site condition standards, lateral and vertical gradients,</li> <li>c. approximate depth to bedrock,</li> <li>d. approximate depth to water table,</li> <li>e. any respect in which section 41 or 43.1 of the regulation applies to the property,</li> <li>f. areas where soil has been brought from another property and placed on, in or under the phase two property, and</li> <li>g. approximate locations, if known, of any proposed buildings and other structures</li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li>a. The Site is located within a Sand Plain physiographic region. During borehole, fill material ranging in depth from approximately 0.8 to 2.4 mbgs was encountered in all twenty (20) of the boreholes advanced as part of this investigation. The fill material consisted of sandy gravel, silty sand and clayey silt. Crusher run limestone was encountered within the fill material in nine (9) of the boreholes and trace asphalt and organics were encountered in some of the boreholes. Native interbedded layers of clayey silt till and sandy silt till was encountered below the fill materials and layers of silty sand were also encountered in boreholes BH19-7, BH19-8, BH19-9, BH19-11, BH19-13, BH19-16, and BH19-17. A layer of gravelly sand was also identified in BH19-9 and BH19-11. Shale bedrock was encountered in seven (7) of the boreholes at depths ranging from approximately 4 to 7.9 mbgs.</li> <li>b. Within the overburden, the sandy gravel layer situated below the clayey silt till/silty sand till on the north end of the Site (BH19-7, BH19-9 and BH19-11) is considered a confined aquifer, as indicated by the elevated water levels in this area. The underlying bedrock throughout the Site is considered to be an aquitard. Hydrostratigraphic units within the bedrock were not investigated. The horizontal hydraulic gradient was calculated to be 0.00544, the vertical hydraulic gradient could not be determined as nested wells are not present on the Site.</li> <li>c. Bedrock was encountered at depths ranging from 4 to 7.9 mbgs at some seven borehole locations.</li> <li>d. The depth to shallow groundwater in the overburden was approximately 0.91 to 3.26 mbgs, based on the January 15, 2019 groundwater sampling event.</li> <li>e. Neither section 41 nor section 43.1 apply to the Site, as no areas of natural significance were present on the Site, or within 30 m of the Site, the Site is not considered a shallow soil site, no water bodies were located on the Site, or within 30 m of the Site, and the soil at the property has a pH value between 5 and 9.</li> <li>f. Soil was not brought from another property and placed on, in, or under the Site, as part of this Phase Two ESA.</li> </ul>

**CRITERIA**

**DISCUSSION**

	g. The Site is not proposed for redevelopment at this time.		
<p>iii. where a contaminant is present on, in or under the phase two property at a concentration greater than the applicable site condition standard, identification of,</p> <p>a. each area where a contaminant is present on, in or under the phase two property at a concentration greater than the applicable site condition standard,</p> <p>b. the contaminants associated with each of the areas referred to in subparagraph A,</p> <p>c. each medium in which a contaminant associated with an area referred to in subparagraph is present,</p> <p>d. a description and assessment of what is known about each of the areas referred to in subparagraph A,</p> <p>e. the distribution, in each of the areas referred to in subparagraph A, of each contaminant present in the area at a concentration greater than the applicable site condition standard, for each medium in which the contaminant is present, together with figures showing the distribution,</p> <p>f. anything known about the reason for the discharge of the contaminants present on, in or under the phase two property at a concentration greater than the applicable site condition standard into the natural environment,</p> <p>g. anything known about migration of the contaminants present on, in or under the phase two property at a concentration greater than the applicable site condition standard away from any APEC,</p>	a.	b.	c.
	Fill and native soils on south and eastern portions of the Site	<ul style="list-style-type: none"> <li>▪ SAR</li> <li>▪ Cyanide</li> </ul>	Soil
	Groundwater	<ul style="list-style-type: none"> <li>▪ Chloride</li> <li>▪ PHC F4</li> <li>▪ Cis-1,2-Dichloroethylene</li> </ul>	Groundwater
	<p>d. What is known about the areas of environmental impact:</p> <p>Overburden Soils</p> <p>Elevated SAR levels in soil were identified during this investigation in the fill and native soils on the southern portion of the Site at depths ranging from surface to 2.1 mbgs. Elevated chloride levels were identified in groundwater on the northwest portion of the Site at screened intervals ranging from 3.1 to 7.6 mbgs. It is possible that the application of de-icing agents to the parking areas on or adjacent to the Site may be contributing to the elevated levels of SAR observed. The chloride impacts in groundwater were observed only on the northwest portion of the Site. The ground surface in this area is comprised of gravel with surface run-off minimal, it is possible that de-icing agents migrated to the groundwater.</p> <p>Elevated cyanide levels in soil were identified during this investigation in the fill soils in one (1) location, on the east central portion of the Site at a depth of 1.5 to 2.1 mbgs. A soil sample collected at a greater depth of 2.3 to 2.9 mbgs in the same location identified cyanide concentrations below the applicable SCS.</p> <p>Elevated PHC fraction F4 levels were identified in the groundwater during this investigation at one (1) location on the northeast portion of the Site at a screened interval of 4.6 to 7.6 mbgs.</p> <p>Elevated cis-1,2-dichloroethylene levels were identified in the groundwater during this investigation at one (1) location on the west portion of the Site at a screened interval of 2.7 to 4.3 mbgs.</p>		

## CRITERIA

## DISCUSSION

<p>including the identification of any preferential pathways,</p> <p>h. climatic or meteorological conditions that may have influenced distribution and migration of the contaminants, such as temporal fluctuations in groundwater levels, and</p> <p>i. if applicable, information concerning soil vapour intrusion of the contaminants into buildings including,</p> <ol style="list-style-type: none"> <li>1. relevant construction features of a building, such as a basement or crawl space,</li> <li>2. building heating, ventilating and air conditioning design and operation, and</li> <li>3. subsurface utilities,</li> </ol>	<p>e. The horizontal distribution of contaminants in soil and groundwater on Site are presented in Figures 6, 8, 9 and 10. The vertical extent of impacts is currently unknown.</p> <p>f. It is likely that the application of de-icing agents to the parking areas located throughout the Site may be contributing to the elevated levels of SAR observed. The chloride impacts in groundwater were observed only on the northwest portion of the Site. The ground surface in this area is comprised of gravel with surface run-off minimal, it is possible that de-icing agents migrated to the groundwater.</p> <p>The presence of cyanide on the eastern portion of the Site may be related to poor quality fill material present in this location, given the native soils below met the MECP Table 3 SCS.</p> <p>The presence of PHC F4 impacts in groundwater could be a result of past operations on the Site, given the close location of the exceedance to former rail spurs on the property.</p> <p>The presence of cis-1,2-dichloroethylene impacts in groundwater on the west portion of the Site could be a result of the various industrial operations on the west adjacent properties, given the location of the exceedance is located down-gradient from these properties in terms of groundwater flow direction.</p> <p>g. Migration of these contaminants will be affected by water infiltration and groundwater flow.</p> <p>h. The Site is generally hard surfaced with asphalt and limited landscaping. Climatic or meteorological conditions are not considered to have greatly influenced the distribution or migration of the contaminants, although stormwater infiltration will affect the infiltration of de-icing agents.</p> <p>i. Given the nature of the contaminants identified in this investigation, vapour intrusion could be a concern on the northeast and west portions of the Site given the VOC and PHC exceedances identified in the groundwater. Currently, there are no buildings located within these areas.</p>
<p>iv. where contaminants on, in or under the phase two property are present at concentrations greater than the applicable site condition standard, one or more cross-sections showing,</p> <p>a. the lateral and vertical distribution of a contaminant in each area where the contaminants is present at concentrations greater than the applicable site condition</p>	<p>a. Plan view and cross-section view figures that indicate the horizontal distribution of contaminants are provided as:</p> <p>Figure 6 Chemical Exceedances in Soil - ORPs          Figure 8 Chemical Exceedances in Groundwater – ORPs          Figure 9 Chemical Exceedances in Groundwater – PHCs          Figure 10 Chemical Exceedances in Groundwater – VOCs          Figure 11 A-A' Cross Section with Chemical Exceedances in Soil - ORPs          Figure 12 B-B' Cross Section with Chemical Exceedances in Soil - ORPs          Figure 13 A-A' Cross Section with Chemical Exceedances in Groundwater – ORPs</p>



## CRITERIA

## DISCUSSION

<p>standard in soil, groundwater and sediment,</p> <p>b. approximate depth to water table in each area referred to in subparagraph A,</p> <p>c. stratigraphy from ground surface to the deepest aquifer or aquitard investigated, and</p> <p>d. any subsurface structures and utilities that may affect contaminant distribution and transport in each area referred to in subparagraph A</p>	<p>Figure 14 B-B' Cross Section with Chemical Exceedances in Groundwater - ORPs</p> <p>Figure 15 A-A' Cross Section with Chemical Exceedances in Groundwater – PHCs</p> <p>Figure 16 B-B' Cross Section with Chemical Exceedances in Groundwater - PHCs</p> <p>Figure 17 A-A' Cross Section with Chemical Exceedances in Groundwater – VOCs</p> <p>Figure 18 B-B' Cross Section with Chemical Exceedances in Groundwater - VOCs</p> <p>b. Groundwater levels are provided in Figure 4.</p> <p>c. Stratigraphy from ground surface to the deepest strata investigated is provided in cross-sections in Figures 11 to 18.</p> <p>d. Underground utilities have the potential to affect contaminant distribution and transport. The majority of utilities servicing the Site (natural gas, water, sewer, and hydro) are believed to enter the Phase Two Property from North Queen Street to the south and Lockport Avenue and Newbridge Road to the west. Underground utilities on the Phase One Property and on adjacent properties may affect local migration of contaminants in the subsurface.</p>
<p>v. for each area where a contaminant is present on, in or under the property at a concentration greater than the applicable site condition standard for the contaminant, a diagram identifying, with narrative explanatory notes,</p> <p>a. the release mechanisms,</p> <p>b. contaminant transport pathway,</p> <p>c. the human and ecological receptors located on, in or under the phase two property,</p> <p>d. receptor exposure points, and routes of exposure.</p>	<p>Multiple release mechanisms were identified on the Site given the industrial uses on the Site and surrounding areas with residual cyanide, SAR, PHCs and VOCs impacts. The impacted media is the fill soils and groundwater.</p> <p>The applicable human and ecological receptors and contaminant transport/exposure pathways include:</p> <p>Human Receptors:</p> <ul style="list-style-type: none"> <li>– Outdoor and subsurface worker</li> <li>– Construction worker</li> <li>– Property occupant and visitor (adult and child)</li> </ul> <p>Transport/Exposure routes of contaminants to human receptors:</p> <ul style="list-style-type: none"> <li>– Dermal Contact with Soil</li> <li>– Incidental Soil Ingestion</li> <li>– Inhalation of airborne particles</li> </ul> <p>Ecological Receptors:</p> <ul style="list-style-type: none"> <li>– Plants</li> <li>– Terrestrial Invertebrates</li> <li>– Mammals &amp; Birds</li> </ul> <p>Transport/Exposure routes of contaminants to ecological receptors:</p> <ul style="list-style-type: none"> <li>– Ingestion of soil contaminants (direct)</li> <li>– Immersion in soil contaminants (direct)</li> <li>– Plant root uptake (direct)</li> </ul>

## CRITERIA

## DISCUSSION

	<ul style="list-style-type: none"><li>– Ingestion of plants (indirect)</li><li>– Ingestion of invertebrates (indirect)</li><li>– Ingestion of animal prey (indirect)</li></ul> <p>A summary of the release mechanism, contaminant transport pathway and receptors is depicted in Figure 19.</p>
--	---

# 7 CONCLUSIONS

Based on the Phase Two ESA, WSP presents the following findings:

- Fill material ranging in depth from approximately 0.8 to 2.4 mbgs was encountered in all twenty (20) of the boreholes (BH19-1 to BH19-20) advanced as part of this investigation. The fill material consisted of sandy gravel, silty sand and clayey silt. Crusher run limestone was encountered within the fill material in nine (9) of the boreholes and trace asphalt and organics were encountered in some of the boreholes. Native interbedded layers of clayey silt till and sandy silt till was encountered below the fill materials and layers of silty sand were also encountered in boreholes BH19-7, BH19-8, BH19-9, BH19-11, BH19-13, BH19-16, and BH19-17. A layer of gravelly sand was also identified in BH19-9 and BH19-11. Shale bedrock was encountered in seven (7) of the boreholes at depths ranging from approximately 4 to 7.9 mbgs.
- The depth to groundwater was recorded in nine (9) of the ten (10) monitoring wells installed during the investigation (BH19-15 was found to be dry). The groundwater levels were found to range between 0.91 and 3.27 mbgs and the groundwater elevations ranged between 112.3 to 118.4 masl. Based on the levels recorded, the groundwater flow direction appears to be southeast across the Site. Groundwater flow direction can be influenced by seasonal fluctuation, utility services, and other subsurface features and can only be confirmed with long term monitoring.
- The soil and groundwater analytical results were compared to 2011 Ministry of Environment, Conservation, and Parks (MECP) Table 3 Full Depth Generic site condition standards (SCS) in a Non-Potable Groundwater Condition for industrial/commercial/community (ICC) land use.
- On May 20, 2016, a total of eighty-one (81) soil samples, and eleven (11) QA/QC samples, were submitted to the laboratory and analysed for PCOCs including: metals and ORPs, PAHs, PHCs, VOCs, and PCBs. The results of the analyses indicated three (3) of the twenty-one (21) soil samples submitted for metals and ORPs, at depths ranging between 0.0 to 2.1 mbgs, exceeded the applicable Table 3 SCS for SAR, and one (1) soil sample exceeded the applicable Table 3 SCS for cyanide at a depth of 1.5 to 2.1 mbgs.
- On January 15 and 16, 2019, groundwater samples were obtained from nine (9) monitoring wells on the Site and submitted for analysis of metals and ORPs, PHCs, VOCs, PAHs and PCBs. The results of the analyses indicated that two (2) of the nine (9) samples exceeded the Table 3 SCS for chloride, one (1) of the samples (BH19-9) exceeded the Table 3 SCS for PHC fraction F4 and one (1) sample (BH19-2) exceeded the Table 3 SCS for cis-1,2-dichloroethylene.

In addition to the current findings of the WSP's Phase Two ESA, previous investigation of the Site identified petroleum hydrocarbon (PHC) impacted soil and/or groundwater in the northwestern portion of the Site - identified as APEC 20 in WSP's 2019 Phase One ESA, the south-central portion of the Site - identified as APEC 21, and the east-central portion of the Site - identified as APEC 22. Boreholes BH19-4 and BH19-18 were advanced in the vicinity of these PHC impacts at APECs 20 and 21 and borehole BH19-19 was advanced to the south of APEC 22 during WSP's current investigation. These boreholes did not identify any PHC impacts in soil or groundwater at the borehole locations. In addition to the PHC impacts, the previous investigations identified salt related impacts in soil (electrical conductivity and sodium adsorption ratio) and groundwater (sodium and chloride) across the Site. WSP's current investigation identified SAR impacts in soil on the southern portion of the Site and chloride impacts in groundwater on the northwestern portion of the Site.

Based on the findings of this Phase Two ESA, WSP presents the following conclusions:

- Soils impacted with elevated SAR were identified at three (3) of the twenty (20) borehole locations and were found at depths ranging from 0.0 to 2.1 mbgs.
- Soils impacted with elevated cyanide levels were identified in one (1) of the twenty (20) boreholes locations at a depth of 1.5 to 2.1 mbgs.
- Groundwater with elevated chloride was found in two (2) of the nine (9) monitoring wells analyzed. It is noted that groundwater was found at depths of 0.91 and 1.1 mbgs and non-impacted soils were found at 0.8 to 1.4 mbgs at these locations.
- Groundwater with elevated PHC fraction F4 above the Table 3 SCS was found in one (1) of the nine (9) monitoring wells analyzed and groundwater with elevated cis-1,2-dichloroethylene above the Table 3 SCS was found in one (1) of

the nine (9) monitoring wells analyzed. These impacts in groundwater could be a result of operations on the Phase Two Property or from operations on properties within the surrounding area given the current and historical industrial property use of the Site and industrial uses of the surrounding area.

- Previous site investigation also identified the presence of hydrocarbon impacts in soil and/or groundwater in the northwestern, south-central and east-central portions of the Site.

Should compliance with the site condition standards be required, remediation and/or risk assessment would be required. For either scenario, additional delineation sampling may be required. It is noted, however, that the Site is not proposed for redevelopment to a more sensitive land use and thus remediation or risk assessment is not required by O. Reg. 153/04.

It is noted that the current investigation was limited to exterior portions of the Site and did not include intrusive investigation within or below the on-site buildings as access to these areas was not provided.

---

## 7.1 QUALIFIER

This assignment is limited to the completion of a Phase Two ESA and analysis of potential contamination at the selected borehole locations. This report is prepared for TTC's sole use in the evaluation of the property at 30 Newbridge Road, Toronto, Ontario.

The Phase Two ESA, sampling, and laboratory analyses were completed as documented in the report. Extrapolation of data beyond the borehole locations assumes that homogenous conditions exist beyond the sampling locations, which may not be the case. Therefore, it is not feasible to state conclusively, that the subsurface conditions encountered during this investigation exist beyond the sampled locations.

The conclusions provided in this report reflect our best judgment in light of the information available at the time of report preparation. Any use, which a third party makes of this report, or any reliance on or any decisions to be made based on it, is the responsibility of such third parties. WSP accepts no responsibility for damages, if any, suffered by any third party because of decisions or actions taken, based on this report. Conclusions documented in this report do not apply to other land uses. It is understood that Site conditions, environmental or otherwise, are not static and that this report documents Site conditions at the time of the investigation.

---

## 7.2 QUALIFICATIONS OF THE ASSESSORS


This report was prepared by Ms. Michelle Locke, P.Eng., who is currently an Environmental Project Officer in the Toronto, Ontario office of WSP Canada Inc. Michelle has a Bachelor of Applied Science Degree in Chemical Engineering from Queen's University and is a recognized Professional Engineer in Ontario since 2016. She has worked on Phase One and Phase Two Environmental Site Assessments (ESAs), Risk Assessments (RA), remediation work and Designated Substance Surveys/Asbestos Surveys since 2011.

This report was reviewed by Mr. Rodney Obdeyn, P.Eng., who is a Senior Environmental Engineer in the Toronto, Ontario office of WSP Canada Inc. Rodney has obtained a Bachelor's Degree in Engineering, and is a recognized Professional Engineer in Ontario since 1990. Rodney has conducted and managed hundreds of environmental investigations including Phase One ESAs, Phase Two ESAs, and various site remediation projects across Ontario. Rodney is a Qualified Person (QP<sub>ESA</sub>) under O.Reg. 153/04.

## 8 REFERENCES

- Ontario Ministry of the Environment, Conservation and Parks (MECP). 1996. Guidance on Sampling and Analytical Methods for Use at Contaminated Sites in Ontario. December 1996.
- Ontario Ministry of the Environment, Conservation and Parks (MECP). 2011a. Ontario Regulation 153/04, as amended, made under the Environmental Protection Act. July 1, 2011.
- Ontario Ministry of the Environment, Conservation and Parks (MECP). 2011b. Soil, Ground Water and Sediment Standards for Use Under Part XV.1 of the Environmental Protection Act. July 1, 2011.
- Ontario Ministry of the Environment, Conservation and Parks (MECP). 2011c. Protocol for Analytical Methods Used in the Assessment of Properties under Part XV.1 of the Environmental Protection Act. July 1, 2011.
- Ontario Ministry of the Environment, Conservation and Parks (MECP). 2013. Ontario Regulation 903: “Wells.” R.R.O. 1990, under the Ontario Water Resources Act, as amended by O.Reg. 331/13.
- WSP Canada Inc. (WSP). 2019. Phase One Environmental Site Assessment 30 Newbridge Road, Toronto, ON. February 2019

# TABLES



## Notes for Soil & Groundwater Summary Tables

1. mbgs = metres below ground surface
2. ORPs = other regulated parameters
3. PHCs = petroleum hydrocarbons
4. VOCs = volatile organic compounds
5. PAHs = polycyclic aromatic hydrocarbons
6. PCBs = polychlorinated biphenyls
7. - = parameter not analyzed
8. Units for all soil analyses are in  $\mu\text{g/g}$  (ppm) unless otherwise indicated
9. Units for all groundwater analyses are in  $\mu\text{g/L}$  (ppb) unless otherwise indicated
10. Table 3 = Full Depth Generic Site Condition Standards in a Non Potable Ground Water Condition with Coarse Textured Soils as contained in Table 3 of the "Soil, Ground Water and Sediment Standards for Use Under Part XV.1 of the Environmental Protection Act", published by the MOECP on April 15, 2011
11. For soil and groundwater analytical results: **bold and underlined** = Concentration exceeds the 2011 MECP Table 3 SCS

**Table 1 Monitoring Well Installation and Groundwater Levels**

Monitoring Well ID		BH19-1	BH19-2	BH19-5	BH19-7	BH19-9	BH19-13	
Installed By		WSP	WSP	WSP	WSP	WSP	WSP	
Installation Date		9-Jan-19	9-Jan-19	9-Jan-19	8-Jan-19	7-Jan-19	8-Jan-19	
Well Status		Active	Active	Active	Active	Active	Active	
Well Inner Diameter	(mm)	50	50	50	50	50	50	
Top of Pipe Elevation	(masl)	117.143	117.762	117.104	119.311	119.048	117.447	
Ground Surface Elevation	(masl)	117.143	116.898	117.104	119.311	119.048	117.447	
Bottom of Concrete Seal/Top of Bentonite Seal	(mbgs)	0.3	0.3	0.3	0.3	0.3	0.3	
	(masl)	116.843	116.598	116.804	119.011	118.748	117.147	
Bottom of Bentonite Seal/Top of Sand Pack	(mbgs)	1.83	2.29	2.59	4.27	4.27	4.27	
	(masl)	115.3	114.6	114.5	115.0	114.8	113.2	
Top of Well Screen	(mbgs)	2.13	2.74	3.05	4.57	4.57	4.57	
	(masl)	115.0	114.2	114.1	114.7	114.5	112.9	
Screen Length	(m)	2.44	1.52	3.05	3.05	3.05	3.05	
Bottom of Screen	(mbgs)	4.57	4.27	6.10	7.62	7.62	7.62	
	(masl)	112.6	112.6	111.0	111.7	111.4	109.8	
15-Jan-19	Depth of GW	(mbgs)	1.783	1.485	1.100	0.905	1.714	1.914
	GW Elevation	(masl)	115.4	115.4	116.0	118.4	117.3	115.5
	CGD	(ppm)	0	0	2850	4300	900	0
	PID	(ppm)	0	0	0	3	0	0

See "Notes for Soil and Groundwater Summary Tables" included at the beginning of this Section





**Table 1 Monitoring Well Installation and Groundwater Levels**

Monitoring Well ID		BH19-15	BH19-17	BH19-18	BH19-20	
Installed By		WSP	WSP	WSP	WSP	
Installation Date		10-Jan-19	11-Jan-19	10-Jan-19	Jan 10, 2019	
Well Status		Active	Active	Active	Active	
Well Inner Diameter	(mm)	50	50	50	50	
Top of Pipe Elevation	(masl)	115.956	115.523	116.060	115.407	
Ground Surface Elevation	(masl)	115.956	115.523	116.060	115.407	
Bottom of Concrete Seal/Top of Bentonite Seal	(mbgs)	0.3	0.3	0.3	0.3	
	(masl)	115.656	115.223	115.760	115.107	
Bottom of Bentonite Seal/Top of Sand Pack	(mbgs)	4.27	4.27	1.83	1.37	
	(masl)	111.7	111.3	114.2	114.0	
Top of Well Screen	(mbgs)	4.57	4.57	2.13	1.68	
	(masl)	111.4	111.0	113.9	113.7	
Screen Length	(m)	3.05	3.05	3.05	2.13	
Bottom of Screen	(mbgs)	7.62	7.62	5.18	3.81	
	(masl)	108.3	107.9	110.9	111.6	
15-Jan-19	Depth of GW	(mbgs)	dry	3.265	1.522	1.573
	GW Elevation	(masl)	-	112.3	114.5	113.8
	CGD	(ppm)	0	0	95	930
	PID	(ppm)	0	0	0	0

See "Notes for Soil and Groundwater Summary Tables" included at the beginning of this Section

**Table 2 Summary of Soil Samples Submitted for Chemical Analysis**

Borehole ID	Sample ID	Depth (mbgs)	Date	Soil Type	Laboratory Analyses
BH19-1	SS1	0-0.6	9-Jan-19	Fill Material	PCBs
	SS3	1.5-2.1		Sandy Silt Till	PHCs, VOCs
	SS5	3.1-3.7		Sandy Silt Till	PHCs, VOCs
BH19-2	SS1	0-0.6	9-Jan-19	Fill Material	Metals and ORPs
	SS2	0.8-1.4		Fill Material	PAHs, PCBs
	QA/QC S6				PAHs
	SS3	1.5-2.1		Fill Material	PHCs, VOCs
	SS5	3.1-3.7		Sandy Silt Till	PHCs, VOCs
BH19-3	SS2	0.8-1.4	9-Jan-19	Fill Material	Metals and ORPs
	SS3	1.5-2.1		Fill Material	PHCs, VOCs
	SS4	2.3-2.9		Clayey Silt Till	PAHs
	SS5	3.1-3.7		Clayey Silt Till	PHCs, VOCs
BH19-4	SS1	0-0.6	9-Jan-19	Fill Material	PAHs
	SS2	0.8-1.4		Fill Material	PAHs, PCBs
	SS3	1.5-2.1		Clayey Silt Till	PHCs, VOCs, Metals and ORPs
	SS5	3.1-3.7		Sandy Silt Till	PHCs, VOCs
BH19-5	SS1	0-0.6	9-Jan-19	Fill Material	PCBs
	SS2	0.8-1.4		Fill Material	Metals and ORPs
	SS3	1.5-2.1		Sandy Silt Till	PHCs, VOCs
	SS5	3.1-3.7		Silty Sand Till	PAHs
	SS6	4.6-5.2		Clayey Silt Till	PHCs, VOCs
	QA/QC S5				PHCs, VOCs
BH19-6	SS1	0-0.6	10-Jan-19	Fill Material	PAHs
	SS2	0.8-1.4		Clayey Silt Till	Metals and ORPs, PCBs
	SS3	1.5-2.1		Clayey Silt Till	PHCs, VOCs
	SS5	3.1-3.7		Clayey Silt Till	PHCs, VOCs
BH19-7	SS2	0.8-1.4	8-Jan-19	Fill Material	Metals and ORPs, PAHs
	SS3	1.5-2.1		Silty Sand Till	PCBs
	SS5	3.1-3.7		Clayey Silt Till	PHCs, VOCs
	QA/QC S4				PHCs, VOCs
	SS8	7.6-8.2		Clayey Silt	PHCs, VOCs
BH19-8	SS2	0.8-1.4	11-Jan-19	Sandy Silt Till	Metals and ORPs, PAHs, PCBs
	SS4	2.3-2.9		Sandy Silt Till	PHCs, VOCs
	SS6	4.6-5.2		Silty Sand Till	PAHs
	SS7	6.1-6.7		Sandy Silt Till	PHCs, VOCs
BH19-9	SS2	0.8-1.4	7-Jan-19	Fill Material	PHCs, VOCs, PAHs
	SS3	1.5-2.1		Clayey Silt Till	PCBs
	QA/QC S1				PCBs
	SS4	2.3-2.9		Clayey Silt	Metals and ORPs
	SS8	7.6-8.2		Silty Sand Till	PHCs, VOCs

**Table 2 Summary of Soil Samples Submitted for Chemical Analysis**

Borehole ID	Sample ID	Depth (mbgs)	Date	Soil Type	Laboratory Analyses
BH19-10	SS2	0.8-1.4	7-Jan-19	Fill Material	Metals and ORPs
	SS3	1.5-2.1		Clayey Silt Till	PHCs, VOCs, PCBs
BH19-11	SS2	0.8-1.4	7-Jan-19	Fill Material	Metals and ORPs
	SS3	1.5-2.1		Clayey Silt Till	PAHs, PCBs
	SS5	3.1-3.7		Sandy Silt Till	PHCs, VOCs
	SS6	4.6-5.2		Silty Sand Till	PHCs, VOCs
	QA/QC S2				PHCs, VOCs
BH19-12	SS1	0-0.6	8-Jan-19	Fill Material	Metals and ORPs
	SS2	0.8-1.4		Gravelly Sand	PCBs
	SS3	1.5-2.1		Clayey Silt Till	PHCs, VOCs
	SS4	2.3-2.9		Sandy Silt Till	PHCs, VOCs
BH19-13	SS2	0.8-1.4	8-Jan-19	Fill Material	PAHs
	SS3	1.5-2.1		Fill Material	PHCs, VOCs, Metals and ORPs
	SS4	2.3-2.9		Clayey Silt Till	Metals and ORPs
	SS6	4.6-5.2		Sandy Silt Till	PHCs, VOCs
	SS8	7.6-8.2		Silty Sand Till	PHCs, VOCs
BH19-14	SS2	0.8-1.4	8-Jan-19	Fill Material	Metals and ORPs
	SS3	1.5-2.1		Fill Material	PAHs, PCBs
	SS4	2.3-2.9		Clayey Silt Till	PHCs, VOCs
	QA/QC S3				PHCs, VOCs
	SS6	4.6-5.2		Silty Sand Till	PHCs, VOCs
BH19-15	SS2	0.8-1.4	10-Jan-19	Sand	PCBs
	SS3	1.5-2.1		Sand	Metals and ORPs, PAHs
	SS4	2.3-2.9		Clayey Silt Till	PHCs, VOCs
	SS7	6.1-6.7		Silty Clay Till	PHCs, VOCs
	QA/QC S9				PHCs, VOCs
BH19-16	SS1	0-0.6	11-Jan-19	Fill Material	PAHs
	SS2	0.8-1.4		Fill Material	Metals and ORPs, PCBs
	SS3	1.5-2.1		Silty Sand	PHCs, VOCs
	SS6	4.6-5.2		Clayey Silt Till	PHCs, VOCs
BH19-17	SS1	0-0.6	11-Jan-19	Fill Material	PHCs, VOCs
	SS2	0.8-1.4		Fill Material	Metals and ORPs, PAHs
	SS3	1.5-2.1		Fill Material	PHCs, VOCs
	QA/QC S10				PHCs, VOCs
	SS5	3.1-3.7		Silty Sand	PCBs
	SS7	6.1-6.7		Sandy Silt Till	PHCs, VOCs
BH19-18	SS1	0-0.6	10-Jan-19	Fill Material	PHCs, VOCs
	SS2	0.8-1.4		Fill Material	Metals and ORPs
	SS3	1.5-2.1		Fill Material	PAHs
	SS4	2.3-2.9		Clayey Silt Till	PHCs, VOCs
	QA/QC S8				PHCs, VOCs

**Table 2 Summary of Soil Samples Submitted for Chemical Analysis**

Borehole ID	Sample ID	Depth (mbgs)	Date	Soil Type	Laboratory Analyses
BH19-19	SS1	0-0.6	11-Jan-19	Fill Material	PCBs
	SS2	0.8-1.4		Fill Material	PAHs
	SS3	1.5-2.1		Clayey Silt	Metals and ORPs, PCBs
	SS5	3.1-3.7		Silty Sand Till	PHCs, VOCs
	QA/QC S11				PHCs, VOCs
	SS7	6.1-6.7		Clayey Silt Till	PHCs, VOCs
BH19-20	SS1	0-0.6	10-Jan-19	Fill Material	Metals and ORPs
	SS2	0.8-1.4		Fill Material	PCBs
	QA/QC S7				PCBs
	SS3	1.5-2.1		Silty Clay Till	PHCs, VOCs
	SS4	2.3-2.9		Silty Clay Till	Metals and ORPs
	SS5	3.1-3.7		Sandy Silt Till	PHCs, VOCs

See "Notes for Soil and Groundwater Summary Tables" included at the beginning of this Section

**Table 3: Summary of Groundwater Samples Submitted for Chemical Analysis**

Monitoring Well ID	Screened Interval (mbgs)	Date	Parameters				
			M&ORP	PHCs	VOCs	PCBs	PAHs
BH19-1	2.1 - 4.6	15-Jan-19	✓	✓	✓	✓	✓
QA/QC GW1			-	✓	✓	-	-
BH19-2	2.7 - 4.3		✓	✓	✓	✓	✓
BH19-5	3.1 - 6.1		✓	✓	✓	✓	✓
BH19-7	4.6 - 7.6		✓	✓	✓	✓	✓
QA/QC GW2			-	✓	✓	-	-
BH19-9	4.6 - 7.6	16-Jan-19	✓	✓	✓	✓	✓
BH19-13	4.6 - 7.6		✓	✓	✓	✓	✓
BH19-15	4.6 - 7.6	15-Jan-19	✓	✓	✓	✓	✓
BH19-17	4.6 - 7.6		✓	✓	✓	✓	✓
QA/QC GW3			-	✓	✓	-	-
BH19-18	2.1 - 5.2	16-Jan-19	✓	✓	✓	✓	✓
QA/QC GW4			-	✓	✓	-	-
BH19-20	1.7 - 3.8	15-Jan-19	✓	✓	✓	✓	✓

See "Notes for Soil and Groundwater Summary Tables" included at the beginning of this Section

**Table 4 Soil Analytical Results - Metals&ORPs**

Parameter		BH19-2 SS1	BH19-3 SS2	BH19-4 SS3	BH19-5 SS1	BH19-6 SS2	BH19-7 SS2	BH19-8 SS2
Date of Collection	Table 3 ICC CT	Jan 09, 2019	Jan 09, 2019	Jan 09, 2019	Jan 09, 2019	Jan 10, 2019	Jan 08, 2019	Jan 11, 2019
Date Reported		Jan 22, 2019	Jan 22, 2019	Jan 22, 2019	Jan 22, 2019	Jan 22, 2019	Jan 22, 2019	Jan 22, 2019
Sampling Depth (mbgs)		0-0.6	0.8-1.4	1.5-2.1	0-0.6	0.8-1.4	0.8-1.4	0.8-1.4
Analytical Report Reference No.		B910983	B910983	B910983	B910983	B910983	B910983	B910983
Antimony	40	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
Arsenic	18	2.8	3.1	3.2	2.8	4.3	2.8	1.3
Barium	670	57	65	31	41	37	24	27
Beryllium	8	0.29	0.33	0.26	0.25	0.31	0.22	0.21
Boron	120	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
Boron (Hot Water Soluble)	2	0.31	0.28	0.16	0.14	0.055	0.2	0.15
Cadmium	1.9	0.14	0.12	<0.10	<0.10	<0.10	<0.10	<0.10
Chromium	160	11	12	9.1	9.7	12	9.5	8.9
Cobalt	80	4.3	5.3	5.8	4.3	8.5	4.7	3.9
Copper	230	19	24	19	23	28	17	9.4
Lead	120	10	14	6.9	9.2	10	5.6	3.9
Molybdenum	40	<0.050	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Nickel	270	9.2	12	11	9.6	17	9.5	7.4
Selenium	5.5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Silver	40	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
Thallium	3.3	0.065	0.088	0.07	0.079	0.13	0.065	0.063
Uranium	33	0.46	0.42	0.35	0.39	0.48	0.38	0.41
Vanadium	86	23	22	17	19	20	17	19
Zinc	340	34	46	28	35	44	30	20
Chromium VI	8	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cyanide	0.051	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Mercury	3.9	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050
Electrical Conductivity	1.4	0.29	0.39	0.3	0.53	1	0.68	0.19
Sodium Adsorption Ratio	12	1.8	0.86	2.9	2.5	6.7	5.5	2.1
pH, 2:1 CaCl2 Extraction	5 to 9	7.55	7.57	7.98	7.76	7.96	8.01	7.96

See "Notes for Soil and Groundwater Summary Tables" included at the beginning of this Section

**Table 4 Soil Analytical Results - Metals&ORPs**

Parameter		BH19-9 SS4	BH19-10 SS2	BH19-11 SS2	BH19-12 SS1	BH19-13 SS3	BH19-13 SS4	BH19-14 SS2
Date of Collection	Table 3 ICC CT	Jan 07, 2019	Jan 07, 2019	Jan 07, 2019	Jan 08, 2019	Jan 08, 2019	Jan 08, 2019	Jan 08, 2019
Date Reported		Jan 22, 2019	Jan 22, 2019	Jan 22, 2019	Jan 22, 2019	Jan 22, 2019	Jan 22, 2019	Jan 22, 2019
Sampling Depth (mbgs)		2.3-2.9	0.8-1.4	0.8-1.4	0-0.6	1.5-2.1	2.3-2.9	0.8-1.4
Analytical Report Reference No.		B910983	B910983	B910983	B910983	B910983	B910983	B910983
Antimony	40	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
Arsenic	18	1.6	2.2	1.4	2.7	2	1.4	1.7
Barium	670	24	26	15	25	41	51	12
Beryllium	8	0.2	0.27	<0.20	0.21	0.39	0.31	<0.20
Boron	120	<5.0	<5.0	<5.0	5.1	<5.0	5.2	<5.0
Boron (Hot Water Soluble)	2	<0.050	0.075	<0.050	<0.050	1.4	0.093	<0.050
Cadmium	1.9	<0.10	<0.10	<0.10	<0.10	0.21	<0.10	0.11
Chromium	160	8.5	11	7.8	7.6	11	13	6.9
Cobalt	80	3.6	4.2	2.4	3.9	2.9	4.8	2.8
Copper	230	8.7	19	10	25	15	11	10
Lead	120	3.3	5.9	4.6	5	9.9	4.9	5
Molybdenum	40	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Nickel	270	6.5	8.1	5.3	7.2	6.6	11	13
Selenium	5.5	<0.50	<0.50	<0.50	<0.50	0.52	<0.50	<0.50
Silver	40	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
Thallium	3.3	<0.050	0.058	<0.050	0.064	0.07	0.076	<0.050
Uranium	33	0.4	0.41	0.32	0.34	0.77	0.39	0.27
Vanadium	86	16	25	16	15	21	21	16
Zinc	340	21	25	26	22	33	26	29
Chromium VI	8	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cyanide	0.051	<0.01	<0.01	<0.01	<0.01	<b>0.09</b>	<0.01	<0.01
Mercury	3.9	<0.050	<0.050	<0.050	<0.050	0.057	<0.050	<0.050
Electrical Conductivity	1.4	0.47	0.31	0.11	0.17	0.2	0.31	0.099
Sodium Adsorption Ratio	12	2.7	9	0.33	9.8	0.85	2.3	0.34
pH, 2:1 CaCl2 Extraction	5 to 9	7.94	7.89	7.92	7.98	6.61	7.75	7.96

See "Notes for Soil and Groundwater Summary Tables" included at the beginning of this Section

**Table 4 Soil Analytical Results - Metals&ORPs**

Parameter		BH19-15 SS3	BH19-16 SS2	BH19-17 SS2	BH19-18 SS2	BH19-19 SS3	BH19-20 SS1
Date of Collection	Table 3 ICC CT	Jan 10, 2019	Jan 11, 2019	Jan 11, 2019	Jan 10, 2019	Jan 11, 2019	Jan 10, 2019
Date Reported		Jan 22, 2019	Jan 22, 2019	Jan 22, 2019	Jan 22, 2019	Jan 22, 2019	Jan 22, 2019
Sampling Depth (mbgs)		1.5-2.1	0.8-1.4	0.8-1.4	0.8-1.4	1.5-2.1	0-0.6
Analytical Report Reference No.		B910983	B910983	B910983	B910983	B910983	B910983
Antimony	40	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
Arsenic	18	<1.0	1.4	1.4	1.5	3.3	2.4
Barium	670	9.4	14	22	13	53	36
Beryllium	8	<0.20	0.23	0.23	0.23	0.41	0.23
Boron	120	<5.0	<5.0	<5.0	<5.0	6	<5.0
Boron (Hot Water Soluble)	2	0.057	<0.050	<0.050	<0.050	0.29	0.58
Cadmium	1.9	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Chromium	160	3.2	7.1	6.3	7.4	21	7.7
Cobalt	80	1.8	2.9	2.8	3.5	8.4	3.7
Copper	230	5.3	6	5.8	7.4	24	20
Lead	120	2.3	4.4	4.3	4.3	6.8	5.7
Molybdenum	40	<0.50	<0.50	<0.50	<0.50	0.53	<0.50
Nickel	270	4.5	7.3	7.3	8.4	19	8.9
Selenium	5.5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Silver	40	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
Thallium	3.3	<0.050	<0.050	<0.050	<0.050	0.13	0.066
Uranium	33	0.17	0.33	0.24	0.31	0.65	0.31
Vanadium	86	5.8	13	11	16	28	16
Zinc	340	10	20	13	14	42	26
Chromium VI	8	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cyanide	0.051	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Mercury	3.9	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050
Electrical Conductivity	1.4	0.86	0.28	0.22	0.74	0.87	0.28
Sodium Adsorption Ratio	12	<b>21</b>	0.34	8.8	3.2	<b>17</b>	<b>14</b>
pH, 2:1 CaCl2 Extraction	5 to 9	8.04	7.91	7.72	7.7	7.87	8.03

See "Notes for Soil and Groundwater Summary Tables" included at the beginning of this Section



**Table 5 Soil Analytical Results - PHCs & BTEX**

Parameter		BH19-1 SS3	BH19-1 SS5	BH19-2 SS3	BH19-2 SS5	BH19-3 SS3	BH19-3 SS5	BH19-4 SS3
Date of Collection	Table 3 ICC CT	Jan 09, 2019	Jan 09, 2019	Jan 09, 2019	Jan 09, 2019	Jan 09, 2019	Jan 09, 2019	Jan 09, 2019
Date Reported		Jan 22, 2019	Jan 22, 2019	Jan 22, 2019	Jan 22, 2019	Jan 22, 2019	Jan 22, 2019	Jan 22, 2019
Sampling Depth (mbgs)		1.5-2.1	3.1-3.7	1.5-2.1	3.1-3.7	1.5-2.1	3.1-3.7	1.5-2.1
Analytical Report Reference No.		B910983	B910983	B910983	B910983	B910983	B910983	B910983
Benzene	0.32	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
Toluene	68	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
Ethylbenzene	9.5	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
Xylene Mixture	26	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
F1 (C6 to C10) minus BTEX	55	<10	<10	<10	<10	<10	<10	<10
F2 (C10 to C16)	230	<10	<10	<10	<10	<10	<10	<10
F3 (C16 to C34)	1700	<50	<50	<50	<50	<50	<50	<50
F4 (C34 to C50)	3300	<50	<50	<50	<50	<50	<50	<50

See "Notes for Soil and Groundwater Summary Tables" included at the beginning of this Section

**Table 5 Soil Analytical Results - PHCs & BTEX**

Parameter		BH19-4 SS5	BH19-5 SS3	BH19-5 SS6	QA/QC S5	BH19-6 SS3	BH19-6 SS5
Date of Collection	Table 3 ICC CT	Jan 09, 2019	Jan 09, 2019	Jan 09, 2019		Jan 10, 2019	Jan 10, 2019
Date Reported		Jan 22, 2019	Jan 22, 2019	Jan 22, 2019		Jan 22, 2019	Jan 22, 2019
Sampling Depth (mbgs)		3.1-3.7	1.5-2.1	4.6-5.2		1.5-2.1	3.1-3.7
Analytical Report Reference No.		B910983	B910983	B910983	B910983	B910983	B910983
Benzene	0.32	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
Toluene	68	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
Ethylbenzene	9.5	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
Xylene Mixture	26	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
F1 (C6 to C10) minus BTEX	55	<10	<10	<10	<10	<10	<10
F2 (C10 to C16)	230	<10	<10	<10	<10	<10	<10
F3 (C16 to C34)	1700	<50	<50	<50	<50	<50	<50
F4 (C34 to C50)	3300	<50	<50	<50	<50	<50	<50

See "Notes for Soil and Groundwater Summary Tables" included at the beginning of this Section

**Table 5 Soil Analytical Results - PHCs & BTEX**

Parameter		BH19-7 SS5	QA/QC S4	BH19-7 SS8	BH19-8 SS4	BH19-8 SS7	BH19-9 SS8	BH19-10 SS3
Date of Collection	Table 3 ICC CT	Jan 08, 2019		Jan 08, 2019	Jan 11, 2019	Jan 11, 2019	Jan 07, 2019	Jan 07, 2019
Date Reported		Jan 22, 2019		Jan 22, 2019	Jan 22, 2019	Jan 22, 2019	Jan 22, 2019	Jan 22, 2019
Sampling Depth (mbgs)		3.1-3.7		7.6-8.2	2.3-2.9	6.1-6.7	7.6-8.2	1.5-2.1
Analytical Report Reference No.		B910983	B910983	B910983	B910983	B910983	B910983	B910983
Benzene	0.32	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
Toluene	68	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
Ethylbenzene	9.5	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
Xylene Mixture	26	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
F1 (C6 to C10) minus BTEX	55	<10	<10	<10	<10	<10	<10	<10
F2 (C10 to C16)	230	<10	<10	<10	<10	<10	<10	<10
F3 (C16 to C34)	1700	<50	<50	<50	<50	<50	<50	<50
F4 (C34 to C50)	3300	<50	<50	<50	<50	<50	<50	<50

See "Notes for Soil and Groundwater Summary Tables" included at the beginning of this Section

**Table 5 Soil Analytical Results - PHCs & BTEX**

Parameter		BH19-11 SS5	BH19-11 SS6	QA/QC S2	BH19-12 SS3	BH19-12 SS4	BH19-13 SS3	BH19-13 SS6
Date of Collection	Table 3 ICC CT	Jan 07, 2019	Jan 07, 2019		Jan 08, 2019	Jan 08, 2019	Jan 08, 2019	Jan 08, 2019
Date Reported		Jan 22, 2019	Jan 22, 2019		Jan 22, 2019	Jan 22, 2019	Jan 22, 2019	Jan 22, 2019
Sampling Depth (mbgs)		3.1-3.7	4.6-5.2		1.5-2.1	2.3-2.9	1.5-2.1	4.6-5.2
Analytical Report Reference No.		B910983	B910983	B910983	B910983	B910983	B910983	B910983
Benzene	0.32	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
Toluene	68	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
Ethylbenzene	9.5	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
Xylene Mixture	26	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
F1 (C6 to C10) minus BTEX	55	<10	<10	<10	<10	<10	<10	<10
F2 (C10 to C16)	230	<10	<10	<10	<10	<10	<10	<10
F3 (C16 to C34)	1700	<50	<50	<50	<50	<50	<50	<50
F4 (C34 to C50)	3300	<50	<50	<50	<50	<50	<50	<50

See "Notes for Soil and Groundwater Summary Tables" included at the beginning of this Section

**Table 5 Soil Analytical Results - PHCs & BTEX**

Parameter		BH19-13 SS8	BH19-14 SS4	QA/QC S3	BH19-14 SS6	BH19-15 SS4	BH19-15 SS7	QA/QC S9
Date of Collection	Table 3 ICC CT	Jan 08, 2019	Jan 08, 2019		Jan 08, 2019	Jan 10, 2019	Jan 10, 2019	
Date Reported		Jan 22, 2019	Jan 22, 2019		Jan 22, 2019	Jan 22, 2019	Jan 22, 2019	
Sampling Depth (mbgs)		7.6-8.2	2.3-2.9		4.6-5.2	2.3-2.9	6.1-6.7	
Analytical Report Reference No.		B910983	B910983	B910983	B910983	B910983	B910983	B910983
Benzene	0.32	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
Toluene	68	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
Ethylbenzene	9.5	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
Xylene Mixture	26	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
F1 (C6 to C10) minus BTEX	55	<10	<10	<10	<10	<10	<10	<10
F2 (C10 to C16)	230	<10	<10	<10	<10	<10	<10	<10
F3 (C16 to C34)	1700	<50	<50	<50	<50	<50	<50	<50
F4 (C34 to C50)	3300	<50	<50	<50	<50	<50	<50	<50

See "Notes for Soil and Groundwater Summary Tables" included at the beginning of this Section

**Table 5 Soil Analytical Results - PHCs & BTEX**

Parameter		BH19-16 SS3	BH19-16 SS6	BH19-17 SS1	BH19-17 SS3	QA/QC S10	BH19-17 SS7	BH19-18 SS1
Date of Collection	Table 3 ICC CT	Jan 11, 2019	Jan 11, 2019	Jan 11, 2019	Jan 11, 2019		Jan 11, 2019	Jan 10, 2019
Date Reported		Jan 22, 2019	Jan 22, 2019	Jan 22, 2019	Jan 22, 2019		Jan 22, 2019	Jan 22, 2019
Sampling Depth (mbgs)		1.5-2.1	4.6-5.2	0-0.6	1.5-2.1		6.1-6.7	0-0.6
Analytical Report Reference No.		B910983	B910983	B910983	B910983	B910983	B910983	B910983
Benzene	0.32	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
Toluene	68	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
Ethylbenzene	9.5	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
Xylene Mixture	26	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
F1 (C6 to C10) minus BTEX	55	<10	<10	<10	<10	<10	<10	<10
F2 (C10 to C16)	230	<10	<10	<10	<10	<10	<10	<10
F3 (C16 to C34)	1700	<50	<50	<50	<50	<50	<50	290
F4 (C34 to C50)	3300	<50	<50	<50	<50	<50	<50	150

See "Notes for Soil and Groundwater Summary Tables" included at the beginning of this Section

**Table 5 Soil Analytical Results - PHCs & BTEX**

Parameter		BH19-18 SS4	QA/QC S8	BH19-19 SS5	QA/QC S11	BH19-19 SS7	BH19-20 SS3	BH19-20 SS5
Date of Collection	Table 3 ICC CT	Jan 10, 2019		Jan 11, 2019		Jan 11, 2019	Jan 10, 2019	Jan 10, 2019
Date Reported		Jan 22, 2019		Jan 22, 2019		Jan 22, 2019	Jan 22, 2019	Jan 22, 2019
Sampling Depth (mbgs)		2.3-2.9		3.1-3.7		6.1-6.7	1.5-2.1	3.1-3.7
Analytical Report Reference No.		B910983	B910983	B910983	B910983	B910983	B910983	B910983
Benzene	0.32	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
Toluene	68	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
Ethylbenzene	9.5	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
Xylene Mixture	26	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
F1 (C6 to C10) minus BTEX	55	<10	<10	<10	<10	<10	<10	<10
F2 (C10 to C16)	230	<10	<10	<10	<10	<10	<10	<10
F3 (C16 to C34)	1700	<50	<50	<50	<50	<50	<50	<50
F4 (C34 to C50)	3300	<50	<50	<50	<50	<50	<50	<50

See "Notes for Soil and Groundwater Summary Tables" included at the beginning of this Section

**Table 6 Soil Analytical Results - VOCs**

Parameter		BH19-1 SS3	BH19-1 SS5	BH19-2 SS3	BH19-2 SS5	BH19-3 SS3
Date of Collection	Table 3 ICC CT	Jan 09, 2019	Jan 09, 2019	Jan 09, 2019	Jan 09, 2019	Jan 09, 2019
Date Reported		Jan 22, 2019	Jan 22, 2019	Jan 22, 2019	Jan 22, 2019	Jan 22, 2019
Sampling Depth (mbgs)		1.5-2.1	3.1-3.7	1.5-2.1	3.1-3.7	1.5-2.1
Analytical Report Reference No.		B910983	B910983	B910983	B910983	B910983
Acetone	16	<0.50	<0.50	<0.50	<0.50	<0.50
Benzene	0.32	<0.020	<0.020	<0.020	<0.020	<0.020
Bromodichloromethane	18	<0.050	<0.050	<0.050	<0.050	<0.050
Bromoform	0.61	<0.050	<0.050	<0.050	<0.050	<0.050
Bromomethane	0.05	<0.050	<0.050	<0.050	<0.050	<0.050
Carbon Tetrachloride	0.21	<0.050	<0.050	<0.050	<0.050	<0.050
Chlorobenzene	2.4	<0.050	<0.050	<0.050	<0.050	<0.050
Chloroform	0.47	<0.050	<0.050	<0.050	<0.050	<0.050
Dibromochloromethane	13	<0.050	<0.050	<0.050	<0.050	<0.050
Dichlorobenzene, 1,2-	6.8	<0.050	<0.050	<0.050	<0.050	<0.050
Dichlorobenzene, 1,3-	9.6	<0.050	<0.050	<0.050	<0.050	<0.050
Dichlorobenzene, 1,4-	0.2	<0.050	<0.050	<0.050	<0.050	<0.050
Dichlorodifluoromethane	16	<0.050	<0.050	<0.050	<0.050	<0.050
Dichloroethane, 1,1-	17	<0.050	<0.050	<0.050	<0.050	<0.050
Dichloroethane, 1,2-	0.05	<0.050	<0.050	<0.050	<0.050	<0.050
Dichloroethylene, 1,1-	0.064	<0.050	<0.050	<0.050	<0.050	<0.050
Dichloroethylene, Cis- 1,2-	55	<0.030	<0.030	<0.030	<0.030	<0.030
Dichloroethylene, Trans- 1,2-	1.3	<0.040	<0.040	<0.040	<0.040	<0.040
Dichloropropane, 1,2-	0.16	<0.050	<0.050	<0.050	<0.050	<0.050
Dichloropropene, 1,3-	0.18	<0.050	<0.050	<0.050	<0.050	<0.050
Ethylbenzene	9.5	<0.020	<0.020	<0.020	<0.020	<0.020
Ethylene Dibromide	0.05	<0.050	<0.050	<0.050	<0.050	<0.050
Hexane, n-	46	<0.050	<0.050	<0.050	<0.050	<0.050
Methyl Ethyl Ketone	70	<0.50	<0.50	<0.50	<0.50	<0.50
Methyl Isobutyl Ketone	31	<0.50	<0.50	<0.50	<0.50	<0.50
Methyl tert-butyl Ether	11	<0.050	<0.050	<0.050	<0.050	<0.050
Methylene Chloride	1.6	<0.050	<0.050	<0.050	<0.050	<0.050
Styrene	34	<0.050	<0.050	<0.050	<0.050	<0.050
Tetrachloroethane, 1,1,1,2-	0.087	<0.050	<0.050	<0.050	<0.050	<0.050
Tetrachloroethane, 1,1,2,2-	0.05	<0.050	<0.050	<0.050	<0.050	<0.050
Tetrachloroethylene	4.5	<0.050	<0.050	<0.050	<0.050	<0.050
Toluene	68	<0.020	<0.020	<0.020	<0.020	<0.020
Trichloroethane, 1,1,1-	6.1	<0.050	<0.050	<0.050	<0.050	<0.050
Trichloroethane, 1,1,2-	0.05	<0.050	<0.050	<0.050	<0.050	<0.050
Trichloroethylene	0.91	<0.050	<0.050	<0.050	<0.050	<0.050
Trichlorofluoromethane	4	<0.050	<0.050	<0.050	<0.050	<0.050
Vinyl Chloride	0.032	<0.020	<0.020	<0.020	<0.020	<0.020
Xylene Mixture	26	<0.020	<0.020	<0.020	<0.020	<0.020

See "Notes for Soil and Groundwater Summary Tables" included at the beginning of this Section



**Table 6 Soil Analytical Results - VOCs**

Parameter		BH19-3 SS5	BH19-4 SS3	BH19-4 SS5	BH19-5 SS3
Date of Collection	Table 3 ICC CT	Jan 09, 2019	Jan 09, 2019	Jan 09, 2019	Jan 09, 2019
Date Reported		Jan 22, 2019	Jan 22, 2019	Jan 22, 2019	Jan 22, 2019
Sampling Depth (mbgs)		3.1-3.7	1.5-2.1	3.1-3.7	1.5-2.1
Analytical Report Reference No.		B910983	B910983	B910983	B910983
Acetone	16	<0.50	<0.50	<0.50	<0.50
Benzene	0.32	<0.020	<0.020	<0.020	<0.020
Bromodichloromethane	18	<0.050	<0.050	<0.050	<0.050
Bromoform	0.61	<0.050	<0.050	<0.050	<0.050
Bromomethane	0.05	<0.050	<0.050	<0.050	<0.050
Carbon Tetrachloride	0.21	<0.050	<0.050	<0.050	<0.050
Chlorobenzene	2.4	<0.050	<0.050	<0.050	<0.050
Chloroform	0.47	<0.050	<0.050	<0.050	<0.050
Dibromochloromethane	13	<0.050	<0.050	<0.050	<0.050
Dichlorobenzene, 1,2-	6.8	<0.050	<0.050	<0.050	<0.050
Dichlorobenzene, 1,3-	9.6	<0.050	<0.050	<0.050	<0.050
Dichlorobenzene, 1,4-	0.2	<0.050	<0.050	<0.050	<0.050
Dichlorodifluoromethane	16	<0.050	<0.050	<0.050	<0.050
Dichloroethane, 1,1-	17	<0.050	<0.050	<0.050	<0.050
Dichloroethane, 1,2-	0.05	<0.050	<0.050	<0.050	<0.050
Dichloroethylene, 1,1-	0.064	<0.050	<0.050	<0.050	<0.050
Dichloroethylene, Cis- 1,2-	55	<0.030	<0.030	<0.030	<0.030
Dichloroethylene, Trans- 1,2-	1.3	<0.040	<0.040	<0.040	<0.040
Dichloropropane, 1,2-	0.16	<0.050	<0.050	<0.050	<0.050
Dichloropropene, 1,3-	0.18	<0.050	<0.050	<0.050	<0.050
Ethylbenzene	9.5	<0.020	<0.020	<0.020	<0.020
Ethylene Dibromide	0.05	<0.050	<0.050	<0.050	<0.050
Hexane, n-	46	<0.050	<0.050	<0.050	<0.050
Methyl Ethyl Ketone	70	<0.50	<0.50	<0.50	<0.50
Methyl Isobutyl Ketone	31	<0.50	<0.50	<0.50	<0.50
Methyl tert-butyl Ether	11	<0.050	<0.050	<0.050	<0.050
Methylene Chloride	1.6	<0.050	<0.050	<0.050	<0.050
Styrene	34	<0.050	<0.050	<0.050	<0.050
Tetrachloroethane, 1,1,1,2-	0.087	<0.050	<0.050	<0.050	<0.050
Tetrachloroethane, 1,1,2,2-	0.05	<0.050	<0.050	<0.050	<0.050
Tetrachloroethylene	4.5	<0.050	<0.050	<0.050	<0.050
Toluene	68	<0.020	<0.020	<0.020	<0.020
Trichloroethane, 1,1,1-	6.1	<0.050	<0.050	<0.050	<0.050
Trichloroethane, 1,1,2-	0.05	<0.050	<0.050	<0.050	<0.050
Trichloroethylene	0.91	<0.050	<0.050	<0.050	<0.050
Trichlorofluoromethane	4	<0.050	<0.050	<0.050	<0.050
Vinyl Chloride	0.032	<0.020	<0.020	<0.020	<0.020
Xylene Mixture	26	<0.020	<0.020	<0.020	<0.020

See "Notes for Soil and Groundwater Summary Tables" included at the beginning of this Section

**Table 6 Soil Analytical Results - VOCs**

Parameter		BH19-5 SS6	QA/QC S5	BH19-6 SS3	BH19-6 SS5
Date of Collection	Table 3 ICC CT	Jan 09, 2019		Jan 10, 2019	Jan 10, 2019
Date Reported		Jan 22, 2019		Jan 22, 2019	Jan 22, 2019
Sampling Depth (mbgs)		4.6-5.2		1.5-2.1	3.1-3.7
Analytical Report Reference No.		B910983	B910983	B910983	B910983
Acetone	16	<0.50	<0.50	<0.50	<0.50
Benzene	0.32	<0.020	<0.020	<0.020	<0.020
Bromodichloromethane	18	<0.050	<0.050	<0.050	<0.050
Bromoform	0.61	<0.050	<0.050	<0.050	<0.050
Bromomethane	0.05	<0.050	<0.050	<0.050	<0.050
Carbon Tetrachloride	0.21	<0.050	<0.050	<0.050	<0.050
Chlorobenzene	2.4	<0.050	<0.050	<0.050	<0.050
Chloroform	0.47	<0.050	<0.050	<0.050	<0.050
Dibromochloromethane	13	<0.050	<0.050	<0.050	<0.050
Dichlorobenzene, 1,2-	6.8	<0.050	<0.050	<0.050	<0.050
Dichlorobenzene, 1,3-	9.6	<0.050	<0.050	<0.050	<0.050
Dichlorobenzene, 1,4-	0.2	<0.050	<0.050	<0.050	<0.050
Dichlorodifluoromethane	16	<0.050	<0.050	<0.050	<0.050
Dichloroethane, 1,1-	17	<0.050	<0.050	<0.050	<0.050
Dichloroethane, 1,2-	0.05	<0.050	<0.050	<0.050	<0.050
Dichloroethylene, 1,1-	0.064	<0.050	<0.050	<0.050	<0.050
Dichloroethylene, Cis- 1,2-	55	<0.030	<0.030	<0.030	<0.030
Dichloroethylene, Trans- 1,2-	1.3	<0.040	<0.040	<0.040	<0.040
Dichloropropane, 1,2-	0.16	<0.050	<0.050	<0.050	<0.050
Dichloropropene, 1,3-	0.18	<0.050	<0.050	<0.050	<0.050
Ethylbenzene	9.5	<0.020	<0.020	<0.020	<0.020
Ethylene Dibromide	0.05	<0.050	<0.050	<0.050	<0.050
Hexane, n-	46	<0.050	<0.050	<0.050	<0.050
Methyl Ethyl Ketone	70	<0.50	<0.50	<0.50	<0.50
Methyl Isobutyl Ketone	31	<0.50	<0.50	<0.50	<0.50
Methyl tert-butyl Ether	11	<0.050	<0.050	<0.050	<0.050
Methylene Chloride	1.6	<0.050	<0.050	<0.050	<0.050
Styrene	34	<0.050	<0.050	<0.050	<0.050
Tetrachloroethane, 1,1,1,2-	0.087	<0.050	<0.050	<0.050	<0.050
Tetrachloroethane, 1,1,2,2-	0.05	<0.050	<0.050	<0.050	<0.050
Tetrachloroethylene	4.5	<0.050	<0.050	<0.050	<0.050
Toluene	68	<0.020	<0.020	<0.020	<0.020
Trichloroethane, 1,1,1-	6.1	<0.050	<0.050	<0.050	<0.050
Trichloroethane, 1,1,2-	0.05	<0.050	<0.050	<0.050	<0.050
Trichloroethylene	0.91	<0.050	<0.050	<0.050	<0.050
Trichlorofluoromethane	4	<0.050	<0.050	<0.050	<0.050
Vinyl Chloride	0.032	<0.020	<0.020	<0.020	<0.020
Xylene Mixture	26	<0.020	<0.020	<0.020	<0.020

See "Notes for Soil and Groundwater Summary Tables" included at the beginning of this Section

**Table 6 Soil Analytical Results - VOCs**

Parameter		BH19-7 SS5	QA/QC S4	BH19-7 SS8	BH19-8 SS4	BH19-8 SS7
Date of Collection	Table 3 ICC CT	Jan 08, 2019		Jan 08, 2019	Jan 11, 2019	Jan 11, 2019
Date Reported		Jan 22, 2019		Jan 22, 2019	Jan 22, 2019	Jan 22, 2019
Sampling Depth (mbgs)		3.1-3.7		7.6-8.2	2.3-2.9	6.1-6.7
Analytical Report Reference No.		B910983	B910983	B910983	B910983	B910983
Acetone	16	<0.50	<0.50	<0.50	<0.50	<0.50
Benzene	0.32	<0.020	<0.020	<0.020	<0.020	<0.020
Bromodichloromethane	18	<0.050	<0.050	<0.050	<0.050	<0.050
Bromoform	0.61	<0.050	<0.050	<0.050	<0.050	<0.050
Bromomethane	0.05	<0.050	<0.050	<0.050	<0.050	<0.050
Carbon Tetrachloride	0.21	<0.050	<0.050	<0.050	<0.050	<0.050
Chlorobenzene	2.4	<0.050	<0.050	<0.050	<0.050	<0.050
Chloroform	0.47	<0.050	<0.050	<0.050	<0.050	<0.050
Dibromochloromethane	13	<0.050	<0.050	<0.050	<0.050	<0.050
Dichlorobenzene, 1,2-	6.8	<0.050	<0.050	<0.050	<0.050	<0.050
Dichlorobenzene, 1,3-	9.6	<0.050	<0.050	<0.050	<0.050	<0.050
Dichlorobenzene, 1,4-	0.2	<0.050	<0.050	<0.050	<0.050	<0.050
Dichlorodifluoromethane	16	<0.050	<0.050	<0.050	<0.050	<0.050
Dichloroethane, 1,1-	17	<0.050	<0.050	<0.050	<0.050	<0.050
Dichloroethane, 1,2-	0.05	<0.050	<0.050	<0.050	<0.050	<0.050
Dichloroethylene, 1,1-	0.064	<0.050	<0.050	<0.050	<0.050	<0.050
Dichloroethylene, Cis- 1,2-	55	<0.030	<0.030	<0.030	<0.030	<0.030
Dichloroethylene, Trans- 1,2-	1.3	<0.040	<0.040	<0.040	<0.040	<0.040
Dichloropropane, 1,2-	0.16	<0.050	<0.050	<0.050	<0.050	<0.050
Dichloropropene, 1,3-	0.18	<0.050	<0.050	<0.050	<0.050	<0.050
Ethylbenzene	9.5	<0.020	<0.020	<0.020	<0.020	<0.020
Ethylene Dibromide	0.05	<0.050	<0.050	<0.050	<0.050	<0.050
Hexane, n-	46	<0.050	<0.050	<0.050	<0.050	<0.050
Methyl Ethyl Ketone	70	<0.50	<0.50	<0.50	<0.50	<0.50
Methyl Isobutyl Ketone	31	<0.50	<0.50	<0.50	<0.50	<0.50
Methyl tert-butyl Ether	11	<0.050	<0.050	<0.050	<0.050	<0.050
Methylene Chloride	1.6	<0.050	<0.050	<0.050	<0.050	<0.050
Styrene	34	<0.050	<0.050	<0.050	<0.050	<0.050
Tetrachloroethane, 1,1,1,2-	0.087	<0.050	<0.050	<0.050	<0.050	<0.050
Tetrachloroethane, 1,1,2,2-	0.05	<0.050	<0.050	<0.050	<0.050	<0.050
Tetrachloroethylene	4.5	<0.050	<0.050	<0.050	<0.050	<0.050
Toluene	68	<0.020	<0.020	<0.020	<0.020	<0.020
Trichloroethane, 1,1,1-	6.1	<0.050	<0.050	<0.050	<0.050	<0.050
Trichloroethane, 1,1,2-	0.05	<0.050	<0.050	<0.050	<0.050	<0.050
Trichloroethylene	0.91	<0.050	<0.050	<0.050	<0.050	<0.050
Trichlorofluoromethane	4	<0.050	<0.050	<0.050	<0.050	<0.050
Vinyl Chloride	0.032	<0.020	<0.020	<0.020	<0.020	<0.020
Xylene Mixture	26	<0.020	<0.020	<0.020	<0.020	<0.020

See "Notes for Soil and Groundwater Summary Tables" included at the beginning of this Section

**Table 6 Soil Analytical Results - VOCs**

Parameter		BH19-9 SS8	BH19-10 SS3	BH19-11 SS5	BH19-11 SS6	QA/QC S2
Date of Collection	Table 3 ICC CT	Jan 07, 2019	Jan 07, 2019	Jan 07, 2019	Jan 07, 2019	
Date Reported		Jan 22, 2019	Jan 22, 2019	Jan 22, 2019	Jan 22, 2019	
Sampling Depth (mbgs)		7.6-8.2	1.5-2.1	3.1-3.7	4.6-5.2	
Analytical Report Reference No.		B910983	B910983	B910983	B910983	B910983
Acetone	16	<0.50	<0.50	<0.50	<0.50	<0.50
Benzene	0.32	<0.020	<0.020	<0.020	<0.020	<0.020
Bromodichloromethane	18	<0.050	<0.050	<0.050	<0.050	<0.050
Bromoform	0.61	<0.050	<0.050	<0.050	<0.050	<0.050
Bromomethane	0.05	<0.050	<0.050	<0.050	<0.050	<0.050
Carbon Tetrachloride	0.21	<0.050	<0.050	<0.050	<0.050	<0.050
Chlorobenzene	2.4	<0.050	<0.050	<0.050	<0.050	<0.050
Chloroform	0.47	<0.050	<0.050	<0.050	<0.050	<0.050
Dibromochloromethane	13	<0.050	<0.050	<0.050	<0.050	<0.050
Dichlorobenzene, 1,2-	6.8	<0.050	<0.050	<0.050	<0.050	<0.050
Dichlorobenzene, 1,3-	9.6	<0.050	<0.050	<0.050	<0.050	<0.050
Dichlorobenzene, 1,4-	0.2	<0.050	<0.050	<0.050	<0.050	<0.050
Dichlorodifluoromethane	16	<0.050	<0.050	<0.050	<0.050	<0.050
Dichloroethane, 1,1-	17	<0.050	<0.050	<0.050	<0.050	<0.050
Dichloroethane, 1,2-	0.05	<0.050	<0.050	<0.050	<0.050	<0.050
Dichloroethylene, 1,1-	0.064	<0.050	<0.050	<0.050	<0.050	<0.050
Dichloroethylene, Cis- 1,2-	55	<0.030	<0.030	<0.030	<0.030	<0.030
Dichloroethylene, Trans- 1,2-	1.3	<0.040	<0.040	<0.040	<0.040	<0.040
Dichloropropane, 1,2-	0.16	<0.050	<0.050	<0.050	<0.050	<0.050
Dichloropropene, 1,3-	0.18	<0.050	<0.050	<0.050	<0.050	<0.050
Ethylbenzene	9.5	<0.020	<0.020	<0.020	<0.020	<0.020
Ethylene Dibromide	0.05	<0.050	<0.050	<0.050	<0.050	<0.050
Hexane, n-	46	<0.050	<0.050	<0.050	<0.050	<0.050
Methyl Ethyl Ketone	70	<0.50	<0.50	<0.50	<0.50	<0.50
Methyl Isobutyl Ketone	31	<0.50	<0.50	<0.50	<0.50	<0.50
Methyl tert-butyl Ether	11	<0.050	<0.050	<0.050	<0.050	<0.050
Methylene Chloride	1.6	<0.050	<0.050	<0.050	<0.050	<0.050
Styrene	34	<0.050	<0.050	<0.050	<0.050	<0.050
Tetrachloroethane, 1,1,1,2-	0.087	<0.050	<0.050	<0.050	<0.050	<0.050
Tetrachloroethane, 1,1,2,2-	0.05	<0.050	<0.050	<0.050	<0.050	<0.050
Tetrachloroethylene	4.5	<0.050	<0.050	<0.050	<0.050	<0.050
Toluene	68	<0.020	<0.020	<0.020	<0.020	<0.020
Trichloroethane, 1,1,1-	6.1	<0.050	<0.050	<0.050	<0.050	<0.050
Trichloroethane, 1,1,2-	0.05	<0.050	<0.050	<0.050	<0.050	<0.050
Trichloroethylene	0.91	<0.050	<0.050	<0.050	<0.050	<0.050
Trichlorofluoromethane	4	<0.050	<0.050	<0.050	<0.050	<0.050
Vinyl Chloride	0.032	<0.020	<0.020	<0.020	<0.020	<0.020
Xylene Mixture	26	<0.020	<0.020	<0.020	<0.020	<0.020

See "Notes for Soil and Groundwater Summary Tables" included at the beginning of this Section

**Table 6 Soil Analytical Results - VOCs**

Parameter		BH19-12 SS3	BH19-12 SS4	BH19-13 SS3	BH19-13 SS6	BH19-13 SS8
Date of Collection	Table 3 ICC CT	Jan 08, 2019	Jan 08, 2019	Jan 08, 2019	Jan 08, 2019	Jan 08, 2019
Date Reported		Jan 22, 2019	Jan 22, 2019	Jan 22, 2019	Jan 22, 2019	Jan 22, 2019
Sampling Depth (mbgs)		1.5-2.1	2.3-2.9	1.5-2.1	4.6-5.2	7.6-8.2
Analytical Report Reference No.		B910983	B910983	B910983	B910983	B910983
Acetone	16	<0.50	<0.50	<0.50	<0.50	<0.50
Benzene	0.32	<0.020	<0.020	<0.020	<0.020	<0.020
Bromodichloromethane	18	<0.050	<0.050	<0.050	<0.050	<0.050
Bromoform	0.61	<0.050	<0.050	<0.050	<0.050	<0.050
Bromomethane	0.05	<0.050	<0.050	<0.050	<0.050	<0.050
Carbon Tetrachloride	0.21	<0.050	<0.050	<0.050	<0.050	<0.050
Chlorobenzene	2.4	<0.050	<0.050	<0.050	<0.050	<0.050
Chloroform	0.47	<0.050	<0.050	<0.050	<0.050	<0.050
Dibromochloromethane	13	<0.050	<0.050	<0.050	<0.050	<0.050
Dichlorobenzene, 1,2-	6.8	<0.050	<0.050	<0.050	<0.050	<0.050
Dichlorobenzene, 1,3-	9.6	<0.050	<0.050	<0.050	<0.050	<0.050
Dichlorobenzene, 1,4-	0.2	<0.050	<0.050	<0.050	<0.050	<0.050
Dichlorodifluoromethane	16	<0.050	<0.050	<0.050	<0.050	<0.050
Dichloroethane, 1,1-	17	<0.050	<0.050	<0.050	<0.050	<0.050
Dichloroethane, 1,2-	0.05	<0.050	<0.050	<0.050	<0.050	<0.050
Dichloroethylene, 1,1-	0.064	<0.050	<0.050	<0.050	<0.050	<0.050
Dichloroethylene, Cis- 1,2-	55	<0.030	<0.030	<0.030	<0.030	<0.030
Dichloroethylene, Trans- 1,2-	1.3	<0.040	<0.040	<0.040	<0.040	<0.040
Dichloropropane, 1,2-	0.16	<0.050	<0.050	<0.050	<0.050	<0.050
Dichloropropene, 1,3-	0.18	<0.050	<0.050	<0.050	<0.050	<0.050
Ethylbenzene	9.5	<0.020	<0.020	<0.020	<0.020	<0.020
Ethylene Dibromide	0.05	<0.050	<0.050	<0.050	<0.050	<0.050
Hexane, n-	46	<0.050	<0.050	<0.050	<0.050	<0.050
Methyl Ethyl Ketone	70	<0.50	<0.50	<0.50	<0.50	<0.50
Methyl Isobutyl Ketone	31	<0.50	<0.50	<0.50	<0.50	<0.50
Methyl tert-butyl Ether	11	<0.050	<0.050	<0.050	<0.050	<0.050
Methylene Chloride	1.6	<0.050	<0.050	<0.050	<0.050	<0.050
Styrene	34	<0.050	<0.050	<0.050	<0.050	<0.050
Tetrachloroethane, 1,1,1,2-	0.087	<0.050	<0.050	<0.050	<0.050	<0.050
Tetrachloroethane, 1,1,2,2-	0.05	<0.050	<0.050	<0.050	<0.050	<0.050
Tetrachloroethylene	4.5	<0.050	<0.050	<0.050	<0.050	<0.050
Toluene	68	<0.020	<0.020	<0.020	<0.020	<0.020
Trichloroethane, 1,1,1-	6.1	<0.050	<0.050	<0.050	<0.050	<0.050
Trichloroethane, 1,1,2-	0.05	<0.050	<0.050	<0.050	<0.050	<0.050
Trichloroethylene	0.91	<0.050	<0.050	<0.050	<0.050	<0.050
Trichlorofluoromethane	4	<0.050	<0.050	<0.050	<0.050	<0.050
Vinyl Chloride	0.032	<0.020	<0.020	<0.020	<0.020	<0.020
Xylene Mixture	26	<0.020	<0.020	<0.020	<0.020	<0.020

See "Notes for Soil and Groundwater Summary Tables" included at the beginning of this Section

**Table 6 Soil Analytical Results - VOCs**

Parameter		BH19-14 SS4	QA/QC S3	BH19-14 SS6	BH19-15 SS4
Date of Collection	Table 3 ICC CT	Jan 08, 2019		Jan 08, 2019	Jan 10, 2019
Date Reported		Jan 22, 2019		Jan 22, 2019	Jan 22, 2019
Sampling Depth (mbgs)		2.3-2.9		4.6-5.2	2.3-2.9
Analytical Report Reference No.		B910983	B910983	B910983	B910983
Acetone	16	<0.50	<0.50	<0.50	<0.50
Benzene	0.32	<0.020	<0.020	<0.020	<0.020
Bromodichloromethane	18	<0.050	<0.050	<0.050	<0.050
Bromoform	0.61	<0.050	<0.050	<0.050	<0.050
Bromomethane	0.05	<0.050	<0.050	<0.050	<0.050
Carbon Tetrachloride	0.21	<0.050	<0.050	<0.050	<0.050
Chlorobenzene	2.4	<0.050	<0.050	<0.050	<0.050
Chloroform	0.47	<0.050	<0.050	<0.050	<0.050
Dibromochloromethane	13	<0.050	<0.050	<0.050	<0.050
Dichlorobenzene, 1,2-	6.8	<0.050	<0.050	<0.050	<0.050
Dichlorobenzene, 1,3-	9.6	<0.050	<0.050	<0.050	<0.050
Dichlorobenzene, 1,4-	0.2	<0.050	<0.050	<0.050	<0.050
Dichlorodifluoromethane	16	<0.050	<0.050	<0.050	<0.050
Dichloroethane, 1,1-	17	<0.050	<0.050	<0.050	<0.050
Dichloroethane, 1,2-	0.05	<0.050	<0.050	<0.050	<0.050
Dichloroethylene, 1,1-	0.064	<0.050	<0.050	<0.050	<0.050
Dichloroethylene, Cis- 1,2-	55	<0.030	<0.030	<0.030	<0.030
Dichloroethylene, Trans- 1,2-	1.3	<0.040	<0.040	<0.040	<0.040
Dichloropropane, 1,2-	0.16	<0.050	<0.050	<0.050	<0.050
Dichloropropene, 1,3-	0.18	<0.050	<0.050	<0.050	<0.050
Ethylbenzene	9.5	<0.020	<0.020	<0.020	<0.020
Ethylene Dibromide	0.05	<0.050	<0.050	<0.050	<0.050
Hexane, n-	46	<0.050	<0.050	<0.050	<0.050
Methyl Ethyl Ketone	70	<0.50	<0.50	<0.50	<0.50
Methyl Isobutyl Ketone	31	<0.50	<0.50	<0.50	<0.50
Methyl tert-butyl Ether	11	<0.050	<0.050	<0.050	<0.050
Methylene Chloride	1.6	<0.050	<0.050	<0.050	<0.050
Styrene	34	<0.050	<0.050	<0.050	<0.050
Tetrachloroethane, 1,1,1,2-	0.087	<0.050	<0.050	<0.050	<0.050
Tetrachloroethane, 1,1,2,2-	0.05	<0.050	<0.050	<0.050	<0.050
Tetrachloroethylene	4.5	<0.050	<0.050	<0.050	<0.050
Toluene	68	<0.020	<0.020	<0.020	<0.020
Trichloroethane, 1,1,1-	6.1	<0.050	<0.050	<0.050	<0.050
Trichloroethane, 1,1,2-	0.05	<0.050	<0.050	<0.050	<0.050
Trichloroethylene	0.91	<0.050	<0.050	<0.050	<0.050
Trichlorofluoromethane	4	<0.050	<0.050	<0.050	<0.050
Vinyl Chloride	0.032	<0.020	<0.020	<0.020	<0.020
Xylene Mixture	26	<0.020	<0.020	<0.020	<0.020

See "Notes for Soil and Groundwater Summary Tables" included at the beginning of this Section

**Table 6 Soil Analytical Results - VOCs**

Parameter		BH19-15 SS7	QA/QC S9	BH19-16 SS3	BH19-16 SS6	BH19-17 SS1
Date of Collection	Table 3 ICC CT	Jan 10, 2019		Jan 11, 2019	Jan 11, 2019	Jan 11, 2019
Date Reported		Jan 22, 2019		Jan 22, 2019	Jan 22, 2019	Jan 22, 2019
Sampling Depth (mbgs)		6.1-6.7		1.5-2.1	4.6-5.2	0-0.6
Analytical Report Reference No.		B910983	B910983	B910983	B910983	B910983
Acetone	16	<0.50	<0.50	<0.50	<0.50	<0.50
Benzene	0.32	<0.020	<0.020	<0.020	<0.020	<0.020
Bromodichloromethane	18	<0.050	<0.050	<0.050	<0.050	<0.050
Bromoform	0.61	<0.050	<0.050	<0.050	<0.050	<0.050
Bromomethane	0.05	<0.050	<0.050	<0.050	<0.050	<0.050
Carbon Tetrachloride	0.21	<0.050	<0.050	<0.050	<0.050	<0.050
Chlorobenzene	2.4	<0.050	<0.050	<0.050	<0.050	<0.050
Chloroform	0.47	<0.050	<0.050	<0.050	<0.050	<0.050
Dibromochloromethane	13	<0.050	<0.050	<0.050	<0.050	<0.050
Dichlorobenzene, 1,2-	6.8	<0.050	<0.050	<0.050	<0.050	<0.050
Dichlorobenzene, 1,3-	9.6	<0.050	<0.050	<0.050	<0.050	<0.050
Dichlorobenzene, 1,4-	0.2	<0.050	<0.050	<0.050	<0.050	<0.050
Dichlorodifluoromethane	16	<0.050	<0.050	<0.050	<0.050	<0.050
Dichloroethane, 1,1-	17	<0.050	<0.050	<0.050	<0.050	<0.050
Dichloroethane, 1,2-	0.05	<0.050	<0.050	<0.050	<0.050	<0.050
Dichloroethylene, 1,1-	0.064	<0.050	<0.050	<0.050	<0.050	<0.050
Dichloroethylene, Cis- 1,2-	55	<0.030	<0.030	<0.030	<0.030	<0.030
Dichloroethylene, Trans- 1,2-	1.3	<0.040	<0.040	<0.040	<0.040	<0.040
Dichloropropane, 1,2-	0.16	<0.050	<0.050	<0.050	<0.050	<0.050
Dichloropropene, 1,3-	0.18	<0.050	<0.050	<0.050	<0.050	<0.050
Ethylbenzene	9.5	<0.020	<0.020	<0.020	<0.020	<0.020
Ethylene Dibromide	0.05	<0.050	<0.050	<0.050	<0.050	<0.050
Hexane, n-	46	<0.050	<0.050	<0.050	<0.050	<0.050
Methyl Ethyl Ketone	70	<0.50	<0.50	<0.50	<0.50	<0.50
Methyl Isobutyl Ketone	31	<0.50	<0.50	<0.50	<0.50	<0.50
Methyl tert-butyl Ether	11	<0.050	<0.050	<0.050	<0.050	<0.050
Methylene Chloride	1.6	<0.050	<0.050	<0.050	<0.050	<0.050
Styrene	34	<0.050	<0.050	<0.050	<0.050	<0.050
Tetrachloroethane, 1,1,1,2-	0.087	<0.050	<0.050	<0.050	<0.050	<0.050
Tetrachloroethane, 1,1,2,2-	0.05	<0.050	<0.050	<0.050	<0.050	<0.050
Tetrachloroethylene	4.5	<0.050	<0.050	<0.050	<0.050	<0.050
Toluene	68	<0.020	<0.020	<0.020	<0.020	<0.020
Trichloroethane, 1,1,1-	6.1	<0.050	<0.050	<0.050	<0.050	<0.050
Trichloroethane, 1,1,2-	0.05	<0.050	<0.050	<0.050	<0.050	<0.050
Trichloroethylene	0.91	<0.050	<0.050	<0.050	<0.050	<0.050
Trichlorofluoromethane	4	<0.050	<0.050	<0.050	<0.050	<0.050
Vinyl Chloride	0.032	<0.020	<0.020	<0.020	<0.020	<0.020
Xylene Mixture	26	<0.020	<0.020	<0.020	<0.020	<0.020

See "Notes for Soil and Groundwater Summary Tables" included at the beginning of this Section

**Table 6 Soil Analytical Results - VOCs**

Parameter		BH19-17 SS3	QA/QC S10	BH19-17 SS7	BH19-18 SS1
Date of Collection	Table 3 ICC CT	Jan 11, 2019		Jan 11, 2019	Jan 10, 2019
Date Reported		Jan 22, 2019		Jan 22, 2019	Jan 22, 2019
Sampling Depth (mbgs)		1.5-2.1		6.1-6.7	0-0.6
Analytical Report Reference No.		B910983	B910983	B910983	B910983
Acetone	16	<0.50	<0.50	<0.50	<0.50
Benzene	0.32	<0.020	<0.020	<0.020	<0.020
Bromodichloromethane	18	<0.050	<0.050	<0.050	<0.050
Bromoform	0.61	<0.050	<0.050	<0.050	<0.050
Bromomethane	0.05	<0.050	<0.050	<0.050	<0.050
Carbon Tetrachloride	0.21	<0.050	<0.050	<0.050	<0.050
Chlorobenzene	2.4	<0.050	<0.050	<0.050	<0.050
Chloroform	0.47	<0.050	<0.050	<0.050	<0.050
Dibromochloromethane	13	<0.050	<0.050	<0.050	<0.050
Dichlorobenzene, 1,2-	6.8	<0.050	<0.050	<0.050	<0.050
Dichlorobenzene, 1,3-	9.6	<0.050	<0.050	<0.050	<0.050
Dichlorobenzene, 1,4-	0.2	<0.050	<0.050	<0.050	<0.050
Dichlorodifluoromethane	16	<0.050	<0.050	<0.050	<0.050
Dichloroethane, 1,1-	17	<0.050	<0.050	<0.050	<0.050
Dichloroethane, 1,2-	0.05	<0.050	<0.050	<0.050	<0.050
Dichloroethylene, 1,1-	0.064	<0.050	<0.050	<0.050	<0.050
Dichloroethylene, Cis- 1,2-	55	<0.030	<0.030	<0.030	<0.030
Dichloroethylene, Trans- 1,2-	1.3	<0.040	<0.040	<0.040	<0.040
Dichloropropane, 1,2-	0.16	<0.050	<0.050	<0.050	<0.050
Dichloropropene, 1,3-	0.18	<0.050	<0.050	<0.050	<0.050
Ethylbenzene	9.5	<0.020	<0.020	<0.020	<0.020
Ethylene Dibromide	0.05	<0.050	<0.050	<0.050	<0.050
Hexane, n-	46	<0.050	<0.050	<0.050	<0.050
Methyl Ethyl Ketone	70	<0.50	<0.50	<0.50	<0.50
Methyl Isobutyl Ketone	31	<0.50	<0.50	<0.50	<0.50
Methyl tert-butyl Ether	11	<0.050	<0.050	<0.050	<0.050
Methylene Chloride	1.6	<0.050	<0.050	<0.050	<0.050
Styrene	34	<0.050	<0.050	<0.050	<0.050
Tetrachloroethane, 1,1,1,2-	0.087	<0.050	<0.050	<0.050	<0.050
Tetrachloroethane, 1,1,2,2-	0.05	<0.050	<0.050	<0.050	<0.050
Tetrachloroethylene	4.5	<0.050	<0.050	<0.050	<0.050
Toluene	68	<0.020	<0.020	<0.020	<0.020
Trichloroethane, 1,1,1-	6.1	<0.050	<0.050	<0.050	<0.050
Trichloroethane, 1,1,2-	0.05	<0.050	<0.050	<0.050	<0.050
Trichloroethylene	0.91	<0.050	<0.050	<0.050	<0.050
Trichlorofluoromethane	4	<0.050	<0.050	<0.050	<0.050
Vinyl Chloride	0.032	<0.020	<0.020	<0.020	<0.020
Xylene Mixture	26	<0.020	<0.020	<0.020	<0.020

See "Notes for Soil and Groundwater Summary Tables" included at the beginning of this Section



**Table 6 Soil Analytical Results - VOCs**

Parameter		BH19-18 SS4	QA/QC S8	BH19-19 SS5	QA/QC S11	BH19-19 SS7
Date of Collection	Table 3 ICC CT	Jan 10, 2019		Jan 11, 2019		Jan 11, 2019
Date Reported		Jan 22, 2019		Jan 22, 2019		Jan 22, 2019
Sampling Depth (mbgs)		2.3-2.9		3.1-3.7		6.1-6.7
Analytical Report Reference No.		B910983	B910983	B910983	B910983	B910983
Acetone	16	<0.50	<0.50	<0.50	<0.50	<0.50
Benzene	0.32	<0.020	<0.020	<0.020	<0.020	<0.020
Bromodichloromethane	18	<0.050	<0.050	<0.050	<0.050	<0.050
Bromoform	0.61	<0.050	<0.050	<0.050	<0.050	<0.050
Bromomethane	0.05	<0.050	<0.050	<0.050	<0.050	<0.050
Carbon Tetrachloride	0.21	<0.050	<0.050	<0.050	<0.050	<0.050
Chlorobenzene	2.4	<0.050	<0.050	<0.050	<0.050	<0.050
Chloroform	0.47	<0.050	<0.050	<0.050	<0.050	<0.050
Dibromochloromethane	13	<0.050	<0.050	<0.050	<0.050	<0.050
Dichlorobenzene, 1,2-	6.8	<0.050	<0.050	<0.050	<0.050	<0.050
Dichlorobenzene, 1,3-	9.6	<0.050	<0.050	<0.050	<0.050	<0.050
Dichlorobenzene, 1,4-	0.2	<0.050	<0.050	<0.050	<0.050	<0.050
Dichlorodifluoromethane	16	<0.050	<0.050	<0.050	<0.050	<0.050
Dichloroethane, 1,1-	17	<0.050	<0.050	<0.050	<0.050	<0.050
Dichloroethane, 1,2-	0.05	<0.050	<0.050	<0.050	<0.050	<0.050
Dichloroethylene, 1,1-	0.064	<0.050	<0.050	<0.050	<0.050	<0.050
Dichloroethylene, Cis- 1,2-	55	<0.030	<0.030	<0.030	<0.030	<0.030
Dichloroethylene, Trans- 1,2-	1.3	<0.040	<0.040	<0.040	<0.040	<0.040
Dichloropropane, 1,2-	0.16	<0.050	<0.050	<0.050	<0.050	<0.050
Dichloropropene, 1,3-	0.18	<0.050	<0.050	<0.050	<0.050	<0.050
Ethylbenzene	9.5	<0.020	<0.020	<0.020	<0.020	<0.020
Ethylene Dibromide	0.05	<0.050	<0.050	<0.050	<0.050	<0.050
Hexane, n-	46	<0.050	<0.050	<0.050	<0.050	<0.050
Methyl Ethyl Ketone	70	<0.50	<0.50	<0.50	<0.50	<0.50
Methyl Isobutyl Ketone	31	<0.50	<0.50	<0.50	<0.50	<0.50
Methyl tert-butyl Ether	11	<0.050	<0.050	<0.050	<0.050	<0.050
Methylene Chloride	1.6	<0.050	<0.050	<0.050	<0.050	<0.050
Styrene	34	<0.050	<0.050	<0.050	<0.050	<0.050
Tetrachloroethane, 1,1,1,2-	0.087	<0.050	<0.050	<0.050	<0.050	<0.050
Tetrachloroethane, 1,1,2,2-	0.05	<0.050	<0.050	<0.050	<0.050	<0.050
Tetrachloroethylene	4.5	<0.050	<0.050	<0.050	<0.050	<0.050
Toluene	68	<0.020	<0.020	<0.020	<0.020	<0.020
Trichloroethane, 1,1,1-	6.1	<0.050	<0.050	<0.050	<0.050	<0.050
Trichloroethane, 1,1,2-	0.05	<0.050	<0.050	<0.050	<0.050	<0.050
Trichloroethylene	0.91	<0.050	<0.050	<0.050	<0.050	<0.050
Trichlorofluoromethane	4	<0.050	<0.050	<0.050	<0.050	<0.050
Vinyl Chloride	0.032	<0.020	<0.020	<0.020	<0.020	<0.020
Xylene Mixture	26	<0.020	<0.020	<0.020	<0.020	<0.020

See "Notes for Soil and Groundwater Summary Tables" included at the beginning of this Section

**Table 6 Soil Analytical Results - VOCs**

Parameter		BH19-20 SS3	BH19-20 SS5
Date of Collection	Table 3 ICC CT	Jan 10, 2019	Jan 10, 2019
Date Reported		Jan 22, 2019	Jan 22, 2019
Sampling Depth (mbgs)		1.5-2.1	3.1-3.7
Analytical Report Reference No.		B910983	B910983
Acetone	16	<0.50	<0.50
Benzene	0.32	<0.020	<0.020
Bromodichloromethane	18	<0.050	<0.050
Bromoform	0.61	<0.050	<0.050
Bromomethane	0.05	<0.050	<0.050
Carbon Tetrachloride	0.21	<0.050	<0.050
Chlorobenzene	2.4	<0.050	<0.050
Chloroform	0.47	<0.050	<0.050
Dibromochloromethane	13	<0.050	<0.050
Dichlorobenzene, 1,2-	6.8	<0.050	<0.050
Dichlorobenzene, 1,3-	9.6	<0.050	<0.050
Dichlorobenzene, 1,4-	0.2	<0.050	<0.050
Dichlorodifluoromethane	16	<0.050	<0.050
Dichloroethane, 1,1-	17	<0.050	<0.050
Dichloroethane, 1,2-	0.05	<0.050	<0.050
Dichloroethylene, 1,1-	0.064	<0.050	<0.050
Dichloroethylene, Cis- 1,2-	55	<0.030	<0.030
Dichloroethylene, Trans- 1,2-	1.3	<0.040	<0.040
Dichloropropane, 1,2-	0.16	<0.050	<0.050
Dichloropropene, 1,3-	0.18	<0.050	<0.050
Ethylbenzene	9.5	<0.020	<0.020
Ethylene Dibromide	0.05	<0.050	<0.050
Hexane, n-	46	<0.050	<0.050
Methyl Ethyl Ketone	70	<0.50	<0.50
Methyl Isobutyl Ketone	31	<0.50	<0.50
Methyl tert-butyl Ether	11	<0.050	<0.050
Methylene Chloride	1.6	<0.050	<0.050
Styrene	34	<0.050	<0.050
Tetrachloroethane, 1,1,1,2-	0.087	<0.050	<0.050
Tetrachloroethane, 1,1,2,2-	0.05	<0.050	<0.050
Tetrachloroethylene	4.5	<0.050	<0.050
Toluene	68	<0.020	<0.020
Trichloroethane, 1,1,1-	6.1	<0.050	<0.050
Trichloroethane, 1,1,2-	0.05	<0.050	<0.050
Trichloroethylene	0.91	<0.050	<0.050
Trichlorofluoromethane	4	<0.050	<0.050
Vinyl Chloride	0.032	<0.020	<0.020
Xylene Mixture	26	<0.020	<0.020

See "Notes for Soil and Groundwater Summary Tables" included at the beginning of this Section

**Table 7 Soil Analytical Results - PAHs**

Parameter		BH19-2 SS2	QA/QC S6	BH19-3 SS4	BH19-4 SS1	BH19-4 SS2	BH19-5 SS5	BH19-6 SS1
Date of Collection	Table 3 ICC CT	Jan 09, 2019		Jan 09, 2019	Jan 09, 2019	Jan 09, 2019	Jan 09, 2019	Jan 10, 2019
Date Reported		Jan 22, 2019		Jan 22, 2019	Jan 22, 2019	Jan 22, 2019	Jan 22, 2019	Jan 22, 2019
Sampling Depth (mbgs)		0.8-1.4		2.3-2.9	0-0.6	0.8-1.4	3.1-3.7	0-0.6
Analytical Report Reference No.		B910983	B910983	B910983	B910983	B910983	B910983	B910983
Acenaphthene	96	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Acenaphthylene	0.15	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Anthracene	0.67	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Benz(a)anthracene	0.96	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Benzo(a)pyrene	0.3	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Benzo(b)fluoranthene	0.96	0.0092	0.0068	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Benzo(g,h,i)perylene	9.6	0.0064	0.0054	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Benzo(k)fluoranthene	0.96	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Chrysene	9.6	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Dibenz(a,h)anthracene	0.1	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Fluoranthene	9.6	0.011	0.0076	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Fluorene	62	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Indeno(1,2,3-cd)pyrene	0.76	0.0056	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Methyl Naphthalene, 2-and 1-	76	<0.0071	<0.0071	<0.0071	<0.0071	<0.0071	<0.0071	<0.0071
Naphthalene	9.6	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Phenanthrene	12	0.0051	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Pyrene	96	0.0079	0.006	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050

See "Notes for Soil and Groundwater Summary Tables" included at the beginning of this Section

**Table 7 Soil Analytical Results - PAHs**

Parameter		BH19-6 SS3	BH19-7 SS2	BH19-8 SS2	BH19-8 SS6	BH19-9 SS2	BH19-11 SS3	BH19-12 SS4
Date of Collection	Table 3 ICC CT	Jan 10, 2019	Jan 08, 2019	Jan 11, 2019	Jan 11, 2019	Jan 07, 2019	Jan 07, 2019	Jan 08, 2019
Date Reported		Jan 22, 2019	Jan 22, 2019	Jan 22, 2019	Jan 22, 2019	Jan 22, 2019	Jan 22, 2019	Jan 22, 2019
Sampling Depth (mbgs)		1.5-2.1	0.8-1.4	0.8-1.4	4.6-5.2	0.8-1.4	1.5-2.1	2.3-2.9
Analytical Report Reference No.		B910983	B910983	B910983	B910983	B910983	B910983	B910983
Acenaphthene	96	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Acenaphthylene	0.15	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Anthracene	0.67	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Benz(a)anthracene	0.96	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Benzo(a)pyrene	0.3	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Benzo(b)fluoranthene	0.96	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Benzo(g,h,i)perylene	9.6	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Benzo(k)fluoranthene	0.96	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Chrysene	9.6	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Dibenz(a,h)anthracene	0.1	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Fluoranthene	9.6	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Fluorene	62	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Indeno(1,2,3-cd)pyrene	0.76	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Methyl Naphthalene, 2-and 1-	76	<0.0071	<0.0071	<0.0071	<0.0071	<0.0071	<0.0071	<0.0071
Naphthalene	9.6	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Phenanthrene	12	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Pyrene	96	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050

See "Notes for Soil and Groundwater Summary Tables" included at the beginning of this Section

**Table 7 Soil Analytical Results - PAHs**

Parameter		BH19-13 SS2	BH19-14 SS3	BH19-15 SS3	BH19-16 SS1	BH19-17 SS2	BH19-18 SS3	BH19-19 SS2
Date of Collection	Table 3 ICC CT	Jan 08, 2019	Jan 08, 2019	Jan 10, 2019	Jan 11, 2019	Jan 11, 2019	Jan 10, 2019	Jan 11, 2019
Date Reported		Jan 22, 2019	Jan 22, 2019	Jan 22, 2019	Jan 22, 2019	Jan 22, 2019	Jan 22, 2019	Jan 22, 2019
Sampling Depth (mbgs)		0.8-1.4	1.5-2.1	1.5-2.1	0-0.6	0.8-1.4	1.5-2.1	0.8-1.4
Analytical Report Reference No.		B910983	B910983	B910983	B910983	B910983	B910983	B910983
Acenaphthene	96	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Acenaphthylene	0.15	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Anthracene	0.67	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Benz(a)anthracene	0.96	<0.0050	<0.0050	<0.0050	0.0064	<0.0050	<0.0050	<0.0050
Benzo(a)pyrene	0.3	<0.0050	<0.0050	<0.0050	0.0051	<0.0050	<0.0050	<0.0050
Benzo(b)fluoranthene	0.96	0.0087	<0.0050	<0.0050	0.008	<0.0050	<0.0050	<0.0050
Benzo(g,h,i)perylene	9.6	0.0098	<0.0050	<0.0050	0.011	<0.0050	<0.0050	<0.0050
Benzo(k)fluoranthene	0.96	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Chrysene	9.6	<0.0050	<0.0050	<0.0050	0.0097	<0.0050	<0.0050	<0.0050
Dibenz(a,h)anthracene	0.1	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Fluoranthene	9.6	0.0095	<0.0050	<0.0050	0.01	<0.0050	0.0056	<0.0050
Fluorene	62	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Indeno(1,2,3-cd)pyrene	0.76	0.0061	<0.0050	<0.0050	0.0051	<0.0050	<0.0050	<0.0050
Methyl Naphthalene, 2-and 1-	76	<0.0071	<0.0071	<0.0071	<0.021	<0.0071	<0.0071	<0.0071
Naphthalene	9.6	<0.0050	<0.0050	<0.0050	0.0086	<0.0050	<0.0050	<0.0050
Phenanthrene	12	0.0058	<0.0050	<0.0050	0.021	<0.0050	0.0066	<0.0050
Pyrene	96	0.0095	<0.0050	<0.0050	0.01	<0.0050	<0.0050	<0.0050

See "Notes for Soil and Groundwater Summary Tables" included at the beginning of this Section

**Table 8 Soil Analytical Results - PCBs**

Parameter		BH19-1 SS1	BH19-2 SS2	BH19-4 SS2	BH19-5 SS1	BH19-6 SS2	BH19-7 SS3	BH19-8 SS2
Date of Collection	Table 3 ICC CT	Jan 09, 2019	Jan 09, 2019	Jan 09, 2019	Jan 09, 2019	Jan 10, 2019	Jan 08, 2019	Jan 11, 2019
Date Reported		Jan 22, 2019	Jan 22, 2019	Jan 22, 2019	Jan 22, 2019	Jan 22, 2019	Jan 22, 2019	Jan 22, 2019
Sampling Depth (mbgs)		0-0.6	0.8-1.4	0.8-1.4	0-0.6	0.8-1.4	1.5-2.1	0.8-1.4
Analytical Report Reference No.		B910983	B910983	B910983	B910983	B910983	B910983	B910983
Polychlorinated Biphenyls	1.1	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010

See "Notes for Soil and Groundwater Summary Tables" included at the beginning of this Section

**Table 8 Soil Analytical Results - PCBs**

Parameter		BH19-9 SS3	QA/QC S1	BH19-10 SS3	BH19-11 SS3	BH19-12 SS2	BH19-14 SS3	BH19-15 SS2
Date of Collection	Table 3 ICC CT	Jan 07, 2019		Jan 07, 2019	Jan 07, 2019	Jan 08, 2019	Jan 08, 2019	Jan 10, 2019
Date Reported		Jan 22, 2019		Jan 22, 2019	Jan 22, 2019	Jan 22, 2019	Jan 22, 2019	Jan 22, 2019
Sampling Depth (mbgs)		1.5-2.1		1.5-2.1	1.5-2.1	0.8-1.4	1.5-2.1	0.8-1.4
Analytical Report Reference No.		B910983	B910983	B910983	B910983	B910983	B910983	B910983
Polychlorinated Biphenyls	1.1	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010

See "Notes for Soil and Groundwater Summary Tables" included at the beginning of this Section

**Table 8 Soil Analytical Results - PCBs**

Parameter		BH19-16 SS2	BH19-17 SS5	BH19-19 SS1	BH19-19 SS3	BH19-20 SS2	QA/QC S7
Date of Collection	Table 3 ICC CT	Jan 11, 2019	Jan 11, 2019	Jan 11, 2019	Jan 11, 2019	Jan 10, 2019	
Date Reported		Jan 22, 2019	Jan 22, 2019	Jan 22, 2019	Jan 22, 2019	Jan 22, 2019	
Sampling Depth (mbgs)		0.8-1.4	3.1-3.7	0-0.6	1.5-2.1	0.8-1.4	
Analytical Report Reference No.		B910983	B910983	B910983	B910983	B910983	B910983
Polychlorinated Biphenyls	1.1	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010

See "Notes for Soil and Groundwater Summary Tables" included at the beginning of this Section



**Table 9 Groundwater Analytical Results - Metals&ORPs**

Parameter		BH19-1	BH19-2	BH19-5	BH19-7	BH19-9
Date of Collection	Table 3 Non-potable Groundwater CT	Jan 15, 2019	Jan 15, 2019	Jan 15, 2019	Jan 15, 2019	Jan 15, 2019
Date Reported		Jan 22, 2019	Jan 22, 2019	Jan 22, 2019	Jan 22, 2019	Jan 22, 2019
Screened Depth (mbgs)		2.1 - 4.6	2.7 - 4.3	3.1 - 6.1	4.6 - 7.6	4.6 - 7.6
Analytical Report Reference No.		B913382	B913382	B913382	B913382	B913382
Antimony	20000	<0.50	<0.50	<0.50	<0.50	<0.50
Arsenic	1900	<1.0	<1.0	<1.0	<1.0	2
Barium	29000	900	290	320	2700	650
Beryllium	67	<0.50	<0.50	<0.50	<0.50	<0.50
Boron	45000	300	220	220	140	91
Cadmium	2.7	<0.10	<0.10	<0.10	<0.10	<0.10
Chromium	810	<5.0	<5.0	<5.0	<5.0	<5.0
Chromium VI	140	<0.50	<0.50	<0.50	<0.50	<0.50
Cobalt	66	<0.50	1.7	1.5	1.6	3.5
Copper	87	<1.0	<1.0	1.6	<1.0	1.5
Cyanide	66	<1	<1	<1	<1	<1
Lead	25	<0.50	<0.50	<0.50	<0.50	<0.50
Mercury	0.29	<0.1	<0.1	<0.1	<0.1	<0.1
Molybdenum	9200	0.72	2.8	3.1	2.1	7.1
Nickel	490	<1.0	3.1	5.7	2.1	5
Selenium	63	<2.0	<2.0	<2.0	<2.0	<2.0
Silver	1.5	<0.10	<0.10	<0.10	<0.10	<0.10
Thallium	510	<0.050	<0.050	0.1	<0.050	<0.050
Uranium	420	0.29	3.2	3	1.1	1.3
Vanadium	250	<0.50	0.64	0.89	<0.50	<0.50
Zinc	1100	<5.0	<5.0	<5.0	<5.0	<5.0
Sodium	2300000	500000	420000	1500000	620000	400000
Chloride	2300000	1300000	1400000	<b>3200000</b>	<b>3200000</b>	1100000

See "Notes for Soil and Groundwater Summary Tables" included at the beginning of this Section

**Table 9 Groundwater Analytical Results - Metals&ORPs**

Parameter		BH19-13	BH19-17	BH19-18	BH19-20
Date of Collection	Table 3 Non-potable Groundwater CT	Jan 15, 2019	Jan 15, 2019	Jan 15, 2019	Jan 15, 2019
Date Reported		Jan 22, 2019	Jan 22, 2019	Jan 22, 2019	Jan 22, 2019
Screened Depth (mbgs)		4.6 - 7.6	4.6 - 7.6	2.1 - 5.2	1.7 - 3.8
Analytical Report Reference No.		B913382	B913382	B913382	B913382
Antimony	20000	<0.50	1.2	<0.50	<0.50
Arsenic	1900	1.2	1.8	1.3	<1.0
Barium	29000	470	260	470	300
Beryllium	67	<0.50	<0.50	<0.50	<0.50
Boron	45000	490	520	150	680
Cadmium	2.7	<0.10	<0.10	<0.10	<0.10
Chromium	810	<5.0	<5.0	<5.0	<5.0
Chromium VI	140	<0.50	<0.50	<0.50	<0.50
Cobalt	66	0.58	0.52	1.8	<0.50
Copper	87	<1.0	3.4	4.7	<1.0
Cyanide	66	<1	<1	<1	<1
Lead	25	<0.50	<0.50	<0.50	<0.50
Mercury	0.29	<0.1	<0.1	<0.1	<0.1
Molybdenum	9200	3.2	17	6	3.5
Nickel	490	<1.0	<1.0	12	1.3
Selenium	63	<2.0	<2.0	<2.0	<2.0
Silver	1.5	<0.10	<0.10	<0.10	<0.10
Thallium	510	<0.050	<0.050	<0.050	0.05
Uranium	420	1.3	5.7	2.3	3.4
Vanadium	250	1.4	0.83	1.5	0.79
Zinc	1100	<5.0	<5.0	<5.0	<5.0
Sodium	2300000	160000	380000	570000	650000
Chloride	2300000	520000	540000	1700000	1700000

See "Notes for Soil and Groundwater Summary Tables" included at the beginning of this Section

**Table 10 Groundwater Analytical Results -  
PHCs&BTEX**

Parameter		BH19-1	QA/QC GW1	BH19-2	BH19-5	BH19-7	QA/QC GW2	BH19-9
Date of Collection	Table 3 Non-potable Groundwater CT	Jan 15, 2019		Jan 15, 2019	Jan 15, 2019	Jan 15, 2019		Jan 15, 2019
Date Reported		Jan 22, 2019		Jan 22, 2019	Jan 22, 2019	Jan 22, 2019		Jan 22, 2019
Screened Depth (mbgs)		2.1 - 4.6		2.7 - 4.3	3.1 - 6.1	4.6 - 7.6		4.6 - 7.6
Analytical Report Reference No.		B913382	B913382	B913382	B913382	B913382	B913382	B913382
Benzene	44	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
Toluene	18000	<0.20	<0.20	<0.20	<0.20	0.25	0.36	0.29
Ethylbenzene	2300	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
Xylene Mixture	4200	<0.20	<0.20	<0.20	<0.20	<0.20	0.25	<0.20
F1 (C6 to C10) minus BTEX	750	<25	<25	<25	<25	<25	<25	<25
F2 (C10 to C16)	150	<100	<100	<100	<100	<100	<100	<100
F3 (C16 to C34)	500	<200	<200	<200	<200	<200	<200	290
F4 (C34 to C50)	500	<200	<200	<200	<200	320	<200	<b>590</b>

See "Notes for Soil and Groundwater Summary Tables"  
included at the beginning of this Section



**Table 10 Groundwater Analytical Results -  
PHCs&BTEX**

Parameter		BH19-13	BH19-17	QA/QC GW3	BH19-18	QA/QC GW4	BH19-20	Trip Blank
Date of Collection	Table 3 Non-potable Groundwater CT	Jan 15, 2019	Jan 15, 2019		Jan 15, 2019		Jan 15, 2019	-
Date Reported		Jan 22, 2019	Jan 22, 2019		Jan 22, 2019		Jan 22, 2019	Jan 22, 2019
Screened Depth (mbgs)		4.6 - 7.6	4.6 - 7.6		2.1 - 5.2		1.7 - 3.8	-
Analytical Report Reference No.		B913382	B913382	B913382	B913382	B913382	B913382	B913382
Benzene	44	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
Toluene	18000	0.28	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
Ethylbenzene	2300	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
Xylene Mixture	4200	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
F1 (C6 to C10) minus BTEX	750	<25	<25	<25	<25	<25	<25	<25
F2 (C10 to C16)	150	<100	<100	<100	<100	<100	<100	<100
F3 (C16 to C34)	500	<200	<200	<200	<200	<200	<200	-
F4 (C34 to C50)	500	<200	<200	<200	<200	<200	<200	-

See "Notes for Soil and Groundwater Summary Tables"  
included at the beginning of this Section

**Table 11 Groundwater Analytical Results - VOCs**

Parameter		BH19-1	QA/QC GW1	BH19-2	BH19-5
Date of Collection	Table 3 Non-potable Groundwater CT	Jan 15, 2019		Jan 15, 2019	Jan 15, 2019
Date Reported		Jan 22, 2019		Jan 22, 2019	Jan 22, 2019
Screened Depth (mbgs)		2.1 - 4.6		2.7 - 4.3	3.1 - 6.1
Analytical Report Reference No.		B913382	B913382	B913382	B913382
Acetone	130000	<10	<10	<10	<10
Benzene	44	<0.20	<0.20	<0.20	<0.20
Bromodichloromethane	85000	<0.50	<0.50	<0.50	<0.50
Bromoform	380	<1.0	<1.0	<1.0	<1.0
Bromomethane	5.6	<0.50	<0.50	<0.50	<0.50
Carbon Tetrachloride	0.79	<0.20	<0.20	<0.20	<0.20
Chlorobenzene	630	<0.20	<0.20	<0.20	<0.20
Chloroform	2.4	<0.20	<0.20	<0.20	<0.20
Dibromochloromethane	82000	<0.50	<0.50	<0.50	<0.50
Dichlorobenzene, 1,2-	4600	<0.50	<0.50	<0.50	<0.50
Dichlorobenzene, 1,3-	9600	<0.50	<0.50	<0.50	<0.50
Dichlorobenzene, 1,4-	8	<0.50	<0.50	<0.50	<0.50
Dichlorodifluoromethane	4400	<1.0	<1.0	<1.0	<1.0
Dichloroethane, 1,1-	320	<0.20	<0.20	<0.20	<0.20
Dichloroethane, 1,2-	1.6	<0.50	<0.50	<0.50	<0.50
Dichloroethylene, 1,1-	1.6	<0.20	<0.20	<0.20	<0.20
Dichloroethylene, cis- 1,2-	1.6	<0.50	<0.50	4	<0.50
Dichloroethylene, trans- 1,2-	1.6	<0.50	<0.50	<0.50	<0.50
Dichloropropane, 1,2-	16	<0.20	<0.20	<0.20	<0.20
Dichloropropene, 1,3-	5.2	<0.50	<0.50	<0.50	<0.50
Ethylbenzene	2300	<0.20	<0.20	<0.20	<0.20
Ethylene Dibromide	0.25	<0.20	<0.20	<0.20	<0.20
Hexane, n-	51	<1.0	<1.0	<1.0	<1.0
Methyl Ethyl Ketone	470000	<10	<10	<10	<10
Methyl Isobutyl Ketone	140000	<2.0	<2.0	<2.0	<2.0
Methyl tert-butyl ether	190	<5.0	<5.0	<5.0	<5.0
Methylene Chloride	610	<0.50	<0.50	<0.50	<0.50
Styrene	1300	<0.50	<0.50	<0.50	<0.50
Tetrachloroethane, 1,1,1,2-	3.3	<0.50	<0.50	<0.50	<0.50
Tetrachloroethane, 1,1,1,2,2-	3.2	<0.50	<0.50	<0.50	<0.50
Tetrachloroethylene	1.6	<0.20	<0.20	<0.20	<0.20
Toluene	18000	<0.20	<0.20	<0.20	<0.20
Trichloroethane, 1,1,1-	640	<0.20	<0.20	<0.20	<0.20
Trichloroethane, 1,1,1,2-	4.7	<0.50	<0.50	<0.50	<0.50
Trichloroethylene	1.6	<0.20	<0.20	<0.20	<0.20
Trichlorofluoromethane	2500	<0.50	<0.50	<0.50	<0.50
Vinyl Chloride	0.5	<0.20	<0.20	0.34	<0.20
Xylene Mixture	4200	<0.20	<0.20	<0.20	<0.20

See "Notes for Soil and Groundwater Summary Tables" included at the beginning of this Section

**Table 11 Groundwater Analytical Results - VOCs**

Parameter		BH19-7	QA/QC GW2	BH19-9	BH19-13
Date of Collection	Table 3 Non-potable Groundwater CT	Jan 15, 2019		Jan 15, 2019	Jan 15, 2019
Date Reported		Jan 22, 2019		Jan 22, 2019	Jan 22, 2019
Screened Depth (mbgs)		4.6 - 7.6		4.6 - 7.6	4.6 - 7.6
Analytical Report Reference No.		B913382	B913382	B913382	B913382
Acetone	130000	<10	<10	<10	<10
Benzene	44	<0.20	<0.20	<0.20	<0.20
Bromodichloromethane	85000	<0.50	<0.50	<0.50	<0.50
Bromoform	380	<1.0	<1.0	<1.0	<1.0
Bromomethane	5.6	<0.50	<0.50	<0.50	<0.50
Carbon Tetrachloride	0.79	<0.20	<0.20	<0.20	<0.20
Chlorobenzene	630	<0.20	<0.20	<0.20	<0.20
Chloroform	2.4	<0.20	<0.20	<0.20	<0.20
Dibromochloromethane	82000	<0.50	<0.50	<0.50	<0.50
Dichlorobenzene, 1,2-	4600	<0.50	<0.50	<0.50	<0.50
Dichlorobenzene, 1,3-	9600	<0.50	<0.50	<0.50	<0.50
Dichlorobenzene, 1,4-	8	<0.50	<0.50	<0.50	<0.50
Dichlorodifluoromethane	4400	<1.0	<1.0	<1.0	<1.0
Dichloroethane, 1,1-	320	<0.20	<0.20	<0.20	<0.20
Dichloroethane, 1,2-	1.6	<0.50	<0.50	<0.50	<0.50
Dichloroethylene, 1,1-	1.6	<0.20	<0.20	<0.20	<0.20
Dichloroethylene, cis- 1,2-	1.6	<0.50	<0.50	<0.50	<0.50
Dichloroethylene, trans- 1,2-	1.6	<0.50	<0.50	<0.50	<0.50
Dichloropropane, 1,2-	16	<0.20	<0.20	<0.20	<0.20
Dichloropropene, 1,3-	5.2	<0.50	<0.50	<0.50	<0.50
Ethylbenzene	2300	<0.20	<0.20	<0.20	<0.20
Ethylene Dibromide	0.25	<0.20	<0.20	<0.20	<0.20
Hexane, n-	51	<1.0	<1.0	<1.0	<1.0
Methyl Ethyl Ketone	470000	<10	<10	<10	<10
Methyl Isobutyl Ketone	140000	<2.0	<2.0	<2.0	<2.0
Methyl tert-butyl ether	190	<5.0	<5.0	<5.0	<5.0
Methylene Chloride	610	<0.50	<0.50	<0.50	<0.50
Styrene	1300	<0.50	<0.50	<0.50	<0.50
Tetrachloroethane, 1,1,1,2-	3.3	<0.50	<0.50	<0.50	<0.50
Tetrachloroethane, 1,1,1,2,2-	3.2	<0.50	<0.50	<0.50	<0.50
Tetrachloroethylene	1.6	<0.20	<0.20	<0.20	<0.20
Toluene	18000	0.25	0.36	0.29	0.28
Trichloroethane, 1,1,1-	640	<0.20	<0.20	<0.20	<0.20
Trichloroethane, 1,1,1,2-	4.7	<0.50	<0.50	<0.50	<0.50
Trichloroethylene	1.6	<0.20	<0.20	<0.20	<0.20
Trichlorofluoromethane	2500	<0.50	<0.50	<0.50	<0.50
Vinyl Chloride	0.5	<0.20	<0.20	<0.20	<0.20
Xylene Mixture	4200	<0.20	0.25	<0.20	<0.20

See "Notes for Soil and Groundwater Summary Tables" included at the beginning of this Section

**Table 11 Groundwater Analytical Results - VOCs**

Parameter		BH19-17	QA/QC GW3	BH19-18	QA/QC GW4
Date of Collection	Table 3 Non-potable Groundwater CT	Jan 15, 2019		Jan 15, 2019	
Date Reported		Jan 22, 2019		Jan 22, 2019	
Screened Depth (mbgs)		4.6 - 7.6		2.1 - 5.2	
Analytical Report Reference No.		B913382	B913382	B913382	B913382
Acetone	130000	<10	<10	<10	<10
Benzene	44	<0.20	<0.20	<0.20	<0.20
Bromodichloromethane	85000	<0.50	<0.50	<0.50	<0.50
Bromoform	380	<1.0	<1.0	<1.0	<1.0
Bromomethane	5.6	<0.50	<0.50	<0.50	<0.50
Carbon Tetrachloride	0.79	<0.20	<0.20	<0.20	<0.20
Chlorobenzene	630	<0.20	<0.20	<0.20	<0.20
Chloroform	2.4	<0.20	<0.20	<0.20	<0.20
Dibromochloromethane	82000	<0.50	<0.50	<0.50	<0.50
Dichlorobenzene, 1,2-	4600	<0.50	<0.50	<0.50	<0.50
Dichlorobenzene, 1,3-	9600	<0.50	<0.50	<0.50	<0.50
Dichlorobenzene, 1,4-	8	<0.50	<0.50	<0.50	<0.50
Dichlorodifluoromethane	4400	<1.0	<1.0	<1.0	<1.0
Dichloroethane, 1,1-	320	<0.20	<0.20	<0.20	<0.20
Dichloroethane, 1,2-	1.6	<0.50	<0.50	<0.50	<0.50
Dichloroethylene, 1,1-	1.6	<0.20	<0.20	<0.20	<0.20
Dichloroethylene, cis- 1,2-	1.6	<0.50	<0.50	<0.50	<0.50
Dichloroethylene, trans- 1,2-	1.6	<0.50	<0.50	<0.50	<0.50
Dichloropropane, 1,2-	16	<0.20	<0.20	<0.20	<0.20
Dichloropropene, 1,3-	5.2	<0.50	<0.50	<0.50	<0.50
Ethylbenzene	2300	<0.20	<0.20	<0.20	<0.20
Ethylene Dibromide	0.25	<0.20	<0.20	<0.20	<0.20
Hexane, n-	51	<1.0	<1.0	<1.0	<1.0
Methyl Ethyl Ketone	470000	<10	<10	<10	<10
Methyl Isobutyl Ketone	140000	<2.0	<2.0	<2.0	<2.0
Methyl tert-butyl ether	190	<5.0	<5.0	<5.0	<5.0
Methylene Chloride	610	<0.50	<0.50	<0.50	<0.50
Styrene	1300	<0.50	<0.50	<0.50	<0.50
Tetrachloroethane, 1,1,1,2-	3.3	<0.50	<0.50	<0.50	<0.50
Tetrachloroethane, 1,1,1,2,2-	3.2	<0.50	<0.50	<0.50	<0.50
Tetrachloroethylene	1.6	<0.20	<0.20	<0.20	<0.20
Toluene	18000	<0.20	<0.20	<0.20	0.25
Trichloroethane, 1,1,1-	640	<0.20	<0.20	<0.20	<0.20
Trichloroethane, 1,1,1,2-	4.7	<0.50	<0.50	<0.50	<0.50
Trichloroethylene	1.6	<0.20	<0.20	<0.20	<0.20
Trichlorofluoromethane	2500	<0.50	<0.50	<0.50	<0.50
Vinyl Chloride	0.5	<0.20	<0.20	<0.20	<0.20
Xylene Mixture	4200	<0.20	<0.20	<0.20	<0.20

See "Notes for Soil and Groundwater Summary Tables" included at the beginning of this Section

**Table 11 Groundwater Analytical Results - VOCs**

Parameter		BH19-20	Trip Blank
Date of Collection	Table 3 Non-potable Groundwater CT	Jan 15, 2019	-
Date Reported		Jan 22, 2019	Jan 22, 2019
Screened Depth (mbgs)		1.7 - 3.8	-
Analytical Report Reference No.		B913382	B913382
Acetone	130000	<10	<10
Benzene	44	<0.20	<0.20
Bromodichloromethane	85000	<0.50	<0.50
Bromoform	380	<1.0	<1.0
Bromomethane	5.6	<0.50	<0.50
Carbon Tetrachloride	0.79	<0.20	<0.20
Chlorobenzene	630	<0.20	<0.20
Chloroform	2.4	<0.20	<0.20
Dibromochloromethane	82000	<0.50	<0.50
Dichlorobenzene, 1,2-	4600	<0.50	<0.50
Dichlorobenzene, 1,3-	9600	<0.50	<0.50
Dichlorobenzene, 1,4-	8	<0.50	<0.50
Dichlorodifluoromethane	4400	<1.0	<1.0
Dichloroethane, 1,1-	320	<0.20	<0.20
Dichloroethane, 1,2-	1.6	<0.50	<0.50
Dichloroethylene, 1,1-	1.6	<0.20	<0.20
Dichloroethylene, cis- 1,2-	1.6	<0.50	<0.50
Dichloroethylene, trans- 1,2-	1.6	<0.50	<0.50
Dichloropropane, 1,2-	16	<0.20	<0.20
Dichloropropene, 1,3-	5.2	<0.50	<0.50
Ethylbenzene	2300	<0.20	<0.20
Ethylene Dibromide	0.25	<0.20	<0.20
Hexane, n-	51	<1.0	<1.0
Methyl Ethyl Ketone	470000	<10	<10
Methyl Isobutyl Ketone	140000	<2.0	<2.0
Methyl tert-butyl ether	190	<5.0	<5.0
Methylene Chloride	610	<0.50	<0.50
Styrene	1300	<0.50	<0.50
Tetrachloroethane, 1,1,1,2-	3.3	<0.50	<0.50
Tetrachloroethane, 1,1,1,2,2-	3.2	<0.50	<0.50
Tetrachloroethylene	1.6	<0.20	<0.20
Toluene	18000	<0.20	<0.20
Trichloroethane, 1,1,1-	640	<0.20	<0.20
Trichloroethane, 1,1,2-	4.7	<0.50	<0.50
Trichloroethylene	1.6	<0.20	<0.20
Trichlorofluoromethane	2500	<0.50	<0.50
Vinyl Chloride	0.5	<0.20	<0.20
Xylene Mixture	4200	<0.20	<0.20

See "Notes for Soil and Groundwater Summary Tables" included at the beginning of this Section



**Table 12 Groundwater Analytical Results - PAHs**

Parameter		BH19-1	BH19-2	BH19-5	BH19-7	BH19-9
Date of Collection	Table 3 Non-potable Groundwater CT	Jan 15, 2019	Jan 15, 2019	Jan 15, 2019	Jan 15, 2019	Jan 15, 2019
Date Reported		Jan 22, 2019	Jan 22, 2019	Jan 22, 2019	Jan 22, 2019	Jan 22, 2019
Screened Depth (mbgs)		2.1 - 4.6	2.7 - 4.3	3.1 - 6.1	4.6 - 7.6	4.6 - 7.6
Analytical Report Reference No.		B913382	B913382	B913382	B913382	B913382
Acenaphthene	600	<0.050	<0.050	<0.050	<0.050	<0.050
Acenaphthylene	1.8	<0.050	<0.050	<0.050	<0.050	<0.050
Anthracene	2.4	<0.050	<0.050	<0.050	<0.050	<0.050
Benz(a)anthracene	4.7	<0.050	<0.050	<0.050	<0.050	<0.050
Benzo(a)pyrene	0.81	<0.010	<0.010	<0.010	<0.010	<0.010
Benzo(b)fluoranthene	0.75	<0.050	<0.050	<0.050	<0.050	<0.050
Benzo(g,h,i)perylene	0.2	<0.050	<0.050	<0.050	<0.050	<0.050
Benzo(k)fluoranthene	0.4	<0.050	<0.050	<0.050	<0.050	<0.050
Chrysene	1	<0.050	<0.050	<0.050	<0.050	<0.050
Dibenz(a,h)anthracene	0.52	<0.050	<0.050	<0.050	<0.050	<0.050
Fluoranthene	130	<0.050	<0.050	<0.050	<0.050	<0.050
Fluorene	400	<0.050	<0.050	<0.050	<0.050	<0.050
Indeno(1,2,3-cd)pyrene	0.2	<0.050	<0.050	<0.050	<0.050	<0.050
Methyl Naphthalene, 2-and 1-	1800	<0.071	<0.071	<0.071	<0.071	<0.071
Naphthalene	1400	<0.050	<0.050	<0.050	<0.050	<0.050
Phenanthrene	580	<0.030	<0.030	<0.030	<0.030	<0.030
Pyrene	68	<0.050	<0.050	<0.050	<0.050	<0.050

See "Notes for Soil and Groundwater Summary Tables" included at the beginning of this Section

**Table 12 Groundwater Analytical Results - PAHs**

Parameter		BH19-13	BH19-17	BH19-18	BH19-20
Date of Collection	Table 3 Non-potable Groundwater CT	Jan 15, 2019	Jan 15, 2019	Jan 15, 2019	Jan 15, 2019
Date Reported		Jan 22, 2019	Jan 22, 2019	Jan 22, 2019	Jan 22, 2019
Screened Depth (mbgs)		4.6 - 7.6	4.6 - 7.6	2.1 - 5.2	1.7 - 3.8
Analytical Report Reference No.		B913382	B913382	B913382	B913382
Acenaphthene	600	<0.050	<0.050	<0.050	<0.050
Acenaphthylene	1.8	<0.050	<0.050	<0.050	<0.050
Anthracene	2.4	<0.050	<0.050	<0.050	<0.050
Benz(a)anthracene	4.7	<0.050	<0.050	<0.050	<0.050
Benzo(a)pyrene	0.81	<0.010	<0.010	<0.010	<0.010
Benzo(b)fluoranthene	0.75	<0.050	<0.050	<0.050	<0.050
Benzo(g,h,i)perylene	0.2	<0.050	<0.050	<0.050	<0.050
Benzo(k)fluoranthene	0.4	<0.050	<0.050	<0.050	<0.050
Chrysene	1	<0.050	<0.050	<0.050	<0.050
Dibenz(a,h)anthracene	0.52	<0.050	<0.050	<0.050	<0.050
Fluoranthene	130	<0.050	<0.050	<0.050	<0.050
Fluorene	400	<0.050	<0.050	<0.050	<0.050
Indeno(1,2,3-cd)pyrene	0.2	<0.050	<0.050	<0.050	<0.050
Methyl Naphthalene, 2-and 1-	1800	<0.071	<0.071	<0.071	<0.071
Naphthalene	1400	<0.050	<0.050	0.082	<0.050
Phenanthrene	580	<0.030	<0.030	<0.030	<0.030
Pyrene	68	<0.050	<0.050	<0.050	<0.050

See "Notes for Soil and Groundwater Summary Tables" included at the beginning of this Section

**Table 13 Groundwater Analytical Results - PCBs**

Parameter		BH19-1	BH19-2	BH19-5	BH19-7	BH19-9
Date of Collection	Table 3 Non-potable Groundwater CT	Jan 15, 2019	Jan 15, 2019	Jan 15, 2019	Jan 15, 2019	Jan 15, 2019
Date Reported		Jan 22, 2019	Jan 22, 2019	Jan 22, 2019	Jan 22, 2019	Jan 22, 2019
Screened Depth (mbgs)		2.1 - 4.6	2.7 - 4.3	3.1 - 6.1	4.6 - 7.6	4.6 - 7.6
Analytical Report Reference No.		B913382	B913382	B913382	B913382	B913382
Polychlorinated Biphenyls	7.8	<0.05	<0.5	<0.5	<0.05	<0.05

See "Notes for Soil and Groundwater Summary Tables" included at the beginning of this Section

**Table 13 Groundwater Analytical Results - PCBs**

Parameter		BH19-13	BH19-17	BH19-18	BH19-20
Date of Collection	Table 3 Non-potable Groundwater CT	Jan 15, 2019	Jan 15, 2019	Jan 15, 2019	Jan 15, 2019
Date Reported		Jan 22, 2019	Jan 22, 2019	Jan 22, 2019	Jan 22, 2019
Screened Depth (mbgs)		4.6 - 7.6	4.6 - 7.6	2.1 - 5.2	1.7 - 3.8
Analytical Report Reference No.		B913382	B913382	B913382	B913382
Polychlorinated Biphenyls	7.8	<0.05	<0.5	<0.5	<0.05

See "Notes for Soil and Groundwater Summary Tables" included at the beginning of this Section

**Table 14 Summary of Maximum Concentrations in Soil**

Group	Parameter	Table 3 ICC CT	Maximum Concentration	Location
Metals & ORPs	Antimony	40	<0.20	all samples
	Arsenic	18	4.3	BH19-6 SS2
	Barium	670	65	BH19-3 SS2
	Beryllium	8	0.41	BH19-19 SS3
	Boron	120	6	BH19-19 SS3
	Boron (Hot Water Soluble)	2	1.4	BH19-13 SS3
	Cadmium	1.9	0.21	BH19-13 SS3
	Chromium	160	21	BH19-19 SS3
	Cobalt	80	8.5	BH19-6 SS2
	Copper	230	28	BH19-6 SS2
	Lead	120	14	BH19-3 SS2
	Molybdenum	40	0.53	BH19-19 SS3
	Nickel	270	19	BH19-19 SS3
	Selenium	5.5	0.52	BH19-13 SS3
	Silver	40	<0.20	all samples
	Thallium	3.3	0.13	BH19-6 SS2
	Uranium	33	0.77	BH19-13 SS3
	Vanadium	86	28	BH19-19 SS3
	Zinc	340	46	BH19-3 SS2
	Chromium VI	8	<0.2	all samples
	Cyanide	0.051	0.09	BH19-13 SS3
	Mercury	3.9	0.057	BH19-13 SS3
	Mercury	3.9	1	BH19-13 SS3
Electrical Conductivity	1.4	21	BH19-6 SS2	
PHCs	Benzene	0.32	<0.020	all samples
	Toluene	68	<0.020	all samples
	Ethylbenzene	9.5	<0.020	all samples
	Xylene Mixture	26	<0.020	all samples
	F1 (C6 to C10) minus BTEX	55	<10	all samples
	F2 (C10 to C16)	230	<10	all samples
	F3 (C16 to C34)	1700	290	BH19-18 SS1
	F4 (C34 to C50)	3300	150	BH19-18 SS1
VOCs	Acetone	16	<0.50	all samples
	Benzene	0.32	<0.020	all samples
	Bromodichloromethane	18	<0.050	all samples
	Bromoform	0.61	<0.050	all samples
	Bromomethane	0.05	<0.050	all samples
	Carbon Tetrachloride	0.21	<0.050	all samples
	Chlorobenzene	2.4	<0.050	all samples
	Chloroform	0.47	<0.050	all samples
	Dibromochloromethane	13	<0.050	all samples
	Dichlorobenzene, 1,2-	6.8	<0.050	all samples
	Dichlorobenzene, 1,3-	9.6	<0.050	all samples
	Dichlorobenzene, 1,4-	0.2	<0.050	all samples
	Dichlorodifluoromethane	16	<0.050	all samples

**Table 14 Summary of Maximum Concentrations in Soil**

Group	Parameter	Table 3 ICC CT	Maximum Concentration	Location
VOCs	Dichloroethane, 1,1-	17	<0.050	all samples
	Dichloroethane, 1,2-	0.05	<0.050	all samples
	Dichloroethylene, 1,1-	0.064	<0.050	all samples
	Dichloroethylene, Cis- 1,2-	55	<0.030	all samples
	Dichloroethylene, Trans- 1,2-	1.3	<0.040	all samples
	Dichloropropane, 1,2-	0.16	<0.050	all samples
	Dichloropropene, 1,3-	0.18	<0.050	all samples
	Ethylbenzene	9.5	<0.020	all samples
	Ethylene Dibromide	0.05	<0.050	all samples
	Hexane, n-	46	<0.050	all samples
	Methyl Ethyl Ketone	70	<0.50	all samples
	Methyl Isobutyl Ketone	31	<0.50	all samples
	Methyl tert-butyl Ether	11	<0.050	all samples
	Methylene Chloride	1.6	<0.050	all samples
	Styrene	34	<0.050	all samples
	Tetrachloroethane, 1,1,1,2-	0.087	<0.050	all samples
	Tetrachloroethane, 1,1,2,2-	0.05	<0.050	all samples
	Tetrachloroethylene	4.5	<0.050	all samples
	Toluene	68	<0.020	all samples
	Trichloroethane, 1,1,1-	6.1	<0.050	all samples
	Trichloroethane, 1,1,2-	0.05	<0.050	all samples
	Trichloroethylene	0.91	<0.050	all samples
	Trichlorofluoromethane	4	<0.050	all samples
	Vinyl Chloride	0.032	<0.020	all samples
	Xylene Mixture	26	<0.020	all samples
	PAHs	Acenaphthene	96	<0.0050
Acenaphthylene		0.15	<0.0050	all samples
Anthracene		0.67	<0.0050	all samples
Benz(a)anthracene		0.96	0.0064	BH19-16 SS1
Benzo(a)pyrene		0.3	0.0051	BH19-16 SS1
Benzo(b)fluoranthene		0.96	0.0092	BH19-2 SS2
Benzo(g,h,i)perylene		9.6	0.011	BH19-16 SS1
Benzo(k)fluoranthene		0.96	<0.0050	all samples
Chrysene		9.6	0.0097	BH19-16 SS1
Dibenz(a,h)anthracene		0.1	<0.0050	all samples
Fluoranthene		9.6	0.011	BH19-2 SS2
Fluorene		62	<0.0050	all samples
Indeno(1,2,3-cd)pyrene		0.76	0.0061	BH19-13 SS2
Methyl Naphthalene, 2-and 1-		76	<0.0071	all samples
Naphthalene		9.6	0.0086	BH19-16 SS1
Phenanthrene		12	0.021	BH19-16 SS1
Pyrene		96	0.01	BH19-16 SS1

**Table 14 Summary of Maximum Concentrations in Soil**

Group	Parameter	Table 3 ICC CT	Maximum Concentration	Location
PCBs	Polychlorinated Biphenyls	1.1	<0.010	all samples

*See "Notes for Soil and Groundwater Summary Tables" included at the beginning of this Section*

**Table 15 Summary of Maximum Concentrations in Groundwater**

Group	Parameter	Table 3 Non-potable Groundwater CT	Maximum Concentration	Location
Metals & ORPs	Antimony	20000	1.2	BH19-17
	Arsenic	1900	2	BH19-9
	Barium	29000	2700	BH19-7
	Beryllium	67	<0.50	all samples
	Boron	45000	680	BH19-20
	Cadmium	2.7	<0.10	all samples
	Chromium	810	<5.0	all samples
	Chromium VI	140	<0.50	all samples
	Cobalt	66	3.5	BH19-9
	Copper	87	4.7	BH19-18
	Cyanide	66	<1	all samples
	Lead	25	<0.50	all samples
	Mercury	0.29	<0.1	all samples
	Molybdenum	9200	17	BH19-17
	Nickel	490	12	BH19-18
	Selenium	63	<2.0	all samples
	Silver	1.5	<0.10	all samples
	Thallium	510	0.1	BH19-5
	Uranium	420	5.7	BH19-17
	Vanadium	250	1.5	BH19-18
	Zinc	1100	<5.0	all samples
Sodium	2300000	1500000	BH19-5	
Chloride	2300000	3200000	BH19-5 & BH19-7	
PHCs	Benzene	44	<0.20	all samples
	Toluene	18000	0.25	QA/QC GW2
	Ethylbenzene	2300	<0.20	all samples
	Xylene Mixture	4200	<0.20	QA/QC GW2
	F1 (C6 to C10) minus BTEX	750	<25	all samples
	F2 (C10 to C16)	150	<100	all samples
	F3 (C16 to C34)	500	<200	BH19-9
	F4 (C34 to C50)	500	320	BH19-9
VOCs	Acetone	130000	<10	all samples
	Benzene	44	<0.20	all samples
	Bromodichloromethane	85000	<0.50	all samples
	Bromoform	380	<1.0	all samples
	Bromomethane	5.6	<0.50	all samples
	Carbon Tetrachloride	0.79	<0.20	all samples
	Chlorobenzene	630	<0.20	all samples
	Chloroform	2.4	<0.20	all samples
	Dibromochloromethane	82000	<0.50	all samples
	Dichlorobenzene, 1,2-	4600	<0.50	all samples
	Dichlorobenzene, 1,3-	9600	<0.50	all samples
	Dichlorobenzene, 1,4-	8	<0.50	all samples
	Dichlorodifluoromethane	4400	<1.0	all samples



**Table 15 Summary of Maximum Concentrations in Groundwater**


Group	Parameter	Table 3 Non-potable Groundwater CT	Maximum Concentration	Location
VOCs	Dichloroethane, 1,1-	320	<0.20	all samples
	Dichloroethane, 1,2-	1.6	<0.50	all samples
	Dichloroethylene, 1,1-	1.6	<0.20	all samples
	Dichloroethylene, cis- 1,2-	1.6	4	BH19-2
	Dichloroethylene, trans- 1,2-	1.6	<0.50	all samples
	Dichloropropane, 1,2-	16	<0.20	all samples
	Dichloropropene, 1,3-	5.2	<0.50	all samples
	Ethylbenzene	2300	<0.20	all samples
	Ethylene Dibromide	0.25	<0.20	all samples
	Hexane, n-	51	<1.0	all samples
	Methyl Ethyl Ketone	470000	<10	all samples
	Methyl Isobutyl Ketone	140000	<2.0	all samples
	Methyl tert-butyl ether	190	<5.0	all samples
	Methylene Chloride	610	<0.50	all samples
	Styrene	1300	<0.50	all samples
	Tetrachloroethane, 1,1,1,2-	3.3	<0.50	all samples
	Tetrachloroethane, 1,1,2,2-	3.2	<0.50	all samples
	Tetrachloroethylene	1.6	<0.20	all samples
	Toluene	18000	0.36	QA/QC GW2
	Trichloroethane, 1,1,1-	640	<0.20	all samples
	Trichloroethane, 1,1,2-	4.7	<0.50	all samples
	Trichloroethylene	1.6	<0.20	all samples
	Trichlorofluoromethane	2500	<0.50	all samples
Vinyl Chloride	0.5	0.34	BH19-2	
Xylene Mixture	4200	0.25	QA/QC GW2	
PAHs	Acenaphthene	600	<0.050	all samples
	Acenaphthylene	1.8	<0.050	all samples
	Anthracene	2.4	<0.050	all samples
	Benz(a)anthracene	4.7	<0.050	all samples
	Benzo(a)pyrene	0.81	<0.010	all samples
	Benzo(b)fluoranthene	0.75	<0.050	all samples
	Benzo(g,h,i)perylene	0.2	<0.050	all samples
	Benzo(k)fluoranthene	0.4	<0.050	all samples
	Chrysene	1	<0.050	all samples
	Dibenz(a,h)anthracene	0.52	<0.050	all samples
	Fluoranthene	130	<0.050	all samples
	Fluorene	400	<0.050	all samples
	Indeno(1,2,3-cd)pyrene	0.2	<0.050	all samples
	Methyl Naphthalene, 2-and 1-	1800	<0.071	all samples
	Naphthalene	1400	0.082	BH19-18
	Phenanthrene	580	<0.030	all samples
	Pyrene	68	<0.050	all samples



**Table 15 Summary of Maximum Concentrations in Groundwater**

Group	Parameter	Table 3 Non-potable Groundwater CT	Maximum Concentration	Location
PCBs	Polychlorinated Biphenyls	7.8	<0.05	all samples

*See "Notes for Soil and Groundwater Summary Tables" included at the beginning of this Section*

# FIGURES





- POTENTIALLY CONTAMINATING ACTIVITIES (PCAs)
- 2 PCA 2 Adhesives and Resins Manufacturing, Processing and Bulk Storage
  - 5 PCA 5 Asphalt and Bitumen Manufacturing
  - 8 PCA 8 Chemical Manufacturing, Processing and Bulk Storage
  - 10 PCA 10 Commercial Autobody Shops
  - 11 PCA 11 Commercial Trucking and Container Terminals
  - 12 PCA 12 Concrete, Cement and Lime Manufacturing
  - 18 PCA 18 Electricity Generation, Transformation and Power Stations
  - 19 PCA 19 Electronic and Computer Equipment Manufacturing
  - 27 PCA 27 Garages and Maintenance and Repair of Railcars, Marine Vehicles and Aviation Vehicles
  - 28 PCA 28 Gasoline and Associated Products Storage in Fixed Tanks
  - 30 PCA 30 Importation of Fill Material of Unknown Quality
  - 31 PCA 31 Ink Manufacturing, Processing and Bulk Storage
  - 33 PCA 33 Metal Treatment, Coating, Plating and Finishing
  - 34 PCA 34 Metal Fabrication
  - 35 PCA 35 Mining, Smelting and Refining; Ore Processing; Tailings Storage
  - 37 PCA 37 Operation of Dry Cleaning Equipment (where chemicals are used)
  - 39 PCA 39 Paints Manufacturing, Processing and Bulk Storage
  - 40 PCA 40 Pesticides (including Herbicides, Fungicides and Anti-Fouling Agents) Manufacturing, Processing, Bulk Storage and Large-Scale Applications
  - 46 PCA 46 Rail Yards, Tracks and Spurs
  - 47 PCA 47 Rubber Manufacturing and Processing
  - 49 PCA 49 Salvage Yard, including automobile wrecking
  - 55 PCA 55 Transformer Manufacturing, Processing and Use
  - 57 PCA 57 Vehicles and Associated Parts Manufacturing
  - 58 PCA 58 Waste Disposal and Waste Management, including thermal treatment, landfilling and transfer of waste, other than use of biosoils as soil conditioners
- A PCA N/S A - Spill  
 B PCA N/S B - PCB Database  
 C PCA N/S C - Hydraulic Model Laboratory  
 D PCA N/S D - Known Soil & Groundwater Contamination

Source: Esri, DigitalGlobe, GeoEye, i-cubed, USDA, USGS, AEX, Getmapping, Aerogrid, IGN, IGP, and the GIS User Community

51 CONSTELLATION COURT  
TORONTO, ONTARIO, CANADA M9W 1K4  
TEL: 416-798-0065 | FAX: 416-798-05-18 | WWW.WSPGROUP.COM

**Legend**


- 250m Study Area
- Phase One Property
- Railway
- Topographic Contour
- Inferred Groundwater Flow Direction
- AST
- UST
- MECP Water Well
- # PCA Contributing to APEC roads
- # PCA Not Contributing to APEC roads

CLIENT: Toronto Transit Commission

CLIENT REF. #

PROJECT: PHASE ONE ENVIRONMENTAL SITE ASSESSMENT  
30 NEWBRIDGE ROAD, TORONTO, ONTARIO

PROJECT NO: 181-10974-00	DATE: February 2019	TITLE:  CONCEPTUAL SITE MODEL	
DESIGNED BY: SL		DISCIPLINE: ENVIRONMENT	
DRAWN BY: RA		ISSUE:	RV.#: 0
CHECKED BY: RO		DATE OF:	February 2019
FIGURE NO: 1	SCALE: As Shown		



- POTENTIALLY CONTAMINATING ACTIVITIES (PCAs)
- ② PCA 2 Adhesives and Resins Manufacturing, Processing and Bulk Storage
  - ⑤ PCA 5 Asphalt and Bitumen Manufacturing
  - ⑧ PCA 8 Chemical Manufacturing, Processing and Bulk Storage
  - ⑩ PCA 10 Commercial Autobody Shops
  - ⑪ PCA 11 Commercial Trucking and Container Terminals
  - ⑫ PCA 12 Concrete, Cement and Lime Manufacturing
  - ⑱ PCA 18 Electricity Generation, Transformation and Power Stations
  - ⑲ PCA 19 Electronic and Computer Equipment Manufacturing
  - ⑳ PCA 27 Garages and Maintenance and Repair of Railcars, Marine Vehicles and Aviation Vehicles
  - ㉔ PCA 28 Gasoline and Associated Products Storage in Fixed Tanks
  - ⑳ PCA 30 Importation of Fill Material of Unknown Quality
  - ㉑ PCA 31 Ink Manufacturing, Processing and Bulk Storage
  - ㉓ PCA 33 Metal Treatment, Coating, Plating and Finishing
  - ㉔ PCA 34 Metal Fabrication
  - ㉕ PCA 35 Mining, Smelting and Refining: Ore Processing; Tailings Storage
  - ㉗ PCA 37 Operation of Dry Cleaning Equipment (where chemicals are used)
  - ㉙ PCA 39 Paints Manufacturing, Processing and Bulk Storage
  - ㉚ PCA 40 Pesticides (including Herbicides, Fungicides and Anti-Fouling Agents) Manufacturing, Processing, Bulk Storage and Large-Scale Applications
  - ㉞ PCA 46 Rail Yards, Tracks and Spurs
  - ㉟ PCA 47 Rubber Manufacturing and Processing
  - ㊱ PCA 49 Salvage Yard, including automobile wrecking
  - ㊳ PCA 55 Transformer Manufacturing, Processing and Use
  - ㊵ PCA 57 Vehicles and Associated Parts Manufacturing
  - ㊸ PCA 58 Waste Disposal and Waste Management, including thermal treatment, landfilling and transfer of waste, other than use of biosoils as soil conditioners
  - Ⓐ PCA N/S A - Spill
  - Ⓑ PCA N/S B - PCB Database
  - Ⓒ PCA N/S C - Hydraulic Model Laboratory
  - Ⓓ PCA N/S D - Known Soil & Groundwater Contamination

Refer to Table 3 in Appendix of the Phase One ESA Report


Source: Esri, DigitalGlobe, GeoEye, i-cubed, USDA, USGS, AEX, Getmapping, Aerogrid, IGN, IGP, and the GIS User Community

51 CONSTELLATION COURT  
TORONTO, ONTARIO, CANADA M9W 1K4  
TEL: 416-798-0065 | FAX: 416-798-05-18 | WWW.WSPGROUP.COM

Legend					
<span style="border: 2px dashed magenta; padding: 2px;"> </span>	Phase One Property (APEC 3,10,18,23)	<span style="border: 2px dashed orange; padding: 2px;"> </span>	APEC 9,16	<span style="border: 2px dashed purple; padding: 2px;"> </span>	APEC 21
<span style="border: 2px dashed green; padding: 2px;"> </span>	APEC 1	<span style="border: 2px dashed blue; padding: 2px;"> </span>	APEC 11	<span style="border: 2px dashed brown; padding: 2px;"> </span>	APEC 22
<span style="border: 2px dashed pink; padding: 2px;"> </span>	APEC 2	<span style="border: 2px dashed black; padding: 2px;"> </span>	APEC 12	<span style="border: 2px solid brown; padding: 2px;"> </span>	AST
<span style="border: 2px dashed lightblue; padding: 2px;"> </span>	APEC 4	<span style="border: 2px dashed black; padding: 2px;"> </span>	APEC 13	<span style="border: 2px solid orange; padding: 2px;"> </span>	UST
<span style="border: 2px dashed lightblue; padding: 2px;"> </span>	APEC 5	<span style="border: 2px dashed green; padding: 2px;"> </span>	APEC 14	<span style="border: 2px solid red; padding: 2px;"> </span>	Railway
<span style="border: 2px dashed red; padding: 2px;"> </span>	APEC 6	<span style="border: 2px dashed orange; padding: 2px;"> </span>	APEC 15	<span style="border: 2px solid red; padding: 2px;"> </span>	# PCA Contributing to APEC
<span style="border: 2px dashed brown; padding: 2px;"> </span>	APEC 7,17	<span style="border: 2px dashed red; padding: 2px;"> </span>	APEC 19	<span style="border: 2px solid black; padding: 2px;"> </span>	# PCA Not Contributing to APEC
<span style="border: 2px dashed orange; padding: 2px;"> </span>	APEC 8	<span style="border: 2px dashed yellow; padding: 2px;"> </span>	APEC 20		

CLIENT:	Toronto Transit Commission
CLIENT REF. #	
PROJECT:	PHASE ONE ENVIRONMENTAL SITE ASSESSMENT 30 NEWBRIDGE ROAD, TORONTO, ONTARIO

PROJECT NO:	181-10974-00	DATE:	February 2019	TITLE:	AREAS OF POTENTIAL ENVIRONMENTAL CONCERN	
DESIGNED BY:	SL			DISCIPLINE:	ENVIRONMENT	
DRAWN BY:	RA			ISSUE:		RV. #:
CHECKED BY:	RO			DATE OF:	February 2019	0
FIGURE NO:	2	SCALE:	As Shown			



T:\Environmental\000\181-00000-00\181-10974-00 - 30 Newbridge Road, TTC\Phase Two ESA Template Folder (0.Reg. 153)\03 Drawings\181-10974-00.dwg



51 CONSTELLATION COURT  
 TORONTO, ONTARIO CANADA M9W 1K4  
 TEL.: 416-798-0065 | FAX: 416-798-0518 | WWW.WSP.COM

<b>LEGEND:</b>	Phase Two Property
	Monitoring Well (2019)
	Borehole (2019)
	Cross Section Line

CLIENT:	TORONTO TRANSIT COMMISSION			
TITLE:	BOREHOLE LOCATION PLAN			
PROJECT:	PHASE TWO ENVIRONMENTAL SITE ASSESSMENT 30 NEWBRIDGE ROAD, TORONTO, ONTARIO			
	PROJECT NO:	181-10974-01	DRAWING NO:	3
	DRAWN BY:	RA	CHECKED BY:	RO
	DATE:	February 2019	SCALE:	AS SHOWN
	ORIGINAL SIZE:	Tabloid	REV. #	N/A



T:\Environmental\000\181-10974-00 - 30 Newbridge Road, TTC\Phase Two ESA Template Folder (0.Reg. 153)\03 Drawings\181-10974-00.dwg




51 CONSTELLATION COURT  
 TORONTO, ONTARIO CANADA M9W 1K4  
 TEL: 416-798-0065 | FAX: 416-798-0518 | WWW.WSP.COM

<b>LEGEND:</b>	Hydraulic Gradient: 0.0100
	Phase Two Property
	Monitoring Well (2019)
	Borehole (2019)
	Contour Line
	Groundwater Flow Direction
	Groundwater Elevation (m)

CLIENT:	TORONTO TRANSIT COMMISSION		
TITLE:	GROUNDWATER CONTOURS AND FLOW DIRECTION (15-Jan-19)		
PROJECT:	PHASE TWO ENVIRONMENTAL SITE ASSESSMENT 30 NEWBRIDGE ROAD, TORONTO, ONTARIO		
PROJECT NO:	181-10974-01	DRAWING NO:	4
DRAWN BY:	RA	CHECKED BY:	RO
DATE:	February 2019	SCALE:	AS SHOWN
ORIGINAL SIZE:	Tabloid	REV. #	N/A

T:\Environmental\000\181-00000-00\181-10974-00 - 30 Newbridge Road, TTC Phase Two ESA Template Folder (0.Reg. 153)\03 Drawings\181-10974-00.dwg



Sample ID	Depth (mbgs)	Parameter	Results
BH19-7 SS2	0.8-1.4	Metals & ORPs, PAHs	<T3 ICC SCS
BH19-7 SS3	1.5-2.1	PCBs	<T3 ICC SCS
BH19-7 SS5	3.1-3.7	PHCs, VOCs	<T3 ICC SCS
QA/QC S4		PHCs, VOCs	<T3 ICC SCS
BH19-7 SS8	7.6-8.2	PHCs, VOCs	<T3 ICC SCS

Sample ID	Depth (mbgs)	Parameter	Results
BH19-9 SS2	0.8-1.4	PHCs, VOCs, PAHs	<T3 ICC SCS
BH19-9 SS3	1.5-2.1	PCBs	<T3 ICC SCS
QA/QC S1		PCBs	<T3 ICC SCS
BH19-9 SS4	2.3-2.9	Metals & ORPs	<T3 ICC SCS
BH19-9 SS8	7.6-8.2	PHCs, VOCs	<T3 ICC SCS

Sample ID	Depth (mbgs)	Parameter	Results
BH19-8 SS2	0.8-1.4	Metals & ORPs, PAHs, PCBs	<T3 ICC SCS
BH19-8 SS4	2.3-2.9	PHCs, VOCs	<T3 ICC SCS
BH19-8 SS6	4.6-5.2	PAHs	<T3 ICC SCS
BH19-8 SS7	6.1-6.7	PHCs, VOCs	<T3 ICC SCS

Sample ID	Depth (mbgs)	Parameter	Results
BH19-11 SS2	0.8-1.4	Metals & ORPs	<T3 ICC SCS
BH19-11 SS3	1.5-2.1	PAHs, PCBs	<T3 ICC SCS
BH19-11 SS5	3.1-3.7	PHCs, VOCs	<T3 ICC SCS
BH19-11 SS6	4.6-5.2	PHCs, VOCs	<T3 ICC SCS
QA/QC S2		PHCs, VOCs	<T3 ICC SCS

Sample ID	Depth (mbgs)	Parameter	Results
BH19-6SS1	0-0.6	PAHs	<T3 ICC SCS
BH19-6 SS2	0.8-1.4	Metals & ORPs, PCBs	<T3 ICC SCS
BH19-6 SS3	1.5-2.1	PHCs, VOCs	<T3 ICC SCS
BH19-6 SS5	3.1-3.7	PHCs, VOCs	<T3 ICC SCS

Sample ID	Depth (mbgs)	Parameter	Results
BH19-10 SS2	0.8-1.4	Metals & ORPs	<T3 ICC SCS
BH19-10 SS3	1.5-2.1	PHCs, VOCs, PCBs	<T3 ICC SCS

Sample ID	Depth (mbgs)	Parameter	Results
BH19-5 SS1	0-0.6	PCBs	<T3 ICC SCS
BH19-5 SS2	0.8-1.4	Metals & ORPs	<T3 ICC SCS
BH19-5 SS3	1.5-2.1	PHCs, VOCs	<T3 ICC SCS
BH19-5 SS5	3.1-3.7	PAHs	<T3 ICC SCS
BH19-5 SS6	4.6-5.2	PHCs, VOCs	<T3 ICC SCS
QAQC S5		PHCs, VOCs	<T3 ICC SCS

Sample ID	Depth (mbgs)	Parameter	Results
BH19-13 SS2	0.8-1.4	PAHs	<T3 ICC SCS
BH19-13 SS3	1.5-2.1	PHCs, VOCs	<T3 ICC SCS
BH19-13 SS4	2.3-2.9	Metals & ORPs	>T3 ICC SCS
BH19-13 SS6	4.6-5.2	PHCs, VOCs	<T3 ICC SCS
BH19-13 SS8	7.6-8.2	PHCs, VOCs	<T3 ICC SCS

Sample ID	Depth (mbgs)	Parameter	Results
BH19-4 SS1	0-0.6	PAHs	<T3 ICC SCS
BH19-4 SS2	0.8-1.4	PAHs, PCBs	<T3 ICC SCS
BH19-4 SS3	1.5-2.1	PHCs, VOCs, Metals & ORPs	<T3 ICC SCS
BH19-5 SS5	3.1-3.7	PHCs, VOCs	<T3 ICC SCS

Sample ID	Depth (mbgs)	Parameter	Results
BH19-12 SS1	0-0.6	Metals & ORPs	<T3 ICC SCS
BH19-12 SS2	0.8-1.4	PCBs	<T3 ICC SCS
BH19-12 SS3	1.5-2.1	PHCs, VOCs	<T3 ICC SCS
BH19-12 SS4	2.3-2.9	PHCs, VOCs	<T3 ICC SCS

Sample ID	Depth (mbgs)	Parameter	Results
BH19-1 SS1	0-0.6	PCBs	<T3 ICC SCS
BH19-1 SS3	1.5-2.1	PHCs, VOCs	<T3 ICC SCS
BH19-1 SS5	3.1-3.7	PHCs, VOCs	<T3 ICC SCS

Sample ID	Depth (mbgs)	Parameter	Results
BH19-14 SS2	0.8-1.4	Metals & ORPs	<T3 ICC SCS
BH19-14 SS3	1.5-2.1	PAHs, PCBs	<T3 ICC SCS
BH19-14 SS4	2.3-2.9	PHCs, VOCs	<T3 ICC SCS
QA/QC S3		PHCs, VOCs	<T3 ICC SCS
BH19-14 SS6	4.6-5.2	PHCs, VOCs	<T3 ICC SCS

Sample ID	Depth (mbgs)	Parameter	Results
BH19-18 SS1	0-0.6	PHCs, VOCs	<T3 ICC SCS
BH19-18 SS2	0.8-1.4	Metals & ORPs	<T3 ICC SCS
BH19-18 SS3	1.5-2.1	PAHs	<T3 ICC SCS
BH19-18 SS4	2.3-2.9	PHCs, VOCs	<T3 ICC SCS
QA/QC S8		PHCs, VOCs	<T3 ICC SCS

Sample ID	Depth (mbgs)	Parameter	Results
BH19-15 SS2	0.8-1.4	PCBs	<T3 ICC SCS
BH19-15 SS3	1.5-2.1	Metals & ORPs	>T3 ICC SCS
BH19-15 SS4	2.3-2.9	PHCs, VOCs	<T3 ICC SCS
BH19-15SS7		PHCs, VOCs	<T3 ICC SCS
QA/QC S9		PHCs, VOCs	<T3 ICC SCS

Sample ID	Depth (mbgs)	Parameter	Results
BH19-2 SS1	0-0.6	Metals & ORPs	<T3 ICC SCS
BH19-2 SS2	0.8-1.4	PAHs, PCBs	<T3 ICC SCS
QA/QC S6		PAHs	<T3 ICC SCS
BH19-2 SS3	1.5-2.1	PHCs, VOCs	<T3 ICC SCS
BH19-2 SS5	3.1-3.7	PHCs, VOCs	<T3 ICC SCS

Sample ID	Depth (mbgs)	Parameter	Results
BH19-16 SS1	0-0.6	PAHs	<T3 ICC SCS
BH19-16 SS2	0.8-1.4	Metals & ORPs, PCBs	<T3 ICC SCS
BH19-16 SS3	1.5-2.1	PHCs, VOCs	<T3 ICC SCS
BH19-16 SS6	4.6-5.2	PHCs, VOCs	<T3 ICC SCS

Sample ID	Depth (mbgs)	Parameter	Results
BH19-3 SS2	0.8-1.4	Metals & ORPs	<T3 ICC SCS
BH19-3 SS3	1.5-2.1	PHCs, VOCs	<T3 ICC SCS
BH19-3 SS4	2.3-2.9	PAHs	<T3 ICC SCS
BH19-3 SS5	3.1-3.7	PHCs, VOCs	<T3 ICC SCS

Sample ID	Depth (mbgs)	Parameter	Results
BH19-17			
BH19-19			

Sample ID	Depth (mbgs)	Parameter	Results
BH19-20 SS1	0-0.6	Metals & ORPs	>T3 ICC SCS
BH19-20 SS2	0.8-1.4	PCBs	<T3 ICC SCS
QA/QC S7		PCBs	<T3 ICC SCS
BH19-20 SS3	1.5-2.1	PHCs, VOCs	<T3 ICC SCS
BH19-20 SS4	2.3-2.9	Metals & ORPs	<T3 ICC SCS
BH19-20 SS5	3.1-3.7	PHCs, VOCs	<T3 ICC SCS

Sample ID	Depth (mbgs)	Parameter	Results
BH19-17 SS1	0-0.6	PHCs, VOCs	<T3 ICC SCS
BH19-17 SS2	0.8-1.4	Metals & ORPs, PAHs	<T3 ICC SCS
BH19-17 SS3		PHCs, VOCs	<T3 ICC SCS
QA/QC S10	1.5-2.1	PHCs, VOCs	<T3 ICC SCS
BH19-17 SS5	3.1-3.7	PCBs	<T3 ICC SCS
BH19-17 SS7	6.1-6.7	PHCs, VOCs	<T3 ICC SCS

Sample ID	Depth (mbgs)	Parameter	Results
BH19-19 SS1	0-0.6	PCBs	<T3 ICC SCS
BH19-19 SS2	0.8-1.4	PAHs	<T3 ICC SCS
BH19-19 SS3	1.5-2.1	Metals & ORPs	>T3 ICC SCS
BH19-19 SS5	3.1-3.7	PHCs, VOCs	<T3 ICC SCS
QA/QC S11		PHCs, VOCs	<T3 ICC SCS
BH19-19 SS7	6.1-6.7	PHCs, VOCs	<T3 ICC SCS



**LEGEND:**  
--- Phase Two Property  
 Monitoring Well (2019)  
 Borehole (2019)  
 Meets MECP Table 3  
 Exceeds MECP Table 3

CLIENT:	TORONTO TRANSIT COMMISSION	PROJECT NO:	181-10974-01	DRAWING NO:	5
TITLE:	CHEMICAL RESULTS IN SOIL	DRAWN BY:	RA	CHECKED BY:	RO
PROJECT:	PHASE TWO ENVIRONMENTAL SITE ASSESSMENT 30 NEWBRIDGE ROAD, TORONTO, ONTARIO	DATE:	February 2019	SCALE:	AS SHOWN
		ORIGINAL SIZE:	Tabloid	REV. #	N/A

51 CONSTELLATION COURT  
TORONTO, ONTARIO CANADA M9W 1K4  
TEL: 416-798-0065 | FAX: 416-798-0518 | WWW.WSP.COM





Sample ID	Depth (mbgs)	Parameter	Result
			11-Jan-19
BH19-8 SS2	0.8 - 1.4	Cyanide	<0.01
		SAR	2.1

Sample ID	Depth (mbgs)	Parameter	Result
			8-Jan-19
BH19-7 SS2	0.8 - 1.4	Cyanide	<0.01
		SAR	5.5

Sample ID	Depth (mbgs)	Parameter	Result
			7-Jan-19
BH19-9 SS4	2.3 - 2.9	Cyanide	<0.01
		SAR	2.7

Sample ID	Depth (mbgs)	Parameter	Result
			10-Jan-19
BH19-6 SS2	0.8 - 1.4	Cyanide	<0.01
		SAR	6.7

Sample ID	Depth (mbgs)	Parameter	Result
			7-Jan-19
BH19-11 SS2	0.8 - 1.4	Cyanide	<0.01
		SAR	0.33

Sample ID	Depth (mbgs)	Parameter	Result
			9-Jan-19
BH19-5 SS1	0 - 0.6	Cyanide	<0.01
		SAR	2.5

Sample ID	Depth (mbgs)	Parameter	Result
			7-Jan-19
BH19-10 SS2	0.8 - 1.4	Cyanide	<0.01
		SAR	9

Sample ID	Depth (mbgs)	Parameter	Result
			9-Jan-19
BH19-4 SS3	1.5 - 2.1	Cyanide	<0.01
		SAR	2.9

Sample ID	Depth (mbgs)	Parameter	Result
			8-Jan-19
BH19-13 SS3	1.5 - 2.1	Cyanide	0.09
		SAR	0.85
BH19-13 SS4	2.3 - 2.9	Cyanide	<0.01
		SAR	2.3

Sample ID	Depth (mbgs)	Parameter	Result
			9-Jan-19
BH19-12 SS3	1.5 - 2.1	Cyanide	<0.01
		SAR	2.9

Sample ID	Depth (mbgs)	Parameter	Result
			8-Jan-19
BH19-14 SS2	0.8 - 1.4	Cyanide	<0.01
		SAR	0.34

Sample ID	Depth (mbgs)	Parameter	Result
			8-Jan-19
BH19-12 SS1	0 - 0.6	Cyanide	<0.01
		SAR	9.8

Sample ID	Depth (mbgs)	Parameter	Result
			10-Jan-19
BH19-15 SS3	1.5 - 2.1	Cyanide	<0.01
		SAR	21

Sample ID	Depth (mbgs)	Parameter	Result
			9-Jan-19
BH19-2 SS1	0 - 0.6	Cyanide	<0.01
		SAR	1.8

Sample ID	Depth (mbgs)	Parameter	Result
			11-Jan-19
BH19-16 SS2	0.8 - 1.4	Cyanide	<0.01
		SAR	0.34

Sample ID	Depth (mbgs)	Parameter	Result
			9-Jan-19
BH19-3 SS2	0.8 - 1.4	Cyanide	<0.01
		SAR	0.86


Sample ID	Depth (mbgs)	Parameter	Result
			10-Jan-19
BH19-18 SS2	0.8 - 1.4	Cyanide	<0.01
		SAR	3.2

Sample ID	Depth (mbgs)	Parameter	Result
			10-Jan-19
BH19-20 SS1	0 - 0.6	Cyanide	<0.01
		SAR	14

Sample ID	Depth (mbgs)	Parameter	Result
			11-Jan-19
BH19-17 SS2	0.8 - 1.4	Cyanide	<0.01
		SAR	8.8

Sample ID	Depth (mbgs)	Parameter	Result
			11-Jan-19
BH19-19 SS3	1.5 - 2.1	Cyanide	<0.01
		SAR	17

Parameter	MECP Table 3 SCS
Cyanide	0.051
Sodium Adsorption Ratio (SAR)	12



T:\Environmental\000 181-00000-00\181-10974-00 - 30 Newbridge Road, TTC\Phase Two ESA Template Folder (0.Reg. 153)\03 Drawings\181-10974-00.dwg



51 CONSTELLATION COURT  
TORONTO, ONTARIO CANADA M9W 1K4  
TEL: 416-798-0065 | FAX: 416-798-0518 | WWW.WSP.COM

- LEGEND:**
- Phase Two Property
  - Monitoring Well (2019)
  - Borehole (2019)
  - Meets MECP Table 3
  - Exceeds MECP Table 3

CLIENT:	TORONTO TRANSIT COMMISSION		
TITLE:	CHEMICAL CONCENTRATIONS IN SOIL - ORPS		
PROJECT:	PHASE TWO ENVIRONMENTAL SITE ASSESSMENT 30 NEWBRIDGE ROAD, TORONTO, ONTARIO		
PROJECT NO:	181-10974-01	DRAWING NO:	6
DRAWN BY:	RA	CHECKED BY:	RO
DATE:	February 2019	SCALE:	AS SHOWN
ORIGINAL SIZE:	Tabloid	REV. #	N/A



Sample ID	Screened Depth (mbgs)	Parameter	Result (µg/L)
			15-Jan-19
BH19-7	4.6 - 7.6	Metals & ORPs	>T3 SCS
		PHCs	<T3 SCS
		VOCs	<T3 SCS
		PAHs	<T3 SCS
		PCBs	<T3 SCS
QA/QC GW2		VOCs	<T3 SCS

Sample ID	Screened Depth (mbgs)	Parameter	Result (µg/L)
			16-Jan-19
BH19-9	4.6 - 7.6	Metals & ORPs	<T3 SCS
		PHCs	>T3 SCS
		VOCs	<T3 SCS
		PAHs	<T3 SCS
		PCBs	<T3 SCS

Sample ID	Screened Depth (mbgs)	Parameter	Result (µg/L)
			15-Jan-19
BH19-5	3.1 - 6.1	Metals & ORPs	>T3 SCS
		PHCs	<T3 SCS
		VOCs	<T3 SCS
		PAHs	<T3 SCS
		PCBs	<T3 SCS

Sample ID	Screened Depth (mbgs)	Parameter	Result (µg/L)
			16-Jan-19
BH19-13	4.6 - 7.6	Metals & ORPs	<T3 SCS
		PHCs	<T3 SCS
		VOCs	<T3 SCS
		PAHs	<T3 SCS
		PCBs	<T3 SCS

Sample ID	Screened Depth (mbgs)	Parameter	Result (µg/L)
			15-Jan-19
BH19-1	2.1 - 4.6	Metals & ORPs	<T3 SCS
		PHCs	<T3 SCS
		VOCs	<T3 SCS
		PAHs	<T3 SCS
		PCBs	<T3 SCS
QA/QC GW1		VOCs	<T3 SCS



Sample ID	Screened Depth (mbgs)	Parameter	Result (µg/L)
			15-Jan-19
BH19-17	4.6 - 7.6	Metals & ORPs	<T3 SCS
		PHCs	<T3 SCS
		VOCs	<T3 SCS
		PAHs	<T3 SCS
		PCBs	<T3 SCS
QA/QC GW3		VOCs	<T3 SCS

Sample ID	Screened Depth (mbgs)	Parameter	Result (µg/L)
			15-Jan-19
BH19-2	2.7 - 4.3	Metals & ORPs	<T3 SCS
		PHCs	<T3 SCS
		VOCs	>T3 SCS
		PAHs	<T3 SCS
		PCBs	<T3 SCS

Sample ID	Screened Depth (mbgs)	Parameter	Result (µg/L)
			16-Jan-19
BH19-18	2.1 - 5.2	Metals & ORPs	<T3 SCS
		PHCs	<T3 SCS
		VOCs	<T3 SCS
		PAHs	<T3 SCS
		PCBs	<T3 SCS
QA/QC GW4		VOCs	<T3 SCS

Sample ID	Screened Depth (mbgs)	Parameter	Result (µg/L)
			15-Jan-19
BH19-20	1.7 - 3.8	Metals & ORPs	<T3 SCS
		PHCs	<T3 SCS
		VOCs	<T3 SCS
		PAHs	<T3 SCS
		PCBs	<T3 SCS


T:\Environmental\000 181-00000-00\181-10974-00 - 30 Newbridge Road, TTC\Phase Two ESA Template Folder (0.Reg. 153)\03 Drawings\181-10974-00.dwg



- LEGEND:**
- Phase Two Property
  - ⊕ Monitoring Well (2019)
  - Borehole (2019)
  - Meets MECP Table 3
  - Exceeds MECP Table 3

51 CONSTELLATION COURT  
TORONTO, ONTARIO CANADA M9W 1K4  
TEL: 416-798-0065 | FAX: 416-798-0518 | WWW.WSP.COM

CLIENT:	TORONTO TRANSIT COMMISSION	PROJECT NO:	181-10974-01	DRAWING NO:	7
TITLE:	CHEMICAL RESULTS IN GROUNDWATER	DRAWN BY:	RA	CHECKED BY:	RO
PROJECT:	PHASE TWO ENVIRONMENTAL SITE ASSESSMENT 30 NEWBRIDGE ROAD, TORONTO, ONTARIO	DATE:	February 2019	SCALE:	AS SHOWN
		ORIGINAL SIZE:	Tabloid	REV. #	N/A



Sample ID	Screened Depth (mbgs)	Parameter	Result (µg/L)
			15-Jan-19
BH19-7	4.6 - 7.6	Chloride	3200000

Sample ID	Screened Depth (mbgs)	Parameter	Result (µg/L)
			16-Jan-19
BH19-9	4.6 - 7.6	Chloride	1100000

Sample ID	Screened Depth (mbgs)	Parameter	Result (µg/L)
			15-Jan-19
BH19-5	3.1 - 6.1	Chloride	3200000

Sample ID	Screened Depth (mbgs)	Parameter	Result (µg/L)
			16-Jan-19
BH19-13	4.6 - 7.6	Chloride	520000

Sample ID	Screened Depth (mbgs)	Parameter	Result (µg/L)
			15-Jan-19
BH19-1	2.1 - 4.6	Chloride	1300000


Sample ID	Screened Depth (mbgs)	Parameter	Result (µg/L)
			15-Jan-19
BH19-17	4.6 - 7.6	Chloride	540000

Sample ID	Screened Depth (mbgs)	Parameter	Result (µg/L)
			15-Jan-19
BH19-2	2.7 - 4.3	Chloride	1400000

Sample ID	Screened Depth (mbgs)	Parameter	Result (µg/L)
			16-Jan-19
BH19-18	2.1 - 5.2	Chloride	1700000

Sample ID	Screened Depth (mbgs)	Parameter	Result (µg/L)
			15-Jan-19
BH19-20	1.7 - 3.8	Chloride	1700000

Parameter	MECP Table 3 SCS (µg/L)
Chloride	2300000



T:\Environmental\000 181-10974-00 - 30 Newbridge Road, TTC\Phase Two ESA Template Folder (0.Reg. 153)\03 Drawings\181-10974-00.dwg



51 CONSTELLATION COURT  
TORONTO, ONTARIO CANADA M9W 1K4  
TEL: 416-798-0065 | FAX: 416-798-0518 | WWW.WSP.COM

**LEGEND:**

- Phase Two Property
- ⊕ Monitoring Well (2019)
- Borehole (2019)
- Meets MECP Table 3
- Exceeds MECP Table 3

CLIENT:	TORONTO TRANSIT COMMISSION	PROJECT NO:	181-10974-01	DRAWING NO:	8
TITLE:	CHEMICAL CONCENTRATIONS IN GROUNDWATER - ORPS	DRAWN BY:	RA	CHECKED BY:	RO
PROJECT:	PHASE TWO ENVIRONMENTAL SITE ASSESSMENT 30 NEWBRIDGE ROAD, TORONTO, ONTARIO	DATE:	February 2019	SCALE:	AS SHOWN
		ORIGINAL SIZE:	Tabloid	REV. #	N/A



Sample ID	Screened Depth (mbgs)	Parameter	Result (µg/L)
BH19-9	4.6 - 7.6	F4 (C34 to C50)	590

Sample ID	Screened Depth (mbgs)	Parameter	Result (µg/L)
BH19-7	4.6 - 7.6	F4 (C34 to C50)	<200
QA/QC GW2		F4 (C34 to C50)	<200

Sample ID	Screened Depth (mbgs)	Parameter	Result (µg/L)
BH19-5	3.1 - 6.1	F4 (C34 to C50)	<200

Sample ID	Screened Depth (mbgs)	Parameter	Result (µg/L)
BH19-13	4.6 - 7.6	F4 (C34 to C50)	<200

Sample ID	Screened Depth (mbgs)	Parameter	Result (µg/L)
BH19-1	2.1 - 4.6	F4 (C34 to C50)	<200
QA/QC GW1		F4 (C34 to C50)	<200


Sample ID	Screened Depth (mbgs)	Parameter	Result (µg/L)
BH19-2	2.7 - 4.3	F4 (C34 to C50)	<200

Sample ID	Screened Depth (mbgs)	Parameter	Result (µg/L)
BH19-18	2.1 - 5.2	F4 (C34 to C50)	<200
QA/QC GW4		F4 (C34 to C50)	<200

Sample ID	Screened Depth (mbgs)	Parameter	Result (µg/L)
BH19-20	1.7 - 3.8	F4 (C34 to C50)	<200

Sample ID	Screened Depth (mbgs)	Parameter	Result (µg/L)
BH19-17	4.6 - 7.6	F4 (C34 to C50)	<200
QA/QC GW3		F4 (C34 to C50)	<200

Parameter	MECP Table 3 SCS (µg/L)
F4 (C34 to C50)	500



- LEGEND:**
- Phase Two Property
  - Monitoring Well (2019)
  - Borehole (2019)
  - Meets MECP Table 3
  - Exceeds MECP Table 3

CLIENT:	TORONTO TRANSIT COMMISSION	PROJECT NO:	181-10974-01	DRAWING NO:	9
TITLE:	CHEMICAL CONCENTRATIONS IN GROUNDWATER - PHCs	DRAWN BY:	RA	CHECKED BY:	RO
PROJECT:	PHASE TWO ENVIRONMENTAL SITE ASSESSMENT 30 NEWBRIDGE ROAD, TORONTO, ONTARIO	DATE:	February 2019	SCALE:	AS SHOWN
		ORIGINAL SIZE:	Tabloid	REV. #	N/A



51 CONSTELLATION COURT  
TORONTO, ONTARIO CANADA M9W 1K4  
TEL: 416-798-0065 | FAX: 416-798-0518 | WWW.WSP.COM

T:\Environmental\000 181-00000-00\181-10974-00 - 30 Newbridge Road, TTC\Phase Two ESA Template Folder (O.Reg. 153)\03 Drawings\181-10974-00.dwg



Sample ID	Screened Depth (mbgs)	Parameter	Result (µg/L)
BH19-9	4.6 - 7.6	Dichloroethylene, cis-1,2-	<0.50

Sample ID	Screened Depth (mbgs)	Parameter	Result (µg/L)
BH19-7	4.6 - 7.6	Dichloroethylene, cis-1,2-	<0.50
QA/QC GW2		Dichloroethylene, cis-1,2-	<0.50

Sample ID	Screened Depth (mbgs)	Parameter	Result (µg/L)
BH19-5	3.1 - 6.1	Dichloroethylene, cis-1,2-	<0.50

Sample ID	Screened Depth (mbgs)	Parameter	Result (µg/L)
BH19-13	4.6 - 7.6	Dichloroethylene, cis-1,2-	<0.50

Sample ID	Screened Depth (mbgs)	Parameter	Result (µg/L)
BH19-1	2.1 - 4.6	Dichloroethylene, cis-1,2-	<0.50
QA/QC GW1		Dichloroethylene, cis-1,2-	<0.50


Sample ID	Screened Depth (mbgs)	Parameter	Result (µg/L)
BH19-2	2.7 - 4.3	Dichloroethylene, cis-1,2-	4

Sample ID	Screened Depth (mbgs)	Parameter	Result (µg/L)
BH19-18	2.1 - 5.2	Dichloroethylene, cis-1,2-	<0.50
QA/QC GW4		Dichloroethylene, cis-1,2-	<0.50

Sample ID	Screened Depth (mbgs)	Parameter	Result (µg/L)
BH19-17	4.6 - 7.6	Dichloroethylene, cis-1,2-	<0.50
QA/QC GW3		Dichloroethylene, cis-1,2-	<0.50

Sample ID	Screened Depth (mbgs)	Parameter	Result (µg/L)
BH19-20	1.7 - 3.8	Dichloroethylene, cis-1,2-	<0.50

Parameter	MECP Table 3 SCS (µg/L)
Dichloroethylene, cis-1,2-	1.6



T:\Environmental\000\181-10974-00 - 30 Newbridge Road, TTC\Phase Two ESA Template Folder (O.Reg. 153)\03 Drawings\181-10974-00.dwg





51 CONSTELLATION COURT  
TORONTO, ONTARIO CANADA M9W 1K4  
TEL: 416-798-0065 | FAX: 416-798-0518 | WWW.WSP.COM


**LEGEND:**

- Phase Two Property
- Monitoring Well (2019)
- Borehole (2019)
- Meets MECP Table 3
- Exceeds MECP Table 3

CLIENT:	TORONTO TRANSIT COMMISSION	PROJECT NO:	181-10974-01	DRAWING NO:	10
TITLE:	CHEMICAL CONCENTRATIONS IN GROUNDWATER - VOC	DRAWN BY:	RA	CHECKED BY:	RO
PROJECT:	PHASE TWO ENVIRONMENTAL SITE ASSESSMENT 30 NEWBRIDGE ROAD, TORONTO, ONTARIO	DATE:	February 2019	SCALE:	AS SHOWN
		ORIGINAL SIZE:	Tabloid	REV. #	N/A

T:\Environmental\000 181-00000-00\181-10974-00 - 30 Newbridge Road, TTC\Phase Two ESA Template Folder (O.Reg. 153)\03 Drawings\181-10974-00.dwg





51 CONSTELLATION COURT  
TORONTO, ONTARIO CANADA M9W 1K4  
TEL.: 416-798-0065 | FAX: 416-798-0518 | WWW.WSP.COM

**LEGEND:**

- Well No
- Well
- Water Level (Taken Jan 15, 2019)
- Asphalt, Granular Base
- Granular Fill
- Fill
- Clayey Silt Till or Silty Clay Till
- Silty Sand Till or Sandy Silt Till
- Sand
- Sandy Silt, Silty Sand
- Clayey Silt
- Bedrock


Parameter	MECP Table 3 SCS
Cyanide	0.051
Sodium Adsorption Ratio (SAR)	12

CLIENT: TORONTO TRANSIT COMMISSION

CLIENT REF. #: PHASE TWO ENVIRONMENTAL SITE ASSESSMENT  
30 NEWBRIDGE ROAD, TORONTO, ONTARIO

PROJECT NO: 181-10974-01	DATE: February 2019	TITLE: CROSS SECTION A-A' WITH CHEMICAL EXCEEDANCES IN SOIL - ORPs
DESIGNED BY:	DRAWN BY: OB	DISCIPLINE: ENVIRONMENT
CHECKED BY: RO	FIGURE NO: 11	SCALE: as shown
ISSUE:	DATE OF:	RV. # 0

T:\Environmental\000 181-00000-00\181-10974-00 - 30 Newbridge Road, TTC\Phase Two ESA Template Folder (O.Reg. 153)\03 Drawings\181-10974-00.dwg



**LEGEND:**

	Well No		- Asphalt, Granular Base		- Bedrock
	Well		- Granular Fill		
	Water Level (Taken Jan 15, 2019)		- Fill		
			- Clayey Silt Till or Silty Clay Till		
			- Silty Sand Till or Sandy Silt Till		
			- Sand		
			- Sandy Gravel		
			- Sandy Silt, Silty Sand		
			- Clayey Silt		

Parameter	MECP Table 3 SCS
Cyanide	0.051
Sodium Adsorption Ratio (SAR)	12

CLIENT: TORONTO TRANSIT COMMISSION

CLIENT REF. #: PHASE TWO ENVIRONMENTAL SITE ASSESSMENT  
30 NEWBRIDGE ROAD, TORONTO, ONTARIO

PROJECT NO: 181-10974-01

DESIGNED BY:

DRAWN BY: OB

CHECKED BY: RO

FIGURE NO: 12

DATE: February 2019

SCALE: as shown

TITLE: CROSS SECTION B-B' WITH CHEMICAL EXCEEDANCES IN SOIL - ORPs

DISCIPLINE: ENVIRONMENT


ISSUE: DATE OF: RV. # 0

T:\Environmental\000 181-00000-00\181-10974-00 - 30 Newbridge Road, TTC\Phase Two ESA Template Folder (O.Reg. 153)\03 Drawings\181-10974-00.dwg

Sample ID	Screened Depth (mbgs)	Parameter	Result (µg/L)
			15-Jan-19
BH19-7	4.6 - 7.6	Chloride	3200000

Sample ID	Screened Depth (mbgs)	Parameter	Result (µg/L)
			15-Jan-19
BH19-5	3.1 - 6.1	Chloride	3200000

Sample ID	Screened Depth (mbgs)	Parameter	Result (µg/L)
			15-Jan-19
BH19-17	4.6 - 7.6	Chloride	540000



51 CONSTELLATION COURT  
TORONTO, ONTARIO CANADA M9W 1K4  
TEL.: 416-798-0065 | FAX: 416-798-0518 | WWW.WSP.COM

LEGEND:

- Well No
- Well
- Water Level (Taken Jan 15, 2019)
- Asphalt, Granular Base
- Granular Fill
- Fill
- Clayey Silt Till or Silty Clay Till
- Silty Sand Till or Sandy Silt Till
- Sand
- Sandy Silt, Silty Sand
- Clayey Silt
- Bedrock

Parameter	MECP Table 3 SCS (µg/L)
Chloride	2300000

CLIENT:

TORONTO TRANSIT COMMISSION

CLIENT REF. #:

PROJECT:

PHASE TWO ENVIRONMENTAL SITE ASSESSMENT  
30 NEWBRIDGE ROAD, TORONTO, ONTARIO

PROJECT NO:

181-10974-01

DATE:

February 2019

DESIGNED BY:

DRAWN BY:

OB

CHECKED BY:

RO

FIGURE NO:

13

SCALE:

as shown

TITLE:

CROSS SECTION A-A' WITH  
CHEMICAL EXCEEDANCES  
IN GROUNDWATER - CHLORIDE

DISCIPLINE:

ENVIRONMENT

ISSUE:


DATE OF:

RV. #

0



T:\Environmental\000 181-00000-00\181-10974-00 - 30 Newbridge Road, TTC\Phase Two ESA Template Folder (O.Reg. 153)\03 Drawings\181-10974-00.dwg



51 CONSTELLATION COURT  
TORONTO, ONTARIO CANADA M9W 1K4  
TEL: 416-798-0065 | FAX: 416-798-0518 | WWW.WSP.COM

**LEGEND:**

- Well No
- Well
- Water Level (Taken Jan 15, 2019)
- Asphalt, Granular Base
- Granular Fill
- Fill
- Clayey Silt Till or Silty Clay Till
- Silty Sand Till or Sandy Silt Till
- Sand
- Sandy Gravel
- Sandy Silt, Silty Sand
- Clayey Silt
- Bedrock

Parameter	MECP Table 3 SCS (µg/L)
Chloride	2300000

CLIENT: TORONTO TRANSIT COMMISSION

CLIENT REF. #: PHASE TWO ENVIRONMENTAL SITE ASSESSMENT  
30 NEWBRIDGE ROAD, TORONTO, ONTARIO

PROJECT NO: 181-10974-01

DESIGNED BY:

DRAWN BY: OB

CHECKED BY: RO

FIGURE NO: 14

DATE: February 2019

SCALE: as shown

TITLE: CROSS SECTION B-B' WITH CHEMICAL EXCEEDANCES IN GROUNDWATER - CHLORIDE

DISCIPLINE: ENVIRONMENT

ISSUE: DATE OF: RV. # 0


T:\Environmental\000 181-00000-00\181-10974-00 - 30 Newbridge Road, TTC\Phase Two ESA Template Folder (O.Reg. 153)\03 Drawings\181-10974-00.dwg

Sample ID	Screened Depth (mbgs)	Parameter	Result (µg/L)
BH19-7	4.6 - 7.6	F4 (C34 to C50)	<200
QA/QC GW2		F4 (C34 to C50)	<200

Sample ID	Screened Depth (mbgs)	Parameter	Result (µg/L)
BH19-5	3.1 - 6.1	F4 (C34 to C50)	<200

Sample ID	Screened Depth (mbgs)	Parameter	Result (µg/L)
BH19-17	4.6 - 7.6	F4 (C34 to C50)	<200
QA/QC GW3		F4 (C34 to C50)	<200

PHASE TWO PROPERTY



51 CONSTELLATION COURT  
TORONTO, ONTARIO CANADA M9W 1K4  
TEL: 416-798-0065 | FAX: 416-798-0518 | WWW.WSP.COM

LEGEND:

- Well No
- Well
- Water Level (Taken Jan 15, 2019)
- Asphalt, Granular Base
- Granular Fill
- Fill
- Clayey Silt Till or Silty Clay Till
- Silty Sand Till or Sandy Silt Till
- Sand
- Sandy Silt, Silty Sand
- Clayey Silt
- Bedrock

Parameter	MECP Table 3 SCS (µg/L)
F4 (C34 to C50)	500

CLIENT:

TORONTO TRANSIT COMMISSION

CLIENT REF. #:

PROJECT:

PHASE TWO ENVIRONMENTAL SITE ASSESSMENT  
30 NEWBRIDGE ROAD, TORONTO, ONTARIO

PROJECT NO:

181-10974-01

DATE:

February 2019

DESIGNED BY:

DRAWN BY:

OB

CHECKED BY:

RO

FIGURE NO:

15

SCALE:

as shown

TITLE:

CROSS SECTION A-A' WITH  
CHEMICAL EXCEEDANCES  
IN GROUNDWATER - PHCS

DISCIPLINE:

ENVIRONMENT


ISSUE:

DATE OF:

RV. #

0

T:\Environmental\000 181-00000-00\181-10974-00 - 30 Newbridge Road, TTC\Phase Two ESA Template Folder (O.Reg. 153)\03 Drawings\181-10974-00.dwg



**LEGEND:**

	Well No		- Asphalt, Granular Base		- Bedrock
	Well		- Granular Fill		
	Water Level (Taken Jan 15, 2019)		- Fill		
			- Clayey Silt Till or Silty Clay Till		
			- Silty Sand Till or Sandy Silt Till		
			- Sand		
			- Sandy Gravel		
			- Sandy Silt, Silty Sand		
			- Clayey Silt		

Parameter	MECP Table 3 SCS (µg/L)
F4 (C34 to C50)	500

CLIENT: TORONTO TRANSIT COMMISSION

CLIENT REF. #: PHASE TWO ENVIRONMENTAL SITE ASSESSMENT  
30 NEWBRIDGE ROAD, TORONTO, ONTARIO

PROJECT NO: 181-10974-01

DESIGNED BY:

DRAWN BY: OB

CHECKED BY: RO

FIGURE NO: 16

DATE: February 2019

SCALE: as shown

TITLE: CROSS SECTION B-B' WITH CHEMICAL EXCEEDANCES IN GROUNDWATER - PHCs

DISCIPLINE: ENVIRONMENT

ISSUE: DATE OF: RV. # 0



Sample ID	Screened Depth (mbgs)	Parameter	Result (µg/L)
BH19-9	4.6 - 7.6	Dichloroethylene, cis-1,2-	<0.50


Sample ID	Screened Depth (mbgs)	Parameter	Result (µg/L)
BH19-13	4.6 - 7.6	Dichloroethylene, cis-1,2-	<0.50

Sample ID	Screened Depth (mbgs)	Parameter	Result (µg/L)
BH19-1	2.1 - 4.6	Dichloroethylene, cis-1,2-	<0.50
QA/QC GW1		Dichloroethylene, cis-1,2-	<0.50

Sample ID	Screened Depth (mbgs)	Parameter	Result (µg/L)
BH19-18	2.1 - 5.2	Dichloroethylene, cis-1,2-	<0.50
QA/QC GW4		Dichloroethylene, cis-1,2-	<0.50

Sample ID	Screened Depth (mbgs)	Parameter	Result (µg/L)
BH19-2	2.7 - 4.3	Dichloroethylene, cis-1,2-	4

Sample ID	Screened Depth (mbgs)	Parameter	Result (µg/L)
BH19-20	1.7 - 3.8	Dichloroethylene, cis-1,2-	<0.50



51 CONSTELLATION COURT  
TORONTO, ONTARIO CANADA M9W 1K4  
TEL.: 416-798-0065 | FAX: 416-798-0518 | WWW.WSP.COM

LEGEND:

- Well No
- Well
- Water Level (Taken Jan 15, 2019)
- Asphalt, Granular Base
- Granular Fill
- Fill
- Clayey Silt Till or Silty Clay Till
- Silty Sand Till or Sandy Silt Till
- Sand
- Sandy Gravel
- Sandy Silt, Silty Sand
- Clayey Silt
- Bedrock

Parameter	MECP Table 3 SCS (µg/L)
Dichloroethylene, cis-1,2-	1.6

CLIENT: TORONTO TRANSIT COMMISSION

CLIENT REF. #: PHASE TWO ENVIRONMENTAL SITE ASSESSMENT  
30 NEWBRIDGE ROAD, TORONTO, ONTARIO

PROJECT NO: 181-10974-01  
DATE: February 2019

DESIGNED BY:

DRAWN BY: OB

CHECKED BY: RO

FIGURE NO: 18  
SCALE: as shown


TITLE: CROSS SECTION B-B' WITH CHEMICAL EXCEEDANCES IN GROUNDWATER - VOCs

DISCIPLINE: ENVIRONMENT


ISSUE: DATE OF: RV. # 0

**Figure 19: Contaminant Transport Diagram**

**Human Receptors and Exposure Pathways**




**Ecological Receptors and Exposure Pathways**



# APPENDIX

## A LEGAL SURVEY




SURVEYOR'S REAL PROPERTY REPORT  
 PART 1, PLAN OF  
 PART OF LOT 7  
 CONCESSION 4  
 COLONEL SMITH'S TRACT  
 (GEOGRAPHIC TOWNSHIP OF ETOBICOKE)  
 CITY OF TORONTO

SCALE: 1:1000  
 METRIC  
 DISTANCES AND COORDINATE SIGNALS ON THIS PLAN ARE IN METERS AND CAN BE CONVERTED TO FEET BY DIVIDING BY 0.3048

David B. Scarice Surveying Ltd.  
 1000 SHEPPARD AVENUE EAST

David B. Scarice Surveying Ltd.  
 1000 SHEPPARD AVENUE EAST  
 TORONTO, ONTARIO M2X 1K2  
 TEL: 416-291-1111  
 FAX: 416-291-1112  
 WWW.DBSURVEYING.COM



**LEGEND**

1	BOUNDARY CONTROL POINT
2	MANHOLE COVER
3	UTILITY
4	STAKE
5	WOODEN SIGN
6	WOODEN SIGN
7	WOODEN SIGN
8	WOODEN SIGN
9	WOODEN SIGN
10	WOODEN SIGN
11	WOODEN SIGN
12	WOODEN SIGN
13	WOODEN SIGN
14	WOODEN SIGN
15	WOODEN SIGN
16	WOODEN SIGN
17	WOODEN SIGN
18	WOODEN SIGN
19	WOODEN SIGN
20	WOODEN SIGN
21	WOODEN SIGN
22	WOODEN SIGN
23	WOODEN SIGN
24	WOODEN SIGN
25	WOODEN SIGN
26	WOODEN SIGN
27	WOODEN SIGN
28	WOODEN SIGN
29	WOODEN SIGN
30	WOODEN SIGN
31	WOODEN SIGN
32	WOODEN SIGN
33	WOODEN SIGN
34	WOODEN SIGN
35	WOODEN SIGN
36	WOODEN SIGN
37	WOODEN SIGN
38	WOODEN SIGN
39	WOODEN SIGN
40	WOODEN SIGN
41	WOODEN SIGN
42	WOODEN SIGN
43	WOODEN SIGN
44	WOODEN SIGN
45	WOODEN SIGN
46	WOODEN SIGN
47	WOODEN SIGN
48	WOODEN SIGN
49	WOODEN SIGN
50	WOODEN SIGN
51	WOODEN SIGN
52	WOODEN SIGN
53	WOODEN SIGN
54	WOODEN SIGN
55	WOODEN SIGN
56	WOODEN SIGN
57	WOODEN SIGN
58	WOODEN SIGN
59	WOODEN SIGN
60	WOODEN SIGN
61	WOODEN SIGN
62	WOODEN SIGN
63	WOODEN SIGN
64	WOODEN SIGN
65	WOODEN SIGN
66	WOODEN SIGN
67	WOODEN SIGN
68	WOODEN SIGN
69	WOODEN SIGN
70	WOODEN SIGN
71	WOODEN SIGN
72	WOODEN SIGN
73	WOODEN SIGN
74	WOODEN SIGN
75	WOODEN SIGN
76	WOODEN SIGN
77	WOODEN SIGN
78	WOODEN SIGN
79	WOODEN SIGN
80	WOODEN SIGN
81	WOODEN SIGN
82	WOODEN SIGN
83	WOODEN SIGN
84	WOODEN SIGN
85	WOODEN SIGN
86	WOODEN SIGN
87	WOODEN SIGN
88	WOODEN SIGN
89	WOODEN SIGN
90	WOODEN SIGN
91	WOODEN SIGN
92	WOODEN SIGN
93	WOODEN SIGN
94	WOODEN SIGN
95	WOODEN SIGN
96	WOODEN SIGN
97	WOODEN SIGN
98	WOODEN SIGN
99	WOODEN SIGN
100	WOODEN SIGN

**INTEGRATION DATA**

1	PLAN 44R-0001
2	PLAN 44R-0002
3	PLAN 44R-0003
4	PLAN 44R-0004
5	PLAN 44R-0005
6	PLAN 44R-0006
7	PLAN 44R-0007
8	PLAN 44R-0008
9	PLAN 44R-0009
10	PLAN 44R-0010
11	PLAN 44R-0011
12	PLAN 44R-0012
13	PLAN 44R-0013
14	PLAN 44R-0014
15	PLAN 44R-0015
16	PLAN 44R-0016
17	PLAN 44R-0017
18	PLAN 44R-0018
19	PLAN 44R-0019
20	PLAN 44R-0020
21	PLAN 44R-0021
22	PLAN 44R-0022
23	PLAN 44R-0023
24	PLAN 44R-0024
25	PLAN 44R-0025
26	PLAN 44R-0026
27	PLAN 44R-0027
28	PLAN 44R-0028
29	PLAN 44R-0029
30	PLAN 44R-0030
31	PLAN 44R-0031
32	PLAN 44R-0032
33	PLAN 44R-0033
34	PLAN 44R-0034
35	PLAN 44R-0035
36	PLAN 44R-0036
37	PLAN 44R-0037
38	PLAN 44R-0038
39	PLAN 44R-0039
40	PLAN 44R-0040
41	PLAN 44R-0041
42	PLAN 44R-0042
43	PLAN 44R-0043
44	PLAN 44R-0044
45	PLAN 44R-0045
46	PLAN 44R-0046
47	PLAN 44R-0047
48	PLAN 44R-0048
49	PLAN 44R-0049
50	PLAN 44R-0050
51	PLAN 44R-0051
52	PLAN 44R-0052
53	PLAN 44R-0053
54	PLAN 44R-0054
55	PLAN 44R-0055
56	PLAN 44R-0056
57	PLAN 44R-0057
58	PLAN 44R-0058
59	PLAN 44R-0059
60	PLAN 44R-0060
61	PLAN 44R-0061
62	PLAN 44R-0062
63	PLAN 44R-0063
64	PLAN 44R-0064
65	PLAN 44R-0065
66	PLAN 44R-0066
67	PLAN 44R-0067
68	PLAN 44R-0068
69	PLAN 44R-0069
70	PLAN 44R-0070
71	PLAN 44R-0071
72	PLAN 44R-0072
73	PLAN 44R-0073
74	PLAN 44R-0074
75	PLAN 44R-0075
76	PLAN 44R-0076
77	PLAN 44R-0077
78	PLAN 44R-0078
79	PLAN 44R-0079
80	PLAN 44R-0080
81	PLAN 44R-0081
82	PLAN 44R-0082
83	PLAN 44R-0083
84	PLAN 44R-0084
85	PLAN 44R-0085
86	PLAN 44R-0086
87	PLAN 44R-0087
88	PLAN 44R-0088
89	PLAN 44R-0089
90	PLAN 44R-0090
91	PLAN 44R-0091
92	PLAN 44R-0092
93	PLAN 44R-0093
94	PLAN 44R-0094
95	PLAN 44R-0095
96	PLAN 44R-0096
97	PLAN 44R-0097
98	PLAN 44R-0098
99	PLAN 44R-0099
100	PLAN 44R-0100

**BEARING NOTE**  
 BEARINGS ARE GIVEN AS TRUE UNLESS OTHERWISE NOTED. ALL BEARINGS ARE TO THE NEAREST SECOND OF AN ARC. DISTANCES ARE TO THE NEAREST MILLIMETER. ALL DISTANCES ARE TO THE NEAREST MILLIMETER. ALL DISTANCES ARE TO THE NEAREST MILLIMETER.

**DISTANCE NOTE**  
 DISTANCES ARE GIVEN AS METERS UNLESS OTHERWISE NOTED. ALL DISTANCES ARE TO THE NEAREST MILLIMETER. ALL DISTANCES ARE TO THE NEAREST MILLIMETER. ALL DISTANCES ARE TO THE NEAREST MILLIMETER.

**NOTE**  
 DISTANCES ARE TO THE NEAREST MILLIMETER. ALL DISTANCES ARE TO THE NEAREST MILLIMETER. ALL DISTANCES ARE TO THE NEAREST MILLIMETER.

**SURVEYOR'S CERTIFICATE**  
 I, David B. Scarice, Surveyor, do hereby certify that the above is a true and correct copy of the original survey plan as shown to me by the client and that the same has been prepared in accordance with the provisions of the Survey Act, R.S.O. 1990, c. S. 29, and the Regulations made thereunder.


9 October 2015  
 David B. Scarice  
 Surveyor

<p>ASSOCIATION OF ONTARIO LAND SURVEYORS      1845/76</p>	<p>THIS PLAN WAS PREPARED FOR          PLAN 44R-0100          PART 2          David B. Scarice Surveying Ltd.          1000 SHEPPARD AVENUE EAST          TORONTO, ONTARIO M2X 1K2          TEL: 416-291-1111          FAX: 416-291-1112          WWW.DBSURVEYING.COM</p>	<p>THIS PLAN WAS PREPARED FOR          PLAN 44R-0100          PART 2          David B. Scarice Surveying Ltd.          1000 SHEPPARD AVENUE EAST          TORONTO, ONTARIO M2X 1K2          TEL: 416-291-1111          FAX: 416-291-1112          WWW.DBSURVEYING.COM</p>
---	---	---



# APPENDIX

## **B** SAMPLING AND ANALYSIS PLAN



## SAMPLING AND ANALYSIS PLAN

WSP was retained by Toronto Transit Commission to conduct a Phase Two ESA for the land municipally identified as 30 Newbridge Road, Toronto Ontario (the Site). The purpose of the proposed Phase Two ESA program is to assess the current subsurface environmental conditions in support of a potential property transaction of the Site.

The Phase Two ESA will involve intrusive investigation in the areas determined in the Site visit to be APECs, and will be completed in general accordance with O.Reg. 153/04. Based on the findings of the field and laboratory analyses, a Phase Two ESA report will be prepared.

The Site Investigation Program will be completed as follows:

Public and private underground utilities and services will be cleared prior to commencement of intrusive investigation activities

A Health and Safety Plan will be prepared and all work will be executed safely

Twenty (20) boreholes will be advanced on the Phase Two Property, to an approximate maximum depth of 7.6 mbgs using a truck-mounted drill rig. The soil profile from each borehole will be logged in the field and samples will be screened for TOV with a PID. The location of the boreholes will be selected to investigate any APECs identified during the Site visit, as well as to delineate the horizontal and vertical extents of relevant parameters of concern.

Based on field screening and visual/olfactory observations, worst-case/representative soil samples from the boreholes will be submitted for laboratory testing of relevant parameters of concern.

Ten (10) groundwater monitoring wells will be installed within ten (10) of the twenty (20) boreholes to assess groundwater quality below the Site and determine the direction of groundwater flow;

The groundwater levels in the wells will be measured at least 24 hours after well development has been completed, to determine the groundwater table elevation. The wells will be surveyed to a geodetic benchmark to determine groundwater flow direction.

The groundwater wells will be purged to remove stagnant water and sampled for laboratory testing of relevant parameters of concern.

Both soil and groundwater samples will be submitted for chemical analysis by a CALA laboratory in accordance with the Ontario MECP standards and requirements of O.Reg. 153/04 under the Environmental Protection Act.

The proposed analytical program is outlined below (proposed program subject to change as a result of site observations/findings). All soil and groundwater sampling will be carried out in accordance with WSP's Standard Operating Procedures (SOPs).

### Soils:

Twenty-four (24) soil samples for Metals and ORPs

Twenty-four (24) soil samples for PAHs

Fifty (50) soil samples for VOCs

Fifty (50) soil samples for PHCs

Twenty-two (22) soil samples for PCBs

### Groundwater:

Seven (7) groundwater samples for Metals and ORPs

Twelve (12) groundwater samples for VOCs

Twelve (12) groundwater samples for PHCs

Eight (8) groundwater samples for PAHs

Eight (8) groundwater samples for PCBs

Following receipt of all of the results, a report in accordance with O.Reg. 153/04 will be prepared.

It is noted that if the Phase Two ESA reveals parameter concentrations greater than the applicable standards set out in *Ontario Regulation 153/04*, then additional work (i.e., supplemental delineation, additional drilling, sampling, analysis, and/or site remediation activities) will be deemed necessary prior to RSC filing, should an RSC be required. The costs for any additional work, if necessary, are beyond the current scope of work.

## **Finalized Sampling & Analysis Plan**

The finalized SAP was created based on the request to complete a Phase Two ESA for due diligence purposes. The SAP was compiled to collect data to provide information on soil and/or groundwater quality in each APEC.

Figure 3 outlines the borehole/monitoring well investigation locations. Table 4-1 provides the proposed and implemented SAP, which includes the specific requirements for sampling and analysis for the areas to be investigated.


Additional delineation may be required following the implementation of this SAP to meet the requirements of O.Reg. 153/04 which requires delineation of all areas where concentrations are above the applicable SCS such as in the following conditions:

Unexpected contamination not previously discovered, or not related to identified APECs, will need to be further delineated to identify source(s); and

Requirement for a minimum of three monitoring wells per stratigraphic unit would have to extend to underlying units if there is evidence of contamination extending into it; the SAP assumes contamination is limited to the upper stratigraphic unit (confirmed with clean sample) then the underlying units do not necessarily have to be characterized. The SAP has been developed using the available data, and may require additional delineation if sampling results come out suggesting impacts are deeper than initially expected.

# APPENDIX

## C BOREHOLE LOGS



# RECORD OF BOREHOLE BH19-1



PROJECT : Environmental Investigation - Phase Two ESA (30 Newbridge Road)

LOCATION : N 4,831,416 E 617,820

STARTED : January 9, 2019

COMPLETED : January 9, 2019

SAMPLER HAMMER, 63.5 kg; DROP, 760 mm

PENETRATION TEST HAMMER, 63.5 kg; DROP, 760 mm

Toronto Transit Commission

SHEET 1 of 1

DATUM GEODETIC

DEPTH SCALE (metres)	BORING METHOD	SOIL PROFILE		SAMPLES		ORGANIC VAPOUR READINGS ☉ (ppm)				SHEAR STRENGTH: Cu, KPa nat V - ● rem V - ● Q - ✕ U - ▲				ADDITIONAL LAB. TESTING	PIEZOMETER OR STANDPIPE INSTALLATION  Gravel Sand Silt Clay (Fine)	
		DESCRIPTION	STRATA PLOT	ELEV. DEPTH (m)	NUMBER	TYPE	CGD (ppm) ☐				WATER CONTENT, PERCENT					
							10	20	30	40	wp	w	wl			
		GROUND SURFACE		117.10												
	Confing	ASPHALT (80mm)		0.00												Flush Mount Cover 116.8
		GRANULAR FILL (100mm)														
		Brownish grey, moist, compact, SANDY GRAVEL, trace to with silt, trace clay; FILL (GP-GM)		116.69	1	SS	12	☉								
		Brown, moist, firm to very stiff, CLAYEY SILT, with sand to sandy, trace gravel, trace organics; FILL (CL-ML) brown below 0.8m		0.41	2	SS	7	☉	☐							Holeplug
		wet below 1.5m														
2	Power Auger Hollow Stem Augers	Brown to grey, wet, compact to very dense, SANDY SILT, trace clay, trace gravel; TILL (ML, TTC-G3N)		115.32	3	SS	21	☉								115.27 1.8m BGL Jan 15 2019 Sand 114.97
		grey, moist below 2.3m		1.78												
					4	SS	62	☉	☐							
					5	SS	50/125mm	☉	☐							Screen
		Grey, SHALE BEDROCK, interbedded with siltstone/limestone (Georgian Bay Formation)		112.53	6	SS	50/30mm	☉	☐							112.53 Sand 112.32
				4.57												
				112.32												
				4.78												
		<b>END OF BOREHOLE</b> Note: 1) 50mm dia. monitoring well was installed upon completion, screened at 2.13m to 4.57m.  Water level measured in monitoring well: Date      Depth (m)      Elevation (m) Jan.15, 2019      1.78      115.4														

TTC OVERBURDEN\_GEOPROBE-CGD PPM\_ENR. 181-10974-01-FEB.08-2019.GPJ TTC.GDT 2/8/19

## GROUNDWATER ELEVATIONS

Depth Scale 1 : 50

▼ TERMINATION OF DRILLING  
WATER LEVEL (date)

▼ PIEZOMETER/MONITORING WELL  
WATER LEVEL (date)

LOGGED : BW  
CHECKED : SL



# RECORD OF BOREHOLE BH19-2



PROJECT : Environmental Investigation - Phase Two ESA (30 Newbridge Road)  
 LOCATION : N 4,831,251 E 617,876  
 STARTED : January 9, 2019  
 COMPLETED : January 9, 2019

SAMPLER HAMMER, 63.5 kg; DROP, 760 mm  
 PENETRATION TEST HAMMER, 63.5 kg; DROP, 760 mm

Toronto Transit Commission  
 SHEET 1 of 1  
 DATUM GEODETIC

DEPTH SCALE (metres)	BORING METHOD	SOIL PROFILE		SAMPLES		ORGANIC VAPOUR READINGS (ppm)				SHEAR STRENGTH: Cu, KPa				ADDITIONAL LAB. TESTING	PIEZOMETER OR STANDPIPE INSTALLATION	
		DESCRIPTION	STRATA PLOT	ELEV. DEPTH (m)	NUMBER	TYPE	10	20	30	40	20	40	60			80
		GROUND SURFACE		116.90												
		<b>GRANULAR FILL (200mm)</b>		0.00 116.7												
	Coring  Power Auger Hollow Stem Augers	Brown, moist, compact, SAND, trace to with gravel, trace silt, trace clay, occasional asphalt debris, contains clayey sand pockets; FILL (SP-SM)		0.2	1	SS	29								Flush Mount Cover 116.6	
		Brown, wet, compact, SILTY SAND, trace gravel, trace clay, contains clayey silt pockets; FILL (SP)		0.76	2	SS	14									
2					116.14											
					114.61											
			Brown, moist, hard, sandy CLAYEY SILT, trace gravel; TILL(CL-ML, TTC-G3N)		2.29											
			Grey, moist, very dense, SANDY SILT, trace gravel, trace clay; TILL (ML, TTC-G3N)  wet below 3.0m		114.31 2.59	4	SS	70								Sand 114.16
4				112.79												
		Grey, moist, hard, sandy CLAYEY SILT, trace gravel, contains shale fragments; TILL(CL-ML, TTC-G3N)		4.11												
		Grey, SHALE BEDROCK, interbedded with siltstone/limestone (Georgian Bay Formation)		112.18 4.72	6	SS	50/ 75mm									
		<b>END OF BOREHOLE</b> Note: 1) 50mm dia. monitoring well was installed upon completion, screened at 2.74m to 4.27m.														
6		Water level measured in monitoring well: Date: Jan.15, 2019    Depth (m): 1.49    Elevation (m): 115.4														
8																

TTC OVERBURDEN\_GEOPROBE-CGD PPM\_ENR\_181-10974-01-FEB.08-2019.GPJ TTC.GDT 2/8/19

## GROUNDWATER ELEVATIONS

Depth Scale 1 : 50

▼ TERMINATION OF DRILLING  
 WATER LEVEL (date)

▼ PIEZOMETER/MONITORING WELL  
 WATER LEVEL (date)

LOGGED : BW  
 CHECKED : SL



# RECORD OF BOREHOLE BH19-3



PROJECT : Environmental Investigation - Phase Two ESA (30 Newbridge Road)  
 LOCATION : N 4,831,250 E 617,929  
 STARTED : January 9, 2019  
 COMPLETED : January 9, 2019

SAMPLER HAMMER, 63.5 kg; DROP, 760 mm  
 PENETRATION TEST HAMMER, 63.5 kg; DROP, 760 mm

Toronto Transit Commission  
 SHEET 1 of 1  
 DATUM GEODETIC

DEPTH SCALE (metres)	BORING METHOD	SOIL PROFILE		SAMPLES		ORGANIC VAPOUR READINGS (ppm)				SHEAR STRENGTH: Cu, KPa				ADDITIONAL LAB. TESTING	PIEZOMETER OR STANDPIPE INSTALLATION Gravel Sand Silt Clay (Fine)
		DESCRIPTION	STRATA PLOT	ELEV. DEPTH (m)	NUMBER	TYPE	10	20	30	40	nat V -	rem V -	Q -		
		GROUND SURFACE		117.10											
		ASPHALT (130mm)		0.00											
		GRANULAR FILL (220mm)		116.75	1	SS	15								
		Brownish, moist, compact, GRAVELLY SAND, trace to with silt, trace clay; FILL (SP)		0.35											
					2	SS	14								
				115.58											
		Brown, moist, very stiff, CLAYEY SILT, with sand to sandy, trace to with gravel, trace crushed stone; FILL (CL-ML)		1.52											
				115.27	3	SS	26								
		Greyish brown, moist, compact, SILTY SAND, trace gravel, trace clay; FILL (SM)		1.83											
				114.81											
		Brown, moist, hard, sandy CLAYEY SILT, trace gravel, trace shale fragments; TILL (CL-ML, TTC-G3N)		2.29	4	SS	44								
		grey, contains sandy silt seams/layers below 3.0m			5	SS	67								
				112.38											
		Grey, SHALE BEDROCK, interbedded with siltstone/limestone (Georgian Bay Formation)		4.72	6	SS	50/125mm								
		END OF BOREHOLE Note: 1) Borehole backfilled with bentonite upon completion.													

TTC OVERBURDEN\_GEOPROBE-CGD PPM\_ENR. 181-10974-01-FEB. 08-2019.GPJ TTC.GDT 2/8/19

## GROUNDWATER ELEVATIONS

Depth Scale 1 : 50

▼ TERMINATION OF DRILLING  
 WATER LEVEL (date)

▼ PIEZOMETER/MONITORING WELL  
 WATER LEVEL (date)

LOGGED : BW  
 CHECKED : SL



# RECORD OF BOREHOLE BH19-4



PROJECT : Environmental Investigation - Phase Two ESA (30 Newbridge Road)  
 LOCATION : N 4,831,595 E 617,785  
 STARTED : January 9, 2019  
 COMPLETED : January 9, 2019

SAMPLER HAMMER, 63.5 kg; DROP, 760 mm  
 PENETRATION TEST HAMMER, 63.5 kg; DROP, 760 mm

Toronto Transit Commission  
 SHEET 1 of 1  
 DATUM GEODETIC

DEPTH SCALE (metres)	BORING METHOD	SOIL PROFILE		SAMPLES		ORGANIC VAPOUR READINGS (ppm)				SHEAR STRENGTH: Cu, KPa				ADDITIONAL LAB. TESTING	PIEZOMETER OR STANDPIPE INSTALLATION Gravel Sand Silt Clay (Fine)
		DESCRIPTION	STRATA PLOT	ELEV. DEPTH (m)	NUMBER	TYPE	10	20	30	40	nat V -	rem V -	Q -		
		GROUND SURFACE		117.70											
		GRANULAR FILL (250mm)		0.00											
	Coring	Brown, moist, very stiff to hard, sandy CLAYEY SILT, trace gravel; FILL (CL-ML)		117.45	1	SS	23								
				0.25											
				116.49	2	SS	31								
		Brown, moist, hard, sandy CLAYEY SILT, trace gravel; TILL(CL-ML, TTC-G3N)		1.21											
				115.41	3	SS	72								
2				2.29	4	SS	50/25mm								
	Power Auger Solid Stem Augers	Brown to grey, moist, very dense to dense, SANDY SILT, trace to with clay, trace gravel; TILL (ML, TTC-G3N)		115.41											
		grey, contains clayey silt till layers below 3.0m		3.0m	5	SS	37								
				113.59	6	SS	74								
		Grey, moist, hard, sandy CLAYEY SILT, trace gravel, contains shale fragments; TILL(CL-ML, TTC-G3N)		4.11											
				112.67											
		Grey, SHALE BEDROCK, interbedded with siltstone/limestone (Georgian Bay Formation)		5.03											
		<b>END OF BOREHOLE</b> Note: 1) Borehole backfilled with bentonite upon completion.													

TTC OVERBURDEN\_GEOPROBE-CGD PPM\_ENR. 181-10974-01-FEB. 08-2019.GPJ TTC.GDT 2/8/19

## GROUNDWATER ELEVATIONS

Depth Scale 1 : 50

▽ TERMINATION OF DRILLING  
 WATER LEVEL (date)

▼ PIEZOMETER/MONITORING WELL  
 WATER LEVEL (date)

LOGGED : BW  
 CHECKED : SL





# RECORD OF BOREHOLE BH19-5



PROJECT : Environmental Investigation - Phase Two ESA (30 Newbridge Road)  
 LOCATION : N 4,831,654 E 617,784  
 STARTED : January 9, 2019  
 COMPLETED : January 9, 2019

SAMPLER HAMMER, 63.5 kg; DROP, 760 mm  
 PENETRATION TEST HAMMER, 63.5 kg; DROP, 760 mm

Toronto Transit Commission  
 SHEET 1 of 1  
 DATUM GEODETIC

DEPTH SCALE (metres)	BORING METHOD	SOIL PROFILE		SAMPLES		ORGANIC VAPOUR READINGS (ppm)				SHEAR STRENGTH: Cu, KPa				ADDITIONAL LAB. TESTING	PIEZOMETER OR STANDPIPE INSTALLATION	
		DESCRIPTION	STRATA PLOT	ELEV. DEPTH (m)	NUMBER	TYPE	10	20	30	40	20	40	60			80
		GROUND SURFACE		118.20												
		<b>GRANULAR FILL (150mm)</b> Light brown, moist, compact, CRUSHER RUN LIMESTONE; FILL		0.00											Flush Mount Cover 117.9	
		Brown, moist, compact to dense, SANDY SILT, trace to some clay, trace gravel; FILL (ML)		0.76	1	SS	25									
		Brown, moist, dense to very dense, SANDY SILT, trace to some clay, trace gravel; TILL (ML, TTC-G3N)		1.83	2	SS	12								1.1m BGL Jan. 15, 2019 Holeplug	
2	Power Auger Hollow Stem Augers	trace shale fragments below 3.0m		1.83	3	SS	37									
					4	SS	80									
						5	SS	95/250mm								
			grey, contains clayey silt till layers below 4.6m		4.6m	6	SS	66								
					5.64											
6		Grey, moist, hard, sandy CLAYEY SILT, trace gravel, contains shale fragments; TILL (CL-ML, TTC-G3N)		5.64												
		Grey, SHALE BEDROCK, interbedded with siltstone/limestone (Georgian Bay Formation)		6.4	7	SS	57/250mm									
		<b>END OF BOREHOLE</b> Note: 1) 50mm dia. monitoring well was installed upon completion, screened at 3.05m to 6.10m.  Water level measured in monitoring well: Date: Jan. 15, 2019    Depth (m): 1.10    Elevation (m): 116.0														

TTC OVERBURDEN\_GEOPROBE-CGD PPM\_ENR. 181-10974-01-FEB. 08-2019.GPJ TTC.GDT 2/8/19

## GROUNDWATER ELEVATIONS

Depth Scale 1 : 50

TERMINATION OF DRILLING  
 WATER LEVEL (date)

PIEZOMETER/MONITORING WELL  
 WATER LEVEL (date)

LOGGED : BW  
 CHECKED : SL



# RECORD OF BOREHOLE BH19-6



PROJECT : Environmental Investigation - Phase Two ESA (30 Newbridge Road)  
 LOCATION : N 4,831,760 E 617,799  
 STARTED : January 10, 2019  
 COMPLETED : January 10, 2019

SAMPLER HAMMER, 63.5 kg; DROP, 760 mm  
 PENETRATION TEST HAMMER, 63.5 kg; DROP, 760 mm

Toronto Transit Commission  
 SHEET 1 of 1  
 DATUM GEODETIC

DEPTH SCALE (metres)	BORING METHOD	SOIL PROFILE		SAMPLES		ORGANIC VAPOUR READINGS (ppm)				SHEAR STRENGTH: Cu, KPa				ADDITIONAL LAB. TESTING	PIEZOMETER OR STANDPIPE INSTALLATION Gravel Sand Silt Clay (Fine)
		DESCRIPTION	STRATA PLOT	ELEV. DEPTH (m)	NUMBER TYPE BLOWS/0.3m	10 20 30 40	10 20 30 40	20 40 60 80	20 40 60 80	CGD (ppm)	WATER CONTENT, PERCENT				
		GROUND SURFACE		118.80											
		GRANULAR FILL (230mm)		0.00											
		Brown, moist, compact, SAND, trace gravel, trace silt, trace clay; FILL (SP-SM) trace organics, contains clayey silt layers below 0.5m		118.57	1	SS	21	8							
				0.23											
		Brown, moist, hard, sandy CLAYEY SILT, trace gravel, contains silt seams; TILL (CL-ML, TTC-G3N)		118.04											
				0.76	2	SS	65	8							
		grey, contains silt layers below 1.5m													
					3	SS	72	8							
					4	SS	90/27	8/5mm							
		contains silty sand seams below 3.0m													
					5	SS	98/22	8/5mm							
		Grey, moist, very dense, SANDY SILT, trace clay, trace gravel; TILL (ML, TTC-G3N)		114.69											
				4.11	6	SS	50/12	8/5mm							
		Grey, moist, hard, sandy CLAYEY SILT, trace gravel, contains shale fragments; TILL (CL-ML, TTC-G3N)		112.55											
				6.25	7	SS	80/25	8/5mm							
				112.3											
				6.5											
		END OF BOREHOLE Note: 1) Borehole backfilled with bentonite upon completion.													

TTC OVERBURDEN\_GEOPROBE-CGD PPM\_ENR. 181-10974-01-FEB.08-2019.GPJ TTC.GDT 2/8/19

## GROUNDWATER ELEVATIONS

Depth Scale 1 : 50

TERMINATION OF DRILLING  
 WATER LEVEL (date)

PIEZOMETER/MONITORING WELL  
 WATER LEVEL (date)

LOGGED : BW  
 CHECKED : SL



# RECORD OF BOREHOLE BH19-7



PROJECT : Environmental Investigation - Phase Two ESA (30 Newbridge Road)  
 LOCATION : N 4,831,806 E 617,736  
 STARTED : January 8, 2019  
 COMPLETED : January 8, 2019

SAMPLER HAMMER, 63.5 kg; DROP, 760 mm  
 PENETRATION TEST HAMMER, 63.5 kg; DROP, 760 mm

Toronto Transit Commission  
 SHEET 1 of 1  
 DATUM GEODETTIC

DEPTH SCALE (metres)	BORING METHOD	SOIL PROFILE		SAMPLES		ORGANIC VAPOUR READINGS (ppm)				SHEAR STRENGTH: Cu, KPa				ADDITIONAL LAB. TESTING	PIEZOMETER OR STANDPIPE INSTALLATION
		DESCRIPTION	STRATA PLOT	ELEV. DEPTH (m)	NUMBER	TYPE	10	20	30	40	20	40	60		
		GROUND SURFACE		119.30											
		GRANULAR FILL (200mm)		0.00 119.1											Flush Mount Cover
		Dark brown, moist, compact, RECYCLE CRUSHER RUN LIMESTONE, trace organics; FILL		0.2	1	SS	24								119
		Brown, moist, compact, SILTY SAND, trace to with gravel, trace clay; FILL (SM)		118.54 0.76											
		Brown, moist, hard, sandy CLAYEY SILT, trace gravel; TILL(CL-ML, TTC-G3N)		118.23 1.07	2	SS	30								
2		Brown, moist, very dense, SILTY SAND, trace clay, trace gravel; TILL (SM, TTC-G3N)		117.78 1.52	3	SS	72								
		200mm thick layer of sandy silt till at 2.7m			4	SS	74								
		Grey, moist, hard, sandy CLAYEY SILT, trace gravel, contains silt layers and silty sand seams; TILL(CL-ML, TTC-G3N)		116.25 3.05	5	SS	48								
4	Power Auger Hollow Stem Augers	contains sandy silt till layer below 4.6m			6	SS	46								
		Grey, moist, hard, CLAYEY SILT, trace sand, occasional gravel, contains silty clay and silt layers; (CL-ML, TTC-G6)		112.29 7.01											
6					7	SS	50/30mm								
8					8	SS	70								
		END OF BOREHOLE		111.07 8.23											
		Note: 1) 50mm dia. monitoring well was installed upon completion, screened at 4.57m to 7.62m.													
		Water level measured in monitoring well: Date: Jan.15, 2019    Depth (m): 0.91    Elevation (m): 118.4													

TTC OVERBURDEN\_GEOPROBE-CGD PPM\_ENR\_181-10974-01-FEB-08-2019.GPJ TTC.GDT 2/8/19

## GROUNDWATER ELEVATIONS

Depth Scale 1 : 50

TERMINATION OF DRILLING  
 WATER LEVEL (date)

PIEZOMETER/MONITORING WELL  
 WATER LEVEL (date)

LOGGED : BW  
 CHECKED : SL



# RECORD OF BOREHOLE BH19-8



PROJECT : Environmental Investigation - Phase Two ESA (30 Newbridge Road)  
 LOCATION : N 4,831,880 E 617,858  
 STARTED : January 11, 2019  
 COMPLETED : January 11, 2019

SAMPLER HAMMER, 63.5 kg; DROP, 760 mm  
 PENETRATION TEST HAMMER, 63.5 kg; DROP, 760 mm

Toronto Transit Commission  
 SHEET 1 of 1  
 DATUM GEODETIC

DEPTH SCALE (metres)	BORING METHOD	SOIL PROFILE		SAMPLES		ORGANIC VAPOUR READINGS (ppm)				SHEAR STRENGTH: Cu, KPa				ADDITIONAL LAB. TESTING	PIEZOMETER OR STANDPIPE INSTALLATION Gravel Sand Silt Clay (Fine)
		DESCRIPTION	STRATA PLOT	ELEV. DEPTH (m)	NUMBER	TYPE	10	20	30	40	20	40	60		
		GROUND SURFACE		119.00											
	Coring	ASPHALT (130mm)		0.00											
		GRANULAR FILL (150mm)													
		Light brown, moist, dense, CRUSHER RUN LIMESTONE; FILL		118.24	1	SS	41								
		Brown, moist, very dense, SANDY SILT, trace to with clay, trace gravel; TILL (ML, TTC-G3N)		0.76	2	SS	66								
2					3	SS	50/25								
					4	SS	50/30								
					5	SS	50/25								
4	Power Auger Solid Stem Augers	Grey, moist, very dense, SILTY SAND, trace clay, trace gravel; TILL (SM, TTC-G3N)		114.89	6	SS	50/25								
		Grey, moist, very dense, SANDY SILT, trace clay, trace gravel; TILL (ML, TTC-G3N)		113.51	7	SS	50/30								
6		Grey, moist, hard, sandy CLAYEY SILT, trace gravel, contains shale fragments; TILL (CL-ML, TTC-G3N)		111.99	8	SS	95/25								
8		END OF BOREHOLE Note: 1) Borehole backfilled with bentonite upon completion.		111											

TTC OVERBURDEN\_GEOPROBE-CGD PPM\_ENR. 181-10974-01-FEB.08-2019.GPJ TTC.GDT 2/8/19

## GROUNDWATER ELEVATIONS

Depth Scale 1 : 50

▼ TERMINATION OF DRILLING  
 WATER LEVEL (date)

▼ PIEZOMETER/MONITORING WELL  
 WATER LEVEL (date)

LOGGED : BW  
 CHECKED : SL



# RECORD OF BOREHOLE BH19-9



PROJECT : Environmental Investigation - Phase Two ESA (30 Newbridge Road)  
 LOCATION : N 4,831,946 E 617,996  
 STARTED : January 7, 2019  
 COMPLETED : January 7, 2019

SAMPLER HAMMER, 63.5 kg; DROP, 760 mm  
 PENETRATION TEST HAMMER, 63.5 kg; DROP, 760 mm

Toronto Transit Commission  
 SHEET 1 of 1  
 DATUM GEODETIC

DEPTH SCALE (metres)	BORING METHOD	SOIL PROFILE		SAMPLES		ORGANIC VAPOUR READINGS (ppm)				SHEAR STRENGTH: Cu, KPa				ADDITIONAL LAB. TESTING	PIEZOMETER OR STANDPIPE INSTALLATION
		DESCRIPTION	STRATA PLOT	ELEV. DEPTH (m)	NUMBER	TYPE	10	20	30	40	20	40	60		
		GROUND SURFACE		119.00											
	Conifig	ASPHALT (80mm)		0.00											Flush Mount Cover 118.7
		GRANULAR FILL (150mm)		0.46	1	SS	17								
		Dark brown, moist, compact, RECYCLE CRUSHER RUN LIMESTONE, trace organics; FILL		118.54											
		Dark grey to grey, moist, very stiff to hard, CLAYEY SILT, with sand to sandy, trace gravel, trace organics; FILL (CL-ML)		0.46											
				117.17	2	SS	28								
				1.83											
2		Brownish grey, moist, hard, sandy CLAYEY SILT, trace gravel; TILL(CL-ML, TTC-G3N)		116.71	3	SS	44								1.7m BGL Jan.15, 2019
				2.29											Holeplug
		Brown, moist, hard, CLAYEY SILT, trace sand, contains silt seams;(CL-ML, TTC-G6)		115.95	4	SS	68								
				3.05											
		Brownish grey, moist, hard, sandy CLAYEY SILT interbedded with silty sand seams, trace gravel; TILL(CL-ML, TTC-G3N)		115.95	5	SS	50/25mm								
4	Power Auger Solid Stem Augers			113.51	6	SS	50/125mm								
		grey below 4.6m		5.49											
		Grey, wet, very dense, SANDY GRAVEL, trace silt, trace clay;(GP-GM, TTC-G1)		113.51	7	SS	50/100mm								
6				111.99											
		Grey, wet, very dense, SILTY SAND, trace to with gravel, trace clay; TILL(SM, TTC-G3N)		7.01	8	SS	50/125mm								
8				111.1											
		END OF BOREHOLE Note: 1) 50mm dia. monitoring well was installed upon completion, screened at 4.57m to 7.62m.  Water level measured in monitoring well: Date: Jan.15, 2019    Depth (m): 1.71    Elevation (m): 117.3		7.9											

TTC OVERBURDEN\_GEOPROBE-CGD PPM\_ENR. 181-10974-01-FEB.08-2019.GPJ TTC.GDT 2/8/19

## GROUNDWATER ELEVATIONS

Depth Scale 1 : 50

▼ TERMINATION OF DRILLING  
 WATER LEVEL (date)

▼ PIEZOMETER/MONITORING WELL  
 WATER LEVEL (date)

LOGGED : BW  
 CHECKED : SL



# RECORD OF BOREHOLE BH19-10



PROJECT : Environmental Investigation - Phase Two ESA (30 Newbridge Road)  
 LOCATION : N 4,831,690 E 617,916  
 STARTED : January 7, 2019  
 COMPLETED : January 7, 2019

SAMPLER HAMMER, 63.5 kg; DROP, 760 mm  
 PENETRATION TEST HAMMER, 63.5 kg; DROP, 760 mm

Toronto Transit Commission  
 SHEET 1 of 1  
 DATUM GEODETIC

DEPTH SCALE (metres)	BORING METHOD	SOIL PROFILE		SAMPLES		ORGANIC VAPOUR READINGS (ppm)				SHEAR STRENGTH: Cu, KPa				ADDITIONAL LAB. TESTING	PIEZOMETER OR STANDPIPE INSTALLATION Gravel Sand Silt Clay (Fine)
		DESCRIPTION	STRATA PLOT	ELEV. DEPTH (m)	NUMBER	TYPE	10	20	30	40	20	40	60		
		GROUND SURFACE		117.70											
	Coiling	ASPHALT (170mm)		0.00											
		GRANULAR FILL (100mm)													
		Brown, moist, very dense to dense, GRAVELLY SAND, trace to with silt, trace clay; FILL (SP)			1	SS	70								
					2	SS	41								
2		Brownish grey, moist, stiff to very stiff, CLAYEY SILT, with sand to sandy, trace gravel; FILL (CL-ML)		116.18 1.52	3	SS	13								
	Power Auger	Brownish grey, moist, very stiff to hard, sandy CLAYEY SILT, trace gravel, trace shale fragments; TILL (CL-ML, TTC-G3N)		115.26 2.44	4	SS	24								
	Hollow Stem Augers	Grey, moist, hard, sandy CLAYEY SILT, trace gravel, contains shale fragments; TILL (CL-ML, TTC-G3N)		114.5 3.2	5	SS	44								
4					6	SS	80								
		END OF BOREHOLE Note: 1) Borehole backfilled with bentonite upon completion.		112.59 5.11											

TTC OVERBURDEN\_GEOPROBE-CGD PPM\_ENR. 181-10974-01-FEB. 08-2019.GPJ TTC.GDT 2/8/19

## GROUNDWATER ELEVATIONS

Depth Scale 1 : 50

▼ TERMINATION OF DRILLING  
 WATER LEVEL (date)

▼ PIEZOMETER/MONITORING WELL  
 WATER LEVEL (date)

LOGGED : BW  
 CHECKED : SL



# RECORD OF BOREHOLE BH19-11



PROJECT : Environmental Investigation - Phase Two ESA (30 Newbridge Road)  
 LOCATION : N 4,831,839 E 618,042  
 STARTED : January 7, 2019  
 COMPLETED : January 7, 2019

SAMPLER HAMMER, 63.5 kg; DROP, 760 mm  
 PENETRATION TEST HAMMER, 63.5 kg; DROP, 760 mm

Toronto Transit Commission  
 SHEET 1 of 1  
 DATUM GEODETTIC

DEPTH SCALE (metres)	BORING METHOD	SOIL PROFILE		SAMPLES		ORGANIC VAPOUR READINGS (ppm)				SHEAR STRENGTH: Cu, KPa				ADDITIONAL LAB. TESTING	PIEZOMETER OR STANDPIPE INSTALLATION
		DESCRIPTION	STRATA PLOT	ELEV. DEPTH (m)	NUMBER TYPE	10	20	30	40	20	40	60	80		
		GROUND SURFACE		118.40											
	Coring	ASPHALT (200mm)		0.00											
		GRANULAR FILL (80mm)		118.2											
		Light brown, moist, very dense, CRUSHER RUN LIMESTONE; FILL		0.2	1	SS	70								
		Brown, moist, dense, SAND, trace gravel, trace asphalt debris, trace clay and silt, contains clayey silt pockets; FILL (SP-SM)		117.64	2	SS	34								
		Brown, moist, very stiff to hard, sandy CLAYEY SILT, trace gravel; TILL (CL-ML, TTC-G3N)		116.88	3	SS	18								
2		contains sand layers below 2.3m		1.52											
				115.35	4	SS	42								
		Brown, moist, very dense, SANDY SILT, trace clay, trace gravel, contains clayey silt till layers; TILL (ML, TTC-G3N)		3.05	5	SS	80								
4	Power Auger Solid Stem Augers	Grey, wet, dense, SILTY SAND, trace gravel, trace clay; TILL(SM, TTC-G3N)		114.44	6	SS	35								
				112.76											
6		Grey, wet, very dense, GRAVELLY SAND, trace to with silt, trace clay;(SP, TTC-G1)		5.64	7	SS	40								
				111.39											
		Grey, wet, very dense, SANDY SILT, trace clay, dilatant; (ML, TTC-G4)		7.01	8	SS	63								
8				110.17											
		END OF BOREHOLE Note: 1) Borehole backfilled with bentonite upon completion.		8.23											

TTC OVERBURDEN\_GEOPROBE-CGD PPM\_ENR\_181-10974-01-FEB-08-2019.GPJ TTC.GDT 2/8/19

## GROUNDWATER ELEVATIONS

Depth Scale 1 : 50

▼ TERMINATION OF DRILLING  
 WATER LEVEL (date)

▼ PIEZOMETER/MONITORING WELL  
 WATER LEVEL (date)

LOGGED : BW  
 CHECKED : SL



# RECORD OF BOREHOLE BH19-12



PROJECT : Environmental Investigation - Phase Two ESA (30 Newbridge Road)  
 LOCATION : N 4,831,486 E 617,974  
 STARTED : January 8, 2019  
 COMPLETED : January 8, 2019

SAMPLER HAMMER, 63.5 kg; DROP, 760 mm  
 PENETRATION TEST HAMMER, 63.5 kg; DROP, 760 mm

Toronto Transit Commission  
 SHEET 1 of 1  
 DATUM GEODETIC

DEPTH SCALE (metres)	BORING METHOD	SOIL PROFILE		SAMPLES		ORGANIC VAPOUR READINGS (ppm)				SHEAR STRENGTH: Cu, KPa				ADDITIONAL LAB. TESTING	PIEZOMETER OR STANDPIPE INSTALLATION Gravel Sand Silt Clay (Fine)
		DESCRIPTION	STRATA PLOT	ELEV. DEPTH (m)	NUMBER	TYPE	BLOWS/0.3m	10	20	30	40	20	40		
		GROUND SURFACE		116.70											
		ASPHALT (150mm)		0.00											
		GRANULAR FILL (230mm)		116.32											
		Brown, moist, dense, SANDY GRAVEL, trace silt and clay; FILL (GP-GM)		0.38	1	SS	50								
		Brown, moist, very dense to compact, GRAVELLY SAND, trace to with silt, trace clay; FILL (SP-SM)		0.76	2	SS	53								
		Brown to grey, moist, very stiff, sandy CLAYEY SILT, trace gravel; TILL (CL-ML, TTC-G3N)		1.83	3	SS	28								
		Grey, moist, very dense, SANDY SILT, trace clay, trace gravel; TILL (ML, TTC-G3N)		2.29	4	SS	93/250								
					5	SS	50/75								
		Grey, moist, hard, sandy CLAYEY SILT, trace gravel, trace shale fragments; TILL (CL-ML, TTC-G3N)		3.96	6	SS	34								
		END OF BOREHOLE Note: 1) Borehole backfilled with bentonite upon completion.		5.18											

TTC OVERBURDEN\_GEOPROBE-CGD PPM\_ENR. 181-10974-01-FEB. 08-2019.GPJ TTC.GDT 2/8/19

## GROUNDWATER ELEVATIONS

Depth Scale 1 : 50

TERMINATION OF DRILLING  
 WATER LEVEL (date)

PIEZOMETER/MONITORING WELL  
 WATER LEVEL (date)

LOGGED : BW  
 CHECKED : SL





# RECORD OF BOREHOLE BH19-13



PROJECT : Environmental Investigation - Phase Two ESA (30 Newbridge Road)  
 LOCATION : N 4,831,630 E 618,117  
 STARTED : January 8, 2019  
 COMPLETED : January 8, 2019

SAMPLER HAMMER, 63.5 kg; DROP, 760 mm  
 PENETRATION TEST HAMMER, 63.5 kg; DROP, 760 mm

Toronto Transit Commission  
 SHEET 1 of 1  
 DATUM GEODETIC

DEPTH SCALE (metres)	BORING METHOD	SOIL PROFILE		SAMPLES		ORGANIC VAPOUR READINGS (ppm)				SHEAR STRENGTH: Cu, KPa				ADDITIONAL LAB. TESTING	PIEZOMETER OR STANDPIPE INSTALLATION
		DESCRIPTION	STRATA PLOT	ELEV. DEPTH (m)	NUMBER	TYPE	10	20	30	40	nat V -	rem V -	Q -		
		GROUND SURFACE		117.40											
	Coring	ASPHALT (200mm)		0.00											Flush Mount Cover 117.1
		GRANULAR FILL (80mm)		117.2											
		Light brown, moist, compact, CRUSHER RUN LIMESTONE; FILL		0.2	1	SS	22								
		Dark brown, moist, compact, GRAVELLY SAND, trace to with silt, trace clay, trace organics; FILL (SP)		116.64	2	SS	12								
		Dark grey, wet, firm to very stiff, CLAYEY SILT, with sand to sandy, trace gravel, trace organics, occasional wood debris; FILL (CL-ML)		115.88	3	SS	4								
2		150mm thick of silty sand layer at 2.3m		114.95											
		Brown, moist, very stiff to hard, sandy CLAYEY SILT, trace gravel, contains sandy silt till layers; TILL (CL-ML, TTC-G3N)		2.45	4	SS	24								
		grey below 3.0m													
		Grey, moist, very dense, SANDY SILT, trace clay, trace gravel; TILL (ML, TTC-G3N)		113.89	5	SS	50								
4	Power Auger Hollow Stem Augers			3.51											
					6	SS	50/100mm								
		Grey, moist, very dense, SILTY SAND, trace gravel, trace clay; TILL (SM, TTC-G3N)		111.91											
6				5.49											
					7	SS	97/275mm								
		contains sandy silt layers below 7.6m													
8					8	SS	62								
		END OF BOREHOLE		109.17											
		Note: 1) 50mm dia. monitoring well was installed upon completion, screened at 4.57m to 7.62m.		8.23											
		Water level measured in monitoring well: Date: Jan.15, 2019    Depth (m): 1.91    Elevation (m): 115.5													

TTC OVERBURDEN\_GEOPROBE-CGD PPM\_ENR\_181-10974-01-FEB-08-2019.GPJ TTC.GDT 2/8/19

## GROUNDWATER ELEVATIONS

Depth Scale 1 : 50

▼ TERMINATION OF DRILLING  
 WATER LEVEL (date)

▼ PIEZOMETER/MONITORING WELL  
 WATER LEVEL (date)

LOGGED : BW  
 CHECKED : SL



# RECORD OF BOREHOLE BH19-14



PROJECT : Environmental Investigation - Phase Two ESA (30 Newbridge Road)  
 LOCATION : N 4,831,433 E 618,105  
 STARTED : January 8, 2019  
 COMPLETED : January 8, 2019

SAMPLER HAMMER, 63.5 kg; DROP, 760 mm  
 PENETRATION TEST HAMMER, 63.5 kg; DROP, 760 mm

Toronto Transit Commission  
 SHEET 1 of 1  
 DATUM GEODETIC

DEPTH SCALE (metres)	BORING METHOD	SOIL PROFILE		SAMPLES		ORGANIC VAPOUR READINGS (ppm)				SHEAR STRENGTH: Cu, KPa				ADDITIONAL LAB. TESTING	PIEZOMETER OR STANDPIPE INSTALLATION	
		DESCRIPTION	STRATA PLOT	ELEV. DEPTH (m)	NUMBER	TYPE	BLOWS/0.3m	10	20	30	40	nat V - rem V -	Q - U -			20
		GROUND SURFACE		116.60												
		ASPHALT (280mm)		0.00												
		GRANULAR FILL (300mm)		0.28												
		Light brown, moist, compact, CRUSHER RUN LIMESTONE; FILL		0.58	1	SS	26									
		Brown, wet, compact, GRAVELLY SAND, trace to with silt, trace clay, trace organics; FILL (SP)			2	SS	11									
		Brown, wet, SILTY SAND, trace clay, trace gravel; FILL (SM)		1.52												
		Brown, moist, very stiff to hard, sandy CLAYEY SILT, trace gravel; TILL (CL-ML, TTC-G3N) contains sans seams/pockets below 2.3m		1.98												
		Grey, moist, hard, sandy CLAYEY SILT interbedded with silty sand seams, trace gravel; TILL (CL-ML, TTC-G3N)		3.05	5	SS	50/100mm									
		Grey, wet, very dense, SILTY SAND, trace to with gravel, trace clay; TILL (SM, TTC-G3N)		3.96												
					6	SS	86/275mm									
		Grey, moist, hard, sandy CLAYEY SILT, trace gravel, contains silty sand seams; TILL (CL-ML, TTC-G3N)		5.49												
					7	SS	50/100mm									
		Grey, moist, hard, sandy CLAYEY SILT, trace gravel, contains shale fragments; TILL (CL-ML, TTC-G3N)		7.01												
					8	SS	84/225mm									
		END OF BOREHOLE Note: 1) Borehole backfilled with bentonite upon completion.		108.6	8											

TTC OVERBURDEN\_GEOPROBE-CGD PPM\_ENR\_181-10974-01-FEB.08-2019.GPJ TTC.GDT 2/8/19

## GROUNDWATER ELEVATIONS

Depth Scale  
1 : 50

▼ TERMINATION OF DRILLING  
 WATER LEVEL (date)

▼ PIEZOMETER/MONITORING WELL  
 WATER LEVEL (date)

LOGGED : BW  
 CHECKED : SL



# RECORD OF BOREHOLE BH19-15



PROJECT : Environmental Investigation - Phase Two ESA (30 Newbridge Road)  
 LOCATION : N 4,831,325 E 618,135  
 STARTED : January 10, 2019  
 COMPLETED : January 10, 2019

SAMPLER HAMMER, 63.5 kg; DROP, 760 mm  
 PENETRATION TEST HAMMER, 63.5 kg; DROP, 760 mm

Toronto Transit Commission  
 SHEET 1 of 1  
 DATUM GEODETIC

DEPTH SCALE (metres)	BORING METHOD	SOIL PROFILE		SAMPLES		ORGANIC VAPOUR READINGS (ppm)				SHEAR STRENGTH: Cu, KPa				ADDITIONAL LAB. TESTING	PIEZOMETER OR STANDPIPE INSTALLATION
		DESCRIPTION	STRATA PLOT	ELEV. DEPTH (m)	NUMBER	TYPE	10	20	30	40	20	40	60		
		GROUND SURFACE		116.00											
		ASPHALT (130mm)		0.00											
		GRANULAR FILL (100mm)			1	SS	50/125mm								Flush Mount Cover 115.7
		Light brown, moist, very dense, CRUSHER RUN LIMESTONE; FILL		115.24											
		Brown, moist, compact, SAND, trace gravel, trace silt and clay, contains silty sand pockets; FILL (SP-SM)		0.76	2	SS	17								
		trace organics below 1.5m			3	SS	21								
				113.71											
		Grey, moist, hard, sandy CLAYEY SILT, trace gravel; TILL (CL-ML, TTC-G3N)		2.29	4	SS	92/275mm								Holeplug
					5	SS	89/250mm								
				112.04											
		Grey, moist, very stiff to hard, SILTY CLAY, with sand to sandy, trace gravel; TILL (CL-ML, TTC-G3C)		3.96	6	SS	30								Sand 111.73 111.43
					7	SS	23								Screen
					8	SS	54								Sand 108.38
				107.77											Sand 107.77
		END OF BOREHOLE		8.23											
		Note: 1) 50mm dia. monitoring well was installed upon completion, screened at 4.57m to 7.62m.													
		Water level measured in monitoring well: Date: Jan.15, 2019    Depth (m): dry    Elevation (m):													

TTC OVERBURDEN\_GEOPROBE-CGD PPM\_ENR\_181-10974-01-FEB-08-2019.GPJ TTC.GDT 2/8/19

## GROUNDWATER ELEVATIONS

Depth Scale 1 : 50

▼ TERMINATION OF DRILLING  
 WATER LEVEL (date)

▼ PIEZOMETER/MONITORING WELL  
 WATER LEVEL (date)

LOGGED : BW  
 CHECKED : SL



# RECORD OF BOREHOLE BH19-16



PROJECT : Environmental Investigation - Phase Two ESA (30 Newbridge Road)  
 LOCATION : N 4,831,248 E 618,172  
 STARTED : January 11, 2019  
 COMPLETED : January 11, 2019

SAMPLER HAMMER, 63.5 kg; DROP, 760 mm  
 PENETRATION TEST HAMMER, 63.5 kg; DROP, 760 mm

Toronto Transit Commission  
 SHEET 1 of 1  
 DATUM GEODETIC

DEPTH SCALE (metres)	BORING METHOD	SOIL PROFILE		SAMPLES		ORGANIC VAPOUR READINGS (ppm)				SHEAR STRENGTH: Cu, KPa				ADDITIONAL LAB. TESTING	PIEZOMETER OR STANDPIPE INSTALLATION
		DESCRIPTION	STRATA PLOT	ELEV. DEPTH (m)	NUMBER	TYPE	10	20	30	40	nat V -	rem V -	Q -		
		GROUND SURFACE		115.60											
	Confing	ASPHALT (80mm)		0.00											
		GRANULAR FILL (150mm)													
		Dark brown, moist, dense, RECYCLE CRUSHER RUN LIMESTONE, trace organics; FILL		114.84	1	SS	41								
		Brown, moist, compact, SAND, trace to with silt, trace clay, occasional gravel; FILL (SW-SM)		114.08	2	SS	21								
2		Brown, moist, compact, SILTY SAND, trace clay;(SM, TTC-G4)		113.31	3	SS	29								
		Grey, wet, compact, SANDY SILT, trace clay, occasional shale fragments; (ML, TTC-G4)		112.55	4	SS	13								
	Power Auger	Grey, moist, very dense, SANDY SILT, trace to with clay, trace gravel, contains clayey silt till layers; TILL (ML, TTC-G3N)		111.49	5	SS	68								
4	Solid Stem Augers	Grey, moist, hard, sandy CLAYEY SILT, trace gravel, trace shale fragments; TILL (CL-ML, TTC-G3N)		109.96	6	SS	45								
		Grey, moist, hard, sandy CLAYEY SILT, trace gravel, contains shale fragments; TILL(CL-ML, TTC-G3N)		109.2	7	SS	88/275mm								
6		Grey, SHALE BEDROCK, interbedded with siltstone/limestone (Georgian Bay Formation)		6.4											
		END OF BOREHOLE Note: 1) Borehole backfilled with bentonite upon completion.													

TTC OVERBURDEN\_GEOPROBE-CGD PPM\_ENR. 181-10974-01-FEB. 08-2019.GPJ TTC.GDT 2/8/19

## GROUNDWATER ELEVATIONS

Depth Scale 1 : 50

▼ TERMINATION OF DRILLING  
 WATER LEVEL (date)

▼ PIEZOMETER/MONITORING WELL  
 WATER LEVEL (date)

LOGGED : BW  
 CHECKED : SL



# RECORD OF BOREHOLE BH19-17



PROJECT : Environmental Investigation - Phase Two ESA (30 Newbridge Road)  
 LOCATION : N 4,831,247 E 618,202  
 STARTED : January 11, 2019  
 COMPLETED : January 11, 2019

SAMPLER HAMMER, 63.5 kg; DROP, 760 mm  
 PENETRATION TEST HAMMER, 63.5 kg; DROP, 760 mm

Toronto Transit Commission  
 SHEET 1 of 1  
 DATUM GEODETIC

DEPTH SCALE (metres)	BORING METHOD	SOIL PROFILE		SAMPLES		ORGANIC VAPOUR READINGS (ppm)				SHEAR STRENGTH: Cu, KPa				ADDITIONAL LAB. TESTING	PIEZOMETER OR STANDPIPE INSTALLATION
		DESCRIPTION	STRATA PLOT	ELEV. DEPTH (m)	NUMBER	TYPE	10	20	30	40	20	40	60		
		GROUND SURFACE		115.50											
	Confing	ASPHALT (80mm)		0.00											Flush Mount Cover 115.2
		GRANULAR FILL (100mm)													
		Brown, moist, dense, RECYCLE CRUSHER RUN LIMESTONE, trace brick debris, contains clayey sand pockets; FILL PHC odour		114.74	1	SS	34								
		Brown, moist, compact, SAND, trace to with silt, trace clay, contains clayey silt pockets; FILL (SW-SM)		0.76	2	SS	15								
2		slight PHC odour			3	SS	19								
		Brown, wet, dense, SILTY SAND, trace clay;(SM, TTC-G4)		113.21	4	SS	30								Holeplug
		grey below 3.0m		2.29											
		Grey, moist, hard, sandy CLAYEY SILT, trace gravel; TILL(CL-ML, TTC-G3N)		111.92	5	SS	34								3.3m BGL Jan.15, 2019
4	Power Auger Hollow Stem Augers			3.58	6	SS	54								Sand 111.23 110.93
		Grey, wet, very dense, SANDY SILT, trace to with gravel, trace clay; TILL (ML, TTC-G3N)		110.32	1	AS									
6		moist, trace shale fragments below 6.1m		5.18	7	SS	50/ 100mm								Screen
		Grey, moist, hard, sandy CLAYEY SILT, trace gravel, contains shale fragments; TILL(CL-ML, TTC-G3N)		108.49	8	SS	50/ 125mm								
				7.01											Sand 107.88 107.6
8		END OF BOREHOLE Note: 1) 50mm dia. monitoring well was installed upon completion, screened at 4.57m to 7.62m.  Water level measured in monitoring well: Date: Jan.15, 2019    Depth (m): 3.27    Elevation (m): 112.3		107.6											

TTC OVERBURDEN\_GEOPROBE-CGD PPM\_ENR\_181-10974-01-FEB.08-2019.GPJ TTC.GDT 2/8/19

## GROUNDWATER ELEVATIONS

Depth Scale 1 : 50

▼ TERMINATION OF DRILLING  
 WATER LEVEL (date)

▼ PIEZOMETER/MONITORING WELL  
 WATER LEVEL (date)

LOGGED : BW  
 CHECKED : SL





# RECORD OF BOREHOLE BH19-19



PROJECT : Environmental Investigation - Phase Two ESA (30 Newbridge Road)  
 LOCATION : N 4,831,234 E 618,257  
 STARTED : January 11, 2019  
 COMPLETED : January 11, 2019

SAMPLER HAMMER, 63.5 kg; DROP, 760 mm  
 PENETRATION TEST HAMMER, 63.5 kg; DROP, 760 mm

Toronto Transit Commission  
 SHEET 1 of 1  
 DATUM GEODETTIC

DEPTH SCALE (metres)	BORING METHOD	SOIL PROFILE		SAMPLES		ORGANIC VAPOUR READINGS (ppm)				SHEAR STRENGTH: Cu, KPa				ADDITIONAL LAB. TESTING	PIEZOMETER OR STANDPIPE INSTALLATION
		DESCRIPTION	STRATA PLOT	ELEV. DEPTH (m)	NUMBER TYPE	BLOWS/0.3m	10	20	30	40	nat V -	rem V -	Q -		
		GROUND SURFACE		115.40											
	Confing	ASPHALT (80mm)		0.00											
		GRANULAR FILL (200mm)		115.12											
		Brown, moist, compact, SAND, trace to with gravel, trace clay and silt, occasional crushed stone; FILL (SP) PHC odour		0.28	1	SS	30								
		Brown, moist, dense, SAND, trace to with silt, trace clay; FILL (SW-SM) PHC odour		0.76	2	SS	37								
2		Grey, moist, very stiff, CLAYEY SILT, trace sand, contains sandy silt seams;(CL-ML, TTC-G6)		1.52	3	SS	25								
		300mm thick layer of clayey silt till at 2.3m													
		Brown, moist, dense, SAND, trace to with silt, trace clay; (SW-SM)		2.6	4	SS	36								
		Brown, wet, very dense, SILTY SAND, trace to with gravel, trace clay; TILL(SM, TTC-G3N) PHC odour		3.05	5	SS	31								
4	Power Auger Solid Stem Augers	Grey, moist, hard, sandy CLAYEY SILT, trace gravel, trace shale fragments; TILL(CL-ML, TTC-G3N)		4.11	6	SS	41								
6		Grey, moist, hard, sandy CLAYEY SILT, trace gravel, contains shale fragments; TILL(CL-ML, TTC-G3N)		6.55	7	SS	74								
8		Grey, SHALE BEDROCK, interbedded with siltstone/limestone (Georgian Bay Formation)		7.92	8	SS	88/25								
		<b>END OF BOREHOLE</b> Note: 1) Borehole backfilled with bentonite upon completion.													

TTC OVERBURDEN\_GEOPROBE-CGD PPM\_ENR\_181-10974-01-FEB.08-2019.GPJ TTC.GDT 2/8/19

## GROUNDWATER ELEVATIONS

Depth Scale 1 : 50

▼ TERMINATION OF DRILLING  
 WATER LEVEL (date)

▼ PIEZOMETER/MONITORING WELL  
 WATER LEVEL (date)

LOGGED : BW  
 CHECKED : SL



# RECORD OF BOREHOLE BH19-20



PROJECT : Environmental Investigation - Phase Two ESA (30 Newbridge Road)  
 LOCATION : N 4,831,144 E 617,977  
 STARTED : January 10, 2019  
 COMPLETED : January 10, 2019

SAMPLER HAMMER, 63.5 kg; DROP, 760 mm  
 PENETRATION TEST HAMMER, 63.5 kg; DROP, 760 mm

Toronto Transit Commission  
 SHEET 1 of 1  
 DATUM GEODETIC

DEPTH SCALE (metres)	BORING METHOD	SOIL PROFILE		SAMPLES		ORGANIC VAPOUR READINGS (ppm)				SHEAR STRENGTH: Cu, KPa				ADDITIONAL LAB. TESTING	PIEZOMETER OR STANDPIPE INSTALLATION
		DESCRIPTION	STRATA PLOT	ELEV. DEPTH (m)	NUMBER	TYPE	10	20	30	40	20	40	60		
		GROUND SURFACE		115.40											
	Coring	ASPHALT (130mm)		0.00											Flush Mount Cover 115.1
		GRANULAR FILL (150mm)													
		Greyish brown, moist, dense, RECYCLE CRUSHER RUN LIMESTONE, trace organics; FILL		114.64	1	SS	39								
		Brown, wet, dense to compact, SILTY SAND, trace clay, trace gravel; FILL (SM)		0.76											Holeplug
				113.72	2	SS	37								
2	Power Auger Hollow Stem Augers	Grey, moist, stiff to very stiff, SILTY CLAY, with sand, trace gravel; TILL (CL, TTC G3C)		1.68	3	SS	14								114.03
				112.35	4	SS	28								113.72
		Grey, moist, very dense, SANDY SILT, trace to with clay, trace gravel, occasional shale fragments, contains clayey silt till layers; TILL (ML, TTC-G3N)		3.05	5	SS	58								1.6m BGL Jan. 15, 2019
				111.74											
		Grey, moist, hard, sandy CLAYEY SILT, trace gravel, contains shale fragments; TILL (CL-ML, TTC-G3N)		3.66											
4				111.44	6	SS	50								111.59
				3.96			5mm								111.36
		Grey, SHALE BEDROCK, interbedded with siltstone/limestone (Georgian Bay Formation)													
		<b>END OF BOREHOLE</b> Note: 1) 50mm dia. monitoring well was installed upon completion, screened at 1.68m to 3.81m.  Water level measured in monitoring well: Date      Depth (m)      Elevation (m) Jan. 15, 2019      1.57      113.8													

TTC OVERBURDEN\_GEOPROBE-CGD PPM\_ENR. 181-10974-01-FEB. 08-2019.GPJ TTC.GDT 2/8/19

## GROUNDWATER ELEVATIONS

Depth Scale 1 : 50

▼ TERMINATION OF DRILLING  
 WATER LEVEL (date)

▼ PIEZOMETER/MONITORING WELL  
 WATER LEVEL (date)

LOGGED : BW  
 CHECKED : SL





30 Newbridge Road, Etobicoke, ON - Building Demolition  
RJC No. TOR.128366.0002  
August 2024

---

## **APPENDIX B**

30 Newbridge Road

TOR.128366.0002

July 26, 2024

Photo Appendix



**Photo #1: Typical View of Exterior Office Building**



**Photo #2: Overview Photo of West Elevation**



**Photo #3: Typical Site Refuse at West Elevation**



**Photo #4: Typical Site Refuse at West Elevation**



**Photo #5: Typical Site Refuse at West Elevation**



**Photo #6: Typical Site Refuse at West Elevation**



**Photo #7: Overview of South Elevation**



**Photo #8: Typical Site Refuse at South Elevation**



**Photo #9: Overview of East Elevation**



**Photo #10: Typical Site Refuse at East Elevation**



**Photo #11: Typical Site Refuse at East Elevation**



**Photo #12: Typical Site Refuse at East Elevation**



**Photo #13: Typical Site Refuse at East Elevation**





**Photo #14: Typical Site Refuse at East Elevation**



**Photo #15: Typical Site Refuse at East Elevation**



**Photo #16: Typical Site Refuse at East Elevation**



**Photo #17: Typical Site Refuse at East Elevation**



**Photo #18: Typical Site Refuse at East Elevation**



**Photo #19: Typical Site Refuse at East Elevation**



**Photo #20: Typical Site Refuse at East Elevation**



**Photo #21: Typical Site Refuse at East Elevation**



**Photo #22: Typical Site Refuse at East Elevation**



**Photo #23: Typical Site Refuse at North Elevation**



**Photo #24: Typical Site Refuse at North Elevation**



**Photo #25: Typical Site Refuse at North Elevation**



**Photo #26: Typical Site Refuse at North Elevation**



**Photo #27: Typical Site Refuse at North Elevation**



**Photo #28: Typical Site Refuse at North Elevation**



**Photo #29: Typical Site Refuse at North Elevation**





**Photo #30: Typical Site Refuse at West Elevation**



**Photo #31: Typical Site Refuse at West Elevation**




**Photo #32: Typical View of Office Building Finishes**



**Photo #33: Typical View of Office Building Finishes**



**Photo #34: Typical Office Building Site Refuse**



**Photo #35: Typical View of Office Building Finishes**



**Photo #36: Typical View of Warehouse Interior**



**Photo #37: Typical View of Warehouse Interior**



**Photo #38: Typical View of Warehouse Interior**



**Photo #39: Typical Warehouse Site Refuse**



**Photo #40: Typical View of Warehouse Interior**




**Photo #41: Typical View of Warehouse Interior**



**Photo #42: Typical View of Warehouse Interior, North of Office Building**



**Photo #43: Typical View of Warehouse Interior, North of Office Building**



SK-1 to be read in conjunction with Photo Appendix B that form part of the tender specifications



Engineers

Project Name

Sketch Title

Dwg. Ref.

Scale

Date

Project No.

Sketch Number

Rev.