



TOWN HALL  
97 HURONATARIO ST  
TEL: 705-445-1030  
FAX: 705-445-2448  
P.O BOX 157  
COLLINGWOOD, ON  
L9Y 3Z5

**THE CORPORATION OF THE TOWN OF COLLINGOOD  
PROCUREMENT DIVISION**

**THIS ADDENDUM CONTAINS One (1) PAGE  
ADDENDUM NO. 5**

**PROJECT NUMBER: 2025-006T**

**PROJECT TITLE: Wilson-Sheffield Park & Washroom Building Construction**

**ADDENDUM ISSUE DATE: May 26, 2025**

**CLOSING DATE & TIME: May 28, 2025, at 2:00pm ET**

**APPENDIXES/ATTACHMENTS: No**

---

This addendum is issued to modify the previously issued bid document and/or given for information/clarification purposes and is hereby made a party of the bid documents. Per the bid document, the respondent shall acknowledge receipt of any and all addenda.

**REVISIONS AND CLARIFICATIONS**

1. **ADD** the following additional scope of work to SP 8 – Earthworks & Disposal of Subgrade Fill Material (Appendix D - ITT Particulars, Section D3 - Mandatory Technical Requirements, Subsection D3.2 - Special Provisions):

- Where required, supply, haul, place, shape, rough grade, and compact imported fill material to meet the compacted sub-grade profiles as specified in the applicable details and notes on the Contract Drawings.
- Imported fill to be Granular B (Type 1) from a licensed pit as approved by the Contract Administrator.
- Provide source and sample of imported fill and obtain approval from the Contract Administrator and Town's geo-technical engineer prior to delivery.

Costs for imported fill shall be included in the lump sum amount provided for Pricing Item 2.1 - Earthworks & Disposal of Surplus Subgrade Material.

**END OF ADDENDUM**