



PART PLAN OF FILTER GALLERY - DEMOLITION PLAN  
1:100




PART PLAN OF FILTER GALLERY  
1:100


- NOTE:
1. LIVE LOAD ON STEEL PLATFORM IS 4.8 KPa U.N.O.
  2. ALL STEEL MEMBERS ARE STAINLESS STEEL OR EQUIVALENT WELDED S.S. SECTION, U.N.O.
  3. \* DENOTE SITE VERIFY DIMENSIONS



DETAIL OF POST HOLDER  
1:2




SECTION A  
1:10



TYPICAL S.S. HANDRAIL ELEVATION  
1:10

NOTE  
NEW HAND RAIL SIZE & DIMENSION SHOULD MATCH EXISTING HANDRAIL



						TORONTO WATER ENGINEERING AND CONSTRUCTION SERVICES		R.C. HARRIS WATER TREATMENT PLANT INSTALLATION OF A STANDBY GENERATOR FOR CRITICAL LOADS FILTER GALLERY - EXTEND WALKWAY LAYOUT			
 100-175 GALAXY BOULEVARD TORONTO, ONTARIO, M9W 0C9 TEL: 416 679 1530 FAX: 416 675 4620 www.arcadis.com		COPYRIGHT: This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by ARCADIS is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and ARCADIS shall be informed of any variations from the dimensions and conditions shown on this drawing. Shop drawings shall be submitted to IBI Group for general conformance before proceeding with fabrication. ARCADIS Professional Services (Canada) Inc.				WILLIAM FERNANDES, P. ENG. DIRECTOR WATER TREATMENT AND SUPPLY		SIMON HOPTON, P. ENG. DIRECTOR DESIGN & CONSTRUCTION MAJOR INFRASTRUCTURE		STRUCTURE	
										DESIGN:	F.M.
										DRAFTING:	S.P.
										CHECK:	M.S.
										CONTRACT No.	25ECS-MI-03HA
										SCALE:	1:100
										DATE:	2024-09-30
										DRAWING NUMBER:	2F-2017-08-15
											S008