CITY OF TORONTO ACCESSIBILITY UPGRADES GROUP 5

9119- 19- 0162 / Arcadis 30279056

Google Maps Toronto Projects
GROUP 03 GROUP 17 GROUP 18 GROUP 28 GROUP 28
Tommy Thompson Aurk GROUP 12 129400 6430 GROUP 13 GROUP 13 GROUP 14 - 16 - 129400 6430 GROUP 13 GROUP 14 - 16 - 129400 6430 GROUP 13 GROUP 14 - 16 - 129400 6430 GROUP 14 - 16 - 129400 120000 120000 GROUP 14 - 16 - 1403
3 Manual Park (1997) 1830 (199

	COVER PAGE GROUP 05
SHEET#	SHEET TITLE
G05-GAL-G1001	COVER PAGE, GENERAL DRAWING LIST, BUILDING LIST

GENERAL LAYOUTS GROUP 05					
SHEET#	SHEET TITLE				
G05-GAL-G1002	ARCHITECTURAL GENERAL NOTES, ABBREVIATIONS & REFERENCE SYMBOLS				
G05-GAL-G1003	WALL TYPES				
G05-GAL-G1004 DOOR TYPES					
G05-GAL-G2001	STRUCTURAL GENERAL NOTES				
G05-GAL-G2002	ABBREVIATIONS & SYMBOLES				
G05-GAL-G3001	MECHANICAL LEGEND SHEET 1 OF 2				
G05-GAL-G3002	MECHANICAL LEGEND SHEET 2 OF 2				
G05-GAL-G4001	ELECTRICAL LEGEND SHEET 1 OF 2				
G05-GAL-G4002	ELECTRICAL LEGEND SHEET 2 OF 2				
G05-GAL-G4003	ELECTRICAL GENERAL NOTES				

GROUP 05 BUILDING INDEX							
SERIAL#	BUILDING ADDRESS	BUILDING DESCRIPTION					
1 10 WILLIAM CARSON CRESCENT		FIRE HALL NO. 121					
10 1026 FINCH AVE. W 30 125 MOATFIELD DR 48 14 DYAS RD 59 143 BOND AVE.		FINCH YARD BLDG A					
		DAVID DUNCAN HOUSE - RESTAURANT CITY CLERK'S RECORDS CENTRE FIRE HALL NO. 123					
				83	160 DUNCAN MILL RD.	BUILDING	
				143	2545 BAYVIEW AVE.	FIRE HALL NO. 122	
175	300 LESMILL RD.	BUILDING					
249	50 UPJOHN RD.	POLICE NO. 33 DIVISION					

TOUCH AND FEEL BOOKLET

TYPICAL DETAILS BOOKLET

IMAGE SOURCES: GOOGLE MAPS

NOT FOR CONSTRUCTION

ISSUED FOR TENDER

CITY OF TORONTO



2022-01-20 D ISSUED FOR TENDER

PRIME CONSULTANT



100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

PROJECT NO: **9119- 19- 0162** / Arcadis 30279056

G05-GAL-G0001


ABBREVIATIONS

@ A A/C	AT ANGLE AIR CONDITIONER / CONDITIONING		EMERGENCY CALL BUTTON EMERGENCY CALL SIGNAGE EACH FREE	LNS LNT LP	LINOLEUM SHEET LINOLEUM TILE LOW POINT	RS RST RSTR	RUBBER SHEET FLOORING RUBBER STAIR TREADS RUBBER STAIR TREADS & RISERS
ABV	ABOVE	EIFS	EXTERIOR INSULATION AND FINISH	LT	LIGHT	RT	RUBBER TILE
CCS CSDR	ACCESSORIES ACCESS DOOR	EJ	SYSTEM EXPANSION JOINT	LVR LWT	LOUVER LIGHT WEIGHT	RWB RWD	RUBBER WALL BASE REDWOOD
	ACCESS FLOOR	EL	ELEVATION	LVVI	LIGHT WEIGHT	RWL	RAIN WATER LEADER
ST / OUS	ACOUSTICAL		ELECTRICAL ELEVATOR	MACH	MACHINE	C	COLITI
CT	ACOUSTICAL CEILING TILE		EMERGENCY	MAINT MAT	MAINTENANCE ANTI-FATIGUE MATTING	S SC	SOUTH SOLID CORE
)	AREA DRAIN		ENGINEERED WOOD FLOORING	MATL	MATERIAL	SCD	SEAT COVER DISPENSER
A DL	AMERICANS WITH DISABILITIES ACT ADDITIONAL		ENCLOSED / ENCLOSURE ENGINEER	MAX MC	MAXIMUM MEDICINE CABINET	SCHED SCN	SCHEDULE SCREEN
DM	ADDENDUM	EOD	EDGE OF DECK	ME	MECHANICAL EQUIPMENT	SCT	STAINED CONCRETE
J MIN	ADJUSTABLE / ADJACENT ADMINISTRATION		EDGE OF SLAB EQUAL(LY)	MECH	MECHANICAL	SD	SOAP DISPENSER / STORM DRAIN
C	ABOVE FINISHED COUNTER		EQUIPMENT	MEZZ MFR	MEZZANINE MANUFACTURE(R)	SDC SECT	SEALED CONCRETE SECTION
FF	ABOVE FINISHED FLOOR		ESTIMATE COOL ED	MH	MANHOLE	SF	SQUARE FEET
:G :S	ABOVE FINISHED GRADE ABOVE FINISHED SLAB		ELECTRIC WATER COOLER EXISTING	MIN MIR	MINIMUM MIRROR	SHLF SHT	SHELF SHEET
GGR	AGGREGATE	EXP	EXPANSION	MISC	MISCELLANEOUS	SHTG	SHEATHING
HR HU	ANCHOR AIR HANDLING UNIT	EXT	EXTERIOR	MLD / MLDG	MOULDING	SHWC	SHOWER CURTAIN AND ROD
./	ALUMINUM	FA	FIRE ALARM	MO	MASONRY OPENING	SHWR SHWS	SHOWER SHOUR SEAT
.UM .NMT	ALIGNMENT		FASTEN(ER)	MR	MOISTURE RESISTANT	SIM	SIMILAR
T	ALTERNATE		FLOOR CLEAN OUT FLOOR DRAIN	MTD MTL	MOUNTED METAL	SND SNR	SANITARY NAPKIN DISPENSER SANITARY NAPKIN RECEPTACLE
OD	ANODIZED	FDN	FOUNDATION	MUL	MULLION	SOG	SLAB ON GRADE
IUN	ASSISTANCE REQUIRED INDICATIOR/ALARM		FIRE EXTINGUISHER FIRE EXTINGUISHER CABINET	MW	MICROWAVE	SPD	SOAP DISPENSER WITH COLLECTOR
)	ACCESS PANEL	FEC (R)	FIRE EXTINGUISHER CABINET,	N	NORTH	SPEC	SPECIFY / SPECIFICATION
PROX	ACOUSTICAL PANEL CEILING APPROXIMATELY		RECESSED FIRE EXTINGUISHER CABINET,	NA OR N/A	NOT AVAILABLE / APPLICABLE	SPK	SPEAKER
PPVD	APPROVED	, ,	SEMI-RECESSED	N/A ND	FEMININE NAPKIN WASTE BIN	SQ SQFT	SQUARE SQUARE FEET
R-LED RCH	DOOR LOCK INDICATOR ARCHITECT(URAL)		FIRE EXTINGUISHER, WALL MOUNTED	NFPA	NATIONAL FIRE PROTECTION ASSOCIATION	SQIN	SQUARE INCH(ES)
CH SPH	ASPHALT	FF	FINISHED FLOOR	NIC	NOT IN CONTRACT	SS ST	STAINLESS STEEL STONE
MT	AMERICAN SOCIETY FOR TESTING MATERIALS		FINISH FLOOR LEVEL FIBERGLASS	NO / #	NUMBER	STA	STATION
JTO	AUTOMATIC		FINISH(ED)	NOM NTS	NOMINAL NOT TO SCALE	STC	SOUND TRANSMISSION CLASS
/G	AVERAGE	FIXT	FIXTURE			STD STDS	STANDARD STUDS
	AND		FLOOR FLASH(ING)	OA OBS	OVERALL OBSCURE	STIFF	STIFFENER
)	BOARD	FLUOR	FLUORESCENT	OC	ON CENTER	STL STN	STEEL STAINED
ET FACT	BETWEEN BARRIER FREE ADULT CHANGE		FACE OF CONCRETE FACE OF FINISH	OCI	OCCUPIED INDICATOR	STOR	STORAGE
ACT	TABLE		FACE OF MASONRY	OD OFCI	OUTSIDE DIAMETER OWNER FURNISHED CONTRACTOR	STRUCT	
AO	BARRIE FREE AUTOMATIC OPENER		FACE OF STUDS		INSTALLED	SUSP SV	SUSPENDED STOVE
PB WO	BARRIER FREE PUSH BUTTON BARRIER FREE WAVE TO OPEN		FACE OF WALL FIREPROOF	OFF OPG /	OFFICE OPENING	SW	SWITCH
}	BUMPER GUARD		FIREPLACE	OPNG		SYM SYN	SYMMETRICAL SYNTHETIC
TUM	BITUMINOUS BLACK		FRAME	OPP OZ	OPPOSITE OUNCE	SYS	SYSTEM
DG	BUILDING		FIBER REINFORCED CONCRETE FIRE RATED GLASS	02	CONCL	TOD	TOD AND DOTTOM
.K	BLOCK		FIBER REINFORCED GYPSUM PLASTER	PART	PARTIAL	T&B T&G	TOP AND BOTTOM TONGUE AND GROOVE
.KG ∕I	BLOCKING BEAM		FIRE RETARDANT TREATED	PAT PB	PATTERN PORCELAIN BASE	TB	TOWEL BAR
IS	BALANCE MAGNETIC SWITCH	FS	FLOOR SINK	PBD	PARTICLE BOARD	TBD TC	TO BE DETERMINED TOP OF CURB
OS OT	BOTTOM OF STEEL BOTTOM		FOOTING FURRING	PC / PCC PED	PRECAST CONCRETE PEDESTAL	TEL	TELEPHONE
? 1	BACKREST		FUTURE	PER	PERIMETER	TEMP	TEMPORARY / TEMPERATURE
6	BOTH SIDES	0.4	ONLOG	PERF	PERFORATED	TER	TERRAZZO
AΒ	CABINET		GAUGE GALVANIZE(D)	PERP PF	PERPENDICULAR PRE-FINISHED	TGL THK	TEMPERED GLASS THICK
AS	CASEWORK	GB	GRAB BAR	PFT	PORCELAINE FLOOR TILE	THRU	THROUGH
i M	CATCH BASIN CEMENT		GRAB BAR FOLD DOWN GENERAL CONTRACTOR	PIP PL	POURED-IN-PLACE PLATE	TOC TOS	TOP OF CONCRETE TOP OF SLAB
ER	CERAMIC		GLASS / GLAZING	PLAM		TOW	TOP OF WALL
F	CUBIC FOOT	GND	GROUND	PLAS	PLASTER	TPD	TOILET PAPER DISPENSER
G H	CORNER GUARD CEILING HEIGHT		GRAVEL	PLYWD PMF	PLYWOOD PRESSED METAL FRAMES	TPTN TV	TOILET PARTITION TELEVISION
HAM	CHAMFER		GLASS TILE	POP	POINT OF PRESENCE	TYP	TYPICAL
IBD	CHALKBOARD CAST IRON		GYPSUM WALL BOARD GEORGIAN WIRED GLASS	PR PRCST	PAIR PRE-CAST	UC	UNDERCUT
	CONTRACTOR INSTALLED		GYPSUM	PREFAB	PREFABRICATED	UG	UNDERGROUND
)	CAST IN PLACE	חח	HUCE BID	PROP	PROPERTY	UL	UNDERWRITER'S LABORATORY
<u>.</u>	CONTROL JOINT CENTER LINE		HOSE BIB HOLLOW CORE	PRT PSF	PORCELAIN TILE POUNDS PER SQUARE FOOT	UNF / UNFIN	UNFINISHED
G	CEILING	HCP	HANDICAPPED	PSI	POUNDS PER SQUARE INCH	UON	UNLESS OTHERWISE NOTED
.0 .R	CLOSET		HEAVY DUTY HEADER	PT PTD	PAINT PAPER TOWEL DISPENSER	UPS UR	UNINTERRUPTIBLE POWER SUPPL'URINAL
MU	CONCRETE MASONRY UNIT	HDWR	HARDWARE		PAPER TOWEL DISPENSER &		
))	CLEAN/CLEAR OUT		HIGH	PTDF	WASTE RECEPTACLE PRESSURE TREATED DOUGLAS FIR	V VAC	VOLT VACUUM
OL ONC	COLUMN CONCRETE		HOLLOW METAL HOLLOW METAL INSULATED	PTLB	PUSH TO LOCK BUTTON	VAC VB	VAPOR BARRIER
ONST	CONSTRUCTION	HNDR	HAND DRYER	PTN	PARTITION	VCT	VINYL COMPOSITION TILE
ONT ORR	CONTINUOUS CORRIDOR	HOR / HORIZ	HORIZONTAL	PTOB PTR	PUSH TO OPEN BUTTON PAPER TOWEL RECEPTACLE	VENT VERT	VENTILATE VERTICAL
P	CONCRETE PAVER		HIGH POINT	PVC	POLYVINYL CHLORIDE	VEST	VESTIBULE
PR	COPPER		HANDRAIL	0	OLIA D.T.7	VIF	VERIFY IN FIELD
PT Γ	CARPET(ED)(ING) CERAMIC TILE		HEIGHT HEATING / VENTILATION / AIR	Q QT	QUARTZ QUARRY TILE	VNR VST	VENEER VINYL STAIR TREADS
TH	COAT HOOK		CONDITIONING	QTY	QUANTITY	VSTR	VINTYL STAIR TREADS & RISERS
TR	COUNTER		HARDWARE HYDRANT	R	RISER	VTR VWC	VENT THRU ROOF VINYL WALLCOVERING
BL	DOUBLE			RAD	RADIUS		
FS	DIRECT APPLIED EXTERIOR FINISH		INSIDE DIAMETER INCH / INCHES	RB BCD	RUBBER BASE	W W/	WEST
EG	SYSTEM DEGREE		INCLUDE(D) / INCLUDING	RCP RD	REFLECTED CEILING PLAN ROOF DRAIN	W/ W/O	WITH WITHOUT
MO	DEMOLISH	INSUL	INSULATE / INSULATION	REF	REFERENCE	WC	WATER CLOSET
EP ET	DEPRESSION DETAIL	INT ITGL	INTERIOR INSULATED TEMPERED GLASS	REFR REG	REFRIGERATOR REGISTER	WCV WD	WALLCOVERING WOOD
<u>:</u> :	DRINKING FOUNTAIN			REINF	REINFORCE(D)	WD WF	WIDE FLANGE
١	DIAMETER	JAN	JANITOR	REQ	REQUIRED	WH	WALL HOSE / HYDRANT
AG M	DIAGONAL DIMENSION	JT	JOINT	RESIL RESS	RESILIENT RESILIENT SHEET	WI WIN	WROUGHT IRON WINDOW
SP	DISPENSER	KIT	KITCHEN	REST	RESILIENT TILE	WK	WORK
<i>/</i>	DIVISION	LAB	LABORATORY	RET	RETAINING	WNSCT	WAINSCOT
S	DOWN DOOR		LAMINATE(D)	REV RFG	REVISE / REVISION ROOFING	WP WPT	WATERPROOF(ING) WORK POINT
3	DOWNSPOUT	LAV	LAVATORY	RFL	REFLECTED	WR	WATER RESISTANT
N NG	DISHWASHER DRAWING	, ,	POUND(S) LINEAR FOOT (FEET)	RH RM	RIGHT HAND ROOM	WRR	WOOD RISER
* * U	DIV WINO		LEFT HAND	RIVI RO	ROUGH OPENING		

LIB LIBRARY

LKR LOCKER

REFERENCE SYMBOLS



CITY OF TORONTO

TORONTO

Corporate Real Estate Management

Project Management Office

Metro Hall Toronto, ON

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by IBI Group is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and IBI Group shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to IBI Group for general conformance before proceeding with fabrication.

M5V 3C6

GENERAL NOTES

- 1. PERFORM THE WORK IN ACCORDANCE WITH THE LATEST EDITION OF THE ONTARIO BUILDING CODE, CITY OF TORONTO ACCESSIBILITY DESIGN GUIDELINES OCTOBER 7th 2016 DRAFT AND ANY OTHER APPLICABLE REQUIREMENT OF AUTHORITIES HAVING JURISDICTION AND/OR LEGISLATION, PROVIDED THAT, IN THE CASE OF CONFLICT OR DISCREPANCY.
- 2. THE CONSULTANT IS NOT RESPONSIBLE FOR INFORMATION CONCERNING THE SITE AND SURVEY INFORMATION PREPARED BY OTHERS.
- 3. DRAWINGS ARE TO BE READ IN CONJUNCTION WITH THE SPECIFICATIONS AND THE ASSOCIATED STRUCTURAL, MECHANICAL, ELECTRICAL DRAWINGS AND ALL OTHER RELEVANT CONSULTANT DRAWINGS.
- 4. CONTRACTOR TO SITE VERIFY ALL DIMENSIONS AND REPORT ANY DISCREPANCIES TO CONSULTANT.
- 5. CONTRACTOR SHALL VERIFY THE SITE INFORMATION PRIOR TO PROCEEDING WITH THE WORK. FAILURE TO REPORT ANY DISCREPANCIES SHALL CONSTITUTE ACCEPTANCE OF THE SITE CONDITIONS.
- 6. THE CONTRACTOR SHALL REVIEW THE DRAWINGS FOR SCOPE OF DEMOLITION AND NEW WORK, INCLUDING ALL DISCIPLINES, AND SHALL COORDINATE WITH NEW WORK DRAWINGS FOR EXACT EXTENT OF DEMOLITION.
- 7. SCOPE OF WORK SHALL NOT BE LIMITED TO THAT SHOWN ON THE DRAWINGS AND SHALL INCLUDE WORK REQUIRED TO ELIMINATE ALL EXISTING, ABANDONED OR REDUNDANT COMPONENTS, AND TO FACILITATE PROPER EXECUTION OF THE WORK.
- 8. ALL DIMENSIONS, INCLUDING EXISTING DIMENSIONS AND SETTING-OUT GEOMETRIES, SHALL BE SITE VERIFIED BY THE CONTRACTOR PRIOR TO PROCEEDING WITH THE WORK.
- 9. COORDINATE AND PROVIDE APPROPRIATE CUTS TO ALL PARTITIONS FOR THE INSTALLATION OF DOOR FRAMES AS REQUIRED.
- 10. PROVIDE 16-18 GA SHEET METAL REINFORCEMENT INSTALLED ON THE STUDS PRIOR TO INSTALLING THE GYPSUM BOARD IN THE LOCATIONS REQUIRED TO SUPPORT WALL MOUNTED ITEMS.
- 11. ISOLATE ALL MECHANICAL PIPES DUCTS AND EQUIPMENT FROM INTERIOR PARTITIONS TO AVOID ACOUSTIC NOISE TRANSFER.
- 12. MAINTAIN CONTINUITY OF BUILDING ENVELOPE AIR / VAPOUR BARRIER TRANSITIONS AND PENETRATIONS WITH MEMBRANES LAPPED AND APPROVED SEALANTS COMPATIBLE WITH MEMBRANE PRODUCTS USED.
- 13. REINSTATE INTEGRITY OF FIRE SEPARATION WHEN PATCHING. PROVIDE AND INSTALL FIRE STOPPING AND SMOKE SEALS AT ALL NEW SERVICE PENETRATIONS THROUGH FLOORS, WALLS AND CEILINGS IN ACCORDANCE WITH OBC. LATEST EDITION REQUIREMENTS. REFER TO MECHANICAL DRAWINGS FOR ANY FIRE DAMPER REQUIREMENTS.
- 14. ENSURE THAT FOR ALL FIRE SEPARATIONS INDICATED ON THE DRAWINGS, ALL COMPONENTS OF THE ASSEMBLY SHALL BE OF APPROVED MATERIALS, AND INSTALLATION/FABRICATION PROCEDURES ARE PER DIRECTION OF THE INDICATED "UNDERWRITERS LABORATORIES OF CANADA LTD." LATEST EDITION MANUAL AND OTHERWISE MEETING THE REQUIREMENTS OF THE ONTARIO BUILDING CODE. ALL FIRE SEPARATIONS MUST BE CONTINUOUS, AND ALL JOINTS TO BE SMOKE TIGHT. MAINTAIN CONTINUITY OF ALL FIRE SEPARATIONS AND PENETRATIONS WITH APPROVED U.L.C. LISTED FIRE STOPPING SYSTEMS AND FIRE SEALANTS BOTH SIDES OF PARTITIONS.

15. ULC LISTED FIRE-RATED SEALANT IS TO BE APPLIED TO ALL FIRE-RATED PARTITIONS AND LEFT EXPOSED FOR INSPECTION PURPOSES

- 16. FOR ALL SUPPORTS AND CONNECTIONS OF EQUIPMENT PROVIDE SHOP DRAWINGS DESIGNED AND STAMPED BY A PROFESSIONAL ENGINEER LICENCED IN THE PROVINCE OF ONTARIO.
- 17. WHERE ITEMS NOTED TO BE DEMOLISHED MEET EXISTING WALLS / CEILING AND/OR FLOOR TO REMAIN, PATCH REPAIR AND MAKE GOOD EXISTING SURFACES. PROVIDE NEW INFILL MATERIAL TO MATCH EXISTING AND. MAINTAIN ALL FIRE RATED WALL CONSTRUCTION
- 18. PROVIDE CUTTING, PATCHING AND CORING OF ALL WALLS, CEILING, ROOF AND OTHER SURFACES AS REQUIRED TO PERFORM THE WORK. PRIOR TO CUTTING OR CORING, SCAN THE SLAB/WALL/ROOF AND COORDINATE DRILLING/CUTTING TO AVOID CUTTING REINFORCING, CONDUITS, WIRING AND OTHER HIDDEN ITEMS. OBTAIN WRITTEN VERIFICATION OF PROPOSED DRILLING AND CUTTING LOCATIONS FROM THE STRUCTURAL ENGINEER.
- 19. PATCH REPAIR AND MAKE GOOD EXISTING FLOOR SLAB.. IDENTIFY ON AS-BUILTS ALL LOCATIONS OF PATCH WORK
- 20. BEFORE COMMENCING WORK, ESTABLISH LOCATION AND EXTENT OF EXISTING SERVICE LINES IN AREA OF WORK AND NOTIFY CONSULTANT OF FINDINGS. WHERE UNKNOWN SERVICES ARE ENCOUNTERED, IMMEDIATELY ADVISE AND CONFIRM FINDINGS IN WRITING.
- 21. PROVIDE FOR DEMOLITION OF INCLUDING BUT NOT LIMITED TO, EXISTING WALLS, FLOORS, CEILINGS, ASSOCIATED FINISHES, MECHANICAL AND ELECTRICAL FIXTURES, DEVICES, DUCTS TO ALLOW FOR NEW WORK TO BE INSTALLED. COORDINATE BETWEEN TRADES FOR REMOVAL.
- 22. CONCEAL ALL MECHANICAL AND ELECTRICAL WORK IN WALLS AND CEILINGS, EXCEPT AS INDICATED OTHERWISE OR APPROVED.
- 23. VAPOUR BARRIER TO BE CONTINUOUS UNDER ALL NEW FLOOR SLABS. PATCH ALL CONCRETE CORE TEST AREAS, DEFECTS AND DEMOLITION LOCATIONS.
- 24. ALL SPECIFIED MATERIALS SHALL BE INSTALLED AND FINISHED IN ACCORDANCE WITH MANUFACTURERS WRITTEN INSTRUCTIONS. SHOULD SUCH INSTRUCTIONS DIFFER FROM THE SPECIFICATIONS OR DETAILS, ADVISE CONSULTANT IMMEDIATELY FOR DIRECTION.
- 25. DETAILS MARKED "TYPICAL" SHALL APPLY IN ALL SIMILAR CONDITIONS UNLESS NOTED OR DETAILED OTHERWISE
- 26. BRING ALL OMISSIONS AND DISCREPANCIES, INCLUDING DIMENSIONS, TO THE ATTENTION OF THE CONSULTANT PRIOR TO COMMENCEMENT OF ANY WORK.
- 27. FULLY COORDINATE ALL ADDITIONAL SUPPORT REQUIRED FOR ANCHORAGE OF MECHANICAL EQUIPMENT OR DUCTS AND ELECTRICAL FIXTURES/EQUIPMENT. PROVIDE SEISMIC RESTRAINT DRAWINGS STAMPED BY A THIRD PARTY PROFESSIONAL ENGINEER LICENCED IN THE PROVINCE OF ONTARIO.
- 28. WALL ASSEMBLIES SHALL EXTEND TO UNDERSIDE OF ROOF OR STRUCTURE ABOVE UNLESS NOTED OR DETAILED OTHERWISE
- 29. REFER TO ELECTRICAL DRAWINGS FOR LOCATION OF ALL ELECTRICAL EQUIPMENT, CONDUIT, LIGHTING AND RECEPTACLE LOCATIONS.
- 30. REFER TO MECHANICAL DRAWINGS FOR LOCATION OF ALL MECHANICAL EQUIPMENT AND PROVISIONS.
- 31. REFER TO STRUCTURAL DRAWINGS FOR LOCATION AND SIZING OF ALL STRUCTURAL ELEMENTS
- 32. DIMENSIONS ARE SHOWN IN MILLIMETERS UNLESS OTHERWISE NOTED.
- 33. REMOVAL AND DISPOSAL OF HAZARDOUS MATERIALS SHALL BE IN ACCORDANCE WITH LOCAL REGULATIONS AND AUTHORITIES HAVING JURISDICTION.
- 34. UNLESS NOTED OTHERWISE, MAKE GOOD ALL AREAS DISTURBED BY EXCAVATION AND/OR INSTALLATION OF CIVIL, STRUCTURAL, MECHANICAL AND ELECTRICAL SERVICES. REFER TO CIVIL, STRUCTURAL, MECHANICAL, AND ELECTRICAL DRAWINGS.
- 35. PROPER HOARDING AROUND ALL NEW EXTERIOR WORK LOCATIONS TO BE PROVIDED.

CONSULTANTS

SEAL

ARCADIS

PRIME CONSULTANT

100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

PROJECT TITLE
CITY OF TORONTO
ACCESSIBILITY LIPGRADES

ACCESSIBILITY UPGRADES

PROJECT ADDRESS

PROJECT NO: 9119- 19- 0162 / Arcadis 30279056

DRAWN BY:

A. BOYNARIAN

PROJECT MGR:

F.BOLOURIAN

CHECKED BY:

L. BANDIERA

APPROVED BY:

E. FENUTA

GENERAL NOTES,
ABBREVIATIONS &
REFERENCE SYMBOLS

SHEET NUMBER ISSU

G05-GAL-G0002 D


EAST

EACH

CONCRETE BLOCK **ASSEMBLY** DESCRIPTION FRR TYPE NO. - 90mm CONCRETE BLOCK NORMAL WEIGHT TO U/S OF DECK/ SLAB ABOVE 1.0 HR - 140mm CONCRETE BLOCK NORMAL WEIGHT TO U/S OF DECK/ SLAB ABOVE OBC SB-2 - 190mm CONCRETE BLOCK NORMAL WEIGHT TO U/S OF DECK/ SLAB ABOVE OBC SB-2 - 240mm CONCRETE BLOCK 49 LIGHT WEIGHT TO U/S OF DECK/ SLAB ABOVE - 305mm CONCRETE BLOCK NORMAL WEIGHT TO U/S OF DECK/ SLAB ABOVE

WALL TYPE NOTES:

- ACOUSTIC BATT INSULATION TO EXTEND FULL HEIGHT OF WALL ASSEMBLIES UNLESS NOTED OTHERWISE.
- 2. PROVIDE MOISTURE RESISTANT GYPSUM BOARD ON ALL WALLS OF WASHROOMS, KITCHEN AREAS AND BEHIND DRINKING FOUNTAINS.
- 3. PROVIDE TILE BACKER BOARD BEHIND ALL CERAMIC TILE APPLICATIONS.
- 4. ANY PENETRATIONS THROUGH FIRE RATED WALLS SHOULD BE PROTECTED WITH ULC LISTED FIRE STOPPING.
- 5. AT FIRE RATED WALLS AND SMOKE BARRIERS ABOVE ACCESSIBLE CEILING, PROVIDE IDENTIFICATION SIGNAGE, SPACED AT NOT MORE THAN 9 METRE MEASURED HORIZONTALLY, INDICATING "FIRE AND/OR SMOKE BARRIER - PROTECT OPENINGS AS PER OBC 3.1.9".
- 6. PROVIDE FIRE BLOCKING IN CONCEALED SPACES OF STUD WALLS AND PARTITIONS VERTICALLY AT THE CEILING AND FLOOR LEVELS AND HORIZONTALLY.
- 7. FURRING WALLS AROUND COLUMNS, SHAFTS AND PIPING THAT ARE ALSO DEMISING WALLS BETWEEN ROOMS SHALL GO TO U/S OF DECK/ SLAB ABOVE AND CARRY ACOUSTIC INSULATION CONTINUITY FROM ADJACENT WALLS.



FURRING WALL TYPES - INTERNAL						
TYPE NO.	ASSEMBLY	DESCRIPTION	FRR			
W3a	<u> </u>	38mm FURRING - TO 150mm ABOV FIN. CEILING - 16mm GYPSUM BOARD - 22mm MIN HAT CHANNEL @ 400 O.C.				
W3b	<u>(************************************</u>	80mm FURRING - TO 150mm ABOV FIN. CEILING - 16mm GYPSUM BOARD - 64mm MIN STEEL STUDS @ 400 O.C.				
W3c	108	108mm FURRING - TO 150mm ABOV FIN. CEILING UNLESS OTHERWISE NOTED - 16mm GYPSUM BOARD - 92mm MIN STEEL STUDS @ 400 O.C.				
W3d	108	108mm FURRING - TO 150mm ABOV FIN. CEILING UNLESS OTHERWISE NOTED - 16mm GYPSUM BOARD - 92mm MIN STEEL STUDS @ 400 O.C. - 92mm ACOUSTIC NON COMBUSTIBLE BATT INSULATION				

SHAFT WALL TYPES - INTERNAL									
TYPE NO.	ASSEMBLY	DESCRIPTION	FRR	STC					
W4a	41	-25.4mm FIRE RATED GYPSUM BOARD -102mm "C-H" SHAPED STUD @600 O.C. - 16mm FIRE RATED GYPSUM BOARD TO U/S OF DECK/ SLAB ABOVE	1.0 HR ULC W452						
W4b	<u> </u>	-25.4mm FIRE RATED GYPSUM BOARD -102mm "C-H" SHAPED STUD @600 O.C 102mm ACOUSTIC / THERMAL NON COMBUSTIBLE BATT INSULATION - 19.1mm FIRE RATED GYPSUM BOARD TO U/S OF DECK/ SLAB ABOVE	2.0 HR ULC W508	52					



COPYRIGHT shall verify and be responsible for all dimensions and conditions on the job, and IBI Group shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to IBI Group for general conformance before proceeding with fabrication.

IBI Group Professional Services (Canada) Inc

	is a member of the IBI Group of companie	s
ISSUE	S	
No.	DESCRIPTION	DATE
Α	50% SUBMISSION	2022-01-20
В	90% SUBMISSION	2022-02-22
С	ISSUED FOR PERMIT	2022-03-18
D	ISSUED FOR TENDER	2025-04-11

CONSULTANTS

PRIME CONSULTANT

ARCADIS

100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

PROJECT TITLE CITY OF TORONTO **ACCESSIBILITY UPGRADES**

PROJECT ADDRESS


PROJECT NO:

9119- 19- 0162 / Arcadis 30279056 DRAWN BY: CHECKED BY: A. BOYNARIAN L. BANDIERA PROJECT MGR APPROVED BY:

F.BOLOURIAN E. FENUTA SHEET TITLE

WALL TYPES

SHEET NUMBER G05--GAL-G0003 D



GENERAL:

- 1. DO NOT SCALE THE DRAWINGS.
- 2. THE DRAWINGS ARE TO BE READ IN CONJUNCTION WITH THE SPECIFICATIONS, ALL RELATED ARCHITECTURAL, MECHANICAL, ELECTRICAL, PROCESS & CIVIL DRAWINGS, AND OTHER RELEVANT CONTRACT DOCUMENTS.
- 3. CONTRACTOR SHALL PROVIDE COMPLETE SET OF ARCHITECTURAL, MECHANICAL, ELECTRICAL CIVIL & PROCESS DRAWINGS & APPLICABLE SPECIFICATION SECTIONS TO THE STRUCTURAL STEEL, JOIST & METAL FABRICATIONS CONTRACTORS PRIOR TO SUBMISSION OF ANY RELATED SHOP DRAWINGS
- 4. THE DESIGN AND CONSTRUCTION OF ALL WORK ON THIS PROJECT IS TO CONFORM TO THE 2012 EDITION OF THE ONTARIO BUILDING CODE (REGULATION 332/12).
- 5. THE CONTRACTOR SHALL FIELD CHECK AND VERIFY ALL DIMENSIONS, ELEVATIONS AND CONDITIONS AT THE SITE AND REPORT TO THE ENGINEER ANY DISCREPANCIES OR UNSATISFACTORY CONDITIONS WHICH MAY ADVERSELY AFFECT THE PROPER COMPLETION, COST, SCHEDULE OR QUALITY OF WORK. COMMENCEMENT OF WORK BY THE CONTRACTOR IMPLIES ACCEPTANCE OF THE EXISTING CONDITIONS
- implies acceptance of the existing conditions.
 the contractor shall protect all existing structures, underground utilities and other existing services during construction, and make good any damage resulting
- 7. THE CONTRACTOR SHALL PROVIDE, MAINTAIN AND TAKE RESPONSIBILITY FOR ALL TEMPORARY BRACING AND SHORING.

FROM THE WORK ON THIS PROJECT TO THE SATISFACTION OF THE OWNER AND ENGINEER.

- 8. TYPICAL DETAILS SHOWN ON DRAWINGS SHALL GOVERN THE WORK. IF DETAILS DIFFER ON OTHER DRAWINGS, THE MOST STRINGENT SHALL GOVERN.
- 9. WORK NOT INDICATED ON A PART OF THE DRAWINGS BUT REASONABLY IMPLIED TO BE SIMILAR TO THAT SHOWN AT CORRESPONDING PLACES SHALL BE REPEATED.
- 10. UNLESS NOTED OTHERWISE ON THE STRUCTURAL DRAWINGS, THE CORING OR CUTTING OF OPENINGS AND HOLES SHOWN ON THE STRUCTURAL DRAWINGS THROUGH THE EXISTING STRUCTURE SHALL NOT CUT ANY REINFORCING BARS. THE CONTRACTOR SHALL LOCATE THE LOCATION, SIZE, LENGTH, ORIENTATION AND POSITION OF EXISTING REINFORCING AND PROVIDE IBI WITH HARD COPIES OF SUCH FOR OUR REVIEW IN THE VICINITY OF THE HOLES AND SLEEVES TO BE CUT OR CORED, AND THE HOLES AND SLEEVES SHALL BE LOCATED TO AVOID CUTTING OF REINFORCING BARS.
- 11. NEW OPENINGS OR CORING TO BE CUT THROUGH EXISTING FLOOR SLAB OR WALLS SHALL BE CLEARLY MARKED OUT BY THE CONTRACTOR. THE CONTRACTOR SHALL NOTIFY IBI ONCE THE MARKING OUT HAS BEEN COMPLETED SO THAT IBI CAN REVIEW THE PROPOSED LOCATIONS OF ALL NEW OPENINGS. DO NOT PROCEED WITH CUTTING OF NEW OPENINGS WITHOUT THE APPROVAL OF IBI.
- 12. UNLESS NOTED OTHERWISE ON THE DRAWINGS NEW STRAIGHT SIDED OPENINGS THROUGH EXISTING SLABS AND WALLS SHALL BE SAWCUT WITH NO OVERCUTS. USE CORED HOLES AT THE CORNERS. JACKHAMMERING SHALL NOT BE PERMITTED REFER TO THE DETAILS AND PROCEDURES INDICATED ON THE STRUCTURAL DRAWINGS FOR THE NEW OPENINGS. ALTERNATES TO THE ABOVE PROCEDURE MUST BE REVIEWED BY IBI PRIOR TO THE START OF DEMOLITION OR CONSTRUCTION.

DESIGN CRITERIA:

- 1. STRUCTURE HAS BEEN DESIGNED TO RESIST WIND AND SEISMIC LOADS WHICH ARE IN ACCORDANCE WITH THE USER'S GUIDE NBC 2015 STRUCTURAL COMMENTARIES (PART 4 OF DIVISION B), FOR THE IMPORTANCE CATEGORY STATED IN NOTE #12, THE WIND AND SEISMIC PARAMETERS FOUND IN NOTE #13, AND FOR SITE CLASS D, F_a =1.24, F_v =1.55, $I_EF_aS_a(0.2)$ = 0.271 , R_d = 1.5 , R_o = 1.3 (CONVENTIONAL CONSTRUCTION OF MOMENT-RESISTING FRAMES AND BRACED FRAMES), AND NO IRREGULARITIES, USING STATIC ANALYSIS IN BOTH DIRECTIONS.
- 2. LATERAL LOADS DUE TO WIND AND SEISMIC FORCES ACT THROUGH THE METAL ROOF DECK DIAPHRAGM, AND ARE RESISTED BY MOMENT-RESISTING FRAMES IN THE NORTH-SOUTH DIRECTION AND BY BRACED FRAMES IN THE EAST-WEST DIRECTION.
- 3. ROOF ELEMENTS SUCH AS JOISTS, JOISTS GIRDERS, METAL DECK, ETC. AND THEIR CONNECTIONS TO THE SUPPORTING STRUCTURE ARE TO BE DESIGNED FOR UPWARD SUCTION DUE TO WIND
- 4. ROOF STRUCTURE (INCLUDING JOISTS AND JOIST GIRDERS) IS TO BE DESIGNED FOR PONDING INCLUDING PONDING INSTABILITY. MAXIMUM DESIGN PONDING DEPTH AT ROOF DRAINS TO BE 150 mm.
- 5. AS A MINIMUM, WIND LOADS SHALL BE CALCULATED ON THE BASIS OF OPEN TERRAIN AND BUILDING CATEGORY 3 AS DEFINED IN THE USER'S GUIDE NBC 2015 STRUCTURAL COMMENTARIES (PART 4 OF DIVISION B). IF OTHER PROVISIONS OF SAID COMMENTARIES RESULT IN HIGHER WIND LOADS AND/OR MORE STRINGENT WIND EFFECTS, THESE LOADS AND EFFECTS SHALL BE CONSIDERED IN THE DESIGN.
- 6. ALL LOADS SHOWN ON DRAWINGS ARE SPECIFIED (NO LOAD FACTOR APPLIED) LOADS UNLESS NOTED OTHERWISE. HOWEVER, (ULS) IMPORTANCE FACTORS ARE APPLIED, UNLESS NOTED
- 7. ALL LOAD EFFECTS (AXIAL FORCES, SHEARS. MOMENTS AND TORSIONS) ARE FACTORED, UNLESS OTHERWISE NOTED.
- 8. DESIGN SPECIFIED (UNFACTORED) DEAD AND LIVE LOADS ARE SHOWN ON THE DRAWINGS.
- 9. STRUCTURES ARE NOT STABLE UNTIL ALL COMPONENTS (INCLUDING BUT NOT LIMITED TO MOMENT CONNECTIONS, BRACING, FLOOR & ROOF DECK AND SHEATHING) ARE CONSTRUCTED.

10 110	TERIALS:		
IU. IVIA		IRAL STEEL:	CAN/CSA-G40.20/G40.21. GRADE 350W FOR W-SECTIONS. GRADE 300W FOR OTHERS.
	COLD-FORMED STEEL:		
HOLLOW STRUCTURAL SECTIONS (HSS):			CONFORM TO CAN/CSA G40-20/G40.21-M GRADE 350W, CLASS C.
	WELDING	:	E49XX ELECTRODES.
BOLTS, NUTS AND WASHERS:			CONFORM TO ASTM A325.
	ANCHOR	BOLTS:	CONFORM TO ASTM F1554 GRADE 36, UNLESS NOTED OTHERWISE
	PRIMER:		SEE SPECIFICATION.
REINFORCING STEEL:		CING STEEL:	DEFORMED CONCRETE REINFORCING BARS CONFORMING TO CAN/CSA-G30.18, GRADE 400R OR 400W, UNLESS NOTED OTHERWISE. WHERE WELDABLE REINFORCING STEEL IS SPECIFIED, IT SHALL BE GRADE 400W, UNLESS NOTED OTHERWISE.
	WOOD:	LUMBER:	GRADED TO NLGA RULES NO.1/NO.2 S-DRY, UNLESS NOTED OTHERWISE. MSR GRADE FOR TRUSSES AS REQUIRED.
		GLULAM:	CSA 0122 SP GRADE 20FE BENDING STRESS, UNLESS NOTED OTHERWISE. 12CE COMPRESSION STRESS, UNLESS NOTED OTHERWISE.

PLYWOOD: CSA 0151 SOFTWOOD EXTERIOR GRADE.

- 12. STRUCTURE HAS BEEN ASSIGNED THE 1 IMPORTANCE CATEGORY, AS DEFINED IN THE APPLICABLE EDITION OF THE ONTARIO BUILDING CODE.
- 13. STRUCTURES HAVE BEEN DESIGNED CONSIDERING THE FOLLOWING CLIMATIC AND SEISMIC DATA:

WIND	SEISMIC	SNOW	RAIN
q 1/50 = 0.47	Sa(0.2) = 0.190 Sa(0.5) = 0.110 Sa(1.0) = 0.068 Sa(2.0) = 0.022 PGA = 0.076	Ss = 1.2 Sr = 0.4	ONE DAY = 92

- 14. THE STRUCTURE HAS BEEN DESIGNED FOR FUTURE EXPANSION AS SHOWN.
- 15. NO STRUCTURES HAVE BEEN DESIGNED FOR FUTURE EXPANSION.

CONCRETE:

- THE DESIGN AND CONSTRUCTION OF ALL WORK ON THIS PROJECT SHALL CONFORM TO THE APPLICABLE EDITION OF THE FOLLOWING CSA STANDARDS: CSA-A23.1 "CONCRETE MATERIALS AND METHODS OF CONCRETE CONSTRUCTION"; CSA-A23.2 "TEST METHODS AND STANDARD PRACTICES FOR CONCRETE"; CSA-A23.3 "DESIGN OF CONCRETE STRUCTURES";
- 2. UNLESS NOTED OTHERWISE, MINIMUM CONCRETE COMPRESSIVE STRENGTH AT 28 DAYS SHALL BE AS FOLLOWS:

CAN/CSA-G30.18 "BILLET-STEEL BARS FOR CONCRETE REINFORCEMENT"

- LEAN CONCRETE FILL	15 MPa	
- MUD SLAB	15 MPa	(EXPOSURE CLASS F-1)
- FOOTINGS	35 MPa	(EXPOSURE CLASS C-1)
- PIERS, WALLS & CURBS	35 MPa	(EXPOSURE CLASS C-1)
- SLABS ON GRADE (INTERIOR)	32 MPa	(EXPOSURE CLASS N-CF)
- SLABS ON GRADE (EXTERIOR)	35 MPa	(EXPOSURE CLASS C-1)
- EXTERIOR APRONS	35 MPa	(EXPOSURE CLASS C-1)

3. MINIMUM CONCRETE COVER TO REINFORCING BARS:

CONCRETE CLEAR COVER (CSA A23.1							
EXPOSURE CONDITION	EXPOSURE CLASS						
ZA GOOKE GOILDINION	N	F-1	C-1				
CAST AGAINST AND PERMANENTLY EXPOSED TO EARTH, INCLUDING FOOTINGS AND PILES	75 mm	75 mm	75 mm				
BEAMS, GIRDERS, COLUMNS AND PILES	30 mm (#1)	40 mm	60 mm				
SLABS, WALLS, JOISTS, SHELLS AND FOLDED PLATES	20 mm (#1)	40 mm	60 mm				
RATIO OF COVER TO NOMIMAL BAR DIAMETER (#2)	1.0 (#1)	1.5	2.0				
RATIO OF COVER TO NOMIMAL MAXIMUM AGGREGATE SIZE	1.0 (#1 & #3)	1.5	2.0				

IOTES:

- #1. THIS REFERS ONLY TO CONCRETE THAT WILL BE CONTINUALLY DRY WITHIN THE CONDITIONED SPACE (i.e., MEMBERS ENTIRELY WITHIN THE VAPOUR BARRIER OF THE BUILDING ENVELOPE).
- #2. THE COVER FOR A BUNDLE OF BARS SHALL BE THE SAME AS THAT FOR A SINGLE BAR WITH AN EQUIVALENT AREA.
- #3. THE SPECIFIED COVER FROM SCREEDED SURFACES SHALL BE AT LEAST 1.5 TIMES THE NOMINAL MAXIMUM AGGREGATE SIZE TO REDUCE INTERFERENCE BETWEEN AGGREGATE AND REINFORCEMENT WHERE VARIATIONS IN BAR PLACEMENT RESULT IN A COVER SMALLER THAN SPECIFIED.
- 4. DETAIL, BEND, PLACE AND SUPPORT REINFORCING STEEL IN CONFORMANCE WITH THE LATEST RSIC MANUAL OF STANDARD PRACTICE, UNLESS NOTED OTHERWISE.
- 5. ALTERNATE 90° HOOKS OF CROSSTIES END FOR END OVER HEIGHT OF ALL MEMBERS IN WHICN CROSSTIES ARE SPECIFIED.
- 6. ALL LAP SPLICES SHALL BE CLASS B TENSION SPLICES. FOR HORIZONTAL REINFORCEMENT THAT WILL BE PLACED IN SUCH A WAY THAT MORE THAN 300 mm OF FRESH CONCRETE IS CAST IN THE MEMBER BELOW THE SPLICE, BAR LOCATION FACTOR (k/1) EQUAL TO 1.3 SHALL BE APPLIED IN DETERMINING CLASS B TENSION SPLICE LENGTH, IN ACCORDANCE WITH APPLICABLE EDITION OF CSA-A23.3.
- 7. PLAIN (UNREINFORCED) CONCRETE EXPOSED TO DEICING CHEMICALS SHALL MEET EXPOSURE CLASS C-2 IN ACCORDANCE WITH APPLICABLE EDITION OF CSA-A23.1.
- 8. REINFORCED CONCRETE EXPOSED TO CHLORIDES SHALL MEET EXPOSURE CLASSIFICATION C-1 IN ACCORDANCE WITH APPLICABLE EDITION OF CSA-A23.1.
- 9. PROVIDE CORROSION INHIBITOR IN ALL CONCRETE OF EXPOSURE CLASS C-1. REFER TO SPECIFICATIONS FOR CORROSION INHIBITOR DOSAGE RATE.
- 10. USE TYPE GU PORTLAND CEMENT FOR ALL CONCRETE, UNLESS NOTED OTHERWISE.
- 44. ALL LIGHT ON THE WALL AND ORANG PEAN PENEGROUNG CHALL BE CONTINUOUS TUROUS
- 11. ALL HORIZONTAL WALL AND GRADE BEAM REINFORCING SHALL BE CONTINUOUS THROUGH PIERS. UNLESS NOTED OTHERWISE, SPLICE TOP BARS AT MID-SPAN AND BOTTOM BARS AT SUPPORTS FOR ALL GRADE BEAMS.
- 12. WHEREVER OPENINGS OCCUR, INTERRUPTING ONE OR MORE REINFORCING BARS, IN SLABS OR WALLS, PROVIDE ADDITIONAL REINFORCING STEEL EQUAL TO THE REINFORCING STEEL DISPLACED BY THE OPENING UNLESS OTHERWISE SHOWN. DISTRIBUTE REINFORCEMENT EQUALLY ON EACH SIDE OF THE OPENING AND EXTENDING THE FULL SPAN LENGTH.
- 13. NO SLEEVES, PIPES, HOLES OR NOTCHES SHALL BE PLACED IN OR THROUGH WALLS, COLUMNS, PIERS, BEAMS, GRADE BEAMS, SLABS, FOOTINGS, OR ANY OTHER CONCRETE MEMBER, EXCEPT AS SHOWN ON THE STRUCTURAL DRAWINGS OR APPROVED BY THE ENGINEER.
- 14. DO NOT PLACE CONCRETE FOOTINGS OR ANY OTHER CONCRETE MEMBER UNTIL ALL DESIGNATED REINFORCING STEEL HAS BEEN PLACED AND INSPECTED AND ANY CONDUITS, PIPING OR OTHER EMBEDDED ITEMS ARE INSTALLED AND VERIFIED.
- 15. MAXIMUM WATER-TO-CEMENTING MATERIALS RATIO (w/cm) SHALL BE 0.55, AND MINIMUM 28-DAY COMPRESSIVE STRENGTH SHALL BE 25 MPa FOR ALL CONCRETE FLOOR SLABS (BOTH SLABS ON GRADE AND SLABS ON DECK).

FOUNDATION:

- ALL INT. FOOTINGS SHALL BEAR ON NATIVE MATERIAL OR ENGINEERED FILL WITH MINIMUM SLS BEARING RESISTANCE OF 150 kPa AND MINIMUM ULS BEARING RESISTANCE OF 200 kPa, NOTED OTHERWISE.
- 2. ALL EXT. FOOTINGS SHALL BEAR ON SUITABLE FOUNDING MATERIAL WITH MINIMUM SLS BEARING RESISTANCE OF 150 kPa, MINIMUM ULS BEARING RESISTANCE OF 200 kPa, FRICTION ANGLE OF AT LEAST 35 ° AND MINIMUM FACTORED SLIDING RESISTANCE OF 150 . MAX. ALLOWABLE TOTAL SETTLEMENT TO BE 25 mm. MAX. ALLOWABLE DIFFERENTIAL SETTLEMENT TO BE 25 mm.
- 3. ALL BEARING VALUES AND GEOTECHNICAL INFORMATION ARE BASED ON GEOTECHNICAL REPORT SEE PER BUILDING NOTES IF APPLICABLE
- 4. THE CONTRACTOR SHALL PROTECT SOIL FROM WATER AND FREEZING ADJACENT TO AND BELOW ALL FOOTINGS, GRADE BEAMS AND OTHER CONCRETE POURS WITH MINIMUM 1200 mm SOIL COVER OR EQUIVALENT.
- 5. ALL EXCAVATIONS AND FOUNDING MATERIAL SHALL BE INSPECTED AND APPROVED BY A QUALIFIED SOILS ENGINEER PRIOR TO CONCRETE PLACEMENT.
- 6. THE CONTRACTOR SHALL PROVIDE ALL SHORING WHERE REQUIRED DURING EXCAVATION TO PREVENT CAVE-IN.
- 7. EXCAVATION SHALL NOT EXTEND BELOW A LINE EXTENDING DOWN AND AWAY FROM ANY FOOTING EDGE OR CORNER AT A RATIO OF 7 VERTICAL TO 10 HORIZONTAL.
- 8. ANY OVER EXCAVATION NECESSITATED BY LOCAL SOFT AREAS OR OTHER DELETERIOUS CONDITIONS SHALL BE MADE GOOD WITH 15 MPa LEAN CONCRETE FILL.
- 9. FOUNDATION WALL BACKFILL SHALL BE OPSS TYPE 1 GRANULAR 'B' OR APPROVED FREE-DRAINING, IN-SITU MATERIAL COMPACTED, IN LAYERS NOT TO EXCEED 200 mm, TO 98% STANDARD PROCTOR MAXIMUM DRY DENSITY.
- 10. BACKFILL TO PROCEED SIMULTANEOUSLY ON BOTH SIDES OF FOUNDATION WALLS UNLESS TEMPORARY SUPPORT IS PROVIDED. DO NOT BACKFILL UNTIL CONCRETE HAS ATTAINED 75% OF ITS SPECIFIED 28-DAY COMPRESSIVE STRENGTH.
- 11. CONSTRUCTION JOINTS AND CONTROL JOINTS IN REINFORCED FOUNDATION WALLS SHALL BE LOCATED AT THE EDGE OF PIERS (WHERE PIERS ARE PRESENT). MAXIMUM SPACING OF CONSTRUCTION JOINTS SHALL BE AS REQUIRED, BUT NOT GREATER THAN 20 m. UNLESS NOTED OTHERWISE. MAXIMUM SPACING OF CONTROL JOINTS SHALL BE 6 m, AND 3 m FROM CORNERS.
- 12. FOUNDATIONS SHALL BE CONSTRUCTED AS SHOWN ON THE DRAWINGS. CONTRACTOR SHALL INCLUDE IN THEIR WORK ALL PROVISIONS, INCLUDING BUT NOT LIMITED TO EXCAVATION AND FORMING, AS REQUIRED TO CONSTRUCT FOUNDATIONS THUS.

SLAB ON GRADE & PAD:

- 1. SEE PLAN FOR SLAB ON GRADE & PAD THICKNESS.
- 2. PLACE SLAB ON GRADE ON MIN. 200 mm OPSS GRANULAR 'A' COMPACTED TO 100% STANDARD PROCTOR MAXIMUM DRY DENSITY.
- 3. PRIOR TO PLACING GRANULAR FILL MATERIALS, PROOF-ROLL EXISTING SUB-GRADE TO IDENTIFY INCONSISTENCIES OR SOFT AREAS. PROCEED WITH GRANULAR PLACEMENT ONLY AFTER THESE AREAS HAVE BEEN REWORKED AND COMPACTED TO THE SATISFACTION OF THE SOILS ENGINEER.
- 4. DO NOT PLACE CONCRETE UNTIL ALL ELECTRICAL, MECHANICAL AND PROCESS CONDUITS, PIPING OR OTHER EMBEDDED SERVICES ARE INSTALLED AND VERIFIED.
- 5. AGREE ON LOCATION OF CONSTRUCTION JOINTS WITH ENGINEER PRIOR TO CONSTRUCTION.
- 6. PROVIDE SAWCUT CONTROL JOINTS AS SHOWN ON PLANS.
- 7. PROVIDE EXTERIOR COLUMN ISOLATION JOINTS AND SAWCUTTING AS PER DETAILS SHOWN.
- 8. PERFORM SAWCUTTING FOR CONTROL JOINTS USING DRY METHOD (SOFF-CUT SAW) AS SOON AS POSSIBLE AFTER CONCRETE PLACEMENT WITHOUT LEAVING TREAD MARKS, DISLODGING AGGREGATE AND BEFORE UNCONTROLLED SHRINKAGE OCCURS. FILL CONTROL JOINTS, AS SPECIFIED, NO SOONER THAN 120 DAYS AFTER CONCRETE PLACEMENT.
- 9. FLOOR FINISH: SEE SPECIFICATIONS.

METAL DECK:

- 1. ALL METAL DECK SHALL BE NEW AND SHALL BE DESIGNED, FABRICATED AND INSTALLED TO CONFORM TO THE REQUIREMENTS OF THE APPLICABLE EDITION OF CAN/CSA-S136 "NORTH AMERICAN SPECIFICATIONS FOR THE DESIGN OF COLD FORMED STEEL STRUCTURAL MEMBERS (USING THE APPENDIX B PROVISIONS APPLICABLE TO CANADA)" AND THE REQUIREMENTS OF THE CANADIAN SHEET STEEL BUILDING INSTITUTE.
- 2. ALL ROOF AND FLOOR DECK SHALL BE DESIGNED AND DETAILED BY A PROFESSIONAL ENGINEER LICENSED TO PRACTICE IN THE PROVINCE OF ONTARIO, AND SHALL BE OF THICKNESS REQUIRED TO SUPPORT ALL LOADS AND EFFECTS SHOWN ON DRAWINGS BUT SHALL NOT BE LESS THAN THAT SHOWN ON DRAWINGS. AFOREMENTIONED DESIGN SHALL INCLUDE APPLICABLE SEISMIC LOADS & EFFECTS. REFER TO SPECIFICATION FOR COATING.
- 3. SPAN DECK UNITS OVER FOUR OR MORE STRUCTURAL SUPPORTS (MINIMUM 3 CONTINUOUS SPANS) FOR INCREASED RIGIDITY.
- 4. DESIGN AND CONNECT METAL EDGE AND CLOSURE STRIPS TO SAFELY RESIST CONSTRUCTION LOADS AND PREVENT THE LOSS OF CONCRETE/GROUT WHEN DECK IS CONCRETED.
- 5. PLACE DECK IN ACCORDANCE WITH MANUFACTURER'S SHOP DRAWINGS. END LAPS SHALL ALWAYS OCCUR OVER SUPPORTS. SIDE LAPS SHALL BE ON HALF CORRUGATION. MINIMUM ROOF DECK END LAP IS 50 mm FOR WELDED ATTACHMENT.
- ALL CONNECTIONS OF ROOF DECK TO SUPPORTING STRUCTURE SHALL BE DESIGNED BY A
 PROFESSIONAL ENGINEER LICENSED TO PRACTICE IN THE PROVINCE OF ONTARIO TO RESIST ALL
 LOADS AND EFFECTS SHOWN ON DRAWINGS, BUT SHALL NOT BE LESS THAN THAT SHOWN ON
 DRAWINGS.
- 7. ATTACH DECK UNITS TO TOP OF SUPPORTS BY FUSION WELDS WITH A MINIMUM EFFECTIVE DIAMETER OF 19 mm. MAXIMUM SPACING OF FUSION WELDS AND SIDE LAP BUTTON CLINCH SHALL BE AS FOLLOWS:
- WELDS AT 150 C/C (EACH FLUTE) TRANSVERSE TO SPAN OF DECK AND AROUND PERIMETER.
- LONGITUDINAL WELDS @ 600 C/C - SIDE LAP BUTTON CLINCH @ 300 C/C
- 8. FIELD CUTTING OF DECK UNITS SHALL BE DONE IN WORKMANLIKE MANNER. CUT OPENINGS AND REINFORCE EDGES AS REQUIRED FOR PIPES, DUCTS, ETC. THE MAXIMUM SIZE OF AN UNREINFORCED OPENING IS 150 mm SQUARE OR IN DIAMETER. ROOF OPENINGS LARGER THAN 450 mm WIDE AND FLOOR OPENINGS LARGER THAN 300 mm WIDE SHALL BE SUPPORTED BY STEEL FRAMING.
- 9. DESIGN METAL ROOF DECK FOR MAXIMUM LIVE, SNOW AND RAIN LOAD DEFLECTIONS OF L/360.

MASONRY:

- THE DESIGN AND CONSTRUCTION OF ALL WORK ON THIS PROJECT IS TO CONFORM TO APPLICABLE EDITION OF CSA STANDARDS CSA-S304.1, CSA-A370, CSA-A371, CSA-A179 AND CAN/CSA-G30.18. PROVIDE TYPE S MORTAR IN ACCORDANCE WITH APPLICABLE EDITION OF CSA STANDARD CSA-A179.
- 2. PROVIDE STANDARD, HOLLOW 15 MPa CONCRETE BLOCK UNITS UNLESS NOTED OTHERWISE. AT LOCATIONS WHERE VERTICALLY-REINFORCED MASONRY IS SPECIFIED, PROVIDE ONE ADDITIONAL VERTICAL BAR OF SIZE EQUAL TO DISTRIBUTED VERTICAL REINFORCING, FULL HEIGHT AT EACH SIDE OF CONTROL JOINTS, AND AT CORNERS, INTERSECTIONS, ENDS OF WALLS AND TO EACH SIDE OF ALL OPENINGS, UNLESS NOTED OTHERWISE. PROVIDE 2 ADDITIONAL BARS WHERE OPENING WIDTH IS GREATER THAN 1200 mm. PROVIDE MATCHING DOWELS TO FOOTING, SLAB THICKENING, SLAB ON DECK OR OTHER SUPPORTING STRUCTURE, FOR ALL VERTICAL WALL REINF. (TYP. U/N).
- 3. FOR HIGH-LIFT GROUTING, PROVIDE CLEAN-OUT HOLES IN BOTTOM COURSE AND MINIMUM SLUMP OF 200 mm.
- 4. MASONRY GROUT SHALL BE FINE GROUT, AND SHALL BE PROPORTIONED ACCORDING TO, AND MEET ALL REQUIREMENTS OF APPLICABLE EDITION OF CSA-A179.
- 5. PROVIDE CONTINUOUS, HORIZONTAL, STANDARD LADDER-TYPE HORIZONTAL JOINT REINFORCEMENT @ 400 mm C/C, IN BOTTOM TWO BED JOINTS, TOP TWO BED JOINTS AND FIRST BED JOINT ABOVE AND BELOW ALL WALL OPENINGS. ALL SUCH REINF. SHALL BE SPLICED USING CLASS B TENSION LAP SPLICES (AS DEFINED IN APPLICABLE EDITION OF CSA-S304.1). PREFABRICATED CORNER AND INTERSECTION JOINT REINFORCING PIECES SHALL BE USED. MINIMUM WIRE DIAMETER TO BE 3.65 mm.
- 6. REFER TO ARCHITECTURAL DRAWINGS FOR LOCATION OF ALL MASONRY WALLS.
- 7. PROVIDE VERTICAL REINFORCING IN ALL MASONRY WALLS AS PER TABLE ON SPECIFIC BLD. DRAWING ALL REINFORCED CORES SHALL BE GROUTED SOLID FOR FULL HEIGHT OF WALLS. VERTICALLY-CANTILEVERED WALLS SHALL BE CONSTRUCTED OF SOLID-GROUTED MASONRY.
- 8. PROVIDE VERTICAL REINFORCING AT EACH LATERAL SUPPORT LOCATION (SEE BLD. SPECIFIC DRW.)
- 9. LAP ALL 15M BARS 675 mm MINIMUM. LAP ALL 20M BARS 850 mm MINIMUM.
- 10. UNLESS NOTED OTHERWISE, MINIMUM CLEARANCE OF XX mm SHALL BE PROVIDED BETWEEN MASONRY WALLS AND STEEL COLUMNS, BEAMS, GIRDERS, JOIST AND GIRTS. THIS REQUIREMENT DOES NOT APPLY WHERE MASONRY IS INTENDED (BY DESIGN) TO BEAR ON STEEL MEMBER.
- 11. WHERE POST-INSTALLED ANCHORS ARE INSTALLED IN MASONRY ELEMENTS/MEMBERS, EXISTING REINFORCING STEEL (INCLUDING HORIZONTAL BED JOINT REINFORCING), CAST-INS AND EMBEDDED ITEMS SHALL BE ACCURATELY LOCATED, AND EDGE OF ANCHOR HOLES SHALL BE LOCATED A DISTANCE AWAY FROM EXISTING REINFORCING STEEL (INCLUDING HORIZONTAL BED JOINT REINFORCING), CAST-INS END EMBEDDED ITEM SUCH THAT AT LEAST MINIMUM CONCRETE COVER REQUIREMENTS (SEE MASONRY NOTE #1) ARE MET. EXISTING REINFORCING STEEL (INCLUDING HORIZONTAL BED JOINT REINFORCING), CAST-INS AND EMBEDDED ITEMS SHALL NOT BE DAMAGED ANCHORING ACTIVITIES, INCLUDING DRILLING.
- 12. MORTAR SHALL BE TYPE :S: PREPARED BY PROPORTION SPECIFICATION IN ACCORDANCE WITH CAN/CSA-A179.
- 13. HOLLOW CONCRETE BLOCK MASONRY WITH MORTAR TYPE "S" SHALL HAVE A MINIMUM ULTIMATE COMPRESSIVE STRENGTH OF 12.5 MPa f'm.
- 14. ALL INTERSECTING MASONRY WALLS TO HAVE MASONRY BOND OR HEAVY DUTY (BLOCK-LOCK) OR EQUIVALENT AT 200mm VERTICALLY MAXIMUM.
- 15. A MINIMUM 50 mm WIDE ISOLATION JOINT SHALL BE PROVIDED AT ALL LOCATIONS WHERE MASONRY WALLS INTERSECT VERTICAL FACES OF CONCRETE STRUCTURE. NO POSITIVE CONNECTION BETWEEN MASONRY MASONRY WALLS AND VERTICAL FACES OF CONCRETE STRUCTURE SHALL BE MADE.
- 16. CONCRETE AND STEEL BEAMS BEARING ON MASONRY WALLS SHALL HAVE A MINIMUM BEARING OF 200mm UNLESS OTHERWISE NOTED ON PLAN.
- 17. PROVIDE 15M DOWELS WITH 150 mm MIN. EMBEDMENT TO THE EXISTING SLAB TO MATCH ALL VERTICAL REINFORCING, UNLESS NOTED OTHERWISE. SCAN EXISTING SLAB PRIOR TO DOWEL INSTALLATION.
- 18. PROVIDE LINTELS OVER ALL OPENINGS AND RECESSES FOR MECHANICAL AND ELECTRICAL TRADES AS SPECIFIED ON PLANS. SEE ARCHITECTURAL AND MECHANICAL DRAWINGS FOR LOCATIONS AND SIZES OF OPENINGS AND RECESSES.
- 19. PROVIDE VERTICAL REINFORCEMENT IN ALL NON-LOAD BEARING CMU WALLS AS FOLLOWS IN ADDITION TO THAT NOTED IN (2):

CITY OF TORONTO

CITY OF TORONTO

Corporate Real Estate Management
Project Management Office
Metro Hall Toronto, ON
M5V 3C6

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by Arcadis is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and Arcadis shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to Arcadis for general conformance before proceeding with fabrication.

Arcadis Professional Services (Canada) Inc.

ISSUE	S	
No.	DESCRIPTION	DATE
Α	50% SUBMISSION	2022-04-27
В	90% SUBMISSION	2022-07-29
С	ISSUED FOR PERMIT	2022-07-29
D	ISSUED FOR TENDER	2022-12-09
Е	ISSUED FOR TENDER	2025-04-11

CONSULTANTS

SEAL

PRIME CONSULTANT



100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

PROJECT TITLE
CITY OF TORONTO
ACCESSIBILITY UPGRADES

PROJECT ADDRESS

G. POULOU

PROJECT NO:
9119- 19- 0162 / Arcadis 30279056

DRAWN BY: CHECKED BY:

PROJECT MGR: APPROVED BY: N. FRISCIC K. ANGER
SHEET TITLE

SHEET NUMBER

M. FAYAZI

G05-GAL-G2000

STRUCTURAL - GENERAL NOTES

./29/2025 10:56:29 AN

REINFORCING STEEL

- 1 ALL REINFORCING STEEL SHALL CONFORM TO CAN/CSA-G30.18-M-2009 (R2014), GRADE
- 2 MINIMUM CLEAR SPACING BETWEEN PARALLEL REINFORCING BARS SHALL BE 1.4 TIMES THE BAR DIAMETER, 1.4 TIMES THE MAX. AGGREGATE SIZE OR 30mm WHICHEVER IS GREATER. PROVIDE 75mm MINIMUM LAPPED REBAR CLEARANCE FOR CONCRETE VIBRATOR ACCESS.
- DEVELOPMENT LENGTHS AND LAP SPLICES SHALL BE IN ACCORDANCE WITH THE REINFORCING STEEL INSTITUTE OF CANADA, MANUAL OF STANDARD PRACTICE UNLESS INDICATED OTHERWISE. ALL LAP SPLICES SHALL BE CLASS 'B' TENSION LAP SPLICES AND CLASS 'B' TENSION LAP SPLICES SHALL BE PROVIDED FOR ALL SHRINKAGE AND TEMPERATURE BARS. WHERE TWO BARS OF DIFFERENT DIAMETERS ARE LAPPED, PROVIDE CLASS 'B' TENSION LAP LENGTH CORRESPONDING TO THE SMALLER BAR BUT NO LESS THAN FULL TENSION DEVELOPMENT LENGTH OF THE LARGER BAR.
- 4 PROVIDE EMBEDMENT LENGTH FOR FULL TENSION DEVELOPMENT IN ACCORDANCE WITH CSA A23.3
- 5 DEVELOPMENT LENGTH AND SPLICE LENGTH FOR FY = 400MPa AND F'C=35MPa TO BE AS PER TABLE BELOW, UNLESS OTHERWISE SHOWN ON DRAWINGS.


	fc' = 35MF	Pa	fy = 400M	Pa			
		TENSIO	COMPRESSION STEEL				
BAR SIZE	HORIZONTAL TO	P BARS*	ALL OTHER E	BARS**	COMPRESSION STEEL		
	DEVELOPMENT	SPLICES	DEVELOPMENT	SPLICES	DEVELOPMENT	LAP SPLICES	
(mm)							
()	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	
10	360	470	280	370	200	330	
15	510	670	390	510	290	470	
20	620	810	480	630	350	590	
25	1000	1300	770	1010	450	740	
30	1190	1550	910	1190	530	880	
35	1420	1850	1090	1420	630	1050	
45	-	-	-	-	800	-	

REFERENCE: CAN/CSA A23.3-14

- db= MAX. OF NORMAL AND ACTUAL BAR DIAMETER
- * HORIZONTAL TOP BARS WITH MORE THAN 300mm OF FRESH CONCRETE POURED BELOW
- THE BARS. AND WALL HORIZONTAL REINFORCEMENT. ** HORIZONTAL BARS WITH NOT MORE THAN 300mm OF FRESH CONCRETE POURED BELOW
- THE BARS, VERTICAL BARS.
- 6 STANDARD 90° HOOK TO CONFORM TO A23.3 AND THE FOLLOWING TABLE, WHICHEVER IS MORE STRINGENT, UNLESS OTHERWISE SHOWN ON DRAWINGS.

STANDARD 90° HOOK DIMENSION

fc' = 35	БМРа	fy = 40	00MPa
BAR SIZE	D***	Α	I _{dh} ****
d _b			
(mm)	(mm)	(mm)	(mm)
10M	70	190	150
15M	100	260	190
20M	120	320	240
25M	150	410	300
30M	250	520	360
35M	300	620	430



90° HOOK SEE A23.3

*** SEE A23.1, TABLE 16 **** SEE A23.3, §12.5.1, §12.5.3 (b) = $0.7x100d_b$ / fc^{0.5} > 150 OR 8 d_b.

STRUCTURAL STEEL:

- 1. THE DESIGN AND CONSTRUCTION OF ALL WORK IN THIS PROJECT SHALL CONFORM TO THE APPLICABLE EDITION OF CAN/CSA-S16.
- 2. ALL SHOP CONNECTIONS SHALL BE WELDED. ALL FIELD CONNECTIONS SHALL BE WELDED OR BOLTED USING HIGH TENSILE-STRENGTH BOLTS, BEARING TYPE. WHERE APPLICABLE, AND UNLESS NOTED OTHERWISE, CONNECTIONS SHALL BE CISC DOUBLE ANGLE BEAM CONNECTIONS FOR A325 BOLTS AND E49XX FILLET WELDS, MINIMUM SIZE OF BOLTS - M20 DIAMETER.
- 3. ALL WELDING SHALL BE CARRIED OUT IN ACCORDANCE WITH APPLICABLE EDITION OF FOLLOWING CSA STANDARDS:
- W47.1 FOR QUALIFICATIONS OF WELDERS
- W48.1 TO W48.7 FOR ELECTRODES - W59 FOR DESIGN AND WORKMANSHIP
- 4. ALL COLUMN ENDS SHALL BE SAWCUT AND WELDED TO BASE/CAP PLATES.
- 5. ALL COLUMNS TO HAVE ANGLES AT TOP TO SUPPORT STEEL DECK WHERE REQUIRED.
- 6. BRACING MEMBERS SHALL BE CONNECTED FOR THE FOLLOWING (WHICHEVER IS LARGER): - 50% OF THE NOMINAL TENSION CAPACITY OF THE MEMBER BASED ON GROSS AREA
- FORCES AS SHOWN ON THE DRAWINGS - A MINIMUM OF TWO BOLTS
- 7. FOR DOUBLE-ANGLE BRACING (E.G. CROSS-BRACING), ANGLES SHALL HAVE INTERCONNECTING BATTENS AND/OR SPACERS SUCH THAT SLENDERNESS RATIO OF INDIVIDUAL ANGLES (BASED ON LEAST RADIUS OF GYRATION OF INDIVIDUAL ANGLES) DOES NOT EXCEED SLENDERNESS RATIO OF BUILT-UP (DOUBLE-ANGLE) MEMBER.
- 8. THE CONTRACTOR SHALL SUPPLY, INSTALL, MAINTAIN AND REMOVE ANY TEMPORARY BRACING REQUIRED DURING CONSTRUCTION.
- 9. FORCES ARE DESIGNATED BY (+) FOR TENSION AND (-) FOR COMPRESSION.
- 10. CONNECTIONS FOR BEAMS, GIRDERS AND JOISTS SUBJECT TO AXIAL FORCES SHALL BE DESIGNED FOR THE AXIAL FORCES IN ADDITION TO THE SHEAR FORCES. MOMENT FORCES/EFFECTS AND TORSION FORCES/EFFECTS. FORCES INDICATED ARE FACTORED AND IN kN. MOMENTS AND TORSIONS INDICATED ARE FACTORED AND IN kN-m.
- 11. ALL EXTERIOR STEEL, AND STEEL THAT IS NOT IN A TEMPERATURE AND HUMIDITY CONTROLLED ENVIRONMENT, SHALL BE HOT-DIPPED GALVANIZED (BOTH STRUCTURAL STEEL AND MISCELLANEOUS STEEL). THIS SHALL INCLUDE NUTS, BOLTS, WASHERS, BASE PLATES, LEVELING PLATES, ANCHOR BOLTS AND ANCHORS.
- 12. FILLER BEAMS AND JOISTS SHALL BE PLACED EQUALLY BETWEEN ESTABLISHED DIMENSIONS, UNLESS NOTED OTHERWISE.
- 13. PROVIDE WELDED STIFFENER PLATES ON BOTH SIDES OF THE WEB OF BEAMS AND GIRDERS AT POINTS OF CONCENTRATED LOAD, INCLUDING BEAMS AND GIRDERS SUPPORTING COLUMNS OR RUNNING OVER TOPS OF COLUMNS. MINIMUM STIFFENER PLATE THICKNESS SHALL BE 10 mm OR FLANGE THICKNESS OF COLUMNS ABOVE OR BELOW, WHICHEVER IS GREATER. MINIMUM SIZE OF WELD SHALL BE 5 mm DOUBLE FILLET WELD, OR SHALL BE SUFFICIENT TO DEVELOP THE FULL STRENGTH OF THE STIFFENER, WHICHEVER IS GREATER.
- 14. FOR LOCATIONS OF DOOR FRAMES, WALL OPENINGS, ROOF AND FLOOR OPENINGS, ETC., AND RELATED DETAILS, SEE ARCHITECTURAL, MECHANICAL, ELECTRICAL, PROCESS & CIVIL DRAWINGS.
- SHOWN ON PLANS DENOTES AXIAL LOADS ALONG BEAMS AND GIRDERS DUE TO WIND OR EARTHQUAKE LOADS. DESIGN BEAM-TO-BEAM, BEAM-TO-GIRDER AND GIRDER-TO-GIRDER CONNECTIONS, AS WELL AS BEAM-TO-COLUMN AND GIRDER-TO-COLUMN CONNECTIONS FOR THESE LOADS IN COMBINATION WITH APPLICABLE GRAVITY LOADS.
- 16. PERIMETER ROOF ANGLE SHALL BE CONTINUOUS AND BUTT WELDED TOGETHER AT JOINTS. ENSURE CONNECTION OF PERIMETER ANGLE TO SUPPORTING STRUCTURE IS SUFFICIENT TO RESIST MAXIMUM UNIT SHEAR FROM DECK DIAPHRAGM. REFER TO ROOF-DIAPHRAGM SHEAR DIAGRAM ON DRAWINGS
- 17. ALL WELDABLE REINFORCING STEEL ANCHORS SHALL BE WELDED TO BASE PLATES/BEARING PLATES TO FULLY DEVELOP BARS IN TENSION.
- 18. REFER TO SPECIFICATIONS FOR BEAM AND GIRDER CAMBER REQUIREMENTS.

ABBREVIATIONS:

2L	two angles	HP	high point
AB	anchor bolt	HS	high strength
ADD	addendum	ID	inside diameter
ADJ	adjacent	ΙE	invert elevation
AFF	above finished floor	IF	inside face
AHU	air handling unit	IN	inches
ALT	alternate	INCL	include
ANC	anchor	INFO	information
APPROX	approximate	JT	joint
ARCH	architectural	kN	kilonewton
ASTM	American Society	kNm	kilonewton meter
7.011	for Testing and Materials	kPa	kilopascal
B/B	back to back	L	length
BC	bottom chord	LB	
			pound
BET	between	LG	long
BLDG	building	LL	live load
BLK	block	LLBB	long legs back-to-back
BM	beam	LLH	long leg horizontal
BOF	bottom of footing	LLV	long leg vertical
BOS	bottom of steel	LO	louver opening
BOT	bottom	LP	low point
BRCG	bracing	LS	louver sill
BRG	bearing	m	metre
BRKT	bracket	MACH	machine
BSMT	basement	MAX	maximum
CA	column above	MECH	mechanical
CB	column below	MEZZ	mezzanine
C/C	center to center	MFR	manufacturer
CERT		MIN	
	certified		minimum
CHKD PL	checkered plate	MISC	miscellaneous
CIP	cast in place	mm	millimetre
CJ	construction joint	MT	metric ton
CL	centerline	NIC	not in contract
CLJ	control joint	NO	number
CLR	clear	NTS	not to scale
COL	column	O/O	out to out
CONC	concrete	OPNG	opening
CONN	connection	OPP	opposite
CONSTR	construction	PC	piece
CONT	continuation (continuous)	PEN	penetration
CONTR	contractor	PL	plate
CSA	Canadian Standards Association	PROJ	projection
CT	cooling tower	PSF	pounds per square foot
CTR	center	PSI	pounds per square inch
C/W	complete with	R.	radius
DET	detail	RCB	reinforced concrete beam
DIA	diameter	REF	reference
		REINF	reinforcement
DIAG	diagonal		
DIM	dimension	REMV	removable
DL	dead load .	REQD	required
DO	door opening	RR	railroad
DWG	drawing	R/W	reinforced with
DWL	dowel	SCH	schedule
EA	each	SECT	section
EF	each face	SIM	similar
EL	elevation	SOG	slab on grade
ELEC	electrical	SP	space
EMB	embedment	SPEC	specifications
EQ	equal	SQ	square
EQPT	equipment	SSC	structural steel contract
EW	each way	STAGG	staggered
EXP	expansion	STD	standard
EX	existing	STIFF	stiffener
EXT	exterior	STL	steel
FDN	foundation	STRU	structural
FDNC		SYM	
	foundation contract		symmetrical
FIN	finish	t T	thickness
FL	floor	T	tread
FLG	flange	T&B	top and bottom
FT	feet	TC	top chord
FTG	footing	TEMP	temperature
FUT	future	THK	thick
GA	gauge	TL	total load
GC	general contract	TOF	top of footing
GALV	galvanized	TOS	top of steel
GENL	general	TYP	typical
GOL	gauge outstanding leg	UON	unless otherwise noted
GR	grade	VERT	vertical
		VERT	vertical inside face
GRT	grating		
H	high	VOF	vertical outside face
HEF	horizontal each face	W	width (wide)
HGR	hanger	W/	with
HGT	height	W/O	without
HH	hooked-hooked	WP	working point
	horizontal inside face	WPL	wall plate
HIF			water stop
	horizontal outside face	WS	water stop
HIF HOF HORIZ	horizontal outside face horizontal	WT	weight

CITY OF TORONTO

CLIENT

COPYRIGHT

Project Management Office Metro Hall Toronto, ON M5V 3C6

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by Arcadis is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and Arcadis shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to Arcadis for general conformance before proceeding with fabrication.

Arcadis Professional Services (Canada) Inc.

ISSUE	S	
No.	DESCRIPTION	DATE
Α	50% SUBMISSION	2022-04-27
В	90% SUBMISSION	2022-07-29
С	ISSUED FOR PERMIT	2022-07-29
D	ISSUED FOR TENDER	2022-12-09
Е	ISSUED FOR TENDER	2025-04-11

CONSULTANTS



100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930

PROJECT TITLE CITY OF TORONTO **ACCESSIBILITY UPGRADES**

PROJECT ADDRESS

PROJECT MGR

www.arcadis.com


PROJECT NO: 9119- 19- 0162 / Arcadis 30279056 DRAWN BY: CHECKED BY: G. POULOU M. FAYAZI

N. FRISCIC K. ANGER SHEET TITLE STRUCTURAL - GENERAL

APPROVED BY:

NOTES, SYMBOLS & **ABBREVIATIONS**

SHEET NUMBER G05-GAL-G2002 E



CITY OF TORONTO Corporate Real Estate Management Project Management Office Metro Hall Toronto, ON M5V 3C6 COPYRIGHT This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by Arcadis is forbidden. Arcadis shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to Arcadis for general

Arcadis Professional Services (Canada) Inc. DESCRIPTION A 50% SUBMISSION 2022-04-27 2022-07-29 B 90% SUBMISSION ISSUED FOR PERMIT 2022-07-29 D ISSUED FOR TENDER 2025-04-11

ARCADIS

Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

CITY OF TORONTO **ACCESSIBILITY UPGRADES**

PROJECT ADDRESS

PROJECT NO: 9119- 19- 0162 / Arcadis 30279056

DRAWN BY: **K.DURUKAN** PROJECT MGR

APPROVED BY: N. FRISCIC S. LIU SHEET TITLE

MECHANICAL LEGEND SHEET 1 OF 2

CHECKED BY:

B.LIAO

SHEET NUMBER G05-GAL-G3001 D


CONTROLS POINT FUNCTION ABBREVIATION

	FIRST LETTER		SECOND LETTER		THIRD LETTER		FOURTH LETTER
Α	AIR	А	H-O-A STATUS	Н	HIGH	Н	HIGH
С	COMPRESSED GAD	С	CLOSE	L	LOW	L	LOW
D	DAMPER	E	VOLTAGE	Х	TRASMITTER		
Е	EQUIPMENT	F	FIRE (ALARM) SMOKE	Z	INDICATING TRANSMITTER		
G	NATURAL GAS	FL	FLOW	D	DIFFERENTIAL		
L	LIQUID	Н	HUMIDITY				
S	STEAM	I	CURRENT				
V	VALVE	L	LEVEL				
М	MISCELLANEOUS	0	OPEN				
		OL	OVERLOAD				
		OR	OVERRIDE				
		Р	PRESSURE				
		SS	START / STOP				
		ST	STATUS				
		Т	TEMPERATURE				
		V	VELOCITY / SPEED				
		WT	WINDING TEMPERATURE				
		X	POSITION				
		Y	SERIAL COMM'S				

BMS POINT NOTE: IF AN INSTRUMENT IS NOT DESIGNATED AS A TRANSMITTER "X" OR AN INDICATING TRANSMITTER "Z", IT IS A SENSOR OR SWITCH, DEPENDING ON POINT TYPE.

XX - YYYY POINT FUNCTION ABBREVIATION POINT TYPE AI: ANALOG INPUT AO: ANALOG OUTPUT DIGITAL INPUT DO: DIGITAL OUTPUT

HW: HARDWIRED



GENERAL NOTES

FOR ROOF OPENING AND ROOF CURB DETAILS SEE ARCHITECTURAL DRAWINGS.

SC: SERIAL COMMINICATION

- ALL FRESH AIR OR EXHAUST AIR LOUVRES IN BUILDING WALLS BY GENERAL TRADES UNLESS OTHERWISE NOTED. FOR DETAILS SEE ARCHITECTURAL DRAWINGS.
- ALL STORM COLLAR FLASHINGS BY MECHANICAL FOR DETAILS OF FLASHINGS SEE ARCHITECTURAL DRAWINGS.
- THE CONTRACTOR SHALL VERIFY ALL CONDITIONS AND MEASUREMENTS AT THE SITE AND REPORT TO THE OWNER'S REPRESENTATIVE ANY DISCREPANCIES OR UNSATISFACTORY CONDITIONS WHICH MAY ADVERSELY AFFECT THE PROPER COMPLETION OF THE WORK.
- DIMENSIONS SHOWN ARE FOR PREFERRED LOCATION AND GENERAL ARRANGEMENT OF MECHANICAL SYSTEMS. IT SHALL REMAIN THE CONTRACTORS RESPONSIBILITY TO ENSURE OVERALL COORDINATION OF HIS WORK WITH OTHER TRADES. SHOULD DEVIATION FROM LOCATIONS SHOWN ON DRAWINGS BECOME NECESSARY DUE TO CONFLICTS WITH OTHER
- TRADES OR LOCAL PROBLEMS THEY MUST BE BROUGHT TO THE ATTENTION OF THE OWNER'S REPRESENTATIVE FOR APPROVAL PRIOR TO PROCEEDING WITH WORK. THIS IS THE STANDARD SHEET FORM NOT ALL ITEMS ARE ASSOCIATED WITH THIS PROJECT.
- ALL EXISTING SERVICES TO REMAIN UNLESS NOTED OTHERWISE.
- ALL SYSTEMS TO REMAIN FUNCTIONAL UNLESS PERMISSION FOR SHUTDOWN IS GRANTED BY THE OWNER.

GENERAL NOTES: PLUMBING & DRAINAGE

- ALL SANITARY DRAINS NPS 4 SIZE & LARGER SHALL SLOPE AT 1.0%, ALL SANITARY DRAINS NPS 3 & SMALLER SHALL SLOPE AT 2%.
- ALL PLUMBING, DRAINAGE & VENTING SHALL BE IN CONFORMANCE WITH PART 7 OF THE O.B.C. AND IS THE RESPONSIBILITY OF THE PLUMBING CONTRACTOR.
- ALL VENTING AND TRAP SEAL PRIMER NOT SHOWN BUT REQUIRED, SHALL BE BY PLUMBING CONTRACTOR. ALL DOMESTIC COLD AND HOT WATER PIPING SHALL BE THERMALLY INSULATED.
- ALL ABOVE GROUND HORIZONTAL RAIN WATER LEADER AND STORM DRAIN SHALL BE THERMALLY INSULATED.

GENERAL NOTES: FIRE PROTECTION

- ALL MATERIAL SHALL BE UNDERWRITER'S LABORATORIES OF CANADA (ULC) LISTED AND SHALL COMPLY WITH THE OWNER'S INSURER'S STANDARDS AND REQUIREMENTS AND LOCAL
- FIRE PROTECTION CONTRACTOR TO COORDINATE ON SITE WITH OTHER TRADES BEFORE ANY WORK IS DONE. ANY SERVICE RELOCATION DUE TO INSUFFICIENT COORDINATION TO BE DONE AT NO EXTRA COST TO THE OWNER. BEFORE PROCEEDING WITH WORK, DUCTWORK, PIPING AND ELECTRICAL DRAWINGS TO BE STUDIED BY FIRE PROTECTION CONTRACTOR. SHOP DRAWINGS TO
- REFLECT COORDINATED ELEVATIONS. REFER TO MECHANICAL AND ELECTRICAL DRAWINGS FOR SIZE AND LOCATION OF DUCTWORK, PIPING, AND LIGHTING FIXTURES, ETC.
- DETAILED FIRE PROTECTION DESIGN SHOP DRAWINGS TO BE STAMPED BY PROFESSIONAL ENGINEER LICENSED IN ONTARIO AND TO BE SUBMITTED TO CONSULTANT AND AUTHORITY HAVING
- JURISDICTION FOR REVIEW. PROVIDE TYPE ABC FIRE EXTINGUISHERS AS PER ONTARIO FIRE CODE. FINAL LOCATION TO BE COORDINATED ON FIELD.
- FIRE PROTECTION CONTRACTOR TO PROVIDE PIPE HANGERS AS PER NFPA 13.
- FIRE PROTECTION SYSTEM SHALL BE SUPPLIED AND INSTALLED IN ACCORDANCE WITH THE LATEST EDITION OF NFPA 13. CONTRACTOR TO CONDUCT FLOW TEST AND USE THE RESULTS FOR HYDRAULIC CALCULATIONS.
- HYDRAULIC CALCULATION SHALL START AT FIRE MAIN BUILDING CONNECTION. MAXIMUM SYSTEM PRESSURE TO BE 35KPA (5 PSI) LESS THAN THE PRESSURE TEST RESULT AT REQUIRED FLOW RATE, TO ACCOUNT FOR FUTURE FLUCTUATION IN WATER SUPPLY PRESSURE.
- PIPE DIMENSIONS TO BE DETERMINED BY THE RESULTS OF HYDRAULIC CALCULATION.
- SPRINKLER SYSTEMS TO BE HYDRAULICALLY DESIGNED TO DELIVER THE DENSITIES OVER THE MOST REMOTE AREA AS LISTED IN THE SCHEDULE SPRINKLER COVERAGES INDICATED ARE TO BE CONFIRMED BY FIRE PROTECTION CONTRACTOR.
- PROVIDE SPRINKLER PROTECTION UNDER ALL PLATFORMS INCLUDING BUT NOT LIMITED TO CONVEYORS, STAIRS, CATWALKS, SHELVING PLATFORMS, OVERHEAD DOORS, MEZZANINES, DUCTS OR
- ANY OBSTRUCTIONS WIDER THAN 1200MM. SPRINKLER SHOWN ARE FOR COORDINATION PURPOSE ONLY. FINAL LOCATION OF THE SPRINKLERS TO BE DETERMINED BY FIRE PROTECTION CONTRACTOR BASED ON HYDRAULIC CALCULATIONS.
- USE UPRIGHT SPRINKLER IN SPACE WITHOUT CEILING.
- LOCATE SPRINKLER HEADS IN THE CENTRE OF CEILING TILES.
- SPRINKLER HEAD LOCATION TO BE COORDINATED WITH ARCHITECT PRIOR TO SHOP DRAWING PRODUCTION.
- PIPING AND SPRINKLER HEADS MARKED FOR DEMOLITION TO BE REMOVED AND DISPOSED OF FROM SITE UNLESS OTHERWISE NOTED. REFER TO EXISTING SHOP DRAWINGS.
- ALL EXISTING SPRINKLERS TO BE ADJUSTED TO SUIT NEW BUILDING LAYOUT IN ACCORDANCE WITH NFPA 13. PROVIDE FIRE WATCH DURING SHUT DOWN.

GENERAL NOTES: HVAC

- ALL DUCTWORK TO BE INSTALLED TO LOW-PRESSURE DUCTWORK TO S.M.A.C.N.A. STANDARDS.
- DUCTWORK: FABRICATED OF PRIME QUALITY GALVANIZED STEEL SHEETS WITH Z275 (G90) DESIGNATION ZINC COATING TO ASTM A653/A653M ALL DUCTWORK C/W SEAL CLASS 'A' AS PER S.M.A.C.N.A. STANDARDS.
- ALL EXHAUST DUCTWORK SHALL BE THERMALLY INSULATED FOR 1500mm BEFORE EXITING THE BUILDING ENVELOPE. ALL FLEXIBLE DUCT TO BE MAXIMUM 3000MM LONG AND INSULATED.
- ALL SUPPLY AIR DUCTWORK INSIDE CEILING SPACE SHALL BE THERMALLY INSULATED.
- ALL REFRIGERANT LINES SHALL BE THERMALLY INSULATED. ALL CONDENSATE DRAIN SHALL BE THERMALLY INSULATED.
- ALL CONTROL WIRING SHALL BE FT-6 RATED.

CITY OF TORONTO Corporate Real Estate Management Project Management Office Metro Hall Toronto, ON M5V 3C6

CLIENT

COPYRIGHT This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by Arcadis is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and Arcadis shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to Arcadis for general conformance before proceeding with fabrication.

Arcadis Professional Services (Canada) Inc.

ISSUE	S	
No.	DESCRIPTION	DATE
Α	50% SUBMISSION	2022-04-27
В	90% SUBMISSION	2022-07-29
С	ISSUED FOR PERMIT	2022-07-29
D	ISSUED FOR TENDER	2025-04-11

CONSULTANTS

SEAL

PRIME CONSULTANT

100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

PROJECT TITLE CITY OF TORONTO ACCESSIBILITY UPGRADES

PROJECT ADDRESS

PROJECT NO: 9119- 19- 0162 / Arcadis 30279056 DRAWN BY: CHECKED BY: K.DURUKAN **B.LIAO**

APPROVED BY: N. FRISCIC S. LIU SHEET TITLE

PROJECT MGR:

MECHANICAL LEGEND SHEET 2 OF 2

SHEET NUMBER G05-GAL-G3002 D

SYMBOL	DESCRIPTION	SYMBOL	DESCRIPTION	SYMBOL	DESCRIPTION	SYMBOL	DESCRIPTION	SYMBOL	DESCRIPTION
	GENERAL				HEAT TRACING		<u>CCTV</u>		DUDUG ADDDESS & INTEDGOM
	NORTH ARROW		COMBINATION MAGNETIC STARTER	HT-STORM	DIRECT CONNECTION TO HEAT TRACING: I — HEAT TERACING				PUBLIC ADDRESS & INTERCOM
	ARROW INDICATES PROJECT NORTH		MAGNETIC STARTER MANUAL STARTER	III	II - PIPE SYSTEM ID STORM		INDOOR PTZ CAMERA		INTERCOM
<u> </u>		\$1	HORSEPOWER RATED MOTOR TOGGLE SWITCH		SANITARY TPL: TRAP SEAL PRIMER	→	INDOOR FIXED CAMERA		C — AUDIO E — EMERGENCY CALL H — HANDSET
N# E-###	NOTE REFERENCE TAG N# — DENOTES NOTE NUMBER E—### — DENOTES DRAWING NUMBER	\$HOA	HORSEPOWER RATED MOTOR HAND/OFF/AUTO SWITCH		DCW: DOMESTIC COLD WATER		OUTDOOR/WALL/ROOF MOUNTED PTZ CAMERA		P — PANEL S — SERVER
	BURIED GROUNDING CONDUCTOR		DISCONNECT SWITCH - NON-FUSIBLE	T _{HT}	HEAT TRACING THERMOSTAT	→	OUTDOOR/WALL/ROOF MOUNTED FIXED CAMERA		V — VIDEO A — AUDIO SIREN & STROBE
<u> </u>	LIGHTNING GROUND CONDUCTOR		FUSED DISCONNECT SWITCH		HEAT TRACING IN LINE TEMPERATURE SENSOR	←⑤	OUTDOOR FIXED CAMERA POLE MOUNTED		D — WITH IMAGE DISPLAY E — ELEVATOR
	GROUND ROD C/W INSPECTION CAN	MD	MOTORIZED DAMPER			1 1 1 ■	OUTDOOR PTZ CAMERA POLE MOUNTED		F — FURNITURE MTD M — MAINTENANCE S — COMMUNICATION STATUS INDICATOR
■ *	GROUNDING CONDUCTOR CONNECTION	СР	CONTROL PANEL		LIGHTING			S	PA SPEAKER
€ 	AIR TERMINAL (LIGHTNING ROD)	<u> </u>	JUNCTION BOX	L01	TYPICAL LUMINAIRE NOMENCLATURE: LO1 — DENOTES LUMINAIRE TYPE L2B1—28.1 — DENOTES CIRCUIT NUMBER	⊗ _{6m,A}	STEEL POLE BASE MOUNTED 6m — DENOTES POLE HEIGHT	P ZA	HORN/CONE SPEAKER
	CONDUCTOR DOWN TO BUILDING GROUND LOOP	M	MOTOR	LZD1 - ZO.1	L2B1 — DENOTES PANELBOARD (REFER TO POWER AND CONTROL)		A — DENOTES POLE BASE TYPE A — 900mm HIGH CONCRETE BASE, NOT HINGED	A	ZA — DENOTES ZONE A AMPLIFIER
	DIRECT BURIED CONDUIT(S) OR CABLE(S)	0	BLANK JUNCTION BOX		28 — DENOTES CIRCUIT NUMBER .1 — DENOTES CONTROL NUMBER		B — 300mm HIGH CONCRETE BASE, HINGED	ED	END OF LINE DEVICE
	CONCRETE ENCASED CONDUIT(S)	TBS	TERMINAL BOX WITH TERMINAL STRIPS	0	CEILING OR PENDANT MOUNTED LUMINAIRE	RP2	REMOTE PANEL RP2 DENOTES REMOTE PANEL NO.2		
	EXPOSED CONDUIT OR CABLE		BASEBOARD HEATING UNIT	Y 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	WALL MOUNTED LUMINAIRE	VD 2	CLOSED CIRCUIT TELEVISION VIDEO DISPLAY 2 DENOTES MONITOR TYPE		FIRE ALARM
	CONDUIT OR CABLE TURNING UP	СН	ELECTRIC CONVECTION HEATER	O P01	POLE MOUNTED LUMINAIRE PO1-LUMINAIRE TYPE			ANN	FIRE ALARM CONTROL PANEL REMOTE ANNUNCIATOR PANEL
_	CONDUIT OR CABLE TURNING DOWN	FF	ELECTRIC FORCE—FLOW HEATER				<u>SECURITY</u>	AZ-##	FIRE ALARM ZONE NUMBER
→	SLOPE — ARROW INDICATES DOWNWARD SLOPE	D	DOOR CONTROL PANEL	\$ OR \[\]	CEILING, PENDANT OR WALL MOUNTED LUMINAIRE LIGHT SWITCH		SECURITY CONTROL PANEL	A	CO2 ABORT STATION
мН	MANHOLE	(DL)	DOCK LEVELER		DESIGNATIONS FOR LIGHT SWITCHES 3 — 3—WAY	<u> </u>	GLASS BREAK DETECTOR	\$\circ\circ\circ\circ\circ\circ\circ\cir	ACTIVE FIELD DEVICE — COMBINATION CONTROL AND MONITOR MODULE
НН	HAND HOLE	Ф	SINGLE RECEPTACLE		4 — 4—WAY D — DIMMER		KEY PAD	(CS)	COMBINATION HEAT AND SMOKE DETECTOR
РВ	CONCRETE PULL BOX (MINIMUM INTERNAL DIMENSIONS: 900x610x900)	Ф	DUPLEX RECEPTACLE		MC — MOMENTARY CONTACT P — PILOT LIGHT K — KEY OPERATED			<u></u>	CO2 DUMP STATION
P	PULL BOX	Ö	TWO DUPLEX RECEPTACLES WITH BARRIER		LV — LOW VOLTAGE	K	CARD READER	DH	MAGNETIC DOOR HOLDER DEVICE
\bigoplus	UTILITY POLE		GFCI DUPLEX RECEPTACLE	OR OR	LUMINAIRE ON LIFE SAFETY CIRCUIT	Ms	DOOR MONITOR SWITCH	E	EMERGENCY POWER OFF STATION
	POWER AND CONTROL	Ш	COMBINATION DUPLEX RECEPTACLE/TELECOMMUNICATION OUTLET	(S)	OCCUPANCY SENSOR		DATA IN	FS	SPRINKLER SYSTEM FLOW ALARM SWITCH
PP-EBA1	POWER AND/OR DISTRIBUTION PANELBOARD — SURFACE MOUNTED	ä	(DUPLICATED ON COMMS DRAWINGS) COMBINATION TWO DUPLEX RECEPTACLES/TELECOMMUNICATION OUTLET	PE	PHOTO-ELECTRIC CONTROL		DATA OUT	H	COMBINATION RATE OF RISE AND FIXED TEMPERATURE HEAT DETECTOR
TX	PAD MOUNT TRANSFORMER		(DUPLICATED ON COMMS DRAWINGS AS COMBINATION DUPLEX RCT) WITH BARRIER BETWEEN RECEPTACLES	\otimes	EXIT SIGN — CEILING MOUNTED ARROW DENOTES DIRECTION CHEVRON		DOOR BY—PASS KEYED SWITCH	ID	DUCT SMOKE DETECTOR
TX	SUSPENDED TRANSFORMER	ф	COMBINATION MULTI-RECEPTACLE/TELECOMMUNICATION FLOOR BOX (DUPLICATED ON COMMS DRAWINGS)	\otimes	EXIT SIGN — WALL MOUNTED		ELECTRIC DOOR STRIKE	IL)	ISOLATOR MODULE INFRA RED DETECTOR
PP-EBA1	DENOTES PANEL	₩ #	LINE DENOTES ABOVE COUNTER HEIGHT OUTLET 1200 AFF OR 300 ABOVE COUNTER, UNLESS OTHERWISE NOTED	<u> </u>				M	ALARM MONITOR CONTACT
	DENOTES SEQUENTIAL IDENTIFIER (1,2,3,)		DESIGNATIONS FOR RECEPTACLE TYPES		EMERGENCY LIGHTING BATTERY WITH 2 HEADS AND SINGLE RECEPTACLE		MAGNETIC DOOR LOCK	P	POST INDICATOR VALVE
L A	DENOTES FLOOR (B.1.2.7)		A RACK RECEPTACLE L-20R B L21-20R C CEILING		EMERGENCY LIGHTING BATTERY FOR REMOTE HEADS AND SINGLE RECEPTACLE		ELEVATOR HALL CALL BUTTON	PS	PRESSURE SWITCH
B	DENOTES FLOOR (B,1,2,3) *UPS PANELS DENOTE PDU SOURCE		D DEPRESSED WITH FLOOR SLAB/ACCESS FLOOR E ENCLOSURE	4.▷	DOUBLE REMOTE EMERGENCY LIGHTING HEADS	%	ELEVATOR CARD CALL BUTTON	R	FIRE ALARM RELAY
LS LS	DENOTES NON-LIFE SAFETY DENOTES LIFE SAFETY		F FURNITURE MTD GFCI GROUND FAULT CIRCUIT INTERRUPTER H 5-30R	#	SPACE TYPE FOR LIGHTING CONTROL. REFER TO SCHEDULE IN SPECIFICATION SECTION 16590	К	MAGNETIC LOCK RELEASE/RESET KEY	\$ A	AREA SMOKE DETECTOR A DENOTES ASPIRATION TYPE
L U*	DENOTES LIGHTING DENOTES UNINTERRUPTIBLE POWER SUPPLY		S MTD ON SURFACE OF FLOOR U UNDERFLOOR			PE	PUSH TO EXIT		U DENOTES BELOW RAISED FLOOR AREA SMOKE DETECTOR COMPLETE WITH REMOTE
DP	*U2A1 DENOTES FROM PDU-U2A		DIRECT CONNECTION TO EQUIPMENT		COMMUNICATIONS COMMUNICATION OUTLET:			\$ -	ALARM LIGHT SPRINKLER SYSTEM SUPERVISED VALVE
PP PP PP	DISTRIBUTION PANEL POWER PANEL RECEPTACLE PANEL	(T)	THERMOSTAT	lacksquare	SOLID DENOTES COPPER CONDUCTORSOPEN DENOTES OPTICAL FIBRE CONDUCTORS		TRANSOM REQUEST TO EXIT	\bigvee	AIR SAMPLING SMOKE DETECTOR
LP SW	LIGHTING PANEL SWITCHBOARD	Ŷ	SWITCH HEATER/BLOWER		- BOXED DENOTES INDUSTRIAL OUTLET		AUDIBLE ANNUNCIATOR	O F	FIRE ALARM BELL
T PDU	TRANSFORMER POWER DISTRIBUTION UNIT		HIGH/LOW TEMPERATURE THERMOSTAT	$\overline{\nabla}$	FLUSH WITH SURFACE COMMUNICATIONS PASS TROUGH	PA	POWER ASSIST		FIRE ALARM HORN
EF	MECHANICAL OR ELECTRICAL EQUIPMENT	•	WEATHERPROOF PUSHBUTTON FOR POWER OPERATED DOOR		FURNITURE FEED F — DENOTES FLOOR MOUNTED		POWER ASSIST CONNECTION	F	FIRE ALARM MINI HORN C/W STROBE LIGHT
1	TAG NUMBER AC — AIR CONDITIONING UNIT	\bigcirc	FURNITURE FEED — POWER	шф	COMBINATION DUPLEX RECEPTACLE(S)/TELECOMMUNICATION OUTLET/FLOOR BOX (DUPLICATED ON POWER DRAWINGS)				STROBE LIGHT
	ACC — AIR COOLED CONDENSER UNIT C — COMPRESSOR		MISCELLANEOUS		TELECOMMUNICATIONS ENCLOSURE		DOOR RELEASE		WARNING LIGHT
	CH — CABINET UNIT HEATER CU — CONDENSER UNIT DH — DOOR HEATER	l Wc	DYNAMIC GLASS WINDOW CONTROLLER		DESIGNATIONS FOR COMMUNICATION OUTLETS	•	PUSH BUTTON REMOTE RELEASE		FIRE ALARM MANUAL PULL STATION (RED)
	EF — EXHAUST FAN ETU — EXHAUST TERMINAL UNIT EW — EYE WASH	wc zc	DYNAMIC GLASS ZONE CONTROLLER	V XXX #	XXX CABLE TERMINATION # QUANTITY		PUSH BUTTON DURESS		MANUAL RELEASE PULL STATION (BLUE)
	H — HUMIDIFIER HV — HEATING AND VENTILATING UNIT HW — HOT WATER HEATER		CLOCK	М	M MOUNTING STYLE S — SURFACE MTD P — PENDANT		PUSH BAR BOLT RETRACT		ABORT PUSH BUTTON
	MD — MOTORIZED DAMPER P — PUMP		NETWORK ATTACHED POE CLOCK WITH NETWORK CONNECTION 'C' — CEILING/PENDANT 'W' — WALL/SURFACE MOUNT		F — FENDANT F — FURNITURE R — RACK MOUNT PATCH PANEL		PUSH BAR ELECTRIC BOLT RETRACT	ED F A	END OF LINE DEVICE FIREMAN'S TELEPHONE HANDSET
	RAF — RETURN AIR FAN SF — SUPPLY FAN UH — UNIT HEATER		'S' — SINGLE SIDE 'D' — DOUBLE SIDE 2.5" 2.5"(64MM) DIGIT DISPLAY		W — FLUSH WITH SURFACE WALL MOUNTED D — DEPRESSED WITH FLOOR SLAB/ACCESS FLOOR	IR	PASSIVE INFRARED MOTION DETECTOR		TINLIMAN S TELLITIONE HAINUSET
	V — VENTILATING UNIT		4" 4" (100MM) DIGIT DISPLAY		C — CEILING O — OVERHEAD				
SYMBOLS ANI	D LEGEND AS APPLICABLE	SYMBOLS A	AND LEGEND AS APPLICABLE	SYMBOLS AN	D LEGEND AS APPLICABLE	SYMBOLS A	ND LEGEND AS APPLICABLE	SYMBOLS A	ND LEGEND AS APPLICABLE

CLIENT

CITY OF TORONTO

Corporate Real Estate Management
Project Management Office
Metro Hall Toronto, ON
M5V 3C6

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by Arcadis is forbidden.
Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and Arcadis shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to Arcadis for general conformance before proceeding with fabrication.

Arcadis Professional Services (Canada) Inc.

ISSUES

No. DESCRIPTION DATE
A 50% SUBMISSION 2022-01-20

2022-02-22

2022-03-18

2025-04-11

B 90% SUBMISSION

CONSULTANTS

C ISSUED FOR PERMIT

D ISSUED FOR TENDER

SEAL
PRIME CONSULTANT

100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

PROJECT TITLE

CITY OF TORONTO

ACCESSIBILITY UPGRADES

PROJECT NO: 9119- 19- 0162 / A

PROJECT ADDRESS

PROJECT NO:
9119- 19- 0162 / Arcadis 30279056

DRAWN BY: CHECKED BY:
V. MAC M. BOJIC

PROJECT MGR: APPROVED BY:

PROJECT MGR: APPROVED BY: F.BOLOURIAN P. WILLIAMS

SHEET TITLE

ELECTRICAL LEGEND 1

ISSUE

SHEET NUMBER
G05-G4001

SYMBOL	DESCRIPTION	SYMBOL	DESCRIPTION	SYMBOL	DESCRIPTION		ABBREVIATIONS		ABBREVIATIONS
	SINGLE LINE				METERING AND PROTECTION DEVICES	AFF	ABOVE FINISHED FLOOR	MCC	MOTOR CONTROL CENTRE
	POWER TRANSFORMER	6)	DRAWOUT LOW VOLTAGE CIRCUIT BREAKER		CONTROL TRANSFORMER	BIX	BIX TYPE PUNCH DOWN IDC TERMINATION	MCOV	MAXIMUM CIRCUIT OPERATING VOLTAGE
\overline{m}		γ/				BKR	CIRCUIT BREAKER	MECH	MECHANICAL
m m	TRANSFORMER			3 🗲	CURRENT TRANSFORMER, NUMBERS DENOTE	BLDG	BUILDING	mm	MILLIMETER
				100:5	QUANTITY AND RATIO	BLR	BOILER	mmC	TRADE SIZE CONDUIT IN MILLIMETERS
		600AF	LOW VOLTAGE CIRCUIT BREAKER WITH SOLID STATE TRIP UNIT			ВОТ	BOTTOM OF TRAY	MO	MANUALLY OPERATED
	LOW VOLTAGE DISCONNECT SWITCH (NUMBER DENOTES AMPERE RATING)	LSIG	AF- BREAKER FRAME UNIT AT - TRIP RATING		ZERO SEQUENCE CURRENT TRANSFORMER	BR	BRIDGE	M/W	MICROWAVE
	(NOMBER DENOTED ANNI ERETVITAO)		MO - MANUALLY OPERATED EO - ELECTRICALLY OPERATED			CC	CONCENTRATOR COMPLEX	MTD	MOUNTED
			L - LONG TIME TRIP FUNCTION S - SHORT TIME TRIP FUNCTION		FIXED FUSE AND FIXED POTENTIAL TRANSFORMER (PT)	CD	CANDELA	NC	NORMALLY CLOSED
/201		\bigvee	I - INSTANTANEOUS A - GROUND FAULT ALARM	2	NUMBER DENOTES QUANTITY	СР	CONTROL PANEL	NGR	NEUTRAL GROUNDING RESISTOR
/30A	LOW VOLTAGE FUSED DISCONNECT SWITCH (NUMBER DENOTES AMPERE RATING)		G - GROUND FAULT TRIP FUNCTION			CTL	CONTROL	NIC	NOT IN CONTRACT
15A		<u></u>	CONTACTOR, NUMBER DENOTES SIZE OR RATING	十 早		C/W	COMPLETE WITH	NO	NORMALLY OPEN
l		'	RATING			CAT6	CATEGORY 6 CABLE	O/H	OVER HEAD
		Y	GENERATOR		WITHDRAWABLE FUSE AND WITHDRAWABLE POTENTIAL TRANSFORMER (PT) NUMBER DENOTES QUANTITY	COMMS	COMMUNICATIONS	OC	ON CENTRE
15A	FUSE (NUMBER DENOTES AMPERE RATING)			2		СР	CONTROL PANEL	OESC	ONTARIO ELECTRICAL SAFETY CODE
l			POWER FACTOR CORRECTION CAPACITOR			DISC	DISCONNECT	OVP	OVER VOLTAGE PROTECTION
°)	CIRCUIT BREAKER					DIV	DIVISION	PLATF	PLATFORM
07		(A) L-O (L-O	KEY INTERLOCKS			DSP	GROUND FAULT PROTECTION SYSTEM	PPT	PATCH PANEL TERMINATION
	NORMALLY OPEN CONTACTS					DSP-CA	CABLE ADAPTER MODULE	R	REMOVE
	NORMALLY CLOSED CONTACTS	(20)	MOTOR - NUMBER DENOTES SIZE (HP)		WITHDRAWABLE FUSE AND FIXED POTENTIAL TRANSFORMER (PT) NUMBER DENOTES QUANTITY	DSP-CAS	CABLE ADAPTER MODULE	RCT	RECEPTACLE
		\Diamond	NEON LIGHT VOLTAGE INDICATOR		(FI)NOMBER BENOTED GOVINTITY	DSP-DFM	DSP FEEDER MODULE	RJ	U/UTP RJ45 CONNECTION
(c)-	RELAY COIL			2		E	EXISTING TO REMAIN	RM	ROOM
		M				EL	ELEVATION	RR	REMOVE AND RELOCATE
	DRAMOUT OR BUILD IN COMMENTION	l T	MANUAL MOTOR OTARTER	OFF		ELEV	ELEVATOR	SC	SHORT CIRCUIT
	DRAWOUT OR PLUG-IN CONNECTION		MANUAL MOTOR STARTER	HAND AUTO	SELECTOR SWITCH - HAND-OFF-AUTO	EMS	ENERGY MANAGEMENT SYSTEM	SLD	SINGLE LINE DIAGRAM
						EO	ELECTRICALLY OPERATED BREAKER	SP	SPARE
	MEDIUM VOLTAGE LOAD INTERRUPTER SWITCH - NUMBER DENOTES SWITCH RATING	<u> </u>		0 0		ETSP	ELECTRONIC TRAP SEAL PRIMER	SRP	SUPPRESSION RELEASE PERIPHERAL
/600A		Ţ	MAGNETIC MOTOR STARTER	مله	STOP	EX	EXISTING	ST	SHUNT TRIP
		8				FB#1	FEEDER CIRCUIT BREAKER (#1 DENOTES NUMBER)	STN	STATION
	GROUND CONNECTION			0 0	START	FEPO	FIREMAN EMERGENCY POWER OFF	STP	SHIELDED TWISTED PAIR CABLE
•		SF F			PILOT LIGHT	GFR	GROUND FAULT RELAY	STS	STATIC TRANSFER SWITCH
) o	LIGHTNING ARRESTER OR SURGE DIVERTER	ا لے ل	TWO-SPEED MAGNETIC MOTOR STARTER			GND	GROUND	SW	SWITCH
	NUMBER DENOTES QUANTITY				OVERLOAD	нт	HEAT TRACING	SWBD	SWITCH BOARD
_						HTR	HEATER	SWGR	SWITCH GEAR
$ \ \ \langle \rangle \ $	STRESS CONE		SURGE SUPRESSOR	СМ	DIGITAL CIRCUIT MONITOR	НОА	HAND-OFF-AUTO	ТВ	TIE CIRCUIT BREAKER
	DELTA MANYE TO ANICEODIA ED CONNECTION MATERIA					HVAC	HEATING - VENTILATION AND AIR CONDITIONING	TVSS	TRANSIENT VOLTAGE SURGE SUPPRESSOR
\ \ }	DELTA/WYE TRANSFORMER CONNECTION WITH WYE POINT RESISTANCE GROUNDED			₹	VARIABLE FREQUENCY DRIVE	IAM	INDIVIDUAL ADDRESSABLE MODULE	TYP	TYPICAL
Ž						LAV	LAVATORY	U/G	UNDER GROUND
						LCD	LIQUID CRYSTAL DISPLAY	UON	UNLESS OTHERWISE NOTED
	DELTA/WYE TRANSFORMER CONNECTION WITH WYE POINT GROUNDED					LED	LIGHT EMITTING DIODE	VFD	VARIABLE FREQUENCY DRIVE
4 						LSIA	LONG TIME TRIP; SHORT TIME TRIP; INSTANTANEOUS TRIP;	WP	WEATHER PROOF
	WYE/WYE TRANSFORMER CONNECTION					1.010	GROUND FAULT ALARM	XP	EXPLOSION PROOF
	DELTA/DELTA TRANSFORMER CONNECTION					LSIG	LONG TIME TRIP; SHORT TIME TRIP; INSTANTANEOUS TRIP; GROUND FAULT TRIP	*	REFER TO A-002 FOR ABBREVIATIONS NOT INCLUDED IN THIS LIST
						LVL	LEVEL		
d 6 ATS	AUTOMATIC TRANSFER SWITCH					LVR	LAYOVER		
						МВ	MAIN CIRCUIT BREAKER		
						MBPS	UPS - MAINTENANCE BY-PASS SWITCH - EXTERNAL		
SYMBOLS A	ND LEGEND AS APPLICABLE	SYMBOLS A	ND LEGEND AS APPLICABLE	SYMBOLS /	AND LEGEND AS APPLICABLE	SYMBOLS	AND LEGEND AS APPLICABLE	SYMBOLS	S AND LEGEND AS APPLICABLE

CLIENT CITY OF TORONTO Corporate Real Estate Management Project Management Office Metro Hall Toronto, ON M5V 3C6 COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by Arcadis is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and Arcadis shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to Arcadis for general conformance before proceeding with fabrication. Arcadis Professional Services (Canada) Inc. ISSUES DESCRIPTION A 50% SUBMISSION B 90% SUBMISSION C ISSUED FOR PERMIT D ISSUED FOR TENDER CONSULTANTS SEAL PRIME CONSULTANT

DATE

2022-01-20

2022-02-22

2022-03-18

2025-04-11

ARCADIS

100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

PROJECT TITLE
CITY OF TORONTO ACCESSIBILITY UPGRADES

PROJECT ADDRESS

PROJECT NO: 9119- 19- 0162 / Arcadis 30279056

DRAWN BY: CHECKED BY: V. MAC M. BOJIC APPROVED BY: **P. WILLIAMS** PROJECT MGR: F.BOLOURIAN

SHEET TITLE ELECTRICAL LEGEND 2

SHEET NUMBER

G05-G4002

MOUNTING HEIGHTS SCHEDULE					
MOUNTING HEIGHTS TO TOP OF DEVICE. ALL DIMENSIONS ARE ABOVE FINISHED FLOO	R (AFF) UNLESS NOTED OTHERWISE.				
MOUNTING HEIGHTS TO TOP OF DEVICE. ALL DIMENSIONS ARE ABOVE FINISHED FLOO LIGHT SWITCH — — — — — — — — — — — — — — — — — — —	R (AFF) UNLESS NOTED OTHERWISE.				
MOUNTING HEIGHTS A	S APPLICABLE				

GENERAL NOTES:

- 1. PROVIDE 1-#6 GND WIRE FOR ALL UNDERGROUND EMPTY CONDUITS AND COMMUNICATIONS CONDUITS WITHOUT METAL WIRING/CABLES TO FACILITATE FUTURE DETECTION.
- 2. NO SPLICES ARE ALLOWED FOR COMMUNICATION CABLES.
- 3. NO SPLICES ARE ALLOWED BELOW GRADE FOR POWER WIRE AND CABLE.
- 4. THERE MUST BE A BREAK IN ALL UNDERGROUND CONDUITS OUTSIDE THE BUILDING/TOWERS/ELECTRICAL/COMMUNICATIONS/BOILER ROOM TO ALLOW DRAINAGE OF RACEWAY BEFORE ENTERING THE ROOMS.
- 5. PROVIDE LAYOUT (WITH DIMENSIONS) OF ALL UNDERGROUND PULL POINTS INCLUDING HAND HOLES, MAN HOLES AND CONCRETE PULL BOXES TO THE CONSULTANT FOR APPROVAL PRIOR TO INSTALLATION.
- 6. INSTALL HAND HOLES AWAY FROM MAJOR TRAFFIC AREAS (TYPICAL).
- 7. PROVIDE HEAT TRACING PROTECTION FOR WATER PIPES, STORM PIPES AND SANITARY PIPES AS SHOWN ON ELECTRICAL DRAWINGS. REFER TO MECHANICAL DRAWINGS FOR PIPING LAYOUT. HEAT TRACING SHALL BE RAYCHEM MODEL #8XL-TRACE, 208V, 1PH, SELF REGULATING TRACING CABLE OR APPROVED EQUIVALENT, C/W POWER SUPPLY MODULE, THERMOSTAT AND ALL ACCESSORIES FOR A COMPLETE AND FUNCTIONING SYSTEM. STARTUP TEMPERATURE -29°C (-20°F).
- 8. WHERE CONDUITS ARE INSTALLED ACROSS EXPANSION JOINTS, PROVIDE CONDUITS WITH EXPANSION/CONTRACTION FITTINGS.
- 9. <u>ELEVATOR FIRE ALARM AUTOMATIC RECALL:</u>

ELEVATOR LOBBY MOUNTED FIRE DETECTORS AND SECURITY PANEL TO RECALL ELEVATORS TO DESIGNATED LEVEL UPON FIRE ALARM. SHOULD DETECTOR AT DESIGNATED LEVEL ELEVATOR LOBBY INDICATE FIRE, ELEVATOR TO BE DIRECTED TO ALTERNATE LEVEL. REFER TO ELEVATOR AUTOMATIC FIRE RECAL SCHEDULE. ELEVATOR CONTRACTOR TO COORDINATE WITH TSSA AND CONFIRM DESIGNATED/ALTERNATE LEVELS.

- 10. SMOKE DETECTOR AT TOP OF ELEVATOR SHAFT TO BE AIR SAMPLING SMOKE DETECTOR TYPE. INSTALL CONTROL UNIT IN A TAMPER PROOF ENCLOSURE (NEMA 4X) OUTSIDE OF ELEVATOR CLOSET. AIR SAMPLING SMOKE DETECTOR TO BE EST READY SET BY EDWARDS OR APPROVED EQUAL.
- 11. SITE PLAN DRAWINGS INDICATE UNDERGROUND POWER CONDUITS AND CORRESPONDING PULL POINTS (CONCRETE PULL BOXES, HAND HOLES OR MAN HOLES). WHERE OEC REQUIRES ADDITIONAL PULL POINTS FOR WIRING SEPARATION, PROVIDE ADDITIONAL CONCRETE PULL BOX (OR HAND HOLE) AS REQUIRED. IF AN ADDITIONAL MAN HOLE IS REQUIRED, IT IS PREFERRED TO PROVIDE AN ADDITIONAL HAND HOLE OR CONCRETE PULL BOX IF POSSIBLE.

CLIENT

CITY OF TORONTO

TORONTO

Corporate Real Estate Management
Project Management Office
Metro Hall Toronto, ON

M5V 3C6

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by Arcadis is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and Arcadis shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to Arcadis for general conformance before proceeding with fabrication.

Arcadis Professional Services (Canada) Inc.

ISSUE	S	
No.	DESCRIPTION	DATE
Α	50% SUBMISSION	2022-01-20
В	90% SUBMISSION	2022-02-22
С	ISSUED FOR PERMIT	2022-03-18
D	ISSUED FOR TENDER	2025-04-11
		•

CONSULTANTS

SEA

PRIME CONSULTANT



100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

CITY OF TORONTO
ACCESSIBILITY UPGRADES

PROJECT ADDRESS

V. MAC

PROJECT NO: 9119- 19- 0162 / Arcadis 30279056

DRAWN BY: CHECKED BY:

PROJECT MGR: APPROVED BY: F.BOLOURIAN P. WILLIAMS
SHEET TITLE

ELECTRICAL GENERAL NOTES

M. BOJIC

SHEET NUMBER
G05-G4002

D

3033 03 07 43:34:06 BM

CITY OF TORONTO ACCESSIBILITY UPGRADES TYPICAL DETAILS BOOKLET

9119-19-0162 / Arcadis 30279056

	ARCHITECTURAL TYPICAL DETAILS INDEX
SHEET#	SHEET TITLE
D1000	COVER PAGE & TYPICAL DETAIL LIST
D1001	ACCESSIBILITY DESIGN STANDARDS AND DOOR CLEARANCES
D1002	DOOR ENLARGEMENT
D1201	ACCESSIBLE WASHROOM, SHOWER & ACCESSORIES DETAILS
D1202	UNIVERSAL WASHROOM & SHOWER PLANS
D1203	UNIVERSAL WASHROOM ELEVATIONS
D1204	MULTI-STALL WASHROOM PLANS
D1205	UW - EMERGENCY CALL SYSTEM
D1301	KITCHEN MILLWORK PLANS & ELEVATIONS
D1302	KITCHEN MILLWORK DETAIL SECTIONS
D1303	KITCHEN HOOD VENT DETAIL
D1305	RECEPTION DESK MILLWORK PLANS & ELEVATIONS
D1306	RECEPTION DESK WITH TEMPERED GLASS DETAIL SECTIONS
D1401	STAIR DETAILS - 01
D1402	STAIR DETAILS - 02
D1403	RAMP DETAILS - 01
D1404	RAMP DETAILS - 02
D1405	TACTILE DETAILS
D1501	MISCELLANEOUS DETAILS - 01
D1502	MISCELLANEOUS DETAILS - 02
D1601	ELEVATOR DETAILS
D1602	ELEVATOR CONTROL & INTERIOR CABIN DETAILS
D1701	ACCESSIBLE PARKING AND SITE MARKING DETAILS
D1702	CURB DETAILS
D1801	PHASING / HOARDING DETAILS

STRUCTURAL TYPICAL DETAILS INDEX			MECHANICAL TYPICAL DETAILS INDEX		
SHEET#	SHEET TITLE	SHEET#	SHEET TITLE		
D2100	CONCRETE - TYPICAL DETAIL	D3201	PLUMBING DETAILS		
D2200	STRUCTURAL STEEL DETAILS - 1	D3301	DRAINAGE DETAILS		
D2201	STRUCTURAL STEEL DETAILS - 2	D3401	FIRE PROTECTION DETAILS		
D2300	MASONRY DETAILS	D3501	HVAC DETAILS		
		D3601	PIPING DETAILS SHEET 1 OF 2		
		D3602	PIPING DETAILS SHEET 2 OF 2		

ELECTRICAL TYPICAL DETAILS INDEX				
SHEET#	SHEET TITLE			
D4001	ELECTRICAL DETAILS 1			

ISSUED FOR TENDER

CITY OF TORONTO



55 John ST. TORONTO, ON

ISSUES

No.DESCRIPTIONDATEAISSUED FOR TENDER2025-04-1




100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com PROJECT NO: 9119- 19- 0162 / Arcadis 30279056

DATE: 2025-04-11

SHEET NUMBER

D1000





FILL TWO CORES MIN. OF EXISTING MASONRY WALL WITH GROUT EACH SIDE OF THE NEW OPENING, (DRILL HOLES TOP AND BOTTOM OF EACH CORE, INJECT GROUT, CLOSE HOLES WITH MORTAR AND MAKE GOOD SURFACE) INSTALL NEW LINTEL. SEE LINTEL SCHEDULE FOR LINTEL SIZE 5 ADD MASONRY FACES AT LINTEL AND REPAIR MASONRY COURSE

PROPOSED SEQUENCE OF WORK


D1002 Scale: 1:20

WIDENING WALL OPENING

CREATE NEW 150x150mm HOLES @ 400mm INTO EXISTING MASONRY WALL AND SHORE THE WALL ABOVE, SEE DETAIL 1.

OR SHORE THE WALL ABOVE BY USING 2 CHANNELS BACK TO BACK AND THROUGH BOLTS @350mm, SEE DETAIL 2

DEMOLISH THE EXISTING LINTEL, THE VOID FOR NEW BEAM AND THE WALL FROM EACH SIDE OF THE NEW OPENING



LINTEL:

OVER ALL OPENINGS IN MASONRY WALLS PROVIDE THE FOLLOWING LINTELS. UNLESS OTHERWISE SHOWN.

STEEL LINTELS

OTELL LINVILL	<u></u>					
CLEAR SPAN mm (ft-in)	140 (6") WALL	190 (8") WALL	240 (10") WALL	290 (12") WALL	350 WALL	430 WALL
UP TO 1200 (4'-0")	L127x127x7.9	2-L89x89x7.9 +170x6mm PL	L89x89x7.9 +L127x89x7.9 LLV +220x6mm PL	3-L89x89x7.9 +270x6mm PL	3-L127X89X7.9 (LLV)	3-L127X127X7.9 +410X6mm PL
1201 TO 1800 (4'0 - 6'-)	2-L89x64x6.4LLV	2-L127x89x7.9LLV	L127x89x7.9LLV +L127x127x7.9	3-L127x89x7.9LLV		
1801 TO 3100 (6'- 10')	2-L89x64x9.5LLV	2-L152x89x9.5LLV	2-L152x89x9.5LLV	3-L152x89x9.5LLV		

CLIENT CITY OF TORONTO Corporate Real Estate Management Project Management Office Metro Hall Toronto, ON

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by IBI Group is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and IBI Group shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to IBI Group for general conformance before proceeding with fabrication.

M5V 3C6

IBI Group Professional Services (Canada) Inc. is a member of the IBI Group of companies

DESCRIPTION A ISSUED FOR TENDER 2025-04-11

CONSULTANTS

SEAL

PRIME CONSULTANT

ARCADIS

100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

PROJECT TITLE CITY OF TORONTO ACCESSIBILITY UPGRADES

PROJECT ADDRESS

PROJECT NO: 9119- 19- 0162 / Arcadis 30279056

DRAWN BY: CHECKED BY: A. BOYNARIAN K. TILAHUN APPROVED BY: **E. FENUTA** PROJECT MGR: F.BOLOURIAN

SHEET TITLE

DRYWALL CUT OUT

REFER TO STRUCTURAL DETAIL

2 DRYWALL - DOOR JAMB SECTION DETAIL D1002 Scale: 1:10

SEALANT BOTH SIDES TYP.

WALL TYPE AS ——— INDICATED ON PLANS


DOOR WIDTH
SEE SCHEDULE


1 DRYWALL - DOOR CUTOUT DETAIL

D1002 Scale: 1:10


NOTE: FOR MASONRY WALL CUT OUT,


SHEET NUMBER D1002








RESERVED	akesta ven	REFERING	CITY OF TORONTO Corporate Real Estate Management Project Management Office Metro Hall Toronto, ON M5V 3C6 COPYRIGHT This drawing has been prepared solely for the intended use. Bus any reproduction or distribution to it is any purpose of the three intended to the Boxop is chaldent of the control of the c
RESERVED	RESERVED	at a training of the state of t	CONSULTANTS
2025-04-11 10:30-53 AM **Estantin** **Esta	RESERVED	RESERVED	PRIME CONSULTANT PRIME CADIS 100 - 175 Galaxy Bivd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com PROJECT TITLE CITY OF TORONTO ACCESSIBILITY UPGRADES PROJECT ADDRESS PROJECT ADDRESS PROJECT ADDRESS PROJECT MO: 9119- 19- 0162 / Arcadis 30279056 DRAWN BY: A BOYNARIAN K. TILAHUN PROJECT MGR: PROVED BY: PROJECT MGR: PROJEC














25-04-11 10:39:50







LE CHECK 10mm

A.E.C.	FR.VED	RESERVED	ae stant	CLIENT CITY OF TORONTO Corporate Real Estate Management Project Management Office Metro Hall Toronto, ON M5V 3C6 COPYRIGHT The drinked his been prepared solely for the instead use, thus any reproduction or in the drinked for any purpose of the than authorized by IBI Croup is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall writy and to responsible for it dimensions and conditions on the pick, and IBI office of the condition of th
AEC .	ERNED	RESERVED		CONSULTANTS
2025-04-11 10:39:53 AM	FRANKE .	RESERVED	ALESTER WE	PRIME CONSULTANT PROJECT NO: 9119- 19- 0162 / Arcadis 30279056 DRAWN BY: A. BOYNARIAN A. BOYNARIAN PROJECT MGR: F.BOLOURIAN SHEET TITLE RECEPTION DESK WITH TEMPERED GLASS MILLWORK SHEET NUMBER D1305 ADD MAN DESCARAGE D1305 ADD ARCADIS 100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com PROJECT TITLE CITY OF TORONTO ACCESSIBILITY UPGRADES PROJECT NO: 9119- 19- 0162 / Arcadis 30279056 DRAWN BY: A. BOYNARIAN K. TILAHUN PROJECT MGR: F.BOLOURIAN E. FENUTA SHEET NUMBER D1305 ISSUE A







NOTES:


INTERIOR GUARDS AND HANDRAILS TO BE STEEL WITH POWDER COATED FINISH UNLESS NOTED OTHERWISE


FOR ALL TACTILE INDICATOR, USE TA-1A - YELLOW COLOUR UNLESS OTHERWISE NOTED


FOR ALL TEXTURE AND CONTRAST WARNING STRIP INTERIOR APPLICATION, USE TA-10 -YELLOW COLOUR UNLESS OTHERWISE NOTED FOR ALL TEXTURE AND CONTRAST WARNING STRIP EXTERIOR APPLICATION, USE TA-11, EXCEPT CAST IN PLACE EXTERIOR CONCRETE

APPLICATION USE TA-12

EXTERIOR GUARDS AND HANDRAILS TO BE GALVANIZED STEEL WITH POWDER COATED FINISH UNLESS NOTED OTHERWISE







CONSULTANTS

CLIENT

CITY OF TORONTO

Corporate Real Estate Management

Project Management Office Metro Hall Toronto, ON M5V 3C6

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by IBI Group is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and IBI Group shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to IBI Group for general conformance before proceeding with fabrication.

IBI Group Professional Services (Canada) Inc. is a member of the IBI Group of companies


DESCRIPTION

A ISSUED FOR TENDER


DATE

2025-04-11

✓ 1 TYP. GUARDRAIL CONNECTION DETAIL AT STEEL STRINGER D1403 Scale: 1:10



2 ELEVATION OF GUARDRAIL FOR RAMP AT GRADE DIFFERENCE LESS THAN 600 MM D1403 / Scale: 1:10



3 SECTION OF GUARDRAIL FOR RAMP AT GRADE DIFFERENCE LESS THAN 600 MM D1403 Scale: 1:10

SEAL

PRIME CONSULTANT



100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

PROJECT TITLE CITY OF TORONTO ACCESSIBILITY UPGRADES

PROJECT ADDRESS


PROJECT NO: 9119- 19- 0162 / Arcadis 30279056

DRAWN BY: CHECKED BY: A. BOYNARIAN K. TILAHUN PROJECT MGR APPROVED BY:

E. FENUTA F.BOLOURIAN SHEET TITLE RAMP DETAILS - 01

SHEET NUMBER D1403





POWDER COATED STEEL 38Ø
PIPE HANDRAIL POWDER COATED STEEL 38Ø PIPE POST @ 1200MM O.C. MAX. RAILING EDGE PROTECTION POWDER COATED STEEL 38Ø PIPE BOTTOM RAIL 1% CROSS SLOPE 150mm MIN-EMBEDDED POST, EMBEDDED POST, CORE DRILLED AND CORE DRILLED AND **EPOXY GROUTED EPOXY GROUTED**

1 ELEVATION OF GUARDRAIL FOR RAMP AT GRADE DIFFERENCE MORE THAN 600 MM D1404 | Scale: 1:10

EMBEDDED POST, —
 CORE DRILLED AND
 EPOXY GROUTED

2 SECTION OF GUARDRAIL FOR RAMP AT GRADE DIFFERENCE MORE THAN 600 MM D1404 | Scale: 1:10

CLIENT CITY OF TORONTO Corporate Real Estate Management Project Management Office Metro Hall Toronto, ON

M5V 3C6 COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by IBI Group is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and IBI Group shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to IBI Group for general conformance before proceeding with fabrication.

IBI Group Professional Services (Canada) Inc. is a member of the IBI Group of companies

DESCRIPTION DATE A ISSUED FOR TENDER 2025-04-11

SEAL

CONSULTANTS

PRIME CONSULTANT

ARCADIS

100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

PROJECT TITLE CITY OF TORONTO ACCESSIBILITY UPGRADES

PROJECT ADDRESS

PROJECT NO:

9119- 19- 0162 / Arcadis 30279056 DRAWN BY: CHECKED BY: A. BOYNARIAN K. TILAHUN

APPROVED BY: **E. FENUTA** PROJECT MGR: F.BOLOURIAN


SHEET TITLE RAMP DETAILS - 02


SHEET NUMBER

ISSUE A

NOTES:


D1404







1 CONTROL JOINT PLAN DETAIL - DRYWALL






3 HEAD DRYWALL FIRE RATED PARTITION D1501 Scale: 1:5





4 HEAD FULL HEIGHT DRYWALL PARTITION - NON RATED D1501 Scale: 1:5



NOTE: ANCHOR TOP TRACK TO T-BAR WITH CLIPS OR FASTENERS DO NOT SCREW TO MAIN T's

5 DRYWALL - ACOUSTICAL TREATMENT ABOVE CEILING

Project Management Office Metro Hall Toronto, ON M5V 3C6 COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by IBI Group is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and IBI Group shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to IBI Group for general conformance before proceeding with fabrication. IBI Group Professional Services (Canada) Inc. is a member of the IBI Group of companies DESCRIPTION A ISSUED FOR TENDER

CLIENT

CITY OF TORONTO

DATE

2025-04-11

CONSULTANTS

SEAL

PRIME CONSULTANT



100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

PROJECT TITLE CITY OF TORONTO ACCESSIBILITY UPGRADES

PROJECT ADDRESS


PROJECT NO:


9119- 19- 0162 / Arcadis 30279056 DRAWN BY: CHECKED BY: A. BOYNARIAN K. TILAHUN PROJECT MGR: APPROVED BY: E. FENUTA F.BOLOURIAN


SHEET TITLE **MISCELLANEOUS** DETAILS - 01

SHEET NUMBER

ISSUE A D1501







CITY OF TORONTO Corporate Real Estate Management Project Management Office

CLIENT

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by IBI Group is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and IBI Group shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to IBI Group for general conformance before proceeding with fabrication.

IBI Group Professional Services (Canada) Inc. is a member of the IBI Group of companies

DESCRIPTION DATE 2025-04-11

ARCADIS

100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930


CITY OF TORONTO ACCESSIBILITY UPGRADES


9119- 19- 0162 / Arcadis 30279056 CHECKED BY:


K. TILAHUN APPROVED BY: E. FENUTA

ELEVATOR CONTROL & INTERIOR CABIN **DETAILS**

> ISSUE A







UNIVERS - CONDENSED

Base font used throughout the signage for the City of Toronto


ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopqrstuvwxyz 1234567890


UNIVERS - BOLD CONDENSE
Used for numeric identifiers,
eg: Stairwell IDs or Building
Street Number


ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopqrstuvwxyz 1234567890

GRADE 1 BRAILLE










SIGNAGE & WAYFINDING DETAILS


D1901

SHEET NUMBER

GENERAL SPECIFICATIONS

ISSUE







55 John ST. TORONTO, ON M5V 3C6

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by IBI Group is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and IBI Group shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to IBI Group for general conformance before proceeding with fabrication.

IBI Group Professional Services (Canada) Inc. is a member of the IBI Group of companies

ISSUES DESCRIPTION DATE A ISSUED FOR TENDER 2025-04-11

CONSULTANTS

PRIME CONSULTANT



100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

PROJECT TITLE
CITY OF TORONTO ACCESSIBILITY UPGRADES

PROJECT ADDRESS **GROUP 05 BUILDINGS**

PROJECT NO: 9119 – 19 – 0162 / Arcadis 30279056 DRAWN BY:


CHECKED BY: C.D. SCHNOBB M.LOW PROJECT MGR: R. DALY APPROVED BY:


SHEET TITLE SIGNAGE & WAYFINDING **DETAILS**

B1.1: DIRECTIONAL SIGNAGE

SHEET NUMBER

D1902











COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by IBI Group is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and IBI Group shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to IBI Group for general conformance before proceeding with fabrication.

IBI Group Professional Services (Canada) Inc. is a member of the IBI Group of companies

No. DESCRIPTION DATE
A ISSUED FOR TENDER 2025-04-11

CONSULTANTS

SEAL

PRIME CONSULTANT

ARCADIS

100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

PROJECT TITLE
CITY OF TORONTO
ACCESSIBILITY UPGRADES

PROJECT ADDRESS

GROUP 05 BUILDINGS

PROJECT NO: 9119 – 19 – 0162 / Arcadis 30279056

DRAWN BY:
M.LOW

PROJECT MGR:
R. DALY


CHECKED BY:
C.D. SCHNOBB

APPROVED BY:

SHEET TITLE
SIGNAGE & WAYFINDING
DETAILS

E2: ROOM ID
SHEET NUMBER

D1903 A



CITY OF TORONTO

55 John ST. TORONTO, ON M5V 3C6

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by IBI Group is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and IBI Group shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to IBI Group for general conformance before proceeding with fabrication.

IBI Group Professional Services (Canada) Inc. is a member of the IBI Group of companies

ISSUES DESCRIPTION DATE A ISSUED FOR TENDER 2025-04-11

CONSULTANTS

PRIME CONSULTANT

ARCADIS

100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

PROJECT TITLE
CITY OF TORONTO ACCESSIBILITY UPGRADES

PROJECT ADDRESS GROUP 05 BUILDINGS


PROJECT NO: 9119 – 19 – 0162 / Arcadis 30279056


CHECKED BY: C.D. SCHNOBB DRAWN BY: M.LOW PROJECT MGR: R. DALY APPROVED BY:


SHEET TITLE SIGNAGE & WAYFINDING

DETAILS E4: INSERT HOLDER

D1904











55 John ST. TORONTO, ON M5V 3C6

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by IBI Group is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and IBI Group shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to IBI Group for general conformance before proceeding with fabrication.

IBI Group Professional Services (Canada) Inc. is a member of the IBI Group of companies

 ISSUES

 No.
 DESCRIPTION
 DATE

 A
 ISSUED FOR TENDER
 2025-04-11

CONSULTANTS

SEAL

PRIME CONSULTANT

ARCADIS

100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

CITY OF TORONTO
ACCESSIBILITY UPGRADES

PROJECT ADDRESS

GROUP 05 BUILDINGS

PROJECT NO: 9119 – 19 – 0162 / Arcadis 30279056

DRAWN BY:
M.LOW

PROJECT MGR:
R. DALY

CHECKED BY:
C.D. SCHNOBB


APPROVED BY:


SHEET TITLE
SIGNAGE & WAYFINDING

DETAILS
H1.1: AMENITY ID

SHEET NUMBER
D1905

ISSUE A







55 John ST. TORONTO, ON M5V 3C6

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by IBI Group is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and IBI Group shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to IBI Group for general conformance before proceeding with fabrication.

IBI Group Professional Services (Canada) Inc. is a member of the IBI Group of companies

ISSUES DESCRIPTION DATE A ISSUED FOR TENDER 2025-04-11

CONSULTANTS

PRIME CONSULTANT

ARCADIS

100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

PROJECT TITLE
CITY OF TORONTO ACCESSIBILITY UPGRADES

PROJECT ADDRESS GROUP 05 BUILDINGS


PROJECT NO: 9119 – 19 – 0162 / Arcadis 30279056

CHECKED BY: C.D. SCHNOBB DRAWN BY: M.LOW PROJECT MGR: R. DALY APPROVED BY:


SHEET TITLE SIGNAGE & WAYFINDING

DETAILS H2.1:PROJECTING AMENITY

SHEET NUMBER D1906









CITY OF TORONTO

TORONTO

55 John ST. TORONTO, ON M5V 3C6

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by IBI Group is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and IBI Group shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to IBI Group for general conformance before proceeding with fabrication.

IBI Group Professional Services (Canada) Inc. is a member of the IBI Group of companies

CONSULTANTS

SEAL

PRIME CONSULTANT

ARCADIS

100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

CITY OF TORONTO
ACCESSIBILITY UPGRADES

PROJECT ADDRESS

GROUP 05 BUILDINGS

PROJECT NO.

PROJECT NO: 9119 – 19 – 0162 / Arcadis 30279056

DRAWN BY: CHECKED BY:

M.LOW

C.D. SCHNOBB

PROJECT MGR:
R. DALY


APPROVED BY:


SIGNAGE & WAYFINDING
DETAILS


J4: ACCESSIBLE ENTRANCE


SHEET NUMBER
D1907

)7 A











COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by IBI Group is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and IBI Group shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to IBI Group for general conformance before proceeding with fabrication.

M5V 3C6

IBI Group Professional Services (Canada) Inc. is a member of the IBI Group of companies

 ISSUES

 No.
 DESCRIPTION
 DATE

 A
 ISSUED FOR TENDER
 2025-04-11

CONSULTANTS

SEAL

PRIME CONSULTANT

ARCADIS

100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

CITY OF TORONTO
ACCESSIBILITY UPGRADES

PROJECT ADDRESS

GROUP 05 BUILDINGS

PROJECT NO:
9119 – 19 – 0162 / Arcadis 30279056

DRAWN BY:
M.LOW
C.D. SCHNOBB


PROJECT MGR:
R. DALY


APPROVED BY:

SHEET TITLE
SIGNAGE & WAYFINDING
DETAILS


S1: STAIR ID
SHEET NUMBER


D1908 A





NEW SLAB CONNECTION TO EXISTING SLAB






PAINT JOINT WITH BOND -BREAKING COMPOUND

POURED

BEFORE ADJACENT SLAB IS



B 90% SUBMISSION

C ISSUED FOR PERMIT D ISSUED FOR TENDER

E ISSUED FOR TENDER

CITY OF TORONTO

Corporate Real Estate Management

Project Management Office

2022-07-29

2022-07-29

2022-12-09


2025-04-11

Metro Hall Toronto, ON

CLIENT

3 SLAB ON GRADE ∖ D2100 / Scale: NTS








∖ D2100 / Scale: NTS


TYPE 1 TYPE 1WS

WALL THICKNESS	KEY SIZE		"a"	
"T"	"D"	"W"	а	
200 TO 300	50	100	5	
310 TO 440	50	150	10	
450 TO 590	75	200	20	
600 TO 890	75	250	20	









15 DIA.X 600 LG. -@ 450 SMOOTH DWLS. GREASED TO ASSURE

CONTROL JOINT

SLIPPAGE

5mm SAWCUT FILLED
AS PER SPECIFICATIONS

CUT HALF OF TOP REINF.

GREASED END OF DWLS


IN SLABS WITH TOP &

BOTTOM REINF.

ISOLATION JOINT



5	TYPICAL CONSTRUCTION JOINT AT EXTERIOR WALL
D2100	Scale: 1:20



D2100 | Scale: 1:20

HILTI KWIKBOLT TZ2 CARBON STEEL, DIA 1/2"					
CONCRETE THICKNESS	EFFECTIVE EMBED-	Case 1		Case 2	
THICKNESS	MENT	MIN EDGE DIST. C _{MIN1}	FOR SPACING S _{MIN1}	MIN EDGE DIST. C _{MIN2}	FOR SPACING S _{MIN2}
200	83	57	133	121	51
150	64	70	248	203	76
125	51	70	140	254	89
100	38	203	305	203	305

8 SPACING AND EDGE REQUIREMENTS FOR WEDGE ANCHORS (TYPICALLY USED FOR HANDRAILS) D2100 | Scale: 1:5

CONSULTANTS	
SEAL	
PRIME CONSULTANT 100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9 tel 416 679 1930 www.arcadis.com	CADIS 9, Canada
PROJECT TITLE CITY OF T ACCESSIBILIT	
PROJECT ADDRESS	
PROJECT NO: 9119- 19- 0162 / Arcadi	
DRAWN BY: G. POULOU	CHECKED BY: M. FAYAZI

APPROVED BY: **K. ANGER**

ISSUE

CONCRETE TYPICAL


DETAILS

G05-D2100

PROJECT MGR N. FRISCIC

SHEET TITLE

SHEET NUMBER



PARTITION WALL BETWEEN JOIST D2200 Scale: 1:20


PARTITION WALL (SEE


ARCH. DWGS.) -

MIN. 75mm COMPRESSIBLE STEEL DECK MATERIAL (TYP). JOIST OR BEAM (SEE PLAN FOR SECTION) L152x89x7.9x150 LG. WELDED TO STEEL FRAMING (MAX. SPACING 1800 C/C TYP.)

4 PARTITION WALL PERPENDICULAR TO JOIST OR BEAM

D2200 / Scale: 1 : 20







NOTES:

1. ALL CONNECTIONS TO BE AT FILLED VERTICAL CELLS AT 1200 mm O/C MAXIMUM UNLESS NOTED OTHERWISE. 2. FIELD WELD ANGLES TO EMBEDDED PLATE.


7 SUPPORT DETAIL AT TOP OF BLOCK WALL D2200 / Scale: 1 : 20




2 PARTITION WALL PARALLEL TO AND CENTERED ON JOIST OR BEAM




PARTITION WALL BETWEEN BEAMS ∖ D2200 / Scale: 1 : 20




8 TYPICAL SLAB UNDER STRINGER




TYPICAL SECTION AT UPPER LANDING D2200 / Scale: 1:10




3 PARTITION WALL PARALLEL TO JOISTS OR BEAM √D2200 / Scale: 1 : 20




6 PARTITION PERPENDICULAR TO JOIST OR BEAMS √D2200 / Scale: 1 : 20



$oxed{egin{array}{c} 9 \end{array}}$ TYPICAL SECTION AT UPPER LANDING STRINGER D2200 / Scale: 1 : 10



12 TYPICAL SECTION AT LOWER LANDING STRINGER D2200 / Scale: 1 : 10



11 TYPICAL SECTION AT LOWER LANDING ∖ D2200 / Scale: 1 : 10



COPYRIGHT This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by Arcadis is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and Arcadis shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to Arcadis for general conformance before proceeding with fabrication.

Arcadis Professional Services (Canada) Inc.

ISSUE	S	
No.	DESCRIPTION	DATE
Α	50% SUBMISSION	2022-04-27
В	90% SUBMISSION	2022-07-29
С	ISSUED FOR PERMIT	2022-07-29
D	ISSUED FOR TENDER	2022-12-09
Е	ISSUED FOR TENDER	2025-04-11

CONSULTANTS

SEAL

PRIME CONSULTANT



100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

PROJECT TITLE CITY OF TORONTO **ACCESSIBILITY UPGRADES**


PROJECT ADDRESS

PROJECT NO: 9119- 19- 0162 / Arcadis 30279056 DRAWN BY: CHECKED BY: G. POULOU M. FAYAZI PROJECT MGR APPROVED BY: N. FRISCIC K. ANGER SHEET TITLE

STRUCTURAL STEEL DETAILS - 1

ISSUE

SHEET NUMBER G05-D2200



SHEET NUMBER G05-D2201

CITY OF TORONTO

CITY OF TORONTO

Project Management Office

Metro Hall Toronto, ON

M5V 3C6

Arcadis Professional Services (Canada) Inc.

2022-04-27

2022-07-29

2022-07-29

2022-12-09

2025-04-11

DESCRIPTION

ISSUE

CHECKED BY:


APPROVED BY:

M. FAYAZI

K. ANGER

STRUCTURAL STEEL

DETAILS - 2



WIDENING AN EXISTING OPENING IN EXISTING MASONRY WALL TYP.

NEW DOOR/WINDOW OPENING INTO EXISTING MASONRY WALL TYP.

PROPOSED SEQUENCE OF WORK

1	CREATE NEW 150x150mm HOLES @ 400mm INTO EXISTING MASONRY WALL AND SHORE THE WALL ABOVE, SEE DETAIL OR SHORE THE WALL ABOVE BY USING 2 CHANNELS BACK TO BACK AND THROUGH BOLTS @350mm, SEE DETAIL 2
2	DEMOLISH THE EXISTING LINTEL, THE VOID FOR NEW BEAM AND THE WALL FROM EACH SIDE OF THE NEW OPENING
3	FILL TWO CORES MIN. OF EXISTING MASONRY WALL WITH GROUT EACH SIDE OF THE NEW OPENING, (DRILL HOLES TO AND BOTTOM OF EACH CORE, INJECT GROUT, CLOSE HOLES WITH MORTAR AND MAKE GOOD SURFACE)
4	INSTALL NEW LINTEL. SEE LINTEL SCHEDULE FOR LINTEL SIZE
5	ADD MASONRY FACES AT LINTEL AND REPAIR MASONRY COURSE

1 \ WIDENING MASONRY WALL OPENING OR NEW OPENING IN EXISTING MASONRY WALL

LINTEL:

OVER ALL OPENINGS IN MASONRY WALLS PROVIDE THE FOLLOWING LINTELS.

STEEL LINTELS

CLEAR SPAN mm (ft-in)	140 (6") WALL	190 (8") WALL	240 (10") WALL	290 (12") WALL	350 WALL	430 WALL
UP TO 1200 (4'-0")	L127x127x7.9	2-L89x89x7.9 +170x6mm PL	L89x89x7.9 +L127x89x7.9 LLV +220x6mm PL	3-L89x89x7.9 +270x6mm PL	3-L127X89X7.9 (LLV)	3-L127X127X7.9 +410X6mm PL
1201 TO 1800 (4'0 - 6'-)	2-L89x64x6.4LLV	2-L127x89x7.9LLV	L127x89x7.9LLV +L127x127x7.9	3-L127x89x7.9LLV		
1801 TO 3100 (6'- 10')	2-L89x64x9.5LLV	2-L152x89x9.5LLV	2-L152x89x9.5LLV	3-L152x89x9.5LLV		

- TO INSTALL A LINTEL TO THE EXISTING BLOCK WALL FOR A NEW OPENING, CUT A GROOVE THROUGH THE EXISTING BLOCK SIDE OF THE WALL FOR SINGLE SNGLE OR FROM BOTH SIDES OF
- MINIMUM BEARING FOR STEEL LINTELS SHALL BE 150mm
- ALL STEEL LINTELS AND SHELF ANGLES IN THE EXTERIOR MASONRY SHALL BE HOT DIP GALVANIZED
- THESE LINTELS ARE FOR NON-LOAD BEARING WALLS. VERIFY THE WALLS DO NOT SUPPORT FLOOR OR ROOF FRAMING. DO NOT IN LOAD BEARING WALLS UNLESS REVIEWED BY THE CONSULT.
- II) WALL EXTENDS MINIMUM 50% OF SPAN (AND 50% OF OPENING HEIGHT) BEYOND
- III) WALL EXTENDS MINIMUM 70% OF SPAN ABOVE THE OPENING.
- STRENGTHEN BEARING POINTS TO FOUNDATION, OR 400 DEEP WHEN SPAN BELOW 3600, GROUT CMU OR STONE MASONRY. BRICK IN AND GROUT VOIDS IN MULTI-WY
- DRYPACK WITH NON-SHRINK GROUT WHERE NECESSARY TO ACHIEVE UNIFORM BEARING THROUGHOUT. ENSURE EVEN BEARING BELOW LINTEL ENDS.
- SEE GENERAL NOTES FOR OTHER REQUIREMENTS (i.e. GROUT BEARING POINTS).
- HOT-DIP GALVANIZE LINTELS IN EXTERIOR WALLS EXPOSED TO WEATHER.
- SEE ARCH FOR STEEL FIRE PROTECTION.
- FOR RUBBLE STONE IN LIME MORTAR OR LIME AND CEMENT MORTAR.

UNLESS OTHERWISE SHOWN.

CLEAR SPAN mm (ft-in)	140 (6") WALL	190 (8") WALL	240 (10") WALL	290 (12") WALL	350 WALL	430 WALL
UP TO 1200 (4'-0")	L127x127x7.9	2-L89x89x7.9 +170x6mm PL	L89x89x7.9 +L127x89x7.9 LLV +220x6mm PL	3-L89x89x7.9 +270x6mm PL	3-L127X89X7.9 (LLV)	3-L127X127X7.9 +410X6mm PL
1201 TO 1800 (4'0 - 6'-)	2-L89x64x6.4LLV	2-L127x89x7.9LLV	L127x89x7.9LLV +L127x127x7.9	3-L127x89x7.9LLV		
1801 TO 3100 (6'- 10')	2-L89x64x9.5LLV	2-L152x89x9.5LLV	2-L152x89x9.5LLV	3-L152x89x9.5LLV		

WALL AT THE TOP OF THE NEW OPENING AND INSTALL THE ANGLE FROM ONE THE WALL FOR DOUBLE ANGLE AND THEN CUT THE OPENING.

VERIFY THE FOLLOWING:

I) NO CONTROL OR MOVEMENT JOINTS ABOVE THE LINTEL AND/OR BEYOND THE

THE OPENING.

- THE BRICK, REPORT MORTAR JOINTS.

- DOUBLE BEARING LENGTH FOR SOFT OR MEDIUM BRICK IN LIME MORTAR, AND

SEE TYPICAL INTERIOR - LATERAL SUPPORTS MASONRY WALL OPENING ANCHORED TO SLAB SEE DETAIL 4/D2300 OR SLAB **BOND BEAM** REINF AT -CORNERS AND END OF WALLS (TYP) SHADED AREA INDICATES CELLS TO BE FILLED SOLID WITH GROUT (TYP) 42xBAR DIA OR 180 MIN FOR BOND BEAM ABOVE TYPICAL VERTICAL AND BELOW REINF. (SEE SCHEDULE MASONRY ON DRAWINGS) OPENING BOND BEAM SEE SCHED. FOR HORIZONTAL REINF DOWELS IN SLAB TO MATCH VERTICAL REINFORCING

FACE OF EXIST. WALL

1-15M FOR 2-FULL **GROUTED CORES**

BRICK VENEER WITH HOLES

D2300 / Scale: 1 : 10

FOR HOLLOW CONC. BLOCK AND 86 EMBED FOR

2 TYPICAL CMU WALL CONNECTION TO EXISTING WALL

6 GALV. BENT PL. CONT. C/W 13ØX89 EMBED HILTI KWIK OR EQUIVALENT

USE 13Ø HILTI HIT HY-20 ADHESIVE ANCHOR C/W 51 EMBED OR EQUIVALENT


BOLT II @ 600 O/C INTO CORE FILLED CONC. BLOCK/CONC. SURFACE.

MASONRY WALL

REFER TO PLAN & SCHEDULE



1. PROVIDE FULL TENSION LAP IN VERTICAL REINF AS REQUIRED.



4 OPENING IN NEW MASONRY WALL D2300 / Scale: 1:20

CLIENT CITY OF TORONTO Project Management Office Metro Hall Toronto, ON M5V 3C6

COPYRIGHT This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by Arcadis is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and Arcadis shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to Arcadis for general conformance before proceeding with fabrication.

Arcadis Professional Services (Canada) Inc.

ISSUE	S	
No.	DESCRIPTION	DATE
Α	50% SUBMISSION	2022-04-27
В	90% SUBMISSION	2022-07-29
С	ISSUED FOR PERMIT	2022-07-29
D	ISSUED FOR TENDER	2022-12-09
Е	ISSUED FOR TENDER	2025-04-11

CONSULTANTS

SEAL

PRIME CONSULTANT

ARCADIS 100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada

www.arcadis.com PROJECT TITLE CITY OF TORONTO **ACCESSIBILITY UPGRADES**

PROJECT ADDRESS

tel 416 679 1930

PROJECT NO: 9119- 19- 0162 / Arcadis 30279056 DRAWN BY: CHECKED BY: G. POULOU M. FAYAZI PROJECT MGR APPROVED BY: K. ANGER

N. FRISCIC SHEET TITLE

MASONRY DETAILS

SHEET NUMBER G05-D2300

ISSUE


∖ D2300 / Scale: 1 : 20


PLUMBING FIXTURE SCHEDULE SERVICES DESCRIPTION REMARKS HW WASTE VENT WATER CLOSET (FLUSH VALVE) 40 WATER CLOSET (FLUSH TANK) 40 URINAL (FLUSH VALVE) 20 40 12 URINAL (FLUSH TANK) 12 32 LAVATORY 12 SHOWER 32 12 SERVICE SINK DRINKING FOUNTAIN 12 32 SINKS 12 32 GROUP WASH FOUNTAIN 25 40


NOTES:


- 1. SIZING OF SUPPLIES INSIDE WASHROOM TO BE BASED ON 35 KPa PRESSURE DROP PER 30m OF PIPE OR MAXIMUM VELOCITY OF 1.2 mps.
- 2. CONTRACTOR SHALL PROVIDE SHOP DRAWING OF PLUMBING AND DRAINAGE INSIDE WASHROOM AREA FOR ALL WASHROOMS.














CLIENT

CITY OF TORONTO

TORONTO

TORONTO

TORONTO

TORONTO

Corporate Real Estate Management

Project Management Office

Metro Hall Toronto, ON

M5V 3C6

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by Arcadis is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and Arcadis shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to Arcadis for general conformance before proceeding with fabrication.

Arcadis Professional Services (Canada) Inc.

ISSUES

No. DESCRIPTION DATE

A 50% SUBMISSION 2021-11-19

B 90% SUBMISSION 2021-11-19

A 50% SUBMISSION 2021-11-19
B 90% SUBMISSION 2022-02-22
C ISSUED FOR PERMIT 2022-03-18
D ISSUED FOR TENDER 2022-12-07
E ISSUED FOR REVISED 2024-06-14
PERMIT
F ISSUED FOR TENDER 2025-04-11

CONSULTANTS

SEAL

PRIME CONSULTANT

ARCADIS

100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

CITY OF TORONTO
ACCESSIBILITY UPGRADES

PROJECT ADDRESS

PROJECT NO:
9119- 19- 0162 / Arcadis 30279056

DRAWN BY:


K. DURUKAN


PROJECT MGR:
F. BOLOURIAN


APPROVED BY:
S. LIU


SHEET TITLE
PLUMBING DETAILS


SHEET NUMBER ISSUE F














PROJECT ADDRESS

PROJECT NO:

DRAWN BY:

K. DURUKAN

PROJECT MGR

F. BOLOURIAN

SHEET NUMBER

SHEET TITLE

9119- 19- 0162 / Arcadis 30279056

CHECKED BY:


APPROVED BY:

B. LIAO

S. LIU

DRAINAGE DETAILS

G05-GAL-D3301 F



CLIENT

CITY OF TORONTO TORONTO

orporate Real Estate Managemer Project Management Office Metro Hall Toronto, ON M5V 3C6

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by Arcadis is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and Arcadis shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to Arcadis for general conformance before proceeding with fabrication.

Arcadis Professional Services (Canada) Inc.

ISSUE	S	
No.	DESCRIPTION	DATE
Α	50% SUBMISSION	2021-11-19
В	90% SUBMISSION	2022-02-22
С	ISSUED FOR PERMIT	2022-03-18
D	ISSUED FOR TENDER	2022-12-07
Е	ISSUED FOR REVISED PERMIT	2024-06-14
F	ISSUED FOR TENDER	2025-04-11

CONSULTANTS

SEAL

PRIME CONSULTANT



100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

PROJECT TITLE
CITY OF TORONTO
ACCESSIBILITY UPGRADES

PROJECT ADDRESS

PROJECT NO:
9119- 19- 0162 / Arcadis 30279056

DRAWN BY: CHECKED BY:
K. DURUKAN B. LIAO


PROJECT MGR: APPROVED BY: F. BOLOURIAN S. LIU


SHEET TITLE


FIRE PROTECTION
DETAILS


SHEET NUMBER
G05-GAL-D3401 F


9/2025 7:04:11 PM














2021-11-19

2022-02-22

2022-03-18

2022-12-07

2024-06-14

2025-04-11

ARCADIS

100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

PROJECT TITLE CITY OF TORONTO **ACCESSIBILITY UPGRADES**

PROJECT ADDRESS

PROJECT NO: 9119- 19- 0162 / Arcadis 30279056 DRAWN BY: CHECKED BY: K. DURUKAN B. LIAO PROJECT MGR APPROVED BY:


F. BOLOURIAN SHEET TITLE


HVAC DETAILS


S. LIU


SHEET NUMBER


G05-GAL-D3501 F





















PROJECT NO:	l' 00070050
9119- 19- 0162 / A	
DRAWN BY:	CHECKED BY:
K. DURUKAN	B. LIAO
PROJECT MGR:	APPROVED BY:
E BOLOUBIAN	S. LIU
F. BOLOURIAN	
SHEET TITLE	<u> </u>

G05-GAL-D3601 F

SHEET NUMBER





CITY OF TORONTO

Corporate Real Estate Management
Project Management Office
Metro Hall Toronto, ON
M5V 3C6

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by Arcadis is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and Arcadis shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to Arcadis for general conformance before proceeding with fabrication.

Arcadis Professional Services (Canada) Inc.

ISSUE	S	
No.	DESCRIPTION	DATE
Α	50% SUBMISSION	2021-11-19
В	90% SUBMISSION	2022-02-22
С	ISSUED FOR PERMIT	2022-03-18
D	ISSUED FOR TENDER	2022-12-07
E	ISSUED FOR REVISED PERMIT	2024-06-14
F	ISSUED FOR TENDER	2025-04-11

CONSULTANTS

s

PRIME CONSULTANT



100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

PROJECT TITLE
CITY OF TORONTO
ACCESSIBILITY UPGRADES

PROJECT ADDRESS

PROJECT NO: 9119- 19- 0162 / Arcadis 30279056

DRAWN BY:
N. KHOURY

PROJECT MGR:
F. BOLOURIAN


CHECKED BY:
G. VERNESCU


APPROVED BY:
S. LIU


F. BOLOURIAN
SHEET TITLE


PIPING DETAILS SHEET 2 OF 2


G05-GAL-D3602 F














CONSULTANTS

SEAL

PRIME CONSULTANT

100 - 175 Galaxy Blvd,

tel 416 679 1930 www.arcadis.com

PROJECT TITLE

PROJECT ADDRESS

PROJECT NO:

DRAWN BY:

N. KHOURY

PROJECT MGR

F. BOLOURIAN

SHEET TITLE

Toronto, ON M9W 0C9, Canada


ARCADIS

CITY OF TORONTO

ACCESSIBILITY UPGRADES

9119- 19- 0162 / Arcadis 30279056 CHECKED BY: G. VERNESCU APPROVED BY: S. LIU CONTROL DETAILS

SHEET NUMBER G05-GAL-D3701 E



1 UNIVERSAL WASHROOM DETAIL

D4001 / Scale: NTS

— 1-27C MIN - NOTE-6 TO POWER PANEL TO SECURITY CONTROL PANEL DOOR - 1-21C (TYP.) CONTROL NOTE-7 (TYP.) BOX CEILING LINE OR EQUIVALENT (3000 AFF) CONCEAL CONDUIT BELOW CEILING LINE OR 3000AFF (TYP.) COORDINATE CONDUIT WITH PREFORMED LOCATION FOR DOOR DEVICE BOX FOR REQUEST TO EXIT MONITOR SWITCH DOOR OPERATOR SENSOR AND/OR AUDIO ANNUNCIATOR WHERE REQUIRED (NOTE-8) **ACTUATING MAGNET FOR** DOOR MONITOR SWITCH INSTALLED IN TOP EDGE OF DOOR. (NOTE-10) EXTEND CONDUIT INSIDE DOOR FRAME JAMB TO STRIKE POSITION - ELECTRICAL TRANSFER HINGE/LINK DOOR POWER PUSH BUTTON CARD READER-SECURE MOUNTED ON SECURE SIDE OF WALL WHEN INDICATED. CARD READER AND/OR KEY PAD ON PUBLIC SIDE OF WALL WHERE DOOR MOUNTED BOLT RELEASE/RETRACT DEVICES REQUIRED (NOTE-8) WHEN USED. (NOTE-9) 1-21C (NOTE-11) ELECTRIC STRIKE (NOTE-12) FLOOR

NOTES

- . THIS CONSTRUCTION DETAIL IS FOR SCHEMATIC PURPOSE ONLY, REFER TO POWER AND SECURITY LAYOUT DRAWINGS AND DOOR HARDWARE SCHEDULE FOR EXACT COMPONENTS REQUIRED AND CONDUIT ROUTING.
- 2. ALL CONDUITS WITH PULL STRING, JUNCTION BOXES, PULL BOXES, DEVICE BOXES AND POWER WIRES BY DIV.26.
- 3. SECURITY DOOR CONTROLLER, CARD READER, ALARM BUZZER, KEYPAD, REQUEST TO EXIT SENSOR AND SECURITY WIRES BY SECURITY VENDER WHERE REQUIRED.
- 4. POWER SUPPLY, DOOR OPERATOR/CONTROLLER, DOOR POWER PUSH BUTTON, ELECTRIC STRIKE/BOLT/LATCH, DOOR CONTACT (MONITOR SWITCH), BY DOOR HARDWARE CONTRACTOR WHERE REQUIRED.
- 5. PROVIDE CONTINUOUS ELECTRICAL RACEWAY CONSISTING OF CONDUIT AND/OR CABLE TRAY. NO FREE AIR RUNNING SECURITY CABLE.
- 6. JUNCTION BOX SIZED TO ACCOMMODATE LOCAL DOOR CONTROL SYSTEM; MIN. 300x300x150 WITH REMOVABLE AND TAMPER RESISTANT COVER; SURFACE MOUNTED FOR SOLID WALL CONSTRUCTION. SAME WITH 100x100x54 DEVICE BOX WITH 38MM EXTENSION RING TO DEPTH OF 92MM, FLUSH MOUNT FOR CAVITY OR BLOCK WALL CONSTRUCTION. USE COMMON CONDUIT, PULL BOXES AND JUNCTION BOXES FOR INTRUSION DETECTION AND ACCESS CONTROL WIRING.
- 7. USE JUNCTION BOX AT CORNER FOR BLOCK WALL CONSTRUCTION. CONCEAL VERTICAL CONDUIT. SURFACE MOUNT HORIZONTAL CONDUIT ON SOLID WALL ONLY
- 8. DEVICE BOX MOUNTED FLUSH WITH SURFACE. PROVIDE SINGLE DEVICE COVER PLASTER RING FOR CAVITY OR BLOCK WALL CONSTRUCTION. REFER TO LAYOUT DRAWING FOR LOCATION. COORDINATE WITH DOOR HARDWARE SCHEDULE FOR EXACT SIZE. DISPENSE WITH WALL BOX WHEN MULLION MOUNT IS INDICATED IN THE DOOR HARDWARE SCHEDULE.
- 9. BOLT RELEASE/RETRACT DEVICE MAY BE PUSH-BAR OR LEVER TYPE. USE TYPE INDICATED IN DOOR HARDWARE
- 10. WHERE DOOR PERFORMANCE REQUIREMENTS CALL FOR INTRUSION DETECTION AND ACCESS CONTROL, USE MAY BE MADE OF 2 SEPARATE SINGLE POLE SWITCHES OR ONE COMMON 2 POLE SWITCH. MAINTAIN SEPARATION BETWEEN WIRING OF TWO SYSTEMS.
- 11. USE OF BRIDGING CONDUIT ACCEPTABLE FOR CAVITY OR BLOCK WALL CONSTUCTION WHERE SITE CONDITIONS PERMIT.
- 12. OMIT WHEN ELECTRIC LATCH IS USED.
- 13. ENSURE THAT WHEN CREDENTIAL IS NOT PRESENTED AND DOOR PUSH BUTTON IS TRIGGERED THAT MOTOR DOES NOT ENGAGE. SEQUENCE OF OPERATION IS TO PRESENT CREDENTIAL -> ACTIVATE DOOR OPERATOR PUSH BUTTON

2 SECURITY SINGLE DOOR DETAIL - POWER OPERATED
D4001 Scale: 1:1



COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by Arcadis is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and Arcadis shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to Arcadis for general conformance before proceeding with fabrication.

2022-07-29

2022-07-29

2025-04-11

B 90% SUBMISSION

C ISSUED FOR PERMIT

D ISSUED FOR TENDER

CONSULTANTS

SEAL

PRIME CONSULTANT

ARCADIS

100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

PROJECT TITLE
CITY OF TORONTO
ACCESSIBILITY UPGRADES

PROJECT ADDRESS

PROJECT NO: 9119- 19- 0162 / Arcadis 30279056

DRAWN BY:

V. MAC

PROJECT MGR:

N. FRISCIC

CHECKED BY:

M. BOJIC

APPROVED BY:

P. WILLIAMS

SHEET TITLE
ELECTRICAL DETAILS 1

SHEET NUMBER
D4001

D

2025-05-07 11:03:06 AM

MOUNTI	NG HEIGHTS SCHEDULE	
MOUNTING HEIGHTS TO TOP OF DEVIC		
	D FLOOR (AFF) UNLESS NOTED OTHERWISE. — — — — — — — — — — — — — — — — — — —	ABOVE COUNTER R MANUF. INSTRUCTION
MOUNTING HEI	IGHTS AS APPLICABLE	

GENERAL NOTES:

- 1. PROVIDE 1-#6 GND WIRE FOR ALL UNDERGROUND EMPTY CONDUITS AND COMMUNICATIONS CONDUITS WITHOUT METAL WIRING/CABLES TO FACILITATE FUTURE DETECTION.
- 2. NO SPLICES ARE ALLOWED FOR COMMUNICATION CABLES.
- 3. NO SPLICES ARE ALLOWED BELOW GRADE FOR POWER WIRE AND CABLE.
- 4. THERE MUST BE A BREAK IN ALL UNDERGROUND CONDUITS OUTSIDE THE BUILDING/TOWERS/ELECTRICAL/COMMUNICATIONS/BOILER ROOM TO ALLOW DRAINAGE OF RACEWAY BEFORE ENTERING THE ROOMS.
- 5. PROVIDE LAYOUT (WITH DIMENSIONS) OF ALL UNDERGROUND PULL POINTS INCLUDING HAND HOLES, MAN HOLES AND CONCRETE PULL BOXES TO THE CONSULTANT FOR APPROVAL PRIOR TO INSTALLATION.
- 6. INSTALL HAND HOLES AWAY FROM MAJOR TRAFFIC AREAS (TYPICAL).
- 7. PROVIDE HEAT TRACING PROTECTION FOR WATER PIPES, STORM PIPES AND SANITARY PIPES AS SHOWN ON ELECTRICAL DRAWINGS. REFER TO MECHANICAL DRAWINGS FOR PIPING LAYOUT. HEAT TRACING SHALL BE RAYCHEM MODEL #8XL-TRACE, 208V, 1PH, SELF REGULATING TRACING CABLE OR APPROVED EQUIVALENT, C/W POWER SUPPLY MODULE, THERMOSTAT AND ALL ACCESSORIES FOR A COMPLETE AND FUNCTIONING SYSTEM. STARTUP TEMPERATURE -29°C (-20°F).
- 8. WHERE CONDUITS ARE INSTALLED ACROSS EXPANSION JOINTS, PROVIDE CONDUITS WITH EXPANSION/CONTRACTION FITTINGS.
- 9. <u>ELEVATOR FIRE ALARM AUTOMATIC RECALL:</u>

ELEVATOR LOBBY MOUNTED FIRE DETECTORS AND SECURITY PANEL TO RECALL ELEVATORS TO DESIGNATED LEVEL UPON FIRE ALARM. SHOULD DETECTOR AT DESIGNATED LEVEL ELEVATOR LOBBY INDICATE FIRE, ELEVATOR TO BE DIRECTED TO ALTERNATE LEVEL. REFER TO ELEVATOR AUTOMATIC FIRE RECAL SCHEDULE. ELEVATOR CONTRACTOR TO COORDINATE WITH TSSA AND CONFIRM DESIGNATED/ALTERNATE LEVELS.

- 10. SMOKE DETECTOR AT TOP OF ELEVATOR SHAFT TO BE AIR SAMPLING SMOKE DETECTOR TYPE. INSTALL CONTROL UNIT IN A TAMPER PROOF ENCLOSURE (NEMA 4X) OUTSIDE OF ELEVATOR CLOSET. AIR SAMPLING SMOKE DETECTOR TO BE EST READY SET BY EDWARDS OR APPROVED EQUAL.
- 11. SITE PLAN DRAWINGS INDICATE UNDERGROUND POWER CONDUITS AND CORRESPONDING PULL POINTS (CONCRETE PULL BOXES, HAND HOLES OR MAN HOLES). WHERE OEC REQUIRES ADDITIONAL PULL POINTS FOR WIRING SEPARATION, PROVIDE ADDITIONAL CONCRETE PULL BOX (OR HAND HOLE) AS REQUIRED. IF AN ADDITIONAL MAN HOLE IS REQUIRED, IT IS PREFERRED TO PROVIDE AN ADDITIONAL HAND HOLE OR CONCRETE PULL BOX IF POSSIBLE.

CLIENT

CITY OF TORONTO

TORONTO

TORONTO

Corporate Real Estate Management

Project Management Office

Metro Hall Toronto, ON

M5V 3C6

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by Arcadis is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and Arcadis shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to Arcadis for general conformance before proceeding with fabrication.

Arcadis Professional Services (Canada) Inc.

ISSUE	ISSUES		
No.	DESCRIPTION	DATE	
Α	50% SUBMISSION	2022-01-20	
В	90% SUBMISSION	2022-02-22	
С	ISSUED FOR PERMIT	2022-03-18	
D	ISSUED FOR TENDER	2025-04-11	

CONSULTANTS

SEA

PRIME CONSULTANT



100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

CITY OF TORONTO
ACCESSIBILITY UPGRADES

PROJECT ADDRESS

PROJECT NO:
9119- 19- 0162 / Arcadis 30279056

DRAWN BY: CHECKED BY:
V. MAC M. BOJIC

PROJECT MGR:
F.BOLOURIAN
SHEET TITLE

ELECTRICAL GENERAL NOTES

APPROVED BY: **P. WILLIAMS**

SHEET NUMBER

G05-G4003

2025-05-07 11:09:33 AM

CITY OF TORONTO ACCESSIBILITY UPGRADES

TOUCH AND FEEL INDEX			
SHEET#	SHEET TITLE		
Т00	COVER PAGE		
T01	WASHROOM		
T02	WASHROOM ACCESSORIES		
T02.1	WASHROOM ACCESSORIES		
Т03	WASHROOM FIXTURES & DRINKING FOUNTAIN		
T04	KITCHEN MATERIALS AND FIXTURES		
T05	RESERVED		
T06	TACTILE ATTENTION INDICATORS		
Т07	TEXTURAL & COLOUR CONTRAST WARNING STRIP AND NOSING		
T08	DOOR THRESHOLDS		





100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

TOUCH AND FEEL INTERIOR FIXTURES AND MATERIALS

Project Number: 9119- 19- 0162 / Arcadis 30279056


Date: 2025-04-11

TOUCH-AND-FEEL DOCUMENT SHOULD BE READ IN CONJUNCTION WITH DRAWINGS AND SPECIFICATIONS

WASHROOM FINISHES			
WASHROOM / SHOWER WALLS	COLLECTION: COLOUR & DIMENSION		
CWT-1	COLOUR: ARCTIC WHITE MATTE		
	SIZE: 100mm X 400mm (4"X16")		
	SUPPLIER: OLYMPIA		
WASHDOOM / SHOWED WALL ACCENT	MATCH EXISTING		
WASHROOM / SHOWER WALL ACCENT CWT-2	TILE SIZE IS INDICATED ON ROOM FINISH SCHEDULE		
WASHROOM / SHOWER WALL ACCENT	COLLECTION: COLOUR & DIMENSION		
CWT-3	COLOUR: TAUPE, MATTE		
	SIZE: 100mm X 400mm (4"X16")		
	SUPPLIER: OLYMPIA		
WASHROOM / SHOWER WALL ACCENT	COLLECTION: COLOUR & DIMENSION		
CWT-4	COLOUR: DARK GREY MATTE		
	SIZE: 100mm X 400mm (4"X16")		
	SUPPLIER: OLYMPIA		
FLOORS	COLLECTION: MICA, MATTE FINISH		
PFT-1	SIZE: 300mm X 600mm (12"X24")		
	MEETS DYNAMIC COEFFICIENT OF FRICTION		
	PREFERRED SUPPLIER: D9 / EMOTION		
SHOWER FLOORS	COLLECTION: STI MOSAICO		
PFT-2	COLOUR: MID GREY UNGLAZ		
	SIZE: 50mm X 50mm (2"X2")		
	MEETS DYNAMIC COEFFICIENT OF FRICTION		
	SUPPLIER: STONE TILE		
FLOORS	MATCH EXISTING		
PFT-3	TILE SIZE IS INDICATED ON ROOM FINISH SCHEDULE		
FLOORS	COLLECTION: CORE COLLECTION TERRA		
PFT-4	COLOUR: 200 SMOOTH (V)		
	SIZE: 304.8mm X 609.6mm (12"X24")		
	MEETS DYNAMIC COEFFICIENT OF FRICTION		
	SUPPLIER: MOSA TILE		


FOR WASHROOMS WHERE ALL FIXTURES AND WALLS ARE BEING REMOVED ONLY













PICTURE 1



PICTURE 2

NOTE: PICTURES ARE ONLY FOR ILLUSTRATION PURPOSES

AND STAKEHOLDERS ARCADIS

100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

CITY OF TORONTO ACCESSIBILITY UPGRADES CITY OF TORONTO ACCESSIBILITY UPGRADES

NOTE: THE FINISHES PRESENTED ON THIS PAGE ARE THE BASIS OF DESIGN - ANY ALTERNATES ARE SUBJECT TO APPROVAL BY CITY OF TORONTO, PROJECT MANAGER, FACILITY MANAGER

DRAWING TITLE:

WASHROOM

Project No: 9119- 19- 0162 / Arcadis 30279056


Date: 2025-04-11

Issue: ISSUED FOR TENDER

NO.



SHELF: SHLF GAMCO MS-18 STAINLESS STEEL MIRROR SHELF – 18"



COAT HOOK: CTH-2
B-2116 12-GAUGE (2.7mm)
CASE HARDENED STEEL.
ONE PIECE BRASS
CASTING WITH SATIN
NICKEL-PLATED FINISH



HAND DRYER: HNDR
DYSON SPRAYED NICKEL 307174-01,
NET WEIGHT: 2.9 KG / 6.17 LBS.
H:39.3CM X W:19CM X D:10CM

SOAP DISH: SDI-1

SOAP DISH: SDI-2

RECESSED MOUNTED SOAP DISH, HEAVY

DUTY STAIN FINISH STAINLESS STEEL.

SURFACE MOUNTED, STAINLESS STEEL, TYPE 304 FLANGE. BRADLEY MODEL NO. 901

BRADLEY MODEL NO. SA16



TOILET TISSUE DISPENSER: TPD SURFACE-MOUNTED TWIN JUMBO-ROLL B-2892: 18-8, TYPE-304, 20-GAUGE (1.0MM) STAINLESS STEEL WITH SATIN-FINISH. EQUIPPED WITH A TUMBLER LOCK KEYED LIKE OTHER BOBRICK WASHROOM ACCESSORIES.



MIRROR: MIR
6 MM" FLOAT GLASS, SELECTED FOR
SILVERING, ELECTROLYTICALLY
COPPER-PLATED BY GALVANIC
PROCESS FURNISH UNITS IN TYPE 430
STAINLESS STEEL FRAMING



SOAP DISPENSER: SD-1
WALL MOUNTED, AUTOMATIC STAINLESS
STEEL WITH STAIN FINISH, CLEAR ACRYLIC
REFILL INDICATOR WINDOW AND KEY LOCK.
BRADLEY 6A00-11.



SOAP DISPENSER: SD-2
COUNTER MOUNTED, TOUCH FREE, ONE
PIECE, CAST BRASS CONSTRUCTION ABOVE
DECK, SINGLE MOUNT FOAM SOAP
DISPENSER WITH ADJUSTABLE SENSOR.
MOEN, MODEL NO. 8560



L-SHAPED GRAB: GRB-1
SATIN FINISH WITH PEENED GRIPPING
SURFACE; 18-GAUGE (1.2MM) STAINLESS
STEEL TUBING WITH SATIN-FINISH. 38MM
OUTSIDE DIAMETER. ENDS ARE HELIARC
WELDED TO FLANGES. CLEARANCE
BETWEEN THE GRAB BAR AND WALL IS
38MM. 30" X 30"
762MM X 762MM)



L-SHAPED GRAB: GRB-2
SATIN FINISH WITH PEENED GRIPPING
SURFACE; 18-GAUGE (1.2MM) STAINLESS
STEEL TUBING WITH SATIN-FINISH. 38MM
OUTSIDE DIAMETER. ENDS ARE HELIARC
WELDED TO FLANGES. CLEARANCE
BETWEEN THE GRAB BAR AND WALL IS
38MM. 40" X 30"
(1016MM X 762MM)



GRAB BAR: GRB-3
SATIN FINISH WITH PEENED GRIPPING
SURFACE; 18-GAUGE (1.2MM) STAINLESS
STEEL TUBING WITH SATIN-FINISH. 38MM
OUTSIDE DIAMETER. ENDS ARE HELIARC
WELDED TO FLANGES. CLEARANCE
BETWEEN THE GRAB BAR AND WALL IS



GRAB BAR: GRB-4
SATIN FINISH WITH PEENED GRIPPING
SURFACE; 18-GAUGE (1.2MM) STAINLESS
STEEL TUBING WITH SATIN-FINISH. 38MM
OUTSIDE DIAMETER. ENDS ARE HELIARC
WELDED TO FLANGES. CLEARANCE
BETWEEN THE GRAB BAR AND WALL IS
38MM. 36" (914MM)



GRAB BAR: GRB-5

SATIN FINISH WITH PEENED GRIPPING SURFACE; 18-GAUGE (1.2MM) STAINLESS STEEL TUBING WITH SATIN-FINISH. 38MM OUTSIDE DIAMETER. ENDS ARE HELIARC WELDED TO FLANGES. CLEARANCE BETWEEN THE GRAB BAR AND WALL IS 38MM. 40" (1016MM)



100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com



CITY OF TORONTO
ACCESSIBILITY UPGRADES

CITY OF TORONTO ACCESSIBILITY UPGRADES **DRAWING TITLE:**

WASHROOM ACCESSORIES

38MM. 30" (762MM)

Project No: 9119- 19- 0162 / Arcadis 30279056

Date: 2025-04-11

Issue: ISSUED FOR TENDER

NO.







PAPER TOWEL DISPENSER AND RECESSED CONVERTIBLE B-3940: 18-8, TYPE 304, HEAVY-GAUGE STAINLESS STEEL. EXPOSED SURFACES HAVE STAIN-FINISH.



PAPER TOWEL DISPENSER AND WASTE RECEPTACLE: PTD/WR (S) SURFACE-MOUNTED B-3699: 18-8, TYPE 304, 22-GAUGE (0.8mm) STAINLESS STEEL. ALL-WELDED CONSTRUCTION. EXPOSED SURFACES HAVE STAIN-FINISH.





PAPER TOWEL DISPENSER: PTD (S) PAPER TOWEL DISPENSER: PTD (R) SURFACE MOUNTED B-2974: TYPE RECESSED B-35903: TYPE 304, 304, 18 GUAGE STAINLESS STEEL. ALL-WELDED CONSTRUCTION.

HEAVY-GAUGE STAINLESS STEEL. ALL-WELDED CONSTRUCTION. EXPOSED SURFACES HAVE STAIN-FINISH.



100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com



CITY OF TORONTO ACCESSIBILITY UPGRADES CITY OF TORONTO ACCESSIBILITY UPGRADES DRAWING TITLE:

WASHROOM ACCESSORIES

Project No: 9119- 19- 0162 / Arcadis 30279056

Date: 2025-04-11

Issue: ISSUED FOR TENDER

T02.1



WALL MOUNTED SINK: (BARRIER FREE USE) L1H DECORUM WALL HUNG LAVATORY WITH EVERCLEAN 9024.001EC.020 - VITREOUS CHINA, WHITE FINISH, WITH SINGLE FAUCET HOLE AND OVERFLOW



COUNTER-MOUNTED SINK: L1
WHITE, SELF-RIMMING,
REAR/FRONT OVERFLOW,
DRILLED FOR 100 MM SUPPLY
FITTING.
AMERICAN STANDARD
"AQUALYN" #0475.047.020 518 X
441 MM



COUNTER-MOUNTED SINK: (BARRIER FREE USE) L2H WHITE, FOR BARRIER FREE USE, SELF-RIMMING WITH SEALANT, OVERFLOW, DRILLED FOR 100 MM SUPPLY FITTING. AMERICAN STANDARD "AQUALYN" #0475.047.020 518 X 441 MM



WALL MOUNTED SINK C/O WITH SHROUD: (BARRIER FREE USE) L3H
DECORUM WALL HUNG
LAVATORY WITH EVERCLEAN NO.
9134.001EC/0059.020EC
SHROUD - VITREOUS CHINA,
WHITE FINISH, WITH SINGLE
FAUCET HOLE AND OVERFLOW



UNDER-MOUNTED SINK: (BARRIER FREE USE) L4H WHITE, FOR BARRIER FREE USE WITH REAR OVERFLOW AND UNDERMOUNT CLIPS AMERICAN STANDARD OVALYN UNICERSAL ACCESS 9482.000 489 X 400MM

DRINKING FOUNTAIN



DRINKING FOUNTAIN: DF
EZSDWSLK GALVANIZED STEEL WALL MOUNTED,
WHEELCHAIR TYPE WATER COOLER WITH STAINLESS
STEEL TOP, FRONT AND SIDE MOUNTED PUSH TO
OPERATE LEVER(S), SENSOR, TOUCHLESS
ACTIVATION WITH AUTO SHUT OFF BOTTLE FILLER,
FLEXI-GUARD SAFETY BUBBLER, AND TRAP PACKAGE.



MOEN ALIGN SENSOR FAUCET - 8559 ELECTRONIC 'NO-TOUCH' HARDWIRED POWERED FAUCET



TOILET: W1H<u>WALL HUNG</u> - WHITE FINISH - VITREOUS
CHINA WITH EVERCLEAN ANTIMICROBIAL
SURFACE. NO. 3351.101.002



TOILET: W2H<u>FLOOR MOUNTED</u> WHITE FINISH - VITREOUS CHINA WITH EVERCLEAN ANTIMICROBIAL SURFACE. NO. 3461.001.020



TOILET WITH TANK: W3H

FLOOR MOUNTED WHITE FINISH - VITREOUS CHINA
WITH EVERCLEAN ANTIMICROBIAL SURFACE. PA
TANK, 1.1 GPF WHITE



URINAL: U1H
WALL HUNG 6590.001.020 - WASHBROOK FLOWISE EXTENDED SIDES FOR PRIVACY - WASHDOWN
ACTION - FLUSHING RIM - 19 MM DIA.



100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com



CITY OF TORONTO ACCESSIBILITY UPGRADES CITY OF TORONTO ACCESSIBILITY UPGRADES DRAWING TITLE:


WASHROOM FIXTURES & DRINKING FOUNTAIN


Project No: 9119- 19- 0162 / Arcadis 30279056

Date: 2025-04-11

Issue: ISSUED FOR TENDER

NO.





ELEVATION: N.T.S


PERSPECTIVE & ELEVATION VIEWS ARE REPRESENTATIVE ONLY - REFER TO BUILDING-SPECIFIC DRAWINGS




COUNTERTOP AND
BACKSPLASH: Q-1
CAESARSTONE - QUARTZ
SUPERNATURAL COLLECTION
SEA D90
1111 VIVID WHITE



CABINETS: PLAM-1 PLASTIC LAMINATE WILSONART NORTH SEA D90



PAINT: PT-1 SHERWIN WILLIAMS SW 7004 SNOWBOUND PAINT SHIELD EGGSHEL SHEEN



UPPER CABINETS: PLAM-2 PLASTIC LAMINATE WILSONART ALABASTER D431



S1 FAUCET: AMERICAN STANDARD NO. 7074100.00 SINK: UCS6105P-1 SINGLE BOWL



FAUCET:
AMERICAN STANDARD NO.
7074100.00
SINK:
FRANKE COMMERCIAL
UCD6405P



FAUCET: MOEN ALIGN WITH MOTIONSENSE NO. 7565EC SINK: UCS6105P-1 SINGLE BOWL



FAUCET:
MOEN ALIGN WITH
MOTIONSENSE NO. 7565EC
SINK:
FRANKE COMMERCIAL
UCD6405P



100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com



CITY OF TORONTO ACCESSIBILITY UPGRADES CITY OF TORONTO ACCESSIBILITY UPGRADES DRAWING TITLE:


KITCHEN MATERIALS AND FIXTURES

Project No: 9119- 19- 0162 / Arcadis 30279056

Date: 2025-04-11

Issue: ISSUED FOR TENDER

NO.



RESERVED



100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com



CITY OF TORONTO ACCESSIBILITY UPGRADES DRAWING TITLE:


RESERVED

Project No: 9119- 19- 0162 / Arcadis 30279056

Date: 2025-04-11

Issue: ISSUED FOR TENDER

NO



TA - 1a (SURFACE MOUNTED) INTERIOR AND EXTERIOR
TA - 1b (CAST IN PLACE) EXTERIOR
TA - 1c (SURFACE MOUNTED FIRE RATED) INTERIOR





TA - 2a (SURFACE MOUNTED) INTERIOR AND EXTERIOR TA - 2b (CAST IN PLACE) EXTERIOR





WAYFINDING BARS



TRUNCATED DOMES

WAYFINDING BARS

TA - 4

POLYMER, COMPOSITE TACTILE INDICATORS

- SURFACE APPLIED SUITABLE FOR INTERIOR APPLICATIONS
- FIRE RATED TILES FOR INTERIOR APPLICATIONS HIGHER THAN 6 FLOORS
- CAST IN PLACE SUITABLE FOR EXISTING

ENGINEERED POLYMER COMPOSITE TACTILE INDICATORS


- EXTERIOR APPLICATIONS
- FOR NEWLY CONSTRUCTED CURBS RAMPS, STAIRS, RAMPS, OR PLATFORM EDGES

RESILIENT POLYMER TACTILE INDICATORS


- INTERIOR OR EXTERIOR APPLICATIONS
- TRUNCATED DOME OR WAYFINDING BAR VARIANTS.
- FOR SKATE RINK EDGES OR USE WITH VCT FLOORING

PORCELAIN TACTILE INDICATORS

- INTERIOR OR EXTERIOR APPLICATIONS
- TRUNCATED DOME OR WAYFINDING BAR VARIANTS.
- FOR USE WITH PORCELAIN TILE FLOORING



TA - 5



TA - 6



TA - 7

TA - 3



TA - 8

CAST IRON CAST IN PLACE TACTILE INDICATORS

- EXTERIOR APPLICATION
- HIGHLY DURABLE
- FOR NEW CONSTRUCTION HIGH TRAFFIC AREAS

INDIVIDUAL STAINLESS STEEL PLATE TACTILE INDICATORS

- INTERIOR OR EXTERIOR APPLICATIONS
- FOR HIGH PROFILE ARCHITECTURAL SPACES
 WHERE AESTHETICS ARE IMPORTANT

TRUNCATED DOMES:

- INDIVIDUAL STAINLESS STEEL TACTILE INDICATORS
- INTERIOR OR EXTERIOR APPLICATIONS
- CAN BE INSTALLED ON ALL SURFACES
- FOR HIGH PROFILE ARCHITECTURAL SPACES
 WHERE AESTHETICS ARE IMPORTANT
- TO BE USED ON NON-HERITAGE DESIGNATED STAIRS

GUIDANCE BARS:

- INDIVIDUAL STAINLESS STEEL, BRASS, BRONZE OR ALUMINUM CARBORUNDUM NON-SLIP OR LINEAR GROOVE PATTERN.
- INTERIOR APPLICATIONS
- CAN BE INSTALLED ON ALL SURFACES
- FOR HIGH PROFILE ARCHITECTURAL SPACES WHERE AESTHETICS ARE IMPORTANT
- TO BE USED ON NON-HERITAGE DESIGNATED STAIRS



100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com



CITY OF TORONTO ACCESSIBILITY UPGRADES CITY OF TORONTO ACCESSIBILITY UPGRADES DRAWING TITLE:

TACTILE ATTENTION INDICATORS

Project No: 9119- 19- 0162 / Arcadis 30279056

Date: 2025-04-11

Issue: ISSUED FOR TENDER

NO.



TA - 11 INTERIOR AND EXTERIOR TEXTURAL WARNING STRIP

- AFFIXED WITH ADHESIVE AND SCREWS
- SIZES: 50.8MM X 203MM
- REFER TO DRAWINGS FOR REQUIRED LENGTH AND WIDTH




WHEN CONCRETE IS POURED

SIZES: 50.8MM X 76.2MM WIDE

AND WIDTH

INSTALLED IN WET-SET CONCRETE.

TA - 12 EXTERIOR CAST IN PLACE CONTRAST AND TEXTURAL WARNING STRIP



TA - 16 INTERIOR AND EXTERIOR USE (ON EXISTING) ON SMOOTH SURFACES STAIR NOSING FOR:
TILE, CONC, WOOD, CARPET, VINYL.


- ANODIZED ALUMINUM NOSE, INSTALLED WITH EITHER NON-SLIP STRIP OR WITH PHOTOLUMINESCENT CONTRAST STRIP.
- AVAILABLE IN 5 DIFFERENT PROFILES TO MATCH THE DESIGN OF THE STEP EDGE
- AFFLICTED WITH ADHESIVE OR ADHESIVE AND SCREWS
- SIZES: 70.1MM 78.7MM WIDE
- REFER TO DRAWINGS FOR REQUIRED LENGTH AND WIDTH





TA - 17 INTERIOR USE ON NEW TILED SURFACES. STAIR NOSING.

- ALUMINUM NOSE SPECIFICALLY DESIGNED FOR INSTALLATION ON TILED STAIRS.
- 3.2MM TILED STAIRS OR 2.54MM TILED STAIRS.
- REFER TO DRAWINGS FOR REQUIRED LENGTH AND WIDTH



TA - 18 INTERIOR USE ON NEW CARPETED FLOORING. STAIR NOSING.

- ANODIZED ALUMINUM NOSE, SPECIFICALLY
 DESIGNED FOR CARPETED STAIRS, INSTALLED
 WITH EITHER NON-SLIP STRIP OR WITH
 PHOTOLUMINESCENCE CONTRAST STRIP
- INSTALLED WITH SCREWS
- SIZES: 66MM 89MM
- REFER TO DRAWINGS FOR REQUIRED LENGTH AND WIDTH



DESIGNED FOR INSTALLATION ON STEP EDGES


REFER TO DRAWINGS FOR REQUIRED LENGTH

TA - 19 EXTERIOR USE ON POURED CONCRETE. STAIR NOSING.

- HEAT TREATED EXTRUDED ALUMINUM ALLOY 6063-T-6, FILLED WITH A MIXTURE OF VIRGIN ALUMINUM OXIDE AND SILICON CARBIDE ABRASIVE GRANULES IN AN EPOXY BINDER.
- FULL LENGTH, INTEGRALLY EXTRUDED 5/8" ANCHOR.
- SIZES: 79.4MM X 25.4MM
- REFER TO DRAWINGS FOR REQUIRED LENGTH AND WIDTH
- TO BE USED ON NON-HERITAGE DESIGNATED STAIRS







TA - 20 INDOOR AND OUTDOOR USE ON NEW POURED CONCRETE STAIR NOSING.

- INSTALL INTO WET CONCRETE. USED ON CONCRETE STAIRS, CONCRETE-FILLED STEEL PAN STAIRS, AND PRE-CAST CONCRETE STAIRS.
- AVAILABLE IN CUT TO LENGTH SIZES. (TOLERANCE +OR- 1/8") STANDARD LENGTHS ARE 8FT AND 10FT.
- INSERTS ATTACHED OR UNATTACHED INSERTS UNATTACHED CAN BE INSTALLED LATER TO ENSURE THE PRODUCT IS CLEAN AND HAS NOT BEEN DAMAGED DURING CONSTRUCTION. INSERTS ARE INSTALLED WITH A PREMIUM POLYURETHANE ADHESIVE.
- A CLEAR PROTECTIVE TAPE WRAPS AROUND THE PRODUCT TO KEEP THE PRODUCT CLEAN DURING INSTALLATION. TO REMOVE, CUT THE TAPE ALONG THE EDGES AND PEEL AWAY.



100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com



CITY OF TORONTO ACCESSIBILITY UPGRADES CITY OF TORONTO ACCESSIBILITY UPGRADES DRAWING TITLE:

TEXTURAL & COLOUR CONTRAST WARNING STRIP AND NOSING

Project No: 9119- 19- 0162 / Arcadis 30279056

Date: 2025-04-11

Issue: ISSUED FOR TENDER

NO.



SMOOTH 6" WIDE THRESHOLD WITH ANTI-SLIP COATING



TH-2a

EXTERIOR APPLICATIONS - THERMALLY BROKEN METAL THRESHOLD ANY EXISTING FLOORING MATERIAL TO ANY EXISTING FLOORING MATERIAL



TH-3a

METAL THRESHOLD ANY EXISTING FLOORING MATERIAL TO ANY EXISTING FLOORING MATERIAL



TH-4a


ANODIZED ALUMINUM TRANSITION STRIP BETWWEEN NEW AND EXISTING FLOOR




TH-5a

SATIN ANODIZED ALUMINUM TRANSITION STRIP FOR NEW FLOORING ON BOTH SIDE VARIES HEIGHTS (TILE TO ANY FLOOR SURFACE)











100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com



CITY OF TORONTO ACCESSIBILITY UPGRADES CITY OF TORONTO ACCESSIBILITY UPGRADES DRAWING TITLE:

DOOR THRESHOLDS & TRANSITIONS

Project No: 9119- 19- 0162 / Arcadis 30279056

Date: 2025-04-11

Issue: ISSUED FOR TENDER

NO.

CITY OF TORONTO ACCESSIBILITY UPGRADES

9119-19-0162 / Arcadis 30279056

POLICE NO. 33 DIVISION 50 UPJOHN RD





ISSUES		
No.	DESCRIPTION	DATE
Α	50% SUBMISSION	2021-11-19
В	90% SUBMISSION	2022-02-22
С	ISSUED FOR PERMIT	2022-03-18
	ICCLIED EOD TENDED	0005 04 44

CITY OF TORONTO ACCESSIBILITY UPGRADES PROGRAM GROUP 5

NOT FOR CONSTRUCTION

ISSUED FOR TENDER



100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930

PROJECT NO: 9119-19-0162 / Arcadis 30279056 DATE:

SHEET NUMBER G05-249-G0001

D ISSUE

	GENERAL DRAWING INDEX	
SHEET NUMBER	SHEET NAME	S NU
G0001	COVER SHEET	A10
G0002	DRAWING LIST	A12
	·	A12

Firm Name: IBI GROUP ARCHITECTS (CANADA) INC. CERTIFICATE OF PRACTICE NUMBER 5605

	ARCHITECTURAL DRAWING INDEX PART 1
SHEET NUMBER	SHEET NAME
A1001	DEMOLITION PLAN SITE PLAN
A1201	SITE PLAN
A1202	ENLARGED SITE PLAN PROPOSED
A2001	BASEMENT STAGING PLAN
A2011	FIRST FLOOR STAGING PLAN
A2021	SECOND FLOOR STAGING PLAN
A2031	THIRD FLOOR STAGING PLAN
A2101	BASEMENT DEMOLITION PLAN
A2111	FIRST FLOOR DEMOLITION PLAN
A2112	FIRST FLOOR DEMOLITION PLAN - PHOTOGRAPHS
A2121	SECOND FLOOR DEMOLITION PLAN
A2131	THIRD FLOOR DEMOLITION PLAN
A2132	THIRD FLOOR DEMOLITION PLAN - PHOTOGRAPHS
A2401	BASEMENT PROPOSED PLAN
A2411	FIRST FLOOR PROPOSED PLAN
A2421	SECOND FLOOR PROPOSED PLAN
A2431	THIRD FLOOR PROPOSED PLAN
A2611	FIRST FLOOR FLOOR FINISH PLAN
A2631	THIRD FLOOR FLOOR FINISH PLAN
A2831	THIRD FLOOR REFLECTED CEILING PLAN - ROOM
A2911	ROOF PLAN - DEMOLITION PLAN
A2912	ROOF PLAN - PROPOSED PLAN

Name of Project

	ARCHITECTURAL DRAWING INDEX PART 2
SHEET NUMBER	SHEET NAME
A5011	BARRIER FREE WASHROOM 1 - FIRST FLOOR
A5111	BARRIER FREE WASHROOM 2- FIRST FLOOR
A5211	BARRIER FREE WASHROOM 3- FIRST FLOOR
A5311	BARRIER FREE WASHROOM 4 - THIRD FLOOR
A5411	UNIVERSAL WASHROOM - THIRD FLOOR
A5611	STAIR PLANS AND SECTION
A5612	STAIR PLANS AND SECTION
A5711	NEW KITCHEN PLANS & ELEVATIONS
A5811	ELEVATOR PLANS
A5812	ELEVATOR SECTIONS
A5813	ELEVATOR DETAILS
A5815	ELEVATOR DETAILS
A5912	RECEPTION AREA - PLANS/ ELEVATIONS
A5913	RECEPTION AREA - DETAILS
A6011	MAIN ENTRANCE - PLAN/ ELEVATIONS
A8000	SIGNAGE & WAYFINDING DETAILS LEVEL B LOCATION PLAN
A8010	SIGNAGE & WAYFINDING DETAILS LEVEL 1 LOCATION PLAN
A8020	SIGNAGE & WAYFINDING DETAILS LEVEL 2 LOCATION PLAN
A8030	SIGNAGE & WAYFINDING DETAILS LEVEL 3 LOCATION PLAN
A8100	SIGNAGE & WAYFINDING DETAILS MESSAGE SCHEDULE
A8101	SIGNAGE & WAYFINDING DETAILS MESSAGE SCHEDULE
A8102	SIGNAGE & WAYFINDING DETAILS MESSAGE SCHEDULE
A9001	ROOM FINISH SCHEDULE
A9111	DOOR SCHEDULE

SHEET	0.1555
NUMBER	SHEET NAME
S0001	DRAWING LIST
S1201	SITE PLAN
S2001	DEMOLITION PLAN - BASEMENT
S2002	DEMOLITION PLAN - GROUND FLOOR
S2003	DEMOLITION PLAN - SECOND FLOOR
S2004	DEMOLITION PLAN - THIRD FLOOR
S2005	DEMOLITION PLAN - MECHANICAL FLOOR
S2501	PROPOSED PLAN - BASEMENT
S2502	PROPOSED PLAN - GROUND FLOOR
S2503	PROPOSED PLAN - SECOND FLOOR
S2504	PROPOSED PLAN - THIRD FLOOR
S2505	PROPOSED PLAN - MECHANICAL FLOOR
S5200	PLANS, SECTION - STAIRS
S5301	ELEVATOR - FOUNDATION
S5302	ELEVATOR - PLANS
S5303	ELEVATOR - PLANS
S5304	ELEVATOR - ROOF
S5305	ELEVATOR - SECTIONS
S5306	Unnamed
S5400	PLANS, SECTION - ESCALATORS
S5700	PLANS, SECTION - SOG
S6000	PLANS, SECTION - DEMOLUTIONS
S6200	PLANS, SECTION - STAIRS
S6300	PLANS, SECTION - ELEVATORS
S6400	PLANS, SECTION - ESCALATORS
S6801	WALL OPENINGS
S6900	PLANS, SECTION - MISC

Ontario's 2012 Building Code Data Matrix Part 3 or 9

SHEET NUMBER	SHEET NAME
M0001	MECHANICAL DRAWING LIST
M0201	EQUIPMENT SCHEDULE
M1101	DEMOLITION PLAN - GROUND FLOOR
M1102	DEMOLITION PLAN - THIRD FLOOR
M2101	PLUMBING - GROUND FLOOR
M2102	PLUMBING - THIRD FLOOR
M3101	DRAINAGE - BASEMENT
M3102	DRAINAGE - GROUND FLOOR
M3103	DRAINAGE - THIRD FLOOR
M5101	HVAC - BASEMENT
M5102	HVAC - GROUND FLOOR
M5103	HVAC - THIRD FLOOR
M5104	HVAC - ROOF PLAN
M6101	FIRE PROTECTION PLAN

OBC REFERNCE

E	LECTRICAL DRAWING INDEX
SHEET NUMBER	SHEET NAME
E0000	DRAWING LIST
E1101	ELECTRICAL DEMOLITION 1ST FLOOR
E1103	ELECTRICAL DEMOLITION 3RD FLOOR
E2101	POWER & SYSTEMS PLAN 1ST FLOOR
E2103	POWER & SYSTEMS PLAN 3RD FLOOR
E2104	POWER & SYSTEMS PLAN ROOF

REMARKS

CLIENT CITY OF TORONTO Corporate Real Estate Management Project Management Office Metro Hall Toronto, ON M5V 3C6

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by Arcadis is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and Arcadis shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to Arcadis for general conformance before proceeding with fabrication.

Arcadis Professional Services (Canada) Inc.

ISSUE		
No.	DESCRIPTION	DATE
Α	50% SUBMISSION	2021-11-19
В	90% SUBMISSION	2022-02-22
С	ISSUED FOR PERMIT	2022-03-18
D	ISSUED FOR TENDER	2025-04-11

CONSULTANTS
SEAL
PRIME CONSULTANT
ARCADIS
100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com
CITY OF TORONTO ACCESSIBILITY UPGRADES
PROJECT ADDRESS
POLICE NO. 33 DIVISION 50 UPJOHN RD
PROJECT NO: 9119-19-0162 / Arcadis 30279056

DRAWN BY: A.Sunil

PROJECT MGR: F. BOLOURIAN

SHEET TITLE

CHECKED BY: K.Tilahun

APPROVED BY: E.Fenuta

DRAWING LIST

G05-249-G0002 D

Firm Name: IBI GROUP ARCHITECTS (CANADA) INC. CERTIFICATE OF PRACTICE NUMBER 5605	Name of Project	CE BUILDING NO 100	ACCESSIBILITY UPGRADES	Data Matrix Part 3 or 9			References are to Division B unless noted (A) for Division A or (C) for Division C							
100-175 Galaxy Boulevard Toronto, ON M9W OC9 T 416 679 1930 F 416 675 4620	Location 150 DISCO RD. ETOBICOKE, TORONT		AGGEGGIBIENT OF GRABEG	18b. REQUIRED FIRE FRR OF SUPPORTING OR DESIGN NO. OR DESCRIPTION (SB-2) FLOORS NO CHANGE					9	6B-2 TABLE 2.1.1.	,			
Ontario's 2012 Building Code Data Matrix Part 3 or 9	OBC R	EFERNCE to Division B unless noted A or (C) for Division C	REMARKS	(FRR)							55-2 TABLE 2.1.1.			
1. PROJECT DESCRIPTION	⊠ PART 3	□ PART 9			ROOF NO MEZZANINE	O CHANGE				s	SB-2 TABLE 2.1.1.			
☐ Addition ☐ CHANGE OF USE ☑ Alteration ☐ 11.1 to 11.4	1.1.2. [A]	1.1.2. [A] & 9.10.1.3.												
2. MAJOR OCCUPANCY(S) GROUP B 1 POLICE STATIONS WITH DETENTION QUARTERS	3.1.2.1. (1)	9.10.2.		19. SPATIAL SEPARATION							5.2.3.	9.10.14		
SUBSIDIARY OCCUPANCY(S)			EXISTING NO CHANGE	WALL AREA OF EBF (m²)		ERMITTED MAX. 6 OF OPENINGS	PROPOSED % OF OPENINGS		OR DESCRIPTION		B. COMB. CONST ST. NONC. CLADD			EXISTING NO CHANGE
				NORTH			-	0	-	-	-			
3. BUILDING AREA (m²) EXISTING - 1080.4 NEW TOTAL - 1080.4	1.4.1.2. [A]	1.4.1.2. [A]		SOUTH EAST			-	0	-	-	-			
4. GROSS AREA (m²) EXISTING - 4233.2 NEW TOTAL - 4233.2	1.4.1.2. [A]	1.4.1.2. [A]	EXISTING NO CHANGE	20. PLUMBING FIXTURE F	REQUIREMENTS		-	0	-	-	-			
5. NUMBER OF STOREYS ABOVE GRADE - 3 BELOW GRADE - 1 PARTIAL	1.4.1.2. [A] & 3.2.1.1.	1.4.1.2. [A] & 9.10.4.												OBC REFERENCE
6. NUMBER OF STREETS/FIRE FIGHTER ACCESS - 2 EXISTING NO CHANGE	3.2.2.10. & 3.2.5.	9.10.20.		MALE / FEMALE COUN EXCEPT AS NOTED O	•	%	EXISTING N	O CHANGE					⊠ F	PART 3 PART 9
7. BUILDING CLASSIFICATION - EXISTING NO CHANGE	3.2.2.67.	9.10.2.			TILITATIOL		OCCUPAN	Γ LOAD	OBC TABLE	NUMBER		FIXTURES PROVIDED		
8. SPRINKLER SYSTEM PROPOSED ENTIRE BUILDING	3.2.2.67	9.10.8.2	EXISTING NO CHANGE	MAJOR OCCUPANCY			X MALE		3.7.4.9.		X X		3.7.4.9.	
☐ SELECTED COMPARTMENTS ☐ SELECTED FLOOR AREAS	3.2.1.5 3.2.2.17						X FEMALE		3.7.4.9.		X X		3.7.4.9.	
□ SELECTED FLOOR AREAS □ BASEMENT □ IN LIEU OF ROOF RATING	INDEX	INDEX		21. EXITS/ ACCESS TO EX	(IT-									EXISTING NO CHANGE
														EXISTING NO CHANGE
9. STANDPIPE REQUIRED ☐ YES ☒ NO STANDPIPE PROVIDED ☐ YES ☒ NO	3.2.9.	N/A	EXISTING NO CHANGE											
	0.04	0.40.40	EXISTING NO CHANGE	22. OTHER (DESCRIBE) -										
10. FIRE ALARM REQUIRED	3.2.4.	9.10.18.	EXISTING NO CHANGE	ITEM	Ontario Buildin	g Code Data Matrix	- Part 11 - Renov	vation of Exis	stina Buildina			OBC RER	FFFNCF	REMARKS
11. WATER SERVICE/SUPPLY IS ADEQUATE	3.2.5.7.	N/A	EXISTING NO CHANGE	11.1 EXISTING BUILDING DESCRIBE EXISTING				11.2.1.						
12. HIGH BUILDING YES NO	3.2.6.	N/A		CLASSIFICATION: USE: CONSTRUCTION INDEX:				TABLE 11.2.1.1.A.						
13. CONSTRUCTION RESTRICTIONS ☐ COMBUSTIBLE ☐ NON-COMBUSTIBLE ☐ BOTH PERMITTED REQUIRED	3.2.2.67.	9.10.6.	EXISTING NO CHANGE		HAZARD INDEX: ☑ NOT APPLICABLE (NO CHANGE OF MAJOR OCCUPANCY)				TABLE 11.2.1.1.B. TO N					
ACTUAL CONSTRUCTION ☐ COMBUSTIBLE ☐ NON-COMBUSTIBLE ☐ BOTH				11.2 ALTERATION TO E		BASIC RENOVATIO	•	- OI WAJOR	<u> </u>			11.3.3.1.		
14. MEZZANINE (S) AREA m² N/A	3.2.1.1. (3) - (8)	9.10.4.1.		BUILDING IS:		EXTENSIVE RENO\	/ATION					11.3.3.2.		
15. OCCUPANT LOAD BASED ON ☐ m²/PERSON ☐ DESIGN OF BUILDING	3.1.17.	4.9.13.	EVICTING NO CHANGE	11.3 REDUCTION IN PERFORMANCE LE	:VEI ·	STRUCTURAL:			\bowtie	NO	□ YES	11.4.2.		
			EXISTING NO CHANGE	I EN ONMANGE EL		BY INCREASE IN O	CCUPANT LOAD:					11.4.2.1.		
1ST FLOOR: OCCUPANCY LOAD PERSONS						BY CHANGE OF MA	JOR OCCUPANO	Y:	\boxtimes	NO	☐ YES	11.4.2.2.		
2ND FLOOR: OCCUPANCY LOAD PERSONS						PLUMBING:						11.4.2.3.		
MEZZANINE FLOOR: OCCUPANCY LOAD PERSONS				20117110		SEWAGE SYSTEM:				NO	☐ YES	11.4.3		
				11.4 COMPENSATING CONSTRUCTION:		STRUCTURAL:			\boxtimes	NO	☐ YES (EXPLAIN)			
16. BARRIER FREE DESIGN ⊠ YES □ NO (EXPLAIN)	3.8.	9.5.2.	ONLY PROPOSED AREA OF WORK - COMPLIANT WITH CITY OF TORONTO ACCESSIBILITY DESIGN GUIDELINE DRAFT 2016			BY INCREASE IN O					☐ YES (EXPLAIN)☐ YES (EXPLAIN)			
47 HAZADDONG CUDETANCES D MES MASS	0.04.00.004.45	0.40.4.2.(1)	WHEN POSSIBLE											
17. HAZARDOUS SUBSTANCES □ YES ⋈ NO 18a. REQUIRED FIRE HORIZONTAL ASSEMBLIES LISTED DESIGN NO.	3.3.1.2 & 3.3.1.19 3.2.2.67.	9.10.1.3.(4) 9.10.8.				PLUMBING:				NO	☐ YES (EXPLAIN)	11.4.3.5		
RESISTANCE RATING RESISTANCE RATING RESISTANCE RATING RESISTANCE RATING RESISTANCE RATING RESISTANCE RATING	3.2.2.67. & 3.2.1.4.	9.10.8.				SEWAGE SYSTEM:				NO	☐ YES (EXPLAIN)	11.4.3.6		
(FRR) ROOF NO CHANGE				11.5 COMPLIANCE ALTERNATIVES		⊠ NO						11.5.1		
MEZZANINE <u>N/A</u>				PROPOSED:		☐ YES (GIVE NUM	BERS)							

ITEM



PARTIALLY REMOVE EXISTING SIDEWALK

AND CURB -



EXISTING TIMBER CURB TO

PARTIALLY REMOVE

EXISTING SIDEWALK AND

2600 1670 2600

REMAIN ---

CURB ---





REMOVE EXISTING

HANDRAILS

2 KEY PLAN \ A1001 / Scale: 1 : 1000

PHOTO 01: EXISTING SIDEWALK PHOTO 02: EXISTING SIDEWALK AND FENCE

REMOVE EXISTING SOIL TO

PROVIDE SPACE FOR NEW

SIDEWALK -

PHOTO 03: EXISTING EXTERIOR STAIR

EXISTING THREE STOREY BUILDING

— EXISTING EXTERIOR FENCE AND GATE TO REMAIN

REMOVE EXISTING SOIL TO $\langle 11 \rangle$

EXISTING STAIR
TO REMAIN

REMAIN -

EXISTING RAMP TO

PROVIDE SPACE FOR NEW SIDEWALK

PARTIALLY REMOVE EXISTING CURB

REMOVE EXISTING HANDRAILS

PHOTO 04: EXISTING EXTERIOR RAMP

SITE LEGEND



NEW BARRIER FREE PARKING SPACE - REFER TO DETAIL 1/D1701 & 5/D1701




ACCESSIBLE PARKING SIGN ON POST - REFER TO DETAIL 2/D1702



EXISTING MAIN ENTRANCE




EXISTING EXIT TO REMAIN



NEW PAINTED LINE MARKING DETAIL - REFER TO DETAIL 3/D1701





DASHED AREA INDICATES AREA OF WORK

SITE PLAN GENERAL NOTES

- SITE PLAN DIMENSIONS ARE APPROXIMATE BASED ON GOOGLE MAPS. CONTRACTOR TO VERIFY ALL DIMENSIONS AND EXISTING SITE SERVICES AND TO REPORT ANY DISCREPANCY TO THE CONSULTANT AND THE OWNER BEFORE COMMENCEMENT OF THE WORK.
- DURING CONSTRUCTION, CONTRACTOR TO COORDINATE ENTRANCES WITH OWNER FOR HOARDING AND EXTERIOR FENCING. RESTORE EXTERIOR WALKWAY, DRIVEWAY, PAVING AND ALL SOFT LANDSCAPING MATERIAL AROUND ALL EXTERIOR EXCAVATED AREAS AFTER CONSTRUCTION AS NEEDED WITH THE SAME MATERIAL AND FINISH.
- VERIFY ALL UNDERGROUND BURIED UTILITIES PRIOR TO DIGGING AND REPORT ANY CONFLICTS TO THE CONSULTANT.

CONSULTANTS

CLIENT

COPYRIGHT

ISSUES

CITY OF TORONTO

Corporate Real Estate Management

Project Management Office

Metro Hall Toronto, ON M5V 3C6

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by Arcadis is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and Arcadis shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to Arcadis for general conformance before proceeding with fabrication.

Arcadis Professional Services (Canada) Inc.

2021-11-19 2022-02-22

2022-03-18

2025-04-11

DESCRIPTION

A 50% SUBMISSION

B 90% SUBMISSION C ISSUED FOR PERMIT

D ISSUED FOR TENDER

CONSTRUCTION KEY NOTES

DESCRIPTION

11 REMOVE EXISTING GUARDRAIL, HANDRAIL AND/OR HANDRAIL POST BASE. REPAIR AND MAKE GOOD ALL SURFACES.

SEAL

PRIME CONSULTANT



100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930

CITY OF TORONTO **ACCESSIBILITY UPGRADES**


PROJECT ADDRESS

POLICE NO. 33 DIVISION 50 UPJOHN RD

PROJECT NO: 9119-19-0162 / Arcadis 3	30279056		
DRAWN BY:	CHECKED		
A Sunil	K Tilahun		

PROJECT MGR: APPROVED BY: F. BOLOURIAN E.Fenuta

PLAN




www.arcadis.com

ED BY:

SHEET TITLE DEMOLITION PLAN SITE

SHEET NUMBER G05-249-A1001



NEW BARRIER FREE PARKING SPACE - REFER TO DETAIL 1/D1701 & 5/D1701

ACCESSIBLE PARKING SIGN ON POST - REFER TO DETAIL 2/D1702

EXISTING MAIN ENTRANCE

EXISTING EXIT TO REMAIN

NEW PAINTED LINE MARKING DETAIL - REFER TO DETAIL 3/D1701



DASHED AREA INDICATES

SITE PLAN GENERAL NOTES

- SITE PLAN DIMENSIONS ARE APPROXIMATE BASED ON GOOGLE MAPS. CONTRACTOR TO VERIFY ALL DIMENSIONS AND EXISTING SITE SERVICES AND TO REPORT ANY DISCREPANCY TO THE CONSULTANT AND THE OWNER BEFORE COMMENCEMENT OF THE WORK.
- DURING CONSTRUCTION, CONTRACTOR TO COORDINATE ENTRANCES WITH OWNER FOR HOARDING AND EXTERIOR FENCING. RESTORE EXTERIOR WALKWAY, DRIVEWAY, PAVING AND ALL SOFT LANDSCAPING MATERIAL AROUND ALL EXTERIOR EXCAVATED AREAS AFTER CONSTRUCTION AS NEEDED WITH THE SAME MATERIAL AND FINISH.
- VERIFY ALL UNDERGROUND BURIED UTILITIES PRIOR TO DIGGING AND REPORT ANY CONFLICTS TO THE

CLIENT

CITY OF TORONTO

Corporate Real Estate Management Project Management Office Metro Hall Toronto, ON M5V 3C6

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by Arcadis is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and Arcadis shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to Arcadis for general conformance before proceeding with fabrication.

Arcadis Professional Services (Canada) Inc.

ISSUE	S	
No.	DESCRIPTION	DATE
Α	50% SUBMISSION	2021-11-19
В	90% SUBMISSION	2022-02-22
С	ISSUED FOR PERMIT	2022-03-18
D	ISSUED FOR TENDER	2025-04-11

KEYPLAN

CONSULTANTS

PRIME CONSULTANT



100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

PROJECT TITLE
CITY OF TORONTO ACCESSIBILITY UPGRADES

PROJECT ADDRESS


POLICE NO. 33 DIVISION 50 UPJOHN RD

PROJECT NO: 9119-19-0162 / Arcadis 30279056					
DRAWN BY:	CHECKED BY:				
A.Sunil	K.Tilahun				

SHEET TITLE

SHEET NUMBER G05-249-A1201

PROJECT MGR: F. BOLOURIAN APPROVED BY: E.Fenuta SITE PLAN



PROJECT MGR APPROVED BY: F. BOLOURIAN E.Fenuta


SHEET TITLE

ENLARGED SITE PLAN PROPOSED

SHEET NUMBER G05-249-A1202 D

1.5


7.50 m



CONSTRUCTION STAGING LEGEND

STAGE 2

STAGE 1



STAGE 3

______s

STAGE 4

EMERGENCY EXIT

TRAVEL PATH

STAGING GENERAL NOTES

1 EXISTING FACILITY WILL REMAIN OPERATIONAL DURING CONSTRUCTION. CONSTRUCTION WORKS CANNOT IMPACT FACILITY OPERATION WITHOUT FIRST NOTIFYING AND CONSULTING WITH THE OWNER.

2 ALL STAGES ARE TO BE COMPLETED IN SEQUENTIAL ORDER.
3 IF AN EXIT WILL BE BLOCKED DUE TO CONSTRUCTION, THE GC IS TO PROVIDE A TEMPORARY EXIT LOCATION THAT IS APPROVED BY THE ARCHITECT AND THE FIRE DEPARTMENT. SHOULD THE WORK BE ABLE TO BE COMPLETED OVER THE COURSE OF A WEEKEND OR AFTER HOURS, THE GC IS TO OBTAIN APPROVAL FROM THE ARCHITECT PRIOR TO PROCEEDING WITH THE WORK.

IF EXISTING FIRE ALARM SYSTEM NEEDS TO BE TEMPORARILY INTERRUPTED TO COMPLETE THE WORK, A FULL TIME FIRE WATCH SHALL BE PROVIDED.

5 5.CONTRACTOR SHALL ALLOW FOR THE FOLLOWING:
A) TEMPORARY SIGNAGE
B) TEMPORARY ACCESS WITH ACCESSIBLE RAMPS AS
REQUIRED BY ONTARIO REGULATION 191/11 80.13

6 ALL STAGING INCLUDES BOTH DEMOLITION AND NEW SCOPE OF WORKS.

7 PROVIDE AND MODIFY CONSTRUCTION BARRIER/SIGNAGE ETC. TO SUIT SITE CONDITION AND CONSTRUCTION SEQUENCE.

WORK LISTED IN STAGES IS FOR REFERENCE ONLY. EACH STAGE MUST BE COMPLETED AS PER CONTRACT DOCUMENTS BEFORE STARTING THE NEXT STAGE AND SHALL NOT AFFECT NORMAL OPERATION OR EXITING OF THE FACILITY.

9 FOR ALL OTHER REQUIREMENTS - REFER TO SPECIFICATIONS.

10 KEEP EXITS CLEAR FROM OBSTRUCTIONS DURING CONSTRUCTION.

CLIENT

CITY OF TORONTO

Corporate Real Estate Management
Project Management Office
Metro Hall Toronto, ON
M5V 3C6

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by Arcadis is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and Arcadis shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to Arcadis for general conformance before proceeding with fabrication.

Arcadis Professional Services (Canada) Inc.

ISSUES		
No.	DESCRIPTION	DATE
Α	50% SUBMISSION	2021-11-19
В	90% SUBMISSION	2022-02-22
С	ISSUED FOR PERMIT	2022-03-18
D	ISSUED FOR TENDER	2025-04-11

CONSULTANTS

SEA

PRIME CONSULTANT



100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

PROJECT TITLE
CITY OF TORONTO
ACCESSIBILITY UPGRADES

PROJECT ADDRESS

POLICE NO. 33 DIVISION 50 UPJOHN RD

PROJECT NO: 9119-19-0162 / Arcadis 30279056

DRAWN BY: CHECKED BY:

A.Sunil K.Tilahun

PROJECT MGR: APPROVED BY: F. BOLOURIAN E.Fenuta


SHEET TITLE

BASEMENT STAGING
PLAN

SHEET NUMBER IS: G05-249-A2001

True North Project North

Scale 1:100 ______ 0 2.5 5 10 m



M5V 3C6

DESCRIPTION

2021-11-19

2022-02-22

2022-03-18

2025-04-11

CONSULTANTS

PRIME CONSULTANT

ARCADIS

100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930


CITY OF TORONTO **ACCESSIBILITY UPGRADES**

PROJECT ADDRESS

POLICE NO. 33 DIVISION 50 UPJOHN RD

PROJECT NO: 9119-19-0162 / Arcadis 30279056 DRAWN BY: CHECKED BY: K.Tilahun APPROVED BY: PROJECT MGR: E.Fenuta

FIRST FLOOR STAGING PLAN



CONSTRUCTION STAGING LEGEND

STAGE 1 STAGE 2

STAGE 3

STAGE 4

EMERGENCY EXIT

TRAVEL PATH

STAGING GENERAL NOTES

EXISTING FACILITY WILL REMAIN OPERATIONAL DURING CONSTRUCTION. CONSTRUCTION WORKS CANNOT IMPACT FACILITY OPERATION WITHOUT FIRST NOTIFYING AND CONSULTING WITH THE OWNER.

ALL STAGES ARE TO BE COMPLETED IN SEQUENTIAL ORDER. IF AN EXIT WILL BE BLOCKED DUE TO CONSTRUCTION, THE GC IS TO PROVIDE A TEMPORARY EXIT LOCATION THAT IS APPROVED BY THE ARCHITECT AND THE FIRE DEPARTMENT. SHOULD THE WORK BE ABLE TO BE COMPLETED OVER THE COURSE OF A WEEKEND OR AFTER HOURS, THE GC IS TO OBTAIN APPROVAL FROM THE ARCHITECT PRIOR TO PROCEEDING WITH THE WORK.

IF EXISTING FIRE ALARM SYSTEM NEEDS TO BE TEMPORARILY INTERRUPTED TO COMPLETE THE WORK, A FULL TIME FIRE WATCH SHALL BE PROVIDED.

5.CONTRACTOR SHALL ALLOW FOR THE FOLLOWING: A) TEMPORARY SIGNAGE B) TEMPORARY ACCESS WITH ACCESSIBLE RAMPS AS REQUIRED BY ONTARIO REGULATION 191/11 80.13

ALL STAGING INCLUDES BOTH DEMOLITION AND NEW SCOPE OF WORKS. PROVIDE AND MODIFY CONSTRUCTION BARRIER/SIGNAGE

ETC. TO SUIT SITE CONDITION AND CONSTRUCTION WORK LISTED IN STAGES IS FOR REFERENCE ONLY. EACH

STAGE MUST BE COMPLETED AS PER CONTRACT DOCUMENTS BEFORE STARTING THE NEXT STAGE AND SHALL NOT AFFECT NORMAL OPERATION OR EXITING OF THE FACILITY.

FOR ALL OTHER REQUIREMENTS - REFER TO SPECIFICATIONS.

KEEP EXITS CLEAR FROM OBSTRUCTIONS DURING CONSTRUCTION.

CITY OF TORONTO

Project Management Office Metro Hall Toronto, ON M5V 3C6

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by Arcadis is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and Arcadis shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to Arcadis for general conformance before proceeding with fabrication.

Arcadis Professional Services (Canada) Inc.

ISSUES		
No.	DESCRIPTION	DATE
Α	50% SUBMISSION	2021-11-19
В	90% SUBMISSION	2022-02-22
С	ISSUED FOR PERMIT	2022-03-18
D	ISSUED FOR TENDER	2025-04-11
D		

CONSULTANTS

PRIME CONSULTANT



100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930

CITY OF TORONTO ACCESSIBILITY UPGRADES

PROJECT ADDRESS

POLICE NO. 33 DIVISION 50 UPJOHN RD

PROJECT NO: 9119-19-0162 / Arcadis 30279056 DRAWN BY: CHECKED BY: K.Tilahun PROJECT MGR: APPROVED BY: F. BOLOURIAN E.Fenuta

SHEET TITLE

SECOND FLOOR STAGING PLAN

SHEET NUMBER



CONSTRUCTION STAGING LEGEND

STAGE 1 STAGE 2

STAGE 3

STAGE 4

TRAVEL PATH

EMERGENCY EXIT

STAGING GENERAL NOTES

EXISTING FACILITY WILL REMAIN OPERATIONAL DURING CONSTRUCTION. CONSTRUCTION WORKS CANNOT IMPACT FACILITY OPERATION WITHOUT FIRST NOTIFYING AND CONSULTING WITH THE OWNER.

ALL STAGES ARE TO BE COMPLETED IN SEQUENTIAL ORDER. IF AN EXIT WILL BE BLOCKED DUE TO CONSTRUCTION, THE GC IS TO PROVIDE A TEMPORARY EXIT LOCATION THAT IS APPROVED BY THE ARCHITECT AND THE FIRE DEPARTMENT. SHOULD THE WORK BE ABLE TO BE COMPLETED OVER THE COURSE OF A WEEKEND OR AFTER HOURS, THE GC IS TO OBTAIN APPROVAL FROM THE ARCHITECT PRIOR TO PROCEEDING WITH THE WORK.

IF EXISTING FIRE ALARM SYSTEM NEEDS TO BE TEMPORARILY INTERRUPTED TO COMPLETE THE WORK, A FULL TIME FIRE WATCH SHALL BE PROVIDED.

5.CONTRACTOR SHALL ALLOW FOR THE FOLLOWING: A) TEMPORARY SIGNAGE B) TEMPORARY ACCESS WITH ACCESSIBLE RAMPS AS REQUIRED BY ONTARIO REGULATION 191/11 80.13

ALL STAGING INCLUDES BOTH DEMOLITION AND NEW SCOPE OF WORKS. PROVIDE AND MODIFY CONSTRUCTION BARRIER/SIGNAGE ETC. TO SUIT SITE CONDITION AND CONSTRUCTION

WORK LISTED IN STAGES IS FOR REFERENCE ONLY. EACH STAGE MUST BE COMPLETED AS PER CONTRACT DOCUMENTS BEFORE STARTING THE NEXT STAGE AND SHALL NOT AFFECT NORMAL OPERATION OR EXITING OF

FOR ALL OTHER REQUIREMENTS - REFER TO SPECIFICATIONS.

KEEP EXITS CLEAR FROM OBSTRUCTIONS DURING CONSTRUCTION.

CITY OF TORONTO

Corporate Real Estate Management Project Management Office Metro Hall Toronto, ON M5V 3C6

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by Arcadis is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and Arcadis shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to Arcadis for general conformance before proceeding with fabrication.

Arcadis Professional Services (Canada) Inc.

ISSUES		
No.	DESCRIPTION	DATE
Α	50% SUBMISSION	2021-11-19
В	90% SUBMISSION	2022-02-22
С	ISSUED FOR PERMIT	2022-03-18
D	ISSUED FOR TENDER	2025-04-11

CONSULTANTS

PRIME CONSULTANT



100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

CITY OF TORONTO ACCESSIBILITY UPGRADES

PROJECT ADDRESS

POLICE NO. 33 DIVISION 50 UPJOHN RD

PROJECT NO: 9119-19-0162 / Arcadis 30279056		
DRAWN BY: A.Sunil	CHECKED BY: K.Tilahun	
PROJECT MGR: F. BOLOURIAN	APPROVED BY: E.Fenuta	

SHEET TITLE

THIRD FLOOR STAGING PLAN

PHOTO 2 - DOOR 003

PHOTO 1 - DOOR 013









PHOTO 7 - DOOR 011

TRENCH EXIST. CONC. FLOOR LOCATION OF PROPOSED FOR NEW ELEVATOR PIT DRAIN. ELEVATOR. REFER TO MECH DRAWINGS -REFER TO STRUCTURAL DRAWINGS FOR THE CRAWL SPACE EXTENT OF SLAB CUT 014 013 001 006 800 003 005 002 011



---- EXISTING TO BE DEMOLISHED

EXISTING INTERIOR PARTITION TO BE DEMOLISHED

TO REMAIN

EXISTING EXTERIOR WALL

EXISTING PARTITION TO REMAIN

EXISTING DOOR, FRAME, AND ASSOCIATED HARDWARE TO BE REMOVED

EXISTING DOOR TO REMAIN

DASHED AREA INDICATES AREA OF WORK

DEMOLITION GENERAL NOTES

REMOVE ALL EXISTING TACTILE SURFACE INDICATORS (WALKING ATTENTION INDICATOR, TEXTURAL WARNING STRIP, NOSING STRIP AND HAZARD STRIP ON HANDRAIL)

INCLUDING ADHESIVE MATERIAL AND FASTENING SYSTEM. MAKE GOOD SURFACE TO RECEIVE NEW TACTILE SURFACE INDICATORS IN LOCATIONS SHOWN. INCREASE DEPTH AND EXTENT OF EXISTING FLOOR DEPRESSIONS AND/OR CUT BACK EXISTING FLOOR FINISH AS APPLICABLE TO SUIT THE NEW INSTALLATION.

DEMOLITION KEY NOTES

NO	DESCRIPTION
	REMOVE EXISTING DOOR HARDWARE AS INDICATED IN DOOR SCHEDULE A9001 AND HARDWARE SCHEDULE WITHIN SPECIFICATIONS.

11 REMOVE EXISTING GUARDRAIL, HANDRAIL AND/OR HANDRAIL POST BASE. REPAIR AND MAKE GOOD ALL SURFACES. DEMOLISH EXISTING CONCRETE PAD OR BED. REPAIR, LEVEL AND CLEAN SURFACE READY TO RECEIVE NEW FLOOR FINISHES. REFER TO FINISH SCHEDULE.

CITY OF TORONTO Project Management Office Metro Hall Toronto, ON

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by Arcadis is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and Arcadis shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to Arcadis for general conformance before proceeding with fabrication.

M5V 3C6

Arcadis Professional Services (Canada) Inc.

ISSUE	S	
No.	DESCRIPTION	DATE
Α	50% SUBMISSION	2021-11-19
В	90% SUBMISSION	2022-02-22
С	ISSUED FOR PERMIT	2022-03-18
D	ISSUED FOR TENDER	2025-04-11

KEYPLAN

CONSULTANTS

PRIME CONSULTANT



100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930

PROJECT TITLE
CITY OF TORONTO ACCESSIBILITY UPGRADES

PROJECT ADDRESS

POLICE NO. 33 DIVISION 50 UPJOHN RD

PROJECT NO: 9119-19-0162 / Arcadis 30279056		
DRAWN BY: A.Sunil	CHECKED BY: K.Tilahun	
PROJECT MGR:	APPROVED BY:	

SHEET TITLE BASEMENT DEMOLITION

PLAN

G05-249-A2101

PHOTO 8 - WEST STAIR

PHOTO 9 - EAST STAIR

PHOTO 10 - CRAWL SPACE

DEMOLITION KEY LEGEND

____ EXISTING TO BE DEMOLISHED

EXISTING INTERIOR PARTITION TO BE DEMOLISHED

TO REMAIN

EXISTING EXTERIOR WALL

EXISTING PARTITION TO REMAIN

EXISTING DOOR, FRAME, AND ASSOCIATED HARDWARE TO BE REMOVED

EXISTING DOOR TO REMAIN

DASHED AREA INDICATES

AREA OF WORK

DEMOLITION GENERAL NOTES

REMOVE ALL EXISTING TACTILE SURFACE INDICATORS

(WALKING ATTENTION INDICATOR, TEXTURAL WARNING STRIP, NOSING STRIP AND HAZARD STRIP ON HANDRAIL) INCLUDING ADHESIVE MATERIAL AND FASTENING SYSTEM. MAKE GOOD SURFACE TO RECEIVE NEW TACTILE SURFACE INDICATORS IN LOCATIONS SHOWN. INCREASE DEPTH AND EXTENT OF EXISTING FLOOR DEPRESSIONS AND/OR CUT BACK EXISTING FLOOR FINISH AS APPLICABLE TO SUIT THE NEW INSTALLATION.

DEMOLITION KEY NOTES

SPECIFICATIONS.

DESCRIPTION

- REMOVE EXISTING WALL AND/OR COLUMN ENCLOSURE INCLUDING BUT NOT LIMITED TO TILE, CORNER GUARDS, METAL PANELS, WALL MOUNTED FIXTURES AND FINISHES AS INDICATED. PROVIDE SMOOTH TRANSITION BETWEEN SURFACES AT LOCATION OF DEMOLISHED AREA.
- REMOVE EXISTING FLOORING AND BASE. REMOVE EXISTING TILE FLOORING TO CLOSEST FULL TILE OR TO EXTENT SHOWN. REPAIR, LEVEL AND CLEAN SURFACE READY TO RECEIVE NEW FLOOR FINISHES. REFER TO FINISH SCHEDULE.
- REMOVE EXISTING CEILING TO THE EXTENT OF THE PROPOSED ROOM SIZE.
- REMOVE EXISTING DOOR AND FRAME. CUT PARTITION TO ACCOMMODATE NEW DOOR AND FRAME. REPAIR ADJACENT AFFECTED WALL SURFACES. REFER TO DETAIL D1002 AND 1/D2300.
- REMOVE EXISTING PLUMBING FIXTURES AND WASHROOM ACCESSORIES, CAP PLUMBING PIPES.
- REPAIR EXISTING WALL. PATCH AND MAKE GOOD ALL ADJACENT SURFACES DAMAGED DURING CONSTRUCTION. REMOVE EXISTING DOOR HARDWARE AS INDICATED IN DOOR SCHEDULE A9001 AND HARDWARE SCHEDULE WITHIN
- REMOVE EXISTING GUARDRAIL, HANDRAIL AND/OR HANDRAIL POST BASE. REPAIR AND MAKE GOOD ALL SURFACES.
- DEMOLISH EXISTING CONCRETE STAIR OR RAMP, REMOVE DEBRIS AND PREPARE FOR NEW STAIR OR RAMP. PROVIDE SMOOTH TRANSITION BETWEEN SURFACES AND PROTECT SURROUNDING AREAS DURING THE WORK.
- REMOVE EXISTING WALL TILE. REPAIR, LEVEL AND CLEAN SURFACE READY TO RECEIVE NEW WALL TILE. REFER TO FINISH SCHEDULE.
- 30 REMOVE CURTAIN WALL, GLAZING, EXTERIOR DOOR AND HARDWARE.
- REMOVE EXISTING DOOR, WINDOW AND FRAME TO ACCOMMODATE NEW.

CITY OF TORONTO

Project Management Office Metro Hall Toronto, ON

COPYRIGHT This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by Arcadis is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and Arcadis shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to Arcadis for general conformance before proceeding with fabrication.

M5V 3C6

Arcadis Professional Services (Canada) Inc.

ISSUES		
No.	DESCRIPTION	DATE
Α	50% SUBMISSION	2021-11-19
В	90% SUBMISSION	2022-02-22
С	ISSUED FOR PERMIT	2022-03-18
D	ISSUED FOR TENDER	2025-04-11
	•	•

CONSULTANTS

PRIME CONSULTANT



100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

PROJECT TITLE CITY OF TORONTO ACCESSIBILITY UPGRADES

PROJECT ADDRESS

POLICE NO. 33 DIVISION 50 UPJOHN RD

PROJECT NO: 9119-19-0162 / Arcadis 30279056 DRAWN BY: CHECKED BY: K.Tilahun A.Sunil PROJECT MGR APPROVED BY: F. BOLOURIAN E.Fenuta

SHEET TITLE

FIRST FLOOR DEMOLITION PLAN

G05-249-A2111



РНОТО 3



PHOTO 4



PHOTO 5

















2.5

PHOTO 2

PHOTO 10

PHOTO 11

PHOTO 25

HEET NUMBER











DEMOLITION KEY LEGEND

---- EXISTING TO BE DEMOLISHED

TO REMAIN

EXISTING INTERIOR PARTITION

EXISTING PARTITION TO REMAIN

EXISTING EXTERIOR WALL

EXISTING DOOR, FRAME, AND ASSOCIATED

HARDWARE TO BE REMOVED

EXISTING DOOR TO REMAIN

DASHED AREA INDICATES

AREA OF WORK

TO BE DEMOLISHED



CLIENT

PHOTO 24






PHOTO 16

PHOTO 17

DEMOLITION GENERAL NOTES

Comments REMOVE ALL EXISTING TACTILE SURFACE INDICATORS (WALKING ATTENTION INDICATOR, TEXTURAL WARNING STRIP, NOSING STRIP AND HAZARD STRIP ON HANDRAIL) INCLUDING ADHESIVE MATERIAL AND FASTENING SYSTEM MAKE GOOD SURFACE TO RECEIVE NEW TACTILE SURFACE INDICATORS IN LOCATIONS SHOWN. INCREASE DEPTH AND EXTENT OF EXISTING FLOOR DEPRESSIONS AND/OR CUT BACK EXISTING FLOOR FINISH AS APPLICABLE TO SUIT THE NEW INSTALLATION.

PRIME CONSULTANT

CONSULTANTS

ARCADIS

100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

CITY OF TORONTO

PROJECT ADDRESS

POLICE NO. 33 DIVISION 50 UPJOHN RD

PROJECT MGR: F. BOLOURIAN	APPROVED BY: Approver
DRAWN BY: Author	CHECKED BY: Checker
PROJECT NO: 9119-19-0162 / Arcadis 3	30279056
	9119-19-0162 / Arcadis 3 DRAWN BY: Author PROJECT MGR:

G05-249-A2112 D







PHOTO 4

BASEMENT BELOW (REFER TO BASEMENT PLAN)

PHOTO 15

PHOTO 14

┲╤╤**╤╒┵**╾┪

PHOTO 13

PHOTO 12



PHOTO 5



PHOTO 6



PHOTO 7



РНОТО 8



PHOTO 9





PHOTO 11

PHOTO 10

РНОТО 3

PHOTO 2

PROJECT TITLE ACCESSIBILITY UPGRADES

PROJECT NO: 9119-19-0162 / Arcadis 30279056		
DRAWN BY: Author	CHECKED BY: Checker	
PROJECT MGR: F. BOLOURIAN	APPROVED BY: Approver	
OLICET TITLE	·	

FIRST FLOOR **DEMOLITION PLAN -**PHOTOGRAPHS

DEMOLITION KEY LEGEND

---- EXISTING TO BE DEMOLISHED

EXISTING INTERIOR PARTITION TO BE DEMOLISHED

TO REMAIN

EXISTING EXTERIOR WALL

EXISTING PARTITION TO REMAIN

EXISTING DOOR, FRAME, AND ASSOCIATED HARDWARE TO BE REMOVED

EXISTING DOOR TO REMAIN

DASHED AREA INDICATES AREA OF WORK

DEMOLITION GENERAL NOTES

Comments

REMOVE ALL EXISTING TACTILE SURFACE INDICATORS (WALKING ATTENTION INDICATOR, TEXTURAL WARNING STRIP, NOSING STRIP AND HAZARD STRIP ON HANDRAIL) INCLUDING ADHESIVE MATERIAL AND FASTENING SYSTEM. MAKE GOOD SURFACE TO RECEIVE NEW TACTILE SURFACE INDICATORS IN LOCATIONS SHOWN. INCREASE DEPTH AND EXTENT OF EXISTING FLOOR DEPRESSIONS AND/OR CUT BACK EXISTING FLOOR FINISH AS APPLICABLE TO SUIT THE NEW INSTALLATION.

DEMOLITION KEY NOTES

NO	DESCRIPTION
	REMOVE EXISTING DOOR HARDWARE AS INDICATED IN DOOF SCHEDULE A9001 AND HARDWARE SCHEDULE WITHIN SPECIFICATIONS.

11 REMOVE EXISTING GUARDRAIL, HANDRAIL AND/OR HANDRAIL POST BASE. REPAIR AND MAKE GOOD ALL SURFACES. 25 DEMOLISH EXISTING CONCRETE STAIR OR RAMP, REMOVE DEBRIS AND PREPARE FOR NEW STAIR OR RAMP. PROVIDE SMOOTH TRANSITION BETWEEN SURFACES AND PROTECT SURROUNDING AREAS DURING THE WORK.

CITY OF TORONTO

Project Management Office Metro Hall Toronto, ON M5V 3C6

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by Arcadis is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and Arcadis shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to Arcadis for general conformance before proceeding with fabrication.

Arcadis Professional Services (Canada) Inc.

ISSUES			
No.	DESCRIPTION	DATE	
Α	50% SUBMISSION	2021-11-19	
В	90% SUBMISSION	2022-02-22	
С	ISSUED FOR PERMIT	2022-03-18	
D	ISSUED FOR TENDER	2025-04-11	

CONSULTANTS

PRIME CONSULTANT



100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930

CITY OF TORONTO ACCESSIBILITY UPGRADES

PROJECT ADDRESS

POLICE NO. 33 DIVISION 50 UPJOHN RD

JECT NO: 9-19-0162 / Arcadis 3	30279056
WN BY: I nil	CHECKED BY: K.Tilahun

F. BOLOURIAN

PROJECT MGR:

SECOND FLOOR **DEMOLITION PLAN**

APPROVED BY:

E.Fenuta

G05-249-A2121

PHOTO 2

РНОТО 3

PHOTO 4

PHOTO 5

РНОТО 6

Corporate Real Estate Management Project Management Office Metro Hall Toronto, ON M5V 3C6

COPYRIGHT

CLIENT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by Arcadis is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and Arcadis shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to Arcadis for general conformance before proceeding with fabrication.

CITY OF TORONTO

Arcadis Professional Services (Canada) Inc.

		,
ISSUE	S	
No.	DESCRIPTION	DATE
Α	50% SUBMISSION	2021-11-19
В	90% SUBMISSION	2022-02-22
С	ISSUED FOR PERMIT	2022-03-18
D	ISSUED FOR TENDER	2025-04-11
	No. A B C	A 50% SUBMISSION B 90% SUBMISSION C ISSUED FOR PERMIT

DEMOLITION KEY LEGEND

EXISTING INTERIOR PARTITION TO BE DEMOLISHED

TO REMAIN

EXISTING PARTITION TO REMAIN

EXISTING DOOR, FRAME, AND ASSOCIATED HARDWARE TO BE REMOVED



DESCRIPTION

REMOVE EXISTING FLOORING AND BASE. REMOVE EXISTING TILE FLOORING TO CLOSEST FULL TILE OR TO EXTENT SHOWN. REPAIR, LEVEL AND CLEAN SURFACE READY TO RECEIVE NEW FLOOR FINISHES. REFER TO FINISH

REMOVE EXISTING CEILING TO THE EXTENT OF THE

REMOVE EXISTING DOOR AND FRAME. CUT PARTITION TO ACCOMMODATE NEW DOOR AND FRAME. REPAIR ADJACENT AFFECTED WALL SURFACES. REFER TO DETAIL D1002 AND

REMOVE EXISTING PLUMBING FIXTURES AND WASHROOM ACCESSORIES, CAP PLUMBING PIPES.

SPECIFICATIONS.

DEBRIS AND PREPARE FOR NEW STAIR OR RAMP. PROVIDE SMOOTH TRANSITION BETWEEN SURFACES AND PROTECT SURROUNDING AREAS DURING THE WORK.

REMOVE EXISTING WALL TILE. REPAIR, LEVEL AND CLEAN SURFACE READY TO RECEIVE NEW WALL TILE. REFER TO

REMOVE EXISTING TILES, CLEAN AND PREPARE SURFACE TO

31 REMOVE EXISTING DOOR, WINDOW AND FRAME TO ACCOMMODATE NEW.

RECEIVE NEW TILE.

CONSULTANTS

PRIME CONSULTANT



100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

PROJECT TITLE CITY OF TORONTO **ACCESSIBILITY UPGRADES**

PROJECT ADDRESS

POLICE NO. 33 DIVISION 50 UPJOHN RD


PROJECT NO:

9119-19-0162 / Arcadis 30279056 DRAWN BY: CHECKED BY: A.Sunil K.Tilahun PROJECT MGR: APPROVED BY:

F. BOLOURIAN E.Fenuta SHEET TITLE THIRD FLOOR


DEMOLITION PLAN

SHEET NUMBER G05-249-A2131 D



EXISTING EXTERIOR WALL

EXISTING DOOR TO REMAIN



DASHED AREA INDICATES AREA OF WORK

DEMOLITION GENERAL NOTES

REMOVE ALL EXISTING TACTILE SURFACE INDICATORS (WALKING ATTENTION INDICATOR, TEXTURAL WARNING STRIP. NOSING STRIP AND HAZARD STRIP ON HANDRAIL) INCLUDING ADHESIVE MATERIAL AND FASTENING SYSTEM. MAKE GOOD SURFACE TO RECEIVE NEW TACTILE SURFACE INDICATORS IN LOCATIONS SHOWN. INCREASE DEPTH AND EXTENT OF EXISTING FLOOR DEPRESSIONS AND/OR CUT BACK EXISTING FLOOR FINISH AS APPLICABLE TO SUIT THE NEW INSTALLATION.

DEMOLITION KEY NOTES

REMOVE EXISTING WALL AND/OR COLUMN ENCLOSURE INCLUDING BUT NOT LIMITED TO TILE, CORNER GUARDS, METAL PANELS, WALL MOUNTED FIXTURES AND FINISHES AS INDICATED. PROVIDE SMOOTH TRANSITION BETWEEN SURFACES AT LOCATION OF DEMOLISHED AREA.

SCHEDULE.

PROPOSED ROOM SIZE.

1/D2300.

REMOVE EXISTING DOOR HARDWARE AS INDICATED IN DOOR SCHEDULE A9001 AND HARDWARE SCHEDULE WITHIN

REMOVE EXISTING GUARDRAIL, HANDRAIL AND/OR HANDRAIL POST BASE. REPAIR AND MAKE GOOD ALL SURFACES. DEMOLISH EXISTING CONCRETE STAIR OR RAMP, REMOVE

FINISH SCHEDULE.



PHOTO 14

PHOTO 15

REMOVE HM SCREEN,

DOOR AND FRAME

323 324 325 326

PHOTO 16

PHOTO 17



РНОТО 3




PHOTO 4

EXISTING ROOF

CUT OUT CONCRETE SLAB FOR

NEW ELEVATOR REFER TO

STRUCTURAL DWG's.





PHOTO 7

307



РНОТО 8

305 304

302

303

EXISTING ROOF

306

301



РНОТО 9












PHOTO 13



ISSUES

DESCRIPTION

2021-11-19 2022-02-22

2022-03-18


2025-04-11

A 50% SUBMISSION

B 90% SUBMISSION

C ISSUED FOR PERMIT

D ISSUED FOR TENDER



DASHED AREA INDICATES AREA OF WORK

EXISTING DOOR TO REMAIN

DEMOLITION GENERAL NOTES

REMOVE ALL EXISTING TACTILE SURFACE INDICATORS (WALKING ATTENTION INDICATOR, TEXTURAL WARNING STRIP, NOSING STRIP AND HAZARD STRIP ON HANDRAIL) INCLUDING ADHESIVE MATERIAL AND FASTENING SYSTEM. MAKE GOOD SURFACE TO RECEIVE NEW TACTILE SURFACE INDICATORS IN LOCATIONS SHOWN. INCREASE DEPTH AND EXTENT OF EXISTING FLOOR DEPRESSIONS AND/OR CUT BACK EXISTING FLOOR FINISH AS APPLICABLE TO SUIT THE NEW INSTALLATION.

CONSULTANTS

PRIME CONSULTANT



100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

PROJECT TITLE CITY OF TORONTO ACCESSIBILITY UPGRADES

PROJECT ADDRESS

POLICE NO. 33 DIVISION 50 UPJOHN RD


PROJECT NO: 9119-19-0162 / Arcadis 3	20279056
9119-19-0102 / Alcadis 3	00279030
DRAWN BY:	CHECKED BY
Author	Checker

PROJECT MGR: APPROVED BY: F. BOLOURIAN **Approver** SHEET TITLE

THIRD FLOOR **DEMOLITION PLAN -**PHOTOGRAPHS

G05-249-A2132 D





EXISTING FHC TO

BE RELOCATED

CUT OPENING IN EXISTING GYPSUM BOARD PARTITION TO ACCOMMODATE RELOCATED FHC

REMOVE EXISTING

GYPSUM BOARD CEILING

EXISTING ROOF

EXISTING ROOF



РНОТО 8



323 324 325 326



PHOTO 4

РНОТО 3









307

309

___<u>_</u>__._

316

315









PHOTO 2

303

302

306

301



EXISTING EXTERIOR WALL TO

REMAIN

EXISTING PARTITION TO REMAIN NEW EXTERIOR WALL

REFER TO WALL SCHEDULE

REFER TO PARTITION SCHEDULE

EXISTING DOOR TO REMAIN

(###)

NEW DOOR AND/ OR **NEW HARDWARE**

DASHED AREA INDICATES AREA OF WORK

CONSTRUCTION GENERAL NOTES

NEW DOOR CARD READER AND BARRIER FREE PUSH BUTTON - REFER TO ELECTRICAL DRAWINGS. FOR LOCATION AND HEIGHT INSTALLATION REFER TO ARCHITECTURAL DETAIL BOOKLET.

REPAINT ENTIRE WALL AFTER WALL-MOUNTED HANDRAIL REPLACEMENT – UNLESS OTHERWISE NOTED. COLOUR AND FINISH TO MATCH EXISTING

CONSTRUCTION KEY NOTES

DESCRIPTION

J EXISTING DOOR TO REMAIN. DOOR HARDWARE TO BE CHANGED AS PER DOOR SCHEDULE ON A9001 AND DOOR HARDWARE SCHEDULE IN THE SPECIFICATIONS.

Q PATCH, REPAIR AND MAKE GOOD EXISTING FLOOR SLAB.

CITY OF TORONTO

Project Management Office Metro Hall Toronto, ON M5V 3C6

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by Arcadis is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and Arcadis shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to Arcadis for general conformance before proceeding with fabrication.

Arcadis Professional Services (Canada) Inc.

ISSUES		
No.	DESCRIPTION	DATE
Α	50% SUBMISSION	2021-11-19
В	90% SUBMISSION	2022-02-22
С	ISSUED FOR PERMIT	2022-03-18
D	ISSUED FOR TENDER	2025-04-11

CONSULTANTS

PRIME CONSULTANT



100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930

CITY OF TORONTO ACCESSIBILITY UPGRADES

PROJECT ADDRESS

POLICE NO. 33 DIVISION 50 UPJOHN RD

PROJECT NO: 9119-19-0162 / Arcadis 30279056 DRAWN BY: CHECKED BY: K.Tilahun


F. BOLOURIAN SHEET TITLE

PROJECT MGR:

BASEMENT PROPOSED PLAN

APPROVED BY:

E.Fenuta



EXISTING EXTERIOR WALL TO REMAIN

EXISTING PARTITION TO REMAIN

NEW EXTERIOR WALL REFER TO WALL SCHEDULE

REFER TO PARTITION SCHEDULE

EXISTING DOOR TO REMAIN

DASHED AREA INDICATES

NEW HARDWARE

AREA OF WORK

NEW DOOR AND/ OR

CONSTRUCTION GENERAL NOTES

NEW DOOR CARD READER AND BARRIER FREE PUSH BUTTON - REFER TO ELECTRICAL DRAWINGS. FOR LOCATION AND HEIGHT INSTALLATION REFER TO ARCHITECTURAL DETAIL BOOKLET.

REPAINT ENTIRE WALL AFTER WALL-MOUNTED HANDRAIL REPLACEMENT – UNLESS OTHERWISE NOTED. COLOUR AND FINISH TO MATCH EXISTING

CONSTRUCTION KEY NOTES

DESCRIPTION

CONSTRUCT NEW KITCHEN MILLWORK. REFER TO MILLWORK DETAILS 1/D1301, 2/D1301, 3/D1301, 4/D1301, 1/D1302, 2/D1302, 3/D1302, 4/1302, 5/D1302, 6/D1302, 8/D1302.

CHANGED AS PER DOOR SCHEDULE ON A9001 AND DOOR HARDWARE SCHEDULE IN THE SPECIFICATIONS. INSTALL NEW DOOR AND FRAME. REFER TO DOOR SCHEDULE A9001, G0004 AND DOOR HARDWARE SCHEDULE

INSTALL NEW STOREFRONT FRAMING TO MATCH EXISTING WITH NEW DOOR PER SPECIFIED WIDTH AND HEIGHT. REFER TO DOOR SCHEDULE A9001 AND DOOR HARDWARE SCHEDULE IN THE SPECIFICATIONS.

CITY OF TORONTO Corporate Real Estate Management Project Management Office

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by Arcadis is forbidden.

Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and Arcadis shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to Arcadis for general conformance before proceeding with fabrication.

Metro Hall Toronto, ON

M5V 3C6

Arcadis Professional Services (Canada) Inc.

ISSUES		
No.	DESCRIPTION	DATE
Α	50% SUBMISSION	2021-11-19
В	90% SUBMISSION	2022-02-22
С	ISSUED FOR PERMIT	2022-03-18
D	ISSUED FOR TENDER	2025-04-11

EXISTING DOOR TO REMAIN. DOOR HARDWARE TO BE

IN THE SPECIFICATIONS.

CONSULTANTS

PRIME CONSULTANT



100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930

PROJECT TITLE CITY OF TORONTO **ACCESSIBILITY UPGRADES**

PROJECT ADDRESS


POLICE NO. 33 DIVISION 50 UPJOHN RD

PROJECT NO: 9119-19-0162 / Arcadis 30279056		
DRAWN BY: A.Sunil	CHECKED BY: K.Tilahun	
PROJECT MGR: F. BOLOURIAN	APPROVED BY: E.Fenuta	

SHEET TITLE

FIRST FLOOR PROPOSED PLAN

SHEET NUMBER



EXISTING EXTERIOR WALL TO REMAIN

EXISTING PARTITION TO REMAIN

NEW EXTERIOR WALL REFER TO WALL SCHEDULE

REFER TO PARTITION SCHEDULE

EXISTING DOOR TO REMAIN

(###)

DASHED AREA INDICATES

NEW DOOR AND/ OR

NEW HARDWARE

AREA OF WORK

CONSTRUCTION GENERAL NOTES

NEW DOOR CARD READER AND BARRIER FREE PUSH BUTTON - REFER TO ELECTRICAL DRAWINGS. FOR LOCATION AND HEIGHT INSTALLATION REFER TO ARCHITECTURAL DETAIL BOOKLET.

REPAINT ENTIRE WALL AFTER WALL-MOUNTED HANDRAIL REPLACEMENT – UNLESS OTHERWISE NOTED. COLOUR AND FINISH TO MATCH EXISTING

CONSTRUCTION KEY NOTES

DESCRIPTION

J EXISTING DOOR TO REMAIN. DOOR HARDWARE TO BE CHANGED AS PER DOOR SCHEDULE ON A9001 AND DOOR HARDWARE SCHEDULE IN THE SPECIFICATIONS.

CITY OF TORONTO

Project Management Office Metro Hall Toronto, ON M5V 3C6

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by Arcadis is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and Arcadis shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to Arcadis for general conformance before proceeding with fabrication.

Arcadis Professional Services (Canada) Inc.

ISSUES		
No.	DESCRIPTION	DATE
Α	50% SUBMISSION	2021-11-19
В	90% SUBMISSION	2022-02-22
С	ISSUED FOR PERMIT	2022-03-18
D	ISSUED FOR TENDER	2025-04-11

CONSULTANTS

PRIME CONSULTANT



100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

CITY OF TORONTO ACCESSIBILITY UPGRADES

PROJECT ADDRESS

POLICE NO. 33 DIVISION 50 UPJOHN RD


PROJECT NO: 9119-19-0162 / Arcadis 30279056 DRAWN BY: CHECKED BY: A.Sunil K.Tilahun APPROVED BY: PROJECT MGR:

F. BOLOURIAN SHEET TITLE

SECOND FLOOR PROPOSED PLAN

E.Fenuta

SHEET NUMBER



CITY OF TORONTO

Corporate Real Estate Management Project Management Office Metro Hall Toronto, ON M5V 3C6

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by Arcadis is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and Arcadis shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to Arcadis for general conformance before proceeding with fabrication.

Arcadis Professional Services (Canada) Inc.

ISSUE	S	
No.	DESCRIPTION	DATE
Α	50% SUBMISSION	2021-11-19
В	90% SUBMISSION	2022-02-22
С	ISSUED FOR PERMIT	2022-03-18
D	ISSUED FOR TENDER	2025-04-11

ARCADIS


100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930

CITY OF TORONTO **ACCESSIBILITY UPGRADES**

POLICE NO. 33 DIVISION 50 UPJOHN RD

CHECKED BY: K.Tilahun APPROVED BY: E.Fenuta

> THIRD FLOOR PROPOSED PLAN




FLOOR FINISHES LEGEND

VINYL COMPOSITE TILE




CARPET TILE




PORCELAIN SHOWER TILE






PORCELAIN TILE



CONCRETE SEALER

FLOOR FINISH TO MATCH EXISTING

REFER TO ROOM FINISH SCHEDULE



DASHED AREA INDICATES AREA OF WORK

FLOOR FINISH GENERAL NOTES

- FLOOR FINISH PLANS TO BE READ IN CONJUNCTION WITH ROOM FINISH SCHEDULE AND SPECIFICATIONS.
- PROTECT ALL NEW AND EXISTING FLOOR FINISHES WITH PLYWOOD SHEETS ANYWHERE OTHER CONSTRUCTION WORK IS STILL ONGOING.
- CHANGE OF FLOORING MATERIAL TO OCCUR BELOW THE DOOR LEAF UNLESS OTHERWISE INDICATED.
- WHERE A CHANGE OF MATERIAL THICKNESS OCCURS, PROVIDE THRESHOLD AS PER DETAILS AND
- SPECIFICATIONS.
- PROVIDE REPLACEMENT FLOOR FINISH TO MATCH EXISTING FOR ANY FLOORING DAMAGED DUE TO WORK OF THIS PROJECT.

CLIENT

CITY OF TORONTO

Corporate Real Estate Management Project Management Office Metro Hall Toronto, ON M5V 3C6

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by Arcadis is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and Arcadis shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to Arcadis for general conformance before proceeding with fabrication.

Arcadis Professional Services (Canada) Inc.

ISSUES		
No.	DESCRIPTION	DATE
Α	50% SUBMISSION	2021-11-19
В	90% SUBMISSION	2022-02-22
С	ISSUED FOR PERMIT	2022-03-18
D	ISSUED FOR TENDER	2025-04-11

CONSULTANTS

PRIME CONSULTANT



100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930

CITY OF TORONTO ACCESSIBILITY UPGRADES


PROJECT ADDRESS

POLICE NO. 33 DIVISION 50 UPJOHN RD

PROJECT NO: 9119-19-0162 / Arcadis 30279056		
DRAWN BY: A.Sunil	CHECKED E	
PROJECT MGR:	APPROVED	

E.Fenuta F. BOLOURIAN SHEET TITLE FIRST FLOOR FLOOR

FINISH PLAN




FLOOR FINISHES LEGEND


VINYL COMPOSITE TILE




CARPET TILE



PORCELAIN SHOWER TILE




PORCELAIN TILE



FLOOR FINISH TO MATCH EXISTING

REFER TO ROOM FINISH SCHEDULE

CONCRETE SEALER



DASHED AREA INDICATES AREA OF WORK

FLOOR FINISH GENERAL NOTES

- FLOOR FINISH PLANS TO BE READ IN CONJUNCTION WITH ROOM FINISH SCHEDULE AND SPECIFICATIONS.
- PROTECT ALL NEW AND EXISTING FLOOR FINISHES WITH PLYWOOD SHEETS ANYWHERE OTHER CONSTRUCTION WORK IS STILL ONGOING.
- CHANGE OF FLOORING MATERIAL TO OCCUR BELOW THE DOOR LEAF UNLESS OTHERWISE INDICATED.
- WHERE A CHANGE OF MATERIAL THICKNESS OCCURS, PROVIDE THRESHOLD AS PER DETAILS AND SPECIFICATIONS.
- PROVIDE REPLACEMENT FLOOR FINISH TO MATCH EXISTING FOR ANY FLOORING DAMAGED DUE TO WORK OF THIS PROJECT.

CITY OF TORONTO

Corporate Real Estate Management Project Management Office Metro Hall Toronto, ON M5V 3C6

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by Arcadis is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and Arcadis shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to Arcadis for general conformance before proceeding with fabrication.

Arcadis Professional Services (Canada) Inc.

ISSUE	S	
No.	DESCRIPTION	DATE
Α	50% SUBMISSION	2021-11-19
В	90% SUBMISSION	2022-02-22
С	ISSUED FOR PERMIT	2022-03-18
D	ISSUED FOR TENDER	2025-04-11

CONSULTANTS

PRIME CONSULTANT



100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930

CITY OF TORONTO ACCESSIBILITY UPGRADES

PROJECT ADDRESS

POLICE NO. 33 DIVISION 50 UPJOHN RD

ROJECT NO: 119-19-0162 / Arcadis 30279056		
RAWN BY: Sunil	CHECKED BY: K.Tilahun	
ROJECT MGR:	APPROVED BY:	


SHEET TITLE


THIRD FLOOR FLOOR FINISH PLAN

1 THIRD FLOOR-PROPOSED RCP A2831 | Scale: 1:20

CEILING LEGEND

SUSPENDED METAL GRID AND LAY-IN ACOUSTIC TILE SIZE TO MATCH EXISTING





CEILING, PENDANT OR WALL MOUNTED LUMINAIRE



CEILING OR PENDANT MOUNTED LUMINAIRE

CEILING GENERAL NOTES

PROPOSED CEILING HEIGHT TO MATCH EXISTING, UNLESS OTHERWISE NOTED.

CITY OF TORONTO

Project Management Office Metro Hall Toronto, ON M5V 3C6

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by Arcadis is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and Arcadis shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to Arcadis for general conformance before proceeding with fabrication.

Arcadis Professional Services (Canada) Inc.

ISSUES		
No.	DESCRIPTION	DATE
Α	50% SUBMISSION	2021-11-19
В	90% SUBMISSION	2022-02-22
С	ISSUED FOR PERMIT	2022-03-18
D	ISSUED FOR TENDER	2025-04-11

CONSULTANTS

PRIME CONSULTANT



100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

PROJECT TITLE
CITY OF TORONTO ACCESSIBILITY UPGRADES

PROJECT ADDRESS


POLICE NO. 33 DIVISION 50 UPJOHN RD

PROJECT NO: 9119-19-0162 / Arcadis 30279056 DRAWN BY: CHECKED BY: K.Tilahun

A.Sunil PROJECT MGR: **F. BOLOURIAN** APPROVED BY: E.Fenuta

SHEET TITLE


THIRD FLOOR REFLECTED CEILING PLAN - ROOM





---- EXISTING TO BE DEMOLISHED _ _ _ _ _ _ EXISTING PARTITION TO BE DEMOLISHED

TO REMAIN



DASHED AREA INDICATES AREA OF WORK

EXISTING EXTERIOR WALL

CITY OF TORONTO Corporate Real Estate Management

CLIENT

Project Management Office Metro Hall Toronto, ON M5V 3C6

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by Arcadis is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and Arcadis shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to Arcadis for general conformance before proceeding with fabrication.

Arcadis Professional Services (Canada) Inc.

ISSUES		
No.	DESCRIPTION	DATE
Α	50% SUBMISSION	2021-11-19
В	90% SUBMISSION	2022-02-22
С	ISSUED FOR PERMIT	2022-03-18
D	ISSUED FOR TENDER	2025-04-11

CONSULTANTS

PRIME CONSULTANT



100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

PROJECT TITLE
CITY OF TORONTO ACCESSIBILITY UPGRADES

PROJECT ADDRESS

POLICE NO. 33 DIVISION 50 UPJOHN RD


PROJECT NO:	
9119-19-0162 / Arcadis 30279056	
	CHECK

CHECKED BY: K.Tilahun DRAWN BY: A.Sunil PROJECT MGR: APPROVED BY: F. BOLOURIAN E.Fenuta

SHEET TITLE

ROOF PLAN -DEMOLITION PLAN

G05-249-A2911 D



NEW PARTITION REFER TO PARTITION SCHEDULE

NEW DOOR AND/ OR NEW HARDWARE

CLIENT

CITY OF TORONTO Corporate Real Estate Management

Project Management Office Metro Hall Toronto, ON M5V 3C6

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by Arcadis is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and Arcadis shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to Arcadis for general conformance before proceeding with fabrication.

Arcadis Professional Services (Canada) Inc.

ISSUES			
No.	DESCRIPTION	DATE	
Α	90% SUBMISSION	2022-02-22	
В	ISSUED FOR PERMIT	2022-03-18	
С	ISSUED FOR TENDER	2025-04-11	

CONSULTANTS

PRIME CONSULTANT



100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

PROJECT TITLE
CITY OF TORONTO ACCESSIBILITY UPGRADES

PROJECT ADDRESS

POLICE NO. 33 DIVISION 50 UPJOHN RD

PROJECT NO: 9119-19-0162 / Arcadis 30279056 DRAWN BY: CHECKED BY:


A. Kvasniuk K.Tilahun APPROVED BY: **E.Fenuta** PROJECT MGR: F. BOLOURIAN

SHEET TITLE **ROOF PLAN - PROPOSED**

PLAN

G05-249-A2912 C





РНОТО 3

CONSTRUCTION KEY LEGEND

EXISTING EXTERIOR WALL TO

EXISTING PARTITION TO REMAIN NEW EXTERIOR WALL

NEW PARTITION REFER TO PARTITION SCHEDULE

REFER TO WALL SCHEDULE

EXISTING DOOR TO REMAIN

NEW DOOR AND/ OR

NEW HARDWARE

DASHED AREA INDICATES AREA OF WORK

(###)

CONSTRUCTION GENERAL NOTES

LOCATION AND HEIGHT INSTALLATION REFER TO ARCHITECTURAL DETAIL BOOKLET. REPAINT ENTIRE WALL AFTER WALL-MOUNTED HANDRAIL REPLACEMENT – UNLESS OTHERWISE NOTED. COLOUR AND FINISH TO MATCH EXISTING

CLIENT CITY OF TORONTO

Corporate Real Estate Management

Project Management Office Metro Hall Toronto, ON M5V 3C6

COPYRIGHT This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by Arcadis is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and Arcadis shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to Arcadis for general conformance before proceeding with fabrication.

Arcadis Professional Services (Canada) Inc.

2025-04-11

		·	,
	ISSUE	S	
	No.	DESCRIPTION	DATE
	Α	50% SUBMISSION	2021-11-1
	В	90% SUBMISSION	2022-02-2
	С	ISSUED FOR PERMIT	2022-03-1

D ISSUED FOR TENDER

NEW DOOR CARD READER AND BARRIER FREE PUSH BUTTON - REFER TO ELECTRICAL DRAWINGS. FOR

CONSULTANTS

SEAL

PRIME CONSULTANT

ARCADIS

100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930

www.arcadis.com PROJECT TITLE CITY OF TORONTO ACCESSIBILITY UPGRADES

PROJECT ADDRESS


POLICE NO. 33 DIVISION 50 UPJOHN RD

PROJECT NO: 9119-19-0162 / Arcadis 30279056 DRAWN BY: **A.Sunil** CHECKED BY: K.Tilahun PROJECT MGR: APPROVED BY:


F. BOLOURIAN E.Fenuta SHEET TITLE BARRIER FREE WASHROOM 1 - FIRST

FLOOR

SHEET NUMBER G05-249-A5011 D



1 FIRST FLOOR PLAN - BARRIER-FREE WSHROOM/ HOLDING UNIT
A5011 Scale: 1:20



NEW WATER CLOSET UNIT -REFER TO SPECIFICATION AND MECH. DRAWINGS

A5011 Scale: 1:20

TO REMAIN

4 BARRIER-FREE WSHROOM/ HOLDING UNIT - NORTH ELEVATION

NEW WATER CLOSET UNIT -REFER TO SPECIFICATION AND MECH. DRAWINGS -


W1c


3 BARRIER-FREE WSHROOM/ HOLDING UNIT - EAST ELEVATION A5011 | Scale: 1:20

FIRST FLOOR 0 m


2 BARRIER-FREE WSHROOM/ HOLDING UNIT - SOUTH ELEVATION A5011 | Scale: 1:20

FIRST FLOOR 0 m














4 BARRIER FREE WASHROOM 2 - WEST ELEVATION ∖ A5111 / Scale: 1 : 20

CONSTRUCTION KEY LEGEND

EXISTING PARTITION TO REMAIN REFER TO PARTITION SCHEDULE

CONSTRUCTION GENERAL NOTES


NEW DOOR AND/ OR (### NEW HARDWARE

BUTTON - REFER TO ELECTRICAL DRAWINGS. FOR LOCATION AND HEIGHT INSTALLATION REFER TO ARCHITECTURAL DETAIL BOOKLET. REPAINT ENTIRE WALL AFTER WALL-MOUNTED HANDRAIL REPLACEMENT – UNLESS OTHERWISE NOTED. COLOUR AND FINISH TO MATCH EXISTING

NEW DOOR CARD READER AND BARRIER FREE PUSH

CONSTRUCTION KEY NOTES

NO	DESCRIPTION
	INSTALL NEW WASHROOM ACCESSORIES - REFER TO DETAILS 1/D1201, 2/D1201, 3/D1201, 4/D1201, 5/D1201.
	INSTALL NEW DOOR AND FRAME. REFER TO DOOR SCHEDULE A9001, G0004 AND DOOR HARDWARE SCHEDULE IN THE SPECIFICATIONS.



WASHROOM GENERAL NOTES

ALL EXISTING SOAP DISPENSERS AND MIRRORS TO BE LOWERED. REFER TO 2/D1201, 4/D1201. ALL WASHROOM ACCESSORIES TO BE INSTALLED AFTER SPECIFIED WALL FINISH HAS BEEN APPLIED. NEW SOAP COLLECTORS TO BE ADDED TO ALL SOAP DISPENSERS. REFER TO 2/D1201.

MOISTURE RESISTANT GYPSUM BOARD TO BE PROVIDED IN ALL WASHROOMS AND LOCKER ROOMS

CLIENT CITY OF TORONTO

Corporate Real Estate Management Project Management Office Metro Hall Toronto, ON M5V 3C6

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by Arcadis is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and Arcadis shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to Arcadis for general conformance before proceeding with fabrication.

Arcadis Professional Services (Canada) Inc.

ISSUE	S	
No.	DESCRIPTION	DATE
Α	50% SUBMISSION	2021-11-19
В	90% SUBMISSION	2022-02-22
С	ISSUED FOR PERMIT	2022-03-18
D	ISSUED FOR TENDER	2025-04-11

SEAL

CONSULTANTS

PRIME CONSULTANT **ARCADIS**

> 100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

PROJECT TITLE CITY OF TORONTO **ACCESSIBILITY UPGRADES**

PROJECT ADDRESS


F. BOLOURIAN

POLICE NO. 33 DIVISION 50 UPJOHN RD

PROJECT NO: 9119-19-0162 / Arcadis 3	30279056
DRAWN BY: A.Sunil	CHECKED BY: K.Tilahun
PROJECT MGR:	APPROVED BY:

SHEET TITLE BARRIER FREE WASHROOM 2- FIRST FLOOR

E.Fenuta




BARRIER FREE WASHROOM 3 - SOUTH ELEVATION

CONSTRUCTION KEY LEGEND

EXISTING PARTITION TO REMAIN

REFER TO PARTITION SCHEDULE



NEW DOOR AND/ OR NEW HARDWARE

CONSTRUCTION GENERAL NOTES


NEW DOOR CARD READER AND BARRIER FREE PUSH BUTTON - REFER TO ELECTRICAL DRAWINGS. FOR LOCATION AND HEIGHT INSTALLATION REFER TO ARCHITECTURAL DETAIL BOOKLET. REPAINT ENTIRE WALL AFTER WALL-MOUNTED HANDRAIL REPLACEMENT – UNLESS OTHERWISE NOTED. COLOUR AND

CONSTRUCTION KEY NOTES


FINISH TO MATCH EXISTING

NO	DESCRIPTION
D	INSTALL NEW WASHROOM ACCESSORIES - REFER TO DETAILS 1/D1201, 2/D1201, 3/D1201, 4/D1201, 5/D1201.
K	INSTALL NEW DOOR AND FRAME. REFER TO DOOR SCHEDULE A9001, G0004 AND DOOR HARDWARE SCHEDULE IN THE SPECIFICATIONS.

CEILING LEGEND



GYPSUM BOARD CEILING AND BULKHEAD





CEILING, PENDANT OR WALL MOUNTED LUMINAIRE

WASHROOM GENERAL NOTES

ALL EXISTING SOAP DISPENSERS AND MIRRORS TO BE LOWERED. REFER TO 2/D1201, 4/D1201. ALL WASHROOM ACCESSORIES TO BE INSTALLED AFTER SPECIFIED WALL FINISH HAS BEEN APPLIED. NEW SOAP COLLECTORS TO BE ADDED TO ALL SOAP DISPENSERS.

REFER TO 2/D1201. MOISTURE RESISTANT GYPSUM BOARD TO BE PROVIDED IN ALL WASHROOMS AND LOCKER ROOMS

CLIENT

CITY OF TORONTO Corporate Real Estate Management Project Management Office Metro Hall Toronto, ON

COPYRIGHT This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by Arcadis is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and Arcadis shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to Arcadis for general conformance before proceeding with fabrication.

M5V 3C6

Arcadis Professional Services (Canada) Inc.

	`	•		
ISSUE	ISSUES			
No.	DESCRIPTION	DATE		
Α	50% SUBMISSION	2021-11-19		
В	90% SUBMISSION	2022-02-22		
С	ISSUED FOR PERMIT	2022-03-18		
D	ISSUED FOR TENDER	2025-04-11		

CONSULTANTS

SEAL

PRIME CONSULTANT



100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

PROJECT TITLE CITY OF TORONTO **ACCESSIBILITY UPGRADES**

PROJECT ADDRESS

POLICE NO. 33 DIVISION 50 UPJOHN RD

PROJECT NO: 9119-19-0162 / Arcadis 30279056 DRAWN BY: CHECKED BY: A.Sunil K.Tilahun

PROJECT MGR APPROVED BY: F. BOLOURIAN E.Fenuta SHEET TITLE


BARRIER FREE **WASHROOM 3- FIRST** FLOOR

SHEET NUMBER G05-249-A5211


A5211 / Scale: 1:20

BARRIER FREE WASHROOM 3 - EAST ELEVATION







 $oxedsymbol{eta}$ 8 igwedge BARRIER FREE WASHROOM 4 - THIRD FLOOR RCP. ∖ A5311 / Scale: 1 : 25




4 BARRIER FREE WASHROOM 4 - SOUTH ELEVATION A5311 Scale: 1 : 25



BARRIER FREE WASHROOM 4 - NORTH ELEVATION A5311 / Scale: 1 : 25



3 BARRIER FREE WASHROOM 4 - EAST ELEVATION √ A5311 / Scale: 1 : 25



5 BARRIER FREE WASHROOM 4 - WEST ELEVATION √A5311 / Scale: 1 : 25

CONSTRUCTION KEY LEGEND

EXISTING PARTITION TO REMAIN



NEW PARTITION REFER TO PARTITION SCHEDULE



NEW DOOR AND/ OR **NEW HARDWARE**

CONSTRUCTION GENERAL NOTES


NEW DOOR CARD READER AND BARRIER FREE PUSH BUTTON - REFER TO ELECTRICAL DRAWINGS. FOR LOCATION AND HEIGHT INSTALLATION REFER TO ARCHITECTURAL DETAIL BOOKLET.

REPAINT ENTIRE WALL AFTER WALL-MOUNTED HANDRAIL REPLACEMENT – UNLESS OTHERWISE NOTED. COLOUR AND FINISH TO MATCH EXISTING


CONSTRUCTION KEY NOTES

NO	DESCRIPTION
D	INSTALL NEW WASHROOM ACCESSORIES - REFER TO DETAILS 1/D1201, 2/D1201, 3/D1201, 4/D1201, 5/D1201.
K	INSTALL NEW DOOR AND FRAME. REFER TO DOOR SCHEDULE A9001, G0004 AND DOOR HARDWARE SCHEDULE IN THE SPECIFICATIONS.

CEILING LEGEND



GYPSUM BOARD CEILING AND BULKHEAD





CEILING, PENDANT OR WALL MOUNTED LUMINAIRE

WASHROOM GENERAL NOTES

ALL EXISTING SOAP DISPENSERS AND MIRRORS TO BE LOWERED. REFER TO 2/D1201, 4/D1201. ALL WASHROOM ACCESSORIES TO BE INSTALLED AFTER SPECIFIED WALL FINISH HAS BEEN APPLIED. NEW SOAP COLLECTORS TO BE ADDED TO ALL SOAP DISPENSERS.

REFER TO 2/D1201. MOISTURE RESISTANT GYPSUM BOARD TO BE PROVIDED IN ALL WASHROOMS AND LOCKER ROOMS CLIENT

CITY OF TORONTO Corporate Real Estate Management

Project Management Office Metro Hall Toronto, ON

M5V 3C6 COPYRIGHT This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by Arcadis is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and Arcadis shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to Arcadis for general conformance before proceeding with fabrication.

Arcadis Professional Services (Canada) Inc.

ISSUE	S	
No.	DESCRIPTION	DATE
Α	50% SUBMISSION	2021-11-19
В	90% SUBMISSION	2022-02-22
С	ISSUED FOR PERMIT	2022-03-18
D	ISSUED FOR TENDER	2025-04-11

CONSULTANTS

SEAL

PRIME CONSULTANT



100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

PROJECT TITLE CITY OF TORONTO **ACCESSIBILITY UPGRADES**

PROJECT ADDRESS

POLICE NO. 33 DIVISION 50 UPJOHN RD


PROJECT NO: 9119-19-0162 / Arcadis 30279056 DRAWN BY: CHECKED BY:


A.Sunil PROJECT MGR APPROVED BY: F. BOLOURIAN E.Fenuta

SHEET TITLE


BARRIER FREE WASHROOM 4 - THIRD **FLOOR**

K.Tilahun






8 UNIVERSAL WASHROOM - THIRD FLOOR RCP ∖ A5411 / Scale: 1 : 25




BFWO PTLB

1295

THIRD FLOOR 3.521 m



UNIVERSAL WASHROOM - SOUTH ELEVATION ∖ A5411 / Scale: 1 : 25



∖ A5411 / Scale: 1 : 25

3 UNIVERSAL WASHROOM - EAST ELEVATION ∖ A5411 / Scale: 1 : 25

900

CWT-1.REFER TO

CWT-3.REFER TO

PROVISION FOR

ADULT CHANGE

CWT-4.REFER TO

A9001

A9001

TABLE

A9001

UNIVERSAL WASHROOM - WEST ELEVATION ∖ A5411 / Scale: 1 : 25



EXISTING PARTITION TO REMAIN

REFER TO PARTITION SCHEDULE



NEW DOOR AND/ OR NEW HARDWARE

CONSTRUCTION GENERAL NOTES

NEW DOOR CARD READER AND BARRIER FREE PUSH BUTTON - REFER TO ELECTRICAL DRAWINGS. FOR LOCATION AND HEIGHT INSTALLATION REFER TO ARCHITECTURAL DETAIL BOOKLET.


REPAINT ENTIRE WALL AFTER WALL-MOUNTED HANDRAIL REPLACEMENT – UNLESS OTHERWISE NOTED. COLOUR AND FINISH TO MATCH EXISTING


CONSTRUCTION KEY NOTES

DESCRIPTION INSTALL NEW DOOR AND FRAME. REFER TO DOOR SCHEDULE A9001, G0004 AND DOOR HARDWARE SCHEDULE IN THE SPECIFICATIONS.

CEILING LEGEND

GYPSUM BOARD CEILING AND BULKHEAD





CEILING, PENDANT OR WALL MOUNTED LUMINAIRE

WASHROOM GENERAL NOTES

|ALL EXISTING SOAP DISPENSERS AND MIRRORS TO BE LOWERED. REFER TO 2/D1201, 4/D1201. ALL WASHROOM ACCESSORIES TO BE INSTALLED AFTER SPECIFIED WALL FINISH HAS BEEN APPLIED. NEW SOAP COLLECTORS TO BE ADDED TO ALL SOAP DISPENSERS. REFER TO 2/D1201.

MOISTURE RESISTANT GYPSUM BOARD TO BE PROVIDED IN ALL WASHROOMS AND LOCKER ROOMS

UNIVERSAL WASHROOM GENERAL NOTES

PROVIDE WALL REINFORCEMENT TO SUPPORT FUTURE ADULT CHANGE TABLE MINIMUM LOAD OF 1.33 KN AND POWER OUTLET

CLIENT

CITY OF TORONTO

Corporate Real Estate Management Project Management Office Metro Hall Toronto, ON M5V 3C6

COPYRIGHT This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by Arcadis is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and Arcadis shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to Arcadis for general conformance before proceeding with fabrication.

Arcadis Professional Services (Canada) Inc.

ISSUES

DESCRIPTION A 50% SUBMISSION 2021-11-19 2022-02-22 B 90% SUBMISSION C ISSUED FOR PERMIT 2022-03-18 D ISSUED FOR TENDER 2025-04-11

CONSULTANTS

PRIME CONSULTANT



100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

PROJECT TITLE CITY OF TORONTO **ACCESSIBILITY UPGRADES**

PROJECT ADDRESS


POLICE NO. 33 DIVISION 50 UPJOHN RD

PROJECT NO: 9119-19-0162 / Arcadis 30279056

DRAWN BY: CHECKED BY: A.Sunil K.Tilahun PROJECT MGR APPROVED BY: F. BOLOURIAN E.Fenuta

SHEET TITLE UNIVERSAL WASHROOM

- THIRD FLOOR



CITY OF TORONTO

Corporate Real Estate Management Project Management Office Metro Hall Toronto, ON

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by Arcadis is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and Arcadis shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to Arcadis for general conformance before proceeding with fabrication.

Arcadis Professional Services (Canada) Inc.

ISSUE	S			
No.	DESCRIPTION	DATE		
Α	50% SUBMISSION	2021-11-19		
В	90% SUBMISSION	2022-02-22		
С	ISSUED FOR PERMIT	2022-03-18		
D	ISSUED FOR TENDER	2025-04-11		

ARCADIS

100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930


CITY OF TORONTO **ACCESSIBILITY UPGRADES**

POLICE NO. 33 DIVISION 50 UPJOHN RD

PROJECT NO: 9119-19-0162 / Arcadis 30279056 CHECKED BY:

APPROVED BY: E.Fenuta

STAIR PLANS AND SECTION



CITY OF TORONTO

Corporate Real Estate Management Project Management Office Metro Hall Toronto, ON

Arcadis Professional Services (Canada) Inc.

ISSUES										
No.	DESCRIPTION	DATE								
Α	50% SUBMISSION	2021-11-19								
В	90% SUBMISSION	2022-02-22								
С	ISSUED FOR PERMIT	2022-03-18								
D	ISSUED FOR TENDER	2025-04-11								




ACCESSIBILITY UPGRADES

POLICE NO. 33 DIVISION

A.Sunil	K.Tilahun
DRAWN BY:	CHECKED BY:
PROJECT NO: 9119-19-0162 / Arcadis 3	30279056

STAIR PLANS AND

G05-249-A5612 D



1285

NEW ACCESSIBLE

SINK

450

 $\overline{}$

 \Box

450

2 NORTH ELEVATION - NEW KITCHEN

A5711 | Scale: 1:20

PT-3. REFER TO A9001


AND SPECIFICATIONS

EXISTING FRIDGE - N.I.C.

- Q-1 - REFER TO A9001


AND SPECIFICATIONS

FIRST FLOOR / 0 m



WEST ELEVATION - NEW KITCHEN

A5711 | Scale: 1:20



CONSTRUCTION KEY LEGEND


REMAIN

EXISTING EXTERIOR WALL TO

EXISTING PARTITION TO REMAIN

NEW EXTERIOR WALL

REFER TO WALL SCHEDULE



PROJECT NO: 9119-19-0162 / Arcadis 30279056 DRAWN BY: CHECKED BY: A.Sunil K.Tilahun PROJECT MGR: APPROVED BY: F. BOLOURIAN E.Fenuta SHEET TITLE NEW KITCHEN PLANS & **ELEVATIONS**

CLIENT

SEAL

PRIME CONSULTANT

www.arcadis.com

PROJECT TITLE

PROJECT ADDRESS

ARCADIS

CITY OF TORONTO ACCESSIBILITY UPGRADES

POLICE NO. 33 DIVISION

50 UPJOHN RD

100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930

CITY OF TORONTO

Corporate Real Estate Management Project Management Office

Metro Hall Toronto, ON

M5V 3C6

Arcadis Professional Services (Canada) Inc.

2021-11-19

2022-02-22

2022-03-18


2025-04-11

DESCRIPTION

SHEET NUMBER

G05-249-A5711 D

A5711 | Scale: 1:20



EXISTING EXTERIOR WALL TO REMAIN EXISTING PARTITION TO REMAIN


NEW EXTERIOR WALL REFER TO WALL SCHEDULE

NEW PARTITION REFER TO PARTITION SCHEDULE

EXISTING DOOR TO REMAIN



NEW DOOR AND/ OR **NEW HARDWARE**



DASHED AREA INDICATES AREA OF WORK

FOR DETAILS REFER TO STRUCTURAL DWGS.

CLIENT

CITY OF TORONTO Corporate Real Estate Management Project Management Office Metro Hall Toronto, ON

M5V 3C6

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by Arcadis is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and Arcadis shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to Arcadis for general conformance before proceeding with fabrication.

Arcadis Professional Services (Canada) Inc.

ISSUES									
No.	DESCRIPTION	DATE							
Α	50% SUBMISSION	2021-11-19							
В	90% SUBMISSION	2022-02-22							
С	ISSUED FOR PERMIT	2022-03-18							
D	ISSUED FOR TENDER	2025-04-11							
	No. A B C	No. DESCRIPTION A 50% SUBMISSION B 90% SUBMISSION C ISSUED FOR PERMIT							

CONSULTANTS

SEAL

PRIME CONSULTANT



100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

PROJECT TITLE CITY OF TORONTO **ACCESSIBILITY UPGRADES**

PROJECT ADDRESS


POLICE NO. 33 DIVISION 50 UPJOHN RD


PROJECT NO: 9119-19-0162 / Arcadis 30279056


DRAWN BY: CHECKED BY: A.Sunil K.Tilahun PROJECT MGR APPROVED BY: F. BOLOURIAN E.Fenuta


SHEET TITLE **ELEVATOR PLANS**

SHEET NUMBER G05-249-A5811 D












2 TYPICAL PLUMBING VENT OPTION 1 - 3-PLY BUILT-UP ROOFING A5815 | Scale: 1:10



3 TYPICAL PLUMBING VENT OPTION 2 - SINGLE PLY MEMBRANE ROOFING A5815 | Scale: 1:10


FOR WALL TYPES REFER TO FLOOR PLANS





4 JAMB DETAIL A5815 | Scale: 1:10





CLIENT CITY OF TORONTO Corporate Real Estate Management Project Management Office Metro Hall Toronto, ON

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by Arcadis is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and Arcadis shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to Arcadis for general conformance before proceeding with fabrication.

M5V 3C6

Arcadis Professional Services (Canada) Inc. ISSUES DESCRIPTION DATE A ISSUED FOR PERMIT 2022-03-18 B ISSUED FOR TENDER 2025-04-11

CONSULTANTS

SEAL

PRIME CONSULTANT

ARCADIS

100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

PROJECT TITLE CITY OF TORONTO ACCESSIBILITY UPGRADES


PROJECT ADDRESS

POLICE NO. 33 DIVISION 50 UPJOHN RD

PROJECT NO: 9119-19-0162 / Arcadis 30279056 DRAWN BY: CHECKED BY: K.Tilahun A. Kvasniuk PROJECT MGR APPROVED BY:

F. BOLOURIAN E.Fenuta SHEET TITLE

ELEVATOR DETAILS





M5V 3C6

DATE

2021-11-19

2022-02-22

2022-03-18

2025-04-11

100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930

CITY OF TORONTO **ACCESSIBILITY UPGRADES**

PROJECT ADDRESS


POLICE NO. 33 DIVISION 50 UPJOHN RD

9119-19-0162 / Arcadis 30279056

CHECKED BY: K.Tilahun APPROVED BY: E.Fenuta

RECEPTION AREA -PLANS/ ELEVATIONS

G05-249-A5912 D



1 REREPTION AREA MILLWORK - SECTION

A5913 Scale: 1 : 1

CLIENT

CITY OF TORONTO Corporate Real Estate Management

Corporate Real Estate Management Project Management Office Metro Hall Toronto, ON M5V 3C6

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by Arcadis is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and Arcadis shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to Arcadis for general conformance before proceeding with fabrication.

Arcadis Professional Services (Canada) Inc.

ISSUE	S	
No.	DESCRIPTION	DATE
Α	90% SUBMISSION	2022-02-22
В	ISSUED FOR PERMIT	2022-03-18
С	ISSUED FOR TENDER	2025-04-11
	•	

CONSULTANTS

SEAL

PRIME CONSULTANT



100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930

CITY OF TORONTO
ACCESSIBILITY UPGRADES

PROJECT ADDRESS

POLICE NO. 33 DIVISION 50 UPJOHN RD

PROJECT NO:
9119-19-0162 / Arcadis 30279056

DRAWN BY: CHECKED BY:
a. Kvasniuk K.Tilahun

a. Kvasniuk

PROJECT MGR:
F. BOLOURIAN

SHEET TITLE


K.Tilahun


APPROVED BY:
E.Fenuta


RECEPTION AREA -DETAILS

SHEET NUMBER ISSUE **C**

4/2025 4·05·42 PM








EXISTING EXTERIOR WALL TO REMAIN

EXISTING PARTITION TO REMAIN


REFER TO PARTITION SCHEDULE

NEW EXTERIOR WALL REFER TO WALL SCHEDULE **NEW PARTITION**

EXISTING DOOR TO REMAIN



NEW DOOR AND/ OR **NEW HARDWARE**



DASHED AREA INDICATES AREA OF WORK

CONSTRUCTION GENERAL NOTES

- 1. NEW DOOR CARD READER AND BARRIER FREE PUSH BUTTON TO BE COORDINATED WITH ELECTRICAL DRAWINGS FOR LOCATION AND HEIGHT INSTALLATION REFER TO ARCHITECTURAL DETAIL BOOKLET.
- 2. REINSTALL ALL ELECTRICAL SWITCHES, RECEPTACLES, CARD READERS AND PULL STATIONS AT ACCESSIBLE HEIGHT AS IDENTIFIED IN THE ELECTRICAL DRAWINGS

CLIENT

CITY OF TORONTO Corporate Real Estate Management Project Management Office Metro Hall Toronto, ON

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by Arcadis is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and Arcadis shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to Arcadis for general conformance before proceeding with fabrication.

M5V 3C6

Arcadis Professional Services (Canada) Inc.

ISSUE	S			
No.	DESCRIPTION	DATE		
Α	50% SUBMISSION	2021-11-19		
В	90% SUBMISSION	2022-02-22		
С	ISSUED FOR PERMIT	2022-03-18		
D	ISSUED FOR TENDER	2025-04-11		

CONSULTANTS

PRIME CONSULTANT



100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

PROJECT TITLE CITY OF TORONTO ACCESSIBILITY UPGRADES

PROJECT ADDRESS

POLICE NO. 33 DIVISION 50 UPJOHN RD

PROJECT NO: 9119-19-0162 / Arcadis 30279056 DRAWN BY: CHECKED BY: A.Sunil K.Tilahun

PROJECT MGR: APPROVED BY: F. BOLOURIAN E.Fenuta SHEET TITLE

MAIN ENTRANCE - PLAN/ **ELEVATIONS**

A6011 | Scale: 1:25

SHEET NUMBER G05-249-A6011 D

									ROOM FINISH	SCHEDULE							
		FL		BA	SE										CEILING		
ROOM NUMBER	ROOM NAME	MAT	FINI	NAAT	FINI		NORTH		EAST		SOUTH		WEST	NAAT	EINI	LIEIGLIT	
NOWBER		MAT.	FIN.	MAT.	FIN.	MAT.	FIN.	MAT.	FIN.	MAT.	FIN.	MAT.	FIN.	MAT.	FIN.	HEIGHT	NOTES
BASEMENT																	
013	013	EXIST	EXIST	EXIST	EXIST	EXIST	PT-3	EXIST	PT-3	EXIST	PT-3	EXIST	PT-3	EXIST	EXIST	EXIST	REPAINT NEW STAIR GUARD AND HANDRAIL - PT-7
014	014	EXIST	EXIST	EXIST	EXIST	EXIST	PT-3	EXIST	PT-3	EXIST	PT-3	EXIST	PT-3	EXIST	EXIST	EXIST	REPAINT NEW STAIR GUARD AND HANDRAIL - PT-7
FIRST FLOOF																	
107	BARRIER FREE WASHROOM 1	EXIST	TF-1	EXIST	TF-1	EXIST, CMU	PT-3	EXIST, CMU	PT-3	EXIST	PT-3	EXIST	PT-3	EXIST	EXIST	EXIST	
109	109	EXIST	EXIST	EXIST, RB-1	PT-3	EXIST	EXIST	EXIST, GB	PT-3	EXIST	EXIST	EXIST	EXIST	EXIST	EXIST	EXIST	
111	111	EXIST	EXIST	EXIST, RB-1	PT-3	GB	PT-3, Q-1	EXIST	PT-3	EXIST	PT-3	EXIST	PT-3	EXIST	EXIST	EXIST	
112	112	EXIST	EXIST	EXIST, RB-1	PT-3	EXIST	PT-3	EXIST	PT-3	EXIST	EXIST	EXIST, GB	PT-3	EXIST	EXIST	EXIST	
113	113	EXIST	EXIST	EXIST	EXIST	EXIST	PT-3	EXIST	EXIST	EXIST	PT-3	EXIST	EXIST	EXIST	EXIST	EXIST	
114	114	EXIST	EXIST	EXIST	EXIST	EXIST	EXIST	EXIST	EXIST	EXIST	EXIST	EXIST	PT-3	EXIST	EXIST	EXIST	
115	115	EXIST	EXIST	EXIST	EXIST	EXIST	EXIST	EXIST	EXIST	EXIST	PT-3	EXIST	EXIST	EXIST	EXIST	EXIST	
118	BARRIER FREE WASHROOM 3	EXIST	PFT-1	CWT-4	CWT-4	EXIST	CWT-1, CWT-3, CWT-4	EXIST	CWT-1, CWT-3, CWT-4	EXIST, GB	CWT-1, CWT-3, CWT-4	EXIST	CWT-1, CWT-3, CWT-4	GB	PT-2	2600	
119	BARRIER FREE WASHROOM 2	EXIST	PFT-1	CWT-4	CWT-4	EXIST	CWT-1, CWT-3, CWT-4	EXIST	CWT-1, CWT-3, CWT-4	EXIST, GB	CWT-1, CWT-3, CWT-4	EXIST	CWT-1, CWT-3, CWT-4	GB	PT-2	2600	
120	120	EXIST	EXIST	EXIST	EXIST	EXIST	EXIST	EXIST	EXIST	EXIST	EXIST	EXIST	PT-3	EXIST	EXIST	EXIST	
121	121	EXIST	EXIST	EXIST	EXIST	EXIST	EXIST	EXIST	EXIST	EXIST	EXIST	EXIST	PT-3	EXIST	EXIST	EXIST	
122	122	EXIST	EXIST	EXIST	EXIST	EXIST	EXIST	EXIST	EXIST	EXIST	EXIST	EXIST	PT-3	EXIST	EXIST	EXIST	
123	123	EXIST	EXIST	EXIST	EXIST	EXIST	EXIST	EXIST	PT-3	EXIST	EXIST	EXIST	EXIST	EXIST	EXIST	EXIST	
130	130	EXIST	EXIST, TF-2	EXIST, TF-2	EXIST, TF-2	EXIST	PT-3	EXIST	PT-3	EXIST	PT-3	EXIST	EXIST	EXIST	EXIST	EXIST	
131	131	EXIST	EXIST	EXIST	EXIST	EXIST	EXIST	EXIST	EXIST	EXIST	PT-3	EXIST	EXIST	EXIST	EXIST	EXIST	
133	133	EXIST	EXIST	EXIST	EXIST	EXIST	PT-3	EXIST	PT-3	EXIST	PT-3	EXIST	PT-3	EXIST	EXIST	EXIST	REPAINT NEW STAIR GUARD AND HANDRAIL - PT-7
134	134	EXIST	EXIST	EXIST	EXIST	EXIST	PT-3	EXIST	PT-3	EXIST	PT-3	EXIST	PT-3	EXIST	EXIST	EXIST	REPAINT NEW STAIR GUARD AND HANDRAIL - PT-7
SECOND FLO	OR		-														
218	218	EXIST	EXIST	EXIST	EXIST	EXIST	PT-3	EXIST	PT-3	EXST	PT-3	EXIST	PT-3	EXIST	EXIST	EXIST	REPAINT NEW STAIR GUARD AND HANDRAIL - PT-7
219	219	EXIST	EXIST	EXIST	EXIST	EXIST	PT-3	EXIST	PT-3	EXIST	PT-3	EXIST	PT-3	EXIST	EXIST	EXIST	REPAINT NEW STAIR GUARD AND HANDRAIL - PT-7
THIRD FLOOF	₹																
301	301	EXIST	EXIST	EXIST	EXIST	EXIST	EXIST	EXIST	PT-3	EXIST	EXIST	EXIST	PT-3	EXIST	EXIST	EXIST	
303	303	EXIST	EXIST	EXIST	EXIST	EXIST	EXIST	EXIST	EXIST	EXIST	EXIST	EXIST	PT-3	EXIST	EXIST	EXIST	
311	UNIVERSAL WASHROOM	EXIST	PFT-1	CWT-4	CWT-4	EXIST	CWT-1, CWT-3, CWT-4	EXIST	CWT-1, CWT-3, CWT-4	EXIST	CWT-1, CWT-3, CWT-4	EXIST	CWT-1, CWT-3, CWT-4	GB	PT-2	2600	
314	BARRIER FREE WASHROOM 4	EXIST	PFT-1	CWT-4	CWT-4	EXIST	CWT-1, CWT-3, CWT-4	EXIST	CWT-1, CWT-3, CWT-4	EXIST	CWT-1, CWT-3, CWT-4	EXIST	CWT-1, CWT-3, CWT-4	GB	PT-2	2600	
315	315	EXIST	EXIST, TF-2	EXIST, TF-2	EXIST, TF-2	EXIST	PT-3	EXIST	PT-3	EXIST	EXIST	EXIST	PT-3	EXIST	EXIST	EXIST	
316	316	EXIST	EXIST	EXIST	EXIST	EXIST	EXIST	EXIST	EXIST	EXIST	EXIST	EXIST	PT-3	EXIST	EXIST	EXIST	
317	317	EXIST	EXIST	EXIST	EXIST	EXIST	EXIST	EXIST	PT-3	EXIST	EXIST	EXIST	PT-3	EXIST	EXIST	EXIST	
319	319	EXIST	EXIST	EXIST	EXIST	EXIST	EXIST	EXIST	EXIST	EXIST	EXIST	EXIST, GB	PT-3	EXIST	EXIST	EXIST	
320	320	EXIST	EXIST	EXIST	EXIST	EXIST	EXIST	EXIST	EXIST	EXIST	EXIST	EXIST	PT-3	EXIST	EXIST	EXIST	
321	321	EXIST	EXIST	EXIST	EXIST	EXIST	EXIST	EXIST	PT-3	EXIST	EXIST	EXIST	PT-3	EXIST	EXIST	EXIST	
322	322	EXIST	EXIST	EXIST	EXIST	EXIST	EXIST	EXIST	PT-3	EXIST	EXIST	EXIST	EXIST	EXIST	EXIST	EXIST	
330	330	EXIST	EXIST	EXIST	EXIST	EXIST	PT-3	EXIST	PT-3	EXIST	PT-3	EXIST	PT-3	EXIST	EXIST	EXIST	REPAINT NEW STAIR GUARD AND HANDRAIL - PT-7
331	331	EXIST	EXIST	EXIST	EXIST	EXIST	PT-3	EXIST	PT-3	EXIST	PT-3	EXIST	PT-3	EXIST	EXIST	EXIST	REPAINT NEW STAIR GUARD AND HANDRAIL - PT-7
332	332	EXIST	EXIST	EXIST	EXIST	EXIST, GB	PT-3	EXIST	EXIST	EXIST	PT-3	EXIST	EXIST	ACT	PREF	2660	

	ROOM FINISH KEY SCHEDULE											
ABBRV	MATERIAL	COLOUR	FINISH	SIZE	REF	SUPPLIER	NOTES					
CWT-1	CERAMIC WALL TILE	ARCTIC WHITE	MATTE	100mm X 400mm (4"X16")	COLOUR AND DIMENSIONS SERIES	OLYMPIA TILE						
CWT-3	CERAMIC WALL TILE	TAUPE	MATTE	100mm X 400mm (4"X16")	COLOUR AND DIMENSIONS SERIES	OLYMPIA TILE	ACCENT SHOWER TILE					
CWT-4	CERAMIC WALL TILE	DARK GREY	MATTE	100mm X 400mm (4"X16")	COLOUR AND DIMENSIONS SERIES	OLYMPIA TILE	ACCENT SHOWER TILE					
MAT-1	ANTI FATIGUE MATTING	EC20	SILVER	1000mm X 1800mm (40"X72")		FORBO	REQUEST NON-BEVELED EDGES					
PFT-1	PORCELAIN FLOOR TILE	MICA	MATTE	300mm X 600 mm(12"X24")		D9/EMOTION						
PLAM-1	PLASTIC LAMINATE	ALABASTER D431	N/A	AS SPECIFIED IN DRAWINGS		WILSONART	CABINET MILWORKS UPPERS					
PLAM-2	PLASTIC LAMINATE	SEA D90	N/A	AS SPECIFIED IN DRAWINGS		WILSONART NORTH	CABINET MILWORKS LOWERS					
PT-2	PAINT	OC-64 PURE WHITE	FLAT	N/A		BENJAMIN MOORE	CEILINGS					
PT-3	PAINT	MATCH EXISTING PAINT	TBD	N/A		BENJAMIN MOORE	GC TO PROVIDE SAMPLE ON 12"X12" CARD FOR APPROVAL. PAINT ENTIRE WALL OR CEILING AS SPECIFIED IN ROOM FINISH SCHEDULE.					
PT-7	PAINT	HC-116 KENDALL CHARCOAL		N/A	N/AHISTORICAL COLOURS	BENJAMIN MOORE						
Q-1	QUARTZ	5151 EMPIRE WHITE	N/A	AS SPECIFIED IN DRAWINGS	SUPERNATURAL COLLECTION	CAESARSTONE	FOR BACKSPLASH AND COUNTERTOPS					
RB-1	RUBBER WALL BASE	MATCH EXISTING	MATCH EXISTING	4" HIGH		JOHNSONITE						
TF-1	TERRAZZO FLOORING	SW10-1057TZ		AS SPECIFIED IN DRAWINGS	RESUFLOR TERRAZZO TG SYSTEM	SHERWIN-WILLIAMS	GC TO PROVIDE THREE SAMPLES TO BE APPROVED BY ARCHITECT PRIOR TO CONSTRUCTION					
TF-2	TERRAZZO FLOORING	MATCH EXISTING	MATCH EXISTING	AS SPECIFIED IN DRAWINGS	RESUFLOR TERRAZZO TG SYSTEM	SHERWIN-WILLIAMS	GC TO PROVIDE THREE SAMPLES TO BE APPROVED BY ARCHITECT PRIOR TO CONSTRUCTION					

CLIENT

CITY OF TORONTO Corporate Real Estate Management Project Management Office Metro Hall Toronto, ON M5V 3C6

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by Arcadis is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and Arcadis shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to Arcadis for general conformance before proceeding with fabrication.

Arcadis Professional Services (Canada) Inc.

ISSUE	S	
No.	DESCRIPTION	DATE
Α	50% SUBMISSION	2021-11-19
В	90% SUBMISSION	2022-02-22
С	ISSUED FOR PERMIT	2022-03-18
D	ISSUED FOR TENDER	2025-04-11
	•	•

CONSULTANTS

SEAL

PRIME CONSULTANT



100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

PROJECT TITLE
CITY OF TORONTO ACCESSIBILITY UPGRADES

PROJECT ADDRESS

POLICE NO. 33 DIVISION 50 UPJOHN RD

PROJECT NO: 9119-19-0162 / Arcadis 30279056

DRAWN BY: A.Sunil CHECKED BY: K.Tilahun PROJECT MGR: F. BOLOURIAN APPROVED BY: **E.Fenuta** SHEET TITLE

ROOM FINISH SCHEDULE

DOOR NO.		DOOR													
							PANEL		FR	AME	DOOR HARDW	ARE			
	LOCATION	TYPE	WIDTH	HEIGHT	THICKNESS	MAT.	FIN.	GLASS	MAT.	FIN.	SECURITY ACCESS BFPB/BFW CONTROL BFAO DEVICE	O/ PANIC DEVICE	FIRE RATING (MINUTES)	SIGN	REMARKS
BASEMENT			WIDIII	HEIGH	THORNESS									CICIT	
003	003	EXIST	EXIST	EXIST	EXIST	EXIST	PT-3	<>	EXIST	PT-3			NA		EXIST. DOOR - REPLACE DOOR LATCHSET (REFER TO HARDWARE SCHEDULE)
004	004	EXIST	EXIST	EXIST	EXIST	EXIST	PT-3	<>	EXIST	PT-3			NA		EXIST. DOOR - REPLACE DOOR LATCHSET (REFER TO HARDWARE SCHEDULE)
011	011	EXIST	EXIST	EXIST	EXIST	EXIST	PT-3	<>	EXIST	PT-3			NA		EXIST. DOOR - REPLACE DOOR LATCHSET (REFER TO HARDWARE SCHEDULE)
012	012	EXIST	EXIST	EXIST	EXIST	EXIST	PT-3	<>	EXIST	PT-3			NA		EXIST. DOOR - REPLACE DOOR LATCHSET (REFER TO HARDWARE SCHEDULE)
013	013	EXIST	EXIST	EXIST	EXIST	EXIST	PT-3	<>	EXIST	PT-3			NA NA		EXIST. DOOR - REPLACE DOOR LATCHSET (REFER TO HARDWARE SCHEDULE)
014 015	014 015	EXIST EXIST	EXIST EXIST	EXIST EXIST	EXIST EXIST	EXIST EXIST	PT-3 PT-3	<>	EXIST EXIST	PT-3 PT-3			NA NA		EXIST. DOOR - REPLACE DOOR LATCHSET (REFER TO HARDWARE SCHEDULE)
FIRST FLOOR		EXIST	EVIQI	EVIST	EXIST	EVIQI	P1-3	\>	EXIST	P1-3			INA		EXIST. DOOR - REPLACE DOOR LATCHSET (REFER TO HARDWARE SCHEDULE)
120	120	Α	1067	2020	45	SCWD	PT-3	<>	НМ	PT-3			NA		
121	121	A	1067	2020	45	SCWD	PT-3	<>	HM	PT-3			NA		
122	122	А	1067	2020	45	SCWD	PT-3	<>	НМ	PT-3			NA		
118	BARRIER FREE WASHROOM 3	A(L)	965	2135	45	НМ	PT-3	<>	HM	PT-3	*		NA		
119	BARRIER FREE WASHROOM 2	A(L)	965	2135	45	HM	PT-3	<>	HM	PT-3	*		NA		
115	115	At	1067	2110	45	НМ	PT-3	<>	HM	PT-3			NA		
124	124	Ats	1067	2538	45	НМ	PT-3	GWG	НМ	PT-3	*		45		FIRE RATING OF MODIFIED HM MODIFIED SCREEN AND DOOR TO RECEIVE SITE FIRE LABEL
125	125	Ats	1067	2073	45	IALUM	ANOD	ITGL	IALUM	ANOD	*		NA		ANODIZE FIN TO MATCH EXIST
130B	130	В	965	2130	45	HM	PT-3	GWG	HM	PT-3			90		
131	131	В	1067	2120	45	HM	PT-3	TGL	HM	PT-3			90		
130	130	Bts	1067	2130	45	HM	PT-3	GWG	HM	PT-3	* *		NA		
114B	114	C	1067	2120	45	HM	PT-3	TGL	HM	PT-3	*		NA NA		
125B	125	Ct	1067	2110	45 EXICT	HM	PT-3	TGL	HM	PT-3			NA NA		EVICT DOOD, DEDI ACE DOOD LATCUCET (DEED TO LIADDWADE COUEDUILE)
101	101 103	EXIST EXIST	EXIST EXIST	EXIST EXIST	EXIST EXIST	EXIST EXIST	PT-3 PT-3	<>	EXIST EXIST	PT-3 PT-3			NA NA		EXIST. DOOR - REPLACE DOOR LATCHSET (REFER TO HARDWARE SCHEDULE) EXIST. DOOR - REPLACE DOOR LATCHSET (REFER TO HARDWARE SCHEDULE)
103 103A	103	EXIST	EXIST	EXIST	EXIST	EXIST	PT-3	<>	EXIST	PT-3			NA NA		EXIST. DOOR - REPLACE DOOR LATCHSET (REFER TO HARDWARE SCHEDULE)
104	104	EXIST	EXIST	EXIST	EXIST	EXIST	PT-3	<>	EXIST	PT-3			NA NA		EXIST. DOOR - REPLACE DOOR LATCHSET (REFER TO HARDWARE SCHEDULE)
110	110	EXIST	EXIST	EXIST	EXIST	EXIST	PT-3	<>	EXIST	PT-3			NA NA		EXIST. DOOR - REPLACE DOOR LATCHSET (REFER TO HARDWARE SCHEDULE)
113	113	EXIST	EXIST	EXIST	EXIST	EXIST	PT-3	<>	EXIST	PT-3			NA NA		EXIST. DOOR - REPLACE DOOR LATCHSET (REFER TO HARDWARE SCHEDULE)
114A	114	EXIST	EXIST	EXIST	EXIST	EXIST	PT-3	<>	EXIST	PT-3			NA		EXIST. DOOR - REPLACE DOOR LATCHSET (REFER TO HARDWARE SCHEDULE)
117	117	EXIST	EXIST	EXIST	EXIST	EXIST	PT-3	<>	EXIST	PT-3			NA		EXIST. DOOR - REPLACE DOOR LATCHSET (REFER TO HARDWARE SCHEDULE)
128	128	EXIST	EXIST	EXIST	EXIST	EXIST	PT-3	<>	EXIST	PT-3			NA		EXIST. DOOR - REPLACE DOOR LATCHSET (REFER TO HARDWARE SCHEDULE)
SECOND FLOO															
201	201	EXIST	EXIST	EXIST	EXIST	EXIST	PT-3	<>	EXIST	PT-3			NA		EXIST. DOOR - REPLACE DOOR LATCHSET (REFER TO HARDWARE SCHEDULE)
202	202	EXIST	EXIST	EXIST	EXIST	EXIST	PT-3	<>	EXIST	PT-3			NA		EXIST. DOOR - REPLACE DOOR LATCHSET (REFER TO HARDWARE SCHEDULE)
208	208	EXIST	EXIST	EXIST	EXIST	EXIST	PT-3	<>	EXIST	PT-3			NA		EXIST. DOOR - REPLACE DOOR LATCHSET (REFER TO HARDWARE SCHEDULE)
214	214	EXIST	EXIST	EXIST	EXIST	EXIST	PT-3	<>	EXIST	PT-3			NA		EXIST. DOOR - REPLACE DOOR LATCHSET (REFER TO HARDWARE SCHEDULE)
217	217	EXIST	EXIST	EXIST	EXIST	EXIST	PT-3	<>	EXIST	PT-3			NA 00		EXIST. DOOR - REPLACE DOOR LATCHSET (REFER TO HARDWARE SCHEDULE)
218 THIRD FLOOR	218	EXIST	EXIST	EXIST	EXIST	EXIST	PT-3	GWG	EXIST	PT-3			90		EXIST. DOOR - REPLACE DOOR LATCHSET (REFER TO HARDWARE SCHEDULE)
310	UNIVERSAL WASHROOM	Α	965	2120	45	SCWD	PT-3	<>	НМ	PT-3	*		NA		
313	BARRIER FREE WASHROOM 4	A	965	2120	45	SCWD	PT-3	<>	HM	PT-3	*		NA		
317	317	А	1067	2110	45	HM	PT-3	<>	НМ	PT-3			NA		
321B	321	Α	1067	2130	45	SCWD	PT-3	<>	HM	PT-3			NA		
324	315	AA(L)	762	2135	45	HM	PT-3	<>	HM	PT-3			NA		
303	303	At	1067	2110	45	SCWD	VNR-1	TGL	HM	PT-3	*		NA		SHOULD NOT BE LOCKABLE
321A	321	At	1067	2120	45	SCWD	PT-3	TGL	HM	PT-3	*		NA		
315	315	Ats	1067	2110	45	SCWD	PT-3	GWG	HM	PT-3	*		NA		
320	320	Ats	1067	2135	45	SCWD	PT-3	GWG	HM	PT-3			NA		
302	302	EXIST	EXIST	EXIST	EXIST	EXIST	PT-3	<>	EXIST	PT-3			NA		EXIST. DOOR - REPLACE DOOR LATCHSET (REFER TO HARDWARE SCHEDULE)
306	306	EXIST	EXIST	EXIST	EXIST	EXIST	PT-3	<>	EXIST	PT-3			NA NA		EXIST. DOOR - REPLACE DOOR LATCHSET (REFER TO HARDWARE SCHEDULE)
307	307	EXIST	EXIST	EXIST	EXIST	EXIST	PT-3	<>	EXIST	PT-3			NA NA		EXIST. DOOR - REPLACE DOOR LATCHSET (REFER TO HARDWARE SCHEDULE)
309	309 315	EXIST	EXIST	EXIST EXIST	EXIST EXIST	EXIST EXIST	PT-3 PT-3	<>	HM	PT-3 PT-3			NA NA		EXIST. DOOR - REPLACE DOOR LATCHSET (REFER TO HARDWARE SCHEDULE)
312 316	315	EXIST EXIST	EXIST EXIST	EXIST	EXIST	EXIST	PT-3	<>	EXIST EXIST	PT-3			NA NA		EXIST. DOOR - REPLACE DOOR LATCHSET (REFER TO HARDWARE SCHEDULE) EXIST. DOOR - REPLACE DOOR LATCHSET (REFER TO HARDWARE SCHEDULE)
318	318	EXIST	EXIST	EXIST	EXIST	EXIST	PT-3	<>	EXIST	PT-3			NA NA		EXIST. DOOR - REPLACE DOOR LATCHSET (REFER TO HARDWARE SCHEDULE)
	322	EXIST	EXIST	EXIST	EXIST	EXIST	PT-3	<>	EXIST	PT-3			NA NA		EXIST. DOOR - REPLACE DOOR LATCHSET (REFER TO HARDWARE SCHEDULE)
322											+				,
322 322A	322	EXIST	EXIST	∣EXIST	EXIST	EXIST	PT-3	<>	EXIST	PT-3			NA I		EXIST. DOOR - REPLACE DOOR LATCHSET (REFER TO HARDWARE SCHEDULE)
322 322A 330	322 330	EXIST EXIST	EXIST EXIST	EXIST EXIST	EXIST EXIST	EXIST EXIST	PT-3 PT-3	<>	EXIST EXIST	PT-3 PT-3			NA NA		EXIST. DOOR - REPLACE DOOR LATCHSET (REFER TO HARDWARE SCHEDULE) EXIST. DOOR - REPLACE DOOR LATCHSET (REFER TO HARDWARE SCHEDULE)

DOOR SCHEDULE GENERAL NOTES

DOOR HEIGHT IS FOR INFO ONLY DOOR HEIGHT TO MATCH EXISTING DOOR HEIGHT AND IS TO BE SITE MEASURED.

REFER TO ELECTRICAL DRAWINGS FOR DOOR CARD

READER LOCATION ON EXISTING DOORS. REFER TO DOOR HARDWARE SCHEDULE AND TO THE SPECIFICATIONS FOR A COMPLETE SET OF DOOR HARDWARE.

DOOR ABBREVIATIONS

PLAM

SIM SS TGL WD

DENOTES YES ALUM ALUMINUM ANOD ANODIZED BARRIER-FREE AUTOMATIC OPENER BFAO BFPB BFWO BARRIER-FREE PUSH BUTTON BARRIER-FREE WAVE TO OPEN CR CARD READER EXIST **EXISTING** FBM FINGER BIOMETRIC GWG GEORGIAN WIRE GLASS HM **HOLLOW METAL** IALUM INSULATED ALUMINUM IHM INSULATED HOLLOW METAL ITGL INSULATED TEMPERED (SAFETY) GLASS KEY PAD ОВМ OCULAR BIOMETRIC PRE FINISHED

PLASTIC LAMINATE

STAINLESS STEEL TEMPERED GLASS

PAINT

WOOD

SIMILAR

CLIENT

CITY OF TORONTO Corporate Real Estate Management Project Management Office

Metro Hall Toronto, ON M5V 3C6

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by Arcadis is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and Arcadis shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to Arcadis for general conformance before proceeding with fabrication.

Arcadis Professional Services (Canada) Inc.

SSUES									
No.	DESCRIPTION	DATE							
Α	90% SUBMISSION	2022-02-22							
В	ISSUED FOR PERMIT	2022-03-18							
С	ISSUED FOR TENDER	2025-04-11							

CONSULTANTS

SEAL

PRIME CONSULTANT



100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

PROJECT TITLE CITY OF TORONTO ACCESSIBILITY UPGRADES

PROJECT ADDRESS

POLICE NO. 33 DIVISION 50 UPJOHN RD

PROJECT NO: 9119-19-0162 / Arcadis 30279056 DRAWN BY:

CHECKED BY: K.Tilahun A. Kvasniuk PROJECT MGR: APPROVED BY: F. BOLOURIAN E.Fenuta

SHEET TITLE DOOR SCHEDULE

SHEET NUMBER G05-249-A9111 C



CRAWL SPACE

S1.1-WN L0-001

\$1.2-WN L0-002

007

A5611 /

Refer to technical drawing D1901 - Typical Toronto Police Service Standards, for signage requirements

CONSTRUCTION KEY LEGEND


EXISTING EXTERIOR WALL TO REMAIN

EXISTING PARTITION TO REMAIN NEW EXTERIOR WALL REFER TO WALL SCHEDULE

NEW PARTITION REFER TO PARTITION SCHEDULE



EXISTING DOOR TO REMAIN



NEW DOOR AND/ OR NEW HARDWARE



DASHED AREA INDICATES AREA OF WORK

CONSTRUCTION GENERAL NOTES

NEW DOOR CARD READER AND BARRIER FREE PUSH BUTTON - REFER TO ELECTRICAL DRAWINGS. FOR LOCATION AND HEIGHT INSTALLATION REFER TO ARCHITECTURAL DETAIL BOOKLET.

FINISH TO MATCH EXISTING

DESCRIPTION I INSTALL HANDRAIL WARNING STRIP - REFER TO DETAIL 8/D1405 AND 10/D1405.

EXISTING DOOR TO REMAIN. DOOR HARDWARE TO BE CHANGED AS PER DOOR SCHEDULE ON A9001 AND DOOR HARDWARE SCHEDULE IN THE SPECIFICATIONS.

REPAINT ENTIRE WALL AFTER WALL-MOUNTED HANDRAIL REPLACEMENT – UNLESS OTHERWISE NOTED. COLOUR AND

CONSTRUCTION KEY NOTES

CONSULTANTS ENTRO 33 Harbour Square, Suite 202 Toronto, Canada M5J 2G2

CITY OF TORONTO

55 John ST.

TORONTO, ON

M5V 3C6

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by IBI Group is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and IBI Group shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to IBI Group for general conformance before proceeding with fabrication.

IBI Group Professional Services (Canada) Inc. is a member of the IBI Group of companies

DATE

2022-04-08

DESCRIPTION

A ISSUED FOR TENDER

ISSUES

PRIME CONSULTANT **ARCADIS**

100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

PROJECT TITLE
CITY OF TORONTO ACCESSIBILITY UPGRADES

PROJECT ADDRESS
POLICE STATION NO. 33
50 UPJOHN ROAD

PROJECT NO: 9119 – 19 – 0162 / IBI 122260

CHECKED BY: C.D. SCHNOBB DRAWN BY: M.LOW PROJECT MGR: R. DALY APPROVED BY:

SIGNAGE & WAYFINDING **DETAILS** LEVEL B LOCATION PLAN

SHEET NUMBER G05-999-A8000

SIGN TAG LEGEND L1 Level 1
L2 Level 2
L3 Level 3 — Specific Sign A1.1-WN L1-000 Mounting Style:

P Projecting G Glass
S Suspended C Column
F Freestanding D Door
W Wall-mounted T Transom

SIGN TAG LEGEND

S1.1-WN L0-003


S1.2-WN L0-004

H1.1-WN L0-005

B LX-000 Directional **E LX-000** Room ID

H LX-000 Amenity J LX-000 Entrance

G LX-000 Inside Stair ID S LX-000 Stair ID



NEW CONCRETE


003

BASEMENT-PROPOSED

001

002

\ A5611



CITY OF TORONTO

IBI Group Professional Services (Canada) Inc. is a member of the IBI Group of companies

DATE 2022-04-08

CITY OF TORONTO ACCESSIBILITY UPGRADES


PROJECT ADDRESS
POLICE STATION NO. 33

CHECKED BY: C.D. SCHNOBB APPROVED BY:

SIGNAGE & WAYFINDING

G05-999-A8010

Refer to technical drawing D1901 - Typical Toronto Police Service Standards, for signage requirements



CONSTRUCTION GENERAL NOTES

NEW DOOR CARD READER AND BARRIER FREE PUSH BUTTON - REFER TO ELECTRICAL DRAWINGS. FOR LOCATION AND HEIGHT INSTALLATION REFER TO ARCHITECTURAL DETAIL BOOKLET. REPAINT ENTIRE WALL AFTER WALL-MOUNTED HANDRAIL REPLACEMENT – UNLESS OTHERWISE NOTED. COLOUR AND FINISH TO MATCH EXISTING

CONSTRUCTION KEY NOTES

DESCRIPTION INSTALL HANDRAIL WARNING STRIP - REFER TO DETAIL 8/D1405 AND 10/D1405. EXISTING DOOR TO REMAIN. DOOR HARDWARE TO BE CHANGED AS PER DOOR SCHEDULE ON A9001 AND DOOR

HARDWARE SCHEDULE IN THE SPECIFICATIONS.



CITY OF TORONTO

55 John ST.

TORONTO, ON

M5V 3C6

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by IBI Group is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and IBI Group shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to IBI Group for general conformance before proceeding with fabrication.

IBI Group Professional Services (Canada) Inc. is a member of the IBI Group of companies

DATE

2022-04-08

DESCRIPTION

A ISSUED FOR TENDER

ISSUES

PRIME CONSULTANT **ARCADIS**

100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

PROJECT TITLE
CITY OF TORONTO ACCESSIBILITY UPGRADES


PROJECT ADDRESS
POLICE STATION NO. 33
50 UPJOHN ROAD

PROJECT NO: 9119 - 19 - 0162 / IBI 122260

DRAWN BY: CHECKED BY: M.LOW C.D. SCHNOBB PROJECT MGR: R. DALY APPROVED BY:

SHEET TITLE SIGNAGE & WAYFINDING

DETAILS LEVEL 2 LOCATION PLAN SHEET NUMBER



1 SECOND FLOOR-PROPOSED A2421 / Scale: 1:100

SIGN TAG LEGEND

B LX-000 Directional **E LX-000** Room ID

H LX-000 Amenity J LX-000 Entrance

SIGN TAG LEGEND

G LX-000 Inside Stair ID S LX-000 Stair ID


L1 Level 1 L2 Level 2 L3 Level 3

Mounting Style:

P Projecting G Glass
S Suspended C Column
F Freestanding D Door
W Wall-mounted T Transom

— Specific Sign

G05-999-A8020



CONSTRUCTION KEY LEGEND EXISTING EXTERIOR WALL TO REMAIN EXISTING PARTITION TO REMAIN NEW EXTERIOR WALL REFER TO WALL SCHEDULE **NEW PARTITION** REFER TO PARTITION SCHEDULE EXISTING DOOR TO REMAIN NEW DOOR AND/ OR ### NEW HARDWARE DASHED AREA INDICATES AREA OF WORK

CONSTRUCTION GENERAL NOTES

NEW DOOR CARD READER AND BARRIER FREE PUSH BUTTON - REFER TO ELECTRICAL DRAWINGS. FOR LOCATION AND HEIGHT INSTALLATION REFER TO ARCHITECTURAL DETAIL BOOKLET. REPAINT ENTIRE WALL AFTER WALL-MOUNTED HANDRAIL REPLACEMENT - UNLESS OTHERWISE NOTED. COLOUR AND FINISH TO MATCH EXISTING

CONSTRUCTION KEY NOTES

DESCRIPTION H INSTALL NEW ELEVATOR CONTROLS AND INTERIOR CABIN -REFER TO TYPICAL DETAIL 1/D1602, 2/D1602, 3/D1603 AND

CHANGED AS PER DOOR SCHEDULE ON A9001 AND DOOR HARDWARE SCHEDULE IN THE SPECIFICATIONS. INSTALL NEW DOOR AND FRAME. REFER TO DOOR SCHEDULE A9001, G1004 AND DOOR HARDWARE SCHEDULE IN THE SPECIFICATIONS.

EXISTING DOOR TO REMAIN. DOOR HARDWARE TO BE

CONSULTANTS 33 Harbour Square, Suite 202 Toronto, Canada M5J 2G2

CITY OF TORONTO

55 John ST.

TORONTO, ON

M5V 3C6

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by IBI Group is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and IBI Group shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to IBI Group for general conformance before proceeding with fabrication.

IBI Group Professional Services (Canada) Inc. is a member of the IBI Group of companies

DATE

2022-04-08

DESCRIPTION

A ISSUED FOR TENDER

ISSUES

PRIME CONSULTANT **ARCADIS**

100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

PROJECT TITLE
CITY OF TORONTO ACCESSIBILITY UPGRADES

PROJECT ADDRESS
POLICE STATION NO. 33 50 UPJOHN ROAD

PROJECT NO: 9119 - 19 - 0162 / IBI 122260

CHECKED BY: DRAWN BY: M.LOW C.D. SCHNOBB PROJECT MGR: R. DALY APPROVED BY:

SHEET TITLE SIGNAGE & WAYFINDING **DETAILS**

G05-999-A8030

B LX-000 Directional **E LX-000** Room ID

Note:

H LX-000 Amenity

J LX-000 Entrance

G LX-000 Inside Stair ID

S LX-000 Stair ID

L1 Level 1

L2 Level 2 L3 Level 3

Mounting Style:

P Projecting G Glass
S Suspended C Column
F Freestanding D Door
W Wall-mounted T Transom

— Specific Sign

LEVEL 3 LOCATION PLAN SHEET NUMBER

KE	YP	LAN	

	SIDE A				SIDE B	
ı	SIGN CODE	LEVEL	LOC#	SIGN TYPE DESCRIPTION	MESSAGE (English)	MESSAGE (English)
	S1.1	В	001	Stair ID - Inside Stairwell	Floor B Braille Stairwell TBD TBD Braille	
	S1.2	В	002	Stair ID - Corridor Side	[stairs picto] Floor B Braille Stairwell TBD TBD Braille	
	S1.1	В	003	Stair ID - Inside Stairwell	Floor B Braille Stairwell TBD TBD Braille	
	S1.2	В	004	Stair ID - Corridor Side	[stairs picto] Floor B Braille Stairwell TBD TBD Braille	
	H1.1	В	005	Amenity ID	[elevator picto] Elevator Braille	
	S1.2	L1	001	Stair ID - Corridor Side	[universal lockers picto] Lockers Braille	
	S1.1	L1	002	Stair ID - Inside Stairwell		
	H1.1	L1	003	Amenity ID		
	E2.1	L1	004	Room ID	[accessible universal washroom picto] Washroom Braille	
	S1.2	L1	005	Stair ID - Corridor Side	[stairs picto] Floor 1 Braille Stairwell TBD TBD Braille	
	S1.1	L1	006	Stair ID - Inside Stairwell	Floor 1 Braille Stairwell TBD TBD Braille	
	H1.1	L1	007	Amenity ID	[accessible universal washroom picto] Washroom Braille	
	H1.1	L1	008	Amenity ID	[accessible universal washroom picto] Washroom Braille	

SIGN TYPE	SIGN TYPE DESCRIPTION	COUNT
B1.1	Directional	0
E2.1	Room ID	1
E2.2	Line Room ID	0
E4	Insert Holder	3
H1.1	Amenity ID	9
H2.1	Projecting Amenity ID	0
J4.2	Accessible Entrance ID - Exterior	1
S1.1	Stair ID - Inside Stairwell	8
\$1.2	Stair ID - Corridor Side	8
\$1.3	Stair ID - Roof Exit, Inside Stairwell	0
S1.4	Stair ID - Exterior Door	0
Total		30

CITY OF TORONTO 55 John ST. TORONTO, ON

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by IBI Group is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and IBI Group shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to IBI Group for general conformance before proceeding with fabrication.

M5V 3C6

IBI Group Professional Services (Canada) Inc. is a member of the IBI Group of companies

ISSUES					
No.	DESCRIPTION	DATE			
Α	ISSUED FOR TENDER	2022-04-08			

CONSULTANTS 33 Harbour Square, Suite 202 Toronto, Canada M5J 2G2

PRIME CONSULTANT **ARCADIS**

100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

PROJECT TITLE
CITY OF TORONTO ACCESSIBILITY UPGRADES

PROJECT ADDRESS
POLICE STATION NO. 33
50 UPJOHN ROAD

PROJECT NO: 9119 - 19 - 0162 / IBI 122260 DRAWN BY: M.LOW CHECKED BY: C.D. SCHNOBB APPROVED BY:

PROJECT MGR: R. DALY

SHEET TITLE
SIGNAGE & WAYFINDING DETAILS MESSAGE SCHEDULE

SHEET NUMBER

ISSUE G05-999-A8100

ENTRO

KE'	YPL	.AN

				SIDE A	SIDE B
GN CODE	LEVEL	LOC#	SIGN TYPE DESCRIPTION	MESSAGE (English)	MESSAGE (English)
J4.2	L1	009	Accessible Entrance ID - Exterior	[accessible picto] Entrance	
				Braille	
				Drame	
S1.1	L2	001	Stair ID - Inside Stairwell	Floor 2	
				Braille	
				Stairwell TBD TBD	
				Braille	
S1.2	L2	002	Stair ID - Corridor Side	[stairs picto]	
				Floor 2	
				Braille Stairwell TBD	
				TBD	
				Braille	
H1.1	L2	003	Amenity ID	[female changerom picto]	
				Women's Changeroom Braille	
S1.2	L2	004		[stairs picto]	
				Floor 2	
				Braille Stairwell TBD	
				TBD	
				Braille	
S1.1	L2	005	Stair ID - Inside Stairwell	Floor 2	
				Braille Stairwell TBD	
				TBD	
				Braille	
H1.1	L2	006	Amenity ID	[male changerom picto]	
				Men's Changeroom Braille	
E4	L3	001	Insert Holder		
S1.2	L3	002	Stair ID - Corridor Side	[stairs picto]	
				Floor 3 Braille	
				Stairwell TBD	
				TBD	
				Braille	
S1.1	L3	003	Stair ID - Inside Stairwell	Floor 3 Braille	
				Stairwell TBD	
				TBD	
				Braille	
H1.1	L3	004	Amenity ID	[elevator picto] Elevator	
				Braille	
H1.1	L3	005	Amenity ID	[accessible universal washroom picto]	
				Washroom	

CITY OF TORONTO 55 John ST. TORONTO, ON

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by IBI Group is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and IBI Group shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to IBI Group for general conformance before proceeding with fabrication.

M5V 3C6

IBI Group Professional Services (Canada) Inc. is a member of the IBI Group of companies

No.	DESCRIPTION	DATE
Α	ISSUED FOR TENDER	2022-04-08

CONSULTANTS ENTRO 33 Harbour Square, Suite 202 Toronto, Canada M5J 2G2

PRIME CONSULTANT **ARCADIS**

100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

PROJECT TITLE
CITY OF TORONTO ACCESSIBILITY UPGRADES

PROJECT ADDRESS
POLICE STATION NO. 33
50 UPJOHN ROAD

PROJECT NO: 9119 - 19 - 0162 / IBI 122260

DRAWN BY: M.LOW CHECKED BY: C.D. SCHNOBB PROJECT MGR: R. DALY APPROVED BY:

SHEET TITLE
SIGNAGE & WAYFINDING

DETAILS MESSAGE SCHEDULE

SHEET NUMBER G05-999-A8101

ISSUE A

KEYPLAN

					SIDE A	SIDE B
۷ <u> </u>	SIGN CODE	LEVEL	LOC#	SIGN TYPE DESCRIPTION	MESSAGE (English)	MESSAGE (English)
	H1.1	L3	006	Amenity ID	[accessible universal washroom picto] Washroom Braille	
	E4	L3	007	Insert Holder		
	S1.2	L3	800	Stair ID - Corridor Side	[stairs picto] Floor 3 Braille Stairwell TBD TBD Braille	
	S1.1	L3	009	Stair ID - Inside Stairwell	Floor 3 Braille Stairwell TBD TBD Braille	
	E4	L3	010	Insert Holder		

CITY OF TORONTO

55 John ST. TORONTO, ON M5V 3C6

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by IBI Group is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and IBI Group shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to IBI Group for general conformance before proceeding with fabrication.

IBI Group Professional Services (Canada) Inc. is a member of the IBI Group of companies

ISSUES DESCRIPTION DATE A ISSUED FOR TENDER 2022-04-08

CONSULTANTS ENTRO 33 Harbour Square, Suite 202 Toronto, Canada M5J 2G2

PRIME CONSULTANT **ARCADIS**

100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

PROJECT TITLE
CITY OF TORONTO ACCESSIBILITY UPGRADES

PROJECT ADDRESS
POLICE STATION NO. 33
50 UPJOHN ROAD

PROJECT NO: 9119 – 19 – 0162 / IBI 122260

DRAWN BY: **M.LOW** CHECKED BY: C.D. SCHNOBB PROJECT MGR: R. DALY APPROVED BY:

SHEET TITLE
SIGNAGE & WAYFINDING DETAILS MESSAGE SCHEDULE

SHEET NUMBER

G05-999-A8102

	Sheet List			
Sheet Number	Sheet Name			
06 - Structui	ral			
S0001	DRAWING LIST			
S1201	SITE PLAN			
S2001	DEMOLITION PLAN - BASEMENT			
S2002	DEMOLITION PLAN - GROUND FLOOR			
S2003	DEMOLITION PLAN - SECOND FLOOR			
S2004	DEMOLITION PLAN - THIRD FLOOR			
S2005	DEMOLITION PLAN - MECHANICAL FLOOR			
S2501	PROPOSED PLAN - BASEMENT			
S2502	PROPOSED PLAN - GROUND FLOOR			
S2503	PROPOSED PLAN - SECOND FLOOR			
S2504	PROPOSED PLAN - THIRD FLOOR			
S2505	PROPOSED PLAN - MECHANICAL FLOOR			
S5301	ELEVATOR - FOUNDATION			
S5302	ELEVATOR - PLANS			
S5303	ELEVATOR - PLANS			
S5304	ELEVATOR - ROOF			
S5305	ELEVATOR - SECTIONS			
S6801	WALL OPENINGS			

CITY OF TORONTO

TORONTO

Corporate Real Estate Management

Disject Management Office Project Management Office Metro Hall Toronto, ON M5V 3C6

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by Arcadis is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and Arcadis shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to Arcadis for general conformance before proceeding with fabrication.

Arcadis Professional Services (Canada) Inc.

ISSUE	S			
No.	DESCRIPTION	DATE		
Α	50% SUBMISSION	2021-11-19		
В	90% SUBMISSION	2022-03-04		
С	ISSUED FOR PERMIT	2022-03-18		
D	ISSUED FOR TENDER	2022-12-07		
Е	ISSUED FOR TENDER	2025-04-11		

CONSULTANTS

SEAL

PRIME CONSULTANT



100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

PROJECT TITLE
CITY OF TORONTO ACCESSIBILITY UPGRADES

PROJECT ADDRESS

POLICE NO. 33 DIVISION 50 UPJOHN RD

PROJECT NO: Arcadis 30279056 DRAWN BY: CHECKED BY: L. CHATZIGIANNAKOS M. FAYAZI

APPROVED BY: **K. ANGER** PROJECT MGR: F.BOLOURIAN SHEET TITLE

DRAWING LIST

SHEET NUMBER S0001

CITY OF TORONTO

Corporate Real Estate Management
Project Management Office
Metro Hall Toronto, ON

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by Arcadis is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and Arcadis shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to Arcadis for general conformance before proceeding with fabrication.

M5V 3C6

Arcadis Professional Services (Canada) Inc.

ISSUES				
No.	DESCRIPTION	DATE		
Α	50% SUBMISSION	2021-11-19		
В	90% SUBMISSION	2022-03-04		
С	ISSUED FOR PERMIT	2022-03-18		
D	ISSUED FOR TENDER	2022-12-07		
Е	ISSUED FOR TENDER	2025-04-11		

CONSULTANTS

SEAL

PRIME CONSULTANT



100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

PROJECT TITLE
CITY OF TORONTO
ACCESSIBILITY UPGRADES

PROJECT ADDRESS

POLICE NO. 33 DIVISION 50 UPJOHN RD

PROJECT NO:	
Arcadis 30279056	
DRAWN BY:	CHECKED BY:
L. CHATZIGIANNAKOS	M. FAYAZI
PROJECT MGR:	APPROVED BY:
F.BOLOURIAN	K. ANGER
CLIEFT TITLE	

SHEET TITLE SITE PLAN


BER ISS

SHEET NUMBER
S1201

1 E

1 SITE PLAN

S1201 Scale: 1:100



CLIENT CITY OF TORONTO

Project Management Office Metro Hall Toronto, ON

M5V 3C6

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by Arcadis is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and Arcadis shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to Arcadis for general conformance before proceeding with fabrication.

Arcadis Professional Services (Canada) Inc.

ISSUE	S	
No.	DESCRIPTION	DATE
Α	50% SUBMISSION	2021-11-19
В	90% SUBMISSION	2022-03-04
С	ISSUED FOR PERMIT	2022-03-18
D	ISSUED FOR TENDER	2022-12-07
Е	ISSUED FOR TENDER	2025-04-11

CONSULTANTS

SEAL

PRIME CONSULTANT



100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

PROJECT TITLE
CITY OF TORONTO ACCESSIBILITY UPGRADES

PROJECT ADDRESS

POLICE NO. 33 DIVISION 50 UPJOHN RD

PROJECT NO: Arcadis 30279056

DRAWN BY: CHECKED BY: L. CHATZIGIANNAKOS M. FAYAZI APPROVED BY: **K. ANGER** PROJECT MGR: F.BOLOURIAN


SHEET TITLE **DEMOLITION PLAN -**

BASEMENT

SHEET NUMBER S2001

ISSUE E

1 DEMOLITION PLAN - BASEMENT



CITY OF TORONTO

Project Management Office Metro Hall Toronto, ON M5V 3C6

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by Arcadis is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and Arcadis shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to Arcadis for general conformance before proceeding with fabrication.

Arcadis Professional Services (Canada) Inc.

ISSUE	S	
No.	DESCRIPTION	DATE
Α	50% SUBMISSION	2021-11-19
В	90% SUBMISSION	2022-03-04
С	ISSUED FOR PERMIT	2022-03-18
D	ISSUED FOR TENDER	2022-12-07
Е	ISSUED FOR TENDER	2025-04-11

CONSULTANTS

PRIME CONSULTANT



100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

PROJECT TITLE
CITY OF TORONTO ACCESSIBILITY UPGRADES

PROJECT ADDRESS

POLICE NO. 33 DIVISION 50 UPJOHN RD

PROJECT NO: Arcadis 30279056

DRAWN BY: CHECKED BY: L. CHATZIGIANNAKOS M. FAYAZI APPROVED BY: **K. ANGER** PROJECT MGR:


F.BOLOURIAN SHEET TITLE

DEMOLITION PLAN -

GROUND FLOOR

SHEET NUMBER S2002

ISSUE E



CLIENT CITY OF TORONTO

Corporate Real Estate Management Project Management Office Metro Hall Toronto, ON

M5V 3C6

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by Arcadis is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and Arcadis shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to Arcadis for general conformance before proceeding with fabrication.

Arcadis Professional Services (Canada) Inc.

ISSUE	S	
No.	DESCRIPTION	DATE
Α	50% SUBMISSION	2021-11-19
В	90% SUBMISSION	2022-03-04
С	ISSUED FOR PERMIT	2022-03-18
D	ISSUED FOR TENDER	2022-12-07
Е	ISSUED FOR TENDER	2025-04-11

CONSULTANTS

PRIME CONSULTANT



100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

PROJECT TITLE
CITY OF TORONTO ACCESSIBILITY UPGRADES

PROJECT ADDRESS

POLICE NO. 33 DIVISION 50 UPJOHN RD

PROJECT NO: Arcadis 30279056


DRAWN BY: CHECKED BY: L. CHATZIGIANNAKOS M. FAYAZI APPROVED BY: **K. ANGER** PROJECT MGR:

F.BOLOURIAN SHEET TITLE

DEMOLITION PLAN -SECOND FLOOR

SHEET NUMBER S2003

ISSUE E



CITY OF TORONTO

M5V 3C6 COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by Arcadis is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and Arcadis shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to Arcadis for general conformance before proceeding with fabrication.

Project Management Office Metro Hall Toronto, ON

Arcadis Professional Services (Canada) Inc.

ISSUE	S	
No.	DESCRIPTION	DATE
Α	50% SUBMISSION	2021-11-19
В	90% SUBMISSION	2022-03-04
С	ISSUED FOR PERMIT	2022-03-18
D	ISSUED FOR TENDER	2022-12-07
Е	ISSUED FOR TENDER	2025-04-11

CONSULTANTS

PRIME CONSULTANT



100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

PROJECT TITLE
CITY OF TORONTO ACCESSIBILITY UPGRADES

PROJECT ADDRESS

POLICE NO. 33 DIVISION 50 UPJOHN RD

PROJECT NO: Arcadis 30279056 DRAWN BY: CHECKED BY: L. CHATZIGIANNAKOS M. FAYAZI PROJECT MGR:


APPROVED BY: **K. ANGER** F.BOLOURIAN SHEET TITLE

DEMOLITION PLAN -THIRD FLOOR

SHEET NUMBER S2004 ISSUE

1 DEMOLITION PLAN - GROUND UPPER FLOOR

S2004 | Scale: 1:100



CITY OF TORONTO Project Management Office Metro Hall Toronto, ON

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by Arcadis is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and Arcadis shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to Arcadis for general conformance before proceeding with fabrication.

Arcadis Professional Services (Canada) Inc.

M5V 3C6

ISSUE	S	
No.	DESCRIPTION	DATE
Α	50% SUBMISSION	2021-11-19
В	90% SUBMISSION	2022-03-04
С	ISSUED FOR PERMIT	2022-03-18
D	ISSUED FOR TENDER	2022-12-07
Е	ISSUED FOR TENDER	2025-04-11

CONSULTANTS

PRIME CONSULTANT



100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

PROJECT TITLE
CITY OF TORONTO ACCESSIBILITY UPGRADES

PROJECT ADDRESS


POLICE NO. 33 DIVISION 50 UPJOHN RD

PROJECT NO:	
Arcadis 30279056	
DRAWN BY:	CHECKED BY:
L. CHATZIGIANNAKOS	M. FAYAZI
PROJECT MGR:	APPROVED BY
E BOLOHDIAN	K ANGED

SHEET TITLE **DEMOLITION PLAN -**

MECHANICAL FLOOR

SHEET NUMBER S2005 ISSUE



NEW S.O.G. THICKNESS TO MATCH EXISTING 15M@300 T&B EW DRILL & GROUT DWLS.15M@300 C/C X 600 LG.MIN. 250 EMBEDDED INTO EXIST. SLAB (TYP.) 200mm GRANULAR "A" COMPACTED TO 100% SPMDD. DRAINAGE PIPE TO BE SURROUNDED BY MIN. 100mm GRANULAR NATIVE SOIL MATERIAL ON ALL SIDES 2 TRENCH DETAIL IN EXISTING SLAB - OPTION 2

S2501 / Scale: 1:10

SHEET TITLE

CLIENT CITY OF TORONTO

Project Management Office Metro Hall Toronto, ON

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by Arcadis is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and Arcadis shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to Arcadis for general conformance before proceeding with fabrication.

M5V 3C6

Arcadis Professional Services (Canada) Inc.

	Arcadis i Tolessional Cervices (Cana	ida) ilic.
ISSUE	S	
No.	DESCRIPTION	DATE
Α	50% SUBMISSION	2021-11-19
В	90% SUBMISSION	2022-03-04
С	ISSUED FOR PERMIT	2022-03-18
D	ISSUED FOR TENDER	2022-12-07
Е	ISSUED FOR TENDER	2025-04-11

CONSULTANTS

SEAL

PRIME CONSULTANT



100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

PROJECT TITLE CITY OF TORONTO ACCESSIBILITY UPGRADES

PROJECT ADDRESS

POLICE NO. 33 DIVISION 50 UPJOHN RD

PROJECT NO:
Arcadis 30279056
DRAWN BY:
I CHATTICIANNIA

CHECKED BY: L. CHATZIGIANNAKOS M. FAYAZI PROJECT MGR: APPROVED BY: F.BOLOURIAN K. ANGER

PROPOSED PLAN -**BASEMENT**

SHEET NUMBER

ISSUE S2501

CITY OF TORONTO

Project Management Office Metro Hall Toronto, ON M5V 3C6

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by Arcadis is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and Arcadis shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to Arcadis for general conformance before proceeding with fabrication.

Arcadis Professional Services (Canada) Inc.

	,	,
ISSUE	S	
No.	DESCRIPTION	DATE
Α	50% SUBMISSION	2021-11-19
В	90% SUBMISSION	2022-03-04
С	ISSUED FOR PERMIT	2022-03-18
D	ISSUED FOR TENDER	2022-12-07
Е	ISSUED FOR TENDER	2025-04-11

CONSULTANTS

PRIME CONSULTANT



100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930

PROJECT TITLE
CITY OF TORONTO ACCESSIBILITY UPGRADES

PROJECT ADDRESS

POLICE NO. 33 DIVISION 50 UPJOHN RD

PROJECT NO: Arcadis 30279056

DRAWN BY: CHECKED BY: L. CHATZIGIANNAKOS M. FAYAZI APPROVED BY: **K. ANGER** PROJECT MGR: F.BOLOURIAN

SHEET TITLE PROPOSED PLAN -**GROUND FLOOR**

SHEET NUMBER ISSUE E S2502

NEW 240mm BLOCK WALL \times

CLIENT CITY OF TORONTO

Project Management Office Metro Hall Toronto, ON M5V 3C6

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by Arcadis is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and Arcadis shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to Arcadis for general conformance before proceeding with fabrication.

Arcadis Professional Services (Canada) Inc.

ISSUE	S	
No.	DESCRIPTION	DATE
Α	50% SUBMISSION	2021-11-19
В	90% SUBMISSION	2022-03-04
С	ISSUED FOR PERMIT	2022-03-18
D	ISSUED FOR TENDER	2022-12-07
Е	ISSUED FOR TENDER	2025-04-11

CONSULTANTS

PRIME CONSULTANT



100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

PROJECT TITLE
CITY OF TORONTO ACCESSIBILITY UPGRADES

PROJECT ADDRESS

POLICE NO. 33 DIVISION 50 UPJOHN RD

PROJECT NO:

Arcadis 30279056 DRAWN BY: CHECKED BY: L. CHATZIGIANNAKOS M. FAYAZI APPROVED BY: **K. ANGER** PROJECT MGR: F.BOLOURIAN

SHEET TITLE PROPOSED PLAN -


SECOND FLOOR

SHEET NUMBER S2503

ISSUE E

S2503 | Scale: 1:100

1 PROPOSED PLAN - SECOND FLOOR



CITY OF TORONTO

Project Management Office Metro Hall Toronto, ON M5V 3C6

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by Arcadis is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and Arcadis shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to Arcadis for general conformance before proceeding with fabrication.

Arcadis Professional Services (Canada) Inc.

		,
ISSUE	S	
No.	DESCRIPTION	DATE
Α	50% SUBMISSION	2021-11-19
В	90% SUBMISSION	2022-03-04
С	ISSUED FOR PERMIT	2022-03-18
D	ISSUED FOR TENDER	2022-12-07
Е	ISSUED FOR TENDER	2025-04-11

CONSULTANTS

PRIME CONSULTANT



100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

PROJECT TITLE
CITY OF TORONTO ACCESSIBILITY UPGRADES

PROJECT ADDRESS

POLICE NO. 33 DIVISION 50 UPJOHN RD

PROJECT NO:
Arcadis 30279056
DRAWN BY:

PROJECT MGR: F.BOLOURIAN	APPROVED B K. ANGER
DRAWN BY: L. CHATZIGIANNAKOS	CHECKED BY M. FAYAZI
Arcadis 30279056	

SHEET TITLE PROPOSED PLAN -

THIRD FLOOR

SHEET NUMBER S2504

ISSUE E

1 PROPOSED PLAN - GROUND UPPER FLOOR

CITY OF TORONTO TORONTO

Corporate Real Estate Management
Project Management Office
Metro Hall Toronto, ON
M5V 3C6

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by Arcadis is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and Arcadis shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to Arcadis for general conformance before proceeding with fabrication.

Arcadis Professional Services (Canada) Inc.

	,	,
ISSUE	S	
No.	DESCRIPTION	DATE
Α	50% SUBMISSION	2021-11-19
В	90% SUBMISSION	2022-03-04
С	ISSUED FOR PERMIT	2022-03-18
D	ISSUED FOR TENDER	2022-12-07
Е	ISSUED FOR TENDER	2025-04-11

CONSULTANTS

SEAL

PRIME CONSULTANT



100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

PROJECT TITLE
CITY OF TORONTO
ACCESSIBILITY UPGRADES

PROJECT ADDRESS

POLICE NO. 33 DIVISION 50 UPJOHN RD

PROJECT NO:
Arcadis 30279056

DRAWN BY:
CHECKED BY:
L. CHATZIGIANNAKOS
M. FAYAZI


PROJECT MGR: APPROVED BY: F.BOLOURIAN K. ANGER


SHEET TITLE

PROPOSED PLAN MECHANICAL FLOOR

SHEET NUMBER


MBER ISSUE E






ISSUE	S	
No.	DESCRIPTION	DATE
Α	50% SUBMISSION	2021-11-19
В	90% SUBMISSION	2022-03-04
С	ISSUED FOR PERMIT	2022-03-18
D	ISSUED FOR TENDER	2022-12-07

S5302




6 EXSITING GROUND UPPER FLOOR PLAN S5303 | Scale: 1:50



1 ELEVATOR DEMOLITION PLAN - GROUND UPPER FLOOR

S5303 | Scale: 1:25



2 ELEVATOR PROPOSED PLAN - GROUND UPPER FLOOR / THIRD FLOOR S5303 | Scale: 1:25

CLIENT CITY OF TORONTO Corporate Real Estate Management Project Management Office Metro Hall Toronto, ON M5V 3C6

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by Arcadis is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and Arcadis shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to Arcadis for general conformance before proceeding with fabrication.

Arcadis Professional Services (Canada) Inc.

	7 II OLI II O O O O O O O O O O O O O O O	,
ISSUE	S	
No.	DESCRIPTION	DATE
Α	50% SUBMISSION	2021-11-19
В	90% SUBMISSION	2022-03-04
С	ISSUED FOR PERMIT	2022-03-18
D	ISSUED FOR TENDER	2022-12-07
Е	ISSUED FOR TENDER	2025-04-11

CONSULTANTS

SEAL

PRIME CONSULTANT



100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

PROJECT TITLE CITY OF TORONTO ACCESSIBILITY UPGRADES

PROJECT ADDRESS


POLICE NO. 33 DIVISION 50 UPJOHN RD

PROJECT NO: Arcadis 30279056

DRAWN BY: CHECKED BY: L. CHATZIGIANNAKOS M. FAYAZI APPROVED BY: **K. ANGER** PROJECT MGR: F.BOLOURIAN SHEET TITLE

ELEVATOR - PLANS

SHEET NUMBER S5303 ISSUE



CLIENT CITY OF TORONTO Corporate Real Estate Management Project Management Office Metro Hall Toronto, ON

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by Arcadis is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and Arcadis shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to Arcadis for general conformance before proceeding with fabrication.

Arcadis Professional Services (Canada) Inc.

M5V 3C6

ISSUES										
No.	DESCRIPTION	DATE								
Α	90% SUBMISSION	2022-03-04								
В	ISSUED FOR PERMIT	2022-03-18								
С	ISSUED FOR TENDER	2022-12-07								
D	ISSUED FOR TENDER	2025-04-11								

PRIME CONSULTANT

ARCADIS

100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

PROJECT TITLE CITY OF TORONTO ACCESSIBILITY UPGRADES

PROJECT ADDRESS

POLICE NO. 33 DIVISION 50 UPJOHN RD


PROJECT NO: Arcadis 30279056


CHECKED BY: DRAWN BY: L. CHATZIGIANNAKOS M. FAYAZI PROJECT MGR: APPROVED BY: K. ANGER F.BOLOURIAN SHEET TITLE

ELEVATOR - ROOF

ISSUE

SHEET NUMBER S5304





CITY OF TORONTO

Corporate Real Estate Management
Project Management Office
Metro Hall Toronto, ON
M5V 3C6

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by Arcadis is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and Arcadis shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to Arcadis for general conformance before proceeding with fabrication.

Arcadis Professional Services (Canada) Inc.

ISSUE	S	
No.	DESCRIPTION	DATE
Α	50% SUBMISSION	2021-11-19
В	90% SUBMISSION	2022-03-04
С	ISSUED FOR PERMIT	2022-03-18
D	ISSUED FOR TENDER	2022-12-07
Е	ISSUED FOR TENDER	2025-04-11

CONSULTANTS

SEAL

PRIME CONSULTANT



100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

PROJECT TITLE
CITY OF TORONTO
ACCESSIBILITY UPGRADES

PROJECT ADDRESS

POLICE NO. 33 DIVISION 50 UPJOHN RD

PROJECT NO: Arcadis 30279056 DRAWN BY:

DRAWN BY:
L. CHATZIGIANNAKOS

PROJECT MGR:
F.BOLOURIAN

SHEET TITLE

CHECKED BY:
M. FAYAZI

APPROVED BY:
K. ANGER

WALL OPENINGS

SHEET NUMBER

S6801 ISSUE

1 ELEVATION

MECHANICAL DRAWING LIST									
Sheet Number	Sheet Name								
M0001	MECHANICAL DRAWING LIST								
M0201	EQUIPMENT SCHEDULE								
M1101	DEMOLITION PLAN - GROUND FLOOR								
M1102	DEMOLITION PLAN - THIRD FLOOR								
M2101	PLUMBING - GROUND FLOOR								
M2102	PLUMBING - THIRD FLOOR								
M3101	DRAINAGE - BASEMENT								
M3102	DRAINAGE - GROUND FLOOR								
M3103	DRAINAGE - THIRD FLOOR								
M5101	HVAC - BASEMENT								
M5102	HVAC - GROUND FLOOR								
M5103	HVAC - THIRD FLOOR								
M5104	HVAC - ROOF PLAN								
M6101	FIRE PROTECTION PLAN								

CITY OF TORONTO

Corporate Real Estate Management Project Management Office Metro Hall Toronto, ON M5V 3C6

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by Arcadis is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and Arcadis shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to Arcadis for general conformance before proceeding with fabrication.

Arcadis Professional Services (Canada) Inc.

ISSUES										
No.	DESCRIPTION	DATE								
Α	50% SUBMISSION	2021-11-19								
В	90% SUBMISSION	2022-03-04								
С	ISSUED FOR PERMIT	2022-03-18								
D	ISSUED FOR TENDER	2025-04-18								

CONSULTANTS

PRIME CONSULTANT



100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

PROJECT TITLE
CITY OF TORONTO ACCESSIBILITY UPGRADES

PROJECT ADDRESS

50 UPJOHN RD

PROJECT NO: Arcadis 30279056

CHECKED BY: B.LIAO DRAWN BY: K.DURUKAN APPROVED BY: **S.LIU** PROJECT MGR: F. BOLOURIAN

SHEET TITLE

MECHANICAL DRAWING LIST

SHEET NUMBER G05-249-M0001 D

SPLIT AIR CONDITIONING UNIT SCHEDULE - INDOOR UNIT													
TAG NO.	SERVICE	LOCATION	MANUFACTURE	MODEL NO.	HEATING OUTPUT KW (MIN / MAX)	COOLING OUTPUT NOMINAL TONS	AIR FLOW (Lo-Hi)	ESP (Pa)	V/Ph/Hz	FAN MOTOR FLA	FAN MOTOR W	NET WEIGHT	REMARK
AC-01	ELEV. CLOSET	ELEV. CONTROL RM	DAIKIN	FTX18UVJU	2.6 / 8	1.5	180 ~ 335 LPS	-	208/1/60	0.37	48	15KG	NOTE 1 ~ 6

1. C/W REFRIGERANT PIPING AND WIRING FOR INDOOR / OUTDOOR UNIT CONNECTION AND ALL NECESSARY VALVES, INSULATION, FITTINGS AND SUPPORT PER MANUFACTURE INSTALLATION REQUIREMENT.

2. HEATING MODEL DOWN TO -25°C OUTDOOR TEMPERATURE. 3. C/W BACNET INTERFACE AND CONNECT TO EXISTING BAS. REFER TO SCHEMATIC ON DWG M5103.

4. C/W WALL MOUNTED 7-DAYS PROGRAMMABLE THERMOSTAT.

5. C/W NECESSARY FITTING TO ALLOW COOLING OPERATION BELOW -5°C.

6. PROVIDE CONDENSATE PUMP 208/1/60, 16W, 2.2G/HR AT 10FT OR EQUAL.

SPLIT AIR CONDITIONING UNIT SCHEDULE - OUTDOOR UNIT												
TAG NO.	SERVICE	LOCATION	MANUFACTURE	HEATING OUTPUT KW (MIN / MAX)					MAX FUSE	NET WEIGHT	REMARK	
ACCU-01	AC-01	ROOF	MITSUBISHI ELECTRIC	RXL18UMVJUA	2.6 / 8	1.5	-25°C ~ 46°C	208/1/60	18.7	20	60KG	NOTE 1 ~ 4

1. C/W REFRIGERANT PIPING AND WIRING FOR INDOOR / OUTDOOR UNIT CONNECTION AND ALL NECESSARY VALVES, INSULATION, FITTINGS AND SUPPORT PER MANUFACTURE INSTALLATION REQUIREMENT.

2. HEATING MODEL DOWN TO -25°C OUTDOOR TEMPERATURE.

3. C/W NECESSARY FITTING TO ALLOW COOLING OPERATION BELOW -5°C. 4. C/W BACNET INTERFACE AND CONNECT TO EXISTING BAS. REFER TO SCHEMATIC ON DWG M5103.

EXHAUST FAN SCHEDULE									
				FAN MOTOR		R			
TAG NO.	SERVICE	MANUFACTURER/ MODEL NO.	CAPACITY (LPS)	S.P. (Pa)	TYPE	W	RPM	V/Ph/Hz	NOTES
EF-01	ELEVATOR SHAFT	GREENHECK CUE-070-D	95	75	WALL MOUNTED DIRECT DRIVE	25	1550		C/W HOA STARTER MS-1P OR EQUAL AND CONNECT TO EXISTING BAS, REFER TO SCHEMATIC ON DWG M5103. FAN TO BE CONFIGURED FOR SIDEWALL MOUNTING C/W DISCONNECT. AUTOMATIC DAMPER AND BIRDSCREEN

CLIENT

CITY OF TORONTO Corporate Real Estate Management

Project Management Office Metro Hall Toronto, ON M5V 3C6

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by Arcadis is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and Arcadis shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to Arcadis for general conformance before proceeding with fabrication.

Arcadis Professional Services (Canada) Inc.

ISSUE	:S	
No.	DESCRIPTION	DATE
Α	50% SUBMISSION	2021-11-19
В	90% SUBMISSION	2022-03-04
С	ISSUED FOR PERMIT	2022-03-18
D	ISSUED FOR TENDER	2025-04-18
	•	

CONSULTANTS

PRIME CONSULTANT



100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

PROJECT TITLE CITY OF TORONTO ACCESSIBILITY UPGRADES

PROJECT ADDRESS


50 UPJOHN RD

PROJECT NO:

Arcadis 30279056 CHECKED BY: DRAWN BY: K.DURUKAN B.LIAO PROJECT MGR: APPROVED BY: F. BOLOURIAN S.LIU

SHEET TITLE **EQUIPMENT SCHEDULE**

SHEET NUMBER G05-249-M0201 D



Corporate Real Estate Management Project Management Office Metro Hall Toronto, ON

ISSUES		
Α	50% SUBMISSION	2021-11-19
В	90% SUBMISSION	2022-03-04
С	ISSUED FOR PERMIT	2022-03-18
D	ISSUED FOR TENDER	2025-04-18

CITY OF TORONTO ACCESSIBILITY UPGRADES

CHECKED BY: APPROVED BY:

DEMOLITION PLAN -

G05-249-M1101 D

GENERAL NOTES:

CONTRACTOR TO VERIFY SITE CONDITION.

REMOVE AND CAP EXISTING SERVICES AS SHOWN ON THE DRAWING. ALL EXISTING SERVICES SHALL REMAIN UNLESS OTHERWISE NOTED.

4. RETAIN BASE BUILDING BAS CONTRACTOR FOR BAS SCOPE OF WORK.

CLIENT CITY OF TORONTO Corporate Real Estate Management Project Management Office

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by Arcadis is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and Arcadis shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to Arcadis for general conformance before proceeding with fabrication.

Arcadis Professional Services (Canada) Inc.

Metro Hall Toronto, ON M5V 3C6

ISSUE	S	
No.	DESCRIPTION	DATE
Α	50% SUBMISSION	2021-11-19
В	90% SUBMISSION	2022-03-04
С	ISSUED FOR PERMIT	2022-03-18
D	ISSUED FOR TENDER	2025-04-18
	•	

CONSULTANTS

PRIME CONSULTANT



100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

PROJECT TITLE CITY OF TORONTO ACCESSIBILITY UPGRADES

PROJECT ADDRESS


50 UPJOHN RD

PROJECT NO: Arcadis 30279056 DRAWN BY: CHECKED BY: K.DURUKAN **B.LIAO** PROJECT MGR: APPROVED BY:

F. BOLOURIAN S.LIU

DEMOLITION PLAN -THIRD FLOOR

G05-249-M1102 Issue



G05-249-M2101 D

DATE

2021-11-19

2022-03-04

2022-03-18

2025-04-18

REFER TO SPECIFICATIONS FOR PLUMBING FIXTURE UNIT TYPES. ALL NEW FIXTURES TO BE FITTED WITH ISOLATION VALVES.

CLIENT CITY OF TORONTO TORONTO

Corporate Real Estate Management

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by Arcadis is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and Arcadis shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to Arcadis for general conformance before proceeding with fabrication.

Arcadis Professional Services (Canada) Inc.

Project Management Office Metro Hall Toronto, ON

M5V 3C6

ISSUES		
No.	DESCRIPTION	DATE
Α	50% SUBMISSION	2021-11-19
В	90% SUBMISSION	2022-03-04
С	ISSUED FOR PERMIT	2022-03-18
D	ISSUED FOR TENDER	2025-04-18

CONSULTANTS

PRIME CONSULTANT



100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

PROJECT TITLE
CITY OF TORONTO ACCESSIBILITY UPGRADES

PROJECT ADDRESS

50 UPJOHN RD

PROJECT NO: Arcadis 30279056

DRAWN BY: CHECKED BY: K.DURUKAN **B.LIAO** APPROVED BY: **S.LIU** PROJECT MGR: F. BOLOURIAN

PLUMBING - THIRD

FLOOR

G05-249-M2102 Issue

DRAINAGE - BASEMENT \ M3101 / Scale: 1 : 100

GENERAL NOTES:

REFER TO SPECIFICATIONS FOR PLUMBING FIXTURE UNIT TYPES. PROVIDE SANITARY VENT FOR EACH NEW PLUMBING FIXTURE AND CONNECT TO EXISTING SANITARY VENT MAIN.

PROVIDE P-TRAP FOR EACH PLUMBING FIXTURE AS PER OBC.

ALL NEW FLOOR DRAINS SHALL BE C/W P-TRAP AND PRIMER. PROVIDE FIRE STOP FOR ALL PIPE PENETRATIONS THROUGH FIRE SEPERATIONS.

ALL UNDERGROUND SANITARY PIPING SHALL BE MINIMUM 75mmØ UNLESS OTHERWISE NOTED.

CITY OF TORONTO Corporate Real Estate Management Project Management Office Metro Hall Toronto, ON

CLIENT

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by Arcadis is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and Arcadis shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to Arcadis for general conformance before proceeding with fabrication.

Arcadis Professional Services (Canada) Inc.

M5V 3C6

ISSUES		
No.	DESCRIPTION	DATE
Α	50% SUBMISSION	2021-11-19
В	90% SUBMISSION	2022-03-04
С	ISSUED FOR PERMIT	2022-03-18
D	ISSUED FOR TENDER	2025-04-18

CONSULTANTS

PRIME CONSULTANT

ARCADIS

100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

PROJECT TITLE CITY OF TORONTO ACCESSIBILITY UPGRADES

PROJECT ADDRESS

50 UPJOHN RD

PROJECT NO:


Arcadis 30279056	
DRAWN BY:	CHECKED BY:
K.DURUKAN	B.LIAO
PROJECT MGR:	APPROVED BY:

F. BOLOURIAN SHEET TITLE DRAINAGE - BASEMENT

SHEET NUMBER

G05-249-M3101 D

ELEVATOR FOUNDATION



CITY OF TORONTO

Corporate Real Estate Management Project Management Office Metro Hall Toronto, ON M5V 3C6

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by Arcadis is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and Arcadis shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to Arcadis for general conformance before proceeding with fabrication.

Arcadis Professional Services (Canada) Inc.

ISSUE	S	
No.	DESCRIPTION	DATE
Α	50% SUBMISSION	2021-11-19
В	90% SUBMISSION	2022-03-04
С	ISSUED FOR PERMIT	2022-03-18
D	ISSUED FOR TENDER	2025-04-18

PRIME CONSULTANT

ARCADIS

100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

CITY OF TORONTO ACCESSIBILITY UPGRADES

PROJECT ADDRESS

6. ALL UNDERGROUND SANITARY PIPING SHALL BE MINIMUM 75mmØ UNLESS OTHERWISE NOTED.

50 UPJOHN RD

PROJECT NO:

Arcadis 30279056 CHECKED BY: DRAWN BY: K.DURUKAN **B.LIAO** PROJECT MGR: APPROVED BY:

S.LIU

DRAINAGE - GROUND FLOOR

G05-249-M3102 Issue

DRAINAGE - THIRD FLOOR

∖ M3103 / Scale: 1 : 100

GENERAL NOTES:

REFER TO SPECIFICATIONS FOR PLUMBING FIXTURE UNIT TYPES.

PROVIDE SANITARY VENT FOR EACH NEW PLUMBING FIXTURE AND CONNECT TO EXISTING SANITARY VENT MAIN. PROVIDE P-TRAP FOR EACH PLUMBING FIXTURE AS PER OBC.

ALL NEW FLOOR DRAINS SHALL BE C/W P-TRAP AND PRIMER.

PROVIDE FIRE STOP FOR ALL PIPE PENETRATIONS THROUGH FIRE SEPERATIONS. ALL UNDERGROUND SANITARY PIPING SHALL BE MINIMUM 75mmØ UNLESS OTHERWISE NOTED.

CLIENT CITY OF TORONTO

Corporate Real Estate Management Project Management Office Metro Hall Toronto, ON M5V 3C6

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by Arcadis is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and Arcadis shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to Arcadis for general conformance before proceeding with fabrication.

Arcadis Professional Services (Canada) Inc.

ISSUES		
No.	DESCRIPTION	DATE
Α	50% SUBMISSION	2021-11-19
В	90% SUBMISSION	2022-03-04
С	ISSUED FOR PERMIT	2022-03-18
D	ISSUED FOR TENDER	2025-04-18

CONSULTANTS

PRIME CONSULTANT



100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

PROJECT TITLE CITY OF TORONTO ACCESSIBILITY UPGRADES

PROJECT ADDRESS

50 UPJOHN RD

PROJECT NO:

Arcadis 30279056 DRAWN BY: CHECKED BY: K.DURUKAN B.LIAO PROJECT MGR: APPROVED BY:

F. BOLOURIAN S.LIU DRAINAGE - THIRD

FLOOR

G05-249-M3103 D

— EXISTING BAS PANEL IN BASEMENT MECHANICAL ROOM, BY JOHNSON CONTROLS

CLIENT

CITY OF TORONTO

Corporate Real Estate Management Project Management Office Metro Hall Toronto, ON M5V 3C6

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by IBI Group is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and IBI Group shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to IBI Group for general conformance before proceeding with fabrication.

IBI Group Professional Services (Canada) Inc. is a member of the IBI Group of companies

ISSUES

DESCRIPTION DATE A 50% SUBMISSION 2021-11-19 B 90% SUBMISSION 2022-03-04 C ISSUED FOR PERMIT 2022-03-18 D ISSUED FOR TENDER 2025-04-18

CONSULTANTS

PRIME CONSULTANT

IBI GROUP
175 Galaxy Blvd, Unit 100
Toronto, ON M9W 0C9, Canada
tel 416 679 1930 fax 416 675 4620
ibigroup.com

PROJECT TITLE
CITY OF TORONTO ACCESSIBILITY UPGRADES

PROJECT ADDRESS

50 UPJOHN RD

PROJECT NO:

Arcadis 30279056 CHECKED BY: DRAWN BY: K.DURUKAN **B.LIAO** APPROVED BY: PROJECT MGR:

F.BOLOURIAN S.LIU

HVAC - BASEMENT

G05-249-M5101 D


GENERAL NOTES:

1. ADD AND ADJUST DUCTS TO FIT NEW DIFFUSERS/GRILLES.

2. THERMOSTATS TO BE MOUNTED AT 1200mm A.F.F.

3. RETAIN BASE BUILDING BAS CONTRACTOR FOR BAS SCOPE OF WORK.

1 HVAC - BASEMENT



CITY OF TORONTO

Corporate Real Estate Management Project Management Office Metro Hall Toronto, ON M5V 3C6

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by Arcadis is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and Arcadis shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to Arcadis for general conformance before proceeding with fabrication.

Arcadis Professional Services (Canada) Inc.

ISSUE	S	
No.	DESCRIPTION	DATE
Α	50% SUBMISSION	2021-11-19
В	90% SUBMISSION	2022-03-04
С	ISSUED FOR PERMIT	2022-03-18
D	ISSUED FOR TENDER	2025-04-18
		•

PRIME CONSULTANT

ARCADIS

100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

PROJECT TITLE
CITY OF TORONTO ACCESSIBILITY UPGRADES

PROJECT ADDRESS

50 UPJOHN RD

CHECKED BY: K.DURUKAN **B.LIAO** PROJECT MGR: APPROVED BY:

HVAC - GROUND FLOOR

G05-249-M5102 ISSUE D

PROVIDE HOA STARTER FOR EF-01 AND -RE-INSTALL THERMOSTAT TO ACCOMODATE DOOR WIDENING WORK, REFER ARCH DWG FOR CONNECT TO BAS EXACT DOOR REPLACEMENT WORK. MODIFY/EXTEND EXISTING WIRE AND BAS CABLE PROVIDE 250X250 AIR TRANSFER DUCT FROM -WHEN REQUIRED TO SUIT NEW LOCATION CONTROL CLOSET TO SHAFT C/W FIRE DAMPER, SLEEVE AND AIR TRANSFER GRILLES ON EACH SIDE, PROVIDE WALL MOUNTED SPLIT AC UNIT C/W WALL GRILLE MODEL EH PRICE 620 OR EQUAL. REFER ARCH MOUNTED PROGRAMMABLE THERMOSTAT, REFER DWG DWG FOR EXACT SEPARATION REQUIREMENT TO M5104 DETAIL-2 FOR BAS CONTROL REQUIREMENT INCLUDE FIRE DAMPER LOCATION RE-INSTALL THERMOSTAT TO ACCOMODATE — RE-INSTALL THERMOSTAT TO ACCOMODATE DOOR WIDENING WORK, REFER ARCH DWG FOR DOOR WIDENING WORK, REFER ARCH DWG FOR - RELOCATE & RE-INSTALL EXHAUST GRILLE, AIR TRANSFER GRILLES AND CONNECT BACK TO RE-INSTALL THERMOSTAT TO ACCOMODATE EXACT DOOR REPLACEMENT WORK. EXACT DOOR REPLACEMENT WORK. DOOR WIDENING WORK, REFER ARCH DWG FOR MODIFY/EXTEND EXISTING WIRE AND BAS CABLE MODIFY/EXTEND EXISTING WIRE AND BAS CABLE EXISTING, MODIFY / EXTEND EXISTING DUCTWORK EXACT DOOR REPLACEMENT WORK. WHEN REQUIRED TO SUIT NEW LOCATION WHEN REQUIRED TO SUIT NEW LOCATION TO RE-CONNECT TO EXISTING IF REQUIRED MODIFY/EXTEND EXISTING WIRE AND BAS CABLE WHEN REQUIRED TO SUIT NEW LOCATION FD PROVIDE BAS SUB PANEL PROVIDE 500x250 FIRE 120VAC 100VA RATED DOOR GRILLE

HVAC - THIRD FLOOR

M5103 / Scale: 1:100

ADD AND ADJUST DUCTS TO FIT NEW DIFFUSERS/GRILLES. THERMOSTATS TO BE MOUNTED AT 1200mm A.F.F. RETAIN BASE BUILDING BAS CONTRACTOR FOR BAS SCOPE OF WORK.

CLIENT CITY OF TORONTO Corporate Real Estate Management Project Management Office Metro Hall Toronto, ON

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by Arcadis is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and Arcadis shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to Arcadis for general conformance before proceeding with fabrication.

M5V 3C6

Arcadis Professional Services (Canada) Inc.

ISSUE	ISSUES			
No.	DESCRIPTION	DATE		
Α	50% SUBMISSION	2021-11-19		
В	90% SUBMISSION	2022-03-04		
С	ISSUED FOR PERMIT	2022-03-18		
D	ISSUED FOR TENDER	2025-04-18		

CONSULTANTS

PRIME CONSULTANT

ARCADIS

100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

PROJECT TITLE CITY OF TORONTO ACCESSIBILITY UPGRADES

PROJECT ADDRESS

50 UPJOHN RD


PROJECT NO: Arcadis 30279056

DRAWN BY: CHECKED BY: K.DURUKAN **B.LIAO** PROJECT MGR: APPROVED BY: F. BOLOURIAN S.LIU

HVAC - THIRD FLOOR

SHEET NUMBER

G05-249-M5103 D



CONTROL SEQUENCES:

HEATING/COOLING CONTROL (ELEVATOR CONTROL CLOSET)

SPACE HEATING AND COOLING SUPPLIED BY SPLIT AC OEM CONTROLLER BASED ON SPACE THERMOSTAT SETTING. SPACE TEMPERATURE TO BE MONITORED BY BAS AND AC UNIT OPERATION TO BE MONITORED & CONTROLLED BY BAS.

- COOLING TEMPERATURE SETTING : 24°C (FIELD/BAS ADJUSTABLE) - HEATING TEMPERATURE SETTING : 22°C (FIELD/BAS ADJUSTABLE)

- BAS ALARM FOR: HIGH TEMPERATURE (ABOVE 30°C, ADJUSTABLE), LOW TEMPERATURE (BELOW 16°C, ADJUSTABLE), AC FAIL.


COOLING CONTROL (ELEVATOR SHAFT)

SPACE COOLING CONTROLLED BY REVERSE ACTING EXHAUST FAN BASED ON SHAFT TEMPERATURE SENSOR READING. SPACE TEMPERATURE TO BE MONITORED BY BAS AND EXHAUST FAN TO BE MONITORED & CONTROLLED BY BAS.

COOLING TEMPERATURE SETTING, REVERSE ACTING THERMOSTAT EF-01: 24°C (FIELD/BAS ADJUSTABLE) - BAS ALARM FOR: HIGH TEMPERATURE (ABOVE 30°C, ADJUSTABLE), LOW TEMPERATURE (BELOW 16°C, ADJUSTABLE), FAN FAIL.

EXISTING BAS INTEGRATION

INTEGRATING TO BASE BUILDING BAS SYSTEM: FACILITY EXPLORER BY JOHNSON CONTROLS. INCLUDING BAS PANEL, CONTROLLER, SPACE TEMPERATURE SENSOR, WIRING, TRAINING AND EXISTING GRAPHIC USER INTERFACE UPDATE AND ALL OTHER NECESSARY DEVICES TO FORM A COMPLETE SYSTEM.



ELEVATOR SHAFT AND CONTROL ROOM CONTROL SCHEMATIC ∖ M5104 / Scale: N.T.S

CLIENT

CITY OF TORONTO Corporate Real Estate Management Project Management Office

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by Arcadis is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and Arcadis shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to Arcadis for general conformance before proceeding with fabrication.

Arcadis Professional Services (Canada) Inc.

Metro Hall Toronto, ON M5V 3C6

ISSUES			
No.	DESCRIPTION	DATE	
Α	50% SUBMISSION	2021-11-19	
В	90% SUBMISSION	2022-03-04	
С	ISSUED FOR PERMIT	2022-03-18	
D	ISSUED FOR TENDER	2025-04-18	

CONSULTANTS

SEAL

PRIME CONSULTANT

ARCADIS

100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930

www.arcadis.com

PROJECT TITLE CITY OF TORONTO **ACCESSIBILITY UPGRADES**

PROJECT ADDRESS

50 UPJOHN RD

PROJECT NO:

Arcadis 30279056 DRAWN BY: CHECKED BY: K.DURUKAN **B.LIAO** PROJECT MGR: APPROVED BY: F. BOLOURIAN S.LIU

HVAC - ROOF PLAN

SHEET NUMBER G05-249-M5104 D

GENERAL NOTES: ADD AND ADJUST DUCTS TO FIT NEW DIFFUSERS/GRILLES. THERMOSTATS TO BE MOUNTED AT 1200mm A.F.F. RETAIN BASE BUILDING BAS CONTRACTOR FOR BAS SCOPE OF WORK.

HVAC - ROOF PLAN

√M5104 / Scale: 1 : 100

RE-INSTALL CONCEALED SPRINKLER HEAD & COVER ON NEW CEILING, MODIFY/EXTEND BRANCH PIPING TO SUIT NEW LAYOUT WHEN REQUIRED PROVIDE NEW CONCEALED
SPRINKLER HEAD & COVER, PROVIDE
BRANCH PIPING CONNECT TO EXISTING SPRINKLER MAIN LINE, CONTRACTOR SHALL VERIFY EXACT EXISTING PIPING LAYOUT ON SITE FIRE PROTECTION - GROUND FLOOR

RE-INSTALL CONCEALED SPRINKLER HEAD & COVER — ON NEW CEILING, MODIFY/EXTEND BRANCH PIPING TO SUIT NEW LAYOUT WHEN REQUIRED RE-INSTALL CONCEALED SPRINKLER — HEAD & COVER, MODIFY/EXTEND BRANCH PIPING TO SUIT NEW LAYOUT WHEN REQUIRED PROVIDE NEW SIDEWALL SPRINKLER AT HIGH LEVEL SERVING ELEVATOR SHAFT, PROVIDE BRANCH PIPING CONNECT TO EXISTING SPRINKLER MAIN LINE, CONTRACTOR SHALL VERIFY EXACT EXISTING PIPING LAYOUT ON SITE RELOCATED RECESSED FIRE EXTINGUISHER & CABINET

> FIRE PROTECTION - THIRD FLOOR ∖ M6101 / Scale: 1 : 150

\ M6101 / Scale: 1 : 150

CITY OF TORONTO Corporate Real Estate Management Project Management Office Metro Hall Toronto, ON

M5V 3C6

CLIENT

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by Arcadis is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and Arcadis shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to Arcadis for general conformance before proceeding with fabrication.

Arcadis Professional Services (Canada) Inc.

D ISSUED FOR TENDER

ISSUES				
No.	DESCRIPTION	DATE		
Α	50% SUBMISSION	2021-11-19		
В	90% SUBMISSION	2022-03-04		
С	ISSUED FOR PERMIT	2022-03-18		

2025-04-18

CONSULTANTS

PRIME CONSULTANT **ARCADIS**

100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

PROJECT TITLE CITY OF TORONTO ACCESSIBILITY UPGRADES

PROJECT ADDRESS

50 UPJOHN RD

ROJECT NO:	_
roadia 20270056	

Arcadis 30279056	
DRAWN BY:	CHECKED BY:
K.DURUKAN	B.LIAO
PROJECT MGR:	APPROVED BY:
F BOLOURIAN	SIIII

SHEET TITLE FIRE PROTECTION PLAN

SHEET NUMBER

G05-249-M6101 D

ELECTRICAL DRAWING LIST			
Sheet Number	Sheet Name		
E0000	DRAWING LIST		
E1101	ELECTRICAL DEMOLITION 1ST FLOOR		
E1103	ELECTRICAL DEMOLITION 3RD FLOOR		
E2101	POWER & SYSTEMS PLAN 1ST FLOOR		
E2103	POWER & SYSTEMS PLAN 3RD FLOOR		
E2104	POWER & SYSTEMS PLAN ROOF		

CLIENT

CITY OF TORONTO

Corporate Real Estate Management Project Management Office Metro Hall Toronto, ON M5V 3C6

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by IBI Group is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and IBI Group shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to IBI Group for general conformance before proceeding with fabrication.

IBI Group Professional Services (Canada) Inc. is a member of the IBI Group of companies

ISSUES		
No.	DESCRIPTION	DATE
Α	50% SUBMISSION	2021-11-19
В	90% SUBMISSION	2022-03-04
С	BUILDING PERMIT	2022-03-18
D	ISSUED FOR TENDER	2022-03-28
Е	TENDER	2025-04-11

CONSULTANTS

PRIME CONSULTANT **ARCADIS**

100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

PROJECT TITLE
CITY OF TORONTO ACCESSIBILITY UPGRADES

PROJECT ADDRESS

POLICE NO. 33 DIVISION 50 UPJOHN RD

PROJECT NO: Arcadis 30279056


CHECKED BY: P. WILLIAMS DRAWN BY: M.BOJIC APPROVED BY: P. WILLIAMS PROJECT MGR:

F.Bolourian

DRAWING LIST

ISSUE

SHEET NUMBER E0000



CITY OF TORONTO

TORONTO

Carnerate Real Fatate Management

Corporate Real Estate Management
Project Management Office
Metro Hall Toronto, ON
M5V 3C6

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by IBI Group is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and IBI Group shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to IBI Group for general conformance before proceeding with fabrication.

IBI Group Professional Services (Canada) Inc. is a member of the IBI Group of companies

ISSUES

ISSUE		
No. DESCRIPTION		DATE
Α	50% SUBMISSION	2021-11-19
В	90% SUBMISSION	2022-03-04
С	BUILDING PERMIT	2022-03-18
D	ISSUED FOR TENDER	2022-03-28
Е	TENDER	2025-04-11

CONSULTANTS

SEAL

PRIME CONSULTANT

ARCADIS

100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

PROJECT TITLE
CITY OF TORONTO
ACCESSIBILITY UPGRADES

PROJECT ADDRESS

POLICE NO. 33 DIVISION 50 UPJOHN RD

PROJECT NO:

Arcadis 30279056

DRAWN BY: CHECKED BY: Checker

PROJECT MGR: APPROVED BY: Approver


SHEET TITLE

ELECTRICAL DEMOLITION 1ST FLOOR

SHEET NUMBER
E1101

11 E

Scale 1:100 ______ 0 2.5 5 10 I



1 ELECTRICAL DEMOLITION 2ND FLOOR

NOTES

1. REMOVE 5 EXIT SIGNS AND PREPARE CIRCUIT FOR RE-USE FOR NEW GREEN RUNNING MAN EXIT SIGNS ON THIS FLOOR.

CITY OF TORONTO

TORONTO

Corporate Real Estate Management
Project Management Office
Metro Hall Toronto, ON

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by IBI Group is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and IBI Group shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to IBI Group for general conformance before proceeding with fabrication.

M5V 3C6

IBI Group Professional Services (Canada) Inc. is a member of the IBI Group of companies

ISSUES

.00020			
No.	DESCRIPTION	DATE	
Α	50% SUBMISSION	2021-11-	
В	90% SUBMISSION	2022-03-0	
С	BUILDING PERMIT	2022-03-1	
D	ISSUED FOR TENDER	2022-03-2	
Е	TENDER	2025-04-1	

CONSULTANTS

SEAL

PRIME CONSULTANT

ARCADIS

100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

PROJECT TITLE
CITY OF TORONTO
ACCESSIBILITY UPGRADES

PROJECT ADDRESS

POLICE NO. 33 DIVISION 50 UPJOHN RD

PROJECT NO:

Arcadis 30279056

DRAWN BY: CHECKED BY: Checker

PROJECT MGR: APPROVED BY: Approver


SHEET TITLE

ELECTRICAL DEMOLITION 2ND FLOOR

SHEET NUMBER E1102

12 E

cale 1:100 _______ 0 2.5 5 10 r



NOTES:

1. REMOVE AND RELOCATE EXISTING LIGHT SWITCHES IMPACTED BY DOOR WIDENINGS

CITY OF TORONTO

TORONTO

Corporate Real Estate Management
Project Management Office
Metro Hall Toronto, ON

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by IBI Group is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and IBI Group shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to IBI Group for general conformance before proceeding with fabrication.

M5V 3C6

IBI Group Professional Services (Canada) Inc. is a member of the IBI Group of companies

ISSUE	S	
No.	DESCRIPTION	DATE
Α	50% SUBMISSION	2021-11-19
В	90% SUBMISSION	2022-03-04
С	BUILDING PERMIT	2022-03-18
D	ISSUED FOR TENDER	2022-03-28
E	TENDER	2025-04-11

CONSULTANTS

SEAL

PRIME CONSULTANT

ARCADIS

100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

CITY OF TORONTO
ACCESSIBILITY UPGRADES

PROJECT ADDRESS

POLICE NO. 33 DIVISION 50 UPJOHN RD

PROJECT NO:

Arcadis 30279056

DRAWN BY: CHECKED BY: Checker

PROJECT MGR: APPROVED BY: Approver


SHEET TITLE

ELECTRICAL DEMOLITION 3RD FLOOR

SHEET NUMBER E1103

D3 ISSUE

cale 1:100 _______ 0 2.5 5 10 m



BASEMENT PLAN IS SHOWN FOR REFERENCE



1 ELECTRICAL PLAN BASEMENT



2021-11-19

2022-03-04

2022-03-18

2022-03-28

2025-04-11

PROJECT TITLE
CITY OF TORONTO ACCESSIBILITY UPGRADES

PROJECT ADDRESS

POLICE NO. 33 DIVISION 50 UPJOHN RD

PROJECT NO: Arcadis 30279056


DRAWN BY: CHECKED BY: M.BOJIC P. WILLIAMS APPROVED BY: **P. WILLIAMS** PROJECT MGR:

F.Bolourian

POWER & SYSTEMS PLAN BASEMENT

SHEET NUMBER

ISSUE E2100



1 POWER & SYSTEMS PLAN 1ST FLOOR
E2101 Scale: 1:100

NOTES

1. PROVIDE SECURITY HARDWARE AS INDICATED ON PLAN. PROVIDE ROUGH IN/CONDUIT/CABLING FOR NEW POWER DOOR OPERATOR PUSH BUTTONS.
2. CIRCUITING SHOWN IS FOR GROUPING PURPOSES ONLY. PROVIDE NEW 15A BREAKER IN EXISTING PANEL FOR EACH CIRCUIT SHOWN UNLESS OTHERWISE NOTED.

CLIENT

CITY OF TORONTO

Corporate Real Estate Management
Project Management Office
Metro Hall Toronto, ON
M5V 3C6

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by IBI Group is forbidden.
Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and IBI Group shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to IBI Group for general conformance before proceeding with fabrication.

IBI Group Professional Services (Canada) Inc.
is a member of the IBI Group of companies

ISSUES

No. DESCRIPTION DATE

A 50% SUBMISSION 2021-11-19

B 90% SUBMISSION 2022-03-04

2022-03-18

2022-03-28

2025-04-11

or distribution for any purpose offer than authorized by Written dimensions shall have precedence over scaled of shall verify and be responsible for all dimensions and conformation of the distribution of th

PRIME CONSULTANT

ARCADIS

100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

CITY OF TORONTO
ACCESSIBILITY UPGRADES

PROJECT ADDRESS

POLICE NO. 33 DIVISION 50 UPJOHN RD

PROJECT NO: Arcadis 30279056

DRAWN BY:

M.BOJIC

PROJECT MGR:
F.Bolourian

CHECKED BY:
P. WILLIAMS

PROVED BY:
P. WILLIAMS


SHEET TITLE

POWER & SYSTEMS PLAN 1ST FLOOR

SHEET NUMBER E2101

)1 E

Scale 1:100 ______ 0 2.5 5 10 m



CLIENT CITY OF TORONTO

Corporate Real Estate Management Project Management Office Metro Hall Toronto, ON M5V 3C6

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by IBI Group is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and IBI Group shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to IBI Group for general conformance before proceeding with fabrication.

IBI Group Professional Services (Canada) Inc. is a member of the IBI Group of companies

ISSUE	S	
No.	DESCRIPTION	DATE
Α	50% SUBMISSION	2021-11-19
В	90% SUBMISSION	2022-03-04
С	BUILDING PERMIT	2022-03-18
D	ISSUED FOR TENDER	2022-03-28
E	TENDER	2025-04-11

CONSULTANTS

SEAL

PRIME CONSULTANT ARCADIS

100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

PROJECT TITLE
CITY OF TORONTO ACCESSIBILITY UPGRADES

PROJECT ADDRESS

POLICE NO. 33 DIVISION 50 UPJOHN RD

PROJECT NO: Arcadis 30279056


DRAWN BY: CHECKED BY: Author Checker PROJECT MGR: APPROVED BY: Approver

F.Bolourian SHEET TITLE

POWER & SYSTEMS PLAN 2ND FLOOR

SHEET NUMBER E2102

ISSUE



1 POWER & SYSTEMS PLAN 3RD FLOOR

NOTES:

PROVIDE SECURITY HARDWARE AS INDICATED ON PLAN. PROVIDE ROUGH IN/CONDUIT/CABLING FOR NEW POWER DOOR OPERATOR PUSH BUTTONS.

CIRCUITING SHOWN IS FOR GROUPING PURPOSES ONLY. PROVIDE NEW 15A BREAKER IN EXISTING PANEL FOR EACH CIRCUIT SHOWN UNLESS OTHERWISE NOTED.

PROVIDE RELOCATED LIGHT SWITCHES IN LOCATIONS SHOWN

RE-USE EXISTING CIRCUIT FOR NEW LIGHTING

PROVIDE NEW PANEL L3A 120/208V 60A 30 POLE PANEL TO BE FED FROM 3 NEW 3 POLE BREAKER IN PANEL L3.

CLIENT CITY OF TORONTO Corporate Real Estate Management Project Management Office Metro Hall Toronto, ON M5V 3C6 COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by IBI Group is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and IBI Group shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to IBI Group for general conformance before proceeding with fabrication. IBI Group Professional Services (Canada) Inc. is a member of the IBI Group of companies

A 50% SUBMISSION 2021-11-19 B 90% SUBMISSION 2022-03-04 C BUILDING PERMIT 2022-03-18 D ISSUED FOR TENDER 2022-03-28 E TENDER 2025-04-11

DESCRIPTION

DATE

CONSULTANTS

SEAL

PRIME CONSULTANT **ARCADIS**

100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

PROJECT TITLE CITY OF TORONTO ACCESSIBILITY UPGRADES

PROJECT ADDRESS

POLICE NO. 33 DIVISION 50 UPJOHN RD

PROJECT NO:


Arcadis 30279056 DRAWN BY: CHECKED BY: M.BOJIC PROJECT MGR: APPROVED BY: F.Bolourian **Approver**

SHEET TITLE

POWER & SYSTEMS PLAN 3RD FLOOR

SHEET NUMBER

ISSUE E2103



CITY OF TORONTO

TORONTO

Corporate Real Estate Management
Project Management Office
Metro Hall Toronto, ON

COPYRIGHT

This drawing has been prepared solely for the intended use, thus any reproduction or distribution for any purpose other than authorized by IBI Group is forbidden. Written dimensions shall have precedence over scaled dimensions. Contractors shall verify and be responsible for all dimensions and conditions on the job, and IBI Group shall be informed of any variations from the dimensions and conditions shown on the drawing. Shop drawings shall be submitted to IBI Group for general conformance before proceeding with fabrication.

IBI Group Professional Services (Canada) Inc. is a member of the IBI Group of companies

M5V 3C6

ISSUES No

 No.
 DESCRIPTION
 DATE

 A
 50% SUBMISSION
 2021-11-19

 B
 TENDER
 2025-04-11

CONSULTANTS

SEA

PRIME CONSULTANT

ARCADIS

100 - 175 Galaxy Blvd, Toronto, ON M9W 0C9, Canada tel 416 679 1930 www.arcadis.com

PROJECT TITLE
CITY OF TORONTO
ACCESSIBILITY UPGRADES

PROJECT ADDRESS

POLICE NO. 33 DIVISION 50 UPJOHN RD

PROJECT NO: Arcadis 30279056

DRAWN BY:

M.BOJIC

PROJECT MGR:
F.Bolourian

CHECKED BY:
P. WILLIAMS

APPROVED BY:
P. WILLIAMS

F.Bolourian
SHEET TITLE

POWER & SYSTEMS
PLAN ROOF

SHEET NUMBER E2104

B

MA 00.00.00 PM